

**SUBJECT INDEX**

---

- Accumulators**  
nickel-cadmium, plastic-bonded electrodes for. V. Influence of current collector and mechanical compression, 161
- Acid electrolytes**  
tetrathiafulvalenes as catalysts for the reduction of oxygen in, 193
- Additives**  
effect of, on the corrosion of zinc in KOH solution, 47
- Anatase**  
in lithium organic electrolyte rechargeable batteries, as a cathode material, 261
- Anodes**  
layer-type semiconductor, electrochemical solar cells with. Performance of *n*-MoSe<sub>2</sub> cells, 371
- Batteries**  
lithium organic electrolyte rechargeable, anatase as a cathode material in, 261  
lithium, titanium disulphide as a cathode material in; a review, 307  
sodium/sulphur, beta-alumina electrolyte for use in. Part 1. Fundamental properties, 143  
zinc-air alkaline; a review, 203
- Battery plates**  
positive lead-acid,  
influence of lead dioxide active mass on the corrosion rate of the spines of, 15  
influence of temperature on the discharge capacity of; theory and experiments, 319  
positive, from pure lead, the mechanism of the formation of. 1. Cyclic voltammetry, 83
- Battery plaque**  
sintered nickel, testing the mechanical characteristics of, and their relationship to nickel electrode performance, 171
- Beta-alumina electrolyte**  
for use in sodium/sulphur batteries. Part 1. Fundamental properties, 143
- Blistering**  
of sintered nickel hydroxide electrodes, discussion of causes, 327
- Cadmium**  
nickel-cadmium cells, sealed, the temperature behaviour of electrodes in excess of electrolyte, 1  
plastic-bonded electrodes for nickel-cadmium accumulators. V. Influence of current collector and mechanical compression, 161
- Carbides**  
cemented metal, electrochemical reactions on some, 229
- Carbon**  
black cathode, porous, in the lithium-sulphur dioxide cell, 337
- Carbon-Teflon**  
plaque resistivities, investigation of, 185
- Catalysts**  
tetrathiafulvalenes as, for the reduction of oxygen in acid electrolytes, 193
- Cathode**  
porous carbon black, in the lithium-sulphur dioxide cell, 337
- Cathode material**  
anatase as a, in lithium organic electrolyte rechargeable batteries, 261  
titanium disulphide as a, in lithium batteries; a review, 307
- Cell(s)**  
alkaline, requiring anodic limitation, a study of rechargeable zinc electrodes for, 271  
electrochemical solar, with layer-type semiconductor anodes. Performance of *n*-MoSe<sub>2</sub> cells, 371  
galvanic, consideration of lithium nitride halides as solid electrolytes in, 251  
lithium-sulphur dioxide. I. The porous carbon black cathode, 337. II. Material balance, 347  
*n*-MoSe<sub>2</sub>; electrochemical solar cells with layer-type semiconductor anodes, 371

- sealed Ni-Cd: temperature behaviour of electrodes in excess of electrolyte, 1
- Ceramics  
strontium, for chemical applications, 121
- Conductivity  
electronic, of compact lead dioxide samples with various stoichiometric compositions, 245
- Corrosion  
of zinc in KOH solution, effect of additives on, 47
- Corrosion rate  
of the spines of positive lead-acid battery plates, influence of the lead dioxide active mass on, 15
- Current distribution  
non-linear simulation of, and potential profile in porous manganese dioxide electrodes during discharge, 25
- Cyclic voltammetry  
the mechanism of the formation of positive battery plates from pure lead, 83
- Discharge capacity  
of positive lead-acid battery plates, influence of temperature on; theory and experiments, 319
- Divers  
shallow water, local heating source for, 291
- Electrochemical activity  
of some different iron polyphthalocyanines for the oxygen reduction reaction in acidic medium, 35
- Electrochemical reactions  
on some cemented metal carbides, 229
- Electrochemical solar cells  
with layer-type semiconductor anodes. Performance of *n*-MoSe<sub>2</sub> cells, 371
- Electrochemistry  
of the porous lead electrode in sulphuric acid; a selective review, 101
- Electrode(s)  
lead, porous, in sulphuric acid, electrochemistry of; a selective review, 101  
lead dioxide, porous, influence of the solid/porous electrode interphase on the behaviour of, 63  
lithium, status of the secondary, 357  
manganese dioxide, porous, during discharge, non-linear simulation of current distribution and potential profile in, 25
- nickel, testing the mechanical characteristics of sintered nickel battery plaque and their relationship to, 171  
nickel hydroxide, sintered, blistering of, discussion of causes, 327  
nickel oxide, influence of the current collector and mechanical compression on the current carrying capability of, 161  
plastic-bonded, for nickel-cadmium accumulators. V. Influence of current collector and mechanical compression on current carrying capability of the nickel oxide electrode, 161  
temperature behaviour of, in excess of electrolyte; sealed Ni-Cd cells, 1  
zinc, rechargeable, for alkaline cells requiring anodic limitation, a study of, 271
- Electrode interphase  
solid/porous, the influence of, on the behaviour of porous lead dioxide electrodes, 63
- Electrolyte(s)  
acid, tetrathiafulvalenes as catalysts for the reduction of oxygen in, 193  
beta-alumina, for use in sodium/sulphur batteries. Part 1. Fundamental properties, 143  
excess of, temperature behaviour of electrodes in; sealed Ni-Cd cells, 1  
solid, consideration of lithium nitride halides as, in practical galvanic cell applications, 251
- Halides  
lithium nitride, as solid electrolytes in practical galvanic cell applications, 251
- Heating source  
local, for shallow water divers, 291
- Iron polyphthalocyanines  
electrochemical activity of some different, for the oxygen reduction reaction in acidic medium, 35
- Lead  
electrode, porous, in sulphuric acid, electrochemistry of; a selective review, 101

- formation of positive battery plates from pure, the mechanism of. 1. Cyclic voltammetry, 83
- Lead-acid**
  - battery plates, positive, influence of lead dioxide active mass on corrosion rate of spines of, 15
  - influence of temperature on the discharge capacity of; theory and experiments, 319
- Lead dioxide**
  - active mass, influence of the, on the corrosion rate of the spines of positive lead-acid battery plates, 15
  - compact, samples with stoichiometric compositions, the electronic conductivity of, 245
  - electrodes, porous, the influence of the solid/porous electrode interphase on the behaviour of, 63
- Lithium**
  - batteries, titanium disulphide as a cathode material in; a review, 307
  - electrode, status of the secondary, 357
  - organic electrolyte rechargeable batteries, anatase as a cathode material in, 261
- Lithium nitride halides**
  - as solid electrolytes in practical galvanic cell applications, 251
- Lithium-sulphur dioxide cell**
  - I. The porous carbon black cathode, 337
  - II. Material balance, 347
- Luminescent solar concentrators (LSC)**
  - for photovoltaic systems, thermal damage in, 383
- Manganese dioxide electrodes**
  - porous, non-linear simulation of current distribution and potential profile in, during discharge, 25
- Nickel**
  - battery plaque, testing the mechanical characteristics of sintered, and their relationship to nickel electrode performance, 171
  - electrode performance, testing the mechanical characteristics of sintered nickel battery plaque and their relationship to, 171
  - plastic-bonded electrodes for nickel-cadmium accumulators. V. Influence of the current collector and mechanical compression, 161
- Nickel-cadmium cells**
  - sealed, temperature behaviour of electrodes in excess of electrolyte, 1
- Nickel oxide**
  - electrode, influence of the current collector and mechanical compression on the current carrying capability of, 161
- Nickel hydroxide**
  - electrodes, causes of blistering of sintered, 327
- Oxygen reduction reaction**
  - in acidic medium, electrochemical activity of some different iron polypthalocyanines for, 35
- Photovoltaic systems**
  - luminescent solar concentrators (LSC) for, thermal damage in, 383
- Plastic-bonded electrodes**
  - for nickel-cadmium accumulators. V. Influence of current collector and mechanical compression on the current carrying capability of the nickel oxide electrode, 161
- Plaque**
  - carbon-teflon, resistivities, investigation of, 185
- Potential profile**
  - in porous manganese dioxide electrodes during discharge, non-linear simulation of current distribution and, 25
- Reduction**
  - of oxygen in acid electrolytes, tetra-thiafulvalenes as catalysts for, 193
- Sodium**
  - beta-alumina electrolyte for use in sodium/sulphur batteries. Part 1. Fundamental properties, 143
- Solar cells**
  - electrochemical, with layer-type semiconductor anodes. Performance of *n*-MoSe<sub>2</sub> cells, 371
- Strontium**
  - ceramics for chemical applications, 121
- Sulphur**
  - beta-alumina electrolyte for use in sodium/sulphur batteries. Part 1. Fundamental properties, 143

- Temperature**  
behaviour of electrodes in excess of electrolyte; sealed Ni-Cd cells, 1  
influence of, on discharge capacity of positive lead-acid battery plates; theory and experiments, 319
- Tetramethoxyphenylporphyrinato-cobalt-II**  
heat treated electrocatalytically active, a contribution to the characterization of, 69
- Tetrathiafulvalenes**  
as catalysts for the reduction of oxygen in acid electrolytes, 193
- Thermal damage**  
in luminescent solar concentrators (LSC) for photovoltaic systems, 383
- Titanium disulphide**  
in lithium batteries, as a cathode material; a review, 307
- Voltammetry**  
cyclic, the mechanism of the formation of positive battery plates from pure lead, 83
- Zinc**  
corrosion of, in KOH solution, effect of additives on, 47  
electrodes for alkaline cells requiring anodic limitation, a study of rechargeable, 271
- Zinc-air**  
alkaline batteries; a review, 203