

SUBJECT INDEX

- Acetonitrile
 -sulphur dioxide solutions, surface films on lithium in, 273
- Active surface
 influence of the, on the electrochemical properties of porous electrodes, 73
- Alkali metal
 -polymer complexes, mechanism of ion conduction in, 383
- Alkaline metal
 intercalation compounds capable of being reduced in non-aqueous media, structure and electrochemical reversibility, 167
- Aluminium
 -lithium electrode used as anode material in lithium aprotic electrolyte batteries, on the processes responsible for the degradation of, 235
- Anode
 in the LiSO_2 battery system, characterization of the chemistry at the, 397
- Anode material
 aluminium-lithium electrode used as, in lithium aprotic electrolyte batteries, on the processes responsible for the degradation of, 235
- Antimony
 effects of, on the electrochemical behaviour of lead dioxide in sulphuric acid, 221
- Batteries
 high temperature, heat loss measurements on an enclosure for, 11
 lithium aprotic electrolyte, on the processes responsible for the degradation of the aluminium-lithium electrode used as anode material in, 235
 lithium intercalation in secondary, electrochemical method for studying the reversibility of the, 321
 lithium-manganese dioxide, some critical considerations in the design of multicell, 335
- Battery
 Li/SOCl_2 , Raman spectroscopic studies of the structure of electrolytes used in the, 267
 lithium, $\text{Li}-\text{AgBi}(\text{CrO}_4)_2$, a new highly reliable, for long service life applications, 339
 lithium thermal, a pre-testable low temperature, 417
- Battery plates
 lead/acid, calculated X-ray powder diffraction data for phases encountered in, 55
- Battery system
 LiSO_2 , characterization of the chemistry at the anode and cathode in the, 397
- Boron
 $(\text{Ag}_2\text{O})_X(\text{Li}_2\text{O})_{1-X} \cdot 2\text{B}_2\text{O}_3$ mixed cation glasses, 379
- Carbide
 cobalt-cemented tungsten, electrochemical reduction of oxygen on, 1
- Cathode(s)
 chromium oxides as, for lithium cells, 325
 in the LiSO_2 battery system, characterization of the chemistry at the, 397
- Cathode materials
 for nonaqueous lithium cells, behaviour of various, 329
- Cell(s)
 lead-acid, influence of mass transport processes on the performance of the, 19
 lithium
 cathode materials for nonaqueous, behaviour of various, 329
 chromium oxides as catalysts for, 325
 the use of the reactive ether, tetrahydrofuran (THF), in rechargeable, 239
 lithium-cupric sulfide, 409
 Li/SOCl_2 , for high temperature applications, 295

- lithium/sulfur, electrochemistry of a nonaqueous, 281
- nickel-zinc, long life sealed, using a new separator, 147
- primary, incorporating zinc electrodes, electrochemistry of some, 205
- Chromium oxides
 - as cathodes for lithium cells, 325
- Cobalt
 - cemented tungsten carbide, electrochemical reduction of oxygen on, 1
- Conduction
 - interfacial, in lithium iodide containing inert oxides, 373
 - ion, in alkali metal-polymer complex, mechanism of, 383
- Conductivity
 - high ionic, in elastomeric networks, mechanism of, 389
- Copper
 - effect of thermal treatments on the properties of Cu_xS films obtained by evaporation, 41
- Cupric sulfide
 - lithium-cupric sulfide cells, 409
- Cycling
 - of positive Planté electrodes, 47
- Degradation
 - of the aluminium-lithium electrode used as anode material in lithium aprotic electrolyte batteries, on the processes responsible for the, 235
- Diffraction data
 - calculated X-ray powder, for phases encountered in lead/acid battery plates, 55
- Elastomeric networks
 - mechanism of high ionic conductivity in, 389
- Electrode(s)
 - aluminium-lithium, used as anode material in lithium aprotic electrolyte batteries, on the processes responsible for the degradation of, 235
 - graphite-lithium negative, reversible, for electrochemical generators, 365
 - lithium, in sulfuryl chloride solutions, polarization of the, 289
 - nickel hydroxide, studies concerning charged,
 - Part V. Voltammetric behaviour of electrodes containing $\beta-Ni(OH)_2$, 185
 - oxide, reversibly incorporating Li^+ ions, mechanistic studies of, 307
 - Planté, on the cycling of positive, 47
 - porous, influence of the active surface and pore structure on the electrochemical properties of, 73
 - reversible layer-type, mechanistic studies of, 345
 - zinc, electrochemistry of some primary cells incorporating, 205
- Electrochemical behaviour
 - of lead dioxide in sulphuric acid, effects of antimony on, 221
- Electrochemical generators
 - a reversible graphite-lithium negative electrode for, 365
- Electrochemical method
 - for studying the reversibility of the lithium intercalation in secondary batteries, 321
- Electrochemical properties
 - of porous electrodes, influence of the active surface and pore structure on, 73
- Electrochemical reduction
 - of oxygen on cobalt-cemented tungsten carbide, 1
- Electrochemical reversibility
 - of alkaline metal intercalation compounds capable of being reduced in non-aqueous media, 167
- Electrochemistry
 - of a nonaqueous lithium/sulfur cell, 281
 - of some primary cells incorporating zinc electrodes, 205
 - scaling properties in, from the "TEISI" model to the lithium fractal ordering in Li_xFeS_2 layered structure, 359
- Electrolyte(s)
 - lithium aprotic, batteries, on the processes responsible for the degradation of the aluminium-lithium electrode used as anode material in, 235
 - lithium/electrolyte interface, film forming reaction at the, 253
 - lithium iodide-based solid, 161
 - used in the $Li/SOCl_2$ battery, Raman spectroscopic studies of the structure of, 267
 - organic, the reactivity of, with lithium, mechanistic aspects, 247

Ether

the use of the reactive, tetrahydrofuran (THF), in rechargeable lithium cells, 239

Film forming reaction

at the lithium/electrolyte interface, 253

Films

Cu_xS , obtained by evaporation, effect of thermal treatments on the properties of, 41

surface, on lithium in acetonitrile-sulphur dioxide solutions, 273

Fractal ordering

in Li_xFeS_2 layered structure, from the "TEISI" model to the lithium, scaling properties in electrochemistry, 359

Generators

electrochemical, a reversible graphite-lithium negative electrode for, 365

Glasses

mixed cation, $(\text{Ag}_2\text{O})_x(\text{Li}_2\text{O})_{1-x} \cdot 2\text{B}_2\text{O}_3$, 379

Graft copolymer separators

development and use, 101

Graphite

-lithium negative electrode for electrochemical generators, reversible, 365

Heat loss

measurements on an enclosure for high temperature batteries, 11

High temperature

batteries, heat loss measurements on an enclosure for, 11

Li/SOCl_2 cells for, applications, 295

Inert oxides

interfacial conduction in lithium iodide containing, 373

Intercalation

lithium, in secondary batteries, electrochemical method for studying the reversibility of the, 321

Intercalation compounds

alkaline metal, capable of being reduced in non-aqueous media, structure and electrochemical reversibility, 167

Interfacial conduction

in lithium iodide containing inert oxides, 373

Ion conduction

in alkali metal-polymer complexes, mechanism of, 383

Ionic conductivity

in elastomeric networks, mechanism of high, 389

Lead-acid

battery plates, calculated X-ray powder diffraction data for phases encountered in, 55

cell, influence of mass transport processes on the performance of the, 19

Lead dioxide

in sulphuric acid, effects of antimony on the electrochemical behaviour of, 221

Lithium

$(\text{Ag}_2\text{O})_x(\text{Li}_2\text{O})_{1-x} \cdot 2\text{B}_2\text{O}_3$ mixed cation glasses, 379

aluminium-lithium electrode used as anode material in lithium aprotic electrolyte batteries, on the processes responsible for the degradation of, 235

aprotic electrolyte batteries, on the processes responsible for the degradation of the aluminium-lithium electrode used as anode material in, 235

battery, $\text{Li}-\text{AgBi}(\text{CrO}_4)_2$, a new highly reliable, for long service life applications, 339

cells

cathode materials for nonaqueous, behaviour of various, 329

chromium oxides as catalysts for, 325

the use of the reactive ether, tetrahydrofuran (THF), in rechargeable, 239

-cupric sulfide cells, 409

electrode in sulfuric chloride solutions, polarization of the, 289

fractal ordering in Li_xFeS_2 layered structure, from the "TEISI" model to, scaling properties in electrochemistry, 359

graphite-lithium negative electrode, reversible, for electrochemical generators, 365

intercalation in secondary batteries, electrochemical method for studying the reversibility of the, 321

- iodide-based solid electrolytes, 161
- Li⁺ ions, mechanistic studies of oxide electrodes reversibly incorporating, 307
- LiSO₂ battery system, characterization of the chemistry at the anode and cathode in the, 397
- Li/SOCl₂ battery, Raman spectroscopic studies of the structure of electrolytes used in the, 267
- Li/SOCl₂ cells for high temperature applications, 295
- manganese dioxide batteries, some critical considerations in the design of multicell, 335
- the reactivity of organic electrolytes with, mechanistic aspects, 247
- /sulfur cell, electrochemistry of a non-aqueous, 281
- surface films on, in acetonitrile-sulphur dioxide solutions, 273
- thermal battery, a pre-testable low temperature, 417
- Lithium/electrolyte interface, film forming reaction at the, 253
- Lithium iodide containing inert oxides, interfacial conduction in, 373
- Long service life applications, a new highly reliable lithium battery for, Li-AgBi(CrO₄)₂, 339
- Low temperature lithium thermal battery, a pre-testable, 417
- Manganese dioxide lithium-manganese dioxide batteries, some critical considerations in the design of multicell, 335
- Mass transport processes influence of, on the performance of the lead-acid cell, 19
- Mechanistic aspects the reactivity of organic electrolytes with lithium, 247
- Mechanistic studies of oxide electrodes reversibly incorporating Li⁺ ions, 307 of reversible layer-type electrodes, 345
- Membrane systems polymer (poly(vinyl chloride)), behaviour of, 137
- Mixed cation glasses (Ag₂O)_x(Li₂O)_{1-x}·2B₂O₃, 379
- Nickel hydroxide electrodes, studies concerning charged, Part V. Voltammetric behaviour of electrodes containing β-Ni(OH)₂, 185
- Nickel-zinc cell long life sealed, using a new separator, 147
- Organic electrolytes the reactivity of, with lithium, mechanistic aspects, 247
- Oxide electrodes reversibly incorporating Li⁺ ions, mechanistic studies of, 307
- Oxides lithium iodide containing inert, interfacial conduction in, 373
- Oxygen electrochemical reduction of, on cobalt-cemented tungsten carbide, 1
- Planté electrodes on the cycling of positive, 47
- Polarization of the lithium electrode in sulfuric chloride solutions, 289
- Polymer (poly(vinyl chloride)) membrane systems, behaviour of, 137
- Pore structure influence of, on the electrochemical properties of porous electrodes, 73
- Primary cells incorporating zinc electrodes, electrochemistry of some, 205
- Raman spectroscopic studies of the structure of electrolytes used in the Li/SOCl₂ battery, 267
- Reduction electrochemical, of oxygen on cobalt-cemented tungsten carbide, 1
- Reversible layer-type electrodes mechanistic studies of, 345
- Reversibility of the lithium intercalation in secondary batteries, electrochemical method for studying the, 321
- Scaling properties in electrochemistry, from the "TEISI" model to the lithium fractal ordering in Li_xFeS₂ layered structure, 359

- Secondary batteries
 lithium intercalation in, electrochemical method for studying the reversibility of, 321
- Separator(s)
 graft copolymer, development and use, 101
 long life sealed nickel-zinc cell using a new, 147
- Silver
 $(\text{Ag}_2\text{O})_x(\text{Li}_2\text{O})_{1-x} \cdot 2\text{B}_2\text{O}_3$ mixed cation glasses, 379
- Spectroscopic studies
 Raman, of the structure of electrolytes used in the Li/SOCl_2 battery, 267
- Structure
 of alkaline metal intercalation compounds capable of being reduced in non-aqueous media, 167
- Sulfur
 lithium/sulfur cell, electrochemistry of a nonaqueous, 281
- Sulfuryl chloride
 solutions, polarization of the lithium electrode in, 289
- Sulphur
 effect of thermal treatments on the properties of Cu_xS films obtained by evaporation, 41
- Sulphur dioxide
 acetonitrile-sulphur dioxide solutions, surface films on lithium in, 273
- Sulphuric acid
 electrochemical behaviour of lead dioxide in, effects of antimony on, 221
- "TEISI" model
 to the lithium fractal ordering in Li_xFeS_2 layered structure, introduction to the scaling properties in electrochemistry, 359
- Tetrahydrofuran (THF)
 the use of the reactive ether, in rechargeable lithium cells, 239
- Thermal battery
 lithium, a pre-testable low temperature, 417
- Thermal treatments
 effect of, on the properties of Cu_xS films obtained by evaporation, 41
- Tortuosity, 87
- Tungsten carbide
 electrochemical reduction of oxygen on cobalt-cemented, 1
- Voltammetric behaviour
 of electrodes containing $\beta\text{-Ni}(\text{OH})_2$, 185
- X-ray powder diffraction
 data for phases encountered in lead/acid battery plates, 55
- Zinc
 electrodes, electrochemistry of some primary cells incorporating, 205
 nickel-zinc cell, long life sealed, using a new separator, 147