

SUBJECT INDEX

- Accelerated life cycle tests
 advanced lead-acid cells at elevated temperature, 183
 of beta alumina ceramics, 188
 of sodium-sulfur cells, 195
- Alloys
 lead-tin, hydrogen evolution on, 361
- Aqueous batteries
 post-test analyses of sodium-sulphur cells and, 221
- Battery
 lead-acid, examination of corroded positive grids from, 369
- Battery aging
 autonormalization of battery test data to significantly reduce impact of, on test results, 107
- Battery discharge times
 simple methodology for obtaining, (and vehicle ranges), for arbitrarily structured load profiles, 284
- Battery energy storage
 utility requirements for, and their effects on battery test programs, 88
- Battery experiments
 use of failure distributions in planning and analysis; how handy is Weibull, 269
- Battery monitoring
 and integrity testing of large lead-acid storage batteries, 203
- Battery storage test facility
 for load frequency control and instantaneous reserve, 267
- Battery test facility
 BEWAG, data acquisition and control instrumentation of, 201
- Battery test programs
 application testing of batteries for utility load leveling and customer applications at Battery Energy Storage Test (BEST) facility, 90
 autonormalization of battery test data to significantly reduce impact of battery aging on test results, 107
 battery data for use in expert systems, 171
- BCI cycle life testing procedures for deep-cycle lead-acid batteries, 152
 cell and battery test methods, 143
 circulating electrolyte zinc/bromine battery, 135
 flowing electrolyte batteries; test methods and results, 127
 for lithium molybdenum disulfide intercalation batteries, 153
 at National Battery Test Laboratory, 81
 measurements with pilot cell, 95
 performance testing of advanced lead-acid batteries for electric vehicles, 144
 qualification of lead-acid batteries for traction applications, 119
 quality test of lead accumulators, especially of maintenance-free, sealed lead batteries with immobilized electrolyte, 160
 rationale and methodology for group testing of electric vehicle batteries, 97
 requirements for EV-batteries and consequences for test procedures, 75
 start-up test for sodium sulphide traction batteries, 142
 test and data reduction algorithm for evaluation of lead-acid battery packs, 114
 utility requirements for battery energy storage and their effects on, 88
- Battery testing
 of Australian lead/acid battery test programmes, overview, 27
 in Britain, overview of advanced secondary, 53
 a Canadian perspective, advanced secondary battery development and, 42
 characterization of things as they are, 22
 in Germany, 46
 in Japan, overview of rechargeable, 55
 in the United States, overview of rechargeable, 64

- Beta alumina ceramics
 - rapid testing of, 188
- Bromine
 - circulating electrolyte zinc/bromine battery, test program and procedures, 135
- Carbon
 - CoTMPP catalysts for air electrodes in alkaline media, optimization of pyrolysis temperature of active, 345
- Catalysts
 - active carbon-CoTMPP, optimization of pyrolysis temperature of, for air electrodes in alkaline media, 345
- Cells
 - lead-acid
 - advanced, at elevated temperature, accelerated life cycle test, 183
 - residual capacity estimation of fully sealed 25 A h, 305
 - Li/SOCl₂, quantitative investigation of elemental sulfur distribution in discharged, 353
 - sodium-sulphur
 - accelerated life testing of, 195
 - in-test and post-test analyses of, 228
 - post-test analyses of, and aqueous batteries, 221
- Cobalt
 - optimization of pyrolysis temperature of active carbon-CoTMPP catalysts for air electrodes in alkaline media, 345
- Computer-controlled bench test
 - of lead-acid batteries, design, electric vehicle simulation program, and duty cycle for, 239
- Computer network
 - use of, to achieve testing flexibility, 207
- Corroded positive grids
 - from lead-acid battery, examination of, 369
- Curing
 - on mechanism of oxidation of free lead in lead accumulator paste by, 331
- Cycle life bench test data
 - validity of, in relation to real work in-vehicle testing, 257
- Cycle life testing procedures
 - for deep-cycle lead-acid batteries, BCI, 152
- Data acquisition
 - and control instrumentation of BEWAG battery test facility, 201
- Electric vehicle(s)
 - comparison of laboratory, dynamometer, and road tests of, 279
 - performance testing of advanced lead-acid batteries for, 144
 - simulation program, and duty cycle for computer-controlled bench test of lead-acid batteries, 239
 - track and field measurements, examination of battery-related, 248
- Electric vehicle batteries
 - rationale and methodology for group testing of, 97
 - requirements for, and consequences for test procedures, 75
- Electric vehicle battery characterization
 - innovative on-board instrumentation for, 215
- Electrodes
 - optimization of pyrolysis temperature of active carbon-CoTMPP catalysts for air electrodes in alkaline media, 345
- Flowing electrolyte batteries
 - test methods and results, 127
- Hydrogen evolution
 - on lead-tin alloys, 361
- Lead
 - hydrogen evolution on lead-tin alloys, 361
- Lead
 - on mechanism of oxidation of free, in lead accumulator paste by curing, 331
- Lead accumulators
 - quality test of, especially of maintenance-free, sealed lead batteries with immobilized electrolyte, 160
- Lead batteries
 - maintenance-free, sealed, with immobilized electrolyte, quality test of lead accumulators, especially of, 160
- Lead-acid batteries
 - BCI cycle life testing procedures for deep-cycle, 152

- computer-controlled bench test of, design, electric vehicle simulation program, and duty cycle for, 239
- examination of corroded positive grids from, 369
- fundamental studies of utility requirement for secondary batteries, 295
- performance testing of advanced, for electric vehicles, 144
- qualification of, for traction applications, 119
- storage, battery monitoring and integrity testing of, 203
- Lead-acid battery packs
 - test and data reduction algorithm for evaluation of, 114
- Lead-acid cells
 - advanced, at elevated temperature, accelerated life cycle test, 183
 - residual capacity estimation of fully sealed 25 A h, 305
- Lithium
 - quantitative investigation of elemental sulfur distribution in discharged Li/SOCl₂ cells, 353
 - testing methods for lithium molybdenum disulfide intercalation batteries, 153
- Load frequency control
 - battery storage test facility for, and instantaneous reserve, 267
- Molybdenum
 - testing methods for lithium molybdenum disulfide intercalation batteries, 153
- Oxidation
 - of free lead in lead accumulator paste by curing, mechanism of, 331
- Post-test analyses
 - in-test and, of sodium-sulfur cells, 228
 - of sodium-sulphur cells and aqueous batteries, 221
- Power discharge tester
 - multiple constant, 210
- Pyrolysis temperature
 - optimization of, of active carbon-CoTMPP catalysts for air electrodes in alkaline media, 345
- Residual capacity estimation
 - of fully sealed 25 A h lead/acid cells, 305
- Sodium sulphide traction batteries
 - start-up test for, 142
- Sodium-sulphur cells
 - accelerated life testing of, 195
 - in-test and post-test analyses of, 228
 - post-test analyses of, and aqueous batteries, 221
- Sodium-sulphur traction batteries
 - design of thermal management systems for, using battery models, 226
- Sulphur
 - accelerated life testing of sodium-sulphur cells, 195
 - quantitative investigation of elemental sulphur distribution in discharged Li/SOCl₂ cells, 353
- Thermal management systems
 - for sodium-sulphur traction batteries using battery models, design of, 226
- Tin
 - hydrogen evolution on lead-tin alloys, 361
- Traction applications
 - qualification of lead-acid batteries for, 119
- Traction batteries
 - sodium-sulphur, design of thermal management systems for, using battery models, 226
 - start-up test for sodium sulphide, 142
- Utility load leveling
 - application testing of batteries for, and customer applications at Battery Energy Storage Test (BEST) facility, 90
- Utility requirements
 - for battery energy storage and their effects on battery test programs, 88
 - for secondary batteries, lead-acid batteries, fundamental studies of, 295
- Weibull
 - how handy is; or use of failure distributions in planning and analysis of battery experiments, 269
- Zinc
 - circulating electrolyte zinc/bromine battery, test program and procedure, 135