

Subject Index of Volume 35

- Alkaline carbonate solutions
passivation of Fe in alkaline carbonate solutions, 131
- Autonomous renewable energy systems
batteries for, 371
- Battery(ies)
for autonomous renewable energy systems, 371
characteristics and performance of 1 kW UNSW V redox battery, 399
conductivity of electrolytes for rechargeable Li batteries, 59
coulombic efficiency of lead/acid batteries, particularly in RAPS systems, 377
development of lead/acid batteries for photovoltaic power systems, 355
electrochemical characteristics of $\text{MnO}_2\text{-V}_2\text{O}_5$ composites serving as positive material for secondary Li batteries, 313
experiences with lead/acid battery management in RAPS systems, 359
lead/acid batteries in utility energy storage and power control applications, 395
Li/SO₂ rechargeable batteries, 153
new battery testing facility, 417
Ni/Fe battery, 21
operation and management of batteries in photovoltaic power systems under development in Japan, 365
performance of lead/acid batteries in RAPS applications, 385
test facility for determining performance of storage batteries for photovoltaic applications, 411
Zn/Br battery for energy storage, 405
- Battery energy storage control
solar energy, 1
- Battery performance
monitoring battery performance in RAPS systems, 421
- Bromine
Zn-Br battery for energy storage, 405
- Cadmium
characterization of Cd-doped Cu In sulphide films prepared by two-step technique, 305
- Calcium sulphate
influence of Ca sulphate in positive material on discharge performance of lead/acid batteries, 83
- Cell(s)
behaviour of Cr(III)/Cr(II) reaction on Au-graphite electrodes, application to redox flow storage cell, 225
charge-discharge behaviour of Pb/Hg cell in aqueous sulphuric acid, 183
electromotive force of lead-acid cell and its half-cell potentials, 197
high-temperature Li-CuO cell with solid polymer electrolyte, 235
Li-MnO₂ cell, relationship between physicochemical properties and electrochemical characteristics of MnO₂ in nonaqueous electrolytes, 175
methods for reduction of shape change and dendritic growth in Zn-based secondary cells, 333
new equation for limiting capacity of lead/acid cell, 97
Raman and ⁷Li NMR spectroscopic studies of Li/SO₂ rechargeable cells, 143
rechargeable Fe/air cells employing bifunctional oxygen electrodes of oxide pyrochlores, 113
- Charge-discharge behaviour
of Pb/Hg cell in aqueous sulphuric acid, 183
- Charge-discharge units
simple electrical circuit for computer-controlled operation of battery charge/discharge units, 189
- Chromium
behaviour of Cr(III)/Cr(II) reaction on Au-graphite electrodes, application to redox flow storage cell, 225
- Coal
Environmental impacts of energy facilities, fuel cell technology compared

- with coal and conventional gas technology, 37
- Cobalt
 - preparation and characterization of Co-substituted α -Ni hydroxide stable in KOH medium
 - α' -hydroxide with ordered packing, 249
 - α -hydroxide with turbostratic structure, 263
- Computer-controlled operation
 - simple electrical circuit for computer-controlled operation of battery charge/discharge units, 189
- Conductivity
 - of electrolytes for rechargeable Li batteries, 59
- Copper indium sulphide
 - characterization of Cd-doped Cu In sulphide films prepared by two-step technique, 305
- Copper oxide
 - high-temperature Li-CuO cell with solid polymer electrolyte, 235
- Coulombic efficiency
 - in lead/acid batteries, particularly in RAPS systems, 377
- Counter cations
 - effect of counter cations on electrocatalytic activity of oxide pyrochlores towards oxygen reduction/evolution in alkaline medium, electrochemical and spectroscopic study, 163
- Dendritic growth
 - methods for reduction of shape change and dendritic growth in Zn-based secondary cells, 333
- Discharge performance
 - influence of Ca sulphate in positive material on discharge performance of lead/acid batteries, 83
- Electrical circuit
 - simple electrical circuit for computer-controlled operation of battery charge-discharge units, 189
- Electrocatalytic activity
 - effect of counter cations on electrocatalytic activity of oxide pyrochlores towards oxygen reduction/evolution in alkaline medium, electrochemical and spectroscopic study, 163
- Electrochemical and catalytic reactivity of Mn dioxides, 91
- Electrochemical characteristics
 - Li-MnO₂ cell, relationship between physicochemical properties and electrochemical characteristics of MnO₂ in nonaqueous electrolytes, 175
 - of MnO₂-V₂O₅ composites serving as positive material for secondary Li batteries, 313
- Electrode(s)
 - behaviour of Cr(III)/Cr(II) reaction on Au-graphite electrodes, application to redox flow storage cell, 225
 - rechargeable Fe/air cells employing bifunctional oxygen electrodes of oxide pyrochlores, 113
- Electrolyte(s)
 - conductivity of electrolytes for rechargeable Li batteries, 59
 - high-temperature Li-CuO cell with solid polymer electrolyte, 235
- Electromotive force
 - of lead-acid cell and its half-cell potentials, 197
- Energy facilities
 - environmental impacts of energy facilities, fuel cell technology compared with coal and conventional gas technology, 37
- Energy storage
 - lead/acid batteries in utility energy storage and power control applications, 395
 - solar energy, battery energy storage control, 1
 - Zn-Br battery for energy storage, 405
- Environmental impacts
 - of energy facilities, fuel cell technology compared with coal and conventional gas technology, 37
- Fuel cell technology
 - environmental impacts of energy facilities, fuel cell technology compared with coal and conventional gas technology, 37
- Gas technology
 - environmental impacts of energy facilities, fuel cell technology compared with coal and conventional gas technology, 37

Gold

behaviour of Cr(III)/Cr(II) reaction on Au-graphite electrodes, application to redox flow storage cell, 225

Graphite

behaviour of Cr(III)/Cr(II) reaction on Au-graphite electrodes, application to redox flow storage cell, 225

Half-cell potentials

electromotive force of lead-acid cell and its half-cell potentials, 197

Iron

Ni/Fe battery, 21
passivation of Fe in alkaline carbonate solutions, 131
rechargeable Fe/air cells employing bifunctional oxygen electrodes of oxide pyrochlores, 113

Japan

operation and management of batteries in photovoltaic power systems under development in Japan, 365

Lead/acid batteries

coulombic efficiency of lead/acid batteries, particularly in RAPS systems, 377
development of lead/acid batteries for photovoltaic power systems, 355
influence of Ca sulphate in positive material on discharge performance of lead/acid batteries, 83
performance of lead/acid batteries in RAPS applications, 385
in utility energy storage and power control applications, 395

Lead/acid battery management

experiences with lead/acid battery management in remote-area power-supply (RAPS) systems, 359

Lead/acid cell

electromotive force of lead-acid cell and its half-cell potentials, 197
new equation for limiting capacity of lead/acid cell, 97

Lead/mercury cell

charge-discharge behaviour of Pb/Hg cell in aqueous sulphuric acid, 183

Limiting capacity

new equation for limiting capacity of lead/acid cell, 97

Lithium

conductivity of electrolytes for rechargeable Li batteries, 59
electrochemical characteristics of MnO₂-V₂O₅ composites serving as positive material for secondary Li batteries, 313
high-temperature Li-CuO cell with solid polymer electrolyte, 235
Li-MnO₂ cell, relationship between physicochemical properties and electrochemical characteristics of MnO₂ in nonaqueous electrolytes, 175
Li/SO₂ rechargeable batteries, 153
organometallic compounds in Li anode power sources, 291
Raman and ⁷Li NMR spectroscopic studies of Li/SO₂ rechargeable cells, 143

Load management

in RAPS systems, 431

Manganese

electrochemical characteristics of MnO₂-V₂O₅ composites serving as positive material for secondary Li batteries, 313

Manganese dioxide(s)

characterization of electrochemical and catalytic reactivity of Mn dioxides, 91

Li-MnO₂ cell, relationship between physicochemical properties and electrochemical characteristics of MnO₂ in nonaqueous electrolytes, 175

Mercury

charge-discharge behaviour of Pb/Hg cell in aqueous sulphuric acid, 183

Molten-carbonate fuel cell anode

mechanism of *in situ* surface modification of molten-carbonate fuel cell anode, 123

Nickel

Ni/Fe battery, 21

Nickel hydroxide

characterization of turbostratic α -Ni hydroxide quantitatively from NiSO₄ solution, 279

preparation and characterization of Co-substituted α -Ni hydroxides stable in KOH medium
 α' -hydroxide with ordered packing, 249
 α -hydroxide with turbostratic structure, 263

NMR spectroscopy

- Raman and ^7Li NMR spectroscopic studies of Li/SO_2 rechargeable cells, 143

Oxide pyrochlores

- effect of counter cations on electro-catalytic activity of oxide pyrochlores towards oxygen reduction/evolution in alkaline medium, electrochemical and spectroscopic study, 163

- rechargeable Fe/air cells employing bifunctional oxygen electrodes of oxide pyrochlores, 113

Organometallic compounds

- in Li anode power sources, 291

Oxygen electrodes

- rechargeable Fe/air cells employing bifunctional oxygen electrodes of oxide pyrochlores, 113

Oxygen reduction/evolution

- effect of counter cations on electro-catalytic activity of oxide pyrochlores towards oxygen reduction/evolution in alkaline medium, electrochemical and spectroscopic study, 163

Passivation

- of Fe in alkaline carbonate solutions, 131

Photovoltaic applications

- test facility for determining performance of storage batteries for photovoltaic applications, 411

Photovoltaic power systems

- development of lead/acid batteries for photovoltaic power systems, 355
- operation and management of batteries in photovoltaic power systems under development in Japan, 365

Physicochemical properties

- $\text{Li}-\text{MnO}_2$ cell, relationship between physicochemical properties and electrochemical characteristics of MnO_2 in nonaqueous electrolytes, 175

Positive material

- electrochemical characteristics of $\text{MnO}_2-\text{V}_2\text{O}_5$ composites serving as positive material for secondary Li batteries, 313

- influence of Ca sulphate in positive material on discharge performance of lead/acid batteries, 83

Power control applications

- lead/acid batteries in utility energy storage and power control applications, 395

Raman spectroscopic studies

- Raman and ^7Li NMR spectroscopic studies of Li/SO_2 rechargeable cells, 143

Redox battery

- characteristics and performance of 1 kW UNSW V redox battery, 399

Redox flow storage cell

- behaviour of $\text{Cr(III)}/\text{Cr(II)}$ reaction on Au-graphite electrodes, application to redox flow storage cell, 225

Remote-area power-supply (RAPS) applications

- performance of lead/acid batteries in RAPS applications, 385

Remote-area power-supply (RAPS) systems

- coulombic efficiency of lead/acid batteries, particularly in RAPS systems, 377
- experiences with lead/acid battery management in RAPS systems, 359
- load management in RAPS systems, 431
- monitoring battery performance in RAPS systems, 421

Shape change

- methods for reduction of shape change and dendritic growth in Zn-based secondary cells, 333

Solar energy

- battery energy storage control, 1

Storage batteries

- test facility for determining performance of storage batteries for photovoltaic applications, 411

Sulphur dioxide

- Li/SO_2 rechargeable batteries, 153
- Raman and ^7Li NMR spectroscopic studies of Li/SO_2 rechargeable cells, 143

Surface modification

- mechanism of *in situ* surface modification of molten-carbonate fuel cell anode, 123

Test facility

for determining performance of storage
batteries for photovoltaic applica-
tions, 411

new battery testing facility, 417

Vanadium

characteristics and performance of
1 kW UNSW V redox battery, 399

electrochemical characteristics of

$\text{MnO}_2\text{-V}_2\text{O}_5$ composites serving as
positive material for secondary Li
batteries, 313

Zinc

methods for reduction of shape change
and dendritic growth in Zn-based
secondary cells, 333

Zn-Br battery for energy storage, 405