

## Subject Index of Volume 50

---

- Alkaline fuel cells  
alkaline falling-film fuel cell. A breakthrough in technology and cost, 311
- Alkaline media  
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
- Alloys  
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47
- Alloy separator  
surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361
- Aluminium  
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
- Aluminium/air batteries  
heat management in aluminium/air batteries: sources of heat, 331
- Aluminium–carbon cell  
studies on an aluminium–carbon cell, 187
- Antimony  
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47
- Batteries  
determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33
- Battery performance  
simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97
- Carbon  
methanol oxidation on carbon-supported platinum–tin electrodes in sulfuric acid, 295
- Catalyst  
influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163
- Cathodic protection system  
photovoltaic-powered regulated cathodic-protection system, 27
- Cobalt  
migration of cobalt in nickel oxide/hydroxide active material of a nickel electrode in a Ni/H<sub>2</sub> cell, 57
- Conductivity  
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
- Corrosion  
corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47  
influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321
- Current  
a new model for the current–voltage output characteristics of photovoltaic modules, 11
- Current–potential data  
digital simulation of galvanostatic current–potential data for gas-diffusion electrodes and estimation of electrode-kinetic parameters, 177
- Dimethyl sulfoxide  
conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
- Discharge time  
simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97
- Dissipation energy  
a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391
- Electrode-kinetic parameters  
digital simulation of galvanostatic current–potential data for gas-

diffusion electrodes and estimation of electrode-kinetic parameters, 177

#### Electrodes

determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33

efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131

methanol oxidation on carbon-supported platinum-tin electrodes in sulfuric acid, 295

#### Electrolyte solutions

conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283

#### Expanders

efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131

#### Faradaic efficiency

an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343

#### Gas-diffusion electrodes

the meniscus cell — partially immersed gas-diffusion electrodes. 2. Modelling, 121

influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163

digital simulation of galvanostatic current-potential data for gas-diffusion electrodes and estimation of electrode-kinetic parameters, 177

effect of structure on porous gas-diffusion electrodes for phosphoric acid fuel cells, 261

#### Grids

aspects of lead/acid battery technology. 9. Grids, 193

#### Heat

heat management in aluminium/air batteries: sources of heat, 331

#### Humes

efficiency of lignosulfonates and humic-related substances as expanders in

negative electrodes of the lead/acid system, 131

#### Hydrogen-electrode reactions

effect of gelling on the electrode kinetics of the Pb/PbSO<sub>4</sub> and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67

#### Hydrolysis

impedance of nickel/cadmium cells with nylon separator hydrolysate, 375

#### Impedance parameters

determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33

#### Inhibition

influence of inhibitors on corrosion and anodic behaviour of different grades of aluminium in alkaline media, 321

#### Internal resistance

determination of impedance parameters of individual electrodes and internal resistance of batteries by a new non-destructive technique. 2. Theoretical approach, 33

simulation of the discharge curve by short-time discharge based on the power of internal resistance, 97

#### Lead

corrosion behaviour of low-antimony lead alloy in sulfuric acid solution, 47

#### Lead/acid batteries

effect of gelling on the electrode kinetics of the Pb/PbSO<sub>4</sub> and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67

efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131

investigations of the factors causing performance losses of lead/acid traction batteries, 153

aspects of lead/acid battery technology. 9. Grids, 193

#### Lead/acid cells

investigations of the negative plate of lead/acid cells. 3. Model calculations of the impedance of self-similar porous electrodes, 89

- Lead-tin alloys**  
 an *in situ* study of the effect of tin on the passivation of lead-tin alloys, 141
- Lignosulfonates**  
 efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system, 131
- Lithium batteries**  
 rechargeable lithium batteries with a polymeric single-ion conductor, 369
- Maintenance-free batteries**  
 effect of gelling on the electrode kinetics of the Pb/PbSO<sub>4</sub> and hydrogen-electrode reactions in maintenance-free lead/acid batteries, 67
- Meniscus cell**  
 the meniscus cell. 1. Experimental, 109  
 the meniscus cell – partially immersed gas-diffusion electrodes. 2. Modelling, 121
- Methanol oxidation**  
 methanol oxidation on carbon-supported platinum-tin electrodes in sulfuric acid, 295
- Negative plate**  
 investigations of the negative plate of lead/acid cells. 3. Model calculations of the impedance of self-similar porous electrodes, 89
- Nickel/cadmium cells**  
 studies on the storage of electrochemically impregnated nickel/cadmium cells, 81  
 impedance of nickel/cadmium cells with nylon separator hydrolysate, 375
- Nickel/hydrogen cells**  
 migration of cobalt in nickel oxide/hydroxide active material of a nickel electrode in a Ni/H<sub>2</sub> cell, 57  
 effects of charged open-stand in nickel/hydrogen cells, 383
- Nickel electrodes**  
 polypropylene fibre material as a carrier for nickel electrodes, 21
- Nylon separator**  
 impedance of nickel/cadmium cells with nylon separator hydrolysate, 375
- Passivation**  
 an *in situ* study of the effect of tin on the passivation of lead-tin alloys, 141
- Performance losses**  
 investigations of the factors causing performance losses of lead/acid traction batteries, 153
- Phosphoric acid fuel cells**  
 influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163  
 effect of structure on porous gas-diffusion electrodes for phosphoric acid fuel cells, 261
- Photovoltaic cells**  
 a new model for the current-voltage output characteristics of photovoltaic modules, 11  
 photovoltaic-powered regulated cathodic-protection system, 27
- Photovoltaic system**  
 optimum design of a photovoltaic powered pumping system, 1
- Platinum**  
 methanol oxidation on carbon-supported platinum-tin electrodes in sulfuric acid, 295
- Polymeric conductor**  
 rechargeable lithium batteries with a polymeric single-ion conductor, 369
- Polypropylene fibres**  
 polypropylene fibre material as a carrier for nickel electrodes, 21
- PTFE**  
 influence of PTFE dispersion in the catalyst layer of porous gas-diffusion electrodes for phosphoric acid fuel cells, 163
- Rechargeable**  
 rechargeable lithium batteries with a polymeric single-ion conductor, 369
- Self-discharge**  
 an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343
- Solar refrigeration**  
 a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391
- Solid adsorbant**  
 a calculation of the heat dissipation resulting directly from poor thermal

- conduction inside a solar collector using an energy balance equation, 391
- Solid oxide fuel cells
  - surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361
- Storage
  - studies on the storage of electrochemically impregnated nickel/cadmium cells, 81
- Surface treatment
  - surface treatment of alloy separator in a planar-type solid oxide fuel cell, 361
- Thermal conduction
  - a calculation of the heat dissipation resulting directly from poor thermal conduction inside a solar collector using an energy balance equation, 391
- Tin
  - an *in situ* study of the effect of tin on the passivation of lead-tin alloys, 141
  - methanol oxidation on carbon-supported platinum-tin electrodes in sulfuric acid, 295
- Viscosity
  - conductivity and viscosity studies of dimethyl sulfoxide (DMSO)-based electrolyte solutions at 25 °C, 283
- Voltage
  - a new model for the current-voltage output characteristics of photovoltaic modules, 11
- Water-pumping system
  - optimum design of a photovoltaic powered pumping system, 1
- Zinc/bromine batteries
  - an approximate model for estimating the faradaic efficiency loss in zinc/bromine batteries caused by cell self-discharge, 343