

## Subject Index of Volume 52

- Acetylene black  
pretreatment of acetylene black: influence on electrochemical behaviour, 123
- Active-material utilization  
effect of plate preparation on active-material utilization and cycleability of positive plates in automotive lead/acid batteries, 159
- Alkaline media  
electrochemical oxidation of ethanol on Pt(hkl) basal surfaces in NaOH and Na<sub>2</sub>CO<sub>3</sub> media, 109
- Alkaline zinc batteries  
identification of organic corrosion inhibitors suitable for use in rechargeable alkaline zinc batteries, 217
- Aluminium  
electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93
- Antimony  
the effect of alloying with antimony on the electrochemical properties of lead, 17  
kinetics of the formation process of PbO<sub>2</sub> on lead–antimony electrodes, 193
- Automotive lead/acid batteries  
effect of plate preparation on active-material utilization and cycleability of positive plates in automotive lead/acid batteries, 159
- Batteries  
internal resistance and cathode content in silver borovanadate batteries, 129  
the development of a high-power automatic battery test facility, 251
- Battery performance  
a chemometric evaluation of battery performance under over-charge conditions, 87
- Boron  
internal resistance and cathode content in silver borovanadate batteries, 129
- Capacity  
a quick method of measuring the capacity versus discharge rate for a dual lithium-ion insertion cell undergoing cycling, 211
- Carbon  
cathodic oxygen reduction on noble metal and carbon electrodes, 1
- Carbon fibres  
carbon fibres and natural graphite as negative electrodes for lithium ion-type batteries, 55
- Carbon–lithium  
carbon fibres and natural graphite as negative electrodes for lithium ion-type batteries, 55
- Cathode  
internal resistance and cathode content in silver borovanadate batteries, 129
- Cathodic oxygen reduction  
cathodic oxygen reduction on noble metal and carbon electrodes, 1
- Ceramic  
polymer–ceramic composite electrolytes, 261
- Chemical composition  
chemical and phase composition of manganese oxides obtained by Mn(II) oxidation in nitrate solutions, 49
- Chemical oxidation  
large discharge capacity from carbon electrodes in sulfuric acid with oxidant, 69
- Chemometric evaluation  
a chemometric evaluation of battery performance under over-charge conditions, 87
- Chromium  
electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93
- Citric acid  
electrochemical behaviour of lead electrode in sulfuric acid solution containing citric acid, 25
- Corrosion  
gasometric corrosion-rate studies of magnesium alloy in magnesium batteries, 305
- Corrosion inhibitors  
identification of organic corrosion inhibitors suitable for use in rechargeable alkaline zinc batteries, 217
- Cycle life  
cycle life test of lead dioxide electrodes in compressed lead/acid cells, 99
- Cycling  
a quick method of measuring the capacity versus discharge rate for a dual lithium-ion insertion cell undergoing cycling, 211
- Discharge behaviour  
large discharge capacity from carbon electrodes in sulfuric acid with oxidant, 69
- Discharge rate  
a quick method of measuring the capacity versus discharge rate for a dual lithium-ion insertion cell undergoing cycling, 211
- Doping  
thermoelectric power measurement of lithium vanadate ceramics doped with chromium oxide, 309
- Electrical resistivity  
overcharge in the vanadium redox battery and changes in electrical resistivity and surface functionality of graphite-felt electrodes, 61
- Electrochemical systems  
thermoelectric effects in electrochemical systems. Nonconventional thermogalvanic cells, 231

- Electrodes  
 cathodic oxygen reduction on noble metal and carbon electrodes, 1  
 overcharge in the vanadium redox battery and changes in electrical resistivity and surface functionality of graphite-felt electrodes, 61  
 electrochemical oxidation of ethanol on Pt(hkl) basal surfaces in NaOH and Na<sub>2</sub>CO<sub>3</sub> media, 109  
 kinetics of the formation process of PbO<sub>2</sub> on lead-antimony electrodes, 193  
 surface of lithium electrodes prepared in Ar+CO<sub>2</sub> gas, 197
- Electrosynthesis  
 electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93
- Ethanol  
 electrochemical oxidation of ethanol on Pt(hkl) basal surfaces in NaOH and Na<sub>2</sub>CO<sub>3</sub> media, 109
- Failure  
 failure process of Li/SOCl<sub>2</sub> cells at 200 °C, 119
- Failure mode  
 failure mode of the negative plate in recombinant lead/acid batteries, 201
- Ferroelectric status  
 thermoelectric power measurement of lithium vanadate ceramics doped with chromium oxide, 309
- Fluid dynamic study  
 fluid dynamic study of fuel cell devices: simulation and experimental validation, 243
- Formation process  
 kinetics of the formation process of PbO<sub>2</sub> on lead-antimony electrodes, 193
- Fuel cells  
 pretreatment of acetylene black: influence on electrochemical behaviour, 123  
 the dynamic performance of a molten carbonate fuel cell in power-generation systems, 179  
 intermediate temperature fuel cells with electrolytes based on oxyacid salts, 289
- Fuel cell stacks  
 fluid dynamic study of fuel cell devices: simulation and experimental validation, 243
- Gasometric studies  
 gasometric corrosion-rate studies of magnesium alloy in magnesium batteries, 305
- Graphite felt  
 overcharge in the vanadium redox battery and changes in electrical resistivity and surface functionality of graphite-felt electrodes, 61
- Graphite intercalation compounds  
 large discharge capacity from carbon electrodes in sulfuric acid with oxidant, 69
- Hydrogen reference electrode  
 distinct performance evaluation of a direct methanol SPE fuel cell. A new method using a dynamic hydrogen reference electrode, 77
- Hydrogen-storage alloy powders  
 low-temperature surface micro-encapsulation of Ti<sub>2</sub>Ni hydrogen-storage alloy powders, 295
- Indirect internal reforming  
 molten carbonate fuel cell with indirect internal reforming, 41
- Interfacial properties  
 determination of thermodynamic, kinetic and interfacial properties for the Li/Li<sub>x</sub>Mn<sub>2</sub>O<sub>4</sub> system by electrochemical techniques, 185
- Intermediate temperature  
 intermediate temperature fuel cells with electrolytes based on oxyacid salts, 289
- Internal resistance  
 internal resistance and cathode content in silver borovanadate batteries, 129
- Interstratification  
 new manganese-substituted nickel hydroxides Part 2. Interstratification process upon ageing, 275
- Iron  
 electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93
- Kinetics  
 methane/steam reforming kinetics for solid oxide fuel cells, 283
- Lanthanum oxide  
 solid-state batteries with ferroelectric sodium vanadate doped with lanthanum oxide, 301
- Layered double nickel hydroxides  
 electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93
- Lead  
 kinetics of the formation process of PbO<sub>2</sub> on lead-antimony electrodes, 193
- Lead/acid batteries  
 the effect of alloying with antimony on the electrochemical properties of lead, 17  
 electrochemical behaviour of SnSO<sub>4</sub> in sulfuric acid solution, 81  
 cycle life test of lead dioxide electrodes in compressed lead/acid cells, 99  
 a novel, non-destructive method for the prediction of the state-of-charge of maintenance-free lead/acid batteries from galvanostatic transients, 135  
 advantages and disadvantages of valve-regulated, lead/acid batteries, 149  
 failure mode of the negative plate in recombinant lead/acid batteries, 201
- Lead alloys  
 the effect of alloying with antimony on the electrochemical properties of lead, 17
- Lead dioxide  
 cycle life test of lead dioxide electrodes in compressed lead/acid cells, 99
- Lead electrodes  
 electrochemical behaviour of lead electrode in sulfuric acid solution containing citric acid, 25
- Lead-tin alloys  
 X-ray photoelectronspectroscopy study of passive layers formed on lead-tin alloys, 31
- Lithium  
 failure process of Li/SOCl<sub>2</sub> cells at 200 °C, 119  
 determination of thermodynamic, kinetic and interfacial properties for the Li/Li<sub>x</sub>Mn<sub>2</sub>O<sub>4</sub> system by electrochemical techniques, 185  
 surface of lithium electrodes prepared in Ar+CO<sub>2</sub> gas, 197
- Lithium-ion batteries  
 carbon fibres and natural graphite as negative electrodes for lithium ion-type batteries, 55
- Lithium-ion insertion cell  
 a quick method of measuring the capacity versus discharge rate for a dual lithium-ion insertion cell undergoing cycling, 211

- Magnesium alloys  
gasometric corrosion-rate studies of magnesium alloy in magnesium batteries, 305
- Magnesium batteries  
gasometric corrosion-rate studies of magnesium alloy in magnesium batteries, 305
- Maintenance-free  
a novel, non-destructive method for the prediction of the state-of-charge of maintenance-free lead/acid batteries from galvanostatic transients, 135
- Manganese  
electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93  
determination of the thermodynamic, kinetic and interfacial properties for the  $\text{Li}/\text{Li}_x\text{Mn}_2\text{O}_4$  system by electrochemical techniques, 185  
new manganese-substituted nickel hydroxides. Part 1. Crystal chemistry and physical characterization, 269  
new manganese-substituted nickel hydroxides. Part 2. Interstratification process upon ageing, 275
- Manganese oxides  
chemical and phase composition of manganese oxides obtained by Mn(II) oxidation in nitrate solutions, 49
- Methane/steam reforming  
methane/steam reforming kinetics for solid oxide fuel cells, 283
- Methanol fuel cells  
distinct performance evaluation of a direct methanol SPE fuel cell. A new method using a dynamic hydrogen reference electrode, 77
- Micro-encapsulation  
low-temperature surface micro-encapsulation of  $\text{Ti}_2\text{Ni}$  hydrogen-storage alloy powders, 295
- Molten carbonate fuel cell  
molten carbonate fuel cell with indirect internal reforming, 41
- Negative plate  
failure mode of the negative plate in recombinant lead/acid batteries, 201
- Nickel  
low-temperature surface micro-encapsulation of  $\text{Ti}_2\text{Ni}$  hydrogen-storage alloy powders, 295
- Nickel-hydrogen cells  
reactions during reversal of an  $\text{Ni-H}_2$  cell, 223
- Nickel hydroxides  
electrosynthesis of layered double hydroxides of nickel with trivalent cations, 93  
new manganese-substituted nickel hydroxides. Part 1. Crystal chemistry and physical characterization, 269  
new manganese-substituted nickel hydroxides. Part 2. Interstratification process upon ageing, 275
- Noble metal  
cathodic oxygen reduction on noble metal and carbon electrodes, 1
- Organic inhibitors  
identification of organic corrosion inhibitors suitable for use in rechargeable alkaline zinc batteries, 217
- Overcharge  
a chemometric evaluation of battery performance under overcharge conditions, 87
- Oxyacid salts  
intermediate temperature fuel cells with electrolytes based on oxyacid salts, 289
- Oxygen  
cathodic oxygen reduction on noble metal and carbon electrodes, 1
- Parametric analysis  
prismatic thionyl chloride cell characterization through parametric analysis, 173
- Passive layers  
X-ray photoelectrospectroscopy study of passive layers formed on lead-tin alloys, 31
- Performance  
advantages and disadvantages of valve-regulated, lead/acid batteries, 149
- Phase composition  
chemical and phase composition of manganese oxides obtained by Mn(II) oxidation in nitrate solutions, 49
- Phase transition  
thermoelectric power measurement of lithium vanadate ceramics doped with chromium oxide, 309
- Photovoltaic array system  
performance analysis of photovoltaic-powered water-pumping systems using switched reluctance motor drives, 141
- Plate preparation  
effect of plate preparation on active-material utilization and cycleability of positive plates in automotive lead/acid batteries, 159
- Platinum  
electrochemical oxidation of ethanol on Pt(hkl) basal surfaces in NaOH and  $\text{Na}_2\text{CO}_3$  media, 109
- Polymer composite electrolytes  
polymer-ceramic composite electrolytes, 261
- Polymer electrolytes  
carbon fibres and natural graphite as negative electrodes for lithium ion-type batteries, 55
- Porous electrodes  
cycle life test of lead dioxide electrodes in compressed lead/acid cells, 99  
pretreatment of acetylene black: influence on electrochemical behaviour, 123
- Power-generation system  
the dynamic performance of a molten carbonate fuel cell in power-generation systems, 179
- Pressurized cells  
cycle life test of lead dioxide electrodes in compressed lead/acid cells, 99
- Pumping systems  
performance analysis of photovoltaic-powered water-pumping systems using switched reluctance motor drives, 141
- Rechargeable batteries  
identification of organic corrosion inhibitors suitable for use in rechargeable alkaline zinc batteries, 217
- Reversal reactions  
reactions during reversal of an  $\text{Ni-H}_2$  cell, 223
- Salt-alumina ceramic composite materials  
intermediate temperature fuel cells with electrolytes based on oxyacid salts, 289
- Silver  
internal resistance and cathode content in silver borovanadate batteries, 129
- Sodium vanadate  
solid-state batteries with ferroelectric sodium vanadate doped with lanthanum oxide, 301
- Solid oxide fuel cells  
methane/steam reforming kinetics for solid oxide fuel cells, 283
- Solid-state batteries  
solid-state batteries with ferroelectric sodium vanadate doped with lanthanum oxide, 301

- State-of-charge  
a novel, non-destructive method for the prediction of the state-of-charge of maintenance-free lead/acid batteries from galvanostatic transients, 135
- Sulfuric acid  
electrochemical behaviour of lead electrode in sulfuric acid solution containing citric acid, 25  
large discharge capacity from carbon electrodes in sulfuric acid with oxidant, 69  
electrochemical behaviour of  $\text{SnSO}_4$  in sulfuric acid solution, 81
- Test facility  
the development of a high-power automatic battery test facility, 251
- Texture  
large discharge capacity from carbon electrodes in sulfuric acid with oxidant, 69
- Thermoelectric power  
thermoelectric power measurement of lithium vanadate ceramics doped with chromium oxide, 309
- Thermogalvanic cells  
thermoelectric effects in electrochemical systems. Nonconventional thermogalvanic cells, 231
- Thionyl chloride cells  
failure process of  $\text{Li/SOCl}_2$  cells at 200 °C, 119  
prismatic thionyl chloride cell characterization through parametric analysis, 173
- Tin sulfate  
electrochemical behaviour of  $\text{SnSO}_4$  in sulfuric acid solution, 81
- Titanium  
low-temperature surface micro-encapsulation of  $\text{Ti}_2\text{Ni}$  hydrogen-storage alloy powders, 295
- Valve-regulated lead/acid batteries  
advantages and disadvantages of valve-regulated, lead/acid batteries, 149
- Vanadium  
internal resistance and cathode content in silver borovanadate batteries, 129
- Vanadium redox batteries  
overcharge in the vanadium redox battery and changes in electrical resistivity and surface functionality of graphite-felt electrodes, 61