

## Subject Index of Volume 54

### Additives

- characterization of the lithium–organic electrolyte interface containing inorganic and organic additives by in situ techniques, 301

### Alkali metals

- reversible lithium intercalation in alkali metal vanadium bronzes ( $M_xV_6O_{13+\delta}$ , where  $M=K, Rb$  or  $Cs$ ), 470

### Aluminium

- cyclic voltammetric and Raman spectroscopic studies of the  $Li/LiAlCl_4/SO_2$  and  $Li/LiGaCl_4/SO_2$  rechargeable systems, 356

### Anodes

- novel forms of carbon as potential anodes for lithium batteries, 11
- an X-ray photoelectron spectroscopy study on the surface film on carbon black anode in lithium secondary cells, 171
- influence of the composition of lithium-based alloys, non-aqueous electrolytes and cycling conditions on the anode properties, 416
- a modification in the preparation process of a carbon whisker for the anode performance of lithium rechargeable batteries, 425
- in situ electrochemical characterization of lithium-alloying materials for rechargeable anodes in lithium batteries, 428
- electrochemical behavior of an advanced graphite whisker anodic electrode for lithium-ion rechargeable batteries, 435
- irreversible capacity of lithium secondary battery using meso-carbon micro beads as anode material, 440
- charge/discharge characteristics of synthetic carbon anode for lithium secondary battery, 444
- a composite carbon anode for use in a polymer electrolyte battery, 516

### Anodic oxidation

- anodic oxidation of propylene carbonate and ethylene carbonate on graphite electrodes, 250

### Bipolar cell design

- high rate lithium/thionyl chloride bipolar battery development, 180

### Boron

- chemistry and structure analysis in the  $Li_{4+x}B_xSi_{1-x}O_4$  solid solution, 448

### Capacity

- factor affecting the capacity retention of lithium-ion cells, 99

### Carbon

- novel forms of carbon as potential anodes for lithium batteries, 11
- carbon electrode materials for lithium-ion batteries, 271
- electrochemical behaviour of coated lithium–carbon electrodes, 369
- high reversible capacity carbon–lithium negative electrode in polymer electrolyte, 411

- a modification in the preparation process of a carbon whisker for the anode performance of lithium rechargeable batteries, 425

- irreversible capacity of lithium secondary battery using meso-carbon micro beads as anode material, 440
- charge/discharge characteristics of synthetic carbon anode for lithium secondary battery, 444

### Carbonaceous materials

- battery characteristics with various carbonaceous materials, 1
- relationship between carbonaceous materials and electrolyte in secondary lithium-ion batteries, 6

### Carbon anodes

- rechargeable carbon anode, 72
- performance of lithium-ion rechargeable batteries: graphite whisker/electrolyte/ $LiCoO_2$  rocking-chair system, 236
- comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries, 240

### Carbon black

- an X-ray photoelectron spectroscopy study on the surface film on carbon black anode in lithium secondary cells, 171

### Carbon filming

- filming mechanism of lithium–carbon anodes in organic and inorganic electrolytes, 228

### Carbon–lithium

- electrochemical behavior of an advanced graphite whisker anodic electrode for lithium-ion rechargeable batteries, 435

### Cathode materials

- characterization of silver vanadium oxide cathode material by high-resolution electron microscopy, 68
- optical measurement of lithium diffusivity in cathode materials: amorphous  $MoO_3$  films, 218
- structural, physical and electrochemical characteristics of a vanadium oxysulfide, a cathode material for lithium batteries, 246
- the  $LiNiO_2$  solid solution as a cathode material for rechargeable lithium batteries, 329

### Cathodes

- 3 V and 4 V lithium manganese oxide cathodes for rechargeable lithium batteries, 52
- electrochemical properties of cathodic materials synthesized by low-temperature techniques, 120
- practical batteries based on the SWING system, 151
- high rate lithium/thionyl chloride bipolar battery development, 180
- synthesis and properties of  $LiNiO_2$  as cathode material for secondary batteries, 209
- synthesis of sulfide cathodic materials and study of their physicochemical properties and electrochemical activity, 264
- cobalt stabilized layered lithium–nickel oxides, cathodes in lithium rechargeable cells, 268
- evaluation of composite- $MnO_2$  as cathode material for rechargeable  $Li/MnO_2$  batteries, 367

- oxide cathode with perovskite structure for rechargeable lithium batteries, 397
- hydrothermal synthesis of electrode materials Pyrochlore tungsten trioxide film, 461
- three V or 4 V Li–Mn composite as cathode in Li batteries prepared by LiNO<sub>3</sub> method as Li source, 483
- amorphous MoS<sub>2</sub> as the cathode of lithium secondary batteries, 508
- Chromium
  - rechargeable cathodes based on Li<sub>2</sub>Cr<sub>2</sub>Mn<sub>2–x</sub>O<sub>4</sub>, 205
- Cobalt
  - cobalt stabilized layered lithium–nickel oxides, cathodes in lithium rechargeable cells, 268
- Cobalt oxide
  - cycle-life improvement of Li/LiCoO<sub>2</sub> batteries, 316
  - low-temperature cobalt oxide as rechargeable cathodic material for lithium batteries, 373
  - high performance LiCoO<sub>2</sub> positive electrode material, 389
  - 2/3 A-size rechargeable battery employing LiCoO<sub>2</sub> thin-film cathode, 403
  - studies of electrochemical properties of lithium cobalt oxide, 491
  - electrochemical characteristics of LiNiO<sub>2</sub> and LiCoO<sub>2</sub> as a positive material for lithium secondary batteries, 522
- Composite carbon
  - a composite carbon anode for use in a polymer electrolyte battery, 516
- Computer aid
  - can first principles calculations aid in lithium-ion battery design?, 16
- Conductivity
  - cationic conductivity in poly(oxyethylene oxide) networks, 456
- Copper
  - re-examination of copper Chevrel-phase sulfides as cathode in lithium secondary batteries, 519
- Corrosion
  - problems of corrosion and other electrochemical side processes in lithium chemical power sources with non-aqueous electrolytes, 421
- Crystal structure
  - can first principles calculations aid in lithium-ion battery design?, 16
  - crystal structures and electrochemical properties of LiAl<sub>1–y</sub>Ni<sub>1–y</sub>O<sub>2</sub> solid solution, 221
  - lithium-ion cell based on orthorhombic LiMnO<sub>2</sub>, 232
  - chemistry and structure analysis in the Li<sub>4+x</sub>B<sub>2</sub>Si<sub>1–x</sub>O<sub>4</sub> solid solution, 448
  - crystal structure study of LiNi<sub>1–x</sub>Mn<sub>x</sub>O<sub>2</sub>, 511
- Cycle life
  - cycle-life improvement of Li/LiCoO<sub>2</sub> batteries, 316
- Cycling
  - influence of the composition of lithium-based alloys, non-aqueous electrolytes and cycling conditions on the anode properties, 416
- Cycling efficiency
  - the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- Dilatometry
  - filming mechanism of lithium–carbon anodes in organic and inorganic electrolytes, 228
- Dimethoxyethane solutions
  - effects of water additions on the passivity of iron in dimethoxyethane solutions, 85
- Electric vehicles
  - development and characterization of bipolar lithium composite polymer electrolyte (CPE)–FeS<sub>2</sub> battery for applications in electric vehicles, 496
- Electrode/electrolyte interface
  - method of evaluating relative safety of porous electrode/electrolyte combinations to spot heating, 192
- Electrodes
  - carbon electrode materials for lithium-ion batteries, 271
  - impedance spectroscopy of lithium and nickel electrodes in propylene carbonate solutions of different lithium salts. A comparative study, 289
  - electrochemical behaviour of coated lithium–carbon electrodes, 369
  - dependence of the morphology of graphitic electrodes on the electrochemical intercalation of lithium ions, 383
  - high performance LiCoO<sub>2</sub> positive electrode material, 389
  - problems of corrosion and other electrochemical side processes in lithium chemical power sources with non-aqueous electrolytes, 421
  - peculiarities of lithium-cation kinetics through passivating film on the surface of lithium electrodes, 433
  - cokes as negative electrodes in secondary batteries, 494
  - photoelectrochemical currents and noises on a lithium electrode, 525
- Electrolytes
  - relationship between carbonaceous materials and electrolyte in secondary lithium-ion batteries, 6
  - recent studies of the lithium-liquid electrolyte interface. Electrochemical, morphological and spectral studies of a few important systems, 76
  - high voltage stable liquid electrolytes for Li<sub>1+x</sub>Mn<sub>2</sub>O<sub>4</sub>/carbon rocking-chair lithium batteries, 92
  - characterization of lithium and electrolytes by electrochemical impedance spectroscopy, 378
  - influence of the composition of lithium-based alloys, non-aqueous electrolytes and cycling conditions on the anode properties, 416
  - problems of corrosion and other electrochemical side processes in lithium chemical power sources with non-aqueous electrolytes, 421
- Ethylene carbonate
  - anodic oxidation of propylene carbonate and ethylene carbonate on graphite electrodes, 250
- Gallium
  - cyclic voltammetric and Raman spectroscopic studies of the Li/LiAlCl<sub>4</sub>/SO<sub>2</sub> and Li/LiGaCl<sub>4</sub>/SO<sub>2</sub> rechargeable systems, 356
- Graphite
  - charge and discharge characteristics of lithium-ion graphite electrodes in solid-state cells, 338
  - dependence of the morphology of graphitic electrodes on the electrochemical intercalation of lithium ions, 383
- Graphite electrodes
  - anodic oxidation of propylene carbonate and ethylene carbonate on graphite electrodes, 250
- Graphite whisker
  - performance of lithium-ion rechargeable batteries: graphite whisker/electrolyte/LiCoO<sub>2</sub> rocking-chair system, 236
  - electrochemical behavior of an advanced graphite whisker anodic electrode for lithium-ion rechargeable batteries, 435
- Heat management
  - electricity–heat power and energy balance for Li/SOCl<sub>2</sub> batteries, 259

- Impedance spectroscopy**  
 impedance spectroscopy of lithium and nickel electrodes in propylene carbonate solutions of different lithium salts. A comparative study, 289
- Implantable medical applications**  
 reliability systems for implantable cardiac defibrillator batteries, 115
- Infrared reflectance spectroscopy**  
 the use of polarized light in the infrared reflectance spectroscopic investigation of the lithium-organic electrolyte interface, 296
- Inorganic electrolyte additives**  
 film mechanism of lithium-carbon anodes in organic and inorganic electrolytes, 228
- Inorganic protective films**  
 film mechanism of lithium-carbon anodes in organic and inorganic electrolytes, 228
- Insertion**  
 electrochemical insertion of lithium, sodium, and magnesium in molybdenum(VI) oxide, 346  
 magnesium insertion batteries — an alternative to lithium?, 479
- Intercalation**  
 origin of the improved cycling capability of sol-gel prepared  $\text{Fe}_{0.12}\text{V}_2\text{O}_{5.16}$  compared with  $\text{V}_2\text{O}_5$ , 342  
 dependence of the morphology of graphitic electrodes on the electrochemical intercalation of lithium ions, 383
- Ion conductivity**  
 new solvating cross-linked polyether for lithium batteries, 34  
 development of a new plasticizer for poly(ethylene oxide)-based polymer electrolyte and the investigation of their ion-pair dissociation effect, 198
- Iron**  
 polypyridine complexes of iron used as redox shuttles for overcharge protection of secondary lithium batteries, 255
- Iron disulfide**  
 development and characterization of bipolar lithium composite polymer electrolyte (CPE)- $\text{FeS}_2$  battery for applications in electric vehicles, 496
- Iron passivity**  
 effects of water additions on the passivity of iron in dimethoxyethane solutions, 85
- Iron sulfides**  
 safety characteristics of lithium alloy/metal sulfide batteries, 134
- Iron vanadium oxide**  
 origin of the improved cycling capability of sol-gel prepared  $\text{Fe}_{0.12}\text{V}_2\text{O}_{5.16}$  compared with  $\text{V}_2\text{O}_5$ , 342
- Japan**  
 lithium secondary batteries in Japan, 306
- Lithiated nickel oxide**  
 $\text{Li}_x\text{NiO}_2$ , a promising cathode for rechargeable lithium batteries, 109
- Lithium**  
 3 V and 4 V lithium manganese oxide cathodes for rechargeable lithium batteries, 52  
 recent studies of the lithium-liquid electrolyte interface. Electrochemical, morphological and spectral studies of a few important systems, 76  
 the  $\text{Li}_{1+x}\text{Mn}_2\text{O}_4/\text{C}$  system Materials and electrochemical aspects, 103  
 rechargeable cathodes based on  $\text{Li}_2\text{Cr}_x\text{Mn}_{2-x}\text{O}_4$ , 205  
 synthesis and properties of  $\text{LiNiO}_2$  as cathode material for secondary batteries, 209  
 fabrication and characterization of an Li-Mn-O thin-film cathode for rechargeable lithium microbatteries, 224  
 lithium-ion cell based on orthorhombic  $\text{LiMnO}_2$ , 232  
 impedance spectroscopy of lithium and nickel electrodes in propylene carbonate solutions of different lithium salts. A comparative study, 289  
 the  $\text{LiNiO}_2$  solid solution as a cathode material for rechargeable lithium batteries, 329  
 lithium insertion into silver vanadium oxide,  $\text{Ag}_2\text{V}_4\text{O}_{11}$ , 334  
 electrochemical insertion of lithium, sodium, and magnesium in molybdenum(VI) oxide, 346  
 electrochemical behaviour of coated lithium-carbon electrodes, 369  
 characterization of lithium and electrolytes by electrochemical impedance spectroscopy, 378  
 high performance  $\text{LiCoO}_2$  positive electrode material, 389  
 high reversible capacity carbon-lithium negative electrode in polymer electrolyte, 411  
 peculiarities of lithium-cation kinetics through passivating film on the surface of lithium electrodes, 433  
 chemistry and structure analysis in the  $\text{Li}_{4+x}\text{B}_x\text{Si}_{1-x}\text{O}_4$  solid solution, 448  
 magnesium insertion batteries — an alternative to lithium?, 479  
 three V or 4 V Li-Mn composite as cathode in Li batteries prepared by  $\text{LiNO}_3$  method as Li source, 483  
 studies of electrochemical properties of lithium cobalt oxide, 491  
 crystal structure study of  $\text{LiNi}_{1-x}\text{Mn}_x\text{O}_2$ , 511  
 photoelectrochemical currents and noises on a lithium electrode, 525
- Lithium/electrolyte interfaces**  
 novel in situ and ex situ techniques for the study of lithium/electrolyte interfaces, 20
- Lithium/thionyl chloride batteries**  
 high rate lithium/thionyl chloride bipolar battery development, 180
- Lithium/thionyl chloride cells**  
 development and characterization of a high capacity lithium/thionyl chloride battery, 186
- Lithium alloys**  
 safety characteristics of lithium alloy/metal sulfide batteries?, 134  
 in situ electrochemical characterization of lithium-alloying materials for rechargeable anodes in lithium batteries, 428
- Lithium anode**  
 comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries, 240
- Lithium-based alloys**  
 influence of the composition of lithium-based alloys, non-aqueous electrolytes and cycling conditions on the anode properties, 416
- Lithium batteries**  
 can first principles calculations aid in lithium-ion battery design?, 16  
 raman spectroscopic and electrochemical studies of lithium battery components, 28  
 new solvating cross-linked polyether for lithium batteries, 34  
 general safety considerations for high power  $\text{Li}/\text{SOCl}_2$  batteries, 127  
 safety characteristics of lithium alloy/metal sulfide batteries?, 134  
 toxicity of materials used in the manufacture of lithium batteries, 138  
 large lithium polymer battery development. The immobile solvent concept, 163

- method of evaluating relative safety of porous electrode/electrolyte combinations to spot heating, 192
- structural, physical and electrochemical characteristics of a vanadium oxysulfide, a cathode material for lithium batteries, 246
- electricity-heat power and energy balance for Li/SOCl<sub>2</sub> batteries, 259
- synthesis of sulfide cathodic materials and study of their physicochemical properties and electrochemical activity, 264
- study of all-solid state lithium/polyacenic semiconductor (PAS) battery, 276
- electro-thermal modelling of polymer lithium batteries for starting period and pulse power, 393
- problems of corrosion and other electrochemical side processes in lithium chemical power sources with non-aqueous electrolytes, 421
- lithium thionyl chloride cells and batteries. Technical predictions versus 1994 realities, 452
- three V or 4 V Li-Mn composite as cathode in Li batteries prepared by LiNO<sub>3</sub> method as Li source, 483
- Lithium-carbon anodes**
- filming mechanism of lithium-carbon anodes in organic and inorganic electrolytes, 228
- Lithium cation**
- peculiarities of lithium-cation kinetics through passivating film on the surface of lithium electrodes, 433
- Lithium composite batteries**
- development and characterization of bipolar lithium composite polymer electrolyte (CPE)-FeS<sub>2</sub> battery for applications in electric vehicles, 496
- Lithium diffusivity**
- optical measurement of lithium diffusivity in cathode materials: amorphous MoO<sub>3</sub> films, 218
- Lithium electrodes**
- the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- the use of polarized light in the infrared reflectance spectroscopic investigation of the lithium-organic electrolyte interface, 296
- characterization of the lithium-organic electrolyte interface containing inorganic and organic additives by in situ techniques, 301
- Lithium-graphite intercalation compounds**
- filming mechanism of lithium-carbon anodes in organic and inorganic electrolytes, 228
- Lithium insertion**
- low-temperature cobalt oxide as rechargeable cathodic material for lithium batteries, 373
- Lithium intercalation**
- intercalation of lithium in r.f.-sputtered niobium oxide film as electrode material for lithium-ion batteries, 175
- reversibility of lithium intercalation in lithium and sodium phyllophanates, 319
- formation of the ω-type phase by lithium intercalation in (Mo, V) oxides deriving from V<sub>2</sub>O<sub>5</sub>, 406
- lithium intercalation in the divalent metal vanadates MeV<sub>2</sub>O<sub>6</sub> (Me=Cu, Co, Ni, Mn or Zn), 465
- reversible lithium intercalation in alkali metal vanadium bronzes (M<sub>x</sub>V<sub>6</sub>O<sub>13+δ</sub>, where M=K, Rb or Cs), 470
- kinetics and thermodynamics of the lithium insertion reaction in spinel phase Li<sub>x</sub>Mn<sub>2</sub>O<sub>4</sub>, 475
- studies of electrochemical properties of lithium cobalt oxide, 491
- Lithium-ion batteries**
- practical batteries based on the SWING system, 151
- lithium-ion battery for electronic applications, 155
- intercalation of lithium in r.f.-sputtered niobium oxide film as electrode material for lithium-ion batteries, 175
- carbon electrode materials for lithium-ion batteries, 271
- charge and discharge characteristics of lithium-ion graphite electrodes in solid-state cells, 338
- electrochemical behavior of an advanced graphite whisker anodic electrode for lithium-ion rechargeable batteries, 435
- Lithium-ion cells**
- factor affecting the capacity retention of lithium-ion cells, 99
- the Li<sub>1+x</sub>Mn<sub>2</sub>O<sub>4</sub>/C system. Materials and electrochemical aspects, 103
- lithium-ion cell based on orthorhombic LiMnO<sub>2</sub>, 232
- Lithium ions**
- dependence of the morphology of graphitic electrodes on the electrochemical intercalation of lithium ions, 383
- Lithium secondary cells**
- an X-ray photoelectron spectroscopy study on the surface film on carbon black anode in lithium secondary cells, 171
- Low-temperature techniques**
- electrochemical properties of cathodic materials synthesized by low-temperature techniques, 120
- Magnesium**
- electrochemical insertion of lithium, sodium, and magnesium in molybdenum(VI) oxide, 346
- magnesium insertion batteries — an alternative to lithium?, 479
- Manganese**
- rechargeable cathodes based on Li<sub>2</sub>Cr<sub>2</sub>Mn<sub>2-3</sub>O<sub>4</sub>, 205
- three V or 4 V Li-Mn composite as cathode in Li batteries prepared by LiNO<sub>3</sub> method as Li source, 483
- crystal structure study of LiNi<sub>1-x</sub>Mn<sub>x</sub>O<sub>2</sub>, 511
- Manganese dioxide**
- the Li<sub>1+x</sub>Mn<sub>2</sub>O<sub>4</sub>/C system Materials and electrochemical aspects, 103
- performances and safety behaviour of rechargeable AA-size Li/Li<sub>x</sub>MnO<sub>2</sub> cell, 143
- practical batteries based on the SWING system, 151
- fabrication and characterization of an Li-Mn-O thin-film cathode for rechargeable lithium microbatteries, 224
- lithium-ion cell based on orthorhombic LiMnO<sub>2</sub>, 232
- Manganese oxide**
- 3 V and 4 V lithium manganese oxide cathodes for rechargeable lithium batteries, 52
- rechargeable lithium battery with spinel-related λ-MnO<sub>2</sub>. III. Scaling-up problems associated with LiMn<sub>2</sub>O<sub>4</sub> synthesis, 323
- evaluation of composite-MnO<sub>2</sub> as cathode material for rechargeable Li/MnO<sub>2</sub> batteries, 367
- kinetics and thermodynamics of the lithium insertion reaction in spinel phase Li<sub>x</sub>Mn<sub>2</sub>O<sub>4</sub>, 475
- Methyl formate**
- the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- Molybdenum oxide**
- optical measurement of lithium diffusivity in cathode materials: amorphous MoO<sub>3</sub> films, 218
- electrochemical insertion of lithium, sodium, and magnesium in molybdenum(VI) oxide, 346
- formation of the ω-type phase by lithium intercalation in (Mo, V) oxides deriving from V<sub>2</sub>O<sub>5</sub>, 406
- Molybdenum oxysulfide**
- new amorphous molybdenum oxysulfide thin films. Their characterization and their electrochemical properties, 353
- Molybdenum sulfide**
- amorphous MoS<sub>2</sub> as the cathode of lithium secondary batteries, 508

- re-examination of copper Chevrel-phase sulfides as cathode in lithium secondary batteries, 519
- Morphology**  
the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- Negative electrodes**  
battery characteristics with various carbonaceous materials, 1  
high reversible capacity carbon–lithium negative electrode in polymer electrolyte, 411  
coke as negative electrodes in secondary batteries, 494
- Nickel**  
synthesis and properties of  $\text{LiNiO}_2$  as cathode material for secondary batteries, 209  
impedance spectroscopy of lithium and nickel electrodes in propylene carbonate solutions of different lithium salts. A comparative study, 289  
crystal structure study of  $\text{LiNi}_{1-x}\text{Mn}_x\text{O}_2$ , 511
- Nickel oxide**  
 $\text{Li}_x\text{NiO}_2$ , a promising cathode for rechargeable lithium batteries, 109  
crystal structures and electrochemical properties of  $\text{LiAl}_x\text{Ni}_{1-x}\text{O}_2$  solid solution, 221  
cobalt stabilized layered lithium–nickel oxides, cathodes in lithium rechargeable cells, 268  
the  $\text{LiNiO}_2$  solid solution as a cathode material for rechargeable lithium batteries, 329  
electrochemical characteristics of  $\text{LiNiO}_2$  and  $\text{LiCoO}_2$  as a positive material for lithium secondary batteries, 522
- Niobium oxide**  
intercalation of lithium in r.f.-sputtered niobium oxide film as electrode material for lithium-ion batteries, 175
- Organic electrolytes**  
the use of polarized light in the infrared reflectance spectroscopic investigation of the lithium–organic electrolyte interface, 296  
characterization of the lithium–organic electrolyte interface containing inorganic and organic additives by in situ techniques, 301
- Perovskite oxide**  
oxide cathode with perovskite structure for rechargeable lithium batteries, 397
- Phyllosulfates**  
reversibility of lithium intercalation in lithium and sodium phyllosulfates, 319
- Plasticization**  
plasticization of cross-linked polymer electrolytes, 487
- Polyaniline**  
charge/discharge characteristics of polyaniline-based polymer composite positives for rechargeable lithium batteries, 214
- Polycondensation**  
new solvating cross-linked polyether for lithium batteries, 34
- Poly(ethylene oxide)**  
development of a new plasticizer for poly(ethylene oxide)-based polymer electrolyte and the investigation of their ion-pair dissociation effect, 198
- Polymer electrolyte cells**  
large lithium polymer battery development. The immobile solvent concept, 163  
development of a new plasticizer for poly(ethylene oxide)-based polymer electrolyte and the investigation of their ion-pair dissociation effect, 198  
electro-thermal modelling of polymer lithium batteries for starting period and pulse power, 393
- a composite carbon anode for use in a polymer electrolyte battery, 516
- Polymer electrolytes**  
new solvating cross-linked polyether for lithium batteries, 34  
study of all-solid state lithium/polyacenic semiconductor (PAS) battery, 276  
high reversible capacity carbon–lithium negative electrode in polymer electrolyte, 411  
electrochemical behavior of an advanced graphite whisker anodic electrode for lithium-ion rechargeable batteries, 435  
plasticization of cross-linked polymer electrolytes, 487  
development and characterization of bipolar lithium composite polymer electrolyte (CPE)– $\text{FeS}_2$  battery for applications in electric vehicles, 496
- Poly(oxyethylene) network**  
new solvating cross-linked polyether for lithium batteries, 34
- Poly(oxyethylene oxide) network**  
cationic conductivity in poly(oxyethylene oxide) networks, 456
- Polypyridine**  
polypyridine complexes of iron used as redox shuttles for overcharge protection of secondary lithium batteries, 255
- Porous electrodes**  
method of evaluating relative safety of porous electrode/electrolyte combinations to spot heating, 192
- Propylene carbonate**  
anodic oxidation of propylene carbonate and ethylene carbonate on graphite electrodes, 250  
impedance spectroscopy of lithium and nickel electrodes in propylene carbonate solutions of different lithium salts. A comparative study, 289
- Protective layers**  
electrochemical behaviour of coated lithium–carbon electrodes, 369
- Raman spectroscopy**  
raman spectroscopic and electrochemical studies of lithium battery components, 28
- Rechargeable batteries**  
study of all-solid state lithium/polyacenic semiconductor (PAS) battery, 276
- Rechargeable cathodes**  
rechargeable cathodes based on  $\text{Li}_2\text{Cr}_x\text{Mn}_{2-x}\text{O}_4$ , 205
- Rechargeable cathodic materials**  
electrochemical properties of cathodic materials synthesized by low-temperature techniques, 120  
low-temperature cobalt oxide as rechargeable cathodic material for lithium batteries, 373
- Rechargeable lithium batteries**  
novel forms of carbon as potential anodes for lithium batteries, 11  
room temperature rechargeable polymer electrolyte batteries, 40  
modeling the performance of rechargeable lithium-based cells: design correlations for limiting cases, 46  
3 V and 4 V lithium manganese oxide cathodes for rechargeable lithium batteries, 52  
thin-film rechargeable lithium batteries, 58  
development and performance of a rechargeable thin-film solid-state microbattery, 63  
rechargeable carbon anode, 72  
recent studies of the lithium-liquid electrolyte interface. Electrochemical, morphological and spectral studies of a few important systems, 76  
high voltage stable liquid electrolytes for  $\text{Li}_{1-x}\text{Mn}_2\text{O}_4$ /carbon rocking-chair lithium batteries, 92

- the  $\text{Li}_{1+x}\text{Mn}_2\text{O}_4/\text{C}$  system Materials and electrochemical aspects, 103
- $\text{Li}_2\text{NiO}_2$ , a promising cathode for rechargeable lithium batteries, 109
- development of coin-type lithium-ion rechargeable batteries, 146
- practical batteries based on the SWING system, 151
- lithium-ion battery for electronic applications, 155
- development of a new plasticizer for poly(ethylene oxide)-based polymer electrolyte and the investigation of their ion-pair dissociation effect, 198
- charge/discharge characteristics of polyaniline-based polymer composite positives for rechargeable lithium batteries, 214
- crystal structures and electrochemical properties of  $\text{LiAl}_{1-x}\text{Ni}_{1-y}\text{O}_2$  solid solution, 221
- fabrication and characterization of an Li-Mn-O thin-film cathode for rechargeable lithium microbatteries, 224
- performance of lithium-ion rechargeable batteries: graphite whisker/electrolyte/ $\text{LiCoO}_2$  rocking-chair system, 236
- comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries, 240
- cobalt stabilized layered lithium-nickel oxides, cathodes in lithium rechargeable cells, 268
- polymer nanocomposites: a new strategy for synthesizing solid electrolytes for rechargeable lithium batteries, 310
- cycle-life improvement of  $\text{Li}/\text{LiCoO}_2$  batteries, 316
- rechargeable lithium battery with spinel-related  $\lambda\text{-MnO}_2$ . III. Scaling-up problems associated with  $\text{LiMn}_2\text{O}_4$  synthesis, 323
- the  $\text{LiNiO}_2$  solid solution as a cathode material for rechargeable lithium batteries, 329
- cyclic voltammetric and Raman spectroscopic studies of the  $\text{Li}/\text{LiAlCl}_4/\text{SO}_2$  and  $\text{Li}/\text{LiGaCl}_4/\text{SO}_2$  rechargeable systems, 356
- evaluation of composite- $\text{MnO}_2$  as cathode material for rechargeable  $\text{Li}/\text{MnO}_2$  batteries, 367
- oxide cathode with perovskite structure for rechargeable lithium batteries, 397
- 2/3 A-size rechargeable battery employing  $\text{LiCoO}_2$  thin-film cathode, 403
- a modification in the preparation process of a carbon whisker for the anode performance of lithium rechargeable batteries, 425
- in situ electrochemical characterization of lithium-alloying materials for rechargeable anodes in lithium batteries, 428
- a new approach to the improvement of  $\text{Li}_{1+x}\text{V}_3\text{O}_8$  performance in rechargeable lithium batteries, 501
- Rechargeable lithium cells**
- factor affecting the capacity retention of lithium-ion cells, 99
- performances and safety behaviour of rechargeable AA-size  $\text{Li}/\text{Li}_x\text{MnO}_2$  cell, 143
- Redox shuttles**
- polypyridine complexes of iron used as redox shuttles for overcharge protection of secondary lithium batteries, 255
- Reliability**
- reliability systems for implantable cardiac defibrillator batteries, 115
- Rietveld structure**
- origin of the improved cycling capability of sol-gel prepared  $\text{Fe}_{0.12}\text{V}_2\text{O}_{5.16}$  compared with  $\text{V}_2\text{O}_5$ , 342
- Rocking-chair lithium batteries**
- high voltage stable liquid electrolytes for  $\text{Li}_{1+x}\text{Mn}_2\text{O}_4/\text{carbon}$  rocking-chair lithium batteries, 92
- Safety**
- general safety considerations for high power  $\text{Li}/\text{SOCl}_2$  batteries, 127
- safety characteristics of lithium alloy/metal sulfide batteries?, 134
- toxicity of materials used in the manufacture of lithium batteries, 138
- performances and safety behaviour of rechargeable AA-size  $\text{Li}/\text{Li}_x\text{MnO}_2$  cell, 143
- development and characterization of a high capacity lithium/thionyl chloride battery, 186
- method of evaluating relative safety of porous electrode/electrolyte combinations to spot heating, 192
- comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries, 240
- Secondary lithium batteries**
- relationship between carbonaceous materials and electrolyte in secondary lithium-ion batteries, 6
- synthesis and properties of  $\text{LiNiO}_2$  as cathode material for secondary batteries, 209
- polypyridine complexes of iron used as redox shuttles for overcharge protection of secondary lithium batteries, 255
- the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- lithium secondary batteries in Japan, 306
- thin-film cathodes for secondary lithium batteries, 362
- irreversible capacity of lithium secondary battery using meso-carbon micro beads as anode material, 440
- charge/discharge characteristics of synthetic carbon anode for lithium secondary battery, 444
- cokes as negative electrodes in secondary batteries, 494
- amorphous  $\text{MoS}_2$  as the cathode of lithium secondary batteries, 508
- re-examination of copper Chevrel-phase sulfides as cathode in lithium secondary batteries, 519
- electrochemical characteristics of  $\text{LiNiO}_2$  and  $\text{LiCoO}_2$  as a positive material for lithium secondary batteries, 522
- Silicon oxide**
- chemistry and structure analysis in the  $\text{Li}_{4+x}\text{B}_x\text{Si}_{1-x}\text{O}_4$  solid solution, 448
- Silver**
- characterization of silver vanadium oxide cathode material by high-resolution electron microscopy, 68
- lithium insertion into silver vanadium oxide,  $\text{Ag}_2\text{V}_4\text{O}_{11}$ , 334
- Single cation**
- cationic conductivity in poly(oxyethylene oxide) networks, 456
- Sodium**
- reversibility of lithium intercalation in lithium and sodium phyllophanates, 319
- electrochemical insertion of lithium, sodium, and magnesium in molybdenum(VI) oxide, 346
- Sodium rechargeable batteries**
- magnesium insertion batteries — an alternative to lithium?, 479
- Solid solution**
- chemistry and structure analysis in the  $\text{Li}_{4+x}\text{B}_x\text{Si}_{1-x}\text{O}_4$  solid solution, 448
- Solid-state batteries**
- plasticization of cross-linked polymer electrolytes, 487
- Solid-state cells**
- charge and discharge characteristics of lithium-ion graphite electrodes in solid-state cells, 338
- Solvated graphite-intercalation compounds**
- filming mechanism of lithium-carbon anodes in organic and inorganic electrolytes, 228
- Space applications**
- development and characterization of a high capacity lithium/thionyl chloride battery, 186

- Spinel  
kinetics and thermodynamics of the lithium insertion reaction in spinel phase  $\text{Li}_x\text{Mn}_2\text{O}_4$ , 475
- Spot heating  
method of evaluating relative safety of porous electrode/electrolyte combinations to spot heating, 192
- Sulfide  
synthesis of sulfide cathodic materials and study of their physicochemical properties and electrochemical activity, 264
- Sulfur dioxide  
cyclic voltammetric and Raman spectroscopic studies of the  $\text{Li}/\text{LiAlCl}_4/\text{SO}_2$  and  $\text{Li}/\text{LiGaCl}_4/\text{SO}_2$  rechargeable systems, 356
- Surface chemistry  
the correlation between the cycling efficiency, surface chemistry and morphology of Li electrodes in electrolyte solutions based on methyl formate, 281
- Surface films  
an X-ray photoelectron spectroscopy study on the surface film on carbon black anode in lithium secondary cells, 171
- Synthesis  
synthesis and properties of  $\text{LiNiO}_2$  as cathode material for secondary batteries, 209  
hydrothermal synthesis of electrode materials Pyrochlore tungsten trioxide film, 461
- Thermal modelling  
electro-thermal modelling of polymer lithium batteries for starting period and pulse power, 393
- Thermal stability  
comparative thermal stability of carbon intercalation anodes and lithium metal anodes for rechargeable lithium batteries, 240
- Thin-film batteries  
thin-film rechargeable lithium batteries, 58  
development and performance of a rechargeable thin-film solid-state microbattery, 63
- Thin-film cathodes  
fabrication and characterization of an  $\text{Li-Mn-O}$  thin-film cathode for rechargeable lithium microbatteries, 224  
thin-film cathodes for secondary lithium batteries, 362  
 $2/3$  A-size rechargeable battery employing  $\text{LiCoO}_2$  thin-film cathode, 403
- Thionyl chloride  
general safety considerations for high power  $\text{Li}/\text{SOCl}_2$  batteries, 127  
high rate lithium/thionyl chloride bipolar battery development, 180  
development and characterization of a high capacity lithium/thionyl chloride battery, 186  
electricity-heat power and energy balance for  $\text{Li}/\text{SOCl}_2$  batteries, 259  
lithium thionyl chloride cells and batteries. Technical predictions versus 1994 realities, 452
- Toxicity  
toxicity of materials used in the manufacture of lithium batteries, 138
- Transition metal oxides  
thin-film cathodes for secondary lithium batteries, 362
- Transition metals  
lithium intercalation in the divalent metal vanadates  $\text{MeV}_2\text{O}_6$  ( $\text{Me} = \text{Cu}, \text{Co}, \text{Ni}, \text{Mn}$  or  $\text{Zn}$ ), 465
- Tungsten oxides  
hydrothermal synthesis of electrode materials Pyrochlore tungsten trioxide film, 461
- Vanadium  
characterization of silver vanadium oxide cathode material by high-resolution electron microscopy, 68  
lithium intercalation in the divalent metal vanadates  $\text{MeV}_2\text{O}_6$  ( $\text{Me} = \text{Cu}, \text{Co}, \text{Ni}, \text{Mn}$  or  $\text{Zn}$ ), 465  
reversible lithium intercalation in alkali metal vanadium bronzes ( $\text{M}_x\text{V}_6\text{O}_{13+\delta}$ , where  $\text{M} = \text{K}, \text{Rb}$  or  $\text{Cs}$ ), 470
- Vanadium oxide  
lithium insertion into silver vanadium oxide,  $\text{Ag}_2\text{V}_4\text{O}_{11}$ , 334  
origin of the improved cycling capability of sol-gel prepared  $\text{Fe}_{0.12}\text{V}_2\text{O}_{5.16}$  compared with  $\text{V}_2\text{O}_5$ , 342  
formation of the  $\omega$ -type phase by lithium intercalation in ( $\text{Mo}, \text{V}$ ) oxides deriving from  $\text{V}_2\text{O}_5$ , 406  
a new approach to the improvement of  $\text{Li}_{1+x}\text{V}_3\text{O}_8$  performance in rechargeable lithium batteries, 501
- Vanadium oxysulfide  
structural, physical and electrochemical characteristics of a vanadium oxysulfide, a cathode material for lithium batteries, 246
- Vanadium pentoxide  
development of coin-type lithium-ion rechargeable batteries, 146
- Water  
effects of water additions on the passivity of iron in dimethoxyethane solutions, 85