

Subject Index of Volume 55

- Acid stratification**
continuous monitoring of acid stratification during charge/discharge by holographic laser interferometry, 243
- Additives**
effects of additives on the discharge behaviour of positive electrodes in lead/acid batteries, 47
effect of additives on zinc electrodes in alkaline battery systems, 53
capacity predictions for lead/acid battery plates having conductive additives, 81
- Agglomerate-of-spheres**
elasticity and electrical properties of porous bodies described as an agglomerate-of-spheres, 143
- Alkaline batteries**
effect of additives on zinc electrodes in alkaline battery systems, 53
- Alkaline fuel cells**
modified flooded spherical agglomerate model for gas-diffusion electrodes in alkaline fuel cells, 33
- Alkaline zinc batteries**
cathodic processes on zinc in alkaline zincate solutions, 237
- Alumina electrolyte**
cycle analyses of thermoelectric power generation and heat pumps using the β'' -alumina electrolyte, 231
- Anodes**
effect of cathode/anode mass ratio in lithium-ion secondary cells, 111
effects of the macroscopic structure of carbon black on its behaviour as the anode in a lithium secondary cell, 191
electrochemical performance of natural Brazilian graphite as anode material for lithium-ion rechargeable cells, 211
- Apparent density**
physical change in positive-plate material – an underrated contributor to premature capacity loss, 269
- Aqueous secondary lithium cells**
investigations on an aqueous lithium secondary cell, 41
- Batteries**
transport properties of solid-electrolyte layers in lithium iodine batteries, 177
- Boric acid**
improvement of the performance of the positive electrode in the lead/acid battery by addition of boric acid, 11
- Boron**
boron-carbon-nitrogen compounds as negative electrode matrices for rechargeable lithium battery systems, 127
- Cadmium**
hydrometallurgical recovery process for nickel-cadmium spent batteries, 247
- Calcium**
transmission electron microscopic observation of precipitates in an aged Pb-0.1wt.%Ca-0.3wt.%Sn alloy, 119
- Capacitor**
electrochemical capacitor using polymer/carbon composites, 93
- Capacity**
capacity predictions for lead/acid battery plates having conductive additives, 81
- Capacity loss**
physical change in positive-plate material – an underrated contributor to premature capacity loss, 269
- Carbon**
electrochemical capacitor using polymer/carbon composites, 93
boron-carbon-nitrogen compounds as negative electrode matrices for rechargeable lithium battery systems, 127
investigation of a carbon-supported quaternary Pt-Ru-Sn-W catalyst for direct methanol fuel cells, 159
discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
- Carbon black**
effects of the macroscopic structure of carbon black on its behaviour as the anode in a lithium secondary cell, 191
- Catalysts**
investigation of a carbon-supported quaternary Pt-Ru-Sn-W catalyst for direct methanol fuel cells, 159
- Cathodes**
nickel phosphorus trisulfide: an electroactive material for medium-temperature lithium batteries, 1
degradation phenomena in the cathode of a solid oxide fuel cell with an alloy separator, 73
effect of cathode/anode mass ratio in lithium-ion secondary cells, 111
- Cell failure**
study of sealing quality of small Li/SOCl₂ cells, 107
- Cobalt**
effect of cobalt addition on the performance of titanium-based hydrogen-storage electrodes, 197
- Compression**
physical change in positive-plate material – an underrated contributor to premature capacity loss, 269
- Computational fluid dynamics**
three-dimensional simulation of a molten carbonate fuel cell stack using computational fluid dynamics technique, 25
- Crystal structure**
new preparation methods and accurate X-ray powder diffraction data for tribasic lead sulfate hydrate, precursor of the active material in lead/acid batteries, 97
- Degradation**
degradation phenomena in the cathode of a solid oxide fuel cell with an alloy separator, 73
- Dimethyl carbonate**
reactivity and cycling behaviour of lithium in propylene carbonate-ethylene carbonate-dimethyl carbonate mixtures, 205

- Direct-methanol fuel cells
 a vapour-feed direct-methanol fuel cell with proton-exchange membrane electrolyte, 87
- Discharge
 discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
- Discharge behaviour
 effects of additives on the discharge behaviour of positive electrodes in lead/acid batteries, 47
- Discharge characteristics
 discharge characteristics of manganese dioxide/lithium cells in various electrolyte solutions, 115
- Electrochemical cells
 study of a new polymer electrolyte (PVP + KYF₄) for solid-state electrochemical cells, 255
- Electrodes
 mechanism of early capacity loss of Ti₂Ni hydrogen-storage alloy electrode, 101
 effect of cobalt addition on the performance of titanium-based hydrogen-storage electrodes, 197
 discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
 characteristics of magnesium-based hydrogen-storage alloy electrodes, 263
- Electrolytes
 solid-state batteries using silver-based glassy materials, 153
- Ethylene carbonate
 reactivity and cycling behaviour of lithium in propylene carbonate–ethylene carbonate–dimethyl carbonate mixtures, 205
- Fuel cells
 a vapour-feed direct-methanol fuel cell with proton-exchange membrane electrolyte, 87
 thermal relaxation during dynamic fuel cell operation, 167
- Gas-diffusion electrodes
 modified flooded spherical agglomerate model for gas-diffusion electrodes in alkaline fuel cells, 33
- Graphite
 electrochemical performance of natural Brazilian graphite as anode material for lithium-ion rechargeable cells, 211
- Heat pumps
 cycle analyses of thermoelectric power generation and heat pumps using the β -alumina electrolyte, 231
- Hydrogen
 processes involving gases in valve-regulated lead/acid batteries, 183
- Hydrogen evolution
 cathodic processes on zinc in alkaline zincate solutions, 237
- Hydrogen-storage alloy
 mechanism of early capacity loss of Ti₂Ni hydrogen-storage alloy electrode, 101
 characteristics of magnesium-based hydrogen-storage alloy electrodes, 263
- Hydrogen-storage electrodes
 effect of cobalt addition on the performance of titanium-based hydrogen-storage electrodes, 197
- Immobilized electrolytes
 mathematical modelling of a lead/acid cell with immobilized electrolyte, 217
- Impedance spectroscopy
 characterization of anodic films on lead and lead alloys by impedance spectroscopy, 19
- Intercalation
 investigations on an aqueous lithium secondary cell, 41
- Iodine
 transport properties of solid-electrolyte layers in lithium iodine batteries, 177
- Iron
 iron and nickel phosphorus trisulfides as electroactive materials for primary lithium batteries, 133
- Lead
 characterization of anodic films on lead and lead alloys by impedance spectroscopy, 19
 discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
- Lead/acid batteries
 improvement of the performance of the positive electrode in the lead/acid battery by addition of boric acid, 11
 characterization of anodic films on lead and lead alloys by impedance spectroscopy, 19
 effects of additives on the discharge behaviour of positive electrodes in lead/acid batteries, 47
 capacity predictions for lead/acid battery plates having conductive additives, 81
 new preparation methods and accurate X-ray powder diffraction data for tribasic lead sulfate hydrate, precursor of the active material in lead/acid batteries, 97
 continuous monitoring of acid stratification during charge/discharge by holographic laser interferometry, 243
 discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
 physical change in positive-plate material – an underrated contributor to premature capacity loss, 269
- Lead/acid cells
 mathematical modelling of a lead/acid cell with immobilized electrolyte, 217
- Lead alloys
 characterization by electrochemical impedance spectroscopy of passive layers formed on lead–tin alloys, in tetraborate and sulfuric acid solutions, 63
 transmission electron microscopic observation of precipitates in an aged Pb–0.1wt.%Ca–0.3wt.%Sn alloy, 119
- Lead–antimony alloys
 characterization of anodic films on lead and lead alloys by impedance spectroscopy, 19
- Lead dioxide
 discharge behaviour of electro-deposited lead and lead dioxide electrodes on carbon in aqueous sulfuric acid, 251
- Lead sulfate
 new preparation methods and accurate X-ray powder diffraction data for tribasic lead sulfate hydrate, precursor of the active material in lead/acid batteries, 97
- Lithium
 transport properties of solid-electrolyte layers in lithium iodine batteries, 177
 solid-state photovoltaic power and battery unit, 259
- Lithium/thionyl chloride cell
 study of sealing quality of small Li/SOCl₂ cells, 107
- Lithium batteries
 nickel phosphorus trisulfide: an electroactive material for medium-temperature lithium batteries, 1
 reactivity and cycling behaviour of lithium in propylene carbonate–ethylene carbonate–dimethyl carbonate mixtures, 205
- Lithium cells
 discharge characteristics of manganese dioxide/lithium cells in various electrolyte solutions, 115

- Lithium chloride
investigations on an aqueous lithium secondary cell, 41
- Lithium-ion cells
effect of cathode/anode mass ratio in lithium-ion secondary cells, 111
- Lithium lactate
fabrication and charge/discharge behaviour of some lithium solid polymer electrolyte cells, 123
- Lithium picrate
fabrication and charge/discharge behaviour of some lithium solid polymer electrolyte cells, 123
- Magnesium
characteristics of magnesium-based hydrogen-storage alloy electrodes, 263
- Manganese dioxide
investigations on an aqueous lithium secondary cell, 41
discharge characteristics of manganese dioxide/lithium cells in various electrolyte solutions, 115
- Mass ratio
effect of cathode/anode mass ratio in lithium-ion secondary cells, 111
- Methanol fuel cells
investigation of a carbon-supported quaternary Pt–Ru–Sn–W catalyst for direct methanol fuel cells, 159
- Molten carbonate fuel cells
three-dimensional simulation of a molten carbonate fuel cell stack using computational fluid dynamics technique, 25
- Negative electrodes
boron–carbon–nitrogen compounds as negative electrode matrices for rechargeable lithium battery systems, 127
- Nickel
mechanism of early capacity loss of Ti₂Ni hydrogen-storage alloy electrode, 101
iron and nickel phosphorus trisulfides as electroactive materials for primary lithium batteries, 133
effect of cobalt addition on the performance of titanium-based hydrogen-storage electrodes, 197
hydrometallurgical recovery process for nickel–cadmium spent batteries, 247
- Nickel–cadmium batteries
hydrometallurgical recovery process for nickel–cadmium spent batteries, 247
- Nickel phosphorus trisulfide
nickel phosphorus trisulfide: an electroactive material for medium-temperature lithium batteries, 1
- Nitrogen
boron–carbon–nitrogen compounds as negative electrode matrices for rechargeable lithium battery systems, 127
- Organic solvents
reactivity and cycling behaviour of lithium in propylene carbonate–ethylene carbonate–dimethyl carbonate mixtures, 205
- Oxygen
processes involving gases in valve-regulated lead/acid batteries, 183
- Passive layers
characterization by electrochemical impedance spectroscopy of passive layers formed on lead–tin alloys, in tetraborate and sulfuric acid solutions, 63
- Phosphorus
iron and nickel phosphorus trisulfides as electroactive materials for primary lithium batteries, 133
- Photovoltaic systems
solid-state photovoltaic power and battery unit, 259
- Platinum
investigation of a carbon-supported quaternary Pt–Ru–Sn–W catalyst for direct methanol fuel cells, 159
- Polymer electrolytes
composite gel electrolyte for rechargeable lithium batteries, 7
electrochemical capacitor using polymer/carbon composites, 93
study of a new polymer electrolyte (PVP+KYF₄) for solid-state electrochemical cells, 255
- Polymers
solid-state photovoltaic power and battery unit, 259
- Porous bodies
elasticity and electrical properties of porous bodies described as an agglomerate-of-spheres, 143
- Positive electrodes
improvement of the performance of the positive electrode in the lead/acid battery by addition of boric acid, 11
effects of additives on the discharge behaviour of positive electrodes in lead/acid batteries, 47
- Primary lithium batteries
iron and nickel phosphorus trisulfides as electroactive materials for primary lithium batteries, 133
- Propylene carbonate
reactivity and cycling behaviour of lithium in propylene carbonate–ethylene carbonate–dimethyl carbonate mixtures, 205
- Proton-exchange membrane electrolytes
a vapour-feed direct-methanol fuel cell with proton-exchange membrane electrolyte, 87
- Rechargeable lithium batteries
composite gel electrolyte for rechargeable lithium batteries, 7
boron–carbon–nitrogen compounds as negative electrode matrices for rechargeable lithium battery systems, 127
solid-state photovoltaic power and battery unit, 259
- Rechargeable lithium-ion cells
electrochemical performance of natural Brazilian graphite as anode material for lithium-ion rechargeable cells, 211
- Recovery
hydrometallurgical recovery process for nickel–cadmium spent batteries, 247
- Ruthenium
investigation of a carbon-supported quaternary Pt–Ru–Sn–W catalyst for direct methanol fuel cells, 159
- Sealing
study of sealing quality of small Li/SOCl₂ cells, 107
- Secondary batteries
cathodic processes on zinc in alkaline zincate solutions, 237
characteristics of magnesium-based hydrogen-storage alloy electrodes, 263
- Secondary lithium cells
investigations on an aqueous lithium secondary cell, 41
effects of the macroscopic structure of carbon black on its behaviour as the anode in a lithium secondary cell, 191
- Silver seleno molybdate
solid-state batteries using silver-based glassy materials, 153
- Sodium tetraborate
characterization by electrochemical impedance spectroscopy of passive layers formed on lead–tin alloys, in tetraborate and sulfuric acid solutions, 63
- Solar cells
solid-state photovoltaic power and battery unit, 267
- Solid-electrolyte layers
transport properties of solid-electrolyte layers in lithium iodine batteries, 177

- Solid oxide fuel cells
degradation phenomena in the cathode of a solid oxide fuel cell with an alloy separator, 73
- Solid polymer electrolytes
fabrication and charge/discharge behaviour of some lithium solid polymer electrolyte cells, 123
- Solid-state batteries
solid-state batteries using silver-based glassy materials, 153
- Spent batteries
hydrometallurgical recovery process for nickel-cadmium spent batteries, 247
- Spherical agglomerates
modified flooded spherical agglomerate model for gas-diffusion electrodes in alkaline fuel cells, 33
- Sulfuric acid
characterization by electrochemical impedance spectroscopy of passive layers formed on lead-tin alloys, in tetraborate and sulfuric acid solutions, 63
mathematical modelling of a lead/acid cell with immobilized electrolyte, 217
- Thermal conductivity
thermal relaxation during dynamic fuel cell operation, 167
- Thermoelectricity
cycle analyses of thermoelectric power generation and heat pumps using the β' -alumina electrolyte, 231
- Tin
characterization by electrochemical impedance spectroscopy of passive layers formed on lead-tin alloys, in tetraborate and sulfuric acid solutions, 63
transmission electron microscopic observation of precipitates in an aged Pb-0.1wt.%Ca-0.3wt.%Sn alloy, 119
investigation of a carbon-supported quaternary Pt-Ru-Sn-W catalyst for direct methanol fuel cells, 159
- Titanium
mechanism of early capacity loss of Ti₂Ni hydrogen-storage alloy electrode, 101
effect of cobalt addition on the performance of titanium-based hydrogen-storage electrodes, 197
- Trisulfides
iron and nickel phosphorus trisulfides as electroactive materials for primary lithium batteries, 133
- Tungsten
investigation of a carbon-supported quaternary Pt-Ru-Sn-W catalyst for direct methanol fuel cells, 159
- Valve-regulated lead/acid batteries
processes involving gases in valve-regulated lead/acid batteries, 183
- Zinc
effect of additives on zinc electrodes in alkaline battery systems, 53