



Recent Publications on Lead/Acid Batteries and Related Phenomena: 1994, Nos. 1 and 2, B1-B22

Compiling Editors: L. Apăteanu ^a and D.A.J. Rand ^b

^a ICECHIM, Institute of Chemical Research, Electrochemical Energetics Laboratory, Splaiul Independentei 202, Sector VI, Bucharest, Romania

^b CSIRO, Division of Minerals, PO Box 124, Port Melbourne, Vic. 3207, Australia

The aim of this abstracting service is to provide workers with a review of paper titles in the area of lead/acid batteries, and in particular to assist those workers who do not have ready access to citation facilities. The intention is to publish the compilation half-yearly and an author index for a given year will be provided when citations for that year are complete.

The publications are grouped under broad titles and, where possible, are numbered in chronological sequences that will be continued in each succeeding issue. Due to the unavoidable delay between the appearance and the citation of papers, the two issues of each year will necessarily include items published both during that year and during the previous year.

Contents

A. Battery components (lead(II) oxides, electrolyte, separators, etc.)	B3
B. Lead and lead alloys (including battery recycling)	B3
C. Positive plates (lead(IV) oxides)	B5
D. Negative plates	B6
E. Aspects of manufacture	B7
F. Charging and discharging	B9
G. Testing and performance	B9
H. Theoretical aspects and reviews	B12
I. Applications (automotive, stationary, traction, etc.)	B15
J. Author index 1994	B19

A. Battery components (lead(II) oxides, electrolyte, separators, etc.)

- A39. Aspects of lead/acid battery technology. 8. Battery oxide.

L. Prout
Corbridge, Northumberland, UK.

J. Power Sources, 47 (1994) 197-217.

- A40. Phase composition and particle size distribution of lead powders obtained by electro-erosion dispersion and used in battery electrodes.

G.N. Dubrovskaya, A.V. Pukalenko, N.V. Olekseenko, D.P. Semkin and V.T. Khimich
Cherkass. Inzh.-Tekhnol. Inst., Ukraine.

Poroshk. Metall. (Kiev), 9-10 (1994) 116-21.

CA: 122(18) 220241g.

- A41. Glass-fibre separators for valve-regulated batteries.

H. Miura and H. Hosono
Nippon Sheet Glass Co. Ltd., Yokkaichi City, Japan.

J. Power Sources, 48 (1994) 233-9.

- A42. New concept of electrolyte retainer for valve-regulated lead-acid (VRLA) batteries. (Part 4). Traction vehicle.

T. Yoshioka, M. Shiomi, K. Takahashi and K. Nishida
Nippon Denchi K.K., Japan.

GS News Tech. Rep., 53 (1994) 5-9.

CA: 122(16) 192338y.

- A43. Study of protective properties of galvanic coatings of cathode copper leads in lead-acid battery.

M.V. Lushina and G.A. Kolikova
Nauchno-issled. Akkumulyatornyi Inst., St. Petersburg, Russia.

Zh. Prikl. Khim. (S.-Petersburg), 67 (1994) 296-9.

CA: 122(18) 218519k.

- A44. Barium metaplumbate for lead/acid batteries.

W-H. Kao, S.L. Haberichter and P. Patel
Johnson Controls Battery Group, Inc., Adv. Battery Res., Milwaukee, WI, 53201, USA.

J. Electrochem. Soc., 141 (1994) 3300-5.

CA: 122(6) 60101f.

**B. Lead and lead alloys
(including battery recycling)**

- B206. An *in situ* study of the effect of tin on the passivation of lead-tin alloys.

P. Simon, N. Bui and F. Dabosi
Ecole Nationale Supérieure de Chimie de Toulouse, Laboratoire de Métallurgie Physique, URA 445, 118 Route de Narbonne, 31077, Toulouse, France.

J. Power Sources, 50 (1994) 141-52.

CA: 121(2) 13857b.

- B207. Use of low antimony alloys in storage battery for automobiles.

T. Li
State-run Fact. No. 481, Shandong, 255056, Peop. Rep. China.

Dianchi, 24 (1994) 61-4.

CA: 121(6) 61368t.

- B208. Effect of magnetic field on the microstructure and macrosegregation in directionally solidified Pb-Sn alloys.

S.N. Tewari, R. Shah and S. Hui

Dept. Chem. Eng., Cleveland State Univ., OH, USA.

Metallurgical and Materials Transactions A (Physical Metallurgy and Materials Science), 25A (1994) 1535-44.

INSPEC: A9419-8130M-003.

- B209. Selection of method for monitoring antimony content in products of secondary lead raw material processing.

Anon

St. Petersburg Gos. Tekh. Univ., Russia.

Zh. Prikl. Khim. (S.-Petersburg), 67 (1994) 1104-6.

CA: 122(18) 229577d.

- B210. Aspects of lead/acid battery technology. 9. Grids.

L. Prout

Aydon Road, Corbridge Northumberland, UK.

J. Power Sources, 50 (1994) 193-257.

CA: 121(2) 13766w.

- B211. Minor elements in lead materials used for lead/acid batteries. I. Hydrogen and oxygen-gassing characteristics.

L.T. Lam, J.D. Douglas, R. Pillig and D.A.J. Rand

CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.

J. Power Sources, 48 (1994) 219-32.

- B212. Kinetics of hydrogen-evolution reaction on lead and lead-alloy electrodes in sulfuric acid electrolyte with phosphoric acid and antimony additives.

S. Venugopalan

Batteries Div., ISRO Satellite Centre, Bangalore, India.

J. Power Sources, 48 (1994) 371-84.

- B213. Corrosion behaviour of low-antimony lead alloy in sulfuric acid solution.

Z.W. Chen, J.B. See and W.F. Gillian

Pasminco Res. Centre, Balaroo, NSW, Australia.

J. Power Sources, 50 (1994) 47-55.

INSPEC: A9417-8630F-002, B9409-8410E-002.

- B214. Electrochemical kinetics of anodic layer formation and reduction on antimony and antimonial lead.

M. Metikos-Hukovic, R. Babic and S. Omanovic
Dept. Electrochem., Fac. Chem. Eng. and Technol., Univ. Zagreb, Savska 16, Zagreb, 41000, Croatia.

J. Electroanal. Chem., 374 (1994) 199-206.

CA: 121(18) 215762c.

- B215. The effect of alloying with antimony on the electrochemical properties of lead.

R. Babic, M. Metikos-Hukovic, N. Lajqy and S. Brinic

Dept. Electrochem., Fac. Chem. Eng. and Technol., Univ. Zagreb, Savska 16, Zagreb, 41000, Croatia.

J. Power Sources, 52 (1994) 17-24.

CA: 122(4) 35097b.

- B216. Electrochemical behaviour of lead electrode in sulfuric acid solution containing citric acid.
- G-L. Wei and J-R. Wang
Dept. Chem., Shanghai Univ., Science and Technol., Jiading, 201800, Peop. Rep. China.
- J. Power Sources, 52 (1994) 25-9.
 CA: 122(4) 35098c.
- B217. X-ray photoelectron spectroscopy study of passive layers formed on lead-tin alloys.
- P. Simon, N. Bui, F. Dabosi, G. Chatainier and M. Provincial
Lab. de Metallurgie Physique, URA 445, 118 Route de Narbonne, 31077, Toulouse, France.
- J. Power Sources, 52 (1994) 31-9.
 CA: 122(4) 35099d.
- B218. Simple electrochemical method for the preparation of a highly oriented and highly photoactive α -PbO film.
- P. Veluchamy and H. Minoura
Dep. Appl. Chem., Gifu Univ., Gifu, Japan.
- Appl. Phys. Lett., 65 (1994) 2431-3.
 CA: 121 (26) 304592g.
- B219. Reduction of the slag from processing of lead-acid battery scrap.
- L. Blacha, J. Pawlowski, R. Jurowski and R. Sosnowski
Tech. Univ., Katowice, Poland.
- Rudy Met. Nielaz., 39 (1994) 96-8.
 CA: 121(8) 88067c.
- B220. Processing of spent lead battery waste.
- A. Mahalik
Hungary.
- Kohaszat, 127 (1994) 426-32.
 CA: 122(16) 193032f.
- B221. An investigation of the reduction of battery paste (Al_2O_3 - As_2O_3 - CaO - FeO - Fe_2O_3 - PbO - Sb_2O_3 - SiO_2) slags with graphite.
- S. Wright, S. Jahanshahi and W.J. Errington
CSIRO Div. Miner. and Process. Eng., Clayton, Vic., 3169, Australia.
- Proc. Int. Symp., Extr. Process. Treat. Minimization Wastes, 1994, pp. 11-12.
 CA: 121(6) 62154d.
- C. Positive plate (lead(IV) oxides)**
- C150. Conversion of tribasic lead sulfate to lead dioxide in lead/acid battery plates. 1. Relationship between the phase composition of plates in the cured and formed states.
- L. Zerroual, N. Chelali, F. Tedjar and J. Guittot
Lab. d'Energetique et d'Electrochimie du Solide, Univ. de Setif, Setif, 19000, Algeria.
- J. Power Sources, 51 (1994) 425-31.
 CA: 122(2) 13685q.
- C151. Kinetics of the formation process of PbO_2 on lead-antimony electrodes.
- G-L. Wei and J-R. Wang
Dept. Chem., Shanghai Univ. Science and Technol., Jiading, Shanghai, 201800, Peop. Rep. China.
- Dianchi, 24 (1994) 280-3.
 CA: 122(12) 138055r.
- C152. Effect of plate preparation on active-material utilization and cycleability of positive plates in automotive lead/acid batteries.
- H. Ozgun, L.T. Lam, D.A.J. Rand and S.K. Bhargava
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.
- J. Power Sources, 52 (1994) 159-71.
 CA: 122(10) 110551a.

- C153. Changes in the morphology and structure of positive active material of starter batteries as a consequence of their use in vehicles.

J.K. Vilhunen and J. Tommavuori
Sci. Services, Neste Oy, Porvoo, Finland.

J. Power Sources, 47 (1994) 189-95.

- C154. Prolong the cycle life of positive electrode in lead acid storage batteries.

S. Zhang
Applied Chem., Dep., Harbin Inst. Technol., Heilongjiang, 150006, Peop. Rep. China.

Dianchi, 24 (1994) 276-9.

CA: 122(10) 110514r.

- C155. Solution to pasted positive plate buckling of lead-acid battery.

S. Zhao
Zibo Storage Battery Factory, Shandong, 255056, Peop. Rep. China.

Dianchi, 24 (1994) 119-20.

CA: 121(16) 183481s.

- C156. Electrochemical behaviour of α - and β -PbO₂. Part I: Proton diffusion from 'all solid-state' protonic electrolyte.

N. Chelali and J. Guitton
Lab. d'Ionique et d'Electrochimie du Solide (LIESG) associe au CNRS (URAD 12 13), ENS d'Electrochimie et d'Electrometallurgie de Grenoble INPG-ENSEEG, 38402, Saint-Martin-d'Heres, France.

Solid State Ionics, 73 (1994) 227-32.

CA: 121(26) 304589u.

- C157. Effects of grid alloy on the properties of positive-plate corrosion layers in lead/acid batteries. Implications for premature capacity loss under repetitive deep-discharge cycling service.

A.F. Hollenkamp, K.K. Constanti, M.J. Koop, L. Apateanu, M. Kalabek and K. Micka
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.

J. Power Sources, 48 (1994) 195-215.

- C158. Effect of oxidation potential on PbSO₄/PbO₂ transformation.

G. Wei
Dep. Chem., Shanghai Univ. Sci. Technol., Shanghai, 201800, Peop. Rep. China.

Dianchi, 24 (1994) 157-9.

CA: 121(20) 234620w.

- C159. Kinetics of the formation process of PbO₂ on lead-antimony electrodes.

G-L. Wei and J-R. Wang
Dept. Chem., Shanghai Univ. Sci. & Technol., China.

J. Power Sources, 52 (1994) 193-6.

INSPEC: A9507-8630F-004, B9504-8410E-007.

D. Negative plates

- D49. Investigations of the negative plate of lead/acid cells. 1. Selection of additives.

M. Saakes, P.J. van Duin, A.C.P. Ligvoet and D. Schmal
TNO Environ. & Energy Res., Delft, Netherlands.

J. Power Sources, 47 (1994) 129-47.

- D50. Investigations of the negative plate of the lead/acid cells. 2. Verification with 2 V cells.
M. Saakes, P.J. van Duin, A.C.P. Ligvoet and D. Schmal
TNO Environ. & Energy Res., Delft, Netherlands.
J. Power Sources, 47 (1994) 149-58.
CA: 121(14) 13852w.
- D51. Investigations of the negative plate of lead/acid cells. 2. Verification with 2 V cells. (Corrigendum).
M. Saakes, P.J. van Duin, A.C.P. Ligvoet and D. Schmal
Energy Res., TNO, 2600 JA, Delft, Netherlands.
J. Power Sources, 50 (1994) 395.
CA: 121(14) 160756w.
- D52. Investigations of the negative plate of lead/acid cells. 3. Model calculations of the impedance of self-similar porous electrodes.
M. Saakes and W.H. Mulder
TNO Environmental and Energy Research, P.O. Box 6011, 2600, JA Delft, Netherlands.
J. Power Sources, 50 (1994) 89-96.
CA: 121(2) 13852w.
- D53. Efficiency of lignosulfonates and humic-related substances as expanders in negative electrodes of the lead/acid system.
D. von Borstel, G. Hoogestraat and W. Ziechmann
Akkumulatorenwerk GmbH, Bad Lauterberg, 37431, Germany.
J. Power Sources, 50 (1994) 131-40.
CA: 121(2) 13856a.
- D54. Failure mode of the negative plate in recombinant lead/acid batteries.
S. Atlung and B. Zachau-Christiansen
Dept. Physical Chem., Technical Univ. Lyngby, 2800, Denmark.
J. Power Sources, 52 (1994) 201-9.
CA: 122(10) 110557g.
- E. Aspects of manufacture**
- E178. Adjustment of lead oxide mill.
A. Yang and Z. You
Fujian Storage Battery Factory, Fujian, 354200, Peop. Rep. China.
Dianchi, 24 (1994) 217-18.
CA: 122(12) 138042j.
- E179. Fabrication of plates of sealed lead/acid battery.
S. Wu
Wanli Storage Battery Co., Ltd., Sichuan, 630054, Peop. Rep. China.
Dianchi, 24 (1994) 65-6.
CA: 121(6) 61386u.
- E180. Modern technology for the preparation of battery paste.
H.-J. Vogel
Maschinenfabrik Gustav Eirich, Hardheim, Germany.
J. Power Sources, 48 (1994) 71-6.

- E181. Characteristic straight lines for paste-mixing in sealed lead/acid batteries.

T. Chen, J. Zheng and X. Lin
Dep. Chem., Xiamen Univ., Fujian, 361005, Peop. Rep. China.

Dianchi, 24 (1994) 101-3.

CA: 121(16) 183477v.

- E182. Improvement of washing process of dry-charged plates in lead-acid battery.

S. Zhao
Zibo Storage Battery Factory, Shandong, Peop. Rep. China.

Dianchi, 24 (1994) 170-1.

CA: 121(20) 234625b.

- E183. Aspects of lead/acid battery manufacture and performance.

L.T. Lam
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.

I.G. Mawston
Yuasa JRA Batteries Ltd., Auckland, New Zealand.

D. Pavlov
Central Lab. Electrochem. Power Sources, Bulgarian Acad. Sci., Sofia, Bulgaria.

D.A.J. Rand
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.

J. Power Sources, 48 (1994) 257-270.

- E184. Changes in external and internal lead load in different working areas of a starter battery production plant in the period 1982 to 1991.

M. Kentner, T. Fischer and G. Richter
Occupational Medical Service, Robert Bosch GmbH, Hildesheim, Germany, D-31139.

Int. Arch. Occup. Environ. Health, 66 (1994) 23-31.

CA: 121(12) 140589r.

- E185. Bi-monitoring of occupational effects of lead-exposure and contamination situation in a battery manufacturing plant over the period 1982-1991.

M. Kentner, T. Fischer and A. Wilken
Aus dem Institute für Arbeits- und Sozialmedizin, Universität Göttingen, Germany.

Zentralbl. Arbeitsmed., Arbeitsschutz Ergon., 44 (1994) 163-84.

CA: 122(12) 141190m.

- E186. Lead exposure in starter battery production: investigation of the correlation between air lead and blood lead levels.

M. Kentner and T. Fischer
Inst. Occupational and Social Medicine, Univ. Goettingen, Goettingen, Germany.

Int. Arch. Occup. Environ. Health, 66 (1994) 223-8.

CA: 122(8) 88108n.

- E187. Health and safety considerations in the specification of battery systems.

D.H. Wilson
Health & Safety Executive, London, UK.

Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 3.1/1-5.

INSPEC: A9416-8630F-009, B9408-8410E-010.

- E188. Air and blood lead levels in a battery factory.

D.D. Ibiebele
Environ. Toxicology Project, Center for Resource Management and Environ. Studies, Univ. West Indies, Cave Hill Campus. P.O. Box 64, Bridgetown, Barbados.

Sci. Total Environ., 152 (1994) 269-73.

CA: 121(16) 186088e.

F. Charging and discharging

- F104. Battery charging assisted by forced electrolyte circulation.

H.J. Rusch
Germany.

ETZ, 115 (1994) 34-8.

- F105. Fast charging of lead-acid batteries.

E.M. Valeriote, T.G. Chang and D.M. Jochim
*Product Technol. Centre, Cominco Ltd.,
Mississauga, Ont., Canada.*

Conf. Proc. The 9th Annual Battery Conference
on Applications and Advances, 11-13 Jan. 1994,
Long Beach, CA, USA, pp. 33-8.

CA: 122(18) 218374j.

- F106. Effects of fast charging on hybrid lead/acid battery temperature.

T.G. Chang, E.M. Valeriote and D.M. Jochim
*Product Technol. Centre, Cominco Ltd.,
Mississauga, Ont., Canada.*

J. Power Sources, 48 (1994) 163-75.

- F107. New techniques for battery charger and SOC estimation in photovoltaic hybrid power systems.

M. Bayoumy, S. El-Hefnaw, O. Mahgoub and A.
El-Tobshy
Electron Res. Inst., Giza, Egypt.

Solar Energy Materials and Solar Cells, 35
(1994) 509-14.

INSPEC: B9412-8250-050, C9412-3340H-187.

G. Testing and performance

- G291. Updated status of conductance/capacity correlation studies to determine the state-of-health of automotive and stand-by lead/acid batteries.

D.O. Feder, M.J. Hlavac and S.J. McShane
*Electrochemical Energy Storage Syst. Inc.,
Madison, NJ, USA.*

J. Power Sources, 48 (1994) 135-61.

- G292. Field experience of testing VRLA batteries by measuring conductance.

M.W. Kniveton
British Telecommunications plc, Bristol, UK.

Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 4.2/1-7.

INSPEC: A9416-8630F-013, B9408-8410E-014.

- G293. Capacity effects on the determination of the state-of-charge in lead-acid batteries.

C. Armenta-Deu
*Fac. Fis., Univ. Complutense, Madrid, Spain,
28040.*

Renewable Energy, 4 (1994) 249-56.

CA: 121(16) 183432b.

- G294. A novel, non-destructive method for the prediction of the state-of-charge of maintenance-free lead/acid batteries from galvanostatic transients.

M.P. Vinod and K. Vijayamohanan
*Materials Chemistry Div., National Chem. Lab.,
Poona, 411 088, India.*

J. Power Sources, 52 (1994) 135-9.

CA: 122(4) 35110a.

- G295. A state-of-charge indicator for valve-regulated lead-acid (VRLA) batteries.

D. Makino, M. Naito, H. Fujimoto, T. Tadakuma, H. Nitta, K. Takahashi, M. Tsubota, Y. Iwanami, H. Kudo and Y. Fujita
Nippon Denchi K.K., Japan.

GS News Tech. Rep., 53 (1994) 10-16.

CA: 122(16) 192339z.

- G296. Effect of corrosion layer on phenomena that cause the premature capacity loss in lead/acid batteries.

D. Pavlov
Central Lab. Electrochem. Power Sources, Bulgarian Acad. Sci., Sofia, Bulgaria.

J. Power Sources, 48 (1994) 179-93.

- G297. Investigations of the factors causing performance losses of the lead/acid traction batteries.

H. Kronberger, Ch. Fabjan and N. Gofas
Institut für Technische Elektrochemie, Technische Universität Wien, Getreidemarkt 9/158, 1060, Wien, Austria.

J. Power Sources, 50 (1994) 153-62.

CA: 121(2) 13858c.

- G298. Solution to early capacity loss of lead-calcium grids for secondary battery.

G. Zhang, Z. Jiang and Y. Cai
Yueyang Storage Battery, Factory, Hunan, 414000, Peop. Rep. China.

Dianchi, 24 (1994) 219-20.

CA: 122(2) 13659j.

- G299. Superiority and failure mode of automotive batteries insulated with polyethylene separators.

J. Kung
Conn. Grace Battery Separators, W.R. Grace & Co., Cambridge, MA, USA.

J. Power Sources, 48 (1994) 129-34.

- G300. Aspects of lead/acid battery technology. 10. Cold-start performance.

L. Prout
Aydon Road, Corbridge Northumberland, UK.

J. Power Sources, 51 (1994) 463-87.

CA: 122(2) 13688t.

- G301. Failure mode of lead-acid batteries in photovoltaic power generation systems.

T. Funato, M. Shiomi, K. Takahashi and M. Tsubota
Nippon Denchi K.K., Kyoto, Japan.

GS News Tech. Rep., 53 (1994) 6-13.

CA: 121(16) 183495z.

- G302. Failure mechanisms in VRLA batteries.

M.L. Whitehead
ERA Technol., Leatherhead, UK.

Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 2.1-10.

INSPEC: A9416-8630F-005, B9408-8410E-006.

- G303. Deterioration estimation method for 200 Ah sealed lead-acid batteries.

K. Yamamoto, T. Ogata, K. Takano and Y. Konya
NTT Interdisciplinary Res. Labs., Japan.

NTT R & D, 43 (1994) 1143-8.

INSPEC: A9505-8630F-005, B9503-8410E-011.

- G304. Method of estimating deterioration of lead-acid batteries using pulse discharge and charge characteristics.

T. Ogata, K. Takano, M. Kohno and K. Yoshida
Interdisciplinary Res. Lab., NTT Corp., Musashino, Japan.

Electronics and Commun. in Japan, Part 1 (Communications), 77 (1994) 1-10.

INSPEC: B9503-8410E-006.

- G305. Technology implementation of stationary battery failure prediction.

M.R. Laidig and J.W. Wurst
BTECH Inc., Whippany, NJ, USA.

Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 168-72.

- G306. A diagnostic testing program for large lead/acid storage battery banks.

R.D. Soileau
Dow Chem. Co., Plaquermine, LA, USA.

IEEE Transactions on Industry Applications, 30 (1994) 193-200.

- G307. Choosing the best battery backup for cable networks: A performance comparison.

G. Tallackson and L. Roper.

CED, 20 (1994) 40, 42-3.

INSPEC: B9412-8360-145.

- G308. Experiences from accelerated testing methods for stationary lead-acid batteries.

P. Selanger.

Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 3.3/1-9.

INSPEC: A9416-8630F-011, B9408-8410E-012.

- G309. Prediction of remaining battery discharge time in telecommunications power systems.

T. Matsushima and S. Ishizuka
NTT Interdisciplinary Res. Lab., Japan.

Transactions of the Inst. of Electrical Engineers of Japan, Part B, 114-B (1994) 211-19.

INSPEC: A9424-8630F-003, B9412-8410E-004.

- G310. Cycle life test of lead dioxide electrodes in compressed lead/acid cells.

J. Lanfors
Dept. Chem. Eng., Div. Applied Electrochem., The Royal Institute Technol., 100 44, Stockholm, Sweden.

J. Power Sources, 52 (1994) 99-108.

CA: 122(8) 85386r.

- G311. Thermal analysis of active materials for the lead/acid battery.

I.G. Mawston, P.G. Buchanan and G.A. Wright
Yuasa JRA Batteries Ltd., Auckland, New Zealand.

J. Power Sources, 48 (1994) 77-82.

- G312. Seeking enhanced lead/acid battery performance through the use of conductive tin-dioxide-coated glass-flakes.

L.T. Lam, O. Lim, H. Ozgun and D.A.J. Rand
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.

J. Power Sources, 48 (1994) 83-111.

- G313. Battery performance enhancement with additions of bismuth.
J.E. Manders
Pasminco Metals, Melbourne, Vic., 3001, Australia.
L.T. Lam, R. De Marco, J.D. Douglas, R. Pillig and D.A.J. Rand
CSIRO Div. Mineral Products, Port Melbourne, Vic., 3207, Australia.
J. Power Sources, 48 (1994) 113-28.
- G314. Effect of gelling on the electrode kinetics of the Pb/PbSO₄ and hydrogen-electrode reactions in maintenance-free lead/acid batteries.
M.P. Vinod and K. Vijayamohanan
Materials Chemistry Division, National Chem. Lab., Pune-411 008, India.
J. Power Sources, 50 (1994) 67-79.
CA: 121(12) 13850u.
- G315. The influence of graphite on the capacity and gas recombination in stationary lead-acid battery.
J. Kwasnik, J.D. Milewski, T. Pukacka and P Szczesniak
Central Lab. Batteries and Cells, 61-362, Poznan, Poland.
Prog. Batteries Battery Mater., 13 (1994) 219-24.
CA: 121(16) 183499d.
- G316. Monitoring system for lead-acid wet cell station batteries.
J. Rasmussen, C. Feyk, R. Boggia, B. Horowitz, T. Fink, G. Struve and B. Damsky
MCM Enterprise Ltd., Bellrule, WA, USA.
Conf. Proc. The 56th Am. Power Conf., 25-27 April 1994, Chicago, IL, USA, pp. 1235-40.
CA: 121(16) 183443f.
- G317. Advanced battery monitoring and charging techniques for UPS.
A. Perra and J. Aguer
Square D Co., Costa Mesa, CA, USA.
Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 163-7.
- G318. Performance of the Horizon advanced lead-acid battery.
B.E. Jay, A. Datta, C. Mathews and R. Blaney
Electrosource Inc., Austin, TX, USA.
Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 124-6.
CA: 122(16) 192305k.
- G319. Hydrogen sulfide and sulfur dioxide evolution from a valve-regulated lead/acid battery.
R.S. Robinson and J.M. Tarascon
Network Technol. Res. Lab., Bellcore, Red Bank, NJ, 07701, USA.
J. Power Sources, 48 (1994) 277-84.
CA: 120(24) 303276g.

H. Theoretical aspects and reviews

- H167. The ASEAN Free-Trade Area and its implications on the battery industry.
P.E. Garrucho, Jr.
Philippines Battery Manuf. Assoc., Manila, Philippines.
J. Power Sources, 48 (1994) 7-15.
- H168. Changing corporate culture within the European lead/acid battery industry.
M.G. Mayer
England.
J. Power Sources, 48 (1994) 39-47.

- H169. Trends in battery alloy demand from a European perspective.
C. Woodcock and A. Lurshay
Britannia Refined Metals Ltd., Northfleet, UK.
J. Power Sources, 48 (1994) 49-54.
- H170. Does lead have a future? A twenty-year vision.
D.M. Stewart
Pasminco Metals, Melbourne, Vic., Australia.
J. Power Sources, 48 (1994) 17-27.
- H171. Regulatory trends in the battery industry.
K.G. McColl
GNB Battery Technology, Hawthorn, Vic., Australia.
J. Power Sources, 48 (1994) 29-36.
- H172. Status of the IEEE battery standards.
R.R. Beavers
Sargent & Lundy, Chicago, IL, USA.
Conf. Proc. The 56th American Power Conf., 25-27 April 1994, Chicago, IL, USA, Vol. 2, pp. 1651-4.
INSPEC: A9421-8630F-020, B9411-8410E-020.
- H173. Technical trends in industrial lead/acid batteries in Japan.
M. Iwata and Y. Tagawa
Corp. R & D Center, Japan Storage Battery Co. Ltd., Kyoto, Japan.
J. Power Sources, 48 (1994) 55-67.
- H174. Industrial battery technologies and markets.
C. Ward Seitz
SRI Int., Menlo Park, CA, USA.
Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 74-9.
- H175. Considerations regarding the comparison of traction batteries.
G. Tomazic
S.E.A., Murzzuschlag, Austria.
IEEE Aerospace and Electronics Systems Magazine, 9 (1994) 37-41.
- H176. Advantages and disadvantages of valve-regulated lead/acid batteries.
R.H. Newnham
CSIRO Div. Mineral Products, PO Box 124, Port Melbourne, Vic., 3207, Australia.
J. Power Sources, 52 (1994) 149-53.
CA: 122(2) 13598p.
- H177. How to resolve the problems of rechargeable batteries.
W. Sangalli and D. Varga
Italy.
Elettronica Oggi, 176 (1994) 81-2; 84; 86-7.
- H178. The Advanced Lead-Acid Battery Consortium — an overview.
R.F. Nelson
ILZRO, Research Triangle Park, NC, USA.
Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 28-9.
- H179. Status report on ALABC state-of-the-art assessment programs.
R.D. Prengaman
RSR Corp., Dallas, TX, USA.
Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 30-2.

- H180. Batteries for electric vehicles: current activities within the Advanced Lead-Acid Battery Consortium.
- D.A.J. Rand, R.D. Putnam and C.D. Barker
ILZRO, Research Triangle Park, NC, USA.
- Proc. Sustainable Transportation S/EV94: Solar and Electric Vehicles, 3-5 Oct. 1994, Rhode Island, USA, paper 9.6.
- H181. A battery model for monitoring and corrective action on lead-acid EV batteries.
- R. Kiessling
Germany.
- Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 191-3.
- H182. Kinetics and modelling of sealed secondary batteries.
- V.V. Viswanathan
Rutgers State Univ., New Brunswick, NJ, USA.
- Dissertation, 1993, 452 pp., Diss. Abstr. Int. B 1994, 54 (11), 5819.
- CA: 121(10) 113242r.
- H183. Battery state of voltage modelling and an algorithm describing dynamic conditions for long-term storage simulation in a renewable system.
- C. Protopteropoulos, R.H. Marshall and B.J. Brinkworth
College Cardiff, Univ. Wales, Cardiff, UK.
- Sol. Energy, 53 (1994) 517-27.
- CA: 122(8) 85389u.
- H184. Study of elemental composition of electrode surfaces of lead-acid battery.
- Yu. F. Dmitrevsky and V. Yu. Gumelev
Ryazan Vysshee Voennoe Avtomobilnoe Inzh. Uchil., Russia.
- Poverkhnost, 12 (1994) 123-7.
- CA: 122(18) 218540k.
- H185. Designs on a longer life (for Pb-acid batteries).
- G. May
Hawker Batteries Group, Market Harborough, UK.
- Electrical Review, 227 (1994) 48, 50-1.
- INSPEC: A9503-8630F-002, B9502-8410E-010.
- H186. Sealed lead/acid batteries.
- T. Chen and J. Zheng
Dep. Chem., Xiamen Univ., Xiamen, Peop. Rep. China.
- Xiamen Daxue Xuebao, Ziran Kexueban, 33 (1994) 493-8.
- CA: 122(8) 85397v.
- H187. An energy storage system. (Pb-acid batteries).
- C. Clerici
Italy.
- Tecnologie Elettriche, 2 (1994) 68-9.
- INSPEC: A9418-8630F-013, B9409-8410E-041.
- H188. Lead/acid batteries.
- K.R. Bullock
AT&T Bell Laboratories, 3000 Skyline Drive, Mesquite, TX, 75149, USA.
- J. Power Sources, 51 (1994) 1-17.
- CA: 122(2) 13589m.

- H189. Lead-acid batteries with bipolar electrodes.
P. Lenain
France.
La Technique Moderne, 86 (1994) 41-6.
 INSPEC: A9420-8630F-004, B9409-8410E-011.
- I408. Management of the lead/acid battery in the motor car.
J.P.G. Fall
Birmingham Univ., UK.
 Conf. Digest: IEEE Colloquium on 'Electrochemical Measurements', 17 March 1994, London, UK, Digest No. 1994/071, pp. 11/1-15.
 INSPEC: B9411-8410E-025.
- H190. Progress and challenges in bipolar lead/acid battery development.
K.R. Bullock
AT&T Bell Lab., Mesquite, TX, 75149, USA.
Proc. Electrochem. Soc., 94-22 (1994) 188-207.
CA: 122(10) 110509t.
- I409. High-temperature-durable calcium-type battery for automobiles.
K. Yonezu, K. Kanetsuki, H. Okamoto, K. Takahashi and H. Yasuda
Storage Battery Div., Matsushita Battery Ind. Co. Ltd., Osaka, Japan.
Natl. Tech. Rep., 40 (1994) 68-73.
 INSPEC: A9501-8630F-008, B9501-8520-004.
- I. Applications (automotive, stationary, traction, etc.).**
- I406. Development of SLI batteries.
J. Zhang
Chongqing Storage Battery Factory, Sichuan, 630054, Peop. Rep. China.
Dianchi, 24 (1994) 293-5.
CA: 122(10) 110517u.
- I410. Hybrid MF battery with high cranking ability and high reliability.
T. Kobayashi, S. Uemichi, K. Kawakita and H. Furukawa
Yuasa Corp., Japan.
Yuasa Jiho, 77 (1994) 8-13.
CA: 122(14) 165406n.
- I407. Technical characteristics of modern automotive storage battery.
A. Yang and Z. You
Fujian Storage Battery Fact., Fujian, Peop. Rep. China, 354200.
Dianchi, 24 (1994) 84-6.
CA: 121(16) 61346f.
- I411. A new high-rate lead/acid battery.
T. Juergens, M.A. Ruderman and R.J. Brodd
Bolder Battery Inc., Wheat Ridge, CO, 80033, USA.
 Conf. Proc. The 9th Annual Battery Conference on Applications and Advances, 11-13 Jan. 1994, Long Beach, CA, USA, pp. 45-8.
CA: 122(18) 218460j.

- I412. A new high-rate lead/acid battery.
 T. Juergens, M.A. Ruderman and R.J. Brodd
Bolder Battery Inc., Wheat Ridge, CO, USA.
 IEEE Aerospace and Electronics Systems Magazine, 9 (1994) 7-9.
 INSPEC: A9418-8630F-011, B9409-8410E-036.
- I413. What's really necessary for stationary battery maintenance.
 G. Alber and M.W. Migliaro.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 4.1/1-13.
 INSPEC: A9416-8630F-012, B9408-8410E-013.
- I414. Choosing the right standby battery.
 T. Cross.
Elektron, 11 (1994) 25-6.
 INSPEC: A9418-8630F-001, B9411-8360-003.
- I415. Stationary lead-acid batteries — battery design solutions.
 D. Berndt
VARTA Battery AG, Kelkheim, Germany.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 2.3/1-17.
 INSPEC: A9416-8630F-007, B9408-8410E-008.
- I416. Breaking new ground in standards for VRLA standby batteries.
 AI. Harrison
Chloride Industrial Batteries Ltd., Swinton, UK.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 3.2/1-7.
 INSPEC: A9416-8630F-010, B9408-8410E-011.
- I417. Operational reliability of VRLA batteries for standby service.
 G.J. May
Hawker Batteries Group, Market Harborough, UK.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 2.4/1-10.
 INSPEC: A9416-8630F-008, B9408-8410E-009.
- I418. Sealed lead/acid batteries for UPSs.
 H. Sugiyama, T. Yoshimura, K. Kanetsuki, K. Koike, T. Yoshimine, H. Okada and Y. Kobayashi
Storage Battery Div., Matsushita Battery Ind. Co. Ltd., Osaka, Japan.
 Natl. Tech. Rep., 40 (1994) 74-84.
 INSPEC: A9501-8630F-009, B9501-8410E-009.
- I419. User experience of batteries in UPS systems.
 D.H. Rickwood.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 1.2/1-11.
 INSPEC: A9416-8630F-003, B9408-8410E-026.
- I420. Choosing a telecom battery - the perspective of an equipment manufacturer.
 G. Karlsson.
 Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 1.3/1-10.
 INSPEC: A9416-8630F-004, B9408-8410E-005.

- I421. Ten years' experience of VRLA batteries in telecommunications service.
- K. Peters
Consultant, UK.
- Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 2.2/1-9.
- INSPEC: A9416-8630F-006, B9408-8410E-007.
- I422. User experience of VRLA batteries.
- B. Carson.
- Conf. Proc. The 8th Battery Conf. and Exhibition, 11 May 1994, Solihull, UK, pp. 1.1/1-10.
- INSPEC: A9416-8630F-002, B9408-8410E-004.
- I423. Gelled electrolyte for lead-acid battery.
- Y. Zhao, Qian Guomei, X. Yuan and Qian Guoyu
Tianjin Inst. Power Sourc., 300381, Peop Rep. China.
- Dianchi, 24 (1994) 24-6.
- CA: 120(26) 327499h.
- I424. Sealed lead-acid batteries with copper anode current collectors.
- M.V. Lushina and G.A. Kolikova
Nauchno-Issled. Akkumulyatorn. Inst., St. Petersburg, Russia.
- Zh. Prikl. Khim. (S.-Petersburg), 67 (1994) 398-401.
- CA: 121(24) 283563p.
- I425. Lead/acid batteries for photovoltaic applications. Test results and modelling.
- J.B. Copetti and F. Chenlo
Inst. de Energias Renovables, CIEMAT, Madrid, Spain.
- J. Power Sources, 47 (1994) 109-18.
- I426. Hands-on experience of the setting-up of a stand-alone photovoltaic demonstration project in Malta.
- E. Scerri and C. Iskander
Inst. for Energy Technol., Malta Univ., Msida, Malta.
- Renewable Energy, 4 (1994) 359-63.
- I427. Optimum battery configuration for maximum utilization of photovoltaics.
- M.A. Casacca, Z.M. Salameh, M.R. Capobianco and R. Losch
Dept. Electr. Eng., Lowell Univ., MA, USA.
- Progress in Photovoltaics: Research and Applications, 2 (1994) 65-72.
- I428. Development of VRLA battery for low-emission hybrid vehicles.
- N. Matsumoto, E. Hojo, Y. Nakayama and A. Obata
Yuasa K.K., Japan.
- Yuasa Jiho, 76 (1994) 4-9.
- CA: 121(8) 87533q.
- I429. Sealed-type batteries for electric vehicles.
- M. Ikoma, S. Hamada, H. Matsuda, N. Morishita, N. Hoshihara, K. Ohta, Y. Hoshina, K. Yamasaka and T. Kimura
EV Battery Dev. Center, Matsushita Battery Ind. Co. Ltd., Osaka, Japan.
- Natl. Tech. Rep., 40 (1994) 59-67.
- INSPEC: A9501-8630F-007, B9501-8520-003.

I430. Sealed-type batteries for electric vehicles.

M. Ikoma, N. Morishita, Y. Hoshina, S. Hamada,
N. Hoshihara, K. Yamasaka, H. Matsuda, K.
Ohta and T. Kimura

*EV Battery Dev. Cent., Matsushita Battery Ind.
Co. Ltd., Moriguchi, 570, Japan.*

Natl. Tech. Rep. (Matsushita Electr. Ind. Co.), 40
(1994) 483-91.

CA: 121(20) 234526v.

I431. Maintenance-free lead-acid batteries for motor-
cycles.

Y. Zhao
*Tianjin Inst. Power Sources, Tianjin, 300381,
Peop. Rep. China.*

Dianchi, 24 (1994) 230-2.

CA: 122(2) 13661d.

I432. Battery developments for the mining industry.

G. Purdy
Oldham Crompton Batteries Ltd., UK.

Mining Technology, 76 (1994) 48-50.

J. Author Index 1994

- Aguer, J., G317.
 Alber, G., I413.
 Apateanu, L., C157.
 Armenta-Deu, C., G293.
 Atlung, S., D54.
- Babic, R., B214, B215.
 Bayoumy, M., F107.
 Beavers, R.R., H172.
 Berndt, D., I415.
 Bhargava, S.K., C152.
 Blacha, L., B219.
 Blanyer, R., G318.
 Boggia, R., G316.
 Brinic, S., B215.
 Brinkworth, B.J., H183.
 Brodd, R.J., I411, I412.
 Buchanan, P.G., G311.
 Bui, N., B206, B217.
 Bullock, K.R., H188, H190.
- Cai, Y., G298.
 Capobianco, M.R., I427.
 Carson, B., I422.
 Casacca, M.A., I427.
 Chang, T.G., F105, F106.
 Chatainier, G., B217.
 Chelali, N., C150, C156.
 Chen, T., E181, H186.
 Chen, Z.W., B213.
 Chenlo, F., I425.
 Clerici, C., H187.
 Constanti, K.K., C157.
 Copetti, J.B., I425.
 Cross, T., I414.
- Dabosi, F., B206, B217.
 Damsky, B., G316.
 Datta, A., G318.
 De Marco, R., G313.
 Dmitrevsky, Yu. F., H184.
 Douglas, J.D., B211, G313.
 Dubrovskaia, G.N., A40.
- El-Hefnaw, S., F107.
 El-Tobshiy, A., F107.
 Errington, W.J., B221.
- Fabjan, Ch., G297.
 Fall, J.P.G., I408.
 Feder, D.O., G291.
 Feyk, C., G316.
 Fink, T., G316.
 Fischer, T., E184, E185, E186.
- Fujimoto, H., G295.
 Fujita, Y., G295.
 Funato, T., G301.
 Furukawa, H., I410.
- Garrucho, P.D., Jr., H167.
 Gillian, W.F., B213.
 Gofas, N., G297.
 Guittot, J., C150, C156.
 Gumelev, V. Yu., H184.
 Guomei, Qian, I423.
 Guoyu, Qian, I423.
- Haberichter, S.L., A44.
 Hamada, S., I429, I430.
 Harrison, A.I., I416.
 Hlavac, M.J., G291.
 Hojo, E., I428.
 Hollenkamp, A.F., C157.
 Hoogestraat, G., D53.
 Horowitz, B., G316.
 Hoshihara, N., I429, I430.
 Hoshina, Y., I429, I430.
 Hosono, H., A41.
 Hui, S., B208.
- Ibiebele, D.D., E188.
 Ikoma, M., I429, I430.
 Ishizuka, S., G309.
 Iskander, C., I426.
 Iwanami, Y., G295.
 Iwata, M., H173.
- Jahanshahi, S., B221.
 Jay, B.E., G318.
 Jiang, Z., G298.
 Jochim, D.M., F105, F106.
 Juergens, T., I411, I412.
 Jurowski, R., B219.
- Kalabek, M., C157.
 Kanetsuki, K., I409, I418.
 Kao, W-H., A44.
 Karlsson, G., I420.
 Kawakita, K., I410.
 Kentner, M., E184, E185, E186.
 Khimich, V.T., A40.
 Kiessling, R., H181.
 Kimura, T., I429, I430.
 Kniveton, M.W., G292.
 Kobayashi, T., I410.
 Kobayashi, Y., I418.
 Kohno, M., G304.
 Koike, K., I418.
 Kolikova, G.A., A43, I424.

- Konya, Y., G303.
Koop, M.J., C157.
Kronberger, H., G297.
Kudo, H., G295.
Kung, J., G299.
Kwasnik, J., G315.
- Laidig, M.R., G305.
Lajqy, N., B215.
Lam, L.T., B211, C152, E183, G312, G313.
Landors, J., G310.
Lenain, P., H189.
Li, T., B207.
Ligtvoet, A.C.P., D49, D50, D51.
Lim, O., G312.
Lin, X., E181.
Losch, R., I427.
Lurshay, A., H169.
Lushina, M.V., A43, I424.
- Mahalik, A., B220.
Mahgoub, O., F107.
Makino, D., G295.
Manders, J.E., G313.
Marshall, R.H., H183.
Mathews, C., G318.
Matsuda, H., I429, I430.
Matsumoto, N., I428.
Matsushima, T., G309.
Mawston, I.G., E183, G311.
May, G., H185, I417.
Mayer, M.G., H168.
McColl, K.G., H171.
McShane, S.J., G291.
Metikos-Hukovic, M., B214, B215.
Micka, K., C157.
Migliaro, M.W., I413.
Milewski, J.D., G315.
Minoura, H., B218.
Miura, H., A41.
Morishita, N., I429, I430.
Mulder, W.H., D52.
- Naito, M., G295.
Nakayama, Y., I428.
Nelson, R.F., H178.
Newnham, R.H., H176.
Nishida, K., A42.
Nitta, H., G295.
- Obata, A., I428.
Ogata, T., G303, G304.
Ohta, K., I429, I430.
Okada, H., I418.
Okamoto, H., I409.
Olekseenko, N.V., A40.
- Omanovic, S., B214.
Ozgun, H., C152, G312.
- Parker, C.D., H180.
Patel, P., A44.
Pavlov, D., E183, G296.
Pawlowski, J., B219.
Perra, A., G317.
Peters, K., I421.
Pillig, R., B211.
Prengaman, R.D., H179.
Protoperopoulos, C., H183.
Prout, L., A39, B210, G300.
Provincial, M., B217.
Pukacka, T., G315.
Pukalenko, A.V., A40.
Purdy, G., I432.
Putnam, R.D., H180.
- Rand, D.A.J., B211, C152, E183, G312, G313, H180.
Rasmussen, J., G316.
Richter, G., E184.
Rickwood, D.H., I419.
Robinson, R.S., G319.
Roper, L., G307.
Ruderman, M.A., I411, I412.
Rusch, H.J., F104.
- Saakes, M., D49, D50, D51, D52.
Salameh, Z.M., I427.
Sangalli, W., H177.
Scerri, E., I426.
Schmal, D., D49, D50, D51.
See, J.B., B213.
Selanger, P., G308.
Semkin, D.P., A40.
Shah, R., B208.
Shiomi, M., A42, G301.
Simon, P., B206, B217.
Soileau, R.D., G306.
Sosnowski, R., B219.
Stewart, D.M., H170.
Struve, G., G316.
Sugiyama, H., I418.
Szczesniak, B., G315.
- Tadakuma, T., G295.
Tagawa, Y., H173.
Takahashi, K., A42, G295, G301, I409.
Takano, K., G303, G304.
Tallackson, C., G307.
Tarascon, J.M., G319.
Tedjar, F., C150.
Tewari, S.N., B208.
Tomazic, G., H175.
Tommavouri, J., C153.
Tsubota, M., G295, G301.

- Uemichi, S., I410.
Valeriote, E.M., F105, F106.
van Duin, P.J., D49, D50, D51.
Vargha, D., H177.
Veluchamy, P., B218.
Venugopalan, S., B212.
Vijayamohanan, K., G294, G314.
Vilhunen, J.K., C153.
Vinod, M.P., G294, G314.
Viswanathan, V.V., H182.
Vogel, H.-J., E180.
von Borstel, D., D53.
- Wang, J.-R., B216, C151, C159.
Ward-Seitz, C., H174.
Wei, G.-L., B216, C151, C158, C159.
Whitehead, M.L., G302.
Wilken, A., E185.
Wilson, D.H., E187.
Woodcock, C., H169.
Wright, G.A., G311.
Wright, S., B221.
Wu, S., E179.
Wurst, J.W., G305.
- Yamamoto, K., G303.
Yamasaka, K., I429, I430.
Yang, A., E178, I407.
Yasuda, H., I409.
Yonezu, K., I409.
Yoshida, K., G304.
Yoshimine, T., I418.
Yoshimura, T., I418.
Yoshioka, T., A42.
You, Z., E178, I407.
Yuan, X., I423.
- Zachau-Christiansen, B., D54.
Zerroual, L., C150.
Zhang, G., G298.
Zhang, J., I406.
Zhang, S., C154.
Zhao, S., E182, I423.
Zhao, Y., C155, I423, I431.
Zheng, J., E181, H186.
Ziechmann, W., D53.