

Subject Index of Volume 66

- Acid stratification
 performance of flooded- and gelled-electrolyte lead/acid batteries
 under remote-area power-supply duty, 27
- Agglomerate-of-spheres
 on the thermodynamics of the agglomerate-of-spheres' model for the
 PbO₂ electrode, 147
- Alkaline storage batteries
 progress in sealed Ni–Zn cells, 1991–1995, 15
- Alloys
 influence of alloying with bismuth on electrochemical behaviour of
 lead–calcium–tin grid alloys, 107
- Aluminium
 influence of bismuth on hydrogen and oxygen evolution on lead–cal-
 cium–tin–aluminium grid alloys, 159
- Aluminum
 development of a seawater battery for deep-water applications, 71
- Anodes
 development of a seawater battery for deep-water applications, 71
- Atomization techniques
 characteristics of nickel–metal hydride cells containing metal hydride
 alloys prepared by an atomization technique, 101
- Bismuth
 influence of alloying with bismuth on electrochemical behaviour of
 lead–calcium–tin grid alloys, 107
 influence of bismuth on hydrogen and oxygen evolution on lead–cal-
 cium–tin–aluminium grid alloys, 159
- Calcium
 influence of alloying with bismuth on electrochemical behaviour of
 lead–calcium–tin grid alloys, 107
 influence of bismuth on hydrogen and oxygen evolution on lead–cal-
 cium–tin–aluminium grid alloys, 159
- Cathodic polarization
 zinc deposition during charging nickel/zinc batteries, 115
- Cobalt
 effects of surface modification of Ni(OH)₂ powders on the perform-
 ance of nickel cathodes, 55
- Copper-coating
 effects of nickel- and copper-coating of hydride alloys on the electrode
 reactions of metal-hydride electrodes, 97
- Current-collector
 zinc deposition during charging nickel/zinc batteries, 115
- Cycle-life performances
 performance of flooded- and gelled-electrolyte lead/acid batteries
 under remote-area power-supply duty, 27
- Deficiency
 preparation and lithium insertion behaviour of oxygen-deficient Li_{1+x}
 V₃O_{8–δ}, 135
- Design criteria
 design criteria for an uninterruptable power source (UPS), 151
- Elsevier Science S.A.
- Energy storage
 the role and utilization of pseudocapacitance for energy storage by
 supercapacitors, 1
- Electrocatalyst utilization
 analytical method for determining the internal resistance and electroca-
 talyt utilization of fuel cells, 83
 determination of internal resistance and electrocatalyst utilization of
 fuel cells, 89
- Electrochemical behaviour
 influence of alloying with bismuth on electrochemical behaviour of
 lead–calcium–tin grid alloys, 107
- Electrochemical impregnation
 ruthenium-based, inert oxide electrodes for impregnating active mate-
 rials in nickel plaques, 155
- Electrodes
 effects of nickel- and copper-coating of hydride alloys on the electrode
 reactions of metal-hydride electrodes, 97
 ruthenium-based, inert oxide electrodes for impregnating active mate-
 rials in nickel plaques, 155
- Electrolyte membranes
 high-performance electrolyte membranes for plastic lithium batteries,
 77
- Electrolytes
 electrochemical and thermodynamic studies of nickel electrodes in
 alkaline electrolytes, 121
 lithium state diagram as a description of lithium deposit morphology,
 141
- Failure modes
 performance of flooded- and gelled-electrolyte lead/acid batteries
 under remote-area power-supply duty, 27
- Flooded-electrolyte batteries
 performance of flooded- and gelled-electrolyte lead/acid batteries
 under remote-area power-supply duty, 27
- Flow distribution
 distribution of gas flow in internally manifolded solid oxide fuel-cell
 stacks, 41
- Fuel cells
 distribution of gas flow in internally manifolded solid oxide fuel-cell
 stacks, 41
 analytical method for determining the internal resistance and electroca-
 talyt utilization of fuel cells, 83
 determination of internal resistance and electrocatalyst utilization of
 fuel cells, 89
- Gelled-electrolyte batteries
 performance of flooded- and gelled-electrolyte lead/acid batteries
 under remote-area power-supply duty, 27
- Graphite electrodes
 effect of solvents on the intercalation/de-intercalation behaviour of
 monovalent ionic species from non-aqueous solvents on polypro-
 pylene–graphite composite electrode, 47

- Grid alloy**
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
- Hydraulic model**
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
- Hydrogen absorption**
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
- Hydrogen desorption**
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
- Hydrogen evolution**
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
- Insertion**
preparation and lithium insertion behaviour of oxygen-deficient $\text{Li}_{1+x}\text{V}_3\text{O}_{8-\delta}$, 135
- Intercalation**
effect of solvents on the intercalation/de-intercalation behaviour of monovalent ionic species from non-aqueous solvents on polypropylene–graphite composite electrode, 47
- Internal manifolding**
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
- Internal resistance**
analytical method for determining the internal resistance and electrocatalyst utilization of fuel cells, 83
determination of internal resistance and electrocatalyst utilization of fuel cells, 89
- Lead**
influence of alloying with bismuth on electrochemical behaviour of lead–calcium–tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
- Lead/acid batteries**
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Lead dioxide electrodes**
on the thermodynamics of the agglomerate-of-spheres' model for the PbO_2 electrode, 147
- Lithium**
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of LiMn_2O_4 , 129
preparation and lithium insertion behaviour of oxygen-deficient $\text{Li}_{1+x}\text{V}_3\text{O}_{8-\delta}$, 135
- Lithium batteries**
high-performance electrolyte membranes for plastic lithium batteries, 77
- Lithium electrodeposition**
lithium state diagram as a description of lithium deposit morphology, 141
- Lithium-ion batteries**
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of LiMn_2O_4 , 129
- Localized premature capacity loss**
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Magnesium**
development of a seawater battery for deep-water applications, 71
- Manganese dioxide**
studies on Li–Mn–O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of LiMn_2O_4 , 129
- Mathematical analysis**
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
- Membranes**
high-performance electrolyte membranes for plastic lithium batteries, 77
- Metal-hydride alloys**
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
characteristics of nickel–metal hydride cells containing metal hydride alloys prepared by an atomization technique, 101
effect of adding chromium to Ti–Zr–Ni–V–Mn alloy on its cycle life as an Ni/metal-hydride battery material, 165
- Metal-hydride electrodes**
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
- Morphology**
lithium state diagram as a description of lithium deposit morphology, 141
- Nickel**
progress in sealed Ni–Zn cells, 1991–1995, 15
characteristics of nickel–metal hydride cells containing metal hydride alloys prepared by an atomization technique, 101
- Nickel/cadmium batteries**
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
- Nickel/cadmium cells**
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
- Nickel/zinc batteries**
zinc deposition during charging nickel/zinc batteries, 115
- Nickel cathode**
effects of surface modification of $\text{Ni}(\text{OH})_2$ powders on the performance of nickel cathodes, 55
- Nickel-coating**
effects of nickel- and copper-coating of hydride alloys on the electrode reactions of metal-hydride electrodes, 97
- Nickel electrodes**
electrochemical and thermodynamic studies of nickel electrodes in alkaline electrolytes, 121
- Nickel plaque**
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
- Non-aqueous solvents**
effect of solvents on the intercalation/de-intercalation behaviour of monovalent ionic species from non-aqueous solvents on polypropylene–graphite composite electrode, 47
- Oxygen**
preparation and lithium insertion behaviour of oxygen-deficient $\text{Li}_{1+x}\text{V}_3\text{O}_{8-\delta}$, 135
- Oxygen evolution**
influence of bismuth on hydrogen and oxygen evolution on lead–calcium–tin–aluminium grid alloys, 159
- Partial-state-of-charge**
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Performance**
characteristics of poly(ethylene oxide)–NaI polymer electrolyte and electrochemical cell performances, 169

- Plate-group compression
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Poly(ethylene oxide)
characteristics of poly(ethylene oxide)-NaI polymer electrolyte and electrochemical cell performances, 169
- Polymer electrolyte
characteristics of poly(ethylene oxide)-NaI polymer electrolyte and electrochemical cell performances, 169
- Potential losses
mathematical analysis of potential losses in a thick porous metal-hydride electrode during a discontinuous discharge, 61
- Premature capacity loss
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Pressure drop
distribution of gas flow in internally manifolded solid oxide fuel-cell stacks, 41
- Pseudocapacitance
the role and utilization of pseudocapacitance for energy storage by supercapacitors, 1
- Remote-area power-supplies
performance of flooded- and gelled-electrolyte lead/acid batteries under remote-area power-supply duty, 27
- Ruthenium
ruthenium-based, inert oxide electrodes for impregnating active materials in nickel plaques, 155
- Seawater batteries
development of a seawater battery for deep-water applications, 71
- Sodium iodide
characteristics of poly(ethylene oxide)-NaI polymer electrolyte and electrochemical cell performances, 169
- Spinel
studies on Li-Mn-O spinel system (obtained from melt-impregnation method) as a cathode for 4 V lithium batteries Part IV. High and low temperature performance of LiMn_2O_4 , 129
- Supercapacitors
the role and utilization of pseudocapacitance for energy storage by supercapacitors, 1
- Surface film
lithium state diagram as a description of lithium deposit morphology, 141
- Surface modification
effects of surface modification of $\text{Ni}(\text{OH})_2$ powders on the performance of nickel cathodes, 55
- Thermodynamics
on the thermodynamics of the agglomerate-of-spheres' model for the PbO_2 electrode, 147
- Thermodynamic study
electrochemical and thermodynamic studies of nickel electrodes in alkaline electrolytes, 121
- Tin
influence of alloying with bismuth on electrochemical behaviour of lead-calcium-tin grid alloys, 107
influence of bismuth on hydrogen and oxygen evolution on lead-calcium-tin-aluminium grid alloys, 159
- Uninterruptable power sources
design criteria for an uninterruptable power source (UPS), 151
- Vanadium
preparation and lithium insertion behaviour of oxygen-deficient $\text{Li}_{1+x}\text{V}_3\text{O}_8-\delta$, 135
- Zinc
progress in sealed Ni-Zn cells, 1991–1995, 15
- Zinc deposition
zinc deposition during charging nickel/zinc batteries, 115