

Journal of Power Sources (1998) 372-376



Subject Index of Volume 71

Air-independent propulsion (AIP) for submarines PEFCs for naval ships and submarines: many tasks, one solution, 144	
Alkaline carbonate particle growth behaviour of LiAlO ₂ containing ZrO ₂ in Li/Na carbo- nate electrolytes, 159	Co
Anode recycle a novel configuration for direct internal reforming stacks, 281	Co
Balance of plant a fuel cell balance of plant test facility, 321	Co
BaPrO ₃ conductivity of BaPrO ₃ based perovskite oxides, 164	Co
Biogas biogas powering a small tubular solid oxide fuel cell, 275	Co
Biomass gas usage of biomass gas for fuel cells by the SIR process, 226 Buses	Co
environmental benefits of transport and stationary fuel cells, 348 By-product hydrogen	
energy saving system using by-product hydrogen, 264	Co
Carbon dioxide environmental benefits of transport and stationary fuel cells, 348 Carbon monoxide clean-up	Co
on-board hydrogen generation for transport applications: the HotSpot [®] methanol processor, 123 Cars	
environmental benefits of transport and stationary fuel cells, 348	D
Catalysts advances in catalysts for internal reforming in high temperature fuel cells, 111	D
Catalytic burner compact methanol reformer test for fuel-cell powered light-duty vehi- cles, 288	D
Catalytic cracking of propane compact hydrogen production systems for solid polymer fuel cells, 199	D
Cathode electrical and microstructural characteristics of materials in the LaMnO _{3±δ} -LaAlO ₃ -SrMnO _{3-δ} system, 195	D
Cell performance performance of a solid oxide fuel cell fabricated by co-firing, 185	Di
CeO intermediate temperature SOFC – a promise for the 21st century, 107 CHP	Di
environmental benefits of transport and stationary fuel cells, 348 Clean power systems	
the global and urban environment: the need for clean power systems, 7 Clean transport	Di
the US Department of Energy - investing in clean transport, 26	Di
Co-firing performance of a solid oxide fuel cell fabricated by co-firing, 185	Di
Cogeneration fuel cells – a new contributor to stationary power, 19 the 'advanced DIR–MCFC development' project, an overview, 223 a 1000-cell SOFC reactor for domestic cogeneration, 271	De

optimization of a 200 kW SOFC cogeneration power plant. Part II: variation of the flowsheet, 306
Combuster
a fuel cell balance of plant test facility, 321
Commercialization
a consortium approach to commercialized Westinghouse solid oxide
fuel cell technology, 65
a new approach to fuel cell investment strategy, 75
Compact methanol reformer
compact methanol reformer test for fuel-cell powered light-duty vehi- cles, 288
Computer simulation
simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Consortium
a consortium approach to commercialized Westinghouse solid oxide
fuel cell technology, 65 Corrosion
estimation of the lifetime of Al/Ni-plated material for wet-seal area in
molten carbonate fuel cells, 231
Cost analysis optimization of a 200 kW SOFC cogeneration power plant. Part II:
variation of the flowsheet, 306
Cost reduction
the 'advanced DIR–MCFC development' project, an overview, 223
cost reductions of fuel cells for transport applications: fuel processing
options, 80
·F, · ·
Degradation
operation of anode-supported thin electrolyte film solid oxide fuel cells
at 800°C and below, 302
at 800°C and below, 302 Demonstration
Demonstration
Demonstration the 2 MW Santa Clara Project, 95
Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of $LiCoO_2$ in a molten carbonate, 239 Design
Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO ₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application,
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223 Direct methanol fuel cell performance of a direct methanol polymer electrolyte fuel cell, 169
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223 Direct methanol fuel cell performance of a direct methanol polymer electrolyte fuel cell, 169 Dispersed generation
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223 Direct methanol fuel cell performance of a direct methanol polymer electrolyte fuel cell, 169 Dispersed generation fuel cells – a new contributor to stationary power, 19
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223 Direct methanol fuel cell performance of a direct methanol polymer electrolyte fuel cell, 169 Dispersed generation fuel cells – a new contributor to stationary power, 19 Distributed generation
 Demonstration the 2 MW Santa Clara Project, 95 Deposition solubility and deposition of LiCoO₂ in a molten carbonate, 239 Design new opportunities for fuel cells in the restructured power systems of the United States, 190 Development a new approach to fuel cell investment strategy, 75 Diesel reforming simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 Direct internal reforming development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215 the 'advanced DIR–MCFC development' project, an overview, 223 Direct methanol fuel cell performance of a direct methanol polymer electrolyte fuel cell, 169 Dispersed generation fuel cells – a new contributor to stationary power, 19 Distributed generation a consortium approach to commercialized Westinghouse solid oxide

Dynamic dynamic model of solid polymer fuel cell water management, 218 Dynamic simulator a dynamic simulator for a 250 kW class ER-MCFC system, 278 Economics new opportunities for fuel cells in the restructured power systems of the United States, 190 design and manufacturing of a tubular solid oxide fuel cell combustion system, 244 Electric propulsion fuel cells for vehicle applications in cars - bringing the future closer, 36 Electric vehicles advanced PEFC development for fuel cell powered vehicles, 150 Electrical resistivity electrical and microstructural characteristics of materials in the LaMnO3±ô-LaAlO3-SrMnO3-ô system, 195 Electricity generation analysis of energy and water management in terms of fuel-cell electricity generation, 294 Electrochemical fuel cells for hospitals, 45 Electrolyte conductivity of BaPrO₃ based perovskite oxides, 164 Electrolyte retention material particle growth behaviour of LiAlO2 containing ZrO2 in Li/Na carbonate electrolytes, 159 Electronic applications a small solid oxude fuel cell demonstrator for microelectronic applications, 268 Electrostatic assisted vapour deposition the development of intermediate-temperature solid oxide fuel cells for the next millennium, 361 Emissions environmental benefits of transport and stationary fuel cells, 348 Energy efficiency utilities and their investments in fuel cells, 41 Energy policy long-term commitment of Japanese gas utilities to PAFCs and SOFCs, HotSpot 51 Energy saving system energy saving system using by-product hydrogen, 264 Energy supply infrastructures fuel cells - a 21st century power system, 12 Exhaust gas a fuel cell balance of plant test facility, 321 Exhaust hydrogen energy saving system using by-product hydrogen, 264 Flame assisted vapour deposition the development of intermediate-temperature solid oxide fuel cells for the next millennium, 361 Fuel cell electric vehicles fuel cells for vehicle applications in cars - bringing the future closer, 36 Fuel cell systems a novel configuration for direct internal reforming stacks, 281 Fuel cell technology utilities and their investments in fuel cells, 41 Fuel cells fuel cells - a 21st century power system, 12 fuel cells - a new contributor to stationary power, 19 fuel cells for vehicle applications in cars - bringing the future closer, 36 fuel cells for hospitals, 45 a new approach to fuel cell investment strategy, 75 cost reductions of fuel cells for transport applications: fuel processing options, 80 development of a 1000 kW-class MCFC pilot plant in Japan, 89 215

advances in catalysts for internal reforming in high temperature fuel cells. 111 advanced PEFC development for fuel cell powered vehicles, 150 simulation of a 250 kW diesel fuel processor/PEM fuel cell system, 179 hydrogen generator, via catalytic partial oxidation of methane for fuel cells, 208 dynamic model of solid polymer fuel cell water management, 218 analysis of energy and water management in terms of fuel-cell electricity generation, 294 fuel cell adventures. Dynamics of a technological community in a quasi-market of technological options, 256 environmental benefits of transport and stationary fuel cells, 348 Fuel processing the US Department of Energy - investing in clean transport, 26 cost reductions of fuel cells for transport applications: fuel processing options, 80 on-board hydrogen generation for transport applications: the HotSpot® methanol processor, 123 Full fuel cycle compact methanol reformer test for fuel-cell powered light-duty vehicles. 288 Fuel-cell powered light-duty vehicles compact methanol reformer test for fuel-cell powered light-duty vehicles, 288 Future development utilities and their investments in fuel cells, 41 Gadolinia doped ceria intermediate temperature SOFC - a promise for the 21st century, 107 Gas conditioning usage of biomass gas for fuel cells by the SIR process, 226 Gas turbines a consortium approach to commercialized Westinghouse solid oxide fuel cell technology, 65 Global energy resources the global and urban environment: the need for clean power systems, 7 on-board hydrogen generation for transport applications: the HotSpot799 methanol processor, 123 Hydrogen advances in catalysts for internal reforming in high temperature fuel cells. 111 advanced PEFC development for fuel cell powered vehicles, 150 hydrogen generator, via catalytic partial oxidation of methane for fuel cells, 208 usage of biomass gas for fuel cells by the SIR process, 226 environmental benefits of transport and stationary fuel cells, 348 Hydrogen permeable membrane compact methanol reformer test for fuel-cell powered light-duty vehicles, 288 Hydrogen production compact hydrogen production systems for solid polymer fuel cells, 199 IMHEX[®] MCFC utility experience with a 250-kW molten carbonate fuel cell cogeneration power plant at NAS Miramar, San Diego, 100 Intermediate temperature intermediate temperature SOFC - a promise for the 21st century, 107 Intermetallic compound estimation of the lifetime of Al/Ni-plated material for wet-seal area in molten carbonate fuel cell, 231 Internal manifolding development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, Internal reforming

- advances in catalysts for internal reforming in high temperature fuel cells, 111
- stack networking for system optimisation: an engineering approach, 138
- a novel configuration for direct internal reforming stacks, 281
- operation of anode-supported thin electrolyte film solid oxide fuel cells at 800° C and below, 302
- a fuel cell balance of plant test facility, 321

I-V characteristics

performance of a direct methanol polymer electrolyte fuel cell, 169

Japan

- long-term commitment of Japanese gas utilities to PAFCs and SOFCs, 51
- development of a 1000 kW-class molten carbonate fuel cell pilot plant in Japan, 89

LaGaO₃

- intermediate temperature SOFC a promise for the 21st century, 107 $LaMnO_{3\pm\delta}$
 - electrical and microstructural characteristics of materials in the $LaMnO_{3+\delta}-LaAlO_3-SrMnO_{3-\delta}$ system, 195
- Lanthanum gallate
- intermediate temperature SOFC a promise for the 21st century, 107 Large stack
 - numerical analyses of the internal conditions of a molten carbonate fuel cell stack: comparison of stack performances for various gas flow types, 328

LiCoO₂

- solubility and deposition of LiCoO₂ in a molten carbonate, 239 Lithium aluminate
- particle growth behaviour of LiAlO₂ containing ZrO₂ in Li/Na carbonate electrolytes, 159
- Logistic fuel
- planar solid oxide fuel cell integrated system technology development, 354
- Low temperature
- intermediate temperature SOFC a promise for the 21st century, 107 Low-temperature electrolytes
- planar solid oxide fuel cell integrated system technology development, 354
- Low-temperature fuel cells
 - compact methanol reformer test for fuel-cell powered light-duty vehicles, 288
- Manufacture
- design and manufacturing of a tubular solid oxide fuel cell combustion system, 244
- Manufacturing cost
- reducing the manufacturing cost of tubular solid oxide fuel cell technology, 131
- Market volume
- investment in volume building: the 'virtuous cycle' in PAFC, 71 Membrane and electrode assembly
 - performance of a polymer electrolyte membrane fuel cell with thin film catalyst electrodes, 174
 - performance and endurance of a PEMFC operated with synthetic reformate fuel feed, 249
- Metal membrane separation
- compact hydrogen production systems for solid polymer fuel cells, 199 Methane
- hydrogen generator, via catalytic partial oxidation of methane for fuel cells, 208
- Methane fuel
- effect of operating pressure on the system efficiency of a methanefuelled solid polymer fuel cell power source, 337

Methanol

- advanced PEFC development for fuel cell powered vehicles, 150 environmental benefits of transport and stationary fuel cells, 348
- Methanol reforming
 - compact hydrogen production systems for solid polymer fuel cells, 199 analysis of energy and water management in terms of fuel-cell electricity generation, 294
- Mixture-conductor
 - conductivity of BaPrO3 based perovskite oxides, 164
- Modelling
 - development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215

Modularity

a consortium approach to commercialized Westinghouse solid oxide fuel cell technology, 65

Molten carbonate fuel cells

- development of a 1000 kW-class MCFC pilot plant in Japan, 89
- utility experience with a 250-kW molten carbonate fuel cell cogeneration power plant at NAS Miramar, San Diego, 100
- stack networking for system optimisation: an engineering approach, 138
- the 'advanced DIR–MCFC development' project, an overview, 223 solubility and deposition of LiCoO₂ in a molten carbonate, 239
- a dynamic simulator for a 250 kW class ER-MCFC system, 278
- numerical analyses of the internal conditions of a molten carbonate fuel cell stack: comparison of stack performances for various gas flow types, 328

Molten carbonate fuel cell stack

development of second generation direct internal reforming molten carbonate fuel cell stack technology for cogeneration application, 215

Molten salt

- estimation of the lifetime of Al/Ni-plated material for wet-seal area in molten carbonate fuel cell, 231
- 2 MW Carbonate fuel cell utility
 - the 2 MW Santa Clara Project, 95

Natural gas

advances in catalysts for internal reforming in high temperature fuel cells, 111

Networks

- stack networking for system optimisation: an engineering approach, 138
- New technology
 - utilities and their investments in fuel cells, 41
- Non-combustion processes
 - fuel cells for hospitals, 45
- Numerical analysis
 - numerical analyses of the internal conditions of a molten carbonate fuel cell stack: comparison of stack performances for various gas flow types, 328

Operating pressure

effect of operating pressure on the system efficiency of a methanefuelled solid polymer fuel cell power source, 337

Partial oxidation

- hydrogen generator, via catalytic partial oxidation of methane for fuel cells, 208
- Partnership for a New Generation of Vehicles (PNGV)

the US Department of Energy – investing in clean transport, 26 $\ensuremath{\mathsf{PEFC}}$

- analysis of energy and water management in terms of fuel-cell electricity generation, 294
- PEFC propulsion for naval ships

PEFCs for naval ships and submarines: many tasks, one solution, 144

PEM dynamic model of solid polymer fuel cell water management, 218 PEN structure the development of intermediate-temperature solid oxide fuel cells for the next millennium, 361 Perovskite conductivity of BaPrO₃ based perovskite oxides, 164 Phosphoric acid fuel cell long-term commitment of Japanese gas utilities to PAFCs and SOFCs, 51 Pilot plant development of a 1000 kW-class molten carbonate fuel cell pilot plant in Japan, 89 Plant optimization optimization of a 200 kW SOFC cogeneration power plant. Part II: variation of the flowsheet, 306 Plating estimation of the lifetime of Al/Ni-plated material for wet-seal area in molten carbonate fuel cell, 231 Pollution-free energy fuel cells for hospitals, 45 Polymer electrolyte membrane fuel cell (PEMFC) the US Department of Energy - investing in clean transport, 26 performance of a polymer electrolyte membrane fuel cell with thin film catalyst electrodes, 174 performance and endurance of a PEMFC operated with synthetic reformate fuel feed, 249 Power delivery new opportunities for fuel cells in the restructured power systems of the United States, 190 Power output biogas powering a small tubular solid oxide fuel cell, 275 Power plant investment in volume building: the 'virtuous cycle' in PAFC, 71 Power quality fuel cells - a new contributor to stationary power, 19 Power systems fuel cells - a 21st century power system, 12 Power train analysis of energy and water management in terms of fuel-cell electricity generation, 294 Pre-reformer reforming of natural gas in solid oxide fuel cell systems, 315 Reaction kinetics reforming of natural gas in solid oxide fuel cell systems, 315 Reactivity electrical and microstructural characteristics of materials in the LaMnO_{3±δ}-LaAlO₃-SrMnO_{3-δ} system, 195 Recycling technology energy saving system using by-product hydrogen, 264 Reformate performance and endurance of a PEMFC operated with synthetic reformate fuel feed, 249 Reformer advanced PEFC development for fuel cell powered vehicles, 150 Regulated pollutants environmental benefits of transport and stationary fuel cells, 348 Scientometric research fuel cell adventures. Dynamics of a technological community in a quasi-market of technological options, 256 Series connection stack networking for system optimisation: an engineering approach, 138 Shrinkage performance of a solid oxide fuel cell fabricated by co-firing, 185 Single cell

performance of a direct methanol polymer electrolyte fuel cell. 169 performance of a polymer electrolyte membrane fuel cell with thin film catalyst electrodes, 174 Sintering characteristics performance of a solid oxide fuel cell fabricated by co-firing, 185 Solid oxide fuel cells long-term commitment of Japanese gas utilities to PAFCs and SOFCs, 51 a consortium approach to commercialized Westinghouse solid oxide fuel cell technology, 65 intermediate temperature SOFC - a promise for the 21st century, 107 reducing the manufacturing cost of tubular SOFC technology, 131 conductivity of BaPrO3 based perovskite oxides, 164 performance of a solid oxide fuel cell fabricated by co-firing, 185 electrical and microstructural characteristics of materials in the LaMnO_{3+δ}-LaAlO₃-SrMnO_{3-δ} system, 195 a small solid oxude fuel cell demonstrator for microelectronic applications, 268 biogas powering a small tubular solid oxide fuel cell, 275 operation of anode-supported thin electrolyte film solid oxide fuel cells at 800°C and below, 302 optimization of a 200 kW SOFC cogeneration power plant. Part II: variation of the flowsheet, 306 reforming of natural gas in solid oxide fuel cell systems, 315 a fuel cell balance of plant test facility, 321 planar solid oxide fuel cell integrated system technology development, 354 the development of intermediate-temperature solid oxide fuel cells for the next millennium, 361 SOFC power system design and manufacturing of a tubular solid oxide fuel cell combustion system, 244 SOFC reactor a 1000-cell SOFC reactor for domestic cogeneration, 271 SOFC/GT reducing the manufacturing cost of tubular solid oxide fuel cell technology, 131 Solid polymer fuel cells fuel cell stationary power business development, 61 compact hydrogen production systems for solid polymer fuel cells, 199 dynamic model of solid polymer fuel cell water management, 218 Solid polymer fuel stack effect of operating pressure on the system efficiency of a methanefuelled solid polymer fuel cell power source, 337 Solubility solubility and deposition of LiCoO2 in a molten carbonate, 239 Sponge iron usage of biomass gas for fuel cells by the SIR process, 226 Stack performance of a direct methanol polymer electrolyte fuel cell, 169 performance of a polymer electrolyte membrane fuel cell with thin film catalyst electrodes, 174 Stack design design and manufacturing of a tubular solid oxide fuel cell combustion system, 244 Stack technology the 'advanced DIR-MCFC development' project, an overview, 223 planar solid oxide fuel cell integrated system technology development, 354 Stationary applications fuel cell stationary power business development, 61 Stationary power fuel cells - a new contributor to stationary power, 19 Status a new approach to fuel cell investment strategy, 75 Steam iron process

usage of biomass gas for fuel cells by the SIR process, 226

Steam reforming

reforming of natural gas in solid oxide fuel cell systems, 315 Substrate anode

reforming of natural gas in solid oxide fuel cell systems, 315 System controllability

a dynamic simulator for a 250 kW class ER-MCFC system, 278 System development

the 'advanced DIR-MCFC development' project, an overview, 223 System efficiency

effect of operating pressure on the system efficiency of a methanefuelled solid polymer fuel cell power source, 337

System study

- a fuel cell balance of plant test facility, 321
- System technology

fuel cells for vehicle applications in cars - bringing the future closer, 36

Technology dynamics analysis

fuel cell adventures. Dynamics of a technological community in a quasi-market of technological options, 256

Temperature profile

numerical analyses of the internal conditions of a molten carbonate fuel cell stack: comparison of stack performances for various gas flow types, 328

Thermal cracking of propane

compact hydrogen production systems for solid polymer fuel cells, 199 Thin film electrocatalyst layer

performance of a polymer electrolyte membrane fuel cell with thin film catalyst electrodes, 174

Thin films

operation of anode-supported thin electrolyte film solid oxide fuel cells at 800°C and below, 302 Transmission service new opportunities for fuel cells in the restructured power systems of the United States, 190
Transport cost reductions of fuel cells for transport applications: fuel processing options, 80
Two-dimensional dynamic model of solid polymer fuel cell water management, 218

US Department of Energy (DOE)

the US Department of Energy – investing in clean transport, 26 Utilities

utilities and their investments in fuel cells, 41

Utility experience

utility experience with a 250-kW molten carbonate fuel cell cogeneration power plant at NAS Miramar, San Diego, 100

Virtuous cycle

investment in volume building: the 'virtuous cycle' in PAFC, 71

Water management

dynamic model of solid polymer fuel cell water management, 218 analysis of energy and water management in terms of fuel-cell electricity generation, 294

Zirconia

a 1000-cell SOFC reactor for domestic cogeneration, 271