

Subject Index of Volume 77

- Acid
Capacitor; Elastomer; Proton conduction; Molding property; Sol–gel ionics (Matsuda, A. (77) 12)
- Activation
Hydrogen storage alloys; Degradation; P–C–I curves; Discharge capacity (Chuang, H.J. (77) 159)
- Addition method
Nickel electrode; Cobalt additive; Incorporation; Co-precipitation (Chang, Z. (77) 69)
- Alkaline batteries
Porosity; Discharge time; Conductivity; Graphite (Kriegsmann, J.J. (77) 127)
- Annealing
Particle size; Pulverization method; Electrochemical properties (Hongmei, J. (77) 123)
- Batteries
Lithium-ion; Microporous; Separators; Membranes (Venugopal, G. (77) 34)
- Battery
Doped; Spinel; Lithium ion; Theoretical capacity (Todorov, Y.M. (77) 198)
- Battery Management Systems
Rechargeable NiCd cells; Rechargeable batteries; Modelling; Simulation (Bergveld, H.J. (77) 143)
- Capacitor
Elastomer; Proton conduction; Molding property; Sol–gel ionics; Acid (Matsuda, A. (77) 12)
- Capacity
Nickel electrode; Metallic cobalt; Co-precipitated zinc hydroxide; Cycle life (Yuan, A. (77) 178)
- Carbon electrode
Catalysts; Fuel cell; Infrared spectroscopy; Electrochemical behaviour; Oxygen reduction (Pyun, S.-I. (77) 170)
- Catalyst layer
PEM fuel cell; Optimization (Marr, C. (77) 17)
- Catalysts
Carbon electrode; Fuel cell; Infrared spectroscopy; Electrochemical behaviour; Oxygen reduction (Pyun, S.-I. (77) 170)
- Cathode
Polymer electrolyte fuel cells; Nafion; Oxygen reduction (Antolini, E. (77) 136)
- Charge/discharge
Lithium ion; Vapor-Grown Carbon Fiber (Abe, H. (77) 110)
- Charging process
LiMn₂O₄ nanocrystal; Modified citrate route; Oxidative atmosphere; Sintering temperature (Choy, J.-H. (77) 1)
- Chitosan
Ethylene carbonate; Conductivity; Secondary cells (Morni, N.M. (77) 42)
- Cobalt
Nickel–metal hydride batteries; Nickel; Rare earths; Recovery (Zhang, P. (77) 116)
- Cobalt additive
Nickel electrode; Addition method; Incorporation; Co-precipitation (Chang, Z. (77) 69)
- Concentration profile
Mathematical model; Counter-current diffusion; Permeation measurement; Platinum; Solid-polymer-electrolyte (Kang, M.S. (77) 49)
- Conductivity
Chitosan; Ethylene carbonate; Secondary cells (Morni, N.M. (77) 42)
Alkaline batteries; Porosity; Discharge time; Graphite (Kriegsmann, J.J. (77) 127)
- Co-precipitated zinc hydroxide
Nickel electrode; Metallic cobalt; Capacity; Cycle life (Yuan, A. (77) 178)
- Co-precipitation
Nickel electrode; Cobalt additive; Addition method; Incorporation (Chang, Z. (77) 69)
- Corrosion
Lead/acid batteries; Electrometric method; Relative density (Boctor, W.H. (77) 56)
- Counter-current diffusion
Mathematical model; Concentration profile; Permeation measurement; Platinum; Solid-polymer-electrolyte (Kang, M.S. (77) 49)
- Curing
Lead-acid batteries; Lead sulphates; Polyvinylpyrrolidone; Morphology control (Laruelle, S. (77) 83)
- Current collection
Solid oxide fuel cell (Hatchwell, C. (77) 64)
- Cycle life
Nickel electrode; Metallic cobalt; Co-precipitated zinc hydroxide; Capacity (Yuan, A. (77) 178)
- Degradation
Hydrogen storage alloys; Activation; P–C–I curves; Discharge capacity (Chuang, H.J. (77) 159)
- Discharge
Lead acid cell; Porous electrode; Modelling (Kim, S.C. (77) 74)
- Discharge capacity
Hydrogen storage alloys; Degradation; Activation; P–C–I curves (Chuang, H.J. (77) 159)
- Discharge time
Alkaline batteries; Porosity; Conductivity; Graphite (Kriegsmann, J.J. (77) 127)
- Doped
Spinel; Lithium ion; Battery; Theoretical capacity (Todorov, Y.M. (77) 198)
- Elastomer
Capacitor; Proton conduction; Molding property; Sol–gel ionics; Acid (Matsuda, A. (77) 12)

- Electrochemical behaviour
Carbon electrode; Catalysts; Fuel cell; Infrared spectroscopy; Oxygen reduction (Pyun, S.-I. (77) 170)
- Electrochemical properties
Annealing; Particle size; Pulverization method (Hongmei, J. (77) 123)
- Electrometric method
Lead/acid batteries; Corrosion; Relative density (Boctor, W.H. (77) 56)
- Energy efficiency
Na/S battery; Heat dissipation (Okuyama, R. (77) 164)
- Ethylene carbonate
Chitosan; Conductivity; Secondary cells (Morni, N.M. (77) 42)
- Fuel cell
Carbon electrode; Catalysts; Infrared spectroscopy; Electrochemical behaviour; Oxygen reduction (Pyun, S.-I. (77) 170)
- Gel
Polymer electrolytes; Ionic conductivity; Lithium-ion batteries; Plastic batteries (Song, J.Y. (77) 183)
- Graphite
Alkaline batteries; Porosity; Discharge time; Conductivity (Kriegsmann, J.J. (77) 127)
- Heat dissipation
Na/S battery; Energy efficiency (Okuyama, R. (77) 164)
- Hydrogen storage alloys
Degradation; Activation; P–C–I curves; Discharge capacity (Chuang, H.J. (77) 159)
- Incorporation
Nickel electrode; Cobalt additive; Addition method; Co-precipitation (Chang, Z. (77) 69)
- Infrared spectroscopy
Carbon electrode; Catalysts; Fuel cell; Electrochemical behaviour; Oxygen reduction (Pyun, S.-I. (77) 170)
- Ionic conductivity
Polymer electrolytes; Gel; Lithium-ion batteries; Plastic batteries (Song, J.Y. (77) 183)
- Lead/acid batteries
Electrometric method; Corrosion; Relative density (Boctor, W.H. (77) 56)
- Lead-acid batteries
Lead sulphates; Polyvinylpyrrolidone; Morphology control; Curing (Laruelle, S. (77) 83)
- Lead acid cell
Discharge; Porous electrode; Modelling (Kim, S.C. (77) 74)
- Lead sulphates
Lead-acid batteries; Polyvinylpyrrolidone; Morphology control; Curing (Laruelle, S. (77) 83)
- LiMn₂O₄ nanocrystal
Modified citrate route; Oxidative atmosphere; Sintering temperature; Charging process (Choy, J.-H. (77) 1)
- Lithium-ion
Batteries; Microporous; Separators; Membranes (Venugopal, G. (77) 34)
- Lithium ion
Vapor-Grown Carbon Fiber; Charge/discharge (Abe, H. (77) 110)
Doped; Spinel; Battery; Theoretical capacity (Todorov, Y.M. (77) 198)
- Lithium-ion batteries
Polymer electrolytes; Gel; Ionic conductivity; Plastic batteries (Song, J.Y. (77) 183)
- Mathematical model
Counter-current diffusion; Concentration profile; Permeation measurement; Platinum; Solid-polymer-electrolyte (Kang, M.S. (77) 49)
- Membranes
Lithium-ion; Batteries; Microporous; Separators (Venugopal, G. (77) 34)
- Metallic cobalt
Nickel electrode; Co-precipitated zinc hydroxide; Capacity; Cycle life (Yuan, A. (77) 178)
- Microporous
Lithium-ion; Batteries; Separators; Membranes (Venugopal, G. (77) 34)
- Modelling
Lead acid cell; Discharge; Porous electrode (Kim, S.C. (77) 74)
Rechargeable NiCd cells; Rechargeable batteries; Battery Management Systems; Simulation (Bergveld, H.J. (77) 143)
- Modified citrate route
LiMn₂O₄ nanocrystal; Oxidative atmosphere; Sintering temperature; Charging process (Choy, J.-H. (77) 1)
- Molding property
Capacitor; Elastomer; Proton conduction; Sol–gel ionics; Acid (Matsuda, A. (77) 12)
- Morphology control
Lead-acid batteries; Lead sulphates; Polyvinylpyrrolidone; Curing (Laruelle, S. (77) 83)
- Nafion
Polymer electrolyte fuel cells; Cathode; Oxygen reduction (Antolini, E. (77) 136)
- Na/S battery
Energy efficiency; Heat dissipation (Okuyama, R. (77) 164)
- Nickel
Reticulated vitreous carbon (RVC); RVC modified with nickel; Ni(OH)₂/NiOOH electrode; Rechargeable nickel batteries (Czerwiński, A. (77) 28)
Nickel–metal hydride batteries; Cobalt; Rare earths; Recovery (Zhang, P. (77) 116)
- Nickel electrode
Cobalt additive; Addition method; Incorporation; Co-precipitation (Chang, Z. (77) 69)
Metallic cobalt; Co-precipitated zinc hydroxide; Capacity; Cycle life (Yuan, A. (77) 178)
- Nickel–metal hydride batteries
Nickel; Cobalt; Rare earths; Recovery (Zhang, P. (77) 116)
- Ni(OH)₂/NiOOH electrode
Reticulated vitreous carbon (RVC); Nickel; RVC modified with nickel; Rechargeable nickel batteries (Czerwiński, A. (77) 28)
- Optimization
PEM fuel cell; Catalyst layer (Marr, C. (77) 17)
- Oxidative atmosphere
LiMn₂O₄ nanocrystal; Modified citrate route; Sintering temperature; Charging process (Choy, J.-H. (77) 1)
- Oxygen reduction
Polymer electrolyte fuel cells; Cathode; Nafion (Antolini, E. (77) 136)
Carbon electrode; Catalysts; Fuel cell; Infrared spectroscopy; Electrochemical behaviour (Pyun, S.-I. (77) 170)
- Particle size
Annealing; Pulverization method; Electrochemical properties (Hongmei, J. (77) 123)
- P–C–I curves
Hydrogen storage alloys; Degradation; Activation; Discharge capacity (Chuang, H.J. (77) 159)
- PEM fuel cell
Catalyst layer; Optimization (Marr, C. (77) 17)
- Permeation measurement
Mathematical model; Counter-current diffusion; Concentration profile; Platinum; Solid-polymer-electrolyte (Kang, M.S. (77) 49)

- Plastic batteries
Polymer electrolytes; Gel; Ionic conductivity; Lithium-ion batteries (Song, J.Y. (77) 183)
- Platinum
Mathematical model; Counter-current diffusion; Concentration profile; Permeation measurement; Solid-polymer-electrolyte (Kang, M.S. (77) 49)
- Polymer electrolyte fuel cells
Cathode; Nafion; Oxygen reduction (Antolini, E. (77) 136)
- Polymer electrolytes
Gel; Ionic conductivity; Lithium-ion batteries; Plastic batteries (Song, J.Y. (77) 183)
- Polyvinylpyrrolidone
Lead-acid batteries; Lead sulphates; Morphology control; Curing (Laruelle, S. (77) 83)
- Porosity
Alkaline batteries; Discharge time; Conductivity; Graphite (Kriegsmann, J.J. (77) 127)
- Porous electrode
Lead acid cell; Discharge; Modelling (Kim, S.C. (77) 74)
- Proton conduction
Capacitor; Elastomer; Molding property; Sol-gel ionics; Acid (Matsuda, A. (77) 12)
- Pulverization method
Annealing; Particle size; Electrochemical properties (Hongmei, J. (77) 123)
- Rare earths
Nickel-metal hydride batteries; Nickel; Cobalt; Recovery (Zhang, P. (77) 116)
- Rechargeable batteries
Rechargeable NiCd cells; Modelling; Battery Management Systems; Simulation (Bergveld, H.J. (77) 143)
- Rechargeable NiCd cells
Rechargeable batteries; Modelling; Battery Management Systems; Simulation (Bergveld, H.J. (77) 143)
- Rechargeable nickel batteries
Reticulated vitreous carbon (RVC); Nickel; RVC modified with nickel; Ni(OH)₂/NiOOH electrode (Czerwiński, A. (77) 28)
- Recovery
Nickel-metal hydride batteries; Nickel; Cobalt; Rare earths (Zhang, P. (77) 116)
- Relative density
Lead/acid batteries; Electrometric method; Corrosion (Boctor, W.H. (77) 56)
- Reticulated vitreous carbon (RVC)
Nickel; RVC modified with nickel; Ni(OH)₂/NiOOH electrode; Rechargeable nickel batteries (Czerwiński, A. (77) 28)
- RVC modified with nickel
Reticulated vitreous carbon (RVC); Nickel; Ni(OH)₂/NiOOH electrode; Rechargeable nickel batteries (Czerwiński, A. (77) 28)
- Secondary cells
Chitosan; Ethylene carbonate; Conductivity (Morni, N.M. (77) 42)
- Separators
Lithium-ion; Batteries; Microporous; Membranes (Venugopal, G. (77) 34)
- Simulation
Rechargeable NiCd cells; Rechargeable batteries; Modelling; Battery Management Systems (Bergveld, H.J. (77) 143)
- Sintering temperature
LiMn₂O₄ nanocrystal; Modified citrate route; Oxidative atmosphere; Charging process (Choy, J.-H. (77) 1)
- Sol-gel ionics
Capacitor; Elastomer; Proton conduction; Molding property; Acid (Matsuda, A. (77) 12)
- Solid oxide fuel cell
Current collection (Hatchwell, C. (77) 64)
- Solid-polymer-electrolyte
Mathematical model; Counter-current diffusion; Concentration profile; Permeation measurement; Platinum (Kang, M.S. (77) 49)
- Spinel
Doped; Lithium ion; Battery; Theoretical capacity (Todorov, Y.M. (77) 198)
- Theoretical capacity
Doped; Spinel; Lithium ion; Battery (Todorov, Y.M. (77) 198)
- Vapor-Grown Carbon Fiber
Lithium ion; Charge/discharge (Abe, H. (77) 110)