



ELSEVIER

Journal of Power Sources 79 (1999) 302–305

JOURNAL OF
**POWER
SOURCES**

Subject Index of Volume 79

Abrasive stripping voltammetry

Electrolytic manganese dioxide; Rechargeable alkaline batteries; Rapid cycling; Electron microscopy; Doping; Titanium; Barium (Jantscher, W. (79) 9)

Accelerating rate calorimeter

Lithium-ion cells; Electrolyte (Richard, M.N. (79) 135)

Activation

Nickel/metal-hydride battery; Laves phase alloy; Capacity; High-rate dischargeability; Self-discharge (Jeong, C. (79) 19)

Active material composition

Double layer capacitor; Power capacitor; Low time constant (Bon-nefoi, L. (79) 37)

Active material loading

Alkaline batteries; Porosity; Discharge time (Kriegsmann, J.J. (79) 262)

Alkaline-batteries

Batteries; Discharge; Manganese; Migration; Zinc (Vatistas, N. (79) 199)

Alkaline batteries

Active material loading; Porosity; Discharge time (Kriegsmann, J.J. (79) 262)

Alkaline rechargeable battery

Nickel electrode; Cupric oxide additive (Jun, L. (79) 86)

Alternative fuel infrastructure

Fuel cell vehicles (Ogden, J.M. (79) 143)

Anodes

Microcracking; Grain size; Li-alloys (Wolfenstine, J. (79) 111)

Barium

Electrolytic manganese dioxide; Rechargeable alkaline batteries; Abrasive stripping voltammetry; Rapid cycling; Electron microscopy; Doping; Titanium (Jantscher, W. (79) 9)

Batteries

Alkaline-batteries; Discharge; Manganese; Migration; Zinc (Vatistas, N. (79) 199)

Battery

Li_2CO_3 ; Nickel–cadmium (Palmqvist, U. (79) 212)

Organic supercapacitor; Carbon electrode (Bispo-Fonseca, I. (79) 238)

Bifunctional electrode

Regenerative fuel cell; Proton-exchange membrane; Catalyst layer (Zhigang, S. (79) 82)

Capacity

Nickel/metal-hydride battery; Laves phase alloy; Activation; High-rate dischargeability; Self-discharge (Jeong, C. (79) 19)

Carbon

Electrode; Fly ash; Waste; Lithium-ion battery; Electrostatic precipitator (Ujiie, S. (79) 97)

Carbon electrode

Organic supercapacitor; Battery (Bispo-Fonseca, I. (79) 238)

Catalyst layer

Regenerative fuel cell; Bifunctional electrode; Proton-exchange membrane (Zhigang, S. (79) 82)

Cathode material

Lithiated nickel oxide; Synthesis methods; Lithium-ion cells (Yang, H.X. (79) 256)

Cellulose precursor

SOFc; Pulse load; Surface modification; Lanthanum–strontium manganite (Kharton, V.V. (79) 242)

Ceria-based oxides

Fuel cells; Non-conventional; Single chamber; Single component fuel cell; Gadolinium-doped ceria; Salt–ceramic composite; Soft-chemistry process (Zhu, B. (79) 30)

Charge capacity

Silver alloys; Oxide formation; Real surface; Corrosion stability (Grozdić, T.D. (79) 1)

Pretreatment method; Metal hydride electrode; Cycle performance; Degradation (Nan, J. (79) 64)

Charge conditions

Lithium; Intercalation; Solid electrode (Chung, S.K. (79) 205)

Chelating agent

Lithium/polymer battery; Lithium manganese oxide; Sol–gel method; Glycolic acid; Chemical diffusion of Li ion (Sun, Y.-K. (79) 231)

Chemical diffusion of Li ion

Lithium/polymer battery; Lithium manganese oxide; Sol–gel method; Chelating agent; Glycolic acid (Sun, Y.-K. (79) 231)

Chemical surface modification

Natural gas coke; Lithium intercalate (Pan, Q.-m. (79) 25)

Complex

Lithium ion battery; Prussian blue; Intercalation (Imanishi, N. (79) 215)

Corrosion stability

Silver alloys; Oxide formation; Charge capacity; Real surface (Grozdić, T.D. (79) 1)

Cupric oxide additive

Nickel electrode; Alkaline rechargeable battery (Jun, L. (79) 86)

Cycle performance

Pretreatment method; Metal hydride electrode; Charge capacity; Degradation (Nan, J. (79) 64)

Cyclic voltammetry

Nickel hydroxide electrode; Reversibility; Proton diffusion coefficient (Bing, L. (79) 277)

Cyclic voltammogram

Polypyridine; Negative electrode active material (Yamamoto, T. (79) 281)

Cycling performance

Lithium secondary cells; Lithium alloy composite electrodes; Ultra-fine powders (Yang, J. (79) 220)

Degradation

Pretreatment method; Metal hydride electrode; Cycle performance; Charge capacity (Nan, J. (79) 64)

- Diffusion coefficient**
 Lithium polymer battery; Solid polymer electrolyte; Ramsdellite– MnO_2 ; Sulfonated polyaniline (Hwang, K.S. (79) 225)
- Direct methanol**
 Fuel cell; Polymer electrolyte; Electrocatalysis; Platinum ruthenium; Engineering; Scale up (Scott, K. (79) 43)
- Fuel cell; Thermal modelling; Thermal energy balance (Argyropoulos, P. (79) 169)
- Direct methanol fuel cell**
 Polymer electrolyte membrane; Thermal modelling; Temperature profile (Argyropoulos, P. (79) 184)
- Discharge**
 Alkaline-batteries; Batteries; Manganese; Migration; Zinc (Vatistas, N. (79) 199)
- Discharge characteristics**
 Poly (ethylene oxide); Polymer electrolyte; Ionic conductivity; Transport numbers; Solid-state cell (Sreekanth, T. (79) 105)
- Discharge time**
 Alkaline batteries; Active material loading; Porosity (Kriegsmann, J.J. (79) 262)
- Doping**
 Electrolytic manganese dioxide; Rechargeable alkaline batteries; Abrasive stripping voltammetry; Rapid cycling; Electron microscopy; Titanium; Barium (Jantscher, W. (79) 9)
- Dry batteries; Natural manganese dioxide; Electrochemical activity; Leclanché electrolyte; Usable energy (Sharma, M.M. (79) 69)
- Double layer capacitor**
 Active material composition; Power capacitor; Low time constant (Bonnefond, L. (79) 37)
- Dry batteries**
 Natural manganese dioxide; Doping; Electrochemical activity; Leclanché electrolyte; Usable energy (Sharma, M.M. (79) 69)
- Electrocatalysis**
 Fuel cell; Direct methanol; Polymer electrolyte; Platinum ruthenium; Engineering; Scale up (Scott, K. (79) 43)
- Electrocatalyst**
 Methanol electro-oxidation; Fuel cell; Modified manganese oxide (Samant, P.V. (79) 114)
- Electrochemical activity**
 Dry batteries; Natural manganese dioxide; Doping; Leclanché electrolyte; Usable energy (Sharma, M.M. (79) 69)
- Electrode**
 Fly ash; Waste; Lithium-ion battery; Electrostatic precipitator; Carbon (Ujiie, S. (79) 97)
- Electrolyte**
 Lithium-ion cells; Accelerating rate calorimeter (Richard, M.N. (79) 135)
- Electrolytic conductivity**
 Lithium batteries; Lithium cycling efficiency; Organic electrolytes; Organoborates (Sasaki, Y. (79) 91)
- Electrolytic manganese dioxide**
 Rechargeable alkaline batteries; Abrasive stripping voltammetry; Rapid cycling; Electron microscopy; Doping; Titanium; Barium (Jantscher, W. (79) 9)
- Electron microscopy**
 Electrolytic manganese dioxide; Rechargeable alkaline batteries; Abrasive stripping voltammetry; Rapid cycling; Doping; Titanium; Barium (Jantscher, W. (79) 9)
- Electrostatic precipitator**
 Electrode; Fly ash; Waste; Lithium-ion battery; Carbon (Ujiie, S. (79) 97)
- Engineering**
 Fuel cell; Direct methanol; Polymer electrolyte; Electrocatalysis; Platinum ruthenium; Scale up (Scott, K. (79) 43)
- Fly ash**
 Electrode; Waste; Lithium-ion battery; Electrostatic precipitator; Carbon (Ujiie, S. (79) 97)
- Fuel cell**
 Direct methanol; Polymer electrolyte; Electrocatalysis; Platinum ruthenium; Engineering; Scale up (Scott, K. (79) 43)
- Methanol electro-oxidation; Electrocatalyst; Modified manganese oxide (Samant, P.V. (79) 114)
- Direct methanol; Thermal modelling; Thermal energy balance (Argyropoulos, P. (79) 169)
- Fuel cell/electrochemical capacitor hybrid**
 Proton exchange membrane fuel cell; Power source (Jarvis, L.P. (79) 60)
- Fuel cells**
 Non-conventional; Single chamber; Single component fuel cell; Gadolinium-doped ceria; Salt–ceramic composite; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- Fuel cell vehicles**
 Alternative fuel infrastructure (Ogden, J.M. (79) 143)
- Gadolinium-doped ceria**
 Fuel cells; Non-conventional; Single chamber; Single component fuel cell; Salt–ceramic composite; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- Glycolic acid**
 Lithium/polymer battery; Lithium manganese oxide; Sol-gel method; Chelating agent; Chemical diffusion of Li ion (Sun, Y.-K. (79) 231)
- Grain size**
 Microcracking; Li-alloys; Anodes (Wolfenstein, J. (79) 111)
- Heteropoly acids**
 Proton conductor; Solid electrolyte; Proton conductivity (Staiti, P. (79) 250)
- High-rate dischargeability**
 Nickel/metal-hydride battery; Laves phase alloy; Activation; Capacity; Self-discharge (Jeong, C. (79) 19)
- Intercalation**
 Lithium; Solid electrode; Charge conditions (Chung, S.K. (79) 205)
 Lithium ion battery; Prussian blue; Complex (Imanishi, N. (79) 215)
- Ionic conductivity**
 Poly (ethylene oxide); Polymer electrolyte; Transport numbers; Discharge characteristics; Solid-state cell (Sreekanth, T. (79) 105)
- Lanthanum–strontium manganite**
 SOFC; Pulse load; Surface modification; Cellulose precursor (Khariton, V.V. (79) 242)
- Laves phase alloy**
 Nickel/metal-hydride battery; Activation; Capacity; High-rate dischargeability; Self-discharge (Jeong, C. (79) 19)
- Leclanché electrolyte**
 Dry batteries; Natural manganese dioxide; Doping; Electrochemical activity; Usable energy (Sharma, M.M. (79) 69)
- Li-alloys**
 Microcracking; Grain size; Anodes (Wolfenstein, J. (79) 111)
- Li_2CO_3**
 Nickel–cadmium; Battery (Palmqvist, U. (79) 212)
- Lithiated nickel oxide**
 Cathode material; Synthesis methods; Lithium-ion cells (Yang, H.X. (79) 256)
- Lithium**
 Intercalation; Solid electrode; Charge conditions (Chung, S.K. (79) 205)
- Lithium alloy composite electrodes**
 Lithium secondary cells; Ultra-fine powders; Cycling performance (Yang, J. (79) 220)

- Lithium batteries
 Electrolytic conductivity; Lithium cycling efficiency; Organic electrolytes; Organoborates (Sasaki, Y. (79) 91)
- Lithium cycling efficiency
 Lithium batteries; Electrolytic conductivity; Organic electrolytes; Organoborates (Sasaki, Y. (79) 91)
- Lithium intercalate
 Natural gas coke; Chemical surface modification (Pan, Q.-m. (79) 25)
- Lithium-ion battery
 Electrode; Fly ash; Waste; Electrostatic precipitator; Carbon (Ujiie, S. (79) 97)
- Lithium ion battery
 Prussian blue; Intercalation; Complex (Imanishi, N. (79) 215)
- Lithium-ion cells
 Accelerating rate calorimeter; Electrolyte (Richard, M.N. (79) 135)
 Lithiated nickel oxide; Cathode material; Synthesis methods (Yang, H.X. (79) 256)
- Lithium manganese oxide
 Lithium/polymer battery; Sol-gel method; Chelating agent; Glycolic acid; Chemical diffusion of Li ion (Sun, Y.-K. (79) 231)
- Lithium polymer battery
 Solid polymer electrolyte; Ramsdellite-MnO₂; Diffusion coefficient; Sulfonated polyaniline (Hwang, K.S. (79) 225)
- Lithium/polymer battery
 Lithium manganese oxide; Sol-gel method; Chelating agent; Glycolic acid; Chemical diffusion of Li ion (Sun, Y.-K. (79) 231)
- Lithium secondary cells
 Lithium alloy composite electrodes; Ultra-fine powders; Cycling performance (Yang, J. (79) 220)
- Low time constant
 Double layer capacitor; Active material composition; Power capacitor (Bonnefoi, L. (79) 37)
- Manganese
 Alkaline-batteries; Batteries; Discharge; Migration; Zinc (Vatistas, N. (79) 199)
- Metal hydride electrode
 Pretreatment method; Cycle performance; Charge capacity; Degradation (Nan, J. (79) 64)
- Methanol electro-oxidation
 Fuel cell; Electrocatalyst; Modified manganese oxide (Samant, P.V. (79) 114)
- Microcracking
 Grain size; Li-alloys; Anodes (Wolfenstine, J. (79) 111)
- Microporous electrodes
 Thin-film electrodes; Rechargeable alkaline manganese dioxide cells (Barbic, P.A. (79) 271)
- Migration
 Alkaline-batteries; Batteries; Discharge; Manganese; Zinc (Vatistas, N. (79) 199)
- Modified manganese oxide
 Methanol electro-oxidation; Fuel cell; Electrocatalyst (Samant, P.V. (79) 114)
- Morphology
 PTFE; Nafion; PEMFC; Platinum utilization (Cheng, X. (79) 75)
- Nafion
 PTFE; PEMFC; Platinum utilization; Morphology (Cheng, X. (79) 75)
- Natural gas coke
 Lithium intercalate; Chemical surface modification (Pan, Q.-m. (79) 25)
- Natural manganese dioxide
 Dry batteries; Doping; Electrochemical activity; Leclanché electrolyte; Usable energy (Sharma, M.M. (79) 69)
- Negative electrode active material
 Polypyridine; Cyclic voltammogram (Yamamoto, T. (79) 281)
- Nickel-cadmium
 Li₂CO₃; Battery (Palmqvist, U. (79) 212)
- Nickel electrode
 Alkaline rechargeable battery; Cupric oxide additive (Jun, L. (79) 86)
- Nickel hydroxide electrode
 Cyclic voltammetry; Reversibility; Proton diffusion coefficient (Bing, L. (79) 277)
- Nickel/metal-hydride battery
 Laves phase alloy; Activation; Capacity; High-rate dischargeability; Self-discharge (Jeong, C. (79) 19)
- Non-conventional
 Fuel cells; Single chamber; Single component fuel cell; Gadolinium-doped ceria; Salt-ceramic composite; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- Organic electrolytes
 Lithium batteries; Electrolytic conductivity; Lithium cycling efficiency; Organoborates (Sasaki, Y. (79) 91)
- Organic supercapacitor
 Carbon electrode; Battery (Bispo-Fonseca, I. (79) 238)
- Organoborates
 Lithium batteries; Electrolytic conductivity; Lithium cycling efficiency; Organic electrolytes (Sasaki, Y. (79) 91)
- Oxide formation
 Silver alloys; Charge capacity; Real surface; Corrosion stability (Grozdić, T.D. (79) 1)
- PEMFC
 PTFE; Nafion; Platinum utilization; Morphology (Cheng, X. (79) 75)
- Platinum ruthenium
 Fuel cell; Direct methanol; Polymer electrolyte; Electrocatalysis; Engineering; Scale up (Scott, K. (79) 43)
- Platinum utilization
 PTFE; Nafion; PEMFC; Morphology (Cheng, X. (79) 75)
- Poly (ethylene oxide)
 Polymer electrolyte; Ionic conductivity; Transport numbers; Discharge characteristics; Solid-state cell (Sreekanth, T. (79) 105)
- Polymer electrolyte
 Fuel cell; Direct methanol; Electrocatalysis; Platinum ruthenium; Engineering; Scale up (Scott, K. (79) 43)
- Poly (ethylene oxide); Ionic conductivity; Transport numbers; Discharge characteristics; Solid-state cell (Sreekanth, T. (79) 105)
- Polymer electrolyte membrane
 Direct methanol fuel cell; Thermal modelling; Temperature profile (Argyropoulos, P. (79) 184)
- Polypyridine
 Cyclic voltammogram; Negative electrode active material (Yamamoto, T. (79) 281)
- Porosity
 Alkaline batteries; Active material loading; Discharge time (Kriegsmann, J.J. (79) 262)
- Power capacitor
 Double layer capacitor; Active material composition; Low time constant (Bonnefoi, L. (79) 37)
- Power source
 Fuel cell/electrochemical capacitor hybrid; Proton exchange membrane fuel cell (Jarvis, L.P. (79) 60)
- Pretreatment method
 Metal hydride electrode; Cycle performance; Charge capacity; Degradation (Nan, J. (79) 64)
- Proton conductivity
 Proton conductor; Solid electrolyte; Heteropoly acids (Staiti, P. (79) 250)
- Proton conductor
 Solid electrolyte; Proton conductivity; Heteropoly acids (Staiti, P. (79) 250)

- Proton diffusion coefficient
Nickel hydroxide electrode; Cyclic voltammetry; Reversibility (Bing, L. (79) 277)
- Proton-exchange membrane
Regenerative fuel cell; Bifunctional electrode; Catalyst layer (Zhigang, S. (79) 82)
- Proton exchange membrane fuel cell
Fuel cell/electrochemical capacitor hybrid; Power source (Jarvis, L.P. (79) 60)
- Prussian blue
Lithium ion battery; Intercalation; Complex (Imanishi, N. (79) 215)
- PTFE
Nafion; PEMFC; Platinum utilization; Morphology (Cheng, X. (79) 75)
- Pulse load
SOFC; Surface modification; Lanthanum–strontium manganite; Cellulose precursor (Kharton, V.V. (79) 242)
- Ramsdellite–MnO₂
Lithium polymer battery; Solid polymer electrolyte; Diffusion coefficient; Sulfonated polyaniline (Hwang, K.S. (79) 225)
- Rapid cycling
Electrolytic manganese dioxide; Rechargeable alkaline batteries; Abrasive stripping voltammetry; Electron microscopy; Doping; Titanium; Barium (Jantscher, W. (79) 9)
- Real surface
Silver alloys; Oxide formation; Charge capacity; Corrosion stability (Grozdić, T.D. (79) 1)
- Rechargeable alkaline batteries
Electrolytic manganese dioxide; Abrasive stripping voltammetry; Rapid cycling; Electron microscopy; Doping; Titanium; Barium (Jantscher, W. (79) 9)
- Rechargeable alkaline manganese dioxide cells
Thin-film electrodes; Microporous electrodes (Barbic, P.A. (79) 271)
- Regenerative fuel cell
Bifunctional electrode; Proton-exchange membrane; Catalyst layer (Zhigang, S. (79) 82)
- Reversibility
Nickel hydroxide electrode; Cyclic voltammetry; Proton diffusion coefficient (Bing, L. (79) 277)
- Salt–ceramic composite
Fuel cells; Non-conventional; Single chamber; Single component fuel cell; Gadolinium-doped ceria; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- Scale up
Fuel cell; Direct methanol; Polymer electrolyte; Electrocatalysis; Platinum ruthenium; Engineering (Scott, K. (79) 43)
- Self-discharge
Nickel/metal-hydride battery; Laves phase alloy; Activation; Capacity; High-rate dischargeability (Jeong, C. (79) 19)
- Silver alloys
Oxide formation; Charge capacity; Real surface; Corrosion stability (Grozdić, T.D. (79) 1)
- Single chamber
Fuel cells; Non-conventional; Single component fuel cell; Gadolinium-doped ceria; Salt–ceramic composite; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- Single component fuel cell
Fuel cells; Non-conventional; Single chamber; Gadolinium-doped ceria; Salt–ceramic composite; Ceria-based oxides; Soft-chemistry process (Zhu, B. (79) 30)
- SOFC
Pulse load; Surface modification; Lanthanum–strontium manganite; Cellulose precursor (Kharton, V.V. (79) 242)
- Soft-chemistry process
Fuel cells; Non-conventional; Single chamber; Single component fuel cell; Gadolinium-doped ceria; Salt–ceramic composite; Ceria-based oxides (Zhu, B. (79) 30)
- Sol-gel method
Lithium/polymer battery; Lithium manganese oxide; Chelating agent; Glycolic acid; Chemical diffusion of Li ion (Sun, Y.-K. (79) 231)
- Solid electrode
Lithium; Intercalation; Charge conditions (Chung, S.K. (79) 205)
- Solid electrolyte
Proton conductor; Proton conductivity; Heteropoly acids (Staiti, P. (79) 250)
- Solid polymer electrolyte
Lithium polymer battery; Ramsdellite–MnO₂; Diffusion coefficient; Sulfonated polyaniline (Hwang, K.S. (79) 225)
- Solid-state cell
Poly (ethylene oxide); Polymer electrolyte; Ionic conductivity; Transport numbers; Discharge characteristics (Sreekanth, T. (79) 105)
- Sulfonated polyaniline
Lithium polymer battery; Solid polymer electrolyte; Ramsdellite–MnO₂; Diffusion coefficient (Hwang, K.S. (79) 225)
- Surface modification
SOFC; Pulse load; Lanthanum–strontium manganite; Cellulose precursor (Kharton, V.V. (79) 242)
- Synthesis methods
Lithiated nickel oxide; Cathode material; Lithium-ion cells (Yang, H.X. (79) 256)
- Temperature profile
Direct methanol fuel cell; Polymer electrolyte membrane; Thermal modelling (Argyropoulos, P. (79) 184)
- Thermal energy balance
Fuel cell; Direct methanol; Thermal modelling (Argyropoulos, P. (79) 169)
- Thermal modelling
Fuel cell; Direct methanol; Thermal energy balance (Argyropoulos, P. (79) 169)
- Direct methanol fuel cell; Polymer electrolyte membrane; Temperature profile (Argyropoulos, P. (79) 184)
- Thin-film electrodes
Rechargeable alkaline manganese dioxide cells; Microporous electrodes (Barbic, P.A. (79) 271)
- Titanium
Electrolytic manganese dioxide; Rechargeable alkaline batteries; Abrasive stripping voltammetry; Rapid cycling; Electron microscopy; Doping; Barium (Jantscher, W. (79) 9)
- Transport numbers
Poly (ethylene oxide); Polymer electrolyte; Ionic conductivity; Discharge characteristics; Solid-state cell (Sreekanth, T. (79) 105)
- Ultra-fine powders
Lithium secondary cells; Lithium alloy composite electrodes; Cycling performance (Yang, J. (79) 220)
- Usable energy
Dry batteries; Natural manganese dioxide; Doping; Electrochemical activity; Leclanché electrolyte (Sharma, M.M. (79) 69)
- Waste
Electrode; Fly ash; Lithium-ion battery; Electrostatic precipitator; Carbon (Ujiie, S. (79) 97)
- Zinc
Alkaline-batteries; Batteries; Discharge; Manganese; Migration (Vatistas, N. (79) 199)