



ELSEVIER

Journal of Power Sources 83 (1999) 248–251

JOURNAL OF  
**POWER  
SOURCES**

www.elsevier.com/locate/jpowsour

## Subject Index of Volume 83

- AC impedance spectroscopy  
Spinel  $\text{Li}_{1/3}\text{Ti}_{5/3}\text{O}_4$ ; Lithium ion battery; Chemical insertion (Wang, G.X. (83) 156)
- A.C. impedance spectroscopy  
Cyclic voltammetry; Diffusion coefficient; Double layer capacitance (Park, S.-Y. (83) 217)
- Active material composition  
Double layer capacitor; Power capacitor; Low time constant (Bonnefoi, L. (83) 162)
- Alkaline  
Noise; Battery; State-of-charge; Overcharge; Lithium (Martinet, S. (83) 93)
- Analysis  
Molten carbonate fuel cell; Simulation; Gas flow; Gas diffusion; Cell performance (Hirata, H. (83) 41)
- Anode sintering  
Molten carbonate fuel cells; Electrolyte matrix; Corrosion; Phase transformation (Terada, S. (83) 178)
- Battery  
Noise; State-of-charge; Overcharge; Alkaline; Lithium (Martinet, S. (83) 93)
- Battery materials  
Graphite; Milling; Lithium-ion batteries (Wang, H. (83) 141)
- Battery modeling  
Battery parameterization; Diffusion hindrance; EIS model analysis; Equivalent circuit; Transmission line model; Non-linear model (Barsoukov, E. (83) 61)
- Battery parameterization  
Battery modeling; Diffusion hindrance; EIS model analysis; Equivalent circuit; Transmission line model; Non-linear model (Barsoukov, E. (83) 61)
- Capacity fading  
Spinel phase  $\text{LiMn}_2\text{O}_4$ ; Cycling; Strain; Destruction of spinel phase (Song, M.Y. (83) 57)
- Catalyst  
Electric vehicle; Fuel cell; Methanol oxidation; Platinum; Ruthenium (McNicol, B.D. (83) 15)
- Cathode  
Lithium ion battery; Precursor; Electrochemical property (Kweon, H.-J. (83) 84)  
Doped chromium oxides; Cobalt; Lithium; Lithium-ion batteries (Zhang, D. (83) 121)
- Cathode-gas environment  
Molten carbonate fuel cell; Sensitization; Stainless steel; Intergranular corrosion (Lee, K.S. (83) 32)
- Cell overvoltage  
Galvanic cell; Discharge curve; Relaxation curve; Energy balance (Djordjevic, A.B. (83) 134)
- Cell performance  
Molten carbonate fuel cell; Simulation; Analysis; Gas flow; Gas diffusion (Hirata, H. (83) 41)
- Chemical insertion  
Spinel  $\text{Li}_{1/3}\text{Ti}_{5/3}\text{O}_4$ ; Lithium ion battery; AC impedance spectroscopy (Wang, G.X. (83) 156)
- Cobalt  
Metal hydride;  $\text{LaNi}_{4.27}\text{Sn}_{0.24}$  (Durairajan, A. (83) 114)  
Doped chromium oxides; Lithium; Cathode; Lithium-ion batteries (Zhang, D. (83) 121)
- Coin cell  
 $\text{V}_2\text{O}_5$ ; Xerogel; Copper vanadium oxide; Lithium/lithium-ion battery (Coustier, F. (83) 9)
- Copper  
Lithium; Underpotential deposition; XPS; Differential pulse voltammetry (Fujieda, T. (83) 186)
- Copper vanadium oxide  
 $\text{V}_2\text{O}_5$ ; Xerogel; Coin cell; Lithium/lithium-ion battery (Coustier, F. (83) 9)
- Corrosion  
Molten carbonate fuel cells; Electrolyte matrix; Anode sintering; Phase transformation (Terada, S. (83) 178)
- Cyclic voltammetry  
a.c. impedance spectroscopy; Diffusion coefficient; Double layer capacitance (Park, S.-Y. (83) 217)
- Cycling  
Spinel phase  $\text{LiMn}_2\text{O}_4$ ; Capacity fading; Strain; Destruction of spinel phase (Song, M.Y. (83) 57)
- Demonstrator stack  
Fuel cell; SOFC; Honeycomb; Extruded honeycomb; Stack test (Wetzko, M. (83) 148)
- Destruction of spinel phase  
Spinel phase  $\text{LiMn}_2\text{O}_4$ ; Capacity fading; Cycling; Strain (Song, M.Y. (83) 57)
- Differential pulse voltammetry  
Lithium; Copper; Underpotential deposition; XPS (Fujieda, T. (83) 186)
- Diffusion coefficient  
a.c. impedance spectroscopy; Cyclic voltammetry; Double layer capacitance (Park, S.-Y. (83) 217)
- Diffusion hindrance  
Battery modeling; Battery parameterization; EIS model analysis; Equivalent circuit; Transmission line model; Non-linear model (Barsoukov, E. (83) 61)
- Direct methanol fuel cell  
Mass transport; Methanol crossover (Scott, K. (83) 204)
- Discharge curve  
Galvanic cell; Relaxation curve; Energy balance; Cell overvoltage (Djordjevic, A.B. (83) 134)

- Doped chromium oxides  
Cobalt; Lithium; Cathode; Lithium-ion batteries (Zhang, D. (83) 121)
- Double layer capacitance  
a.c. impedance spectroscopy; Cyclic voltammetry; Diffusion coefficient (Park, S.-Y. (83) 217)
- Double layer capacitor  
Active material composition; Power capacitor; Low time constant (Bonnefond, L. (83) 162)
- EIS model analysis  
Battery modeling; Battery parameterization; Diffusion hindrance; Equivalent circuit; Transmission line model; Non-linear model (Barsoukov, E. (83) 61)
- Electric vehicle  
Catalyst; Fuel cell; Methanol oxidation; Platinum; Ruthenium (McNicol, B.D. (83) 15)
- Electrochemical property  
Lithium ion battery; Cathode; Precursor (Kweon, H.-J. (83) 84)
- Electrode kinetics  
Fuel cell; PEMFC; Fuel cell stack; PEMFC stack; Portable power source (Chu, D. (83) 128)
- Electrode materials  
Laves phase alloy; Element dissolution; Particle pulverization; Oxidation (Gao, X.-P. (83) 100)
- Electrolyte matrix  
Molten carbonate fuel cells; Anode sintering; Corrosion; Phase transformation (Terada, S. (83) 178)
- Molten carbonate fuel cell; Particle growth; Phase transformation; Solubility; Lithium aluminate (Terada, S. (83) 227)
- Electrolytes  
Lithiated MCMB electrodes; SEI components (Richard, M.N. (83) 71)
- Element dissolution  
Laves phase alloy; Electrode materials; Particle pulverization; Oxidation (Gao, X.-P. (83) 100)
- Energy balance  
Galvanic cell; Discharge curve; Relaxation curve; Cell overvoltage (Djordjevic, A.B. (83) 134)
- Equivalent circuit  
Battery modeling; Battery parameterization; Diffusion hindrance; EIS model analysis; Transmission line model; Non-linear model (Barsoukov, E. (83) 61)
- Extraction  
Vanadate; Lithium; Insertion; Kinetics (Kawakita, J. (83) 79)
- Extruded honeycomb  
Fuel cell; SOFC; Honeycomb; Demonstrator stack; Stack test (Wetzko, M. (83) 148)
- Fuel cell  
Catalyst; Electric vehicle; Methanol oxidation; Platinum; Ruthenium (McNicol, B.D. (83) 15)
- Lithium cobalt oxide; LiCoO<sub>2</sub>-coated NiO cathode; PVA-assisted sol-gel (Kuk, S.T. (83) 50)
- PEMFC; Fuel cell stack; PEMFC stack; Portable power source; Electrode kinetics (Chu, D. (83) 128)
- SOFC; Honeycomb; Extruded honeycomb; Demonstrator stack; Stack test (Wetzko, M. (83) 148)
- Fuel cell stack  
Fuel cell; PEMFC; PEMFC stack; Portable power source; Electrode kinetics (Chu, D. (83) 128)
- Galvanic cell  
Discharge curve; Relaxation curve; Energy balance; Cell overvoltage (Djordjevic, A.B. (83) 134)
- Gas diffusion  
Molten carbonate fuel cell; Simulation; Analysis; Gas flow; Cell performance (Hirata, H. (83) 41)
- Gas flow  
Molten carbonate fuel cell; Simulation; Analysis; Gas diffusion; Cell performance (Hirata, H. (83) 41)
- Graphite  
Milling; Lithium-ion batteries; Battery materials (Wang, H. (83) 141)
- Honeycomb  
Fuel cell; SOFC; Extruded honeycomb; Demonstrator stack; Stack test (Wetzko, M. (83) 148)
- Impedance  
Li-ion; Ragone data (Nagasubramanian, G. (83) 193)
- Insertion  
Vanadate; Lithium; Extraction; Kinetics (Kawakita, J. (83) 79)
- Intergranular corrosion  
Molten carbonate fuel cell; Sensitization; Stainless steel; Cathode-gas environment (Lee, K.S. (83) 32)
- Kinetics  
Vanadate; Lithium; Insertion; Extraction (Kawakita, J. (83) 79)
- LaNi<sub>4.27</sub>Sn<sub>0.24</sub>  
Cobalt; Metal hydride (Durairajan, A. (83) 114)
- Laves phase alloy  
Electrode materials; Element dissolution; Particle pulverization; Oxidation (Gao, X.-P. (83) 100)
- LiCoO<sub>2</sub>-coated NiO cathode  
Fuel cell; Lithium cobalt oxide; PVA-assisted sol-gel (Kuk, S.T. (83) 50)
- Li-ion  
Ragone data; Impedance (Nagasubramanian, G. (83) 193)
- Li-ion cells  
Thermal modeling; Thermal runaway; Sony cell; Scale-up design (Al Hallaj, S. (83) 1)
- Lithiated MCMB electrodes  
Electrolytes; SEI components (Richard, M.N. (83) 71)
- Lithium  
Vanadate; Insertion; Extraction; Kinetics (Kawakita, J. (83) 79)
- Noise; Battery; State-of-charge; Overcharge; Alkaline (Martinet, S. (83) 93)
- Doped chromium oxides; Cobalt; Cathode; Lithium-ion batteries (Zhang, D. (83) 121)
- Copper; Underpotential deposition; XPS; Differential pulse voltammetry (Fujieda, T. (83) 186)
- Lithium aluminate  
Molten carbonate fuel cell; Electrolyte matrix; Particle growth; Phase transformation; Solubility (Terada, S. (83) 227)
- Lithium battery  
Waste treatment; Recycling process (Contestabile, M. (83) 75)
- Lithium cobalt oxide  
Fuel cell; LiCoO<sub>2</sub>-coated NiO cathode; PVA-assisted sol-gel (Kuk, S.T. (83) 50)
- Lithium secondary batteries; Sol-gel method (Sun, Y.-K. (83) 223)
- Lithium-ion batteries  
Doped chromium oxides; Cobalt; Lithium; Cathode (Zhang, D. (83) 121)
- Graphite; Milling; Battery materials (Wang, H. (83) 141)
- Lithium ion battery  
Cathode; Precursor; Electrochemical property (Kweon, H.-J. (83) 84)
- Lithium-ion battery  
Slurry viscosity; Mixing sequences (Kim, K.M. (83) 108)
- Lithium ion battery  
Spinel Li[Li<sub>1/3</sub>Ti<sub>5/3</sub>]O<sub>4</sub>; Chemical insertion; AC impedance spectroscopy (Wang, G.X. (83) 156)
- Lithium/lithium-ion battery  
V<sub>2</sub>O<sub>5</sub>; Xerogel; Copper vanadium oxide; Coin cell (Coustier, F. (83) 9)

- Lithium secondary batteries  
Lithium cobalt oxide; Sol-gel method (Sun, Y.-K. (83) 223)
- Low time constant  
Double layer capacitor; Active material composition; Power capacitor (Bonnefoi, L. (83) 162)
- LSGM  
Ni-SDC anode; Sintering temperature; SOFC (Zhang, X. (83) 170)
- Mass transport  
Direct methanol fuel cell; Methanol crossover (Scott, K. (83) 204)
- Metal hydride  
Cobalt; LaNi<sub>4.27</sub>Sn<sub>0.24</sub> (Durairajan, A. (83) 114)
- Methanol crossover  
Direct methanol fuel cell; Mass transport (Scott, K. (83) 204)
- Methanol oxidation  
Catalyst; Electric vehicle; Fuel cell; Platinum; Ruthenium (McNicol, B.D. (83) 15)
- Milling  
Graphite; Lithium-ion batteries; Battery materials (Wang, H. (83) 141)
- Mixing sequences  
Lithium-ion battery; Slurry viscosity (Kim, K.M. (83) 108)
- Molten carbonate fuel cell  
Sensitization; Stainless steel; Intergranular corrosion; Cathode-gas environment (Lee, K.S. (83) 32)  
Simulation; Analysis; Gas flow; Gas diffusion; Cell performance (Hirata, H. (83) 41)  
Electrolyte matrix; Particle growth; Phase transformation; Solubility; Lithium aluminate (Terada, S. (83) 227)
- Molten carbonate fuel cells  
Electrolyte matrix; Anode sintering; Corrosion; Phase transformation (Terada, S. (83) 178)
- Ni-SDC anode  
Sintering temperature; LSGM; SOFC (Zhang, X. (83) 170)
- Noise  
Battery; State-of-charge; Overcharge; Alkaline; Lithium (Martinet, S. (83) 93)
- Non-linear model  
Battery modeling; Battery parameterization; Diffusion hindrance; EIS model analysis; Equivalent circuit; Transmission line model (Barsoukov, E. (83) 61)
- Overcharge  
Noise; Battery; State-of-charge; Alkaline; Lithium (Martinet, S. (83) 93)
- Oxidation  
Laves phase alloy; Electrode materials; Element dissolution; Particle pulverization (Gao, X.-P. (83) 100)
- Particle growth  
Molten carbonate fuel cell; Electrolyte matrix; Phase transformation; Solubility; Lithium aluminate (Terada, S. (83) 227)
- Particle pulverization  
Laves phase alloy; Electrode materials; Element dissolution; Oxidation (Gao, X.-P. (83) 100)
- PEMFC  
Fuel cell; Fuel cell stack; PEMFC stack; Portable power source; Electrode kinetics (Chu, D. (83) 128)
- PEMFC stack  
Fuel cell; PEMFC; Fuel cell stack; Portable power source; Electrode kinetics (Chu, D. (83) 128)
- Phase transformation  
Molten carbonate fuel cells; Electrolyte matrix; Anode sintering; Corrosion (Terada, S. (83) 178)  
Molten carbonate fuel cell; Electrolyte matrix; Particle growth; Solubility; Lithium aluminate (Terada, S. (83) 227)
- Platinum  
Catalyst; Electric vehicle; Fuel cell; Methanol oxidation; Ruthenium (McNicol, B.D. (83) 15)
- Portable power source  
Fuel cell; PEMFC; Fuel cell stack; PEMFC stack; Electrode kinetics (Chu, D. (83) 128)
- Power capacitor  
Double layer capacitor; Active material composition; Low time constant (Bonnefoi, L. (83) 162)
- Precursor  
Lithium ion battery; Cathode; Electrochemical property (Kweon, H.-J. (83) 84)
- PVA-assisted sol-gel  
Fuel cell; Lithium cobalt oxide; LiCoO<sub>2</sub>-coated NiO cathode (Kuk, S.T. (83) 50)
- Ragone data  
Li-ion; Impedance (Nagasubramanian, G. (83) 193)
- Recycling process  
Lithium battery; Waste treatment (Contestabile, M. (83) 75)
- Relaxation curve  
Galvanic cell; Discharge curve; Energy balance; Cell overvoltage (Djordjevic, A.B. (83) 134)
- Ruthenium  
Catalyst; Electric vehicle; Fuel cell; Methanol oxidation; Platinum (McNicol, B.D. (83) 15)
- Scale-up design  
Thermal modeling; Thermal runaway; Sony cell; Li-ion cells (Al Hallaj, S. (83) 1)
- SEI components  
Lithiated MCMB electrodes; Electrolytes (Richard, M.N. (83) 71)
- Sensitization  
Molten carbonate fuel cell; Stainless steel; Intergranular corrosion; Cathode-gas environment (Lee, K.S. (83) 32)
- Simulation  
Molten carbonate fuel cell; Analysis; Gas flow; Gas diffusion; Cell performance (Hirata, H. (83) 41)
- Sintering temperature  
Ni-SDC anode; LSGM; SOFC (Zhang, X. (83) 170)
- Slurry viscosity  
Lithium-ion battery; Mixing sequences (Kim, K.M. (83) 108)
- SOFC  
Fuel cell; Honeycomb; Extruded honeycomb; Demonstrator stack; Stack test (Wetzko, M. (83) 148)  
Ni-SDC anode; Sintering temperature; LSGM (Zhang, X. (83) 170)
- Sol-gel method  
Lithium secondary batteries; Lithium cobalt oxide (Sun, Y.-K. (83) 223)
- Solubility  
Molten carbonate fuel cell; Electrolyte matrix; Particle growth; Phase transformation; Lithium aluminate (Terada, S. (83) 227)
- Sony cell  
Thermal modeling; Thermal runaway; Li-ion cells; Scale-up design (Al Hallaj, S. (83) 1)
- Spinel Li<sub>1/3</sub>Ti<sub>5/3</sub>LO<sub>4</sub>  
Lithium ion battery; Chemical insertion; AC impedance spectroscopy (Wang, G.X. (83) 156)
- Spinel phase LiMn<sub>2</sub>O<sub>4</sub>  
Capacity fading; Cycling; Strain; Destruction of spinel phase (Song, M.Y. (83) 57)
- Stack test  
Fuel cell; SOFC; Honeycomb; Extruded honeycomb; Demonstrator stack (Wetzko, M. (83) 148)

## Stainless steel

Molten carbonate fuel cell; Sensitization; Intergranular corrosion;  
Cathode-gas environment (Lee, K.S. (83) 32)

## State-of-charge

Noise; Battery; Overcharge; Alkaline; Lithium (Martinet, S. (83) 93)

## Strain

Spinel phase  $\text{LiMn}_2\text{O}_4$ ; Capacity fading; Cycling; Destruction of  
spinel phase (Song, M.Y. (83) 57)

## Thermal modeling

Thermal runaway; Sony cell; Li-ion cells; Scale-up design (Al Hallaj,  
S. (83) 1)

## Thermal runaway

Thermal modeling; Sony cell; Li-ion cells; Scale-up design (Al Hallaj,  
S. (83) 1)

## Transmission line model

Battery modeling; Battery parameterization; Diffusion hindrance; EIS  
model analysis; Equivalent circuit; Non-linear model (Barsoukov,  
E. (83) 61)

## Underpotential deposition

Lithium; Copper; XPS; Differential pulse voltammetry (Fujieda, T.  
(83) 186)

## Vanadate

Lithium; Insertion; Extraction; Kinetics (Kawakita, J. (83) 79)

 $\text{V}_2\text{O}_5$ 

Xerogel; Copper vanadium oxide; Coin cell; Lithium/lithium-ion  
battery (Coustier, F. (83) 9)

## Waste treatment

Lithium battery; Recycling process (Contestabile, M. (83) 75)

## Xerogel

$\text{V}_2\text{O}_5$ ; Copper vanadium oxide; Coin cell; Lithium/lithium-ion bat-  
tery (Coustier, F. (83) 9)

## XPS

Lithium; Copper; Underpotential deposition; Differential pulse  
voltammetry (Fujieda, T. (83) 186)