

## Subject Index of Volume 92

- Acrylate  
Polymer electrolytes; Lithium battery; PEO; Photocuring (Kang, Y. (92) 255)
- Activation  
Nickel/metal-hydride battery; Electrochemical impedance spectra; Hydrogen storage alloy; Surface treatment (Chen, W. (92) 102)
- Alkaline bath  
Lead deposit; Glycerol; 1010 steel; Recovery (Carlos, I.A. (92) 56)
- Aluminate complex  
Ionic conduction;  $\text{TiS}_2$ ; Polymer complex; Solid electrolyte (Onishi, K. (92) 120)
- Annealing  
Hydrogen-absorbing alloy; Nickel metal hydride battery; Rapidly quenching (Ise, T. (92) 81)
- Au-codeposited  $\text{LiMn}_2\text{O}_4$  electrode  
 $\text{LiMn}_2\text{O}_4$ ; Electrochemical quartz crystal microbalance fracture of  $\text{LiMn}_2\text{O}_4$  powders (Lim, M.-R. (92) 168)
- Auto-ignited combustion  
 $\text{LiMn}_2\text{O}_4$ ; Synthesis; PAA (Park, H.-B. (92) 124)
- Batteries  
Lithium ion; X-ray diffraction; X-ray absorption spectroscopy (Balasubramanian, M. (92) 1)  
Films; Electrodes; Cell (Hikmet, R.A.M. (92) 212)
- Capacitor  
Pseudocapacitance; Thermal annealing; Cyclic voltammetry; Electro-precipitated; Nickel oxide (Kalu, E.E. (92) 163)
- Cathode active material  
Disulfide; Polyamide; Lithium battery; Lithium secondary battery (Tsutsumi, H. (92) 228)
- Cathode materials  
Lithium batteries; Polymer electrolyte; Thermal stability (Xia, Y. (92) 234)
- Cathode materials  
Potassium vanadium oxide; Manganese vanadium oxide; Hydrothermal synthesis; Lithium battery (Liu, P. (92) 204)
- Cell  
Films; Battery; Electrodes (Hikmet, R.A.M. (92) 212)
- Chloride bath  
Lead; Electrowinning; Voltammetric study (Expósito, E. (92) 260)
- $\text{CO}_2$ -separation  
Fuel cells; Efficiency; System; Load-following properties; Performance parameters; Mathematical model; Data (Thorstensen, B. (92) 9)
- Composite metal hydride alloy  
 $\text{Mg}_2\text{Ni}$ ;  $\text{TiNi}$ ; Mechanical alloying (Han, S.S. (92) 157)
- Coulombic efficiency  
Li-polymer cells;  $\text{LiAl}$  alloy; Electrochemical performance (Bang, H.J. (92) 45)
- Cycle-life  
Fluorination; Ni-MH battery; Hydrogen-storage alloy; Storage alloy; MH electrode; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Cyclic voltammetry  
Pseudocapacitance; Capacitor; Thermal annealing; Electroprecipitated; Nickel oxide (Kalu, E.E. (92) 163)
- Cycling of batteries  
Serial simulation; Electrochemical process; Cycling of electrodes (Wu, B. (92) 177)
- Cycling of electrodes  
Serial simulation; Electrochemical process; Cycling of batteries (Wu, B. (92) 177)
- Data  
Fuel cells; Efficiency; System; Load-following properties;  $\text{CO}_2$ -separation; Performance parameters; Mathematical model (Thorstensen, B. (92) 9)
- Discharge performance  
Fuel cell stack; PEMFC; Fuel cell modeling; Voltage-time behaviors (Jiang, R. (92) 193)
- Disulfide  
Polyamide; Cathode active material; Lithium battery; Lithium secondary battery (Tsutsumi, H. (92) 228)
- Efficiency  
Fuel cells; System; Load-following properties;  $\text{CO}_2$ -separation; Performance parameters; Mathematical model; Data (Thorstensen, B. (92) 9)
- Electric power storage  
Lithium ion battery;  $\text{LiCoO}_2$ ; Natural graphite (Majima, M. (92) 108)
- Electric vehicles  
Electrochemical capacitor; Lead-ruthenate pyrochlore; Surface redox processes (Cao, F. (92) 40)
- Electrochemical behavior  
Lithium-magnesium alloy; Kinetically-controlled vapor deposition; Lithium diffusion; Lithium battery (Shi, Z. (92) 70)
- Electrochemical capacitor  
Lead-ruthenate pyrochlore; Surface redox processes; Electric vehicles (Cao, F. (92) 40)
- Electrochemical impedance spectra  
Nickel/metal-hydride battery; Hydrogen storage alloy; Activation; Surface treatment (Chen, W. (92) 102)
- Electrochemical oxidation of hydrogen  
Solid oxide fuel cell; Internal-reforming; Steam reforming of methane; Ni-YSZ- $\text{CeO}_2$  catalyst; Zirconia electrolyte (Nakagawa, N. (92) 88)
- Electrochemical oxidation  
Lithium battery; Organic electrolyte; Microelectrode (Egashira, M. (92) 267)
- Electrochemical performance  
Li-polymer cells; Coulombic efficiency;  $\text{LiAl}$  alloy (Bang, H.J. (92) 45)
- Electrochemical process  
Serial simulation; Cycling of electrodes; Cycling of batteries (Wu, B. (92) 177)
- Electrochemical quartz crystal microbalance fracture of  $\text{LiMn}_2\text{O}_4$  powders  
 $\text{LiMn}_2\text{O}_4$ ; Au-codeposited  $\text{LiMn}_2\text{O}_4$  electrode (Lim, M.-R. (92) 168)

- Electrode material  
Lithium insertion; Titanium dioxide; Ramsdellite; Lithium batteries (Kuhn, A. (92) 221)
- Electrodes  
Films; Battery; Cell (Hikmet, R.A.M. (92) 212)
- Electroprecipitated  
Pseudocapacitance; Capacitor; Thermal annealing; Cyclic voltammetry; Nickel oxide (Kalu, E.E. (92) 163)
- Electrowinning  
Lead; Chloride bath; Voltammetric study (Expósito, E. (92) 260)
- EQCM  
Solvent influence; Polypyrrol (Varela, H. (92) 50)
- Ethanol  
Reforming; Partial oxidation; Hydrogen production; Thermodynamic analysis (Ioannides, T. (92) 17)
- Films  
Battery; Electrodes; Cell Lithium; Polymer; UNMWPE (Hikmet, R.A.M. (92) 212)
- Fluorination  
Ni-MH battery; Hydrogen-storage alloy; Storage alloy; MH electrode; Cycle-life; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Fuel cell efficiency  
High temperature fuel cells; Reversible heat engines (Haynes, C. (92) 199)
- Fuel cell modeling  
Fuel cell stack; Discharge performance; PEMFC; Voltage-time behaviors (Jiang, R. (92) 193)
- Fuel cell stack  
Discharge performance; PEMFC; Fuel cell modeling; Voltage-time behaviors (Jiang, R. (92) 193)
- Fuel cells  
Efficiency; System; Load-following properties; CO<sub>2</sub>-separation; Performance parameters; Mathematical model; Data (Thorstensen, B. (92) 9)
- Glass-fibre cloth  
Lithium-ion battery; Polymer electrolyte; Mechanical strength; Polymer gel electrolyte (Park, H.C. (92) 272)
- Glycerol  
Lead deposit; 1010 steel; Alkaline bath; Recovery (Carlos, I.A. (92) 56)
- Graphite  
Mechanical milling; Lithium-ion battery (Natarajan, C. (92) 187)
- High temperature fuel cells  
Reversible heat engines; Fuel cell efficiency (Haynes, C. (92) 199)
- Hydrogen production  
Ethanol; Reforming; Partial oxidation; Thermodynamic analysis (Ioannides, T. (92) 17)
- Hydrogen storage alloy  
Nickel/metal-hydride battery; Electrochemical impedance spectra; Activation; Surface treatment (Chen, W. (92) 102)
- Hydrogen storage  
Mechanical alloying; LaNi<sub>5</sub>-based alloy; Metal hydride electrode (Simičić, M.V. (92) 250)
- Hydrogen  
Polymer electrolyte fuel cell; Portable power source (Susai, T. (92) 131)
- Hydrogen-absorbing alloy  
Nickel metal hydride battery; Rapidly quenching; Annealing (Ise, T. (92) 81)
- Hydrogen-storage alloy  
Fluorination; Ni-MH battery; Storage alloy; MH electrode; Cycle-life; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Hydrothermal synthesis  
Potassium vanadium oxide; Manganese vanadium oxide; Lithium battery; Cathode materials (Liu, P. (92) 204)
- Internal-reforming  
Solid oxide fuel cell; Steam reforming of methane; Ni-YSZ-CeO<sub>2</sub> catalyst; Zirconia electrolyte; Electrochemical oxidation of hydrogen (Nakagawa, N. (92) 88)
- Ionic conduction  
Aluminate complex; TiS<sub>2</sub>; Polymer complex; Solid electrolyte (Onishi, K. (92) 120)
- Kinetically-controlled vapor deposition  
Lithium-magnesium alloy; Electrochemical behavior; Lithium diffusion; Lithium battery (Shi, Z. (92) 70)
- Laboratory-scale  
Lithium-ion batteries; Recycling (Contestabile, M. (92) 65)
- LaNi<sub>5</sub>-based alloy  
Mechanical alloying; Hydrogen storage; Metal hydride electrode (Simičić, M.V. (92) 250)
- Lanthanum  
Fluorination; Ni-MH battery; Hydrogen-storage alloy; Storage alloy; MH electrode; Cycle-life; Metal hydride (Park, H.Y. (92) 149)
- Lead deposit  
Glycerol; 1010 steel; Alkaline bath; Recovery (Carlos, I.A. (92) 56)
- Lead  
Electrowinning; Chloride bath; Voltammetric study (Expósito, E. (92) 260)
- Lead-ruthenate pyrochlore  
Electrochemical capacitor; Surface redox processes; Electric vehicles (Cao, F. (92) 40)
- Lithium  
Films; Battery; Electrodes; Cell; Polymer; UHMWPE (Hikmet, R.A.M. (92) 212)
- Li-polymer cells  
Coulombic efficiency; LiAl alloy; Electrochemical performance (Bang, H.J. (92) 45)
- LiAl alloy  
Li-polymer cells; Coulombic efficiency; Electrochemical performance (Bang, H.J. (92) 45)
- LiCoO<sub>2</sub>  
Lithium ion battery; Electric power storage; Natural graphite (Majima, M. (92) 108)
- LiMn<sub>2</sub>O<sub>4</sub>  
Au-codeposited LiMn<sub>2</sub>O<sub>4</sub> electrode; Electrochemical quartz crystal microbalance fracture of LiMn<sub>2</sub>O<sub>4</sub> powders (Lim, M.-R. (92) 168)  
Synthesis; PAA; Auto-ignited combustion (Park, H.-B. (92) 124)
- Lithium batteries  
Lithium insertion; Titanium dioxide; Ramsdellite; Electrode material (Kuhn, A. (92) 221)
- Lithium batteries  
Polymer electrolyte; Cathode materials; Thermal stability (Xia, Y. (92) 234)  
Disulfide; Polyamide; Cathode active material; Lithium secondary battery (Tsutsumi, H. (92) 228)  
Lithium-magnesium alloy; Kinetically-controlled vapor deposition; Electrochemical behavior; Lithium diffusion (Shi, Z. (92) 70)  
Organic electrolyte; Electrochemical oxidation; Microelectrode (Egashira, M. (92) 267)  
Polymer electrolyte; Polyurethane; PEO; Polymer blending (Wen, T.-C. (92) 139)  
Polymer electrolytes; PEO; Photocuring; Acrylate (Kang, Y. (92) 255)  
Potassium vanadium oxide; Manganese vanadium oxide; Hydrothermal synthesis; Cathode materials (Liu, P. (92) 204)
- Lithium cobalt oxide  
Molten-salt synthesis; Lithium-ion battery (Han, C.-H. (92) 95)
- Lithium diffusion  
Lithium-magnesium alloy; Kinetically-controlled vapor deposition; Electrochemical behavior; Lithium battery (Shi, Z. (92) 70)

- Lithium insertion  
Titanium dioxide; Ramsdellite; Lithium batteries; Electrode material (Kuhn, A. (92) 221)
- Lithium ion  
Batteries; X-ray diffraction; X-ray absorption spectroscopy (Balasubramanian, M. (92) 1)
- Lithium secondary battery  
Disulfide; Polyamide; Cathode active material; Lithium battery (Tsutsumi, H. (92) 228)
- Lithium-magnesium alloy  
Kinetically-controlled vapor deposition; Electrochemical behavior; Lithium diffusion; Lithium battery (Shi, Z. (92) 70)
- Lithium-ion battery  
Particle size; Surface area; Thermal stability (Cho, J. (92) 35)  
Recycling; Laboratory-scale (Contestabile, M. (92) 65)  
Molten-salt synthesis; Lithium cobalt oxide (Han, C.-H. (92) 95)  
LiCoO<sub>2</sub>; Electric power storage; Natural graphite (Majima, M. (92) 108)  
Mechanical milling; Graphite (Natarajan, C. (92) 187)  
Spinel oxysulfide; Sol-gel method; Manganese oxide; Magnesium and sulfur doping (Park, S.H. (92) 244)  
Polymer electrolyte; Glass-fibre cloth; Mechanical strength; Polymer gel electrolyte (Park, H.C. (92) 272)
- Load-following properties  
Fuel cells; Efficiency; System; CO<sub>2</sub>-separation; Performance parameters; Mathematical model; Data (Thorstensen, B. (92) 9)
- Magnesium and sulfur doping  
Spinel oxysulfide; Sol-gel method; Manganese oxide; Lithium-ion battery (Park, S.H. (92) 244)
- Manganese oxide  
Spinel oxysulfide; Sol-gel method; Lithium-ion battery; Magnesium and sulfur doping (Park, S.H. (92) 244)
- Manganese vanadium oxide  
Potassium vanadium oxide; Hydrothermal synthesis; Lithium battery; Cathode materials (Liu, P. (92) 204)
- Mathematical model  
Fuel cells; Efficiency; System; Load-following properties; CO<sub>2</sub>-separation; Performance parameters; Data (Thorstensen, B. (92) 9)
- Mechanical alloying  
Composite metal hydride alloy; Mg<sub>2</sub>Ni; TiNi (Han, S.S. (92) 157)  
LaNi<sub>5</sub>-based alloy; Hydrogen storage; Metal hydride electrode (Simičić, M.V. (92) 250)
- Mechanical milling  
Graphite; Lithium-ion battery (Natarajan, C. (92) 187)
- Mechanical strength  
Lithium-ion battery; Polymer electrolyte; Glass-fibre cloth; Polymer gel electrolyte (Park, H.C. (92) 272)
- Metal hydride electrode  
Mechanical alloying; LaNi<sub>5</sub>-based alloy; Hydrogen storage (Simičić, M.V. (92) 250)
- Metal hydride  
Fluorination; Ni-MH battery; Hydrogen-storage alloy; Storage alloy; MH electrode; Cycle-life; Lanthanum (Park, H.Y. (92) 149)
- Mg<sub>2</sub>Ni  
Composite metal hydride alloy; TiNi; Mechanical alloying (Han, S.S. (92) 157)
- MH electrode  
Fluorination; Ni-MH battery; Hydrogen-storage alloy; Storage alloy; Cycle-life; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Microelectrode  
Lithium battery; Organic electrolyte; Electrochemical oxidation (Egashira, M. (92) 267)
- Molten-salt synthesis  
Lithium-ion battery; Lithium cobalt oxide (Han, C.-H. (92) 95)
- Natural graphite  
Lithium ion battery; LiCoO<sub>2</sub>; Electric power storage (Majima, M. (92) 108)
- Ni-YSZ-CeO<sub>2</sub> catalyst  
Solid oxide fuel cell; Internal-reforming; Steam reforming of methane; Zirconia electrolyte; Electrochemical oxidation of hydrogen (Nakagawa, N. (92) 88)
- Ni-MH battery  
Fluorination; Hydrogen-storage alloy; Storage alloy; MH electrode; Cycle-life; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Nickel metal hydride battery  
Hydrogen-absorbing alloy; Rapidly quenching; Annealing (Ise, T. (92) 81)
- Nickel oxide  
Pseudocapacitance; Capacitor; Thermal annealing; Cyclic voltammetry; Electroprecipitated (Kalu, E.E. (92) 163)
- Nickel/metal-hydride battery  
Electrochemical impedance spectra; Hydrogen storage alloy; Activation; Surface treatment (Chen, W. (92) 102)
- Organic electrolyte  
Lithium battery; Electrochemical oxidation; Microelectrode (Egashira, M. (92) 267)
- PAA  
LiMn<sub>2</sub>O<sub>4</sub>; Synthesis; Auto-ignited combustion (Park, H.-B. (92) 124)
- Parametric analysis  
SOFC model; Thermodynamic analysis (Campanari, S. (92) 26)
- Partial oxidation  
Ethanol; Reforming; Hydrogen production; Thermodynamic analysis (Ioannides, T. (92) 17)
- Particle size  
Lithium-ion battery; Surface area; Thermal stability (Cho, J. (92) 35)
- PEMFC  
Fuel cell stack; Discharge performance; Fuel cell modeling; Voltage-time behaviors (Jiang, R. (92) 193)
- PEO  
Lithium battery; Polymer electrolyte; Polyurethane; Polymer blending (Wen, T.-C. (92) 139)  
Polymer electrolytes; Lithium battery; Photocuring; Acrylate (Kang, Y. (92) 255)
- Performance parameters  
Fuel cells; Efficiency; System; Load-following properties; CO<sub>2</sub>-separation; Mathematical model; Data (Thorstensen, B. (92) 9)
- Photocuring  
Polymer electrolytes; Lithium battery; PEO; Acrylate (Kang, Y. (92) 255)
- Polyamide  
Disulfide; Cathode active material; Lithium battery; Lithium secondary battery (Tsutsumi, H. (92) 228)
- Polymer  
Films; Battery; Electrodes; Cell; Lithium; UHMWPE (Hikmet, R.A.M. (92) 212)
- Polymer blending  
Lithium battery; Polymer electrolyte; Polyurethane; PEO (Wen, T.-C. (92) 139)
- Polymer complex  
Aluminate complex; Ionic conduction; TiS<sub>2</sub>; Solid electrolyte (Onishi, K. (92) 120)
- Polymer electrolyte fuel cell  
Hydrogen; Portable power source (Susai, T. (92) 131)
- Polymer electrolyte  
Lithium batteries; Cathode materials; Thermal stability (Xia, Y. (92) 234)  
Lithium battery; Polyurethane; PEO; Polymer blending (Wen, T.-C. (92) 139)  
Lithium-ion battery; Glass-fibre cloth; Mechanical strength; Polymer gel electrolyte (Park, H.C. (92) 272)  
Lithium battery; PEO; Photocuring; Acrylate (Kang, Y. (92) 255)

- Polymer gel electrolyte  
Lithium-ion battery; Polymer electrolyte; Glass-fibre cloth; Mechanical strength (Park, H.C. (92) 272)
- Polypyrrol  
EQCM; Solvent influence (Varela, H. (92) 50)
- Polyurethane  
Lithium battery; Polymer electrolyte; PEO; Polymer blending (Wen, T.-C. (92) 139)
- Portable power source  
Polymer electrolyte fuel cell; Hydrogen (Susai, T. (92) 131)
- Potassium vanadium oxide  
Manganese vanadium oxide; Hydrothermal synthesis; Lithium battery; Cathode materials (Liu, P. (92) 204)
- Pseudocapacitance  
Capacitor; Thermal annealing; Cyclic voltammetry; Electroprecipitated; Nickel oxide (Kalu, E.E. (92) 163)
- Ramsdellite  
Lithium insertion; Titanium dioxide; Lithium batteries; Electrode material (Kuhn, A. (92) 221)
- Rapidly quenching  
Hydrogen-absorbing alloy; Nickel metal hydride battery; Annealing (Ise, T. (92) 81)
- Recovery  
Lead deposit; Glycerol; 1010 steel; Alkaline bath (Carlos, I.A. (92) 56)
- Recycling  
Lithium-ion batteries; Laboratory-scale (Contestabile, M. (92) 65)
- Reforming  
Ethanol; Partial oxidation; Hydrogen production; Thermodynamic analysis (Ioannides, T. (92) 17)
- Reversible heat engines  
High temperature fuel cells; Fuel cell efficiency (Haynes, C. (92) 199)
- 1010 steel  
Lead deposit; Glycerol; Alkaline bath; Recovery (Carlos, I.A. (92) 56)
- Serial simulation  
Electrochemical process; Cycling of electrodes; Cycling of batteries (Wu, B. (92) 177)
- SOFC model  
Thermodynamic analysis; Parametric analysis (Campanari, S. (92) 26)
- Sol-gel method  
Spinel oxysulfide; Manganese oxide; Lithium-ion battery; Magnesium and sulfur doping (Park, S.H. (92) 244)
- Solid electrolyte  
Aluminate complex; Ionic conduction;  $\text{TiS}_2$ ; Polymer complex (Onishi, K. (92) 120)
- Solid oxide fuel cell  
Internal-reforming; Steam reforming of methane; Ni-YSZ- $\text{CeO}_2$  catalyst; Zirconia electrolyte; Electrochemical oxidation of hydrogen (Nakagawa, N. (92) 88)
- Solvent influence  
EQCM; Polypyrrol (Varela, H. (92) 50)
- Spinel oxysulfide  
Sol-gel method; Manganese oxide; Lithium-ion battery; Magnesium and sulfur doping (Park, S.H. (92) 244)
- Steam reforming of methane  
Solid oxide fuel cell; Internal-reforming; Ni-YSZ- $\text{CeO}_2$  catalyst; Zirconia electrolyte; Electrochemical oxidation of hydrogen (Nakagawa, N. (92) 88)
- Storage alloy  
Fluorination; Ni-MH battery; Hydrogen-storage alloy; MH electrode; Cycle-life; Lanthanum; Metal hydride (Park, H.Y. (92) 149)
- Surface area  
Lithium-ion battery; Particle size; Thermal stability (Cho, J. (92) 35)
- Surface redox processes  
Electrochemical capacitor; Lead-ruthenate pyrochlore; Electric vehicles (Cao, F. (92) 40)
- Surface treatment  
Nickel/metal-hydride battery; Electrochemical impedance spectra; Hydrogen storage alloy; Activation (Chen, W. (92) 102)
- Synthesis  
 $\text{LiMn}_2\text{O}_4$ ; PAA; Auto-ignited combustion (Park, H.-B. (92) 124)
- System  
Fuel cells; Efficiency; Load-following properties;  $\text{CO}_2$ -separation; Performance parameters; Mathematical model; Data (Thorstensen, B. (92) 9)
- Thermal annealing  
Pseudocapacitance; Capacitor; Cyclic voltammetry; Electroprecipitated; Nickel oxide (Kalu, E.E. (92) 163)
- Thermal stability  
Lithium-ion battery; Particle size; Surface area (Cho, J. (92) 35)  
Lithium batteries; Polymer electrolyte; Cathode materials (Xia, Y. (92) 234)
- Thermodynamic analysis  
Ethanol; Reforming; Partial oxidation; Hydrogen production (Ioannides, T. (92) 17)  
SOFC model; Parametric analysis (Campanari, S. (92) 26)
- TiNi  
Composite metal hydride alloy;  $\text{Mg}_2\text{Ni}$ ; Mechanical alloying (Han, S.S. (92) 157)
- $\text{TiS}_2$   
Aluminate complex; Ionic conduction; Polymer complex; Solid electrolyte (Onishi, K. (92) 120)
- Titanium dioxide  
Lithium insertion; Ramsdellite; Lithium batteries; Electrode material (Kuhn, A. (92) 221)
- UHMWPE  
Films; Battery; Electrodes; Cell; Lithium; Polymer (Hikmet, R.A.M. (92) 212)
- Voltage-time behaviors  
Fuel cell stack; Discharge performance; PEMFC; Fuel cell modeling (Jiang, R. (92) 193)
- Voltammetric study  
Lead; Electrowinning; Chloride bath (Expósito, E. (92) 260)
- X-ray absorption spectroscopy  
Lithium ion; Batteries; X-ray diffraction (Balasubramanian, M. (92) 1)
- X-ray diffraction  
Lithium ion; Batteries; X-ray absorption spectroscopy (Balasubramanian, M. (92) 1)
- Zirconia electrolyte  
Solid oxide fuel cell; Internal-reforming; Steam reforming of methane; Ni-YSZ- $\text{CeO}_2$  catalyst; Electrochemical oxidation of hydrogen (Nakagawa, N. (92) 88)