



ELSEVIER

Journal of Power Sources 97–98 (2001) 836–852

JOURNAL OF  
**POWER  
SOURCES**

www.elsevier.com/locate/jpowsour

## Subject Index of Volumes 97–98

- ac-Impedance  
High power cell; Charge-transfer resistance; Reference electrode; Symmetrical cell (Amine, K. (97–98) 684)
- Accelerated aging test  
Lithium ion batteries; Cycle life; Extrapolation method (Takei, K. (97–98) 697)
- Acoustic emission  
Dilatometry; Graphite; Lithium battery; Intercalation compound (Ohzuku, T. (97–98) 73)
- Activation  
Li-ion batteries; Graphite–metal oxide composites; Anode materials; Rate capability; Insertion mechanism (Huang, H. (97–98) 114)
- Actuators  
Microelectromechanical systems; Sensors (Singh, D. (97–98) 826)
- Additive  
TPD–GC/MS; Solid electrolyte interfaces; Graphite anode; Ethylene sulfite (Ota, H. (97–98) 107)
- Adsorptive potential  
Lithium ion battery; Graphite anode; Nitrogen adsorption; Surface energy distribution; Surface area (Olivier, J.P. (97–98) 151)
- Aerogels  
Vanadium pentoxide; Nanocomposites (Smyrl, W.H. (97–98) 469)
- Aging reaction  
Calendar life predictions; Lithium ion batteries (Broussely, M. (97–98) 13)
- Aluminum vanadate  
Lithium insertion; Vanadate; Transition metal oxides; Vanadium oxide (Andrukaitis, E. (97–98) 494)
- Aluminum  
Lithium ion battery; Anode; Thin film (Hamon, Y. (97–98) 185)
- Amorphous  
Anode; Tin; FT-IR; Raman spectroscopy (Gejke, C. (97–98) 226)
- Analyzed  
Synthesized; Singlet (Eguchi, M. (97–98) 548)
- Anode material  
Lead phosphate; Secondary lithium battery (Liu, Z. (97–98) 247)
- Anode materials  
Li-ion batteries; Graphite–metal oxide composites; Rate capability; Insertion mechanism; Activation (Huang, H. (97–98) 114)
- Anode materials  
Spinel sulfides; Lithium-ion; Mössbauer; Cycling; Calculations (Dedryvère, R. (97–98) 204)
- Anode  
Amorphous; Tin; FT-IR; Raman spectroscopy (Gejke, C. (97–98) 226)
- Anode  
Carbon nanotube; CH<sub>4</sub> decomposition; Propylene carbonate electrolyte (Ishihara, T. (97–98) 129)
- Anode  
Graphite intercalation compounds; Cathode; Lithium batteries (Yazami, R. (97–98) 33)
- Anode  
Li ion battery; SnS<sub>2</sub>; Li–Sn alloy; Sn (Momma, T. (97–98) 198)
- Anode  
Lithium battery; XAS; Transition metal oxides (Rossignol, C. (97–98) 491)
- Anode  
Lithium ion battery; Aluminum; Thin film (Hamon, Y. (97–98) 185)
- Anode  
Lithium-ion battery; Intermetallic; Indium antimonide (Vaughey, J.T. (97–98) 194)
- Anode-active materials  
Lithium secondary battery; Electric power storage; Electric vehicles; Cathode-active materials (Tanaka, T. (97–98) 2)
- Applications  
Medical; Lithium; Review (Holmes, C.F. (97–98) 739)
- Atomic force microscopy  
Lithium metal; Surface film; Elevated temperature; Cycling efficiency (Mogi, R. (97–98) 265)
- Ball milling  
Graphite–tin composites; Nanocrystalline; Lithium-ion battery (Wang, G.X. (97–98) 211)
- Ball-milling  
SnO<sub>2</sub>; ZnO; Li<sub>x</sub>Zn alloys (Belliard, F. (97–98) 219)
- Batteries  
Electrolytes; Conductivity; Electrochemical stability (Chojnacka, J. (97–98) 819)
- Battery  
Lithium ion cells; Recycling (Lain, M.J. (97–98) 736)
- Battery  
Lithium; Lithium-ion; Implantable; Medical (Schmidt, C.L. (97–98) 742)
- Battery  
Manganese-dioxide; Defibrillator; Cardioverter; Implantable power supply; Pacemaker; Lithium-iodine battery (Drews, J. (97–98) 747)
- Bellcore process  
Microporous PVDF; Diethylcarbonate (Huang, H. (97–98) 649)
- BET surface area  
Lithium intercalation; Graphite; Irreversible capacity; Double-layer capacitance; Graphite pore structure; Lithium-ion battery (Joho, F. (97–98) 78)
- Bismuth  
Metal anodes; Lithium ion batteries (Crosnier, O. (97–98) 188)
- Blended cathode  
Manganese spinel; LiNi<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub>; Mn dissolution; Storage; Recovery capacity (Numata, T. (97–98) 358)
- Block copolymer  
Lithium batteries; Transference number; Single-ion conductor (Sadoway, D.R. (97–98) 621)
- Block copolymer  
Lithium polymer battery; Vanadium oxide; Microbattery (Huang, B. (97–98) 674)
- Boronated carbon  
Lithium insertion; Mesophase pitch; Coke; Mesocarbon microbeads (Frackowiak, E. (97–98) 140)

- Calculation  
Lithium ion cells; Cathode voltage; Coulomb potential; Spinel  $\text{Li}_x\text{Mn}_2\text{O}_4$  (Yamaki, J.-i. (97–98) 349)
- Calculations  
Spinel sulfides; Lithium-ion; Mössbauer; Anode materials; Cycling (Dedryvère, R. (97–98) 204)
- Calendar life predictions  
Aging reaction; Lithium ion batteries (Broussely, M. (97–98) 13)
- Calorimetry  
Lithium-ion cell; Graphitic carbon; Hard carbon;  $\text{LiCoO}_2$  (Saito, Y. (97–98) 688)
- Capacitance  
Carbon nanotubes; Supercapacitor; Pseudocapacitance; Polypyrrole (Frackowiak, E. (97–98) 822)
- Capacitor  
Electrodes; UP-Cap (Nomoto, S. (97–98) 807)
- Capacity fade  
Mn dissolution; Lithium manganese oxides; Storage (Aoshima, T. (97–98) 377)
- Capacity loss  
 $\text{LiMn}_2\text{O}_4$ ; 3.2 V plateau; Oxygen deficiency; Mn dissolution (Wang, X. (97–98) 427)
- Capacity  
 $\text{LiMn}_2\text{O}_4$ ; Lattice parameter; The amount of  $\text{Mn}^{3+}$ ; Parameter (Chung, H.-T. (97–98) 454)
- Carbon anode  
Lithium batteries; Gelatine pretreatment (Gaberšček, M. (97–98) 67)
- Carbon anode  
SEI; Lithium intercalation (Ratnakumar, B.V. (97–98) 137)
- Carbon electrode  
Lithium-ion battery; Coal-tar pitch carbon; Electrochemical properties (Kim, J.-S. (97–98) 70)
- Carbon nanotube  
Anode;  $\text{CH}_4$  decomposition; Propylene carbonate electrolyte (Ishihara, T. (97–98) 129)
- Carbon nanotubes  
Graphite; Lithium intercalation; Lithium-ion cells (Prem Kumar, T. (97–98) 118)
- Carbon nanotubes  
Supercapacitor; Capacitance; Pseudocapacitance; Polypyrrole (Frackowiak, E. (97–98) 822)
- Carbon surface modification  
Lithium ion battery; Graphite anode; Carbon surface; Solid electrolyte interphase (Buqa, H. (97–98) 122)
- Carbon surface  
Lithium ion battery; Graphite anode; Carbon surface modification; Solid electrolyte interphase (Buqa, H. (97–98) 122)
- Carbon  
Passivation; Transmission microscopy; 3-Electrode (Dollé, M. (97–98) 104)
- Carbon  
Raman microscopy; Lithium cobalt oxide; Rechargeable lithium-ion batteries; Electrode characterization (Panitz, J.-C. (97–98) 174)
- Carbon  
SEI layer; Ellipsometry; Raman spectroscopy; Li-ion batteries (Kong, F. (97–98) 58)
- Carbon electrodes  
X-ray photoemission spectroscopy; Graphite powder; Carbon fibre; Lithium ion batteries (Blyth, R.I.R. (97–98) 171)
- Carbon fibre  
X-ray photoemission spectroscopy; Graphite powder; Lithium ion batteries; Carbon electrodes (Blyth, R.I.R. (97–98) 171)
- Carbonaceous anode  
Rechargeable lithium battery; Graphite (Lampe-Onnerud, C. (97–98) 133)
- Cardioverter  
Manganese-dioxide; Defibrillator; Implantable power supply; Pacemaker; Lithium-iodine battery; Battery (Drews, J. (97–98) 747)
- Cathode material  
In situ XAFS; Jahn–Teller distortion; Spinel; Chromium substitution (Nakai, I. (97–98) 412)
- Cathode material  
Lithium battery; Iron phosphate; Triphylite (Ravet, N. (97–98) 503)
- Cathode material  
Lithium ion batteries; Lithium iron phosphate; Preparation temperature; Crystal structure (Takahashi, M. (97–98) 508)
- Cathode voltage  
Lithium ion cells; Calculation; Coulomb potential; Spinel  $\text{Li}_x\text{Mn}_2\text{O}_4$  (Yamaki, J.-i. (97–98) 349)
- Cathode  
Graphite intercalation compounds; Anode; Lithium batteries (Yazami, R. (97–98) 33)
- Cathode  
 $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$ ; Electrochemistry; Lithium-ion cell (Storey, C. (97–98) 541)
- Cathode  
 $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$ ; Lithium ion cell (Grincourt, Y. (97–98) 711)
- Cathode  
Lithium ion cell; Li–Mn–O spinel; High-temperature performance; Cyclic voltammetry; Peak split; Oxygen deficient spinel (Ma, S. (97–98) 385)
- Cathode-active materials  
Lithium secondary battery; Electric power storage; Electric vehicles; Anode-active materials (Tanaka, T. (97–98) 2)
- Cathodes  
Conducting carbon; Rechargeable lithium-ion batteries (Liu, Z. (97–98) 361)
- Cathodes  
Electrochemical synthesis; Reduction of permanganate; Layered manganese oxides; Rancieite (Moore, G.J. (97–98) 393)
- Cathodes  
Lithium-ion batteries; Layer compounds (Subba Rao, G.V. (97–98) 313)
- Cathodes  
Mixed oxides; X-ray powder diffraction; Solid state  $^7\text{Li}$ ;  $^{51}\text{V}$  nuclear magnetic resonance (NMR); Lithium-ion batteries (Arrabito, M. (97–98) 478)
- Cathodic sulphide materials  
Lithium batteries; Role of corrosion (Dusheiko, V.A. (97–98) 555)
- Cation-vacancies  
Li–Mn–O system; Spinel (Strobel, P. (97–98) 381)
- Cell performance  
Polymer electrolyte; Lithium cell; Composite polymer electrolyte (Li, Q. (97–98) 795)
- Cell-impedance  
Lithium cobalt dioxide; Current transient; Cyclic voltammogram (Pyun, S.-I. (97–98) 277)
- Cell-impedance  
Lithium manganese oxide; Disorder to order phase transition; Lithium transport; Current transient (Pyun, S.-I. (97–98) 371)
- Cell-impedance  
Vanadium pentoxide; Current transient; Lithium ion diffusion (Pyun, S.-I. (97–98) 473)
- $\text{CH}_4$  decomposition  
Carbon nanotube; Anode; Propylene carbonate electrolyte (Ishihara, T. (97–98) 129)
- Charge–discharge curves  
X-ray diffraction; PVDF (Santiago, E.I. (97–98) 447)
- Charge–discharge  
Sn–Ca amorphous alloy; Lithium ion battery (Fang, L. (97–98) 181)
- Charge-transfer resistance  
High power cell; ac-Impedance; Reference electrode; Symmetrical cell (Amine, K. (97–98) 684)

- Charge/discharge properties  
X-ray diffraction; Structure analysis (Gover, R.K.B. (97–98) 316)
- Chemical diffusion coefficient of Li-ions  
Lithium rechargeable batteries;  $\text{Li}_x\text{NiO}_2$  and  $\text{Li}_x\text{Co}_{0.2}\text{Ni}_{0.8}\text{O}_2$  electrodes; Impedance spectroscopy (Levi, M.D. (97–98) 525)
- Chemical diffusion coefficient of Li-ions  
Rechargeable lithium batteries;  $\text{V}_2\text{O}_5$  electrodes; Impedance spectroscopy (Levi, M.D. (97–98) 482)
- Chemical diffusion coefficient  
Lithium rechargeable batteries; Disordered carbons; Impedance spectroscopy; SWNT (Aurbach, D. (97–98) 92)
- Chemically synthesised PPy  
PVDF-based electrolyte; Lithium polymer battery;  $\text{LiMn}_2\text{O}_4$ ;  $\text{LiMn}_2\text{O}_4$ -PPy composite (Kim, J.-U. (97–98) 450)
- Chromium substitution  
In situ XAFS; Jahn–Teller distortion; Spinel; Cathode material (Nakai, I. (97–98) 412)
- Citric acid  
 $\text{LiMn}_2\text{O}_4$ ; Sol–gel synthesis (Hwang, B.J. (97–98) 443)
- Coal-tar pitch carbon  
Lithium-ion battery; Electrochemical properties; Carbon electrode (Kim, J.-S. (97–98) 70)
- Cobalt oxide  
X-ray absorption spectroscopy; Lithium battery; Vanadium oxide (Laruelle, S. (97–98) 251)
- Cobaltate  
Lithium-ion battery; Solid-state reaction (Julien, C. (97–98) 290)
- Coke carbon  
Lithium secondary batteries; Mesophase-pitch carbon; Surface modification; Solid-state  $^7\text{Li}$ -NMR (Sato, Y. (97–98) 165)
- Coke  
Lithium insertion; Boronated carbon; Mesophase pitch; Mesocarbon microbeads (Frackowiak, E. (97–98) 140)
- Combed-branched PEO-based polymers  
Li electrodes; Gel electrolytes; In situ FTIR spectroscopy; SIR mode (Chusid, O. (97–98) 632)
- Compatibility  
Ionomer; Uptake of liquid electrolyte; Porous polymer matrix (Lee, Y.-G. (97–98) 616)
- Composite cathode  
Dry polymer electrolyte; Metallic lithium anode; Liquid-free polymer battery (Matsui, S. (97–98) 772)
- Composite cathode  
PEG; Polymer electrolyte; Lithium battery (Prosini, P.P. (97–98) 786)
- Composite cathodes  
Lithium polymer batteries; Lithium-metal; Lithium-ion; Polymer electrolytes; Fabrication process (Alessandrini, F. (97–98) 768)
- Composite polymer electrolyte  
Polymer electrolyte; Lithium cell; Cell performance (Li, Q. (97–98) 795)
- Concentration effect  
Temperature effect; Conductivity;  $\text{LiAlCl}_4$ ;  $\text{SOCl}_2$  (Fey, G.T.-K. (97–98) 602)
- Conducting carbon  
Cathodes; Rechargeable lithium-ion batteries (Liu, Z. (97–98) 361)
- Conducting salts  
Lithium battery; Lithium fluoroalkylphosphates; Non-aqueous electrolytes (Schmidt, M. (97–98) 557)
- Conductivity  
Electrolytes; Electrochemical stability; Batteries (Chojnacka, J. (97–98) 819)
- Conductivity  
 $\text{LiCoVO}_4$ ; La-doped; XAFS (Hwang, B.J. (97–98) 551)
- Conductivity  
 $\text{LiMnO}_4$ ; Electrochemical cells (Kamarulzaman, N. (97–98) 722)
- Conductivity  
Lithium ion battery; Graphite anode; Solid electrolyte interphase; Electrolyte additive (Wrodnigg, G.H. (97–98) 592)
- Conductivity  
Temperature effect; Concentration effect;  $\text{LiAlCl}_4$ ;  $\text{SOCl}_2$  (Fey, G.T.-K. (97–98) 602)
- Conjugated polymers  
Electronically conducting polymers; Polymer-based supercapacitors; Poly(3-methylthiophene); Supercapacitors (Mastragostino, M. (97–98) 812)
- Copolymers  
Electrochemical; Hexafluoro propylene (HFP) (Park, C.-K. (97–98) 775)
- Copper oxides  
Lithium; Neutron diffraction; Electrochemistry (Raekelboom, E.A. (97–98) 465)
- Coulomb efficiency (CE)  
Irreversible capacity loss (ICL); X-ray diffraction (XRD) analysis (Zaghib, K. (97–98) 97)
- Coulomb potential  
Lithium ion cells; Cathode voltage; Calculation; Spinel  $\text{Li}_x\text{Mn}_2\text{O}_4$  (Yamaki, J.-i. (97–98) 349)
- Coulombic efficiency  
Rechargeable lithium battery; Lithium metal anode; Electrolyte temperature; Cycle life; Precycling (Ishikawa, M. (97–98) 262)
- Cr  
Orthorhombic  $\text{LiMnO}_2$ ; Substitution effect; In; Cycle property (Sakurai, T. (97–98) 366)
- Crystal structure  
Lithium ion batteries; Lithium iron phosphate; Cathode material; Preparation temperature (Takahashi, M. (97–98) 508)
- Current transient  
Lithium cobalt dioxide; Cyclic voltammogram; Cell-impedance (Pyun, S.-I. (97–98) 277)
- Current transient  
Lithium manganese oxide; Disorder to order phase transition; Lithium transport; Cell-impedance (Pyun, S.-I. (97–98) 371)
- Current transient  
Vanadium pentoxide; Cell-impedance; Lithium ion diffusion (Pyun, S.-I. (97–98) 473)
- Cycle characteristics  
 $\text{LiPF}_6$ ;  $\text{LiPF}_4(\text{CF}_3)_2$ ; Thermal stability; HOMO; Oxidation potential (Kita, F. (97–98) 581)
- Cycle life  
Lithium ion batteries; Extrapolation method; Accelerated aging test (Takei, K. (97–98) 697)
- Cycle life  
Rechargeable lithium battery; Lithium metal anode; Electrolyte temperature; Coulombic efficiency; Precycling (Ishikawa, M. (97–98) 262)
- Cycle property  
Orthorhombic  $\text{LiMnO}_2$ ; Substitution effect; In; Cr (Sakurai, T. (97–98) 366)
- Cyclic voltammetry  
Lithium ion batteries; Fluorinated solvents; Electrolyte (Möller, K.-C. (97–98) 595)
- Cyclic voltammetry  
Lithium ion cell; Cathode; Li–Mn–O spinel; High-temperature performance; Peak split; Oxygen deficient spinel (Ma, S. (97–98) 385)
- Cyclic voltammogram  
Lithium cobalt dioxide; Current transient; Cell-impedance (Pyun, S.-I. (97–98) 277)
- Cycling efficiency  
Lithium battery; Electrolytic conductivity; Lithium organoborates; Scanning electron microscope (SEM) (Sasaki, Y. (97–98) 561)

- Cycling efficiency  
Lithium metal; Atomic force microscopy; Surface film; Elevated temperature (Mogi, R. (97–98) 265)
- Cycling efficiency  
Mg electrodes; Li electrodes; Surface films; Passivation; EIS; EQCM (Aurbach, D. (97–98) 269)
- Cycling  
Spinel sulfides; Lithium-ion; Mössbauer; Anode materials; Calculations (Dedryvère, R. (97–98) 204)
- Database  
Lithium battery; Electrolyte solution; Transport property; Model (Zhang, S. (97–98) 584)
- dc conductivity  
Low-dimensional; Polymer electrolytes; Lithium electrodes; Polymer blends; Self-tracking (Zheng, Y. (97–98) 641)
- Decomposition mechanism  
Lithium nickel oxide; Thermal behavior (Lee, K.-K. (97–98) 321)
- Decomposition  
Differential scanning calorimeter; Lithium ion batteries; Electrolyte; Thermal stability (Botte, G.G. (97–98) 570)
- Defibrillator  
Manganese-dioxide; Cardioverter; Implantable power supply; Pacemaker; Lithium-iodine battery; Battery (Drews, J. (97–98) 747)
- Dendrite  
Polyvinylpyrrolidone; Lithium metal batteries (Matsuda, Y. (97–98) 589)
- Dendritic growth  
Lithium/polymer/lithium cells; Sand's law (Rosso, M. (97–98) 804)
- 1,5-Diaminoanthraquinone  
Supramolecules; Electrochemical capacitor materials (Suematsu, S. (97–98) 816)
- Diethylcarbonate  
Microporous PVDF; Bellcore process (Huang, H. (97–98) 649)
- Differential scanning calorimeter  
Lithium ion batteries; Electrolyte; Thermal stability; Decomposition (Botte, G.G. (97–98) 570)
- Diffusion control  
Magnesium insertion; NASICON-structure; Sol–gel method (Makino, K. (97–98) 512)
- Diffusion of anion  
Polymer electrolytes; Hopping motion of lithium (Aihara, Y. (97–98) 628)
- Dilatometry  
Graphite; Acoustic emission; Lithium battery; Intercalation compound (Ohzuku, T. (97–98) 73)
- Disorder to order phase transition  
Lithium manganese oxide; Lithium transport; Current transient; Cell-impedance (Pyun, S.-I. (97–98) 371)
- Disordered carbons  
Lithium rechargeable batteries; Impedance spectroscopy; Chemical diffusion coefficient; SWNT (Aurbach, D. (97–98) 92)
- Disordered spinels  
Mechanochemistry; Lithium–manganese spinel; Mechanical activation (Kosova, N.V. (97–98) 406)
- Doped tin oxide  
Lithium-ion batteries; Thin films (Santos-Peña, J. (97–98) 232)
- Double-layer capacitance  
Lithium intercalation; Graphite; Irreversible capacity; BET surface area; Graphite pore structure; Lithium-ion battery (Joho, F. (97–98) 78)
- Dry polymer electrolyte  
Composite cathode; Metallic lithium anode; Liquid-free polymer battery (Matsui, S. (97–98) 772)
- EELS  
ELNES; Lithium ion batteries; Lithium manganese oxide; Spinel type structure (Shiraishi, Y. (97–98) 461)
- EIS  
Mg electrodes; Li electrodes; Surface films; Passivation; Cycling efficiency; EQCM (Aurbach, D. (97–98) 269)
- Electric power storage  
Lithium secondary battery; Electric vehicles; Cathode-active materials; Anode-active materials (Tanaka, T. (97–98) 2)
- Electric Vehicles  
Lithium Battery; Manganese (Horiba, T. (97–98) 719)
- Electric vehicles  
Lithium secondary battery; Electric power storage; Cathode-active materials; Anode-active materials (Tanaka, T. (97–98) 2)
- Electrochemical behavior  
Rechargeable Li batteries; Sodium–vanadium oxides; Impedance spectroscopy; Li-ion diffusion coefficient; Electrode surface chemistry (Aurbach, D. (97–98) 486)
- Electrochemical capacitor materials  
1,5-Diaminoanthraquinone; Supramolecules (Suematsu, S. (97–98) 816)
- Electrochemical cells  
LiMnO<sub>4</sub>; Conductivity (Kamarulzaman, N. (97–98) 722)
- Electrochemical impedance spectroscopy (EIS)  
Passivation film; Graphite electrode; Lithium (Martinet, A. (97–98) 83)
- Electrochemical properties  
Layered compounds; Intercalation reactions; Lithium-ion batteries; Lithiated metal oxides (Prabaharan, S.R.S. (97–98) 535)
- Electrochemical properties  
Lithium-ion battery; Coal-tar pitch carbon; Carbon electrode (Kim, J.-S. (97–98) 70)
- Electrochemical stability  
Electrolytes; Conductivity; Batteries (Chojnacka, J. (97–98) 819)
- Electrochemical stability  
Hyperbranched polymer; Polymer electrolyte; Poly(ethylene oxide); Ionic conductivity (Itoh, T. (97–98) 637)
- Electrochemical synthesis  
Reduction of permanganate; Cathodes; Layered manganese oxides; Rancieite (Moore, G.J. (97–98) 393)
- Electrochemical  
Copolymers; Hexafluoro propylene (HFP) (Park, C.-K. (97–98) 775)
- Electrochemistry  
Li<sub>x</sub>Cr<sub>y</sub>Mn<sub>2–y</sub>O<sub>4+z</sub>; Cathode; Lithium-ion cell (Storey, C. (97–98) 541)
- Electrochemistry  
Lithium; Copper oxides; Neutron diffraction (Raekelboom, E.A. (97–98) 465)
- Electrochemistry  
Lithium manganese oxide; Mechanochemistry; Grinding; Lithium battery (Soiron, S. (97–98) 402)
- 3-Electrode  
Carbon; Passivation; Transmission microscopy (Dollé, M. (97–98) 104)
- Electrode characterization  
Raman microscopy; Carbon; Lithium cobalt oxide; Rechargeable lithium-ion batteries (Panitz, J.-C. (97–98) 174)
- Electrode surface chemistry  
Rechargeable Li batteries; Sodium–vanadium oxides; Electrochemical behavior; Impedance spectroscopy; Li-ion diffusion coefficient (Aurbach, D. (97–98) 486)
- Electrode  
Fibres; Li-ion battery electrode; Nanomaterials (Li, N. (97–98) 240)
- Electrodes  
Capacitor; UP-Cap (Nomoto, S. (97–98) 807)
- Electrodes  
Tin/tin oxide; Thin film; Li-ion batteries (Sarradin, J. (97–98) 208)
- Electrolyte additive  
Lithium ion battery; Graphite anode; Solid electrolyte interphase; Conductivity (Wrodnigg, G.H. (97–98) 592)
- Electrolyte decomposition  
Lithium-ion cell; Graphite electrode; SEI film; In situ methods (Novák, P. (97–98) 39)

- Electrolyte solution  
Lithium battery; Transport property; Database; Model (Zhang, S. (97–98) 584)
- Electrolyte temperature  
Rechargeable lithium battery; Lithium metal anode; Coulombic efficiency; Cycle life; Precycling (Ishikawa, M. (97–98) 262)
- Electrolyte  
Differential scanning calorimeter; Lithium ion batteries; Thermal stability; Decomposition (Botte, G.G. (97–98) 570)
- Electrolyte  
Lithium ion batteries; Fluorinated solvents; Cyclic voltammetry (Möller, K.-C. (97–98) 595)
- Electrolyte  
Lithium manganate spinel; Ethylene carbonate (EC); Lithium tetrafluoroborate (Morita, M. (97–98) 354)
- Electrolytes  
Conductivity; Electrochemical stability; Batteries (Chojnacka, J. (97–98) 819)
- Electrolytic conductivity  
Lithium battery; Cycling efficiency; Lithium organoborates; Scanning electron microscope (SEM) (Sasaki, Y. (97–98) 561)
- Electronically conducting polymers  
Conjugated polymers; Polymer-based supercapacitors; Poly(3-methylthiophene); Supercapacitors (Mastragostino, M. (97–98) 812)
- Electrophoretic deposition  
Rechargeable lithium battery; Fabrication of electrodes (Kanamura, K. (97–98) 294)
- Electrostatic spray deposition  
LiCoO<sub>2</sub>; Thin-film; XANES; Microbatteries (Yoon, W.-S. (97–98) 282)
- Elevated temperature  
Lithium metal; Atomic force microscopy; Surface film; Cycling efficiency (Mogi, R. (97–98) 265)
- Ellipsometry  
Carbon; SEI layer; Raman spectroscopy; Li-ion batteries (Kong, F. (97–98) 58)
- ELNES  
EELS; Lithium ion batteries; Lithium manganese oxide; Spinel type structure (Shiraishi, Y. (97–98) 461)
- Enhanced cation transport  
Nanocomposite polymer electrolyte; Nuclear magnetic resonance (Chung, S.H. (97–98) 644)
- Entropy effect  
Lithium batteries; Thermal run-away; Scale-up design (Selman, J. Robert (97–98) 726)
- EQCM  
Mg electrodes; Li electrodes; Surface films; Passivation; Cycling efficiency; EIS (Aurbach, D. (97–98) 269)
- Ester  
Li-ion cell; Liquid electrolyte; Low temperature (Herreyre, S. (97–98) 576)
- Ethereal electrolyte solutions  
Li batteries; Mg batteries; Mg<sub>x</sub>MoS<sub>y</sub> cathodes (Aurbach, D. (97–98) 28)
- Ethylene carbonate (EC)  
Lithium manganate spinel; Electrolyte; Lithium tetrafluoroborate (Morita, M. (97–98) 354)
- Ethylene sulfite  
TPD–GC/MS; Solid electrolyte interfaces; Graphite anode; Additive (Ota, H. (97–98) 107)
- Extrapolation method  
Lithium ion batteries; Cycle life; Accelerated aging test (Takei, K. (97–98) 697)
- Fabrication of electrodes  
Electrophoretic deposition; Rechargeable lithium battery (Kanamura, K. (97–98) 294)
- Fabrication process  
Lithium polymer batteries; Lithium-metal; Lithium-ion; Polymer electrolytes; Composite cathodes (Alessandrini, F. (97–98) 768)
- Faradaic efficiency  
Polymer electrolyte bipolar battery; Li/pyrite batteries (Livshits, V. (97–98) 782)
- Fibres  
Electrode; Li-ion battery electrode; Nanomaterials (Li, N. (97–98) 240)
- First-principles calculations  
Li insertion; Intermetallic electrode (Benedek, R. (97–98) 201)
- First-principles  
Lithium diffusion; Li<sub>x</sub>CoO<sub>2</sub> (Van der Ven, A. (97–98) 529)
- Fluorinated solvents  
Lithium ion batteries; Electrolyte; Cyclic voltammetry (Möller, K.-C. (97–98) 595)
- Four-cation oxides  
Structural and electrochemical characteristics; Thermal behavior (Lee, K.K. (97–98) 308)
- FT-IR  
Anode; Amorphous; Tin; Raman spectroscopy (Gejke, C. (97–98) 226)
- Galvanostatic cycling test  
Lithium batteries; Sol–gel process (Franger, S. (97–98) 344)
- Gel electrolyte  
Lithium ion secondary battery; Shutdown; Safety (Liu, X. (97–98) 661)
- Gel electrolytes  
Li electrodes; Combed-branched PEO-based polymers; In situ FTIR spectroscopy; SIR mode (Chusid, O. (97–98) 632)
- Gel electrolytes  
Lithium batteries; Poly(vinylidene fluoride); Phase inversion; Porous membranes (Magistris, A. (97–98) 657)
- Gel polymer electrolyte  
Lithium-ion polymer battery (Kezuka, K. (97–98) 755)
- Gel polymer electrolytes  
Poly(acrylonitrile); Poly(acrylonitrile-itaconate); Ionic conductivity (Kim, Y.W. (97–98) 654)
- Gelatine pretreatment  
Lithium batteries; Carbon anode (Gaberšček, M. (97–98) 67)
- Gems  
Lithium batteries; Intermetallic compounds (Thackeray, M.M. (97–98) 7)
- Geosynchronous earth orbit  
Li ion batteries; Low earth orbit (Marsh, R.A. (97–98) 25)
- GIC  
SEI-layer; Thermal stability; LiCF<sub>3</sub>SO<sub>3</sub>; LiN(SO<sub>2</sub>CF<sub>3</sub>)<sub>2</sub> (Edström, K. (97–98) 87)
- Glass  
Lithium battery; Thin films; Microbatteries (Duclot, M. (97–98) 610)
- Grafted polymers  
Rechargeable lithium batteries; PVdF (Jarvis, C.R. (97–98) 664)
- Graphite anode  
Lithium ion battery; Carbon surface; Carbon surface modification; Solid electrolyte interphase (Buqa, H. (97–98) 122)
- Graphite anode  
Lithium ion battery; Nitrogen adsorption; Adsorptive potential; Surface energy distribution; Surface area (Olivier, J.P. (97–98) 151)
- Graphite anode  
Lithium ion battery; Solid electrolyte interphase; Electrolyte additive; Conductivity (Wrodnigg, G.H. (97–98) 592)
- Graphite anode  
Lithium-ion battery; Surface modification; Silane coupling; Solid electrolyte interphase (Buqa, H. (97–98) 126)
- Graphite anode  
TPD–GC/MS; Solid electrolyte interfaces; Ethylene sulfite; Additive (Ota, H. (97–98) 107)
- Graphite electrode  
Electrochemical impedance spectroscopy (EIS); Passivation film; Lithium (Martinet, A. (97–98) 83)

- Graphite electrode  
Lithium-ion cell; SEI film; Electrolyte decomposition; In situ methods (Novák, P. (97–98) 39)
- Graphite intercalation compounds  
Anode; Cathode; Lithium batteries (Yazami, R. (97–98) 33)
- Graphite pore structure  
Lithium intercalation; Graphite; Irreversible capacity; BET surface area; Double-layer capacitance; Lithium-ion battery (Joho, F. (97–98) 78)
- Graphite  
Carbon nanotubes; Lithium intercalation; Lithium-ion cells (Prem Kumar, T. (97–98) 118)
- Graphite  
Dilatometry; Acoustic emission; Lithium battery; Intercalation compound (Ohzuku, T. (97–98) 73)
- Graphite  
Lithium intercalation; Irreversible capacity; BET surface area; Double-layer capacitance; Graphite pore structure; Lithium-ion battery (Joho, F. (97–98) 78)
- Graphite  
Rechargeable lithium battery; Carbonaceous anode (Lampe-Onnerud, C. (97–98) 133)
- Graphite  
Surface film; Pyrolysis/gas chromatography/mass spectroscopy; Polymer (Ogumi, Z. (97–98) 156)
- Graphite powder  
X-ray photoemission spectroscopy; Carbon fibre; Lithium ion batteries; Carbon electrodes (Blyth, R.I.R. (97–98) 171)
- Graphite–metal oxide composites  
Li-ion batteries; Anode materials; Rate capability; Insertion mechanism; Activation (Huang, H. (97–98) 114)
- Graphite–tin composites  
Ball milling; Nanocrystalline; Lithium-ion battery (Wang, G.X. (97–98) 211)
- Graphitic carbon anode  
Li-ion batteries; Maccor or Bitrode systems (Weaving, J.S. (97–98) 733)
- Graphitic carbon  
Lithium-ion cell; Calorimetry; Hard carbon; LiCoO<sub>2</sub> (Saito, Y. (97–98) 688)
- Graphitized carbon anode  
Li-ion secondary batteries; Propylene carbonate; Single carbon fiber; Prevention of PC decomposition (Yamaguchi, K. (97–98) 159)
- Grinding  
Lithium manganese oxide; Mechanochemistry; Electrochemistry; Lithium battery (Soiron, S. (97–98) 402)
- Hard carbon  
Lithium-ion batteries; Irreversible capacity; High temperature treatment (Chevallier, F. (97–98) 143)
- Hard carbon  
Lithium-ion cell; Calorimetry; Graphitic carbon; LiCoO<sub>2</sub> (Saito, Y. (97–98) 688)
- Heat generation  
Overcharge; Lithium-ion cell; Thermal-runaway (Saito, Y. (97–98) 693)
- Hexafluoro propylene (HFP)  
Electrochemical; Copolymers (Park, C.-K. (97–98) 775)
- High power cell  
ac-Impedance; Charge-transfer resistance; Reference electrode; Symmetrical cell (Amine, K. (97–98) 684)
- High pulse-power battery  
Li-ion battery; Medical battery (Passerini, S. (97–98) 750)
- High temperature treatment  
Lithium-ion batteries; Irreversible capacity; Hard carbon (Chevallier, F. (97–98) 143)
- High-capacity carbon  
Lithium-ion batteries; Rice husk (Fey, G.T.-K. (97–98) 47)
- High-temperature performance  
Lithium ion cell; Cathode; Li–Mn–O spinel; Cyclic voltammetry; Peak split; Oxygen deficient spinel (Ma, S. (97–98) 385)
- High-voltage cathode  
Olivine LiMPO<sub>4</sub>; HRXRF (Okada, S. (97–98) 430)
- Hollandite  
Manganese dioxide; Lithium batteries (Johnson, C.S. (97–98) 437)
- HOMO  
LiPF<sub>6</sub>; LiPF<sub>4</sub>(CF<sub>3</sub>)<sub>2</sub>; Thermal stability; Oxidation potential; Cycle characteristics (Kita, F. (97–98) 581)
- HOPG  
SEI; XPS studies; TOF SIMS (Peled, E. (97–98) 52)
- Hopping motion of lithium  
Polymer electrolytes; Diffusion of anion (Aihara, Y. (97–98) 628)
- HRXRF  
Olivine LiMPO<sub>4</sub>; High-voltage cathode (Okada, S. (97–98) 430)
- Hydrothermal reaction  
Lithium batteries; LiFeO<sub>2</sub>–Li<sub>2</sub>MnO<sub>3</sub> (Tabuchi, M. (97–98) 415)
- Hyperbranched polymer  
Polymer electrolyte; Poly(ethylene oxide); Ionic conductivity; Electrochemical stability (Itoh, T. (97–98) 637)
- Impedance spectroscopy  
Lithium rechargeable batteries; Disordered carbons; Chemical diffusion coefficient; SWNT (Aurbach, D. (97–98) 92)
- Impedance spectroscopy  
Lithium rechargeable batteries; Li<sub>x</sub>NiO<sub>2</sub> and Li<sub>x</sub>Co<sub>0.2</sub>Ni<sub>0.8</sub>O<sub>2</sub> electrodes; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 525)
- Impedance spectroscopy  
Rechargeable Li batteries; Sodium–vanadium oxides; Electrochemical behavior; Li-ion diffusion coefficient; Electrode surface chemistry (Aurbach, D. (97–98) 486)
- Impedance spectroscopy  
Rechargeable lithium batteries; V<sub>2</sub>O<sub>5</sub> electrodes; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 482)
- Impedance techniques  
Lithium-thionyl chloride cells; Nyquist plot (Walsh, F. (97–98) 714)
- Implantable power supply  
Manganese-dioxide; Defibrillator; Cardioverter; Pacemaker; Lithium-iodine battery; Battery (Drews, J. (97–98) 747)
- Implantable  
Lithium; Lithium-ion; Medical; Battery (Schmidt, C.L. (97–98) 742)
- In situ analysis  
Mn dissolution; TXRF; XAFS (Terada, Y. (97–98) 420)
- In situ FTIR spectroscopy  
Li electrodes; Gel electrolytes; Combed-branched PEO-based polymers; SIR mode (Chusid, O. (97–98) 632)
- In situ methods  
Lithium-ion cell; Graphite electrode; SEI film; Electrolyte decomposition (Novák, P. (97–98) 39)
- In situ XAFS  
Jahn–Teller distortion; Spinel; Cathode material; Chromium substitution (Nakai, I. (97–98) 412)
- In  
Orthorhombic LiMnO<sub>2</sub>; Substitution effect; Cr; Cycle property (Sakurai, T. (97–98) 366)
- Indium antimonide  
Lithium-ion battery; Intermetallic; Anode (Vaughey, J.T. (97–98) 194)
- Insertion mechanism  
Li-ion batteries; Graphite–metal oxide composites; Anode materials; Rate capability; Activation (Huang, H. (97–98) 114)
- Intercalation compound  
Dilatometry; Graphite; Acoustic emission; Lithium battery (Ohzuku, T. (97–98) 73)
- Intercalation reactions  
Layered compounds; Lithium-ion batteries; Electrochemical properties; Lithiated metal oxides (Prabaharan, S.R.S. (97–98) 535)

- Intercalation  
Lithium ion battery; LiCoO<sub>2</sub>; Nonstoichiometry (Imanishi, N. (97–98) 287)
- Intercalation  
Manganese oxide; Todorokite; Lithium battery; Magnesium (Kumagai, N. (97–98) 515)
- Intercalation–deintercalation process  
Li-VOPO<sub>4</sub> systems; Synthesis route (Dupré, N. (97–98) 532)
- Interface stabilization  
Lithium electrode/polymer electrolyte interface; Lithium passivation layer; Self-assembled molecular layers (Le Granvalet-Mancini, M. (97–98) 624)
- Intermetallic compounds  
Lithium batteries; Gems (Thackeray, M.M. (97–98) 7)
- Intermetallic electrode  
First-principles calculations; Li insertion (Benedek, R. (97–98) 201)
- Intermetallic  
Lithium-ion battery; Anode; Indium antimonide (Vaughey, J.T. (97–98) 194)
- Ionic conductivity  
Hyperbranched polymer; Polymer electrolyte; Poly(ethylene oxide); Electrochemical stability (Itoh, T. (97–98) 637)
- Ionic conductivity  
Poly(acrylonitrile); Poly(acrylonitrile-itaconate); Gel polymer electrolytes (Kim, Y.W. (97–98) 654)
- Ionomer  
Compatibility; Uptake of liquid electrolyte; Porous polymer matrix (Lee, Y.-G. (97–98) 616)
- Iron phosphate  
Lithium battery; Cathode material; Triphylite (Ravet, N. (97–98) 503)
- Iron phosphates  
Lithium extraction mechanism; Neutron diffraction (Andersson, A.S. (97–98) 498)
- Irreversibility compensation  
Li-alloy composite anodes; Li<sub>2.6</sub>Co<sub>0.4</sub>N; Lithium ion battery (Takeda, Y. (97–98) 244)
- Irreversibility compensation  
SnO anode; Morphology modification; Lithium ion battery (Yang, J. (97–98) 216)
- Irreversible capacity loss (ICL)  
X-ray diffraction (XRD) analysis; Coulomb efficiency (CE) (Zaghib, K. (97–98) 97)
- Irreversible capacity  
Lithium intercalation; Graphite; BET surface area; Double-layer capacitance; Graphite pore structure; Lithium-ion battery (Joho, F. (97–98) 78)
- Irreversible capacity  
Lithium-ion batteries; Hard carbon; High temperature treatment (Chevallier, F. (97–98) 143)
- Jahn–Teller distortion  
In situ XAFS; Spinel; Cathode material; Chromium substitution (Nakai, I. (97–98) 412)
- Kinetics  
Mass transport; Thionyl chloride; Platinum microelectrode (Fey, G.T.-K. (97–98) 606)
- La-doped  
LiCoVO<sub>4</sub>; Conductivity; XAFS (Hwang, B.J. (97–98) 551)
- Laminated film bag  
Thin lithium-ion battery; Liquid electrolyte (Takami, N. (97–98) 677)
- Land Warrior  
US Army; Portable power programs (Hamlen, R. (97–98) 22)
- Laser ablation  
LiNi<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub>; Thin-film; Lithium-ion battery (Wang, G.X. (97–98) 298)
- Laser  
Li-ion; Safety; Reaction propagation (Pérès, J.P. (97–98) 702)
- Lattice parameter  
LiMn<sub>2</sub>O<sub>4</sub>; The amount of Mn<sup>3+</sup>; Capacity; Parameter (Chung, H.-T. (97–98) 454)
- Layer compounds  
Cathodes; Lithium-ion batteries (Subba Rao, G.V. (97–98) 313)
- Layered compounds  
Intercalation reactions; Lithium-ion batteries; Electrochemical properties; Lithiated metal oxides (Prabaharan, S.R.S. (97–98) 535)
- Layered manganese oxides  
Electrochemical synthesis; Reduction of permanganate; Cathodes; Rancieite (Moore, G.J. (97–98) 393)
- Leaching  
LiMn<sub>2</sub>O<sub>4</sub>; Spinel (Kelder, E.M. (97–98) 433)
- Lead phosphate  
Secondary lithium battery; Anode material (Liu, Z. (97–98) 247)
- Lead tin fluorides  
Lithium-ion battery; Lithium-alloy anode (Garza Tovar, L.L. (97–98) 258)
- Li batteries  
Mg batteries; Ethereal electrolyte solutions; Mg<sub>x</sub>MoS<sub>y</sub> cathodes (Aurbach, D. (97–98) 28)
- Li electrodes  
Gel electrolytes; Combed-branched PEO-based polymers; In situ FTIR spectroscopy; SIR mode (Chusid, O. (97–98) 632)
- Li electrodes  
Mg electrodes; Surface films; Passivation; Cycling efficiency; EIS; EQCM (Aurbach, D. (97–98) 269)
- Li insertion  
First-principles calculations; Intermetallic electrode (Benedek, R. (97–98) 201)
- Li ion batteries  
Geosynchronous earth orbit; Low earth orbit (Marsh, R.A. (97–98) 25)
- Li ion battery  
Anode; SnS<sub>2</sub>; Li–Sn alloy; Sn (Momma, T. (97–98) 198)
- Li ion polymer battery  
Li metal battery; Li polymer battery (Osaka, T. (97–98) 765)
- Li metal battery  
Li ion polymer battery; Li polymer battery (Osaka, T. (97–98) 765)
- Li polymer battery  
Li ion polymer battery; Li metal battery (Osaka, T. (97–98) 765)
- Li–Mn–O spinel  
Lithium ion cell; Cathode; High-temperature performance; Cyclic voltammetry; Peak split; Oxygen deficient spinel (Ma, S. (97–98) 385)
- Li–Mn–O system  
Spinel; Cation-vacancies (Strobel, P. (97–98) 381)
- Li–Sn alloy  
Li ion battery; Anode; SnS<sub>2</sub>; Sn (Momma, T. (97–98) 198)
- Li-alloy composite anode  
Li<sub>2.6</sub>Co<sub>0.4</sub>N; Solid polymer electrolyte; Lithium-ion battery (Yang, J. (97–98) 779)
- Li-alloy composite anodes  
Li<sub>2.6</sub>Co<sub>0.4</sub>N; Irreversibility compensation; Lithium ion battery (Takeda, Y. (97–98) 244)
- Li-ion batteries  
Carbon; SEI layer; Ellipsometry; Raman spectroscopy (Kong, F. (97–98) 58)
- Li-ion batteries  
Graphite–metal oxide composites; Anode materials; Rate capability; Insertion mechanism; Activation (Huang, H. (97–98) 114)
- Li-ion batteries  
Graphitic carbon anode; Maccor or Bitrode systems (Weaving, J.S. (97–98) 733)
- Li-ion batteries electrodes  
Tin/tin oxide; Thin film; Electrodes (Sarradin, J. (97–98) 208)

- Li-ion battery  
Fibres; Electrode; Nanomaterials (Li, N. (97–98) 240)
- Li-ion battery  
Medical battery; High pulse-power battery (Passerini, S. (97–98) 750)
- Li-ion battery  
Solid-state battery;  $\text{LiMn}_2\text{O}_4$  cathode;  $\text{V}_2\text{O}_5$  anode (Baba, M. (97–98) 798)
- Li-ion cell  
Liquid electrolyte; Low temperature; Ester (Herreyre, S. (97–98) 576)
- Li-ion diffusion coefficient  
Rechargeable Li batteries; Sodium–vanadium oxides; Electrochemical behavior; Impedance spectroscopy; Electrode surface chemistry (Aurbach, D. (97–98) 486)
- Li-ion secondary batteries  
Graphitized carbon anode; Propylene carbonate; Single carbon fiber; Prevention of PC decomposition (Yamaguchi, K. (97–98) 159)
- Li-ion technology  
 $\text{Li}_2\text{O}$ ; Nanometric 3d oxides (Poizot, P. (97–98) 235)
- Li-ion  
Safety; Reaction propagation; Laser (Pérès, J.P. (97–98) 702)
- Li- $\text{VOPO}_4$  systems  
Intercalation–deintercalation process; Synthesis route (Dupré, N. (97–98) 532)
- Li/pyrite batteries  
Polymer electrolyte bipolar battery; Faradaic efficiency (Livshits, V. (97–98) 782)
- $\text{Li}_x\text{CoO}_2$   
Lithium diffusion; First-principles (Van der Ven, A. (97–98) 529)
- $\text{Li}_{2.6}\text{Co}_{0.4}\text{N}$   
Li-alloy composite anode; Solid polymer electrolyte; Lithium-ion battery (Yang, J. (97–98) 779)
- $\text{Li}_{2.6}\text{Co}_{0.4}\text{N}$   
Li-alloy composite anodes; Irreversibility compensation; Lithium ion battery (Takeda, Y. (97–98) 244)
- $\text{Li}_2\text{Mn}_4\text{O}_9$   
Thermogravimetry; X-ray diffraction (Kilroy, W.P. (97–98) 336)
- $\text{Li}_2\text{O}$   
Li-ion technology; Nanometric 3d oxides (Poizot, P. (97–98) 235)
- $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$   
Cathode; Lithium ion cell (Grincourt, Y. (97–98) 711)
- $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$   
Electrochemistry; Cathode; Lithium-ion cell (Storey, C. (97–98) 541)
- $\text{Li}_x\text{NiO}_2$  and  $\text{Li}_x\text{Co}_{0.2}\text{Ni}_{0.8}\text{O}_2$  electrodes  
Lithium rechargeable batteries; Impedance spectroscopy; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 525)
- $\text{Li}_x\text{Zn}$  alloys  
 $\text{SnO}_2$ ;  $\text{ZnO}$ ; Ball-milling (Belliard, F. (97–98) 219)
- $\text{LiAl}_y\text{Co}_{1-y}\text{O}_2$   
Sol–gel process; Lithium rechargeable batteries; XANES (Yoon, W.-S. (97–98) 303)
- $\text{LiAlCl}_4$   
Temperature effect; Concentration effect; Conductivity;  $\text{SOCl}_2$  (Fey, G.T.-K. (97–98) 602)
- $\text{LiCF}_3\text{SO}_3$   
GIC; SEI-layer; Thermal stability;  $\text{LiN}(\text{SO}_2\text{CF}_3)_2$  (Edström, K. (97–98) 87)
- $\text{LiCoO}_2$   
Electrostatic spray deposition; Thin-film; XANES; Microbatteries (Yoon, W.-S. (97–98) 282)
- $\text{LiCoO}_2$   
Lithium ion battery; Intercalation; Nonstoichiometry (Imanishi, N. (97–98) 287)
- $\text{LiCoO}_2$   
Lithium-ion cell; Calorimetry; Graphitic carbon; Hard carbon (Saito, Y. (97–98) 688)
- $\text{LiCoO}_2$ -based cathode materials  
Phase transition; Thermal stability; Lithium batteries (Sun, X. (97–98) 274)
- $\text{LiCoVO}_4$   
Conductivity; La-doped; XAFS (Hwang, B.J. (97–98) 551)
- $\text{LiFeO}_2$ – $\text{Li}_2\text{MnO}_3$   
Lithium batteries; Hydrothermal reaction (Tabuchi, M. (97–98) 415)
- $\text{LiMn}_2\text{O}_4$  cathode  
Solid-state battery; Li-ion battery;  $\text{V}_2\text{O}_5$  anode (Baba, M. (97–98) 798)
- $\text{LiMn}_2\text{O}_4$  powders  
Lithium ion batteries; Particle size (Lu, C.-H. (97–98) 458)
- $\text{LiMn}_2\text{O}_4$   
3.2 V plateau; Oxygen deficiency; Capacity loss; Mn dissolution (Wang, X. (97–98) 427)
- $\text{LiMn}_2\text{O}_4$   
Lattice parameter; The amount of  $\text{Mn}^{3+}$ ; Capacity; Parameter (Chung, H.-T. (97–98) 454)
- $\text{LiMn}_2\text{O}_4$   
PVDF-based electrolyte; Lithium polymer battery; Chemically synthesised PPy;  $\text{LiMn}_2\text{O}_4$ -PPy composite (Kim, J.-U. (97–98) 450)
- $\text{LiMn}_2\text{O}_4$   
Sol–gel synthesis; Citric acid (Hwang, B.J. (97–98) 443)
- $\text{LiMn}_2\text{O}_4$   
Spinel; Leaching (Kelder, E.M. (97–98) 433)
- $\text{LiMn}_2\text{O}_4$   
Spinels; Redox steps (Palacin, M.R. (97–98) 398)
- $\text{LiMn}_2\text{O}_4$ -PPy composite  
PVDF-based electrolyte; Lithium polymer battery;  $\text{LiMn}_2\text{O}_4$ ; Chemically synthesised PPy (Kim, J.-U. (97–98) 450)
- $\text{LiMnO}_4$   
Electrochemical cells; Conductivity (Kamarulzaman, N. (97–98) 722)
- $\text{LiN}(\text{SO}_2\text{CF}_3)_2$   
GIC; SEI-layer; Thermal stability;  $\text{LiCF}_3\text{SO}_3$  (Edström, K. (97–98) 87)
- $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$   
Manganese spinel; Mn dissolution; Blended cathode; Storage; Recovery capacity (Numata, T. (97–98) 358)
- $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$   
Thin-film; Laser ablation; Lithium-ion battery (Wang, G.X. (97–98) 298)
- $\text{LiNiO}_2$   
Nickel L-edge; O K-edge (Uchimoto, Y. (97–98) 326)
- $\text{LiPF}_4(\text{CF}_3)_2$   
 $\text{LiPF}_6$ ; Thermal stability; HOMO; Oxidation potential; Cycle characteristics (Kita, F. (97–98) 581)
- $\text{LiPF}_6$   
 $\text{LiPF}_4(\text{CF}_3)_2$ ; Thermal stability; HOMO; Oxidation potential; Cycle characteristics (Kita, F. (97–98) 581)
- Liquid electrolyte  
Li-ion cell; Low temperature; Ester (Herreyre, S. (97–98) 576)
- Liquid electrolyte  
Thin lithium-ion battery; Laminated film bag (Takami, N. (97–98) 677)
- Liquid-free polymer battery  
Dry polymer electrolyte; Composite cathode; Metallic lithium anode (Matsui, S. (97–98) 772)
- Lithiated metal oxides  
Layered compounds; Intercalation reactions; Lithium-ion batteries; Electrochemical properties (Prabaharan, S.R.S. (97–98) 535)
- Lithium alloy anode  
Lithium-ion battery; Tin oxide; Tin oxide spinels; Transition metal oxide (Connor, P.A. (97–98) 223)
- Lithium batteries  
Block copolymer; Transference number; Single-ion conductor (Sadoway, D.R. (97–98) 621)
- Lithium batteries  
Carbon anode; Gelatine pretreatment (Gaberšček, M. (97–98) 67)



- Lithium batteries  
Cathodic sulphide materials; Role of corrosion (Dusheiko, V.A. (97–98) 555)
- Lithium batteries  
Galvanostatic cycling test; Sol–gel process (Franger, S. (97–98) 344)
- Lithium batteries  
Gel electrolytes; Poly(vinylidene fluoride); Phase inversion; Porous membranes (Magistris, A. (97–98) 657)
- Lithium batteries  
Gems; Intermetallic compounds (Thackeray, M.M. (97–98) 7)
- Lithium batteries  
Graphite intercalation compounds; Anode; Cathode (Yazami, R. (97–98) 33)
- Lithium batteries  
LiCoO<sub>2</sub>-based cathode materials; Phase transition; Thermal stability (Sun, X. (97–98) 274)
- Lithium batteries  
LiFeO<sub>2</sub>–Li<sub>2</sub>MnO<sub>3</sub>; Hydrothermal reaction (Tabuchi, M. (97–98) 415)
- Lithium batteries  
Lithium-rich cubic spinel; Lithium intercalation (Robertson, A.D. (97–98) 332)
- Lithium Battery  
Manganese; Electric Vehicles (Horiba, T. (97–98) 719)
- Lithium batteries  
Polyethylene oxide (PEO); Lithiumbis(perfluoroethylen)sulfonylimide (BETI); Polymer electrolyte; Vanadium oxide; V<sub>2</sub>O<sub>5</sub> (Appetecchi, G.B. (97–98) 790)
- Lithium batteries  
Reactive RF magnetron sputtering; Thin film cathodes; Tungsten oxysulfide (Martin-Litas, I. (97–98) 545)
- Lithium batteries  
Thermal run-away; Entropy effect; Scale-up design (Selman, J. Robert (97–98) 726)
- Lithium battery  
Anode; XAS; Transition metal oxides (Rossignol, C. (97–98) 491)
- Lithium battery  
Cathode material; Iron phosphate; Triphylite (Ravet, N. (97–98) 503)
- Lithium battery  
Dilatometry; Graphite; Acoustic emission; Intercalation compound (Ohzuku, T. (97–98) 73)
- Lithium battery  
Manganese dioxide; Hollandite (Johnson, C.S. (97–98) 437)
- Lithium battery  
Electrolyte solution; Transport property; Database; Model (Zhang, S. (97–98) 584)
- Lithium battery  
Electrolytic conductivity; Cycling efficiency; Lithium organoborates; Scanning electron microscope (SEM) (Sasaki, Y. (97–98) 561)
- Lithium battery  
Glass; Thin films; Microbatteries (Duclot, M. (97–98) 610)
- Lithium battery  
Lithium fluoroalkylphosphates; Conducting salts; Non-aqueous electrolytes (Schmidt, M. (97–98) 557)
- Lithium battery  
Manganese oxide; Todorokite; Intercalation; Magnesium (Kumagai, N. (97–98) 515)
- Lithium battery  
Lithium manganese oxide; Mechanochemistry; Grinding; Electrochemistry (Soiron, S. (97–98) 402)
- Lithium battery  
PEG; Composite cathode; Polymer electrolyte (Prosini, P.P. (97–98) 786)
- Lithium battery  
Thin films; Microelectrodes; Stability (Uchida, I. (97–98) 518)
- Lithium battery  
X-ray absorption spectroscopy; Vanadium oxide; Cobalt oxide (Laruelle, S. (97–98) 251)
- Lithium cell  
Polymer electrolyte; Composite polymer electrolyte; Cell performance (Li, Q. (97–98) 795)
- Lithium cobalt dioxide  
Current transient; Cyclic voltammogram; Cell-impedance (Pyun, S.-I. (97–98) 277)
- Lithium cobalt oxide  
Raman microscopy; Carbon; Rechargeable lithium-ion batteries; Electrode characterization (Panitz, J.-C. (97–98) 174)
- Lithium diffusion  
Li<sub>x</sub>CoO<sub>2</sub>; First-principles (Van der Ven, A. (97–98) 529)
- Lithium electrode/polymer electrolyte interface  
Lithium passivation layer; Self-assembled molecular layers; Interface stabilization (Le Granvalet-Mancini, M. (97–98) 624)
- Lithium electrodes  
Low-dimensional; Polymer electrolytes; dc conductivity; Polymer blends; Self-tracking (Zheng, Y. (97–98) 641)
- Lithium extraction mechanism  
Neutron diffraction; Iron phosphates (Andersson, A.S. (97–98) 498)
- Lithium fluoroalkylphosphates  
Lithium battery; Conducting salts; Non-aqueous electrolytes (Schmidt, M. (97–98) 557)
- Lithium insertion  
Aluminum vanadate; Vanadate; Transition metal oxides; Vanadium oxide (Andrukaitis, E. (97–98) 494)
- Lithium insertion  
Boronated carbon; Mesophase pitch; Coke; Mesocarbon microbeads (Frackowiak, E. (97–98) 140)
- Lithium intercalation  
Graphite; Carbon nanotubes; Lithium-ion cells (Prem Kumar, T. (97–98) 118)
- Lithium intercalation  
Graphite; Irreversible capacity; BET surface area; Double-layer capacitance; Graphite pore structure; Lithium-ion battery (Joho, F. (97–98) 78)
- Lithium intercalation  
Lithium batteries; Lithium-rich cubic spinel (Robertson, A.D. (97–98) 332)
- Lithium intercalation  
SEI; Carbon anode (Ratnakumar, B.V. (97–98) 137)
- Lithium intercalation  
Spinel; Lithium-ion battery (Bonino, F. (97–98) 389)
- Lithium ion batteries  
X-ray photoemission spectroscopy; Graphite powder; Carbon fibre; Carbon electrodes (Blyth, R.I.R. (97–98) 171)
- Lithium ion batteries  
Calendar life predictions; Aging reaction (Broussely, M. (97–98) 13)
- Lithium ion batteries  
Cycle life; Extrapolation method; Accelerated aging test (Takei, K. (97–98) 697)
- Lithium ion batteries  
Differential scanning calorimeter; Electrolyte; Thermal stability; Decomposition (Botte, G.G. (97–98) 570)
- Lithium ion batteries  
EELS; ELNES; Lithium manganese oxide; Spinel type structure (Shiraishi, Y. (97–98) 461)
- Lithium ion batteries  
Fluorinated solvents; Electrolyte; Cyclic voltammetry (Möller, K.-C. (97–98) 595)
- Lithium ion batteries  
LiMn<sub>2</sub>O<sub>4</sub> powders; Particle size (Lu, C.-H. (97–98) 458)
- Lithium ion batteries  
Lithium iron phosphate; Cathode material; Preparation temperature; Crystal structure (Takahashi, M. (97–98) 508)
- Lithium ion batteries  
Metal anodes; Bismuth (Crosnier, O. (97–98) 188)

- Lithium ion batteries  
Separators; Polymer membranes; Network morphology (Ooms, F.G.B. (97–98) 598)
- Lithium ion batteries  
Superacid-based lithium salts (Venkatesetty, H.V. (97–98) 671)
- Lithium ion battery  
Aluminum; Anode; Thin film (Hamon, Y. (97–98) 185)
- Lithium ion battery  
Graphite anode; Carbon surface; Carbon surface modification; Solid electrolyte interphase (Buqa, H. (97–98) 122)
- Lithium ion battery  
Graphite anode; Nitrogen adsorption; Adsorptive potential; Surface energy distribution; Surface area (Olivier, J.P. (97–98) 151)
- Lithium ion battery  
Graphite anode; Solid electrolyte interphase; Electrolyte additive; Conductivity (Wrodnigg, G.H. (97–98) 592)
- Lithium ion battery  
Intercalation;  $\text{LiCoO}_2$ ; Nonstoichiometry (Imanishi, N. (97–98) 287)
- Lithium ion battery  
Li-alloy composite anodes;  $\text{Li}_{2.6}\text{Co}_0.4\text{N}$ ; Irreversibility compensation (Takeda, Y. (97–98) 244)
- Lithium ion battery  
Rechargeable cell; Safety; Overcharge (Leising, R.A. (97–98) 681)
- Lithium ion battery  
Sn–Ca amorphous alloy; Charge–discharge (Fang, L. (97–98) 181)
- Lithium ion battery  
SnO anode; Morphology modification; Irreversibility compensation (Yang, J. (97–98) 216)
- Lithium ion cell  
Cathode; Li–Mn–O spinel; High-temperature performance; Cyclic voltammetry; Peak split; Oxygen deficient spinel (Ma, S. (97–98) 385)
- Lithium ion cell  
 $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$ ; Cathode (Grincourt, Y. (97–98) 711)
- Lithium ion cells  
Battery; Recycling (Lain, M.J. (97–98) 736)
- Lithium ion cells  
Cathode voltage; Calculation; Coulomb potential; Spinel  $\text{Li}_x\text{Mn}_2\text{O}_4$  (Yamaki, J.-i. (97–98) 349)
- Lithium ion diffusion  
Vanadium pentoxide; Current transient; Cell-impedance (Pyun, S.-I. (97–98) 473)
- Lithium ion secondary battery  
Gel electrolyte; Shutdown; Safety (Liu, X. (97–98) 661)
- Lithium iron chloride  
Solid-state battery; Lithium vanadium sulfide; Lithium iron sulfide (Takada, K. (97–98) 762)
- Lithium iron phosphate  
Lithium ion batteries; Cathode material; Preparation temperature; Crystal structure (Takahashi, M. (97–98) 508)
- Lithium iron sulfide  
Solid-state battery; Lithium vanadium sulfide; Lithium iron chloride (Takada, K. (97–98) 762)
- Lithium manganate spinel  
Electrolyte; Ethylene carbonate (EC); Lithium tetrafluoroborate (Morita, M. (97–98) 354)
- Lithium manganese oxide  
Disorder to order phase transition; Lithium transport; Current transient; Cell-impedance (Pyun, S.-I. (97–98) 371)
- Lithium manganese oxide  
EELS; ELNES; Lithium ion batteries; Spinel type structure (Shiraishi, Y. (97–98) 461)
- Lithium manganese oxide  
Mechanochemistry; Grinding; Electrochemistry; Lithium battery (Soiron, S. (97–98) 402)
- Lithium manganese oxides  
Mn dissolution; Capacity fade; Storage (Aoshima, T. (97–98) 377)
- Lithium manganese spinel  
Phase transition; Neutron structure analysis (Kanno, R. (97–98) 423)
- Lithium metal anode  
Rechargeable lithium battery; Electrolyte temperature; Coulombic efficiency; Cycle life; Precycling (Ishikawa, M. (97–98) 262)
- Lithium metal batteries  
Polyvinylpyrrolidone; Dendrite (Matsuda, Y. (97–98) 589)
- Lithium metal  
Atomic force microscopy; Surface film; Elevated temperature; Cycling efficiency (Mogi, R. (97–98) 265)
- Lithium nickel oxide  
Thermal behavior; Decomposition mechanism (Lee, K.-K. (97–98) 321)
- Lithium nickel oxides  
Microbatteries; Photoelectron spectroscopy; Thin films (Urbano, A. (97–98) 328)
- Lithium organoborates  
Lithium battery; Electrolytic conductivity; Cycling efficiency; Scanning electron microscope (SEM) (Sasaki, Y. (97–98) 561)
- Lithium passivation layer  
Lithium electrode/polymer electrolyte interface; Self-assembled molecular layers; Interface stabilization (Le Granvalet-Mancini, M. (97–98) 624)
- Lithium polymer batteries  
Lithium-metal; Lithium-ion; Polymer electrolytes; Composite cathodes; Fabrication process (Alessandrini, F. (97–98) 768)
- Lithium polymer battery  
PVDF-based electrolyte;  $\text{LiMn}_2\text{O}_4$ ; Chemically synthesised PPy;  $\text{LiMn}_2\text{O}_4$ -PPy composite (Kim, J.-U. (97–98) 450)
- Lithium polymer battery  
Vanadium oxide; Block copolymer; Microbattery (Huang, B. (97–98) 674)
- Lithium rechargeable batteries  
Disordered carbons; Impedance spectroscopy; Chemical diffusion coefficient; SWNT (Aurbach, D. (97–98) 92)
- Lithium rechargeable batteries  
 $\text{Li}_x\text{NiO}_2$  and  $\text{Li}_x\text{Co}_{0.2}\text{Ni}_{0.8}\text{O}_2$  electrodes; Impedance spectroscopy; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 525)
- Lithium rechargeable batteries  
Sol–gel process;  $\text{LiAl}_3\text{Co}_{1-y}\text{O}_2$ ; XANES (Yoon, W.-S. (97–98) 303)
- Lithium secondary batteries  
Coke carbon; Mesophase-pitch carbon; Surface modification; Solid-state  $^7\text{Li}$ -NMR (Sato, Y. (97–98) 165)
- Lithium secondary battery  
Electric power storage; Electric vehicles; Cathode-active materials; Anode-active materials (Tanaka, T. (97–98) 2)
- Lithium secondary battery  
Solid-state polymer electrolyte; 4 V class; Long life (Kuratomi, J. (97–98) 801)
- Lithium tetrafluoroborate  
Lithium manganate spinel; Electrolyte; Ethylene carbonate (EC) (Morita, M. (97–98) 354)
- Lithium transport  
Lithium manganese oxide; Disorder to order phase transition; Current transient; Cell-impedance (Pyun, S.-I. (97–98) 371)
- Lithium vanadium sulfide  
Solid-state battery; Lithium iron sulfide; Lithium iron chloride (Takada, K. (97–98) 762)
- Lithium  
Copper oxides; Neutron diffraction; Electrochemistry (Raekelboom, E.A. (97–98) 465)
- Lithium  
Electrochemical impedance spectroscopy (EIS); Passivation film; Graphite electrode (Martinet, A. (97–98) 83)
- Lithium  
Lithium-ion; Implantable; Medical; Battery (Schmidt, C.L. (97–98) 742)

- Lithium  
 Medical; Applications; Review (Holmes, C.F. (97–98) 739)
- Lithium–manganese spinel  
 Mechanochemistry; Mechanical activation; Disordered spinels (Kosova, N.V. (97–98) 406)
- Lithium-alloy anode  
 Lithium-ion battery; Lead tin fluorides (Garza Tovar, L.L. (97–98) 258)
- Lithium-iodine battery  
 Manganese-dioxide; Defibrillator; Cardioverter; Implantable power supply; Pacemaker; Battery (Drews, J. (97–98) 747)
- Lithium-ion batteries  
 Cathodes; Layer compounds (Subba Rao, G.V. (97–98) 313)
- Lithium-ion batteries  
 Doped tin oxide; Thin films (Santos-Peña, J. (97–98) 232)
- Lithium-ion batteries  
 High-capacity carbon; Rice husk (Fey, G.T.-K. (97–98) 47)
- Lithium-ion batteries  
 Irreversible capacity; Hard carbon; High temperature treatment (Chevallier, F. (97–98) 143)
- Lithium-ion batteries  
 Layered compounds; Intercalation reactions; Electrochemical properties; Lithiated metal oxides (Prabaharan, S.R.S. (97–98) 535)
- Lithium-ion batteries  
 Mixed oxides; X-ray powder diffraction; Solid state  $^7\text{Li}$ ;  $^{51}\text{V}$  nuclear magnetic resonance (NMR); Cathodes (Arrabito, M. (97–98) 478)
- Lithium-ion battery  
 Coal-tar pitch carbon; Electrochemical properties; Carbon electrode (Kim, J.-S. (97–98) 70)
- Lithium-ion battery  
 Cobaltate; Solid-state reaction (Julien, C. (97–98) 290)
- Lithium-ion battery  
 Graphite anode; Surface modification; Silane coupling; Solid electrolyte interphase (Buqa, H. (97–98) 126)
- Lithium-ion battery  
 Graphite–tin composites; Ball milling; Nanocrystalline (Wang, G.X. (97–98) 211)
- Lithium-ion battery  
 Intermetallic; Anode; Indium antimonide (Vaughey, J.T. (97–98) 194)
- Lithium-ion battery  
 Li-alloy composite anode;  $\text{Li}_{2.6}\text{Co}_{0.4}\text{N}$ ; Solid polymer electrolyte (Yang, J. (97–98) 779)
- Lithium-ion battery  
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ ; Thin-film; Laser ablation (Wang, G.X. (97–98) 298)
- Lithium-ion battery  
 Lithium alloy anode; Tin oxide; Tin oxide spinels; Transition metal oxide (Connor, P.A. (97–98) 223)
- Lithium-ion battery  
 Lithium intercalation; Graphite; Irreversible capacity; BET surface area; Double-layer capacitance; Graphite pore structure (Joho, F. (97–98) 78)
- Lithium-ion battery  
 Lithium-alloy anode; Lead tin fluorides (Garza Tovar, L.L. (97–98) 258)
- Lithium-ion battery  
 Spinel; Lithium intercalation (Bonino, F. (97–98) 389)
- Lithium-ion cell  
 Calorimetry; Graphitic carbon; Hard carbon;  $\text{LiCoO}_2$  (Saito, Y. (97–98) 688)
- Lithium-ion cell  
 Graphite electrode; SEI film; Electrolyte decomposition; In situ methods (Novák, P. (97–98) 39)
- Lithium-ion cell  
 Heat generation; Overcharge; Thermal-runaway (Saito, Y. (97–98) 693)
- Lithium-ion cell  
 $\text{Li}_x\text{Cr}_y\text{Mn}_{2-y}\text{O}_{4+z}$ ; Electrochemistry; Cathode (Storey, C. (97–98) 541)
- Lithium-ion cells  
 Graphite; Carbon nanotubes; Lithium intercalation (Prem Kumar, T. (97–98) 118)
- Lithium-ion polymer battery  
 Gel polymer electrolyte (Kezuka, K. (97–98) 755)
- Lithium-ion  
 Lithium polymer batteries; Lithium-metal; Polymer electrolytes; Composite cathodes; Fabrication process (Alessandrini, F. (97–98) 768)
- Lithium-ion  
 Lithium; Implantable; Medical; Battery (Schmidt, C.L. (97–98) 742)
- Lithium-ion  
 Spinel sulfides; Mössbauer; Anode materials; Cycling; Calculations (Dedryvère, R. (97–98) 204)
- Lithium-metal  
 Lithium polymer batteries; Lithium-ion; Polymer electrolytes; Composite cathodes; Fabrication process (Alessandrini, F. (97–98) 768)
- Lithium-rich cubic spinel  
 Lithium batteries; Lithium intercalation (Robertson, A.D. (97–98) 332)
- Lithium-thionyl chloride cells  
 Impedance techniques; Nyquist plot (Walsh, F. (97–98) 714)
- Lithium/polymer/lithium cells  
 Dendritic growth; Sand's law (Rosso, M. (97–98) 804)
- Lithiumbis(perfluoroethylen)sulfonylimide (BETI)  
 Polyethylene oxide (PEO); Polymer electrolyte; Vanadium oxide;  $\text{V}_2\text{O}_5$ ; Lithium batteries (Appetecchi, G.B. (97–98) 790)
- Long life  
 Solid-state polymer electrolyte; Lithium secondary battery; 4 V class (Kuratomi, J. (97–98) 801)
- Low earth orbit  
 Geosynchronous earth orbit; Li ion batteries (Marsh, R.A. (97–98) 25)
- Low temperature preparation  
 Tin oxide films; Photo-CVD (Kobayashi, H. (97–98) 229)
- Low temperature  
 Li-ion cell; Liquid electrolyte; Ester (Herreyre, S. (97–98) 576)
- Low-dimensional  
 Polymer electrolytes; dc conductivity; Lithium electrodes; Polymer blends; Self-tracking (Zheng, Y. (97–98) 641)
- Maccor or Bitrode systems  
 Li-ion batteries; Graphitic carbon anode (Weaving, J.S. (97–98) 733)
- Magnesium insertion  
 NASICON-structure; Sol–gel method; Diffusion control (Makino, K. (97–98) 512)
- Magnesium  
 Manganese oxide; Todorokite; Intercalation; Lithium battery (Kumagai, N. (97–98) 515)
- Manganese dioxide  
 Lithium batteries; Hollandite (Johnson, C.S. (97–98) 437)
- Manganese oxide  
 Todorokite; Intercalation; Lithium battery; Magnesium (Kumagai, N. (97–98) 515)
- Manganese spinel  
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ ; Mn dissolution; Blended cathode; Storage; Recovery capacity (Numata, T. (97–98) 358)
- Manganese  
 Lithium Battery; Electric Vehicles (Horiba, T. (97–98) 719)
- Manganese-dioxide  
 Defibrillator; Cardioverter; Implantable power supply; Pacemaker; Lithium-iodine battery; Battery (Drews, J. (97–98) 747)
- Mass transport  
 Kinetics; Thionyl chloride; Platinum microelectrode (Fey, G.T.-K. (97–98) 606)
- Mechanical activation  
 Mechanochemistry; Lithium–manganese spinel; Disordered spinels (Kosova, N.V. (97–98) 406)
- Mechanochemistry  
 Lithium manganese oxide; Grinding; Electrochemistry; Lithium battery (Soiron, S. (97–98) 402)

- Mechanochemistry  
Lithium–manganese spinel; Mechanical activation; Disordered spinels (Kosova, N.V. (97–98) 406)
- Medical battery  
Li-ion battery; High pulse-power battery (Passerini, S. (97–98) 750)
- Medical  
Applications; Lithium; Review (Holmes, C.F. (97–98) 739)
- Medical  
Lithium; Lithium-ion; Implantable; Battery (Schmidt, C.L. (97–98) 742)
- Mesocarbon microbeads  
Lithium insertion; Boronated carbon; Mesophase pitch; Coke (Frackowiak, E. (97–98) 140)
- Mesophase pitch  
Lithium insertion; Boronated carbon; Coke; Mesocarbon microbeads (Frackowiak, E. (97–98) 140)
- Mesophase-pitch carbon  
Lithium secondary batteries; Coke carbon; Surface modification; Solid-state  $^7\text{Li}$ -NMR (Sato, Y. (97–98) 165)
- Metal anodes  
Lithium ion batteries; Bismuth (Crosnier, O. (97–98) 188)
- Metallic lithium anode  
Dry polymer electrolyte; Composite cathode; Liquid-free polymer battery (Matsui, S. (97–98) 772)
- Mg batteries  
Li batteries; Ethereal electrolyte solutions;  $\text{Mg}_x\text{MoS}_y$  cathodes (Aurbach, D. (97–98) 28)
- Mg electrodes  
Li electrodes; Surface films; Passivation; Cycling efficiency; EIS; EQCM (Aurbach, D. (97–98) 269)
- $\text{Mg}_x\text{MoS}_y$  cathodes  
Li batteries; Mg batteries; Ethereal electrolyte solutions (Aurbach, D. (97–98) 28)
- Micro-Raman  
Spectro-electrochemistry; Polymer gel electrolyte; PAN (Ostrovskii, D. (97–98) 667)
- Microbatteries  
Electrostatic spray deposition;  $\text{LiCoO}_2$ ; Thin-film; XANES (Yoon, W.-S. (97–98) 282)
- Microbatteries  
Glass; Lithium battery; Thin films (Duclot, M. (97–98) 610)
- Microbatteries  
Lithium nickel oxides; Photoelectron spectroscopy; Thin films (Urbano, A. (97–98) 328)
- Microbattery  
Si thin-film anode; Stress measurement (Lee, S.-J. (97–98) 191)
- Microbattery  
Lithium polymer battery; Vanadium oxide; Block copolymer (Huang, B. (97–98) 674)
- Microelectrodes  
Lithium battery; Thin films; Stability (Uchida, I. (97–98) 518)
- Microelectromechanical systems  
Sensors; Actuators (Singh, D. (97–98) 826)
- Microporosity  
Plastic Li-ion battery; PVDF–HFP; Plasticizer (Du Pasquier, A. (97–98) 758)
- Microporous PVDF  
Diethylcarbonate; Bellcore process (Huang, H. (97–98) 649)
- Mixed oxides  
X-ray powder diffraction; Solid state  $^7\text{Li}$ ;  $^{51}\text{V}$  nuclear magnetic resonance (NMR); Cathodes; Lithium-ion batteries (Arrabito, M. (97–98) 478)
- Mn dissolution  
In situ analysis; TXRF; XAFS (Terada, Y. (97–98) 420)
- Mn dissolution  
 $\text{LiMn}_2\text{O}_4$ ; 3.2 V plateau; Oxygen deficiency; Capacity loss (Wang, X. (97–98) 427)
- Mn dissolution  
Lithium manganese oxides; Capacity fade; Storage (Aoshima, T. (97–98) 377)
- Mn dissolution  
Manganese spinel;  $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ ; Blended cathode; Storage; Recovery capacity (Numata, T. (97–98) 358)
- Mössbauer  
Spinel sulfides; Lithium-ion; Anode materials; Cycling; Calculations (Dedryvère, R. (97–98) 204)
- Model  
Lithium battery; Electrolyte solution; Transport property; Database (Zhang, S. (97–98) 584)
- Morphology modification  
 $\text{SnO}$  anode; Irreversibility compensation; Lithium ion battery (Yang, J. (97–98) 216)
- Morphology  
Natural graphite; Passivation; SEI (Zane, D. (97–98) 146)
- Nanocomposite polymer electrolyte  
Nuclear magnetic resonance; Enhanced cation transport (Chung, S.H. (97–98) 644)
- Nanocomposites  
Vanadium pentoxide; Aerogels (Smyrl, W.H. (97–98) 469)
- Nanocrystalline  
Graphite–tin composites; Ball milling; Lithium-ion battery (Wang, G.X. (97–98) 211)
- Nanomaterials  
Fibres; Electrode; Li-ion battery; Electrode (Li, N. (97–98) 240)
- Nanometric 3d oxides  
Li-ion technology;  $\text{Li}_2\text{O}$  (Poizot, P. (97–98) 235)
- NASICON-structure  
Magnesium insertion; Sol–gel method; Diffusion control (Makino, K. (97–98) 512)
- Natural graphite  
Passivation; SEI; Morphology (Zane, D. (97–98) 146)
- Network morphology  
Separators; Lithium ion batteries; Polymer membranes (Ooms, F.G.B. (97–98) 598)
- Neutron diffraction  
Lithium extraction mechanism; Iron phosphates (Andersson, A.S. (97–98) 498)
- Neutron diffraction  
Lithium; Copper oxides; Electrochemistry (Raekelboom, E.A. (97–98) 465)
- Neutron structure analysis  
Lithium manganese spinel; Phase transition (Kanno, R. (97–98) 423)
- Nickel L-edge  
O K-edge;  $\text{LiNiO}_2$  (Uchimoto, Y. (97–98) 326)
- Nitrogen adsorption  
Lithium ion battery; Graphite anode; Adsorptive potential; Surface energy distribution; Surface area (Olivier, J.P. (97–98) 151)
- Non-aqueous electrolytes  
Lithium battery; Lithium fluoroalkylphosphates; Conducting salts (Schmidt, M. (97–98) 557)
- Nonstoichiometry  
Lithium ion battery; Intercalation;  $\text{LiCoO}_2$  (Imanishi, N. (97–98) 287)
- Nuclear magnetic resonance  
Nanocomposite polymer electrolyte; Enhanced cation transport (Chung, S.H. (97–98) 644)
- $^{51}\text{V}$  nuclear magnetic resonance (NMR)  
Mixed oxides; X-ray powder diffraction; Solid state  $^7\text{Li}$ ; Cathodes; Lithium-ion batteries (Arrabito, M. (97–98) 478)
- Nyquist plot  
Lithium-thionyl chloride cells; Impedance techniques (Walsh, F. (97–98) 714)

- O K-edge  
Nickel L-edge; LiNiO<sub>2</sub> (Uchimoto, Y. (97–98) 326)
- Olivine LiMPO<sub>4</sub>  
High-voltage cathode; HRXRF (Okada, S. (97–98) 430)
- Orthorhombic LiMnO<sub>2</sub>  
Substitution effect; In; Cr; Cycle property (Sakurai, T. (97–98) 366)
- Overcharge  
Heat generation; Lithium-ion cell; Thermal-runaway (Saito, Y. (97–98) 693)
- Overcharge  
Rechargeable cell; Lithium ion battery; Safety (Leising, R.A. (97–98) 681)
- Oxidation potential  
LiPF<sub>6</sub>; LiPF<sub>4</sub>(CF<sub>3</sub>)<sub>2</sub>; Thermal stability; HOMO; Cycle characteristics (Kita, F. (97–98) 581)
- Oxygen deficiency  
LiMn<sub>2</sub>O<sub>4</sub>; 3.2 V plateau; Capacity loss; Mn dissolution (Wang, X. (97–98) 427)
- Oxygen deficient spinel  
Lithium ion cell; Cathode; Li–Mn–O spinel; High-temperature performance; Cyclic voltammetry; Peak split (Ma, S. (97–98) 385)
- Pacemaker  
Manganese-dioxide; Defibrillator; Cardioverter; Implantable power supply; Lithium-iodine battery; Battery (Drews, J. (97–98) 747)
- PAN  
Micro-Raman; Spectro-electrochemistry; Polymer gel electrolyte (Ostrovskii, D. (97–98) 667)
- Parameter  
LiMn<sub>2</sub>O<sub>4</sub>; Lattice parameter; The amount of Mn<sup>3+</sup>; Capacity (Chung, H.-T. (97–98) 454)
- Particle size  
LiMn<sub>2</sub>O<sub>4</sub> powders; Lithium ion batteries (Lu, C.-H. (97–98) 458)
- Passivation film  
Electrochemical impedance spectroscopy (EIS); Graphite electrode; Lithium (Martinet, A. (97–98) 83)
- Passivation  
Carbon; Transmission microscopy; 3-Electrode (Dollé, M. (97–98) 104)
- Passivation  
Mg electrodes; Li electrodes; Surface films; Cycling efficiency; EIS; EQCM (Aurbach, D. (97–98) 269)
- Passivation  
Natural graphite; SEI; Morphology (Zane, D. (97–98) 146)
- Peak split  
Lithium ion cell; Cathode; Li–Mn–O spinel; High-temperature performance; Cyclic voltammetry; Oxygen deficient spinel (Ma, S. (97–98) 385)
- PEG  
Composite cathode; Polymer electrolyte; Lithium battery (Prosini, P.P. (97–98) 786)
- Phase inversion  
Lithium batteries; Gel electrolytes; Poly(vinylidene fluoride); Porous membranes (Magistris, A. (97–98) 657)
- Phase transition  
LiCoO<sub>2</sub>-based cathode materials; Thermal stability; Lithium batteries (Sun, X. (97–98) 274)
- Phase transition  
Lithium manganese spinel; Neutron structure analysis (Kanno, R. (97–98) 423)
- Photo-CVD  
Tin oxide films; Low temperature preparation (Kobayashi, H. (97–98) 229)
- Photoelectron spectroscopy  
Lithium nickel oxides; Microbatteries; Thin films (Urbano, A. (97–98) 328)
- Plastic Li-ion battery  
PVDF–HFP; Plasticizer; Microporosity (Du Pasquier, A. (97–98) 758)
- Plasticizer  
Plastic Li-ion battery; PVDF–HFP; Microporosity (Du Pasquier, A. (97–98) 758)
- Platinum microelectrode  
Mass transport; Kinetics; Thionyl chloride (Fey, G.T.-K. (97–98) 606)
- Poly(3-methylthiophene)  
Conjugated polymers; Electronically conducting polymers; Polymer-based supercapacitors; Supercapacitors (Mastragostino, M. (97–98) 812)
- Poly(acrylonitrile)  
Poly(acrylonitrile-itaconate); Gel polymer electrolytes; Ionic conductivity (Kim, Y.W. (97–98) 654)
- Poly(acrylonitrile-itaconate)  
Poly(acrylonitrile); Gel polymer electrolytes; Ionic conductivity (Kim, Y.W. (97–98) 654)
- Poly(ethylene oxide)  
Hyperbranched polymer; Polymer electrolyte; Ionic conductivity; Electrochemical stability (Itoh, T. (97–98) 637)
- Poly(vinylidene fluoride)  
Lithium batteries; Gel electrolytes; Phase inversion; Porous membranes (Magistris, A. (97–98) 657)
- Polyethylene oxide (PEO)  
Lithiumbis(perfluoroethylen)sulfonylimide (BETI); Polymer electrolyte; Vanadium oxide; V<sub>2</sub>O<sub>5</sub>; Lithium batteries (Appetecchi, G.B. (97–98) 790)
- Polymer blends  
Low-dimensional; Polymer electrolytes; dc conductivity; Lithium electrodes; Self-tracking (Zheng, Y. (97–98) 641)
- Polymer electrolyte bipolar battery  
Faradaic efficiency; Li/pyrite batteries (Livshits, V. (97–98) 782)
- Polymer electrolyte  
Hyperbranched polymer; Poly(ethylene oxide); Ionic conductivity; Electrochemical stability (Itoh, T. (97–98) 637)
- Polymer electrolyte  
Lithium cell; Composite polymer electrolyte; Cell performance (Li, Q. (97–98) 795)
- Polymer electrolyte  
PEG; Composite cathode; Lithium battery (Prosini, P.P. (97–98) 786)
- Polymer electrolyte  
Polyethylene oxide (PEO); Lithiumbis(perfluoroethylen)sulfonylimide (BETI); Vanadium oxide; V<sub>2</sub>O<sub>5</sub>; Lithium batteries (Appetecchi, G.B. (97–98) 790)
- Polymer electrolytes  
Diffusion of anion; Hopping motion of lithium (Aihara, Y. (97–98) 628)
- Polymer electrolytes  
Lithium polymer batteries; Lithium-metal; Lithium-ion; Composite cathodes; Fabrication process (Alessandrini, F. (97–98) 768)
- Polymer electrolytes  
Low-dimensional; dc conductivity; Lithium electrodes; Polymer blends; Self-tracking (Zheng, Y. (97–98) 641)
- Polymer gel electrolyte  
Micro-Raman; Spectro-electrochemistry; PAN (Ostrovskii, D. (97–98) 667)
- Polymer membranes  
Separators; Lithium ion batteries; Network morphology (Ooms, F.G.B. (97–98) 598)
- Polymer  
Graphite; Surface film; Pyrolysis/gas chromatography/mass spectroscopy (Ogumi, Z. (97–98) 156)
- Polymer-based supercapacitors  
Conjugated polymers; Electronically conducting polymers; Poly(3-methylthiophene); Supercapacitors (Mastragostino, M. (97–98) 812)
- Polypyrrole  
Carbon nanotubes; Supercapacitor; Capacitance; Pseudocapacitance (Frackowiak, E. (97–98) 822)

- Polyvinylpyrrolidone  
Lithium metal batteries; Dendrite (Matsuda, Y. (97–98) 589)
- Porous membranes  
Lithium batteries; Gel electrolytes; Poly(vinylidene fluoride); Phase inversion (Magistris, A. (97–98) 657)
- Porous polymer matrix  
Ionomer; Compatibility; Uptake of liquid electrolyte (Lee, Y.-G. (97–98) 616)
- Portable power programs  
US Army; Land Warrior (Hamlen, R. (97–98) 22)
- Precycling  
Rechargeable lithium battery; Lithium metal anode; Electrolyte temperature; Coulombic efficiency; Cycle life (Ishikawa, M. (97–98) 262)
- Preparation temperature  
Lithium ion batteries; Lithium iron phosphate; Cathode material; Crystal structure (Takahashi, M. (97–98) 508)
- Prevention of PC decomposition  
Graphitized carbon anode; Li-ion secondary batteries; Propylene carbonate; Single carbon fiber (Yamaguchi, K. (97–98) 159)
- Propylene carbonate electrolyte  
Carbon nanotube; Anode; CH<sub>4</sub> decomposition (Ishihara, T. (97–98) 129)
- Propylene carbonate  
Graphitized carbon anode; Li-ion secondary batteries; Single carbon fiber; Prevention of PC decomposition (Yamaguchi, K. (97–98) 159)
- Pseudocapacitance  
Carbon nanotubes; Supercapacitor; Capacitance; Polypyrrole (Frackowiak, E. (97–98) 822)
- PVdF  
Rechargeable lithium batteries; Grafted polymers (Jarvis, C.R. (97–98) 664)
- PVDF  
X-ray diffraction; Charge–discharge curves (Santiago, E.I. (97–98) 447)
- PVDF–HFP  
Plastic Li-ion battery; Plasticizer; Microporosity (Du Pasquier, A. (97–98) 758)
- PVDF-based electrolyte  
Lithium polymer battery; LiMn<sub>2</sub>O<sub>4</sub>; Chemically synthesised PPy; LiMn<sub>2</sub>O<sub>4</sub>-PPy composite (Kim, J.-U. (97–98) 450)
- Pyrolysis/gas chromatography/mass spectroscopy  
Graphite; Surface film; Polymer (Ogumi, Z. (97–98) 156)
- Raman microscopy  
Carbon; Lithium cobalt oxide; Rechargeable lithium-ion batteries; Electrode characterization (Panitz, J.-C. (97–98) 174)
- Raman spectroscopy  
Anode; Amorphous; Tin; FT-IR (Gejke, C. (97–98) 226)
- Raman spectroscopy  
Carbon; SEI layer; Ellipsometry; Li-ion batteries (Kong, F. (97–98) 58)
- Rancieite  
Electrochemical synthesis; Reduction of permanganate; Cathodes; Layered manganese oxides (Moore, G.J. (97–98) 393)
- Rate capability  
Li-ion batteries; Graphite–metal oxide composites; Anode materials; Insertion mechanism; Activation (Huang, H. (97–98) 114)
- Reaction propagation  
Li-ion; Safety; Laser (Pérès, J.P. (97–98) 702)
- Reactive RF magnetron sputtering  
Thin film cathodes; Lithium batteries; Tungsten oxysulfide (Martin-Litas, I. (97–98) 545)
- Rechargeable cell  
Lithium ion battery; Safety; Overcharge (Leising, R.A. (97–98) 681)
- Rechargeable Li batteries  
Sodium–vanadium oxides; Electrochemical behavior; Impedance spectroscopy; Li-ion diffusion coefficient; Electrode surface chemistry (Aurbach, D. (97–98) 486)
- Rechargeable lithium batteries  
PVdF; Grafted polymers (Jarvis, C.R. (97–98) 664)
- Rechargeable lithium batteries  
V<sub>2</sub>O<sub>5</sub> electrodes; Impedance spectroscopy; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 482)
- Rechargeable lithium battery  
Carbonaceous anode; Graphite (Lampe-Onnerud, C. (97–98) 133)
- Rechargeable lithium battery  
Electrophoretic deposition; Fabrication of electrodes (Kanamura, K. (97–98) 294)
- Rechargeable lithium battery  
Lithium metal anode; Electrolyte temperature; Coulombic efficiency; Cycle life; Precycling (Ishikawa, M. (97–98) 262)
- Rechargeable lithium-ion batteries  
Conducting carbon; Cathodes (Liu, Z. (97–98) 361)
- Rechargeable lithium-ion batteries  
Raman microscopy; Carbon; Lithium cobalt oxide; Electrode characterization (Panitz, J.-C. (97–98) 174)
- Recovery capacity  
Manganese spinel; LiNi<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub>; Mn dissolution; Blended cathode; Storage (Numata, T. (97–98) 358)
- Recycling  
Lithium ion cells; Battery (Lain, M.J. (97–98) 736)
- Redox steps  
Spinel; LiMn<sub>2</sub>O<sub>4</sub> (Palacin, M.R. (97–98) 398)
- Reduction of permanganate  
Electrochemical synthesis; Cathodes; Layered manganese oxides; Rancieite (Moore, G.J. (97–98) 393)
- Reference electrode  
High power cell; ac-Impedance; Charge-transfer resistance; Symmetrical cell (Amine, K. (97–98) 684)
- Review  
Medical; Applications; Lithium (Holmes, C.F. (97–98) 739)
- Rice husk  
High-capacity carbon; Lithium-ion batteries (Fey, G.T.-K. (97–98) 47)
- Role of corrosion  
Lithium batteries; Cathodic sulphide materials (Dusheiko, V.A. (97–98) 555)
- Safety  
Li-ion; Reaction propagation; Laser (Pérès, J.P. (97–98) 702)
- Safety  
Lithium ion secondary battery; Gel electrolyte; Shutdown (Liu, X. (97–98) 661)
- Safety  
Rechargeable cell; Lithium ion battery; Overcharge (Leising, R.A. (97–98) 681)
- Sand's law  
Dendritic growth; Lithium/polymer/lithium cells (Rosso, M. (97–98) 804)
- Scale-up design  
Lithium batteries; Thermal run-away; Entropy effect (Selman, J. Robert (97–98) 726)
- Scanning electron microscope (SEM)  
Lithium battery; Electrolytic conductivity; Cycling efficiency; Lithium organoborates (Sasaki, Y. (97–98) 561)
- Secondary lithium battery  
Lead phosphate; Anode material (Liu, Z. (97–98) 247)
- SEI film  
Lithium-ion cell; Graphite electrode; Electrolyte decomposition; In situ methods (Novák, P. (97–98) 39)
- SEI layer  
Carbon; Ellipsometry; Raman spectroscopy; Li-ion batteries (Kong, F. (97–98) 58)
- SEI  
Lithium intercalation; Carbon anode (Ratnakumar, B.V. (97–98) 137)

- SEI  
Natural graphite; Passivation; Morphology (Zane, D. (97–98) 146)
- SEI  
XPS studies; TOF SIMS; HOPG (Peled, E. (97–98) 52)
- SEI-layer  
GIC; Thermal stability;  $\text{LiCF}_3\text{SO}_3$ ;  $\text{LiN}(\text{SO}_2\text{CF}_3)_2$  (Edström, K. (97–98) 87)
- Self-assembled molecular layers  
Lithium electrode/polymer electrolyte interface; Lithium passivation layer; Interface stabilization (Le Granvalet-Mancini, M. (97–98) 624)
- Self-tracking  
Low-dimensional; Polymer electrolytes; dc conductivity; Lithium electrodes; Polymer blends (Zheng, Y. (97–98) 641)
- Sensors  
Microelectromechanical systems; Actuators (Singh, D. (97–98) 826)
- Separators  
Lithium ion batteries; Polymer membranes; Network morphology (Ooms, F.G.B. (97–98) 598)
- Shutdown  
Lithium ion secondary battery; Gel electrolyte; Safety (Liu, X. (97–98) 661)
- Si thin-film anode  
Microbattery; Stress measurement (Lee, S.-J. (97–98) 191)
- Silane coupling  
Lithium-ion battery; Graphite anode; Surface modification; Solid electrolyte interphase (Buqa, H. (97–98) 126)
- Single carbon fiber  
Graphitized carbon anode; Li-ion secondary batteries; Propylene carbonate; Prevention of PC decomposition (Yamaguchi, K. (97–98) 159)
- Single-ion conductor  
Block copolymer; Lithium batteries; Transference number (Sadoway, D.R. (97–98) 621)
- Singlet  
Synthesized; Analyzed (Eguchi, M. (97–98) 548)
- SIR mode  
Li electrodes; Gel electrolytes; Combed-branched PEO-based polymers; In situ FTIR spectroscopy (Chusid, O. (97–98) 632)
- Sn  
Li ion battery; Anode;  $\text{SnS}_2$ ; Li–Sn alloy (Momma, T. (97–98) 198)
- Sn–Ca amorphous alloy  
Charge–discharge; Lithium ion battery (Fang, L. (97–98) 181)
- SnO anode  
Morphology modification; Irreversibility compensation; Lithium ion battery (Yang, J. (97–98) 216)
- $\text{SnO}_2$   
 $\text{ZnO}$ ;  $\text{Li}_x\text{Zn}$  alloys; Ball-milling (Belliard, F. (97–98) 219)
- $\text{SnS}_2$   
Li ion battery; Anode; Li–Sn alloy; Sn (Momma, T. (97–98) 198)
- $\text{SOCl}_2$   
Temperature effect; Concentration effect; Conductivity;  $\text{LiAlCl}_4$  (Fey, G.T.-K. (97–98) 602)
- Sodium–vanadium oxides  
Rechargeable Li batteries; Electrochemical behavior; Impedance spectroscopy; Li-ion diffusion coefficient; Electrode surface chemistry (Aurbach, D. (97–98) 486)
- Sol–gel method  
Magnesium insertion; NASICON-structure; Diffusion control (Makino, K. (97–98) 512)
- Sol–gel process  
 $\text{LiAl}_x\text{Co}_{1-x}\text{O}_2$ ; Lithium rechargeable batteries; XANES (Yoon, W.-S. (97–98) 303)
- Sol–gel process  
Lithium batteries; Galvanostatic cycling test (Franger, S. (97–98) 344)
- Sol–gel synthesis  
 $\text{LiMn}_2\text{O}_4$ ; Citric acid (Hwang, B.J. (97–98) 443)
- Solid electrolyte interfaces  
TPD–GC/MS; Graphite anode; Ethylene sulfite; Additive (Ota, H. (97–98) 107)
- Solid electrolyte interphase  
Lithium ion battery; Graphite anode; Carbon surface; Carbon surface modification (Buqa, H. (97–98) 122)
- Solid electrolyte interphase  
Lithium ion battery; Graphite anode; Electrolyte additive; Conductivity (Wrodnigg, G.H. (97–98) 592)
- Solid electrolyte interphase  
Lithium-ion battery; Graphite anode; Surface modification; Silane coupling (Buqa, H. (97–98) 126)
- Solid polymer electrolyte  
Li-alloy composite anode;  $\text{Li}_{2.6}\text{Co}_{0.4}\text{N}$ ; Lithium-ion battery (Yang, J. (97–98) 779)
- Solid state  $^7\text{Li}$   
Mixed oxides; X-ray powder diffraction;  $^{51}\text{V}$  nuclear magnetic resonance (NMR); Cathodes; Lithium-ion batteries (Arrabito, M. (97–98) 478)
- Solid-state  $^7\text{Li}$ -NMR  
Lithium secondary batteries; Coke carbon; Mesophase-pitch carbon; Surface modification (Sato, Y. (97–98) 165)
- Solid-state battery  
Li-ion battery;  $\text{LiMn}_2\text{O}_4$  cathode;  $\text{V}_2\text{O}_5$  anode (Baba, M. (97–98) 798)
- Solid-state battery  
Lithium vanadium sulfide; Lithium iron sulfide; Lithium iron chloride (Takada, K. (97–98) 762)
- Solid-state polymer electrolyte  
Lithium secondary battery; 4 V class; Long life (Kuratomi, J. (97–98) 801)
- Solid-state reaction  
Cobaltate; Lithium-ion battery (Julien, C. (97–98) 290)
- Spectro-electrochemistry  
Micro-Raman; Polymer gel electrolyte; PAN (Ostrovskii, D. (97–98) 667)
- Spinel  $\text{Li}_x\text{Mn}_2\text{O}_4$   
Lithium ion cells; Cathode voltage; Calculation; Coulomb potential (Yamaki, J.-i. (97–98) 349)
- Spinel sulfides  
Lithium-ion; Mössbauer; Anode materials; Cycling; Calculations (Dedryvère, R. (97–98) 204)
- Spinel type structure  
EELS; ELNES; Lithium ion batteries; Lithium manganese oxide (Shiraishi, Y. (97–98) 461)
- Spinel  
In situ XAFS; Jahn–Teller distortion; Cathode material; Chromium substitution (Nakai, I. (97–98) 412)
- Spinel  
Li–Mn–O system; Cation-vacancies (Strobel, P. (97–98) 381)
- Spinel  
 $\text{LiMn}_2\text{O}_4$ ; Leaching (Kelder, E.M. (97–98) 433)
- Spinel  
Lithium intercalation; Lithium-ion battery (Bonino, F. (97–98) 389)
- Spinel  
Redox steps;  $\text{LiMn}_2\text{O}_4$  (Palacin, M.R. (97–98) 398)
- Stability  
Lithium battery; Thin films; Microelectrodes (Uchida, I. (97–98) 518)
- Storage  
Manganese spinel;  $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ ; Mn dissolution; Blended cathode; Recovery capacity (Numata, T. (97–98) 358)
- Storage  
Mn dissolution; Lithium manganese oxides; Capacity fade (Aoshima, T. (97–98) 377)
- Stress measurement  
Si thin-film anode; Microbattery (Lee, S.-J. (97–98) 191)
- Structural and electrochemical characteristics  
Four-cation oxides; Thermal behavior (Lee, K.K. (97–98) 308)

- Structure analysis  
X-ray diffraction; Charge/discharge properties (Gover, R.K.B. (97–98) 316)
- Substitution effect  
Orthorhombic  $\text{LiMnO}_2$ ; In; Cr; Cycle property (Sakurai, T. (97–98) 366)
- Superacid-based lithium salts  
Lithium ion batteries (Venkatesetty, H.V. (97–98) 671)
- Supercapacitor  
Carbon nanotubes; Capacitance; Pseudocapacitance; Polypyrrole (Frackowiak, E. (97–98) 822)
- Supercapacitors  
Conjugated polymers; Electronically conducting polymers; Polymer-based supercapacitors; Poly(3-methylthiophene) (Mastragostino, M. (97–98) 812)
- Supramolecules  
1,5-Diaminoanthraquinone; Electrochemical capacitor materials (Sue-matsu, S. (97–98) 816)
- Surface area  
Lithium ion battery; Graphite anode; Nitrogen adsorption; Adsorptive potential; Surface energy distribution (Olivier, J.P. (97–98) 151)
- Surface energy distribution  
Lithium ion battery; Graphite anode; Nitrogen adsorption; Adsorptive potential; Surface area (Olivier, J.P. (97–98) 151)
- Surface film  
Graphite; Pyrolysis/gas chromatography/mass spectroscopy; Polymer (Ogumi, Z. (97–98) 156)
- Surface film  
Lithium metal; Atomic force microscopy; Elevated temperature; Cycling efficiency (Mogi, R. (97–98) 265)
- Surface films  
Mg electrodes; Li electrodes; Passivation; Cycling efficiency; EIS; EQCM (Aurbach, D. (97–98) 269)
- Surface modification  
Lithium secondary batteries; Coke carbon; Mesophase-pitch carbon; Solid-state  $^7\text{Li}$ -NMR (Sato, Y. (97–98) 165)
- Surface modification  
Lithium-ion battery; Graphite anode; Silane coupling; Solid electrolyte interphase (Buqa, H. (97–98) 126)
- SWNT  
Lithium rechargeable batteries; Disordered carbons; Impedance spectroscopy; Chemical diffusion coefficient (Aurbach, D. (97–98) 92)
- Symmetrical cell  
High power cell; ac-Impedance; Charge-transfer resistance; Reference electrode (Amine, K. (97–98) 684)
- Synthesis route  
Li- $\text{VOPO}_4$  systems; Intercalation–deintercalation process (Dupré, N. (97–98) 532)
- Synthesized  
Singlet; Analyzed (Eguchi, M. (97–98) 548)
- Temperature effect  
Concentration effect; Conductivity;  $\text{LiAlCl}_4$ ;  $\text{SOCl}_2$  (Fey, G.T.-K. (97–98) 602)
- The amount of  $\text{Mn}^{3+}$   
 $\text{LiMn}_2\text{O}_4$ ; Lattice parameter; Capacity; Parameter (Chung, H.-T. (97–98) 454)
- Thermal behavior  
Four-cation oxides; Structural and electrochemical characteristics (Lee, K.K. (97–98) 308)
- Thermal behavior  
Lithium nickel oxide; Decomposition mechanism (Lee, K.-K. (97–98) 321)
- Thermal run-away  
Lithium batteries; Entropy effect; Scale-up design (Selman, J. Robert (97–98) 726)
- Thermal stability  
Differential scanning calorimeter; Lithium ion batteries; Electrolyte; Decomposition (Botte, G.G. (97–98) 570)
- Thermal stability  
GIC; SEI-layer;  $\text{LiCF}_3\text{SO}_3$ ;  $\text{LiN}(\text{SO}_2\text{CF}_3)_2$  (Edström, K. (97–98) 87)
- Thermal stability  
 $\text{LiCoO}_2$ -based cathode materials; Phase transition; Lithium batteries (Sun, X. (97–98) 274)
- Thermal stability  
 $\text{LiPF}_6$ ;  $\text{LiPF}_4(\text{CF}_3)_2$ ; HOMO; Oxidation potential; Cycle characteristics (Kita, F. (97–98) 581)
- Thermal-runaway  
Heat generation; Overcharge; Lithium-ion cell (Saito, Y. (97–98) 693)
- Thermogravimetry  
X-ray diffraction;  $\text{Li}_2\text{Mn}_4\text{O}_9$  (Kilroy, W.P. (97–98) 336)
- Thin film cathodes  
Reactive RF magnetron sputtering; Lithium batteries; Tungsten oxy-sulfide (Martin-Litas, I. (97–98) 545)
- Thin film  
Lithium ion battery; Aluminum; Anode (Hamon, Y. (97–98) 185)
- Thin film  
Tin/tin oxide; Electrodes; Li-ion batteries (Sarradin, J. (97–98) 208)
- Thin films  
Glass; Lithium battery; Microbatteries (Duclot, M. (97–98) 610)
- Thin films  
Lithium battery; Microelectrodes; Stability (Uchida, I. (97–98) 518)
- Thin films  
Lithium nickel oxides; Microbatteries; Photoelectron spectroscopy (Urbano, A. (97–98) 328)
- Thin films  
Lithium-ion batteries; Doped tin oxide (Santos-Peña, J. (97–98) 232)
- Thin lithium-ion battery  
Liquid electrolyte; Laminated film bag (Takami, N. (97–98) 677)
- Thin-film  
Electrostatic spray deposition;  $\text{LiCoO}_2$ ; XANES; Microbatteries (Yoon, W.-S. (97–98) 282)
- Thin-film  
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ ; Laser ablation; Lithium-ion battery (Wang, G.X. (97–98) 298)
- Thionyl chloride  
Mass transport; Kinetics; Platinum microelectrode (Fey, G.T.-K. (97–98) 606)
- Tin oxide films  
Photo-CVD; Low temperature preparation (Kobayashi, H. (97–98) 229)
- Tin oxide spinels  
Lithium-ion battery; Lithium alloy anode; Tin oxide; Transition metal oxide (Connor, P.A. (97–98) 223)
- Tin oxide  
Lithium-ion battery; Lithium alloy anode; Tin oxide spinels; Transition metal oxide (Connor, P.A. (97–98) 223)
- Tin  
Anode; Amorphous; FT-IR; Raman spectroscopy (Gejke, C. (97–98) 226)
- Tin/tin oxide  
Thin film; Electrodes; Li-ion batteries (Sarradin, J. (97–98) 208)
- Todorokite  
Manganese oxide; Intercalation; Lithium battery; Magnesium (Kumagai, N. (97–98) 515)
- TOF SIMS  
SEI; XPS studies; HOPG (Peled, E. (97–98) 52)
- TPD–GC/MS  
Solid electrolyte interfaces; Graphite anode; Ethylene sulfite; Additive (Ota, H. (97–98) 107)
- Transference number  
Block copolymer; Lithium batteries; Single-ion conductor (Sadoway, D.R. (97–98) 621)



- Transition metal oxide  
Lithium-ion battery; Lithium alloy anode; Tin oxide; Tin oxide spinels (Connor, P.A. (97–98) 223)
- Transition metal oxides  
Anode; Lithium battery; XAS (Rossignol, C. (97–98) 491)
- Transition metal oxides  
Lithium insertion; Aluminum vanadate; Vanadate; Vanadium oxide (Andrukaitis, E. (97–98) 494)
- Transmission microscopy  
Carbon; Passivation; 3-Electrode (Dollé, M. (97–98) 104)
- Transport property  
Lithium battery; Electrolyte solution; Database; Model (Zhang, S. (97–98) 584)
- Triphylite  
Lithium battery; Cathode material; Iron phosphate (Ravet, N. (97–98) 503)
- Tungsten oxysulfide  
Reactive RF magnetron sputtering; Thin film cathodes; Lithium batteries (Martin-Litas, I. (97–98) 545)
- TXRF  
Mn dissolution; In situ analysis; XAFS (Terada, Y. (97–98) 420)
- UP-Cap  
Capacitor; Electrodes (Nomoto, S. (97–98) 807)
- Uptake of liquid electrolyte  
Ionomer; Compatibility; Porous polymer matrix (Lee, Y.-G. (97–98) 616)
- US Army  
Portable power programs; Land Warrior (Hamlen, R. (97–98) 22)
- V<sub>2</sub>O<sub>5</sub> anode  
Solid-state battery; Li-ion battery; LiMn<sub>2</sub>O<sub>4</sub> cathode (Baba, M. (97–98) 798)
- 4 V class  
Solid-state polymer electrolyte; Lithium secondary battery; Long life (Kuratomi, J. (97–98) 801)
- V<sub>2</sub>O<sub>5</sub> electrodes  
Rechargeable lithium batteries; Impedance spectroscopy; Chemical diffusion coefficient of Li-ions (Levi, M.D. (97–98) 482)
- 3.2 V plateau  
LiMn<sub>2</sub>O<sub>4</sub>; Oxygen deficiency; Capacity loss; Mn dissolution (Wang, X. (97–98) 427)
- V<sub>2</sub>O<sub>5</sub>  
Polyethylene oxide (PEO); Lithiumbis(perfluoroethylen)sulfonylimide (BETI); Polymer electrolyte; Vanadium oxide; Lithium batteries (Appetecchi, G.B. (97–98) 790)
- Vanadate  
Lithium insertion; Aluminum vanadate; Transition metal oxides; Vanadium oxide (Andrukaitis, E. (97–98) 494)
- Vanadium oxide  
Lithium insertion; Aluminum vanadate; Vanadate; Transition metal oxides (Andrukaitis, E. (97–98) 494)
- Vanadium oxide  
Lithium polymer battery; Block copolymer; Microbattery (Huang, B. (97–98) 674)
- Vanadium oxide  
Polyethylene oxide (PEO); Lithiumbis(perfluoroethylen)sulfonylimide (BETI); Polymer electrolyte; V<sub>2</sub>O<sub>5</sub>; Lithium batteries (Appetecchi, G.B. (97–98) 790)
- Vanadium oxide  
X-ray absorption spectroscopy; Lithium battery; Cobalt oxide (Laruelle, S. (97–98) 251)
- Vanadium pentoxide  
Aerogels; Nanocomposites (Smyrl, W.H. (97–98) 469)
- Vanadium pentoxide  
Current transient; Cell-impedance; Lithium ion diffusion (Pyun, S.-I. (97–98) 473)
- X-ray absorption spectroscopy  
Lithium battery; Vanadium oxide; Cobalt oxide (Laruelle, S. (97–98) 251)
- X-ray diffraction (XRD) analysis  
Irreversible capacity loss (ICL); Coulomb efficiency (CE) (Zaghib, K. (97–98) 97)
- X-ray diffraction  
Charge–discharge curves; PVDF (Santiago, E.I. (97–98) 447)
- X-ray diffraction  
Structure analysis; Charge/discharge properties (Gover, R.K.B. (97–98) 316)
- X-ray diffraction  
Thermogravimetry; Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub> (Kilroy, W.P. (97–98) 336)
- X-ray photoemission spectroscopy  
Graphite powder; Carbon fibre; Lithium ion batteries; Carbon electrodes (Blyth, R.I.R. (97–98) 171)
- X-ray powder diffraction  
Mixed oxides; Solid state <sup>7</sup>Li; <sup>51</sup>V nuclear magnetic resonance (NMR); Cathodes; Lithium-ion batteries (Arrabito, M. (97–98) 478)
- XAFS  
LiCoVO<sub>4</sub>; Conductivity; La-doped (Hwang, B.J. (97–98) 551)
- XAFS  
Mn dissolution; In situ analysis; TXRF (Terada, Y. (97–98) 420)
- XANES  
Electrostatic spray deposition; LiCoO<sub>2</sub>; Thin-film; Microbatteries (Yoon, W.-S. (97–98) 282)
- XANES  
Sol–gel process; LiAl<sub>y</sub>Co<sub>1–y</sub>O<sub>2</sub>; Lithium rechargeable batteries (Yoon, W.-S. (97–98) 303)
- XAS  
Anode; Lithium battery; Transition metal oxides (Rossignol, C. (97–98) 491)
- XPS studies  
SEI; TOF SIMS; HOPG (Peled, E. (97–98) 52)
- ZnO  
SnO<sub>2</sub>; Li<sub>x</sub>Zn alloys; Ball-milling (Belliard, F. (97–98) 219)