

Subject Index of Volume 103

- Acid leaching**
 Alkaline batteries; Recycling; Zinc; Recovery; Characterization (Martha de Souza, C.C.B. (103) 120)
- Active material–semiconductor hybrid electrode**
 Metal–semiconductor electrode; Cobalt–air cell; Photo-electrochemistry; Photo-charging (Akuto, K. (103) 72)
- Adsorption**
 Catalysis; Electrooxidation; Methanol; Polyaniline (Rajendra Prasad, K. (103) 300)
- AFM**
 Lithium-ion battery; Intercalation; Interfacial reaction; In situ analysis; FTIR (Morigaki, K.-i. (103) 253)
- Alkaline batteries**
 Recycling; Acid leaching; Zinc; Recovery; Characterization (Martha de Souza, C.C.B. (103) 120)
- All-solid state cell**
 Composite anode; Zinc; H-montmorillonite; Protonic conductor (Telli, L. (103) 201)
- AMTEC**
 Electrode; Power degradation; Time dependency; Grain size growth (Lodhi, M.A.K. (103) 18)
- AMTEC**
 Power degradation; Ionic resistance; Solid electrolytes; Space power; Efficiency (Lodhi, M.A.K. (103) 25)
- Anode**
 Tin nitride; Thin film; Microbattery; Lithium battery; Negative electrode (Park, K.S. (103) 67)
- Anodic PbO film**
 Dissolution–precipitation mechanism; The ac impedance; Lead–antimony alloy; Lead–tin alloy (Liu, H.-T. (103) 173)
- ANSYS**
 VRLA battery; Grid; Finite element analysis (Ball, R.J. (103) 213)
- Battery available capacity**
 Battery capacity estimation; Lead-acid battery; Simulated discharge pattern; Variable discharge current (Shen, W.X. (103) 180)
- Battery capacity estimation**
 Battery available capacity; Lead-acid battery; Simulated discharge pattern; Variable discharge current (Shen, W.X. (103) 180)
- Battery materials**
 Cavity microelectrode; Vanadium oxide; Manganese oxide (Vivier, V. (103) 61)
- Battery**
 Lead acid; Modelling; Estimation (Tenno, A. (103) 42)
- Boron addition**
 Hydrogen storage alloy; Metal hydride electrode; High-rate dischargeability; Electrochemical kinetics (Ye, H. (103) 293)
- Calcium zincate**
 Secondary battery; Negative electrode materials (Yu, J. (103) 93)
- Capacitance**
 Supercapacitor; Redoxcapacitor; Pseudocapacitor; Conducting polymer; Polymer electrode; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- Carbon black**
 Carbon fibers; Electrodes; Electrochemical properties; Porosity (Carmier, D. (103) 237)
- Carbon fibers**
 Carbon black; Electrodes; Electrochemical properties; Porosity (Carmier, D. (103) 237)
- Carbon monoxide**
 Proton exchange membrane fuel cell; Impedance spectroscopy; Polarization resistance; H₂ oxidation; Metal loading (Kim, J.-D. (103) 127)
- Catalysis**
 Adsorption; Electrooxidation; Methanol; Polyaniline (Rajendra Prasad, K. (103) 300)
- Cathode materials**
 LiNi_{0.8}Co_{0.2}O₂; Sol-gel; Layered; Maleic acid; Lithium batteries (Fey, G.T.K. (103) 265)
- Cavity microelectrode**
 Battery materials; Vanadium oxide; Manganese oxide (Vivier, V. (103) 61)
- Cell performances**
 Molten carbonate fuel cell; Water-gas shift reaction; Temperature distribution; Hydrogen conversion (Kim, M.-H. (103) 245)
- Cesium sulfate**
 Nafion; Zirconium phosphate; Imidazole; Proton conductivity; Water balance (Yang, C. (103) 1)
- Characterization**
 Alkaline batteries; Recycling; Acid leaching; Zinc; Recovery (Martha de Souza, C.C.B. (103) 120)
- Chemical composition**
 Hydrogen storage alloy; Electrochemical characteristics; Metal hydride electrodes; Cyclic stability (Chang, J.K. (103) 280)
- Cobalt-air cell**
 Active material–semiconductor hybrid electrode; Metal–semiconductor electrode; Photo-electrochemistry; Photo-charging (Akuto, K. (103) 72)
- Coil**
 Lead-acid; State-of-charge; Inductance (Hill, I.R. (103) 98)
- Combustion**
 LiMn₂O₄; Synthesis; Doping (Choi, H.-J. (103) 154)
- Composite anode**
 All-solid state cell; Zinc; H-montmorillonite; Protonic conductor (Telli, L. (103) 201)
- Conducting polymer**
 Supercapacitor; Redoxcapacitor; Pseudocapacitor; Polymer electrode; Capacitance; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- Corrosion layer**
 VRLA (Ball, R.J. (103) 207)
- Corrosion resistance**
 Molten carbonate; Intermetallic compound NiAl (Songbo, X. (103) 230)
- Cyclic stability**
 Hydrogen storage alloy; Chemical composition; Electrochemical characteristics; Metal hydride electrodes (Chang, J.K. (103) 280)

- Dissolution-precipitation mechanism
Anodic PbO film; The ac impedance; Lead-antimony alloy; Lead-tin alloy (Liu, H.-T. (103) 173)
- Doping
 LiMn_2O_4 ; Synthesis; Combustion (Choi, H.-J. (103) 154)
- Efficiency
AMTEC; Power degradation; Ionic resistance; Solid electrolytes; Space power (Lodhi, M.A.K. (103) 25)
- Electrocatalytic
Fe-P; Fe-P-Pt alloy; Hydrogen evolution; Hydrogen overpotential; Heat-treatment (Shafia Hoor, F. (103) 147)
- Electrochemical characteristics
Hydrogen storage alloy; Chemical composition; Metal hydride electrodes; Cyclic stability (Chang, J.K. (103) 280)
- Electrochemical kinetics
Hydrogen storage alloy; Boron addition; Metal hydride electrode; High-rate dischargeability (Ye, H. (103) 293)
- Electrochemical performance
 $\text{Li/Li}_x\text{MnO}_2$; Polymer battery (Wang, C. (103) 223)
- Electrochemical properties
Carbon black; Carbon fibers; Electrodes; Porosity (Carmier, D. (103) 237)
- Electrode
AMTEC; Power degradation; Time dependency; Grain size growth (Lodhi, M.A.K. (103) 18)
- Electrodes
Carbon black; Carbon fibers; Electrochemical properties; Porosity (Carmier, D. (103) 237)
- Electronic conducting polymers
Vanadium pentoxide; Nanocomposites; Secondary lithium batteries (Huguenin, F. (103) 113)
- Electrooxidation
Adsorption; Catalysis; Methanol; Polyaniline (Rajendra Prasad, K. (103) 300)
- Estimation
Battery; Lead acid; Modelling (Tenno, A. (103) 42)
- Exergy
Solid-oxide fuel-cell; First and second law efficiencies; Fuel utilization; Hydrogen; Methane (Chan, S.H. (103) 188)
- Fe-P
Fe-P-Pt alloy; Electrocatalytic; Hydrogen evolution; Hydrogen overpotential; Heat-treatment (Shafia Hoor, F. (103) 147)
- Fe-P-Pt alloy
Fe-P; Electrocatalytic; Hydrogen evolution; Hydrogen overpotential; Heat-treatment (Shafia Hoor, F. (103) 147)
- Finite element analysis
VRLA battery; Grid; ANSYS (Ball, R.J. (103) 213)
- First and second law efficiencies
Exergy; Solid-oxide fuel-cell; Fuel utilization; Hydrogen; Methane (Chan, S.H. (103) 188)
- FTIR
Lithium-ion battery; Intercalation; Interfacial reaction; In situ analysis; AFM (Morigaki, K.-i. (103) 253)
- Fuel cell
Stacks; Voltage measurement; Multiplexer (Webb, D. (103) 54)
- Fuel utilization
Exergy; Solid-oxide fuel-cell; First and second law efficiencies; Hydrogen; Methane (Chan, S.H. (103) 188)
- Fuel utilization
SOFC; Water-gas shift; Ni/zirconia anode (Ahmed, K. (103) 150)
- Gelling agent
Zinc-air cell; Hydroponics gel; KOH electrolyte; Zinc oxide crystals (Othman, R. (103) 34)
- Grain size growth
AMTEC; Electrode; Power degradation; Time dependency (Lodhi, M.A.K. (103) 18)
- Grid
VRLA battery; Finite element analysis; ANSYS (Ball, R.J. (103) 213)
- H-montmorillonite
All-solid state cell; Composite anode; Zinc; Protonic conductor (Telli, L. (103) 201)
- H_2 oxidation
Proton exchange membrane fuel cell; Impedance spectroscopy; Polarization resistance; Metal loading; Carbon monoxide (Kim, J.-D. (103) 127)
- Heat-treatment
Fe-P; Fe-P-Pt alloy; Electrocatalytic; Hydrogen evolution; Hydrogen overpotential (Shafia Hoor, F. (103) 147)
- High-rate dischargeability
Hydrogen storage alloy; Boron addition; Metal hydride electrode; Electrochemical kinetics (Ye, H. (103) 293)
- High-temperature
Oxide; Thermoelectric module; p-n Coupled element (Shin, W. (103) 80)
- Hybrid
Lithium battery; Intercalation; Vanadium pentoxide; Poly(2,5-dimercapto-1,3,4-thiadiazole); Polyaniline (Park, N.-G. (103) 273)
- Hydrogen conversion
Molten carbonate fuel cell; Water-gas shift reaction; Temperature distribution; Cell performances (Kim, M.-H. (103) 245)
- Hydrogen evolution
Fe-P; Fe-P-Pt alloy; Electrocatalytic; Hydrogen overpotential; Heat-treatment (Shafia Hoor, F. (103) 147)
- Hydrogen overpotential
Fe-P; Fe-P-Pt alloy; Electrocatalytic; Hydrogen evolution; Heat-treatment (Shafia Hoor, F. (103) 147)
- Hydrogen storage alloy
Boron addition; Metal hydride electrode; High-rate dischargeability; Electrochemical kinetics (Ye, H. (103) 293)
- Hydrogen storage alloy
Chemical composition; Electrochemical characteristics; Metal hydride electrodes; Cyclic stability (Chang, J.K. (103) 280)
- Hydrogen
Exergy; Solid-oxide fuel-cell; First and second law efficiencies; Fuel utilization; Methane (Chan, S.H. (103) 188)
- Hydroponics gel
Zinc-air cell; Gelling agent; KOH electrolyte; Zinc oxide crystals (Othman, R. (103) 34)
- Imidazole
Nafion; Zirconium phosphate; Cesium sulfate; Proton conductivity; Water balance (Yang, C. (103) 1)
- Impedance spectroscopy
Proton exchange membrane fuel cell; Polarization resistance; H_2 oxidation; Metal loading; Carbon monoxide (Kim, J.-D. (103) 127)
- In situ analysis
Lithium-ion battery; Intercalation; Interfacial reaction; FTIR; AFM (Morigaki, K.-i. (103) 253)
- Inductance
Lead-acid; State-of-charge; Coil (Hill, I.R. (103) 98)
- Infrared spectroscopy
Interfacial reactions; Lithium batteries; Insertion cathodes (Ostrovskii, D. (103) 10)
- Insertion cathodes
Interfacial reactions; Infrared spectroscopy; Lithium batteries (Ostrovskii, D. (103) 10)
- Intercalation
Lithium battery; Hybrid; Vanadium pentoxide; Poly(2,5-dimercapto-1,3,4-thiadiazole); Polyaniline (Park, N.-G. (103) 273)

- Intercalation
 Lithium-ion battery; Interfacial reaction; In situ analysis; FTIR; AFM (Morigaki, K.-i. (103) 253)
- Interfacial reaction
 Lithium-ion battery; Intercalation; In situ analysis; FTIR; AFM (Morigaki, K.-i. (103) 253)
- Interfacial reactions
 Infrared spectroscopy; Lithium batteries; Insertion cathodes (Ostrovskii, D. (103) 10)
- Intermetallic compound NiAl
 Corrosion resistance; Molten carbonate (Songbo, X. (103) 230)
- Ionic resistance
 AMTEC; Power degradation; Solid electrolytes; Space power; Efficiency (Lodhi, M.A.K. (103) 25)
- KOH electrolyte
 Zinc-air cell; Hydroponics gel; Gelling agent; Zinc oxide crystals (Othman, R. (103) 34)
- Layered
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$; Sol-gel; Maleic acid; Cathode materials; Lithium batteries (Fey, G.T.K. (103) 265)
- Lead acid
 Battery; Modelling; Estimation (Tenno, A. (103) 42)
- Lead–antimony alloy
 Anodic PbO film; Dissolution–precipitation mechanism; The ac impedance; Lead–tin alloy (Liu, H.-T. (103) 173)
- Lead–tin alloy
 Anodic PbO film; Dissolution–precipitation mechanism; The ac impedance; Lead–antimony alloy (Liu, H.-T. (103) 173)
- Lead-acid battery
 Battery capacity estimation; Battery available capacity; Simulated discharge pattern; Variable discharge current (Shen, W.X. (103) 180)
- Lead-acid
 State-of-charge; Inductance; Coil (Hill, I.R. (103) 98)
- Li salt doping
 Supercapacitor; Redoxcapacitor; Pseudocapacitor; Conducting polymer; Polymer electrode; Capacitance; Polyaniline (Ryu, K.S. (103) 305)
- $\text{Li/Li}_x\text{MnO}_2$
 Electrochemical performance; Polymer battery (Wang, C. (103) 223)
- LiCoO_2
 Lithium–secondary battery; Surface coating; Sol–Gel method; LiMn_2O_4 ; Rate capability (Park, S.-C. (103) 86)
- LiMn_2O_4
 Lithium–secondary battery; Surface coating; Sol–Gel method; LiCoO_2 ; Rate capability (Park, S.-C. (103) 86)
- LiMn_2O_4
 Synthesis; Combustion; Doping (Choi, H.-J. (103) 154)
- $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$
 Sol-gel; Layered; Maleic acid; Cathode materials; Lithium batteries (Fey, G.T.K. (103) 265)
- Lithium batteries
 Interfacial reactions; Infrared spectroscopy; Insertion cathodes (Ostrovskii, D. (103) 10)
- Lithium batteries
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$; Sol-gel; Layered; Maleic acid; Cathode materials (Fey, G.T.K. (103) 265)
- Lithium battery
 Intercalation; Hybrid; Vanadium pentoxide; Poly(2,5-dimercapto-1,3,4-thiadiazole); Polyaniline (Park, N.-G. (103) 273)
- Lithium battery
 Tin nitride; Thin film; Microbattery; Negative electrode; Anode (Park, K.S. (103) 67)
- Lithium intercalation
 Natural graphite; Particle size (Zaghbil, K. (103) 140)
- Lithium ion battery
 Polymer electrolyte; Poly(vinylidene fluoride); Porous membrane (Shi, Q. (103) 286)
- Lithium-ion battery
 Intercalation; Interfacial reaction; In situ analysis; FTIR; AFM (Morigaki, K.-i. (103) 253)
- Lithium–secondary battery
 Surface coating; Sol–Gel method; LiMn_2O_4 ; LiCoO_2 ; Rate capability (Park, S.-C. (103) 86)
- Maleic acid
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$; Sol–gel; Layered; Cathode materials; Lithium batteries (Fey, G.T.K. (103) 265)
- Manganese oxide
 Cavity microelectrode; Battery materials; Vanadium oxide (Vivier, V. (103) 61)
- Metal hydride electrode
 Hydrogen storage alloy; Boron addition; High-rate dischargeability; Electrochemical kinetics (Ye, H. (103) 293)
- Metal hydride electrodes
 Hydrogen storage alloy; Chemical composition; Electrochemical characteristics; Cyclic stability (Chang, J.K. (103) 280)
- Metal loading
 Proton exchange membrane fuel cell; Impedance spectroscopy; Polarization resistance; H_2 oxidation; Carbon monoxide (Kim, J.-D. (103) 127)
- Metal–semiconductor electrode
 Active material–semiconductor hybrid electrode; Cobalt–air cell; Photo-electrochemistry; Photo-charging (Akuto, K. (103) 72)
- Methane
 Exergy; Solid-oxide fuel-cell; First and second law efficiencies; Fuel utilization; Hydrogen (Chan, S.H. (103) 188)
- Methanol
 Adsorption; Catalysis; Electrooxidation; Polyaniline (Rajendra Prasad, K. (103) 300)
- Microbattery
 Tin nitride; Thin film; Lithium battery; Negative electrode; Anode (Park, K.S. (103) 67)
- Modelling
 Battery; Lead acid; Estimation (Tenno, A. (103) 42)
- Molten carbonate fuel cell
 Water-gas shift reaction; Temperature distribution; Hydrogen conversion; Cell performances (Kim, M.-H. (103) 245)
- Molten carbonate
 Corrosion resistance; Intermetallic compound NiAl (Songbo, X. (103) 230)
- Multiplexer
 Fuel cell; Stacks; Voltage measurement (Webb, D. (103) 54)
- Nafion
 Zirconium phosphate; Imidazole; Cesium sulfate; Proton conductivity; Water balance (Yang, C. (103) 1)
- Nanocomposites
 Vanadium pentoxide; Electronic conducting polymers; Secondary lithium batteries (Huguenin, F. (103) 113)
- Natural graphite
 Lithium intercalation; Particle size (Zaghbil, K. (103) 140)
- Negative electrode materials
 Calcium zincate; Secondary battery (Yu, J. (103) 93)
- Negative electrode
 Tin nitride; Thin film; Microbattery; Lithium battery; Anode (Park, K.S. (103) 67)
- Ni/zirconia anode
 SOFC; Water-gas shift; Fuel utilization (Ahmed, K. (103) 150)
- Oxide
 Thermoelectric module; p–n Coupled element; High-temperature (Shin, W. (103) 80)

- p–n Coupled element**
Oxide; Thermoelectric module; High-temperature (Shin, W. (103) 80)
- Particle size**
Lithium intercalation; Natural graphite (Zaghbi, K. (103) 140)
- Photo-charging**
Active material–semiconductor hybrid electrode; Metal–semiconductor electrode; Cobalt–air cell; Photo-electrochemistry (Akuto, K. (103) 72)
- Photo-electrochemistry**
Active material–semiconductor hybrid electrode; Metal–semiconductor electrode; Cobalt–air cell; Photo-charging (Akuto, K. (103) 72)
- Polarization resistance**
Proton exchange membrane fuel cell; Impedance spectroscopy; H₂ oxidation; Metal loading; Carbon monoxide (Kim, J.-D. (103) 127)
- Poly(2,5-dimercapto-1,3,4-thiadiazole)**
Lithium battery; Intercalation; Hybrid; Vanadium pentoxide; Polyaniline (Park, N.-G. (103) 273)
- Poly(vinylidene fluoride)**
Polymer electrolyte; Porous membrane; Lithium ion battery (Shi, Q. (103) 286)
- Polyaniline**
Adsorption; Catalysis; Electrooxidation; Methanol (Rajendra Prasad, K. (103) 300)
- Polyaniline**
Lithium battery; Intercalation; Hybrid; Vanadium pentoxide; Poly(2,5-dimercapto-1,3,4-thiadiazole) (Park, N.-G. (103) 273)
- Polyaniline**
Supercapacitor; Redoxcapacitor; Pseudocapacitor; Conducting polymer; Polymer electrode; Capacitance; Li salt doping (Ryu, K.S. (103) 305)
- Polymer battery**
Electrochemical performance; Li/Li_xMnO₂ (Wang, C. (103) 223)
- Polymer electrode**
Supercapacitor; Redoxcapacitor; Pseudocapacitor; Conducting polymer; Capacitance; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- Polymer electrolyte**
Poly(vinylidene fluoride); Porous membrane; Lithium ion battery (Shi, Q. (103) 286)
- Porosity**
Carbon black; Carbon fibers; Electrodes; Electrochemical properties (Carmier, D. (103) 237)
- Porous membrane**
Polymer electrolyte; Poly(vinylidene fluoride); Lithium ion battery (Shi, Q. (103) 286)
- Power degradation**
AMTEC; Electrode; Time dependency; Grain size growth (Lodhi, M.A.K. (103) 18)
- Power degradation**
AMTEC; Ionic resistance; Solid electrolytes; Space power; Efficiency (Lodhi, M.A.K. (103) 25)
- Proton conductivity**
Nafion; Zirconium phosphate; Imidazole; Cesium sulfate; Water balance (Yang, C. (103) 1)
- Proton exchange membrane fuel cell**
Impedance spectroscopy; Polarization resistance; H₂ oxidation; Metal loading; Carbon monoxide (Kim, J.-D. (103) 127)
- Protonic conductor**
All-solid state cell; Composite anode; Zinc; H-montmorillonite (Telli, L. (103) 201)
- Pseudocapacitor**
Supercapacitor; Redoxcapacitor; Conducting polymer; Polymer electrode; Capacitance; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- Rate capability**
Lithium-secondary battery; Surface coating; Sol-Gel method; LiMn₂O₄; LiCoO₂ (Park, S.-C. (103) 86)
- Recovery**
Alkaline batteries; Recycling; Acid leaching; Zinc; Characterization (Martha de Souza, C.C.B. (103) 120)
- Recycling**
Alkaline batteries; Acid leaching; Zinc; Recovery; Characterization (Martha de Souza, C.C.B. (103) 120)
- Redoxcapacitor**
Supercapacitor; Pseudocapacitor; Conducting polymer; Polymer electrode; Capacitance; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- RF magnetron sputtering**
Thin LiCoO₂ films; Rutherford's backscattering spectrometry (Whitacre, J.F. (103) 134)
- Rutherford's backscattering spectrometry**
Thin LiCoO₂ films; RF magnetron sputtering (Whitacre, J.F. (103) 134)
- Secondary battery**
Calcium zincate; Negative electrode materials (Yu, J. (103) 93)
- Secondary lithium batteries**
Vanadium pentoxide; Electronic conducting polymers; Nanocomposites (Huguenin, F. (103) 113)
- Simulated discharge pattern**
Battery capacity estimation; Battery available capacity; Lead-acid battery; Variable discharge current (Shen, W.X. (103) 180)
- SOFC**
Water-gas shift; Ni/zirconia anode; Fuel utilization (Ahmed, K. (103) 150)
- Sol-Gel method**
Lithium-secondary battery; Surface coating; LiMn₂O₄; LiCoO₂; Rate capability (Park, S.-C. (103) 86)
- Sol-gel**
LiNi_{0.8}Co_{0.2}O₂; Layered; Maleic acid; Cathode materials; Lithium batteries (Fey, G.T.K. (103) 265)
- Solid electrolytes**
AMTEC; Power degradation; Ionic resistance; Space power; Efficiency (Lodhi, M.A.K. (103) 25)
- Solid-oxide fuel-cell**
Exergy; First and second law efficiencies; Fuel utilization; Hydrogen; Methane (Chan, S.H. (103) 188)
- Space power**
AMTEC; Power degradation; Ionic resistance; Solid electrolytes; Efficiency (Lodhi, M.A.K. (103) 25)
- Stacks**
Fuel cell; Voltage measurement; Multiplexer (Webb, D. (103) 54)
- State-of-charge**
Lead-acid; Inductance; Coil (Hill, I.R. (103) 98)
- Supercapacitor**
Redoxcapacitor; Pseudocapacitor; Conducting polymer; Polymer electrode; Capacitance; Li salt doping; Polyaniline (Ryu, K.S. (103) 305)
- Surface coating**
Lithium-secondary battery; Sol-Gel method; LiMn₂O₄; LiCoO₂; Rate capability (Park, S.-C. (103) 86)
- Synthesis**
LiMn₂O₄; Combustion; Doping (Choi, H.-J. (103) 154)
- Temperature distribution**
Molten carbonate fuel cell; Water-gas shift reaction; Hydrogen conversion; Cell performances (Kim, M.-H. (103) 245)
- The ac impedance**
Anodic PbO film; Dissolution-precipitation mechanism; Lead-antimony alloy; Lead-tin alloy (Liu, H.-T. (103) 173)
- Thermoelectric module**
Oxide; p–n Coupled element; High-temperature (Shin, W. (103) 80)
- Thin film**
Tin nitride; Microbattery; Lithium battery; Negative electrode; Anode (Park, K.S. (103) 67)

- Thin LiCoO₂ films
Rutherford backscattering spectrometry; RF magnetron sputtering (Whitacre, J.F. (103) 134)
- Time dependency
AMTEC; Electrode; Power degradation; Grain size growth (Lodhi, M.A.K. (103) 18)
- Tin nitride
Thin film; Microbattery; Lithium battery; Negative electrode; Anode (Park, K.S. (103) 67)
- Vanadium oxide
Cavity microelectrode; Battery materials; Manganese oxide (Vivier, V. (103) 61)
- Vanadium pentoxide
Electronic conducting polymers; Nanocomposites; Secondary lithium batteries (Huguenin, F. (103) 113)
- Vanadium pentoxide
Lithium battery; Intercalation; Hybrid; Poly(2,5-dimercapto-1,3,4-thiadiazole); Polyaniline (Park, N.-G. (103) 273)
- Variable discharge current
Battery capacity estimation; Battery available capacity; Lead-acid battery; Simulated discharge pattern (Shen, W.X. (103) 180)
- Voltage measurement
Fuel cell; Stacks; Multiplexer (Webb, D. (103) 54)
- VRLA battery
Grid; Finite element analysis; ANSYS (Ball, R.J. (103) 213)
- VRLA
Corrosion layer (Ball, R.J. (103) 207)
- Water balance
Nafion; Zirconium phosphate; Imidazole; Cesium sulfate; Proton conductivity (Yang, C. (103) 1)
- Water-gas shift reaction
Molten carbonate fuel cell; Temperature distribution; Hydrogen conversion; Cell performances (Kim, M.-H. (103) 245)
- Water-gas shift
SOFC; Ni/zirconia anode; Fuel utilization (Ahmed, K. (103) 150)
- Zinc oxide crystals
Zinc-air cell; Hydroponics gel; Gelling agent; KOH electrolyte (Othman, R. (103) 34)
- Zinc
Alkaline batteries; Recycling; Acid leaching; Recovery; Characterization (Martha de Souza, C.C.B. (103) 120)
- Zinc-air cell
Hydroponics gel; Gelling agent; KOH electrolyte; Zinc oxide crystals (Othman, R. (103) 34)
- Zirconium phosphate
Nafion; Imidazole; Cesium sulfate; Proton conductivity; Water balance (Yang, C. (103) 1)