

## Subject Index of Volume 111

- AB<sub>2</sub> alloys**  
 Metal hydrides; Electrochemical studies; Etching; Hydriding and dehydriding (Ramya, K. (111) 335)
- Absorptive-glass microfiber**  
 Recombinant-battery separator mat; Valve-regulated; Lead-acid (McGregor, K. (111) 288)
- ac Impedance**  
 Ambient temperature use; Composite solid polymer electrolyte; Cyclic voltammetry; Nanosize alumina; Polymer chain reorganization (Nookala, M. (111) 165)
- Activation**  
 Proton-exchange membrane fuel cell (Qi, Z. (111) 181)
- Alkaline batteries**  
 Electrolytic manganese dioxide; Pulse current; Electrodeposition (Ghaemi, M. (111) 248)
- Ambient temperature use**  
 ac Impedance; Composite solid polymer electrolyte; Cyclic voltammetry; Nanosize alumina; Polymer chain reorganization (Nookala, M. (111) 165)
- Anode material**  
 Lithium ion batteries; Natural graphite; Nitric acid (Wu, Y.P. (111) 329)
- Anode**  
 Thin film; Tin-alloying; Microbattery; Cycling performance (Lee, S.-J. (111) 345)
- Anodic deposition**  
 Nickel oxide; Cyclic voltammetry; Potentiostatic deposition; Nickel-based battery (Hu, C.-C. (111) 137)
- Backup power system**  
 Coup de fouet; Voltage dip; Capacity; Valve-regulated lead-acid battery (Pascoe, P.E. (111) 304)
- Battery electrochemical cell**  
 Electrical conductivity; Transport number; Plasticizer effect; Polymer (Subba Reddy, Ch.V. (111) 357)
- Battery**  
 Polyanion; Lithium insertion; Redox potential (Manickam, M. (111) 104)
- Biofuels production**  
 Biomass; Fuel cell vehicles (Hamelinck, C.N. (111) 1)
- Biomass**  
 Biofuels production; Fuel cell vehicles (Hamelinck, C.N. (111) 1)
- Calcination**  
 Sol-gel method; LiNiO<sub>2</sub>; Optimum synthesis condition; Preheating; Electrochemical properties (Song, M.Y. (111) 97)
- Capacity fade**  
 Li-ion cells; LiCoO<sub>2</sub>; Cell-Batt<sup>®</sup>; Sony 18650; Spinel (Ramadass, P. (111) 210)
- Capacity**  
 Coup de fouet; Voltage dip; Valve-regulated lead-acid battery; Backup power system (Pascoe, P.E. (111) 304)
- Carbon additives**  
 Lithium batteries; Conducting agent; Carbon blacks; Graphite (Hong, J.K. (111) 90)
- Carbon anodes**  
 Lithium intercalation/de-intercalation; Graphite fibres; Mesocarbon microbeads; Hard carbon materials (Noel, M. (111) 193)
- Carbon blacks**  
 Lithium batteries; Carbon additives; Conducting agent; Graphite (Hong, J.K. (111) 90)
- Carbon electrode**  
 Impedance; Lithium-ion battery; Storage time (Song, J.Y. (111) 255)
- Cathode materials**  
 Li-ion cells; Ohmic resistivity; Voltage drop; Co doped nickelates (Moshtev, R. (111) 39)
- Cell-Batt<sup>®</sup>**  
 Li-ion cells; LiCoO<sub>2</sub>; Capacity fade; Sony 18650; Spinel (Ramadass, P. (111) 210)
- Ceramic oxygen generator**  
 Electrolyte model; Ion-conducting membrane; Oxygen semi-permeability; Solid oxide fuel cell (Chan, S.H. (111) 320)
- Charge rate**  
 Cycle-life; Li-ion cell; Charge voltage; Float charge (Choi, S.S. (111) 130)
- Charge voltage**  
 Cycle-life; Li-ion cell; Charge rate; Float charge (Choi, S.S. (111) 130)
- Co doped nickelates**  
 Li-ion cells; Ohmic resistivity; Voltage drop; Cathode materials (Moshtev, R. (111) 39)
- CO-tolerant cathode catalyst**  
 Proton-exchange membrane fuel cell (Qi, Z. (111) 239)
- Cobalt substituted nickel oxide**  
 Molten carbonate; Fuel cell; Dissolution (Ganesan, P. (111) 109)
- Composite solid polymer electrolyte**  
 ac Impedance; Ambient temperature use; Cyclic voltammetry; Nanosize alumina; Polymer chain reorganization (Nookala, M. (111) 165)
- Conducting agent**  
 Lithium batteries; Carbon additives; Carbon blacks; Graphite (Hong, J.K. (111) 90)
- Corrosion layer**  
 VRLA; EPMA; Ultra-microtoming (Ball, R.J. (111) 23)
- Coup de fouet**  
 Voltage dip; Capacity; Valve-regulated lead-acid battery; Backup power system (Pascoe, P.E. (111) 304)
- Creep**  
 Diffusion; Oxide; Fuel cell; Fluorite (Wolfenstine, J. (111) 173)
- Crystallinity**  
 Starch-assisted combustion synthesis; Electrochemical activity; LiCoO<sub>2</sub>; LiMn<sub>2</sub>O<sub>4</sub>; Lithium cathodes (Kalyani, P. (111) 232)
- Cycle-life**  
 Li-ion cell; Charge voltage; Charge rate; Float charge (Choi, S.S. (111) 130)
- Cyclic voltammetry**  
 ac Impedance; Ambient temperature use; Composite solid polymer electrolyte; Nanosize alumina; Polymer chain reorganization (Nookala, M. (111) 165)

- Cyclic voltammetry  
Nickel oxide; Anodic deposition; Potentiostatic deposition; Nickel-based battery (Hu, C.-C. (111) 137)
- Cycling performance  
Thin film; Anode; Tin-alloying; Microbattery (Lee, S.-J. (111) 345)
- Diffusion  
Creep; Oxide; Fuel cell; Fluorite (Wolfenstine, J. (111) 173)
- Direct methanol fuel cell  
Mixed-reactant anode; Selective anode; Numerical modelling (Shukla, A.K. (111) 43)
- Dissolution  
Cobalt substituted nickel oxide; Molten carbonate; Fuel cell (Ganesan, P. (111) 109)
- DMFC  
Stack; System; Efficiency (Dohle, H. (111) 268)
- Efficiency  
DMFC; Stack; System (Dohle, H. (111) 268)
- Electrical conductivity  
Battery electrochemical cell; Transport number; Plasticizer effect; Polymer (Subba Reddy, Ch.V. (111) 357)
- Electrochemical activity  
Starch-assisted combustion synthesis; Crystallinity; LiCoO<sub>2</sub>; LiMn<sub>2</sub>O<sub>4</sub>; Lithium cathodes (Kalyani, P. (111) 232)
- Electrochemical capacitor  
Supercapacitor; Hybrid capacitor; Energy storage (Park, J.H. (111) 185)
- Electrochemical properties  
Sol-gel method; LiNiO<sub>2</sub>; Optimum synthesis condition; Preheating; Calcination (Song, M.Y. (111) 97)
- Electrochemical studies  
Metal hydrides; AB<sub>2</sub> alloys; Etching; Hydridding and dehydridding (Ramya, K. (111) 335)
- Electrodeposition  
Alkaline batteries; Electrolytic manganese dioxide; Pulse current (Ghaemi, M. (111) 248)
- Electrolyte model  
Ion-conducting membrane; Oxygen semi-permeability; Ceramic oxygen generator; Solid oxide fuel cell (Chan, S.H. (111) 320)
- Electrolytic manganese dioxide  
Alkaline batteries; Pulse current; Electrodeposition (Ghaemi, M. (111) 248)
- Encapsulation  
Lithium ion batteries; Graphite anode; Poly(acrylonitrile) (Guo, K. (111) 350)
- Energy storage  
Supercapacitor; Electrochemical capacitor; Hybrid capacitor (Park, J.H. (111) 185)
- EPMA  
VRLA; Corrosion layer; Ultra-microtoming (Ball, R.J. (111) 23)
- Etching  
Metal hydrides; AB<sub>2</sub> alloys; Electrochemical studies; Hydridding and dehydridding (Ramya, K. (111) 335)
- Float charge  
Cycle-life; Li-ion cell; Charge voltage; Charge rate (Choi, S.S. (111) 130)
- Fluorite  
Creep; Diffusion; Oxide; Fuel cell (Wolfenstine, J. (111) 173)
- Formic acid  
Portable power; Micro powergeneration; Polymer electrolyte membrane (PEM) fuel cells (Rice, C. (111) 83)
- Fuel cell vehicles  
Biomass; Biofuels production (Hamelinck, C.N. (111) 1)
- Fuel cell  
Cobalt substituted nickel oxide; Molten carbonate; Dissolution (Ganesan, P. (111) 109)
- Fuel cell  
Creep; Diffusion; Oxide; Fluorite (Wolfenstine, J. (111) 173)
- Fuel cells  
Hydrogen production; Low temperature; Methane reforming; Nickel catalyst (Liu, Z.-W. (111) 283)
- Gas turbines  
Molten carbonate fuel cell (MCFC); Power systems simulation (Jurado, F. (111) 121)
- Graphite anode  
Lithium ion batteries; Encapsulation; Poly(acrylonitrile) (Guo, K. (111) 350)
- Graphite fibres  
Carbon anodes; Lithium intercalation/de-intercalation; Mesocarbon microbeads; Hard carbon materials (Noel, M. (111) 193)
- Graphite  
Lithium batteries; Carbon additives; Conducting agent; Carbon blacks (Hong, J.K. (111) 90)
- Hard carbon materials  
Carbon anodes; Lithium intercalation/de-intercalation; Graphite fibres; Mesocarbon microbeads (Noel, M. (111) 193)
- High-power  
Impedance; Lithium-ion (Bloom, I. (111) 152)
- High-rate capability  
Hydrogen storage alloy; Metal hydride electrode; Low-temperature capacity; Pattern recognition method (Ye, H. (111) 145)
- Hybrid capacitor  
Supercapacitor; Electrochemical capacitor; Energy storage (Park, J.H. (111) 185)
- Hydridding and dehydridding  
Metal hydrides; AB<sub>2</sub> alloys; Electrochemical studies; Etching (Ramya, K. (111) 335)
- Hydrogen production  
Low temperature; Methane reforming; Fuel cells; Nickel catalyst (Liu, Z.-W. (111) 283)
- Hydrogen storage alloy  
Metal hydride electrode; High-rate capability; Low-temperature capacity; Pattern recognition method (Ye, H. (111) 145)
- Impedance  
Carbon electrode; Lithium-ion battery; Storage time (Song, J.Y. (111) 255)
- Impedance  
High-power; Lithium-ion (Bloom, I. (111) 152)
- Iodine-containing  
Lithium-ion battery; Lithium manganese oxide (Han, C.-H. (111) 176)
- Ion-conducting membrane  
Electrolyte model; Oxygen semi-permeability; Ceramic oxygen generator; Solid oxide fuel cell (Chan, S.H. (111) 320)
- Lead-acid  
Recombinant-battery separator mat; Valve-regulated; Absorptive-glass microfiber (McGregor, K. (111) 288)
- Li-ion cell  
Cycle-life; Charge voltage; Charge rate; Float charge (Choi, S.S. (111) 130)
- Li-ion cells  
LiCoO<sub>2</sub>; Cell-Batt<sup>®</sup>; Capacity fade; Sony 18650; Spinel (Ramadass, P. (111) 210)
- Li-ion cells  
Ohmic resistivity; Voltage drop; Co doped nickelates; Cathode materials (Moshtev, R. (111) 39)
- LiCoO<sub>2</sub>  
Li-ion cells; Cell-Batt<sup>®</sup>; Capacity fade; Sony 18650; Spinel (Ramadass, P. (111) 210)

- LiCoO<sub>2</sub>**  
Starch-assisted combustion synthesis; Electrochemical activity; Crys-tallinity; LiMn<sub>2</sub>O<sub>4</sub>; Lithium cathodes (Kalyani, P. (111) 232)
- LiMn<sub>2</sub>O<sub>4</sub>**  
Starch-assisted combustion synthesis; Electrochemical activity; Crys-tallinity; LiCoO<sub>2</sub>; Lithium cathodes (Kalyani, P. (111) 232)
- LiNiO<sub>2</sub>**  
Sol-gel method; Optimum synthesis condition; Preheating; Calcination; Electrochemical properties (Song, M.Y. (111) 97)
- Lithium batteries**  
Carbon additives; Conducting agent; Carbon blacks; Graphite (Hong, J.K. (111) 90)
- Lithium cathodes**  
Starch-assisted combustion synthesis; Electrochemical activity; Crys-tallinity; LiCoO<sub>2</sub>; LiMn<sub>2</sub>O<sub>4</sub> (Kalyani, P. (111) 232)
- Lithium insertion**  
Polyanion; Redox potential; Battery (Manickam, M. (111) 104)
- Lithium intercalation/de-intercalation**  
Carbon anodes; Graphite fibres; Mesocarbon microbeads; Hard carbon materials (Noel, M. (111) 193)
- Lithium ion batteries**  
Graphite anode; Encapsulation; Poly(acrylonitrile) (Guo, K. (111) 350)  
Natural graphite; Nitric acid; Anode material (Wu, Y.P. (111) 329)
- Lithium manganese oxide**  
Lithium-ion battery; Iodine-containing (Han, C.-H. (111) 176)
- Lithium perchlorate**  
Polymer electrolytes; Lithium triflate; Plasticizers (Silva, M.M. (111) 52)
- Lithium triflate**  
Polymer electrolytes; Lithium perchlorate; Plasticizers (Silva, M.M. (111) 52)
- Lithium-ion battery**  
Carbon electrode; Impedance; Storage time (Song, J.Y. (111) 255)
- Lithium-ion battery**  
Iodine-containing; Lithium manganese oxide (Han, C.-H. (111) 176)
- Lithium-ion**  
High-power; Impedance (Bloom, I. (111) 152)
- Low temperature**  
Hydrogen production; Methane reforming; Fuel cells; Nickel catalyst (Liu, Z.-W. (111) 283)
- Low-temperature capacity**  
Hydrogen storage alloy; Metal hydride electrode; High-rate capability; Pattern recognition method (Ye, H. (111) 145)
- MCMB**  
Pt-Ru catalyst; Methanol electrooxidation (Liu, Y.-C. (111) 160)
- Mesocarbon microbeads**  
Carbon anodes; Lithium intercalation/de-intercalation; Graphite fibres; Hard carbon materials (Noel, M. (111) 193)
- Metal hydride electrode**  
Hydrogen storage alloy; High-rate capability; Low-temperature capa-city; Pattern recognition method (Ye, H. (111) 145)
- Metal hydrides**  
AB<sub>2</sub> alloys; Electrochemical studies; Etching; Hydriding and dehydrid-ing (Ramya, K. (111) 335)
- Methane reforming**  
Hydrogen production; Low temperature; Fuel cells; Nickel catalyst (Liu, Z.-W. (111) 283)
- Methanol electrooxidation**  
MCMB; Pt-Ru catalyst (Liu, Y.-C. (111) 160)
- Micro powergeneration**  
Formic acid; Portable power; Polymer electrolyte membrane (PEM) fuel cells (Rice, C. (111) 83)
- Microbattery**  
Thin film; Anode; Tin-alloying; Cycling performance (Lee, S.-J. (111) 345)
- Microfibrous substrate**  
Nickel oxide batteries; Nickel hydrogen cells (Zhu, W.H. (111) 221)
- Mixed-reactant anode**  
Selective anode; Direct methanol fuel cell; Numerical modelling (Shukla, A.K. (111) 43)
- Modelling**  
Simulation; State estimation; State-of-health; VRLA battery (Tenno, A. (111) 65)
- Molten carbonate fuel cell (MCFC)**  
Gas turbines; Power systems simulation (Jurado, F. (111) 121)
- Molten carbonate**  
Cobalt substituted nickel oxide; Fuel cell; Dissolution (Ganesan, P. (111) 109)
- Nanosize alumina**  
ac Impedance; Ambient temperature use; Composite solid polymer electrolyte; Cyclic voltammetry; Polymer chain reorganization (Nookala, M. (111) 165)
- Natural graphite**  
Lithium ion batteries; Nitric acid; Anode material (Wu, Y.P. (111) 329)
- Nickel catalyst**  
Hydrogen production; Low temperature; Methane reforming; Fuel cells (Liu, Z.-W. (111) 283)
- Nickel hydrogen cells**  
Microfibrous substrate; Nickel oxide batteries (Zhu, W.H. (111) 221)
- Nickel oxide batteries**  
Microfibrous substrate; Nickel hydrogen cells (Zhu, W.H. (111) 221)
- Nickel oxide**  
Anodic deposition; Cyclic voltammetry; Potentiostatic deposition; Nickel-based battery (Hu, C.-C. (111) 137)
- Nickel-based battery**  
Nickel oxide; Anodic deposition; Cyclic voltammetry; Potentiostatic deposition (Hu, C.-C. (111) 137)
- Nitric acid**  
Lithium ion batteries; Natural graphite; Anode material (Wu, Y.P. (111) 329)
- Numerical modelling**  
Mixed-reactant anode; Selective anode; Direct methanol fuel cell (Shukla, A.K. (111) 43)
- Ohmic resistivity**  
Li-ion cells; Voltage drop; Co doped nickelates; Cathode materials (Moshtev, R. (111) 39)
- Optimum synthesis condition**  
Sol-gel method; LiNiO<sub>2</sub>; Preheating; Calcination; Electrochemical properties (Song, M.Y. (111) 97)
- Oxide**  
Creep; Diffusion; Fuel cell; Fluorite (Wolfenstein, J. (111) 173)
- Oxygen semi-permeability**  
Electrolyte model; Ion-conducting membrane; Ceramic oxygen gen-erator; Solid oxide fuel cell (Chan, S.H. (111) 320)
- Pattern recognition method**  
Hydrogen storage alloy; Metal hydride electrode; High-rate capability; Low-temperature capacity (Ye, H. (111) 145)
- Plasticizer effect**  
Battery electrochemical cell; Electrical conductivity; Transport number; Polymer (Subba Reddy, Ch.V. (111) 357)
- Plasticizers**  
Polymer electrolytes; Lithium perchlorate; Lithium triflate (Silva, M.M. (111) 52)
- Poly(acrylonitrile)**  
Lithium ion batteries; Graphite anode; Encapsulation (Guo, K. (111) 350)
- Polyanion**  
Lithium insertion; Redox potential; Battery (Manickam, M. (111) 104)

- Polymer chain reorganization  
 ac Impedance; Ambient temperature use; Composite solid polymer electrolyte; Cyclic voltammetry; Nanosize alumina (Nookala, M. (111) 165)
- Polymer electrolyte membrane (PEM) fuel cells  
 Formic acid; Portable power; Micro powergeneration (Rice, C. (111) 83)
- Polymer electrolytes  
 Lithium perchlorate; Lithium triflate; Plasticizers (Silva, M.M. (111) 52)
- Polymer  
 Battery electrochemical cell; Electrical conductivity; Transport number; Plasticizer effect (Subba Reddy, Ch.V. (111) 357)
- Portable power  
 Formic acid; Micro powergeneration; Polymer electrolyte membrane (PEM) fuel cells (Rice, C. (111) 83)
- Potentiostatic deposition  
 Nickel oxide; Anodic deposition; Cyclic voltammetry; Nickel-based battery (Hu, C.-C. (111) 137)
- Power systems simulation  
 Gas turbines; Molten carbonate fuel cell (MCFC) (Jurado, F. (111) 121)
- Preheating  
 Sol-gel method; LiNiO<sub>2</sub>; Optimum synthesis condition; Calcination; Electrochemical properties (Song, M.Y. (111) 97)
- Proton-exchange membrane fuel cell  
 Activation (Qi, Z. (111) 181)
- Proton-exchange membrane fuel cell  
 CO-tolerant cathode catalyst (Qi, Z. (111) 239)
- Pt-Ru catalyst  
 MCMB; Methanol electrooxidation (Liu, Y.-C. (111) 160)
- Pulse current  
 Alkaline batteries; Electrolytic manganese dioxide; Electrodeposition (Ghaemi, M. (111) 248)
- Recombinant-battery separator mat  
 Valve-regulated; Lead-acid; Absorptive-glass microfiber (McGregor, K. (111) 288)
- Redox potential  
 Polyanion; Lithium insertion; Battery (Manickam, M. (111) 104)
- Selective anode  
 Mixed-reactant anode; Direct methanol fuel cell; Numerical modelling (Shukla, A.K. (111) 43)
- Simulation  
 Modelling; State estimation; State-of-health; VRLA battery (Tenno, A. (111) 65)
- Sol-gel method  
 LiNiO<sub>2</sub>; Optimum synthesis condition; Preheating; Calcination; Electrochemical properties (Song, M.Y. (111) 97)
- Solid oxide fuel cell  
 Electrolyte model; Ion-conducting membrane; Oxygen semi-permeability; Ceramic oxygen generator (Chan, S.H. (111) 320)
- Sony 18650  
 Li-ion cells; LiCoO<sub>2</sub>; Cell-Batt<sup>®</sup>; Capacity fade; Spinel (Ramadass, P. (111) 210)
- Spinel  
 Li-ion cells; LiCoO<sub>2</sub>; Cell-Batt<sup>®</sup>; Capacity fade; Sony 18650 (Ramadass, P. (111) 210)
- Stack  
 DMFC; System; Efficiency (Dohle, H. (111) 268)
- Starch-assisted combustion synthesis  
 Electrochemical activity; Crystallinity; LiCoO<sub>2</sub>; LiMn<sub>2</sub>O<sub>4</sub>; Lithium cathodes (Kalyani, P. (111) 232)
- State estimation  
 Modelling; Simulation; State-of-health; VRLA battery (Tenno, A. (111) 65)
- State-of-health  
 Modelling; Simulation; State estimation; VRLA battery (Tenno, A. (111) 65)
- Storage time  
 Carbon electrode; Impedance; Lithium-ion battery (Song, J.Y. (111) 255)
- Supercapacitor  
 Electrochemical capacitor; Hybrid capacitor; Energy storage (Park, J.H. (111) 185)
- System  
 DMFC; Stack; Efficiency (Dohle, H. (111) 268)
- Thin film  
 Anode; Tin-alloying; Microbattery; Cycling performance (Lee, S.-J. (111) 345)
- Tin-alloying  
 Thin film; Anode; Microbattery; Cycling performance (Lee, S.-J. (111) 345)
- Transport number  
 Battery electrochemical cell; Electrical conductivity; Plasticizer effect; Polymer (Subba Reddy, Ch.V. (111) 357)
- Ultra-microtoming  
 VRLA; Corrosion layer; EPMA (Ball, R.J. (111) 23)
- Valve-regulated lead-acid battery  
 Coup de fouet; Voltage dip; Capacity; Backup power system (Pascoe, P.E. (111) 304)
- Valve-regulated  
 Recombinant-battery separator mat; Lead-acid; Absorptive-glass microfiber (McGregor, K. (111) 288)
- Voltage dip  
 Coup de fouet; Capacity; Valve-regulated lead-acid battery; Backup power system (Pascoe, P.E. (111) 304)
- Voltage drop  
 Li-ion cells; Ohmic resistivity; Co doped nickelates; Cathode materials (Moshtev, R. (111) 39)
- VRLA battery  
 Modelling; Simulation; State estimation; State-of-health (Tenno, A. (111) 65)
- VRLA  
 Corrosion layer; EPMA; Ultra-microtoming (Ball, R.J. (111) 23)