

## Subject Index of Volume 114

- ac impedance  
Mesocarbon microbeads; Lithium-ion battery; Anode (Yao, J. (114) 292)
- Activation energy  
Conductivity; Transference number; Electrochemical cells; Decomposition potential; Polyblend electrolyte (Subba Reddy, Ch.V. (114) 338)
- Activation  
Proton-exchange membrane fuel cell; Catalyst-coated membrane; Membrane-electrode assembly (Qi, Z. (114) 21)
- Adsorption isotherm  
Intercalation; Underpotential deposition; Lithium-ion batteries (Lee, H.-H. (114) 285)
- Alkaline  
Electrochemical studies; Zinc; Corrosion inhibitors; Zinc surface (Ein-Eli, Y. (114) 330)
- Alloy  
Battery; Charging capacity; Hydrogen storage; Nickel–metal hydride; Mischmetal (Muruganatham, R. (114) 352)
- Allyl cyanide  
Polymer electrolyte; Polysiloxane; Indium–tin oxide cell (Lee, I.J. (114) 320)
- Anode material  
Silicon; Lithium battery; Impedance spectroscopy (Dimov, N. (114) 88)
- Anode  
Mesocarbon microbeads; Lithium-ion battery; ac impedance (Yao, J. (114) 292)
- Automobile  
Ultracapacitor; Supercapacitor; 42-V system; Energy-storage; Regenerative braking (Jung, D.Y. (114) 366)
- Batteries  
Noise measurements; Noise mechanisms; State-of-health (Baert, D.H.J. (114) 357)
- Battery  
Alloy; Charging capacity; Hydrogen storage; Nickel–metal hydride; Mischmetal (Muruganatham, R. (114) 352)
- Battery  
Optical images; Raman spectra; Lithium metal electrode; Ionic liquids; Dendrites (Howlett, P.C. (114) 277)
- Bipolar plate  
Fuel cells; PEMFC; Metal foam; CFD; Fluent (Kumar, A. (114) 54)
- Bipolar plate  
PEM fuel cells; Membrane electrode assembly (Mehta, V. (114) 32)
- C–C composite  
MCMC; Specific capacity; Lithium-ion battery; Overcharge; Over-discharge; DSC (Hossain, S. (114) 264)
- Capacity retention  
Lithium-ion battery; Lithium nickel oxides; *R*-factor; Sol–gel process; Synthesis conditions (Hwang, B.J. (114) 244)
- Capacity  
Lithium battery; Lithium powder; Impedance; Manganese dioxide; High-rate discharge (Park, M.S. (114) 237)
- Carbon anode material  
Mild oxidation; Composite; Coating; Carbon nanotubes (Wu, Y.P. (114) 228)
- Carbon nanotubes  
Carbon anode material; Mild oxidation; Composite; Coating (Wu, Y.P. (114) 228)
- Catalyst-coated membrane  
Proton-exchange membrane fuel cell; Activation; Membrane-electrode assembly (Qi, Z. (114) 21)
- Cathodic active mass  
Zinc–manganese dioxide cell; Porous conductive glassy carbon (PCGC) (Rogulski, Z. (114) 176)
- Cell partition  
Planar stack; Series connection; Mathematical analysis; Energy losses; SOFC (Shiratori, Y. (114) 80)
- Cell performance  
Solvent-free polymer electrolyte; Lithium battery; Transference number; Ionic conductivity (Aihara, Y. (114) 96)
- Ceria–salt-composites  
Ionic conduction; Intermediate temperature; Solid oxide fuel cells (Zhu, B. (114) 1)
- CFD  
Fuel cells; PEMFC; Bipolarplate; Metal foam; Fluent (Kumar, A. (114) 54)
- Charge-transfer  
Low-temperature performance; Nano-tin; Polyaniline; Polyethylene oxide; Electronic-ionic mixed conduction (Zhang, X.-W. (114) 121)
- Charging capacity  
Alloy; Battery; Hydrogen storage; Nickel–metal hydride; Mischmetal (Muruganatham, R. (114) 352)
- Charging characteristics  
Nickel electrodes; Cycle life (Thaller, L.H. (114) 309)
- Chromia catalyst  
Water-gas shift catalysts; Steam reforming (Löffler, D.G. (114) 15)
- Coating  
Carbon anode material; Mild oxidation; Composite; Carbon nanotubes (Wu, Y.P. (114) 228)
- Composite electrolytes  
Poly(ethylene oxide); Dry polymer electrolyte; Solvent-free preparation; Hot-pressing; Solid-state electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- Composite  
Carbon anode material; Mild oxidation; Coating; Carbon nanotubes (Wu, Y.P. (114) 228)
- Conductivity  
Activation energy; Transference number; Electrochemical cells; Decomposition potential; Polyblend electrolyte (Subba Reddy, Ch.V. (114) 338)
- Conductivity  
Poly(ethylene oxide); Dry polymer electrolyte; Solvent-free preparation; Hot-pressing; Solid-state electrolytes; Composite electrolytes (Appetecchi, G.B. (114) 105)
- Corrosion inhibitors  
Electrochemical studies; Zinc; Zinc surface; Alkaline (Ein-Eli, Y. (114) 330)

- Curing of lead acid battery plates  
Lead acid battery; Lead dioxide plate technology; Tetra-basic lead sulfate (4BS); 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead–tin–calcium grid alloy structure; Hydration of 4BS or 3BS (Pavlov, D. (114) 137)
- Cycle life  
Nickel electrodes; Charging characteristics (Thaller, L.H. (114) 309)
- Decomposition potential  
Conductivity; Activation energy; Transference number; Electrochemical cells; Polyblend electrolyte (Subba Reddy, Ch.V. (114) 338)
- Dendrites  
Battery; Optical images; Raman spectra; Lithium metal electrode; Ionic liquids (Howlett, P.C. (114) 277)
- Direct methanol fuel cell  
Impedance spectroscopy; Methanol oxidation (Liu, Y.-C. (114) 10)
- Discharge  
EPR; MnO<sub>2</sub>; Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions; Powders; Power sources (Kakazey, M. (114) 170)
- Dry polymer electrolyte  
Poly(ethylene oxide); Solvent-free preparation; Hot-pressing; Solid-state electrolytes; Composite electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- DSC  
C–C composite; MCMB; Specific capacity; Lithium-ion battery; Overcharge; Overdischarge (Hossain, S. (114) 264)
- Electrochemical cells  
Conductivity; Activation energy; Transference number; Decomposition potential; Polyblend electrolyte (Subba Reddy, Ch.V. (114) 338)
- Electrochemical quartz crystal microbalance  
LiMn<sub>2</sub>O<sub>4</sub>; Electrostatic spray deposition; Impedance spectroscopy; Lithium-ion battery (Shu, D. (114) 253)
- Electrochemical studies  
Zinc; Corrosion inhibitors; Zinc surface; Alkaline (Ein-Eli, Y. (114) 330)
- Electrode flooding  
PEM fuel cells; Water management; Sequential exhausting (Van Nguyen, T. (114) 70)
- Electrolyte  
Intercalation cell; Rocking chair (Manickam, M. (114) 298)
- Electronic-ionic mixed conduction  
Low-temperature performance; Nano-tin; Polyaniline; Polyethylene oxide; Charge-transfer (Zhang, X.-W. (114) 121)
- Electrostatic spray deposition  
LiMn<sub>2</sub>O<sub>4</sub>; Electrochemical quartz crystal microbalance; Impedance spectroscopy; Lithium-ion battery (Shu, D. (114) 253)
- Energy losses  
Planar stack; Cell partition; Series connection; Mathematical analysis; SOFC (Shiratori, Y. (114) 80)
- Energy  
Systems engineering; Thermodynamics process; Optimization; SOFC systems; Exergy analysis (Douvartzides, S.L. (114) 203)
- Energy-storage  
Ultracapacitor; Supercapacitor; 42-V system; Regenerative braking; Automobile (Jung, D.Y. (114) 366)
- EPR  
MnO<sub>2</sub>; Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions; Powders; Discharge; Power sources (Kakazey, M. (114) 170)
- Exergy analysis  
Systems engineering; Thermodynamics process; Optimization; SOFC systems; Energy (Douvartzides, S.L. (114) 203)
- Experimental test  
Free-convection mass transfer; PEM fuel cell; Theoretical analysis (Li, P.-W. (114) 63)
- Float conditions  
VRLA batteries; Standby applications; Scattering; Manufacturing process (Rossinot, E. (114) 160)
- Fluent  
Fuel cells; PEMFC; Bipolar plate; Metal foam; CFD (Kumar, A. (114) 54)
- Free-convection mass transfer  
PEM fuel cell; Theoretical analysis; Experimental test (Li, P.-W. (114) 63)
- Fuel cell  
Membrane and electrode assembly; Hydrogen; Irreversibility; Optimization; Platinum catalyst (Iyuke, S.E. (114) 195)
- Fuel cells  
PEMFC; Bipolar plate; Metal foam; CFD; Fluent (Kumar, A. (114) 54)
- Fullerenes and nanotubes  
VRLA; Hydrophobization of negative active mass (Kamenev, Yu. (114) 303)
- Glass electrolyte  
Silver phosphate glass; Solid-state battery; Open-circuit voltage; Silver ion conductors; Zinc/cadmium halides (Das, S.S. (114) 346)
- High-rate discharge  
Lithium battery; Lithium powder; Impedance; Manganese dioxide; Capacity (Park, M.S. (114) 237)
- Hot-pressing  
Poly(ethylene oxide); Dry polymer electrolyte; Solvent-free preparation; Solid-state electrolytes; Composite electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- Hybrid power system  
SOFC stack modelling; Part-load operation (Chan, S.H. (114) 213)
- Hydration of 4BS or 3BS  
Lead acid battery; Lead dioxide plate technology; Curing of lead acid battery plates; Tetra-basic lead sulfate (4BS); 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead–tin–calcium grid alloy structure (Pavlov, D. (114) 137)
- Hydrogen storage  
Alloy; Battery; Charging capacity; Nickel–metal hydride; Mischmetal (Muruganatham, R. (114) 352)
- Hydrogen  
Fuel cell; Membrane and electrode assembly; Irreversibility; Optimization; Platinum catalyst (Iyuke, S.E. (114) 195)
- Hydrophobization of negative active mass  
VRLA; Fullerenes and nanotubes (Kamenev, Yu. (114) 303)
- Impedance spectroscopy  
Direct methanol fuel cell; Methanol oxidation (Liu, Y.-C. (114) 10)
- Impedance spectroscopy  
LiMn<sub>2</sub>O<sub>4</sub>; Electrostatic spray deposition; Electrochemical quartz crystal microbalance; Lithium-ion battery (Shu, D. (114) 253)
- Impedance spectroscopy  
Silicon; Lithium battery; Anode material (Dimov, N. (114) 88)
- Impedance  
Lithium battery; Lithium powder; Manganese dioxide; Capacity; High-rate discharge (Park, M.S. (114) 237)
- Indium–tin oxide cell  
Polymer electrolyte; Polysiloxane; Allyl cyanide (Lee, I.J. (114) 320)
- Intercalation cell  
Electrolyte; Rocking chair (Manickam, M. (114) 298)
- Intercalation  
Adsorption isotherm; Underpotential deposition; Lithium-ion batteries (Lee, H.-H. (114) 285)
- Intermediate temperature  
Ionic conduction; Ceria–salt-composites; Solid oxide fuel cells (Zhu, B. (114) 1)
- Ionic conduction  
Ceria–salt-composites; Intermediate temperature; Solid oxide fuel cells (Zhu, B. (114) 1)
- Ionic conductivity  
Solvent-free polymer electrolyte; Cell performance; Lithium battery; Transference number (Aihara, Y. (114) 96)

- Ionic liquids  
 Battery; Optical images; Raman spectra; Lithium metal electrode; Dendrites (Howlett, P.C. (114) 277)
- Irreversibility  
 Fuel cell; Membrane and electrode assembly; Hydrogen; Optimization; Platinum catalyst (Iyuke, S.E. (114) 195)
- Lead acid battery  
 Lead dioxide plate technology; Curing of lead acid battery plates; Tetra-basic lead sulfate (4BS); 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead–tin–calcium grid alloy structure; Hydration of 4BS or 3BS (Pavlov, D. (114) 137)
- Lead dioxide plate technology  
 Lead acid battery; Curing of lead acid battery plates; Tetra-basic lead sulfate (4BS); 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead–tin–calcium grid alloy structure; Hydration of 4BS or 3BS (Pavlov, D. (114) 137)
- Li-ion batteries  
 LiCoO<sub>2</sub> powder; Metallo-organic decomposition (Lala, S.M. (114) 127)
- Li-ion batteries  
 Thin films; Tin oxide; Nickel oxide; Vacuum thermal evaporation (Nuli, Y.-N. (114) 113)
- LiCoO<sub>2</sub> powder  
 Li-ion batteries; Metallo-organic decomposition (Lala, S.M. (114) 127)
- LiMn<sub>2</sub>O<sub>4</sub>  
 Electrostatic spray deposition; Electrochemical quartz crystal microbalance; Impedance spectroscopy; Lithium-ion battery (Shu, D. (114) 253)
- Lithium battery  
 Lithium powder; Impedance; Manganese dioxide; Capacity; High-rate discharge (Park, M.S. (114) 237)
- Lithium battery  
 Silicon; Anode material; Impedance spectroscopy (Dimov, N. (114) 88)
- Lithium battery  
 Solvent-free polymer electrolyte; Cell performance; Transference number; Ionic conductivity (Aihara, Y. (114) 96)
- Lithium metal electrode  
 Battery; Optical images; Raman spectra; Ionic liquids; Dendrites (Howlett, P.C. (114) 277)
- Lithium nickel oxides  
 Capacity retention; Lithium-ion battery; *R*-factor; Sol–gel process; Synthesis conditions (Hwang, B.J. (114) 244)
- Lithium powder  
 Lithium battery; Impedance; Manganese dioxide; Capacity; High-rate discharge (Park, M.S. (114) 237)
- Lithium-ion batteries  
 Adsorption isotherm; Intercalation; Underpotential deposition (Lee, H.-H. (114) 285)
- Lithium-ion battery  
 C–C composite; MCMB; Specific capacity; Overcharge; Overdischarge; DSC (Hossain, S. (114) 264)
- Lithium-ion battery  
 Capacity retention; Lithium nickel oxides; *R*-factor; Sol–gel process; Synthesis conditions (Hwang, B.J. (114) 244)
- Lithium-ion battery  
 LiMn<sub>2</sub>O<sub>4</sub>; Electrostatic spray deposition; Electrochemical quartz crystal microbalance; Impedance spectroscopy (Shu, D. (114) 253)
- Lithium-ion battery  
 Mesocarbon microbeads; Anode; ac impedance (Yao, J. (114) 292)
- Low-temperature performance  
 Nano-tin; Polyaniline; Polyethylene oxide; Charge-transfer; Electronic-ionic mixed conduction (Zhang, X.-W. (114) 121)
- Manganese dioxide  
 Lithium battery; Lithium powder; Impedance; Capacity; High-rate discharge (Park, M.S. (114) 237)
- Manufacturing process  
 VRLA batteries; Standby applications; Float conditions; Scattering (Rossinot, E. (114) 160)
- Mathematical analysis  
 Planar stack; Cell partition; Series connection; Energy losses; SOFC (Shiratori, Y. (114) 80)
- MCMB  
 C–C composite; Specific capacity; Lithium-ion battery; Overcharge; Overdischarge; DSC (Hossain, S. (114) 264)
- Membrane and electrode assembly  
 Fuel cell; Hydrogen; Irreversibility; Optimization; Platinum catalyst (Iyuke, S.E. (114) 195)
- Membrane electrode assembly  
 PEM fuel cells; Bipolar plate (Mehta, V. (114) 32)
- Membrane-electrode assembly  
 Proton-exchange membrane fuel cell; Activation; Catalyst-coated membrane (Qi, Z. (114) 21)
- Mesocarbon microbeads  
 Lithium-ion battery; Anode; ac impedance (Yao, J. (114) 292)
- Metal foam  
 Fuel cells; PEMFC; Bipolar plate; CFD; Fluent (Kumar, A. (114) 54)
- Metallo-organic decomposition  
 LiCoO<sub>2</sub> powder; Li-ion batteries (Lala, S.M. (114) 127)
- Methanol oxidation  
 Direct methanol fuel cell; Impedance spectroscopy (Liu, Y.-C. (114) 10)
- Mild oxidation  
 Carbon anode material; Composite; Coating; Carbon nanotubes (Wu, Y.P. (114) 228)
- Mischmetal  
 Alloy; Battery; Charging capacity; Hydrogen storage; Nickel–metal hydride (Muruganatham, R. (114) 352)
- Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions  
 EPR; MnO<sub>2</sub>; Powders; Discharge; Power sources (Kakazey, M. (114) 170)
- MnO<sub>2</sub>  
 EPR; Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions; Powders; Discharge; Power sources (Kakazey, M. (114) 170)
- Nano-tin  
 Low-temperature performance; Polyaniline; Polyethylene oxide; Charge-transfer; Electronic-ionic mixed conduction (Zhang, X.-W. (114) 121)
- Nanocomposites  
 Vanadium pentoxide; Polypyrrole; Polypyrrole derivatives (Huguenin, F. (114) 133)
- Nickel electrodes  
 Charging characteristics; Cycle life (Thaller, L.H. (114) 309)
- Nickel oxide  
 Li-ion batteries; Thin films; Tin oxide; Vacuum thermal evaporation (Nuli, Y.-N. (114) 113)
- Nickel–metal hydride  
 Alloy; Battery; Charging capacity; Hydrogen storage; Mischmetal (Muruganatham, R. (114) 352)
- Noise measurements  
 Batteries; Noise mechanisms; State-of-health (Baert, D.H.J. (114) 357)
- Noise mechanisms  
 Batteries; Noise measurements; State-of-health (Baert, D.H.J. (114) 357)
- Open-circuit voltage  
 Silver phosphate glass; Solid-state battery; Glass electrolyte; Silver-ion conductors; Zinc/cadmium halides (Das, S.S. (114) 346)
- Optical images  
 Battery; Raman spectra; Lithium metal electrode; Ionic liquids; Dendrites (Howlett, P.C. (114) 277)
- Optimization  
 Fuel cell; Membrane and electrode assembly; Hydrogen; Irreversibility; Platinum catalyst (Iyuke, S.E. (114) 195)
- Optimization  
 Systems engineering; Thermodynamics process; SOFC systems; Energy; Exergy analysis (Douvartzides, S.L. (114) 203)

- Overcharge  
C–C composite; MCMB; Specific capacity; Lithium-ion battery; Over-discharge; DSC (Hossain, S. (114) 264)
- Overdischarge  
C–C composite; MCMB; Specific capacity; Lithium-ion battery; Over-charge; DSC (Hossain, S. (114) 264)
- 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead–tin–calcium grid alloy structure  
Lead acid battery; Lead dioxide plate technology; Curing of lead acid battery plates; Tetra-basic lead sulfate (4BS); Hydration of 4BS or 3BS (Pavlov, D. (114) 137)
- Part-load operation  
Hybrid power system; SOFC stack modelling (Chan, S.H. (114) 213)
- PEM fuel cell  
Free-convection mass transfer; Theoretical analysis; Experimental test (Li, P.-W. (114) 63)
- PEM fuel cells  
Membrane electrode assembly; Bipolar plate (Mehta, V. (114) 32)
- PEM fuel cells  
Water management; Electrode flooding; Sequential exhausting (Van Nguyen, T. (114) 70)
- PEMFC  
Fuel cells; Bipolar plate; Metal foam; CFD; Fluent (Kumar, A. (114) 54)
- Planar stack  
Cell partition; Series connection; Mathematical analysis; Energy losses; SOFC (Shiratori, Y. (114) 80)
- Platinum catalyst  
Fuel cell; Membrane and electrode assembly; Hydrogen; Irreversibility; Optimization (Iyuke, S.E. (114) 195)
- Poly(ethylene oxide)  
Dry polymer electrolyte; Solvent-free preparation; Hot-pressing; Solid-state electrolytes; Composite electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- Polyaniline  
Low-temperature performance; Nano-tin; Polyethylene oxide; Charge-transfer; Electronic-ionic mixed conduction (Zhang, X.-W. (114) 121)
- Polyblend electrolyte  
Conductivity; Activation energy; Transference number; Electrochemical cells; Decomposition potential (Subba Reddy, Ch.V. (114) 338)
- Polyethylene oxide  
Low-temperature performance; Nano-tin; Polyaniline; Charge-transfer; Electronic-ionic mixed conduction (Zhang, X.-W. (114) 121)
- Polymer electrolyte  
Polysiloxane; Allyl cyanide; Indium–tin oxide cell (Lee, I.J. (114) 320)
- Polypyrrole derivatives  
Vanadium pentoxide; Polypyrrole; Nanocomposites (Huguenin, F. (114) 133)
- Polypyrrole  
Vanadium pentoxide; Polypyrrole derivatives; Nanocomposites (Huguenin, F. (114) 133)
- Polysiloxane  
Polymer electrolyte; Allyl cyanide; Indium–tin oxide cell (Lee, I.J. (114) 320)
- Porous conductive glassy carbon (PCGC)  
Zinc–manganese dioxide cell; Cathodic active mass (Rogulski, Z. (114) 176)
- Powders  
EPR; MnO<sub>2</sub>; Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions; Discharge; Power sources (Kakazey, M. (114) 170)
- Power sources  
EPR; MnO<sub>2</sub>; Mn<sup>3+</sup>–Mn<sup>4+</sup> exchange interactions; Powders; Discharge (Kakazey, M. (114) 170)
- Proton-exchange membrane fuel cell  
Activation; Catalyst-coated membrane; Membrane-electrode assembly (Qi, Z. (114) 21)
- Raman spectra  
Battery; Optical images; Lithium metal electrode; Ionic liquids; Dendrites (Howlett, P.C. (114) 277)
- Regenerative braking  
Ultracapacitor; Supercapacitor; 42-V system; Energy-storage; Automobile (Jung, D.Y. (114) 366)
- R-factor  
Capacity retention; Lithium-ion battery; Lithium nickel oxides; Sol–gel process; Synthesis conditions (Hwang, B.J. (114) 244)
- Rocking chair  
Electrolyte; Intercalation cell (Manickam, M. (114) 298)
- Scattering  
VRLA batteries; Standby applications; Float conditions; Manufacturing process (Rossinot, E. (114) 160)
- Sequential exhausting  
PEM fuel cells; Water management; Electrode flooding (Van Nguyen, T. (114) 70)
- Series connection  
Planar stack; Cell partition; Mathematical analysis; Energy losses; SOFC (Shiratori, Y. (114) 80)
- Silicon  
Lithium battery; Anode material; Impedance spectroscopy (Dimov, N. (114) 88)
- Silver phosphate glass  
Solid-state battery; Glass electrolyte; Open-circuit voltage; Silver-ion conductors; Zinc/cadmium halides (Das, S.S. (114) 346)
- Silver-ion conductors  
Silver phosphate glass; Solid-state battery; Glass electrolyte; Open-circuit voltage; Zinc/cadmium halides (Das, S.S. (114) 346)
- SOFC stack modelling  
Hybrid power system; Part-load operation (Chan, S.H. (114) 213)
- SOFC systems  
Systems engineering; Thermodynamics process; Optimization; Energy; Exergy analysis (Douvartzides, S.L. (114) 203)
- SOFC  
Planar stack; Cell partition; Series connection; Mathematical analysis; Energy losses (Shiratori, Y. (114) 80)
- Sol–gel process  
Capacity retention; Lithium-ion battery; Lithium nickel oxides; R-factor; Synthesis conditions (Hwang, B.J. (114) 244)
- Solid oxide fuel cells  
Ionic conduction; Ceria–salt-composites; Intermediate temperature (Zhu, B. (114) 1)
- Solid-state battery  
Silver phosphate glass; Glass electrolyte; Open-circuit voltage; Silver-ion conductors; Zinc/cadmium halides (Das, S.S. (114) 346)
- Solid-state electrolytes  
Poly(ethylene oxide); Dry polymer electrolyte; Solvent-free preparation; Hot-pressing; Composite electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- Solvent-free polymer electrolyte  
Cell performance; Lithium battery; Transference number; Ionic conductivity (Aihara, Y. (114) 96)
- Solvent-free preparation  
Poly(ethylene oxide); Dry polymer electrolyte; Hot-pressing; Solid-state electrolytes; Composite electrolytes; Conductivity (Appetecchi, G.B. (114) 105)
- Specific capacity  
C–C composite; MCMB; Lithium-ion battery; Overcharge; Over-discharge; DSC (Hossain, S. (114) 264)
- Standby applications  
VRLA batteries; Float conditions; Scattering; Manufacturing process (Rossinot, E. (114) 160)
- State-of-health  
Batteries; Noise measurements; Noise mechanisms (Baert, D.H.J. (114) 357)

- Steam reforming  
Water-gas shift catalysts; Chromia catalyst (Löffler, D.G. (114) 15)
- Supercapacitor  
Ultracapacitor; 42-V system; Energy-storage; Regenerative braking; Automobile (Jung, D.Y. (114) 366)
- Synthesis conditions  
Capacity retention; Lithium-ion battery; Lithium nickel oxides; R-factor; Sol-gel process (Hwang, B.J. (114) 244)
- Systems engineering  
Thermodynamics process; Optimization; SOFC systems; Energy; Exergy analysis (Douvartzides, S.L. (114) 203)
- Tetra-basic lead sulfate (4BS)  
Lead acid battery; Lead dioxide plate technology; Curing of lead acid battery plates; 3PbOPbSO<sub>4</sub>·H<sub>2</sub>O (3BS) lead-tin-calcium grid alloy structure; Hydration of 4BS or 3BS (Pavlov, D. (114) 137)
- Theoretical analysis  
Free-convection mass transfer; PEM fuel cell; Experimental test (Li, P.-W. (114) 63)
- Thermodynamics process  
Systems engineering; Optimization; SOFC systems; Energy; Exergy analysis (Douvartzides, S.L. (114) 203)
- Thin films  
Li-ion batteries; Tin oxide; Nickel oxide; Vacuum thermal evaporation (Nuli, Y.-N. (114) 113)
- Tin oxide  
Li-ion batteries; Thin films; Nickel oxide; Vacuum thermal evaporation (Nuli, Y.-N. (114) 113)
- Transference number  
Conductivity; Activation energy; Electrochemical cells; Decomposition potential; Polyblend electrolyte (Subba Reddy, Ch.V. (114) 338)
- Transference number  
Solvent-free polymer electrolyte; Cell performance; Lithium battery; Ionic conductivity (Aihara, Y. (114) 96)
- Ultracapacitor  
Supercapacitor; 42-V system; Energy-storage; Regenerative braking; Automobile (Jung, D.Y. (114) 366)
- Underpotential deposition  
Adsorption isotherm; Intercalation; Lithium-ion batteries (Lee, H.-H. (114) 285)
- 42-V system  
Ultracapacitor; Supercapacitor; Energy-storage; Regenerative braking; Automobile (Jung, D.Y. (114) 366)
- Vacuum thermal evaporation  
Li-ion batteries; Thin films; Tin oxide; Nickel oxide (Nuli, Y.-N. (114) 113)
- Vanadium pentoxide  
Polypyrrole; Polypyrrole derivatives; Nanocomposites (Huguenin, F. (114) 133)
- VRLA batteries  
Standby applications; Float conditions; Scattering; Manufacturing process (Rossinot, E. (114) 160)
- VRLA  
Fullerenes and nanopipes; Hydrophobization of negative active mass (Kamenev, Yu. (114) 303)
- Water management  
PEM fuel cells; Electrode flooding; Sequential exhausting (Van Nguyen, T. (114) 70)
- Water-gas shift catalysts  
Steam reforming; Chromia catalyst (Löffler, D.G. (114) 15)
- Zinc surface  
Electrochemical studies; Zinc; Corrosion inhibitors; Alkaline (Ein-Eli, Y. (114) 330)
- Zinc  
Electrochemical studies; Corrosion inhibitors; Zinc surface; Alkaline (Ein-Eli, Y. (114) 330)
- Zinc-manganese dioxide cell  
Cathodic active mass; Porous conductive glassy carbon (PCGC) (Rogulski, Z. (114) 176)
- Zinc/cadmium halides  
Silver phosphate glass; Solid-state battery; Glass electrolyte; Open-circuit voltage; Silver-ion conductors (Das, S.S. (114) 346)