



ELSEVIER

Journal of Power Sources 117 (2003) 296–299

JOURNAL OF  
**POWER  
SOURCES**

www.elsevier.com/locate/jpowsour

## Subject Index of Volume 117

- AC impedance  
Nickel hydroxide electrode; Foucault's eddy currents; State of charge determination (Mancier, V. (117) 223)
- Aerogel  
Ruthenium oxide; Sol-gel; Surface area; Specific capacitance (Suh, D.J. (117) 1)
- Alkaline fuel cell  
Carbon nanobeads; Hydrogen electrode; Chemical vapour deposition; Porous ceramic (Chatterjee, A.K. (117) 39)
- Alkaline silver-zinc batteries  
Galvanostatic non-destructive characterization; Faradaic efficiency; Capacity; Internal resistance; High-drain applications (Hariprakash, B. (117) 242)
- Analytical model  
Fuel cell; Concentration polarization; Gas transport; Rib design (Lin, Z. (117) 92)
- Anode-supported solid oxide fuel cell  
Sintering; YSZ powder; Thin-film electrolyte (Leng, Y.J. (117) 26)
- Battery cycle  
Ni-Cd battery; Thermodynamics; Thermal behavior; Heat balance; Entropy generation; Electric resistance; Experimental analysis (Mottard, J.-M. (117) 212)
- Battery materials  
Secondary cell; Hexacyanoferrate; Hexacyanochromate; Rechargeable battery (Eftekhari, A. (117) 249)
- Bipolar electrodes  
Rechargeable alkaline manganese dioxide-zinc batteries; Carbon-filled polymer; Optalloy (Ghaemi, M. (117) 233)
- Boron oxide  
Fast ionic conductors; Conductivity spectra; Charge carrier concentration; Dielectric spectra; Lithium batteries (Vijayakumar, M. (117) 143)
- Capacity fade  
Lithium-ion batteries; High discharge rates; Solid electrolyte interface (SEI) (Ning, G. (117) 160)
- Capacity  
Alkaline silver-zinc batteries; Galvanostatic non-destructive characterization; Faradaic efficiency; Internal resistance; High-drain applications (Hariprakash, B. (117) 242)
- Carbon nanobeads  
Hydrogen electrode; Chemical vapour deposition; Porous ceramic; Alkaline fuel cell (Chatterjee, A.K. (117) 39)
- Carbon-filled polymer  
Rechargeable alkaline manganese dioxide-zinc batteries; Bipolar electrodes; Optalloy (Ghaemi, M. (117) 233)
- Cathode materials  
Peculiar electrochemical behaviors;  $(1 - x)\text{LiNiO}_2 \cdot x\text{Li}_2\text{TiO}_3$ ; Spray drying; Cations disorder (Zhang, L. (117) 137)
- Cations disorder  
Peculiar electrochemical behaviors;  $(1 - x)\text{LiNiO}_2 \cdot x\text{Li}_2\text{TiO}_3$ ; Cathode materials; Spray drying (Zhang, L. (117) 137)
- Ceramic substrate  
Nickel-metal-hydride; Thick-film battery; Charge-discharge properties; Porosity; Mean pore diameter (Do, J.-S. (117) 203)
- Charge carrier concentration  
Fast ionic conductors; Conductivity spectra; Dielectric spectra; Lithium batteries; Boron oxide (Vijayakumar, M. (117) 143)
- Charge-discharge properties  
Nickel-metal-hydride; Thick-film battery; Ceramic substrate; Porosity; Mean pore diameter (Do, J.-S. (117) 203)
- Chemical vapour deposition  
Carbon nanobeads; Hydrogen electrode; Porous ceramic; Alkaline fuel cell (Chatterjee, A.K. (117) 39)
- Combination  
Solid oxide fuel cell; Gas turbine; Energy recuperation (Kuchonthara, P. (117) 7)
- Composite electrolyte  
Nano-sized filler; Poly(ethylene) oxide; Solid-state electrochemical device; Silica; Lithium battery (Ji, K.-S. (117) 124)
- Concentration polarization  
Fuel cell; Gas transport; Rib design; Analytical model (Lin, Z. (117) 92)
- Conducting polymer  
Polyaniline; Rechargeable; Dry battery; Zinc; Perchlorate (Karami, H. (117) 255)
- Conductivity spectra  
Fast ionic conductors; Charge carrier concentration; Dielectric spectra; Lithium batteries; Boron oxide (Vijayakumar, M. (117) 143)
- Conductivity  
Lithium-sulfur batteries; Reversibility; Elemental sulfur (Jin, B. (117) 148)
- Crossover  
Formic acid; Permeation; Nafion<sup>®</sup> membrane; Fuel cell (Rhee, Y.-W. (117) 35)
- Cycle characteristics  
Lithium secondary batteries;  $\text{Li}_4\text{Ti}_5\text{O}_{12}$ ; High rate characteristics; Fine particle (Nakahara, K. (117) 131)
- Cycle life  
Nickel-metal hydride battery; Hydrogen storage alloys; Magnesium-based compounds; Mechanical alloying (Ruggeri, S. (117) 260)
- Cycling  
Electrostatic spray deposition; Vanadium pentoxide; Secondary lithium battery; Intercalation (Kim, Y.-T. (117) 110)
- Dielectric spectra  
Fast ionic conductors; Conductivity spectra; Charge carrier concentration; Lithium batteries; Boron oxide (Vijayakumar, M. (117) 143)
- Direct methanol fuel cell  
Water management (Blum, A. (117) 22)
- Discharge capability  
Limiting factor; Li-ion cell (Fan, J. (117) 170)
- Dry battery  
Polyaniline; Rechargeable; Conducting polymer; Zinc; Perchlorate (Karami, H. (117) 255)

- Dynamic modeling  
Power systems simulation; Solid-oxide fuel cell (SOFC) (Jurado, F. (117) 75)
- Electric resistance  
Ni–Cd battery; Thermodynamics; Thermal behavior; Heat balance; Entropy generation; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Electrochemical impedance spectroscopy  
Polypyrrole; Polyimide; Supercapacitor; Electrochemical synthesis; Pseudocapacitance (Iroh, J.O. (117) 267)
- Electrochemical synthesis  
Polypyrrole; Polyimide; Supercapacitor; Electrochemical impedance spectroscopy; Pseudocapacitance (Iroh, J.O. (117) 267)
- Electrolyte ionic conductivity  
Gelled polymer lithium-ion cells; Low temperature performance; Group-special-mobile (GSM) discharge conditions (Xing, W. (117) 153)
- Electrostatic spray deposition  
Vanadium pentoxide; Secondary lithium battery; Cycling; Intercalation (Kim, Y.-T. (117) 110)
- Elemental sulfur  
Lithium–sulfur batteries; Conductivity; Reversibility (Jin, B. (117) 148)
- Energy recuperation  
Solid oxide fuel cell; Gas turbine; Combination (Kuchonthara, P. (117) 7)
- Entropy generation  
Ni–Cd battery; Thermodynamics; Thermal behavior; Heat balance; Electric resistance; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Experimental analysis  
Ni–Cd battery; Thermodynamics; Thermal behavior; Heat balance; Entropy generation; Electric resistance; Battery cycle (Mottard, J.-M. (117) 212)
- Faradaic efficiency  
Alkaline silver–zinc batteries; Galvanostatic non-destructive characterization; Capacity; Internal resistance; High-drain applications (Hariprakash, B. (117) 242)
- Fast ionic conductors  
Conductivity spectra; Charge carrier concentration; Dielectric spectra; Lithium batteries; Boron oxide (Vijayakumar, M. (117) 143)
- FCV  
Vehicles; Fuel cell bus; Stationary fuel cells; Fuel stations; Natural gas; HFCB (Ramírez-Salgado, J. (117) 102)
- Fine particle  
Lithium secondary batteries;  $\text{Li}_4\text{Ti}_5\text{O}_{12}$ ; Cycle characteristics; High rate characteristics (Nakahara, K. (117) 131)
- Formic acid  
Permeation; Nafion® membrane; Fuel cell; Crossover (Rhee, Y.-W. (117) 35)
- Foucault's eddy currents  
Nickel hydroxide electrode; AC impedance; State of charge determination (Mancier, V. (117) 223)
- Fuel cell bus  
Vehicles; Stationary fuel cells; Fuel stations; Natural gas; FCV; HFCB (Ramírez-Salgado, J. (117) 102)
- Fuel cell system performance  
High temperature membrane; Fuel processing; Heat rejection; Water recovery (Ahluwalia, R.K. (117) 45)
- Fuel cell  
Concentration polarization; Gas transport; Rib design; Analytical model (Lin, Z. (117) 92)
- Fuel cell  
Formic acid; Permeation; Nafion® membrane; Crossover (Rhee, Y.-W. (117) 35)
- Fuel cell  
Model; MEA; SOFC (Zhu, H. (117) 61)
- Fuel cell  
PEM; Reformer (Löffler, D.G. (117) 84)
- Fuel processing  
High temperature membrane; Fuel cell system performance; Heat rejection; Water recovery (Ahluwalia, R.K. (117) 45)
- Fuel stations  
Vehicles; Fuel cell bus; Stationary fuel cells; Natural gas; FCV; HFCB (Ramírez-Salgado, J. (117) 102)
- Galvanostatic non-destructive characterization  
Alkaline silver–zinc batteries; Faradaic efficiency; Capacity; Internal resistance; High-drain applications (Hariprakash, B. (117) 242)
- Gas transport  
Fuel cell; Concentration polarization; Rib design; Analytical model (Lin, Z. (117) 92)
- Gas turbine  
Solid oxide fuel cell; Combination; Energy recuperation (Kuchonthara, P. (117) 7)
- Gelled polymer lithium-ion cells  
Electrolyte ionic conductivity; Low temperature performance; Group-special-mobile (GSM) discharge conditions (Xing, W. (117) 153)
- Group-special-mobile (GSM) discharge conditions  
Electrolyte ionic conductivity; Gelled polymer lithium-ion cells; Low temperature performance (Xing, W. (117) 153)
- Heat balance  
Ni–Cd battery; Thermodynamics; Thermal behavior; Entropy generation; Electric resistance; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Heat rejection  
High temperature membrane; Fuel cell system performance; Fuel processing; Water recovery (Ahluwalia, R.K. (117) 45)
- Hexacyanochromate  
Secondary cell; Hexacyanoferrate; Rechargeable battery; Battery materials (Eftekhari, A. (117) 249)
- Hexacyanoferrate  
Secondary cell; Hexacyanochromate; Rechargeable battery; Battery materials (Eftekhari, A. (117) 249)
- HFCB  
Vehicles; Fuel cell bus; Stationary fuel cells; Fuel stations; Natural gas; FCV (Ramírez-Salgado, J. (117) 102)
- High discharge rates  
Lithium-ion batteries; Capacity fade; Solid electrolyte interface (SEI) (Ning, G. (117) 160)
- High rate characteristics  
Lithium secondary batteries;  $\text{Li}_4\text{Ti}_5\text{O}_{12}$ ; Cycle characteristics; Fine particle (Nakahara, K. (117) 131)
- High temperature membrane  
Fuel cell system performance; Fuel processing; Heat rejection; Water recovery (Ahluwalia, R.K. (117) 45)
- High-drain applications  
Alkaline silver–zinc batteries; Galvanostatic non-destructive characterization; Faradaic efficiency; Capacity; Internal resistance (Hariprakash, B. (117) 242)
- Hydrogen electrode  
Carbon nanobeads; Chemical vapour deposition; Porous ceramic; Alkaline fuel cell (Chatterjee, A.K. (117) 39)
- Hydrogen storage alloys  
Nickel–metal hydride battery; Magnesium-based compounds; Mechanical alloying; Cycle life (Ruggeri, S. (117) 260)
- Intercalation  
Electrostatic spray deposition; Vanadium pentoxide; Secondary lithium battery; Cycling (Kim, Y.-T. (117) 110)
- Internal resistance  
Alkaline silver–zinc batteries; Galvanostatic non-destructive characterization; Faradaic efficiency; Capacity; High-drain applications (Hariprakash, B. (117) 242)

- Lead deposits**  
Sorbitol; Recycling; 1010 steel (Carlos, I.A. (117) 179)
- Lead-acid battery**  
Lignosulphonates; Vanisperse A (Myrvold, B.O. (117) 187)
- Li-ion cell**  
Discharge capability; Limiting factor (Fan, J. (117) 170)  
 $(1 - x)LiNiO_2 \cdot xLi_2TiO_3$   
Peculiar electrochemical behaviors; Cathode materials; Spray drying; Cations disorder (Zhang, L. (117) 137)
- $Li_4Ti_5O_{12}$**   
Lithium secondary batteries; Cycle characteristics; High rate characteristics; Fine particle (Nakahara, K. (117) 131)
- Lignosulphonates**  
Lead-acid battery; Vanisperse A (Myrvold, B.O. (117) 187)
- Limiting factor**  
Discharge capability; Li-ion cell (Fan, J. (117) 170)
- Lithium batteries**  
Fast ionic conductors; Conductivity spectra; Charge carrier concentration; Dielectric spectra; Boron oxide (Vijayakumar, M. (117) 143)
- Lithium battery**  
Composite electrolyte; Nano-sized filler; Poly(ethylene) oxide; Solid-state electrochemical device; Silica (Ji, K.-S. (117) 124)
- Lithium secondary batteries**  
 $Li_4Ti_5O_{12}$ ; Cycle characteristics; High rate characteristics; Fine particle (Nakahara, K. (117) 131)
- Lithium–sulfur batteries**  
Conductivity; Reversibility; Elemental sulfur (Jin, B. (117) 148)
- Lithium-ion batteries**  
Capacity fade; High discharge rates; Solid electrolyte interface (SEI) (Ning, G. (117) 160)
- Lithium-ion battery**  
PSOC cycling test; Partial charge and discharge; Testing method (Kato, K. (117) 118)
- Low temperature performance**  
Electrolyte ionic conductivity; Gelled polymer lithium-ion cells; Group-special-mobile (GSM) discharge conditions (Xing, W. (117) 153)
- Magnesium-based compounds**  
Nickel–metal hydride battery; Hydrogen storage alloys; Mechanical alloying; Cycle life (Ruggeri, S. (117) 260)
- MEA**  
Model; Fuel cell; SOFC (Zhu, H. (117) 61)
- Mean pore diameter**  
Nickel–metal-hydride; Thick-film battery; Ceramic substrate; Charge-discharge properties; Porosity (Do, J.-S. (117) 203)
- Mechanical alloying**  
Nickel–metal hydride battery; Hydrogen storage alloys; Magnesium-based compounds; Cycle life (Ruggeri, S. (117) 260)
- Methanol crossover**  
Polymer electrolyte membrane; Nafion membrane (Munichandraiah, N. (117) 98)
- Miscibility**  
Proton exchange membrane fuel cell; Nafion<sup>®</sup>; Polyvinylidene fluoride; Polymer blend (Song, M.-K. (117) 14)
- Model**  
MEA; Fuel cell; SOFC (Zhu, H. (117) 61)
- Nafion membrane**  
Methanol crossover; Polymer electrolyte membrane (Munichandraiah, N. (117) 98)
- Nafion<sup>®</sup> membrane**  
Formic acid; Permeation; Fuel cell; Crossover (Rhee, Y.-W. (117) 35)
- Nafion<sup>®</sup>**  
Proton exchange membrane fuel cell; Polyvinylidene fluoride; Polymer blend; Miscibility (Song, M.-K. (117) 14)
- Nano-sized filler**  
Composite electrolyte; Poly(ethylene) oxide; Solid-state electrochemical device; Silica; Lithium battery (Ji, K.-S. (117) 124)
- Natural gas**  
Vehicles; Fuel cell bus; Stationary fuel cells; Fuel stations; FCV; HFCB (Ramírez-Salgado, J. (117) 102)
- Ni–Cd battery**  
Thermodynamics; Thermal behavior; Heat balance; Entropy generation; Electric resistance; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Nickel hydroxide electrode**  
AC impedance; Foucault's eddy currents; State of charge determination (Mancier, V. (117) 223)
- Nickel–metal hydride battery**  
Hydrogen storage alloys; Magnesium-based compounds; Mechanical alloying; Cycle life (Ruggeri, S. (117) 260)
- Nickel–metal-hydride**  
Thick-film battery; Ceramic substrate; Charge–discharge properties; Porosity; Mean pore diameter (Do, J.-S. (117) 203)
- Optalloy**  
Rechargeable alkaline manganese dioxide–zinc batteries; Bipolar electrodes; Carbon-filled polymer (Ghaemi, M. (117) 233)
- Partial charge and discharge**  
PSOC cycling test; Testing method; Lithium-ion battery (Kato, K. (117) 118)
- Peculiar electrochemical behaviors**  
 $(1 - x)LiNiO_2 \cdot xLi_2TiO_3$ ; Cathode materials; Spray drying; Cations disorder (Zhang, L. (117) 137)
- PEM**  
Fuel cell; Reformer (Löffler, D.G. (117) 84)
- Perchlorate**  
Polyaniline; Rechargeable; Dry battery; Conducting polymer; Zinc (Karami, H. (117) 255)
- Permeation**  
Formic acid; Nafion<sup>®</sup> membrane; Fuel cell; Crossover (Rhee, Y.-W. (117) 35)
- Poly(ethylene) oxide**  
Composite electrolyte; Nano-sized filler; Solid-state electrochemical device; Silica; Lithium battery (Ji, K.-S. (117) 124)
- Polyaniline**  
Rechargeable; Dry battery; Conducting polymer; Zinc; Perchlorate (Karami, H. (117) 255)
- Polyaniline**  
Supercapacitor; Porous carbons; Pseudocapacitance (Chen, W.-C. (117) 273)
- Polyimide**  
Polypyrrole; Supercapacitor; Electrochemical synthesis; Electrochemical impedance spectroscopy; Pseudocapacitance (Iroh, J.O. (117) 267)
- Polymer blend**  
Proton exchange membrane fuel cell; Nafion<sup>®</sup>; Polyvinylidene fluoride; Miscibility (Song, M.-K. (117) 14)
- Polymer electrolyte membrane**  
Methanol crossover; Nafion membrane (Munichandraiah, N. (117) 98)
- Polypyrrole**  
Polyimide; Supercapacitor; Electrochemical synthesis; Electrochemical impedance spectroscopy; Pseudocapacitance (Iroh, J.O. (117) 267)
- Polyvinylidene fluoride**  
Proton exchange membrane fuel cell; Nafion<sup>®</sup>; Polymer blend; Miscibility (Song, M.-K. (117) 14)
- Porosity**  
Nickel–metal-hydride; Thick-film battery; Ceramic substrate; Charge–discharge properties; Mean pore diameter (Do, J.-S. (117) 203)
- Porous carbons**  
Supercapacitor; Polyaniline; Pseudocapacitance (Chen, W.-C. (117) 273)

- Porous ceramic  
 Carbon nanobeads; Hydrogen electrode; Chemical vapour deposition;  
 Alkaline fuel cell (Chatterjee, A.K. (117) 39)
- Power systems simulation  
 Dynamic modeling; Solid-oxide fuel cell (SOFC) (Jurado, F. (117) 75)
- Proton exchange membrane fuel cell  
 Nafion®; Polyvinylidene fluoride; Polymer blend; Miscibility (Song, M.-K. (117) 14)
- Pseudocapacitance  
 Polypyrrole; Polyimide; Supercapacitor; Electrochemical synthesis;  
 Electrochemical impedance spectroscopy (Iroh, J.O. (117) 267)
- Pseudocapacitance  
 Supercapacitor; Polyaniline; Porous carbons (Chen, W.-C. (117) 273)
- PSOC cycling test  
 Partial charge and discharge; Testing method; Lithium-ion battery (Kato, K. (117) 118)
- Rechargeable alkaline manganese dioxide–zinc batteries  
 Bipolar electrodes; Carbon-filled polymer; Optalloy (Ghaemi, M. (117) 233)
- Rechargeable battery  
 Secondary cell; Hexacyanoferrate; Hexacyanochromate; Battery materials (Eftekhari, A. (117) 249)
- Rechargeable  
 Polyaniline; Dry battery; Conducting polymer; Zinc; Perchlorate (Karami, H. (117) 255)
- Recycling  
 Lead deposits; Sorbitol; 1010 steel (Carlos, I.A. (117) 179)
- Reformer  
 Fuel cell; PEM (Löffler, D.G. (117) 84)
- Reversibility  
 Lithium–sulfur batteries; Conductivity; Elemental sulfur (Jin, B. (117) 148)
- Rib design  
 Fuel cell; Concentration polarization; Gas transport; Analytical model (Lin, Z. (117) 92)
- Ruthenium oxide  
 Sol–gel; Aerogel; Surface area; Specific capacitance (Suh, D.J. (117) 1)
- Secondary cell  
 Hexacyanoferrate; Hexacyanochromate; Rechargeable battery; Battery materials (Eftekhari, A. (117) 249)
- Secondary lithium battery  
 Electrostatic spray deposition; Vanadium pentoxide; Cycling; Intercalation (Kim, Y.-T. (117) 110)
- Silica  
 Composite electrolyte; Nano-sized filler; Poly(ethylene) oxide; Solid-state electrochemical device; Lithium battery (Ji, K.-S. (117) 124)
- Sintering  
 Anode-supported solid oxide fuel cell; YSZ powder; Thin-film electrolyte (Leng, Y.J. (117) 26)
- SOFC  
 Model; MEA; Fuel cell (Zhu, H. (117) 61)
- Sol–gel  
 Ruthenium oxide; Aerogel; Surface area; Specific capacitance (Suh, D.J. (117) 1)
- Solid electrolyte interface (SEI)  
 Lithium-ion batteries; Capacity fade; High discharge rates (Ning, G. (117) 160)
- Solid oxide fuel cell  
 Gas turbine; Combination; Energy recuperation (Kuchonthara, P. (117) 7)
- Solid-oxide fuel cell (SOFC)  
 Dynamic modeling; Power systems simulation (Jurado, F. (117) 75)
- Solid-state electrochemical device  
 Composite electrolyte; Nano-sized filler; Poly(ethylene) oxide; Silica; Lithium battery (Ji, K.-S. (117) 124)
- Sorbitol  
 Lead deposits; Recycling; 1010 steel (Carlos, I.A. (117) 179)
- Specific capacitance  
 Ruthenium oxide; Sol–gel; Aerogel; Surface area (Suh, D.J. (117) 1)
- Spray drying  
 Peculiar electrochemical behaviors;  $(1 - x)LiNiO_2 \cdot xLi_2TiO_3$ ; Cathode materials; Cations disorder (Zhang, L. (117) 137)
- State of charge determination  
 Nickel hydroxide electrode; AC impedance; Foucault's eddy currents (Mancier, V. (117) 223)
- Stationary fuel cells  
 Vehicles; Fuel cell bus; Fuel stations; Natural gas; FCV; HFCB (Ramírez-Salgado, J. (117) 102)
- 1010 steel  
 Lead deposits; Sorbitol; Recycling (Carlos, I.A. (117) 179)
- Supercapacitor  
 Polyaniline; Porous carbons; Pseudocapacitance (Chen, W.-C. (117) 273)
- Supercapacitor  
 Polypyrrole; Polyimide; Electrochemical synthesis; Electrochemical impedance spectroscopy; Pseudocapacitance (Iroh, J.O. (117) 267)
- Surface area  
 Ruthenium oxide; Sol–gel; Aerogel; Specific capacitance (Suh, D.J. (117) 1)
- Testing method  
 PSOC cycling test; Partial charge and discharge; Lithium-ion battery (Kato, K. (117) 118)
- Thermal behavior  
 Ni–Cd battery; Thermodynamics; Heat balance; Entropy generation; Electric resistance; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Thermodynamics  
 Ni–Cd battery; Thermal behavior; Heat balance; Entropy generation; Electric resistance; Battery cycle; Experimental analysis (Mottard, J.-M. (117) 212)
- Thick-film battery  
 Nickel–metal-hydride; Ceramic substrate; Charge–discharge properties; Porosity; Mean pore diameter (Do, J.-S. (117) 203)
- Thin-film electrolyte  
 Anode-supported solid oxide fuel cell; Sintering; YSZ powder (Leng, Y.J. (117) 26)
- Vanadium pentoxide  
 Electrostatic spray deposition; Secondary lithium battery; Cycling; Intercalation (Kim, Y.-T. (117) 110)
- Vanisperse A  
 Lignosulphonates; Lead-acid battery (Myrvold, B.O. (117) 187)
- Vehicles  
 Fuel cell bus; Stationary fuel cells; Fuel stations; Natural gas; FCV; HFCB (Ramírez-Salgado, J. (117) 102)
- Water management  
 Direct methanol fuel cell (Blum, A. (117) 22)
- Water recovery  
 High temperature membrane; Fuel cell system performance; Fuel processing; Heat rejection (Ahluwalia, R.K. (117) 45)
- YSZ powder  
 Anode-supported solid oxide fuel cell; Sintering; Thin-film electrolyte (Leng, Y.J. (117) 26)
- Zinc  
 Polyaniline; Rechargeable; Dry battery; Conducting polymer; Perchlorate (Karami, H. (117) 255)