

Subject Index of Volume 125

- Acetylene black**
 Manganese oxide; Sonochemistry; Composite material; Lithium battery (Kawaoka, H. (125) 85)
- Activated carbon fabric**
 PVDF; Electrochemical pretreatment; Electrolyte; Supercapacitors (Hu, C.-C. (125) 299)
- Activated carbon**
 Composites; RuO_x nanoparticles; Supercapacitors (Chen, W.-C. (125) 292)
- Ag–Li**
 Alloy; Thin films; Lithium ion batteries (Taillades, G. (125) 199)
- Alloy**
 Ag-Li; Thin films; Lithium ion batteries (Taillades, G. (125) 199)
- Aluminum and magnesium substitution**
 Li-ion battery; Cathodes; Microwave synthesis; Discharge capacity (Elumalai, P. (125) 77)
- Annealing**
 Rare earth; Hydrogen storage alloy; Microstructure; Electrochemical property (Ma, Z.-H. (125) 267)
- Antimony**
 Graphite intercalation compound; Lithium-ion battery (Dailly, A. (125) 70)
- Area specific impedance**
 Lithium secondary batteries; Spinel; Rate capability; Chromium; Titanium (Sun, Y.-K. (125) 242)
- Asymmetric hybrid**
 Poly(methyl)thiophene; Plastic; Supercapacitor (Du Pasquier, A. (125) 95)
- Battery**
 Cycle life; Load-leveling; Lead-acid; Valve regulated (Nakayama, Y. (125) 135)
- Bipolar plate**
 PEMFC; Carbon composite; Contact resistance (Cho, E.A. (125) 178)
- Boron additive**
 Low-Co AB₅-type alloy; Cast and rapidly quenched; Cycle life (Zhang, Y.-h. (125) 273)
- Boudaoud reaction**
 Carbon monoxide; Water gas shift reaction; Gas-phase reaction; Molten carbonate fuel cell (Lee, C.-G. (125) 166)
- Capacity loss**
 Li-ion cells; Energy efficiency (Sit, K. (125) 124)
- Capacity loss**
 Nanocrystals; Iodine species; Structural stability; Differential capacity; Lithium battery (Hwang, S.-J. (125) 119)
- Carbon composite**
 PEMFC; Bipolar plate; Contact resistance (Cho, E.A. (125) 178)
- Carbon monoxide**
 Water gas shift reaction; Boudaoud reaction; Gas-phase reaction; Molten carbonate fuel cell (Lee, C.-G. (125) 166)
- Carbonization**
 Polyacrylonitrile; Polypyrrole; Electrochemical capacitors (Zhang, Q. w. (125) 141)
- Cast and rapidly quenched**
 Low-Co AB₅-type alloy; Boron additive; Cycle life (Zhang, Y.-h. (125) 273)
- Catalyst**
 Sodium borohydride; Chemical hydride; Hydrogen generator; Hydrogen; Fuel cell (Kojima, Y. (125) 22)
- Cathode**
 Lithium ion cell; LiMnO spinel; High temperature performance; Cyclic voltammetry; Peak split (Ma, S. (125) 228)
- Cathodes**
 Li-ion battery; Aluminum and magnesium substitution; Microwave synthesis; Discharge capacity (Elumalai, P. (125) 77)
- Chemical hydride**
 Sodium borohydride; Hydrogen generator; Catalyst; Hydrogen; Fuel cell (Kojima, Y. (125) 22)
- Chromium**
 Lithium secondary batteries; Spinel; Area specific impedance; Rate capability; Titanium (Sun, Y.-K. (125) 242)
- Composite cathode**
 LSM-CBO; ITSOFC (Zhao, H. (125) 149)
- Composite electrolyte**
 Lithium-ion polymer battery; Polyethylene glycol diacrylate; Non-woven fabric; Ultra-violet curing (Song, M.-K. (125) 10)
- Composite material**
 Manganese oxide; Acetylene black; Sonochemistry; Lithium battery (Kawaoka, H. (125) 85)
- Composite particle**
 Morphology control; SOFCs; Ni-YSZ cermet anode; Electric performance (Fukui, T. (125) 17)
- Composites**
 RuO_x nanoparticles; Activated carbon; Supercapacitors (Chen, W.-C. (125) 292)
- Contact resistance**
 PEMFC; Bipolar plate; Carbon composite (Cho, E.A. (125) 178)
- Cycle life**
 Battery; Load-leveling; Lead-acid; Valve regulated (Nakayama, Y. (125) 135)
- Cycle life**
 Low-Co AB₅-type alloy; Boron additive; Cast and rapidly quenched (Zhang, Y.-h. (125) 273)
- Cyclic voltammetry**
 Lithium ion cell; Cathode; LiMnO spinel; High temperature performance; Peak split (Ma, S. (125) 228)
- Differential capacity**
 Nanocrystals; Capacity loss; Iodine species; Structural stability; Lithium battery (Hwang, S.-J. (125) 119)
- Discharge capacity**
 Li-ion battery; Cathodes; Aluminum and magnesium substitution; Microwave synthesis (Elumalai, P. (125) 77)
- Discharge-capacity**
 LDMOCVD; LiCoO₂ thin films; Step-coverage; Trench-structure; Pt collector (Choi, W.-G. (125) 236)

- Disordered carbon
 Lithium ion battery; Silicon; Polyparaphenylene (PPP); Polyvinyl chloride (PVC); EIS (Zhang, X.-W. (125) 206)
- Distributed energy generation
 Polymer electrolyte membrane fuel cell; Fuel cell stack (Giddey, S. (125) 155)
- DMFC
 Two-phase flow; Flow-field design; Manifold design (Bewer, T. (125) 1)
- Duty cycle
 Fuel cells; Internal combustion engine (Pede, G. (125) 280)
- EIS
 Lithium ion battery; Silicon; Polyparaphenylene (PPP); Polyvinyl chloride (PVC); Disordered carbon (Zhang, X.-W. (125) 206)
- Electric performance
 Composite particle; Morphology control; SOFCs; Ni-YSZ cermet anode (Fukui, T. (125) 17)
- Electrocatalyst
 Platinum; Platinum-ruthenium; Methanol oxidation; Tafel plots; Fuel cell (Samant, P.V. (125) 172)
- Electrochemical capacitors
 Polyacrylonitrile; Polypyrrole; Carbonization (Zhang, Q.-w. (125) 141)
- Electrochemical pretreatment
 Activated carbon fabric; PVDF; Electrolyte; Supercapacitors (Hu, C.-C. (125) 299)
- Electrochemical property
 Rare earth; Hydrogen storage alloy; Annealing; Microstructure (Ma, Z.-H. (125) 267)
- Electrode heating
 Non-isothermal electrodeposition; Electrolytic manganese dioxide; Rechargeable alkaline manganese batteries (Ghaemi, M. (125) 256)
- Electrolyte
 Activated carbon fabric; PVDF; Electrochemical pretreatment; Super-capacitors (Hu, C.-C. (125) 299)
- Electrolytic manganese dioxide
 Non-isothermal electrodeposition; Electrode heating; Rechargeable alkaline manganese batteries (Ghaemi, M. (125) 256)
- Energy efficiency
 Li-ion cells; Capacity loss (Sit, K. (125) 124)
- Energy storage
 Metal hydride; Metal hydride vessel; Heat transfer (Oi, T. (125) 52)
- Flow channel design
 Proton exchange fuel cell; Gas-diffusion layer; Overpotential; Porosity (Yan, W.M. (125) 27)
- Flow-field design
 DMFC; Two-phase flow; Manifold design (Bewer, T. (125) 1)
- Fuel cell stack
 Polymer electrolyte membrane fuel cell; Distributed energy generation (Giddey, S. (125) 155)
- Fuel cell
 Platinum; Platinum-ruthenium; Methanol oxidation; Electrocatalyst; Tafel plots (Samant, P.V. (125) 172)
- Fuel cell
 Sodium borohydride; Chemical hydride; Hydrogen generator; Catalyst; Hydrogen (Kojima, Y. (125) 22)
- Fuel cells
 Internal combustion engine; Duty cycle (Pede, G. (125) 280)
- Fuel sensitivity tests
 Solid oxide fuel cells; Nernst potential (Gopalan, S. (125) 183)
- Gas-diffusion layer
 Proton exchange fuel cell; Flow channel design; Overpotential; Porosity (Yan, W.M. (125) 27)
- Gas-phase reaction
 Carbon monoxide; Water gas shift reaction; Boudaoud reaction; Molten carbonate fuel cell (Lee, C.-G. (125) 166)
- Gel polymer electrolyte
 Poly(vinylidene fluoride); Microporous membrane; Phase inversion; Separator (Zhang, S.S. (125) 114)
- Graphite intercalation compound
 Lithium-ion battery; Antimony (Dailly, A. (125) 70)
- Graphite
 Li intercalation; Li alloys; Irreversible capacity loss (Zaghib, K. (125) 214)
- Graphitic carbons
 Lithium secondary batteries; Spherical carbons; Hard carbons; Mesophase pitches (Kwon, O.J. (125) 221)
- Hard carbons
 Lithium secondary batteries; Spherical carbons; Graphitic carbons; Mesophase pitches (Kwon, O.J. (125) 221)
- Heat transfer
 Metal hydride; Metal hydride vessel; Energy storage (Oi, T. (125) 52)
- High temperature performance
 Lithium ion cell; Cathode; LiMnO spinel; Cyclic voltammetry; Peak split (Ma, S. (125) 228)
- Hydrogen generator
 Sodium borohydride; Chemical hydride; Catalyst; Hydrogen; Fuel cell (Kojima, Y. (125) 22)
- Hydrogen storage alloy
 Rare earth; Annealing; Microstructure; Electrochemical property (Ma, Z.-H. (125) 267)
- Hydrogen
 Sodium borohydride; Chemical hydride; Hydrogen generator; Catalyst; Fuel cell (Kojima, Y. (125) 22)
- Insertion electrodes
 Li_xCoO_2 ; Rietveld method; X-ray structural refinement; Lithium battery (Santiago, E.I. (125) 103)
- Interdigitated flowfield
 Polymer electrolyte fuel cells; Modeling and simulation (Um, S. (125) 40)
- Internal combustion engine
 Fuel cells; Duty cycle (Pede, G. (125) 280)
- Iodine species
 Nanocrystals; Capacity loss; Structural stability; Differential capacity; Lithium battery (Hwang, S.-J. (125) 119)
- Irreversible capacity loss
 Graphite; Li intercalation; Li alloys (Zaghib, K. (125) 214)
- ITSOFC
 LSM-CBO; Composite cathode (Zhao, H. (125) 149)
- LDMOCVD
 LiCoO_2 thin films; Step-coverage; Trench-structure; Discharge-capacity; Pt collector (Choi, W.-G. (125) 236)
- Lead-acid batteries
 Thin electrodes; Rolled gold (Caballero, A. (125) 246)
- Lead-acid
 Battery; Cycle life; Load-leveling; Valve regulated (Nakayama, Y. (125) 135)
- Li alloys
 Graphite; Li intercalation; Irreversible capacity loss (Zaghib, K. (125) 214)
- Li intercalation
 Graphite; Li alloys; Irreversible capacity loss (Zaghib, K. (125) 214)
- LiMnO spinel
 Lithium ion cell; Cathode; High temperature performance; Cyclic voltammetry; Peak split (Ma, S. (125) 228)
- Li-ion battery
 Cathodes; Aluminum and magnesium substitution; Microwave synthesis; Discharge capacity (Elumalai, P. (125) 77)
- Li-ion cells
 Energy efficiency; Capacity loss (Sit, K. (125) 124)

- Li_{1+x}V₃O₈**
Lithium secondary batteries; Spray drying; Spherical (Gao, J. (125) 90)
- Li_xCoO₂**
Rietveld method; X-ray structural refinement; Insertion electrodes; Lithium battery (Santiago, E.I. (125) 103)
- LiCoO₂ thin films**
LDMOCVD; Step-coverage; Trench-structure; Discharge-capacity; Pt collector (Choi, W.-G. (125) 236)
- Lithium battery**
Li_xCoO₂; Rietveld method; X-ray structural refinement; Insertion electrodes (Santiago, E.I. (125) 103)
- Lithium battery**
Manganese oxide; Acetylene black; Sonochemistry; Composite material (Kawaoka, H. (125) 85)
- Lithium battery**
Nanocrystals; Capacity loss; Iodine species; Structural stability; Differential capacity (Hwang, S.-J. (125) 119)
- Lithium ion batteries**
Alloy; Ag–Li; Thin films (Taillades, G. (125) 199)
- Lithium ion battery**
Silicon; Polyparaphenylenne (PPP); Polyvinyl chloride (PVC); Disordered carbon; EIS (Zhang, X.-W. (125) 206)
- Lithium ion cell**
Cathode; LiMnO spinel; High temperature performance; Cyclic voltammetry; Peak split (Ma, S. (125) 228)
- Lithium secondary batteries**
Li_{1+x}V₃O₈; Spray drying; Spherical (Gao, J. (125) 90)
- Lithium secondary batteries**
Spherical carbons; Hard carbons; Graphitic carbons; Mesophase pitches (Kwon, O.J. (125) 221)
- Lithium secondary batteries**
Spinel; Area specific impedance; Rate capability; Chromium; Titanium (Sun, Y.-K. (125) 242)
- Lithium-ion battery**
Graphite intercalation compound; Antimony (Dailly, A. (125) 70)
- Lithium-ion polymer battery**
Polyethylene glycol diacrylate; Non-woven fabric; Composite electrolyte; Ultra-violet curing (Song, M.-K. (125) 10)
- Load-leveling**
Battery; Cycle life; Lead-acid; Valve regulated (Nakayama, Y. (125) 135)
- Low-Co AB₅-type alloy**
Boron additive; Cast and rapidly quenched; Cycle life (Zhang, Y.-h. (125) 273)
- LSM–CBO**
Composite cathode; ITSOFC (Zhao, H. (125) 149)
- Manganese oxide**
Acetylene black; Sonochemistry; Composite material; Lithium battery (Kawaoka, H. (125) 85)
- Manifold design**
DMFC; Two-phase flow; Flow-field design (Bewer, T. (125) 1)
- MEMS**
Portable power generation; Solid-oxide fuel cell (Srikanth, V.T. (125) 62)
- Mesophase pitches**
Lithium secondary batteries; Spherical carbons; Hard carbons; Graphitic carbons (Kwon, O.J. (125) 221)
- Metal hydride vessel**
Metal hydride; Heat transfer; Energy storage (Oi, T. (125) 52)
- Metal hydride**
Metal hydride vessel; Heat transfer; Energy storage (Oi, T. (125) 52)
- Methanol oxidation**
Platinum; Platinum–ruthenium; Electrocatalyst; Tafel plots; Fuel cell (Samant, P.V. (125) 172)
- Microporous membrane**
Poly(vinylidene fluoride); Gel polymer electrolyte; Phase inversion; Separator (Zhang, S.S. (125) 114)
- Microstructure**
Rare earth; Hydrogen storage alloy; Annealing; Electrochemical property (Ma, Z.-H. (125) 267)
- Microwave synthesis**
Li-ion battery; Cathodes; Aluminum and magnesium substitution; Discharge capacity (Elumalai, P. (125) 77)
- Modeling and simulation**
Polymer electrolyte fuel cells; Interdigitated flowfield (Um, S. (125) 40)
- Molten carbonate fuel cell**
Carbon monoxide; Water gas shift reaction; Boudaurd reaction; Gas-phase reaction (Lee, C.-G. (125) 166)
- Morphology control**
Composite particle; SOFCs; Ni–YSZ cermet anode; Electric performance (Fukui, T. (125) 17)
- Nanocrystals**
Capacity loss; Iodine species; Structural stability; Differential capacity; Lithium battery (Hwang, S.-J. (125) 119)
- Nernst potential**
Fuel sensitivity tests; Solid oxide fuel cells (Gopalan, S. (125) 183)
- Ni–YSZ cermet anode**
Composite particle; Morphology control; SOFCs; Electric performance (Fukui, T. (125) 17)
- Non-isothermal electrodeposition**
Electrode heating; Electrolytic manganese dioxide; Rechargeable alkaline manganese batteries (Ghaemi, M. (125) 256)
- Non-woven fabric**
Lithium-ion polymer battery; Polyethylene glycol diacrylate; Composite electrolyte; Ultra-violet curing (Song, M.-K. (125) 10)
- Overpotential**
Proton exchange fuel cell; Flow channel design; Gas-diffusion layer; Porosity (Yan, W.M. (125) 27)
- Peak split**
Lithium ion cell; Cathode; LiMnO spinel; High temperature performance; Cyclic voltammetry (Ma, S. (125) 228)
- PEMFC**
Bipolar plate; Carbon composite; Contact resistance (Cho, E.A. (125) 178)
- Phase inversion**
Poly(vinylidene fluoride); Microporous membrane; Gel polymer electrolyte; Separator (Zhang, S.S. (125) 114)
- Plastic**
Poly(methyl)thiophene; Asymmetric hybrid; Supercapacitor (Du Pasquier, A. (125) 95)
- Platinum**
Platinum–ruthenium; Methanol oxidation; Electrocatalyst; Tafel plots; Fuel cell (Samant, P.V. (125) 172)
- Platinum–ruthenium**
Platinum; Methanol oxidation; Electrocatalyst; Tafel plots; Fuel cell (Samant, P.V. (125) 172)
- Poly(methyl)thiophene**
Plastic; Asymmetric hybrid; Supercapacitor (Du Pasquier, A. (125) 95)
- Poly(vinylidene fluoride)**
Microporous membrane; Gel polymer electrolyte; Phase inversion; Separator (Zhang, S.S. (125) 114)
- Polyacrylonitrile**
Polypyrrole; Electrochemical capacitors; Carbonization (Zhang, Q.-w. (125) 141)
- Polyethylene glycol diacrylate**
Lithium-ion polymer battery; Non-woven fabric; Composite electrolyte; Ultra-violet curing (Song, M.-K. (125) 10)
- Polymer electrolyte fuel cells**
Interdigitated flowfield; Modeling and simulation (Um, S. (125) 40)
- Polymer electrolyte membrane fuel cell**
Fuel cell stack; Distributed energy generation (Gidley, S. (125) 155)

- Polyparaphenylene (PPP)
Lithium ion battery; Silicon; Polyvinyl chloride (PVC); Disordered carbon; EIS (Zhang, X.-W. (125) 206)
- Polypyrrole
Polyacrylonitrile; Electrochemical capacitors; Carbonization (Zhang, Q.-w. (125) 141)
- Polyvinyl chloride (PVC)
Lithium ion battery; Silicon; Polyparaphenylene (PPP); Disordered carbon; EIS (Zhang, X.-W. (125) 206)
- Porosity
Proton exchange fuel cell; Flow channel design; Gas-diffusion layer; Overpotential (Yan, W.M. (125) 27)
- Portable power generation
Solid-oxide fuel cell; MEMS (Srikanth, V.T. (125) 62)
- Power quality
Solid oxide fuel cell; Uninterruptible power supply; Sustainable energy system; Steam reforming; Unstable grid (Krumdieck, S. (125) 189)
- Proton exchange fuel cell
Flow channel design; Gas-diffusion layer; Overpotential; Porosity (Yan, W.M. (125) 27)
- Pt collector
LDMOCVD; LiCoO₂ thin films; Step-coverage; Trench-structure; Discharge-capacity (Choi, W.-G. (125) 236)
- PVDF
Activated carbon fabric; Electrochemical pretreatment; Electrolyte; Supercapacitors (Hu, C.-C. (125) 299)
- Rare earth
Hydrogen storage alloy; Annealing; Microstructure; Electrochemical property (Ma, Z.-H. (125) 267)
- Rate capability
Lithium secondary batteries; Spinel; Area specific impedance; Chromium; Titanium (Sun, Y.-K. (125) 242)
- Rechargeable alkaline manganese batteries
Non-isothermal electrodeposition; Electrode heating; Electrolytic manganese dioxide (Ghaemi, M. (125) 256)
- Rietveld method
 Li_xCoO_2 ; X-ray structural refinement; Insertion electrodes; Lithium battery (Santiago, E.I. (125) 103)
- Rolled gold
Thin electrodes; Lead-acid batteries (Caballero, A. (125) 246)
- RuO_x nanoparticles
Composites; Activated carbon; Supercapacitors (Chen, W.-C. (125) 292)
- Separator
Poly(vinylidene fluoride); Microporous membrane; Gel polymer electrolyte; Phase inversion (Zhang, S.S. (125) 114)
- Silicon
Lithium ion battery; Polyparaphenylene (PPP); Polyvinyl chloride (PVC); Disordered carbon; EIS (Zhang, X.-W. (125) 206)
- Sodium borohydride
Chemical hydride; Hydrogen generator; Catalyst; Hydrogen; Fuel cell (Kojima, Y. (125) 22)
- SOFCs
Composite particle; Morphology control; Ni–YSZ cermet anode; Electric performance (Fukui, T. (125) 17)
- Solid oxide fuel cell
Uninterruptible power supply; Sustainable energy system; Power quality; Steam reforming; Unstable grid (Krumdieck, S. (125) 189)
- Solid oxide fuel cells
Fuel sensitivity tests; Nernst potential (Gopalan, S. (125) 183)
- Solid-oxide fuel cell
Portable power generation; MEMS (Srikanth, V.T. (125) 62)
- Sonochemistry
Manganese oxide; Acetylene black; Composite material; Lithium battery (Kawaoka, H. (125) 85)
- Spherical carbons
Lithium secondary batteries; Hard carbons; Graphitic carbons; Mesophase pitches (Kwon, O.J. (125) 221)
- Spherical
Lithium secondary batteries; $\text{Li}_{1+x}\text{V}_3\text{O}_8$; Spray drying (Gao, J. (125) 90)
- Spinel
Lithium secondary batteries; Area specific impedance; Rate capability; Chromium; Titanium (Sun, Y.-K. (125) 242)
- Spray drying
Lithium secondary batteries; $\text{Li}_{1+x}\text{V}_3\text{O}_8$; Spherical (Gao, J. (125) 90)
- Steam reforming
Solid oxide fuel cell; Uninterruptible power supply; Sustainable energy system; Power quality; Unstable grid (Krumdieck, S. (125) 189)
- Step-coverage
LDMOCVD; LiCoO₂ thin films; Trench-structure; Discharge-capacity; Pt collector (Choi, W.-G. (125) 236)
- Structural stability
Nanocrystals; Capacity loss; Iodine species; Differential capacity; Lithium battery (Hwang, S.-J. (125) 119)
- Supercapacitor
Poly(methyl)thiophene; Plastic; Asymmetric hybrid (Du Pasquier, A. (125) 95)
- Supercapacitors
Activated carbon fabric; PVDF; Electrochemical pretreatment; Electrolyte (Hu, C.-C. (125) 299)
- Supercapacitors
Composites; RuO_x nanoparticles; Activated carbon (Chen, W.-C. (125) 292)
- Sustainable energy system
Solid oxide fuel cell; Uninterruptible power supply; Power quality; Steam reforming; Unstable grid (Krumdieck, S. (125) 189)
- Tafel plots
Platinum; Platinum–ruthenium; Methanol oxidation; Electrocatalyst; Fuel cell (Samant, P.V. (125) 172)
- Thin electrodes
Rolled gold; Lead-acid batteries (Caballero, A. (125) 246)
- Thin films
Alloy; Ag–Li; Lithium ion batteries (Taillades, G. (125) 199)
- Titanium
Lithium secondary batteries; Spinel; Area specific impedance; Rate capability; Chromium (Sun, Y.-K. (125) 242)
- Trench-structure
LDMOCVD; LiCoO₂ thin films; Step-coverage; Discharge-capacity; Pt collector (Choi, W.-G. (125) 236)
- Two-phase flow
DMFC; Flow-field design; Manifold design (Bewer, T. (125) 1)
- Ultra-violet curing
Lithium-ion polymer battery; Polyethylene glycol diacrylate; Non-woven fabric; Composite electrolyte (Song, M.-K. (125) 10)
- Uninterruptible power supply
Solid oxide fuel cell; Sustainable energy system; Power quality; Steam reforming; Unstable grid (Krumdieck, S. (125) 189)
- Unstable grid
Solid oxide fuel cell; Uninterruptible power supply; Sustainable energy system; Power quality; Steam reforming (Krumdieck, S. (125) 189)
- Valve regulated
Battery; Cycle life; Load-leveling; Lead-acid (Nakayama, Y. (125) 135)
- Water gas shift reaction
Carbon monoxide; Boudouard reaction; Gas-phase reaction; Molten carbonate fuel cell (Lee, C.-G. (125) 166)
- X-ray structural refinement
 Li_xCoO_2 ; Rietveld method; Insertion electrodes; Lithium battery (Santiago, E.I. (125) 103)