

## Subject Index of Volume 126

- Advanced vehicle simulator; fuel cell system modelling  
 Fuel cell; Proton exchange membrane (Haraldsson, K. (126) 88)
- Agar gel  
 Polyaniline; Conducting polymers; Template synthesis; Secondary batteries; Electrochemical capacitors (Sung, J.-H. (126) 258)
- Aging  
 Yttria stabilized zirconia; Oxide ion conductivity; Raman spectra; Cubic phase; Tetragonal phase (Hattori, M. (126) 23)
- $\text{Al}_2\text{O}_3$  coating  
 Li-ion battery; Cycle-life; Rate capability; Safety;  $\text{MgO}$  coating (Kweon, H.-J. (126) 156)
- Algorithm  
 Battery; Nickel metal hydride; State of charge; Hysteresis; Equivalent circuit; Control (Verbrugge, M. (126) 236)
- $\text{AlPO}_4$   
 Coating; Overcharge;  $\text{LiCoO}_2$ ; Surface temperature (Cho, J. (126) 186)
- $\text{AlPO}_4$ -nanoparticle coating  
 $\text{LiCoO}_2$ ; Local strain; Battery; Cycle-life (Kim, B. (126) 190)
- Aluminum oxide  
 Li-ion battery; Lithium manganese oxide; Spinel; Metal oxide coating; Surface treatment (Lee, S.-W. (126) 150)
- Amorphous manganese oxide  
 Power density electrode; Nanowire (West, W.C. (126) 203)
- Anode material  
 Titanium oxide; Composite material; Lithium ion battery; Rapid discharge (Hibino, M. (126) 139)
- Anode  
 Nano- $\text{Li}_4\text{Ti}_5\text{O}_{12}$ ; Li-ion battery; Carbon (Guerfi, A. (126) 163)
- Anode  
 SOFC; IT-SOFC; Ni-CGO; Biofuel; Gasification (Baron, S. (126) 58)
- Automatic order selection  
 Impedance spectroscopy; Ladder model; Ultracapacitors; Variable time-step simulation; Virtual Test Bed (Dougal, R.A. (126) 250)
- Autothermal reforming  
 Methanol; Water-gas shift reaction; Heat and mass transfer; Fuel cell (Chan, S.H. (126) 8)
- Autothermal reforming  
 Water-gas-shift reaction; Hydrogen; Fuel cell (Pasel, J. (126) 112)
- Battery  
 $\text{AlPO}_4$ -nanoparticle coating;  $\text{LiCoO}_2$ ; Local strain; Cycle-life (Kim, B. (126) 190)
- Battery  
 Microbattery; Li-ion; Direct-write; Laser (Wartena, R. (126) 193)
- Battery  
 Nickel metal hydride; State of charge; Algorithm; Hysteresis; Equivalent circuit; Control (Verbrugge, M. (126) 236)
- Biofuel  
 SOFC; IT-SOFC; Anode; Ni-CGO; Gasification (Baron, S. (126) 58)
- Borohydride solution  
 Specific gravity; Specific viscosity; Melting point; Polarization; Direct borohydride fuel cell (Li, Z.P. (126) 28)
- Carbon  
 Nano- $\text{Li}_4\text{Ti}_5\text{O}_{12}$ ; Li-ion battery; Anode (Guerfi, A. (126) 163)
- Catalyst layer  
 PEM fuel cell; Optimization (Song, D. (126) 104)
- Catalyst  
 Molten carbonate fuel cell (MCFC); Ceramic anode; Rare earth oxides; Electrochemistry; Dry methane operation (Tagawa, T. (126) 1)
- Cathode material  
 Nonaqueous battery; Potassium secondary cell; Cyclability; Prussian blue; Potassium anode (Eftekhari, A. (126) 221)
- Cathode  
 $\text{LiMn}_2\text{O}_4$ ; Silver; Coating; Electronic conductivity; Lithium battery (Son, J.T. (126) 182)
- Ceramic anode  
 Molten carbonate fuel cell (MCFC); Catalyst; Rare earth oxides; Electrochemistry; Dry methane operation (Tagawa, T. (126) 1)
- Ceramic filler  
 Poly(ethylene) oxide; Polymer electrolyte; Morphology; Surface groups; Lithium batteries (Zhang, S. (126) 125)
- Coating  
 $\text{AlPO}_4$ ; Overcharge;  $\text{LiCoO}_2$ ; Surface temperature (Cho, J. (126) 186)
- Coating  
 $\text{LiMn}_2\text{O}_4$ ; Silver; Electronic conductivity; Cathode; Lithium battery (Son, J.T. (126) 182)
- Composite material  
 Titanium oxide; Anode material; Lithium ion battery; Rapid discharge (Hibino, M. (126) 139)
- Conducting polymers  
 Polyaniline; Self-doped polyaniline (Malinauskas, A. (126) 214)
- Conducting polymers  
 Polyaniline; Template synthesis; Secondary batteries; Electrochemical capacitors; Agar gel (Sung, J.-H. (126) 258)
- Control  
 Battery; Nickel metal hydride; State of charge; Algorithm; Hysteresis; Equivalent circuit (Verbrugge, M. (126) 236)
- CPE  
 LiPON (West, W.C. (126) 134)
- Cubic phase  
 Yttria stabilized zirconia; Oxide ion conductivity; Aging; Raman spectra; Tetragonal phase (Hattori, M. (126) 23)
- Cyclability  
 Nonaqueous battery; Potassium secondary cell; Prussian blue; Cathode material; Potassium anode (Eftekhari, A. (126) 221)
- Cycle-life  
 $\text{Al}_2\text{O}_3$  coating; Li-ion battery; Rate capability; Safety;  $\text{MgO}$  coating (Kweon, H.-J. (126) 156)
- Cycle-life  
 $\text{AlPO}_4$ -nanoparticle coating;  $\text{LiCoO}_2$ ; Local strain; Battery (Kim, B. (126) 190)
- Cyclic voltammetry  
 Lead-acid cell; Positive electrode; Electroformation; Impedance spectroscopy (Skowroński, J.M. (126) 175)

- Degradation  
 Perfluorosulfonate ionomer; Solubility; Direct methanol fuel cell (Siroma, Z. (126) 41)
- Direct borohydride fuel cell  
 Borohydride solution; Specific gravity; Specific viscosity; Melting point; Polarization (Li, Z.P. (126) 28)
- Direct ethanol fuel cell  
 Direct methanol fuel cell; PtRu anode; PtSn anode (Zhou, W.J. (126) 16)
- Direct methanol fuel cell  
 Direct ethanol fuel cell; PtRu anode; PtSn anode (Zhou, W.J. (126) 16)
- Direct methanol fuel cell  
 Perfluorosulfonate ionomer; Solubility; Degradation (Siroma, Z. (126) 41)
- Direct-write  
 Microbattery; Battery; Li-ion; Laser (Wartena, R. (126) 193)
- DMFC  
 Exergy; Enthalpy; Methanol reforming PEFC; Efficiency (Ishihara, A. (126) 34)
- DMFC  
 Fuel cell stack; Stack design; Energy efficiency; Faradic efficiency (Jiang, R. (126) 119)
- Dry methane operation  
 Molten carbonate fuel cell (MCFC); Ceramic anode; Catalyst; Rare earth oxides; Electrochemistry (Tagawa, T. (126) 1)
- Efficiency  
 Exergy; Enthalpy; Methanol reforming PEFC; DMFC (Ishihara, A. (126) 34)
- Electrocatalysis  
 REMn<sub>2</sub>O<sub>5</sub>; Oxygen reduction (Li, N. (126) 229)
- Electrochemical behavior  
 Li–Mn–O compounds; Oxygen vacancy (Ma, S. (126) 144)
- Electrochemical behaviour  
 Lead electrode; Sodium phosphate dibasic (EL-Naggar, M.M. (126) 207)
- Electrochemical capacitors  
 Polyaniline; Conducting polymers; Template synthesis; Secondary batteries; Agar gel (Sung, J.-H. (126) 258)
- Electrochemical properties  
 Lithium-ion battery; Spinel manganese oxide (Shin, Y. (126) 169)
- Electrochemistry  
 Molten carbonate fuel cell (MCFC); Ceramic anode; Catalyst; Rare earth oxides; Dry methane operation (Tagawa, T. (126) 1)
- Electroformation  
 Lead-acid cell; Positive electrode; Impedance spectroscopy; Cyclic voltammetry (Skowroński, J.M. (126) 175)
- Electronic conductivity  
 LiMn<sub>2</sub>O<sub>4</sub>; Silver; Coating; Cathode; Lithium battery (Son, J.T. (126) 182)
- Energy efficiency  
 DMFC; Fuel cell stack; Stack design; Faradic efficiency (Jiang, R. (126) 119)
- Enthalpy  
 Exergy; Methanol reforming PEFC; DMFC; Efficiency (Ishihara, A. (126) 34)
- Equivalent circuit  
 Battery; Nickel metal hydride; State of charge; Algorithm; Hysteresis; Control (Verbrugge, M. (126) 236)
- Exergy  
 Enthalpy; Methanol reforming PEFC; DMFC; Efficiency (Ishihara, A. (126) 34)
- Faradic efficiency  
 DMFC; Fuel cell stack; Stack design; Energy efficiency (Jiang, R. (126) 119)
- Fuel cell modeling  
 Solid oxide fuel cell; Stack modeling; Variation in cell-to-cell performance (Burt, A.C. (126) 76)
- Fuel cell stack  
 DMFC; Stack design; Energy efficiency; Faradic efficiency (Jiang, R. (126) 119)
- Fuel cell  
 Autothermal reforming; Water-gas-shift reaction; Hydrogen (Pasel, J. (126) 112)
- Fuel cell  
 Methanol; Autothermal reforming; Water-gas shift reaction; Heat and mass transfer (Chan, S.H. (126) 8)
- Fuel cell  
 Polymer electrolyte; Performance equation; Polarization; Modeling (Hsuen, H.-K. (126) 46)
- Fuel cell  
 Proton exchange membrane; Advanced vehicle simulator: fuel cell system modelling (Haraldsson, K. (126) 88)
- Gasification  
 SOFC; IT-SOFC; Anode; Ni-CGO; Biofuel (Baron, S. (126) 58)
- Heat and mass transfer  
 Methanol; Autothermal reforming; Water-gas shift reaction; Fuel cell (Chan, S.H. (126) 8)
- Heat capacity  
 Humidity; Hygrometer; PEMFC (Hyun, D. (126) 98)
- Humidity  
 Hygrometer; Heat capacity; PEMFC (Hyun, D. (126) 98)
- Hydrogen  
 Autothermal reforming; Water-gas-shift reaction; Fuel cell (Pasel, J. (126) 112)
- Hygrometer  
 Humidity; Heat capacity; PEMFC (Hyun, D. (126) 98)
- Hysteresis  
 Battery; Nickel metal hydride; State of charge; Algorithm; Equivalent circuit; Control (Verbrugge, M. (126) 236)
- Impedance spectroscopy  
 Automatic order selection; Ladder model; Ultracapacitors; Variable time-step simulation; Virtual Test Bed (Dougal, R.A. (126) 250)
- Impedance spectroscopy  
 Lead-acid cell; Positive electrode; Electroformation; Cyclic voltammetry (Skowroński, J.M. (126) 175)
- IT-SOFC  
 SOFC; Anode; Ni-CGO; Biofuel; Gasification (Baron, S. (126) 58)
- Ladder model  
 Automatic order selection; Impedance spectroscopy; Ultracapacitors; Variable time-step simulation; Virtual Test Bed (Dougal, R.A. (126) 250)
- Laser  
 Microbattery; Battery; Li-ion; Direct-write (Wartena, R. (126) 193)
- Lead electrode  
 Electrochemical behaviour; Sodium phosphate dibasic (EL-Naggar, M.M. (126) 207)
- Lead-acid cell  
 Positive electrode; Electroformation; Impedance spectroscopy; Cyclic voltammetry (Skowroński, J.M. (126) 175)
- Li–Mn–O compounds  
 Electrochemical behavior; Oxygen vacancy (Ma, S. (126) 144)
- Li-ion battery  
 Al<sub>2</sub>O<sub>3</sub> coating; Cycle-life; Rate capability; Safety; MgO coating (Kweon, H.-J. (126) 156)

- Li-ion battery**  
 Lithium manganese oxide; Spinel; Aluminum oxide; Metal oxide coating; Surface treatment (Lee, S.-W. (126) 150)
- Li-ion battery**  
 Nano-Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>; Anode; Carbon (Guerfi, A. (126) 163)
- Li-ion**  
 Microbattery; Battery; Direct-write; Laser (Wartena, R. (126) 193)
- LiCoO<sub>2</sub>**  
 AlPO<sub>4</sub>-nanoparticle coating; Local strain; Battery; Cycle-life (Kim, B. (126) 190)
- LiCoO<sub>2</sub>**  
 Coating; AlPO<sub>4</sub>; Overcharge; Surface temperature (Cho, J. (126) 186)
- LiMn<sub>2</sub>O<sub>4</sub>**  
 Silver; Coating; Electronic conductivity; Cathode; Lithium battery (Son, J.T. (126) 182)
- LiPON**  
 CPE (West, W.C. (126) 134)
- Lithium batteries**  
 Poly(ethylene) oxide; Polymer electrolyte; Ceramic filler; Morphology; Surface groups (Zhang, S. (126) 125)
- Lithium battery**  
 LiMn<sub>2</sub>O<sub>4</sub>; Silver; Coating; Electronic conductivity; Cathode (Son, J.T. (126) 182)
- Lithium ion battery**  
 Titanium oxide; Anode material; Composite material; Rapid discharge (Hibino, M. (126) 139)
- Lithium manganese oxide**  
 Li-ion battery; Spinel; Aluminum oxide; Metal oxide coating; Surface treatment (Lee, S.-W. (126) 150)
- Lithium-ion battery**  
 Spinel manganese oxide; Electrochemical properties (Shin, Y. (126) 169)
- Local strain**  
 AlPO<sub>4</sub>-nanoparticle coating; LiCoO<sub>2</sub>; Battery; Cycle-life (Kim, B. (126) 190)
- Melting point**  
 Borohydride solution; Specific gravity; Specific viscosity; Polarization; Direct borohydride fuel cell (Li, Z.P. (126) 28)
- Metal oxide coating**  
 Li-ion battery; Lithium manganese oxide; Spinel; Aluminum oxide; Surface treatment (Lee, S.-W. (126) 150)
- Methanol reforming PEFC**  
 Exergy; Enthalpy; DMFC; Efficiency (Ishihara, A. (126) 34)
- Methanol**  
 Autothermal reforming; Water-gas shift reaction; Heat and mass transfer; Fuel cell (Chan, S.H. (126) 8)
- MgO coating**  
 Al<sub>2</sub>O<sub>3</sub> coating; Li-ion battery; Cycle-life; Rate capability; Safety (Kwon, H.-J. (126) 156)
- Microbattery**  
 Battery; Li-ion; Direct-write; Laser (Wartena, R. (126) 193)
- Mixed-reactants fuel cells**  
 SPE-DMFC; PtRu/C anode; Oxygen-reduction cathode (Scott, K. (126) 67)
- Modeling**  
 Polymer electrolyte; Fuel cell; Performance equation; Polarization (Hsuen, H.-K. (126) 46)
- Molten carbonate fuel cell (MCFC)**  
 Ceramic anode; Catalyst; Rare earth oxides; Electrochemistry; Dry methane operation (Tagawa, T. (126) 1)
- Morphology**  
 Poly(ethylene) oxide; Polymer electrolyte; Ceramic filler; Surface groups; Lithium batteries (Zhang, S. (126) 125)
- Nano-Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>**  
 Li-ion battery; Anode; Carbon (Guerfi, A. (126) 163)
- Nanowire**  
 Amorphous manganese oxide; Power density electrode (West, W.C. (126) 203)
- Ni-CGO**  
 SOFC; IT-SOFC; Anode; Biofuel; Gasification (Baron, S. (126) 58)
- Nickel metal hydride**  
 Battery; State of charge; Algorithm; Hysteresis; Equivalent circuit; Control (Verbrugge, M. (126) 236)
- Nonaqueous battery**  
 Potassium secondary cell; Cyclability; Prussian blue; Cathode material; Potassium anode (Eftekhari, A. (126) 221)
- Optimization**  
 PEM fuel cell; Catalyst layer (Song, D. (126) 104)
- Overcharge**  
 Coating; AlPO<sub>4</sub>; LiCoO<sub>2</sub>; Surface temperature (Cho, J. (126) 186)
- Oxide ion conductivity**  
 Yttria stabilized zirconia; Aging; Raman spectra; Cubic phase; Tetragonal phase (Hattori, M. (126) 23)
- Oxygen reduction**  
 REMn<sub>2</sub>O<sub>5</sub>; Electrocatalysis (Li, N. (126) 229)
- Oxygen vacancy**  
 Li-Mn-O compounds; Electrochemical behavior (Ma, S. (126) 144)
- Oxygen-reduction cathode**  
 SPE-DMFC; PtRu/C anode; Mixed-reactants fuel cells (Scott, K. (126) 67)
- PEM fuel cell**  
 Catalyst layer; Optimization (Song, D. (126) 104)
- PEMFC**  
 Humidity; Hygrometer; Heat capacity (Hyun, D. (126) 98)
- Perfluorosulfonate ionomer**  
 Solubility; Direct methanol fuel cell; Degradation (Siroma, Z. (126) 41)
- Performance equation**  
 Polymer electrolyte; Fuel cell; Polarization; Modeling (Hsuen, H.-K. (126) 46)
- Polarization**  
 Borohydride solution; Specific gravity; Specific viscosity; Melting point; Direct borohydride fuel cell (Li, Z.P. (126) 28)
- Polarization**  
 Polymer electrolyte; Fuel cell; Performance equation; Modeling (Hsuen, H.-K. (126) 46)
- Poly(ethylene) oxide**  
 Polymer electrolyte; Ceramic filler; Morphology; Surface groups; Lithium batteries (Zhang, S. (126) 125)
- Polyaniline**  
 Conducting polymers; Self-doped polyaniline (Malinauskas, A. (126) 214)
- Polyaniline**  
 Conducting polymers; Template synthesis; Secondary batteries; Electrochemical capacitors; Agar gel (Sung, J.-H. (126) 258)
- Polymer electrolyte**  
 Fuel cell; Performance equation; Polarization; Modeling (Hsuen, H.-K. (126) 46)
- Polymer electrolyte**  
 Poly(ethylene) oxide; Ceramic filler; Morphology; Surface groups; Lithium batteries (Zhang, S. (126) 125)
- Positive electrode**  
 Lead-acid cell; Electroformation; Impedance spectroscopy; Cyclic voltammetry (Skowroński, J.M. (126) 175)
- Potassium anode**  
 Nonaqueous battery; Potassium secondary cell; Cyclability; Prussian blue; Cathode material (Eftekhari, A. (126) 221)
- Potassium secondary cell**  
 Nonaqueous battery; Cyclability; Prussian blue; Cathode material; Potassium anode (Eftekhari, A. (126) 221)

- Power density electrode**  
 Amorphous manganese oxide; Nanowire (West, W.C. (126) 203)
- Proton exchange membrane**  
 Fuel cell; Advanced vehicle simulator: fuel cell system modelling (Haraldsson, K. (126) 88)
- Prussian blue**  
 Nonaqueous battery; Potassium secondary cell; Cyclability; Cathode material; Potassium anode (Eftekhari, A. (126) 221)
- PtRu anode**  
 Direct methanol fuel cell; Direct ethanol fuel cell; PtSn anode (Zhou, W.J. (126) 16)
- PtRu/C anode**  
 SPE-DMFC; Oxygen-reduction cathode; Mixed-reactants fuel cells (Scott, K. (126) 67)
- PtSn anode**  
 Direct methanol fuel cell; Direct ethanol fuel cell; PtRu anode (Zhou, W.J. (126) 16)
- Raman spectra**  
 Yttria stabilized zirconia; Oxide ion conductivity; Aging; Cubic phase; Tetragonal phase (Hattori, M. (126) 23)
- Rapid discharge**  
 Titanium oxide; Anode material; Composite material; Lithium ion battery (Hibino, M. (126) 139)
- Rare earth oxides**  
 Molten carbonate fuel cell (MCFC); Ceramic anode; Catalyst; Electrochemistry; Dry methane operation (Tagawa, T. (126) 1)
- Rate capability**  
 $\text{Al}_2\text{O}_3$  coating; Li-ion battery; Cycle-life; Safety; MgO coating (Kweon, H.-J. (126) 156)
- REMn<sub>2</sub>O<sub>5</sub>**  
 Electrocatalysis; Oxygen reduction (Li, N. (126) 229)
- Safety**  
 $\text{Al}_2\text{O}_3$  coating; Li-ion battery; Cycle-life; Rate capability; MgO coating (Kweon, H.-J. (126) 156)
- Secondary batteries**  
 Polyaniline; Conducting polymers; Template synthesis; Electrochemical capacitors; Agar gel (Sung, J.-H. (126) 258)
- Self-doped polyaniline**  
 Conducting polymers; Polyaniline (Malinauskas, A. (126) 214)
- Silver**  
 $\text{LiMn}_2\text{O}_4$ ; Coating; Electronic conductivity; Cathode; Lithium battery (Son, J.T. (126) 182)
- Sodium phosphate dibasic**  
 Electrochemical behaviour; Lead electrode (EL-Naggar, M.M. (126) 207)
- SOFC**  
 IT-SOFC; Anode; Ni-CGO; Biofuel; Gasification (Baron, S. (126) 58)
- Solid oxide fuel cell**  
 Fuel cell modeling; Stack modeling; Variation in cell-to-cell performance (Burt, A.C. (126) 76)
- Solubility**  
 Perfluorosulfonate ionomer; Direct methanol fuel cell; Degradation (Siroma, Z. (126) 41)
- SPE-DMFC**  
 PtRu/C anode; Oxygen-reduction cathode; Mixed-reactants fuel cells (Scott, K. (126) 67)
- Specific gravity**  
 Borohydride solution; Specific viscosity; Melting point; Polarization; Direct borohydride fuel cell (Li, Z.P. (126) 28)
- Specific viscosity**  
 Borohydride solution; Specific gravity; Melting point; Polarization; Direct borohydride fuel cell (Li, Z.P. (126) 28)
- Spinel manganese oxide**  
 Lithium-ion battery; Electrochemical properties (Shin, Y. (126) 169)
- Spinel**  
 Li-ion battery; Lithium manganese oxide; Aluminum oxide; Metal oxide coating; Surface treatment (Lee, S.-W. (126) 150)
- Stack design**  
 DMFC; Fuel cell stack; Energy efficiency; Faradic efficiency (Jiang, R. (126) 119)
- Stack modeling**  
 Fuel cell modeling; Solid oxide fuel cell; Variation in cell-to-cell performance (Burt, A.C. (126) 76)
- State of charge**  
 Battery; Nickel metal hydride; Algorithm; Hysteresis; Equivalent circuit; Control (Verbrugge, M. (126) 236)
- Surface groups**  
 Poly(ethylene) oxide; Polymer electrolyte; Ceramic filler; Morphology; Lithium batteries (Zhang, S. (126) 125)
- Surface temperature**  
 Coating; AlPO<sub>4</sub>; Overcharge; LiCoO<sub>2</sub> (Cho, J. (126) 186)
- Surface treatment**  
 Li-ion battery; Lithium manganese oxide; Spinel; Aluminum oxide; Metal oxide coating (Lee, S.-W. (126) 150)
- Template synthesis**  
 Polyaniline; Conducting polymers; Secondary batteries; Electrochemical capacitors; Agar gel (Sung, J.-H. (126) 258)
- Tetragonal phase**  
 Yttria stabilized zirconia; Oxide ion conductivity; Aging; Raman spectra; Cubic phase (Hattori, M. (126) 23)
- Titanium oxide**  
 Anode material; Composite material; Lithium ion battery; Rapid discharge (Hibino, M. (126) 139)
- Ultracapacitors**  
 Automatic order selection; Impedance spectroscopy; Ladder model; Variable time-step simulation; Virtual Test Bed (Dougal, R.A. (126) 250)
- Variable time-step simulation**  
 Automatic order selection; Impedance spectroscopy; Ladder model; Ultracapacitors; Virtual Test Bed (Dougal, R.A. (126) 250)
- Variation in cell-to-cell performance**  
 Fuel cell modeling; Solid oxide fuel cell; Stack modeling (Burt, A.C. (126) 76)
- Virtual Test Bed**  
 Automatic order selection; Impedance spectroscopy; Ladder model; Ultracapacitors; Variable time-step simulation (Dougal, R.A. (126) 250)
- Water-gas shift reaction**  
 Methanol; Autothermal reforming; Heat and mass transfer; Fuel cell (Chan, S.H. (126) 8)
- Water-gas-shift reaction**  
 Autothermal reforming; Hydrogen; Fuel cell (Pasel, J. (126) 112)
- Yttria stabilized zirconia**  
 Oxide ion conductivity; Aging; Raman spectra; Cubic phase; Tetragonal phase (Hattori, M. (126) 23)