

Subject Index of Volume 132

- Additive**
Allyl ethyl carbonate; Solid electrolyte interphase; Lithium-ion battery; Reversible capacity; Cycleability (Lee, J.-T. (132) 244)
- Adherence**
Lead deposit; Copper substrate; Alkaline glycerol bath; Recovery (Carlos, I.A. (132) 261)
- Al₂O₃**
Lithium-ion batteries; LiCoO₂; Gas-suspension spray coating; Surface coverage; Capacity retention (Oh, S. (132) 249)
- Alkali doped Ni/MgO**
Ethanol; H₂ production; MCFC (Frusteri, F. (132) 139)
- Alkaline glycerol bath**
Lead deposit; Copper substrate; Adherence; Recovery (Carlos, I.A. (132) 261)
- Alkaline**
Iron electrode; Batteries; Self-discharge (Souza, C.A.C. (132) 288)
- All-solid-state cell**
5 V battery; Lithium secondary cell; Lipon; 5 V cathode; LiFe_{0.5}Mn_{1.5}O₄ (Eftekhari, A. (132) 240)
- All-solid-state secondary cell**
Thin-film electrode; Microbattery; Prussian blue; Hexacyanometallate (Eftekhari, A. (132) 291)
- Allyl ethyl carbonate**
Additive; Solid electrolyte interphase; Lithium-ion battery; Reversible capacity; Cycleability (Lee, J.-T. (132) 244)
- Aluminium substrate**
Dendrite-free lithium deposition; Rechargeable lithium cells (Suresh, P. (132) 166)
- Aluminium**
Room temperature molten salt; TFSI; Corrosion (Garcia, B. (132) 206)
- Ammonia**
PEM fuel cells; Hydrogen production (Sifer, N. (132) 135)
- Amorphous MnO₂**
Sol-gel; Electrochemical capacitors (Reddy, R.N. (132) 315)
- Anode**
Gel-cast; Composites; Solid oxide fuel cells (Yin, Y. (132) 36)
- Anode**
Lithium metal storage; Lithium-ion batteries (Mukaibo, H. (132) 225)
- Batteries**
Iron electrode; Alkaline; Self-discharge (Souza, C.A.C. (132) 288)
- Bismuth telluride**
Thermoelectric generation; Thermoelectric device; Heat transfer; Thermal fluid (Suzuki, R.O. (132) 266)
- Capacity retention**
Lithium-ion batteries; LiCoO₂; Al₂O₃; Gas-suspension spray coating; Surface coverage (Oh, S. (132) 249)
- Capacity**
Rechargeable battery; Zn-polyaniline battery; Cycle-life; Zinc passivation; Limiting factors (Rahmanifar, M.S. (132) 296)
- Capillary action**
Direct methanol fuel cell; Passive pump (Guo, Z. (132) 86)
- Carbon nanotubes (CNTs)**
Ni/MH battery; Positive electrode; High-rate discharge (Lv, J. (132) 282)
- Cathode binder**
Lithium-sulfur battery; Polytetrafluoroethylene; Sulfur utilization; Pore distribution; Specific surface area (Kim, N.-I. (132) 209)
- Cathode material**
LiNi_{0.8}Co_{0.2}O₂; Combustion solution method; Lithium battery; Discharge capacity (Periasamy, P. (132) 213)
- Cathode material**
LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂; Spray dry method; Metal acetate decomposition; Electrochemical behavior (Li, D.-C. (132) 150)
- Cathode material**
Lithium iron phosphate; Rechargeable lithium battery; Cycle performance; Discharge capacity (Kim, H.-S. (132) 235)
- Cathode materials**
LiMn₂O₄; Spray pyrolysis; Particle properties; Lithium batteries (Matsuda, K. (132) 156)
- Cathode**
LiCoO₂; Lithium rechargeable battery; Recycling (Kim, D.-S. (132) 145)
- Cellular phone**
Lithium cobalt oxide; Modification; Plateau efficiency; Oxidation state (Zhang, J. (132) 187)
- Ceramic electrolyte**
Cerium oxide; Gadolinium oxide; Sintering; Electrical properties; Solid oxide; Fuel cell (Ma, J. (132) 71)
- Ceramic filler**
Polymer electrolyte; Rechargeable lithium cells; Sulfur-containing composite; Poly(ethylene oxide) (Yu, X. (132) 181)
- Cerium oxide**
Gadolinium oxide; Ceramic electrolyte; Sintering; Electrical properties; Solid oxide; Fuel cell (Ma, J. (132) 71)
- CO preferential oxidation**
Fuel processor; Natural gas; Polymer electrolyte fuel cell; Residential use (Echigo, M. (132) 29)
- Coated cathodes**
Mechano-thermal coating; Coated LiCoO₂; Fumed silica; Lithium-ion battery (Fey, G.T.-K. (132) 172)
- Coated LiCoO₂**
Coated cathodes; Mechano-thermal coating; Fumed silica; Lithium-ion battery (Fey, G.T.-K. (132) 172)
- Coating**
Lithium ion battery; Lithium cobalt oxide; Electrochemical stability (Zhao, H. (132) 195)
- Cobalt and nickel additives**
Nickel-zinc cells; Cylindrical design; Pasted nickel electrodes; Foam thickness; Cycle life (Taucher-Mautner, W. (132) 275)
- Cobalt dopant**
Selective oxidation of carbon monoxide; Cu-Ce based catalyst; Effect of carbon dioxide and water; Proton exchange membrane fuel cell; Fuel processor (Park, J.W. (132) 18)
- Combustion solution method**
LiNi_{0.8}Co_{0.2}O₂; Cathode material; Lithium battery; Discharge capacity (Periasamy, P. (132) 213)

- Composites
Gel-cast; Anode; Solid oxide fuel cells (Yin, Y. (132) 36)
- Conductivity
LaAlO₃; LaGaO₃; Solid electrolyte; SOFCs (Chen, T.-Y. (132) 1)
- Copper substrate
Lead deposit; Alkaline glycerol bath; Adherence; Recovery (Carlos, I.A. (132) 261)
- Corrosion
Room temperature molten salt; TFSI; Aluminium (Garcia, B. (132) 206)
- Cu-Ce based catalyst
Selective oxidation of carbon monoxide; Effect of carbon dioxide and water; Cobalt dopant; Proton exchange membrane fuel cell; Fuel processor (Park, J.W. (132) 18)
- Cycle life
Nickel–zinc cells; Cylindrical design; Pasted nickel electrodes; Foam thickness; Cobalt and nickel additives (Taucher-Mautner, W. (132) 275)
- Cycle performance
Lithium iron phosphate; Cathode material; Rechargeable lithium battery; Discharge capacity (Kim, H.-S. (132) 235)
- Cycle-life
Rechargeable battery; Zn–polyaniline battery; Capacity; Zinc passivation; Limiting factors (Rahmanifar, M.S. (132) 296)
- Cycleability
Allyl ethyl carbonate; Additive; Solid electrolyte interphase; Lithium-ion battery; Reversible capacity (Lee, J.-T. (132) 244)
- Cylindrical design
Nickel–zinc cells; Pasted nickel electrodes; Foam thickness; Cobalt and nickel additives; Cycle life (Taucher-Mautner, W. (132) 275)
- Dendrite-free lithium deposition
Aluminium substrate; Rechargeable lithium cells (Suresh, P. (132) 166)
- Direct methanol fuel cell
Nafion-grafted-polystyrene sulfonic acid; Supercritical carbon dioxide; Impregnation; Ion-exchange capacity; Ion conductivity (Sauk, J. (132) 59)
- Direct methanol fuel cell
Passive pump; Capillary action (Guo, Z. (132) 86)
- Discharge capacity
LiNi_{0.8}Co_{0.2}O₂; Combustion solution method; Cathode material; Lithium battery (Periasamy, P. (132) 213)
- Discharge capacity
Lithium iron phosphate; Cathode material; Rechargeable lithium battery; Cycle performance (Kim, H.-S. (132) 235)
- Discharge capacity
Polyvinylidene fluoride; Ethylene carbonate; Electrolyte; Ionic conductivity; Electrochemical cell (Mohamed, N.S. (132) 229)
- Disk-type SOFC
Numerical simulation; Impedance analysis; Power generation; Gas conversion impedance (Takano, K. (132) 42)
- DOEx (design of experiments)
SOFC (solid oxide fuel cell); Hybrid cycle; Humidifier; ICGT (inter-cooled gas turbine); Vision 21 (Yi, Y. (132) 77)
- Effect of carbon dioxide and water
Selective oxidation of carbon monoxide; Cu-Ce based catalyst; Cobalt dopant; Proton exchange membrane fuel cell; Fuel processor (Park, J.W. (132) 18)
- Electrical properties
Cerium oxide; Gadolinium oxide; Ceramic electrolyte; Sintering; Solid oxide; Fuel cell (Ma, J. (132) 71)
- Electrochemical behavior
Cathode material; LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂; Spray dry method; Metal acetate decomposition (Li, D.-C. (132) 150)
- Electrochemical capacitors
Amorphous MnO₂; Sol–gel (Reddy, R.N. (132) 315)
- Electrochemical cell
Polyvinylidene fluoride; Ethylene carbonate; Electrolyte; Ionic conductivity; Discharge capacity (Mohamed, N.S. (132) 229)
- Electrochemical impedance spectroscopy (EIS)
Nickel/metal hydride batteries; Equivalent circuits (Nelatury, S.R. (132) 309)
- Electrochemical separation
Hydrogen purity; Power efficiency; Gas permeation; Polymer electrolyte membrane fuel cell (Lee, H.K. (132) 92)
- Electrochemical stability
Lithium ion battery; Lithium cobalt oxide; Coating (Zhao, H. (132) 195)
- Electrochemistry
Lithium ion batteries; 5-V cathode materials; Spinel (Sun, Y. (132) 161)
- Electrodes
Polymer electrolyte membrane fuel cell; Platinum loading; Nafion (Sasikumar, G. (132) 11)
- Electrolyte oxidation
Lithium-ion cell; Swelling; Gas evolution; Lithium cobalt oxide (Lee, K.H. (132) 201)
- Electrolyte
Polyvinylidene fluoride; Ethylene carbonate; Ionic conductivity; Electrochemical cell; Discharge capacity (Mohamed, N.S. (132) 229)
- Equivalent circuits
Nickel/metal hydride batteries; Electrochemical impedance spectroscopy (EIS) (Nelatury, S.R. (132) 309)
- Ethanol
Alkali doped Ni/MgO; H₂ production; MCFC (Frusteri, F. (132) 139)
- Ethylene carbonate
Polyvinylidene fluoride; Electrolyte; Ionic conductivity; Electrochemical cell; Discharge capacity (Mohamed, N.S. (132) 229)
- Foam thickness
Nickel–zinc cells; Cylindrical design; Pasted nickel electrodes; Cobalt and nickel additives; Cycle life (Taucher-Mautner, W. (132) 275)
- Fuel cell
Cerium oxide; Gadolinium oxide; Ceramic electrolyte; Sintering; Electrical properties; Solid oxide (Ma, J. (132) 71)
- Fuel cells
Proton exchange membrane; Membrane ion transfer; Nafion[®] membrane (De Francesco, M. (132) 127)
- Fuel processor
Natural gas; CO preferential oxidation; Polymer electrolyte fuel cell; Residential use (Echigo, M. (132) 29)
- Fuel processor
Selective oxidation of carbon monoxide; Cu-Ce based catalyst; Effect of carbon dioxide and water; Cobalt dopant; Proton exchange membrane fuel cell (Park, J.W. (132) 18)
- Fumed silica
Coated cathodes; Mechano-thermal coating; Coated LiCoO₂; Lithium-ion battery (Fey, G.T.-K. (132) 172)
- Gadolinium oxide
Cerium oxide; Ceramic electrolyte; Sintering; Electrical properties; Solid oxide; Fuel cell (Ma, J. (132) 71)
- Gas conversion impedance
Disk-type SOFC; Numerical simulation; Impedance analysis; Power generation (Takano, K. (132) 42)
- Gas evolution
Lithium-ion cell; Swelling; Lithium cobalt oxide; Electrolyte oxidation (Lee, K.H. (132) 201)
- Gas permeation
Electrochemical separation; Hydrogen purity; Power efficiency; Polymer electrolyte membrane fuel cell (Lee, H.K. (132) 92)
- Gas-suspension spray coating
Lithium-ion batteries; LiCoO₂; Al₂O₃; Surface coverage; Capacity retention (Oh, S. (132) 249)

- Gel-cast
Composites; Anode; Solid oxide fuel cells (Yin, Y. (132) 36)
- H₂ production
Alkali doped Ni/MgO; Ethanol; MCFC (Frusteri, F. (132) 139)
- Heat transfer
Thermoelectric generation; Thermoelectric device; Thermal fluid; Bismuth telluride (Suzuki, R.O. (132) 266)
- Hexacyanomethylate
All-solid-state secondary cell; Thin-film electrode; Microbattery; Prussian blue (Eftekhari, A. (132) 291)
- High capacity
Layered material; Quenching; Lithium chromium manganese oxide; Intercalation; Lithium battery (Wu, X. (132) 219)
- High-pressure hydrogen
Water electrolysis; Hydrogen production; Water electrolysis voltage (Onda, K. (132) 64)
- High-rate discharge
Ni/MH battery; Carbon nanotubes (CNTs); Positive electrode (Lv, J. (132) 282)
- Humidifier
DOEx (design of experiments); SOFC (solid oxide fuel cell); Hybrid cycle; ICGT (intercooled gas turbine); Vision 21 (Yi, Y. (132) 77)
- Hybrid cycle
DOEx (design of experiments); SOFC (solid oxide fuel cell); Humidifier; ICGT (intercooled gas turbine); Vision 21 (Yi, Y. (132) 77)
- Hybrid power plant
SOFC; PEM; Multi-objective optimization; Uncertainty (Subramanian, K. (132) 99)
- Hydrogen production
PEM fuel cells; Ammonia (Sifer, N. (132) 135)
- Hydrogen production
Water electrolysis; High-pressure hydrogen; Water electrolysis voltage (Onda, K. (132) 64)
- Hydrogen purity
Electrochemical separation; Power efficiency; Gas permeation; Polymer electrolyte membrane fuel cell (Lee, H.K. (132) 92)
- Hydrogen storage alloys
Nickel-metal hydride battery; Magnesium-based compounds; Mechanical alloying (Rongeat, C. (132) 302)
- ICGT (intercooled gas turbine)
DOEx (design of experiments); SOFC (solid oxide fuel cell); Hybrid cycle; Humidifier; Vision 21 (Yi, Y. (132) 77)
- Impedance analysis
Disk-type SOFC; Numerical simulation; Power generation; Gas conversion impedance (Takano, K. (132) 42)
- Impedance spectroscopy
Microphase; Polyelectrolyte (Bullock, S.E. (132) 256)
- Impregnation
Nafion-grafted-polystyrene sulfonic acid; Supercritical carbon dioxide; Direct methanol fuel cell; Ion-exchange capacity; Ion conductivity (Sauk, J. (132) 59)
- Integrated coal gasification
Molten carbonate fuel cell; Thermal efficiency; Performance of practical cell; Water-gas shift reaction (Yoshida, F. (132) 52)
- Intercalation
Layered material; Quenching; Lithium chromium manganese oxide; Lithium battery; High capacity (Wu, X. (132) 219)
- Ion conductivity
Nafion-grafted-polystyrene sulfonic acid; Supercritical carbon dioxide; Impregnation; Direct methanol fuel cell; Ion-exchange capacity (Sauk, J. (132) 59)
- Ion-exchange capacity
Nafion-grafted-polystyrene sulfonic acid; Supercritical carbon dioxide; Impregnation; Direct methanol fuel cell; Ion conductivity (Sauk, J. (132) 59)
- Ionic conductivity
Polyvinylidene fluoride; Ethylene carbonate; Electrolyte; Electrochemical cell; Discharge capacity (Mohamed, N.S. (132) 229)
- Iron electrode
Alkaline; Batteries; Self-discharge (Souza, C.A.C. (132) 288)
- LaAlO₃
LaGaO₃; Solid electrolyte; Conductivity; SOFCs (Chen, T.-Y. (132) 1)
- LaGaO₃
LaAlO₃; Solid electrolyte; Conductivity; SOFCs (Chen, T.-Y. (132) 1)
- Layered material
Quenching; Lithium chromium manganese oxide; Intercalation; Lithium battery; High capacity (Wu, X. (132) 219)
- Lead deposit
Copper substrate; Alkaline glycerol bath; Adherence; Recovery (Carlos, I.A. (132) 261)
- LiCoO₂
Cathode; Lithium rechargeable battery; Recycling (Kim, D.-S. (132) 145)
- LiCoO₂
Lithium-ion batteries; Al₂O₃; Gas-suspension spray coating; Surface coverage; Capacity retention (Oh, S. (132) 249)
- LiFe_{0.5}Mn_{1.5}O₄
5 V battery; Lithium secondary cell; Lipon; All-solid-state cell; 5 V cathode (Eftekhari, A. (132) 240)
- Limiting factors
Rechargeable battery; Zn-polyaniline battery; Cycle-life; Capacity; Zinc passivation (Rahmanifar, M.S. (132) 296)
- LiMn₂O₄
Spray pyrolysis; Particle properties; Lithium batteries; Cathode materials (Matsuda, K. (132) 156)
- LiNi_{0.8}Co_{0.2}O₂
Combustion solution method; Cathode material; Lithium battery; Discharge capacity (Periasamy, P. (132) 213)
- LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂
Cathode material; Spray dry method; Metal acetate decomposition; Electrochemical behavior (Li, D.-C. (132) 150)
- Lipon
5 V battery; Lithium secondary cell; All-solid-state cell; 5 V cathode; LiFe_{0.5}Mn_{1.5}O₄ (Eftekhari, A. (132) 240)
- Lithium batteries
LiMn₂O₄; Spray pyrolysis; Particle properties; Cathode materials (Matsuda, K. (132) 156)
- Lithium battery
Layered material; Quenching; Lithium chromium manganese oxide; Intercalation; High capacity (Wu, X. (132) 219)
- Lithium battery
LiNi_{0.8}Co_{0.2}O₂; Combustion solution method; Cathode material; Discharge capacity (Periasamy, P. (132) 213)
- Lithium chromium manganese oxide
Layered material; Quenching; Intercalation; Lithium battery; High capacity (Wu, X. (132) 219)
- Lithium cobalt oxide
Cellular phone; Modification; Plateau efficiency; Oxidation state (Zhang, J. (132) 187)
- Lithium cobalt oxide
Lithium ion battery; Coating; Electrochemical stability (Zhao, H. (132) 195)
- Lithium cobalt oxide
Lithium-ion cell; Swelling; Gas evolution; Electrolyte oxidation (Lee, K.H. (132) 201)
- Lithium ion batteries
5-V cathode materials; Spinel; Electrochemistry (Sun, Y. (132) 161)
- Lithium ion battery
Lithium cobalt oxide; Coating; Electrochemical stability (Zhao, H. (132) 195)
- Lithium iron phosphate
Cathode material; Rechargeable lithium battery; Cycle performance; Discharge capacity (Kim, H.-S. (132) 235)

- Lithium metal storage
Anode; Lithium-ion batteries (Mukaibo, H. (132) 225)
- Lithium rechargeable battery
LiCoO₂; Cathode; Recycling (Kim, D.-S. (132) 145)
- Lithium secondary cell
5 V battery; Lipon; All-solid-state cell; 5 V cathode; LiFe_{0.5}Mn_{1.5}O₄ (Eftekhari, A. (132) 240)
- Lithium-sulfur battery
Cathode binder; Polytetrafluoroethylene; Sulfur utilization; Pore distribution; Specific surface area (Kim, N.-I. (132) 209)
- Lithium-ion batteries
LiCoO₂; Al₂O₃; Gas-suspension spray coating; Surface coverage; Capacity retention (Oh, S. (132) 249)
- Lithium-ion batteries
Lithium metal storage; Anode (Mukaibo, H. (132) 225)
- Lithium-ion battery
Allyl ethyl carbonate; Additive; Solid electrolyte interphase; Reversible capacity; Cycleability (Lee, J.-T. (132) 244)
- Lithium-ion battery
Coated cathodes; Mechano-thermal coating; Coated LiCoO₂; Fumed silica (Fey, G.T.-K. (132) 172)
- Lithium-ion cell
Swelling; Gas evolution; Lithium cobalt oxide; Electrolyte oxidation (Lee, K.H. (132) 201)
- Magnesium-based compounds
Nickel-metal hydride battery; Hydrogen storage alloys; Mechanical alloying (Rongeat, C. (132) 302)
- MCFC
Alkali doped Ni/MgO; Ethanol; H₂ production (Frusteri, F. (132) 139)
- Mechanical alloying
Nickel-metal hydride battery; Hydrogen storage alloys; Magnesium-based compounds (Rongeat, C. (132) 302)
- Mechano-thermal coating
Coated cathodes; Coated LiCoO₂; Fumed silica; Lithium-ion battery (Fey, G.T.-K. (132) 172)
- Membrane ion transfer
Fuel cells; Proton exchange membrane; Nafion[®] membrane (De Francesco, M. (132) 127)
- Metal acetate decomposition
Cathode material; LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂; Spray dry method; Electrochemical behavior (Li, D.-C. (132) 150)
- Microbattery
All-solid-state secondary cell; Thin-film electrode; Prussian blue; Hexacyanometallate (Eftekhari, A. (132) 291)
- Microphase
Impedance spectroscopy; Polyelectrolyte (Bullock, S.E. (132) 256)
- Model
SOFC; Tubular; Sensitivity analysis (Campanari, S. (132) 113)
- Modification
Lithium cobalt oxide; Cellular phone; Plateau efficiency; Oxidation state (Zhang, J. (132) 187)
- Molten carbonate fuel cell
Integrated coal gasification; Thermal efficiency; Performance of practical cell; Water-gas shift reaction (Yoshida, F. (132) 52)
- Multi-objective optimization
SOFC; PEM; Hybrid power plant; Uncertainty (Subramanian, K. (132) 99)
- Nafion
Polymer electrolyte membrane fuel cell; Electrodes; Platinum loading (Sasikumar, G. (132) 11)
- Nafion-grafted-polystyrene sulfonic acid
Supercritical carbon dioxide; Impregnation; Direct methanol fuel cell; Ion-exchange capacity; Ion conductivity (Saug, J. (132) 59)
- Nafion[®] membrane
Fuel cells; Proton exchange membrane; Membrane ion transfer (De Francesco, M. (132) 127)
- Natural gas
Fuel processor; CO preferential oxidation; Polymer electrolyte fuel cell; Residential use (Echigo, M. (132) 29)
- Ni/MH battery
Carbon nanotubes (CNTs); Positive electrode; High-rate discharge (Lv, J. (132) 282)
- Nickel-metal hydride battery
Hydrogen storage alloys; Magnesium-based compounds; Mechanical alloying (Rongeat, C. (132) 302)
- Nickel-zinc cells
Cylindrical design; Pasted nickel electrodes; Foam thickness; Cobalt and nickel additives; Cycle life (Taucher-Mautner, W. (132) 275)
- Nickel/metal hydride batteries
Electrochemical impedance spectroscopy (EIS); Equivalent circuits (Nelatury, S.R. (132) 309)
- Numerical simulation
Disk-type SOFC; Impedance analysis; Power generation; Gas conversion impedance (Takano, K. (132) 42)
- Oxidation state
Lithium cobalt oxide; Cellular phone; Modification; Plateau efficiency (Zhang, J. (132) 187)
- Particle properties
LiMn₂O₄; Spray pyrolysis; Lithium batteries; Cathode materials (Matsuda, K. (132) 156)
- Passive pump
Direct methanol fuel cell; Capillary action (Guo, Z. (132) 86)
- Pasted nickel electrodes
Nickel-zinc cells; Cylindrical design; Foam thickness; Cobalt and nickel additives; Cycle life (Taucher-Mautner, W. (132) 275)
- PEM fuel cells
Hydrogen production; Ammonia (Sifer, N. (132) 135)
- PEM
SOFC; Hybrid power plant; Multi-objective optimization; Uncertainty (Subramanian, K. (132) 99)
- Performance of practical cell
Integrated coal gasification; Molten carbonate fuel cell; Thermal efficiency; Water-gas shift reaction (Yoshida, F. (132) 52)
- Plateau efficiency
Lithium cobalt oxide; Cellular phone; Modification; Oxidation state (Zhang, J. (132) 187)
- Platinum loading
Polymer electrolyte membrane fuel cell; Electrodes; Nafion (Sasikumar, G. (132) 11)
- Polyelectrolyte
Impedance spectroscopy; Microphase (Bullock, S.E. (132) 256)
- Poly(ethylene oxide)
Polymer electrolyte; Rechargeable lithium cells; Sulfur-containing composite; Ceramic filler (Yu, X. (132) 181)
- Polymer electrolyte fuel cell
Fuel processor; Natural gas; CO preferential oxidation; Residential use (Echigo, M. (132) 29)
- Polymer electrolyte membrane fuel cell
Electrochemical separation; Hydrogen purity; Power efficiency; Gas permeation (Lee, H.K. (132) 92)
- Polymer electrolyte membrane fuel cell
Electrodes; Platinum loading; Nafion (Sasikumar, G. (132) 11)
- Polymer electrolyte
Rechargeable lithium cells; Sulfur-containing composite; Poly(ethylene oxide); Ceramic filler (Yu, X. (132) 181)
- Polytetrafluoroethylene
Lithium-sulfur battery; Cathode binder; Sulfur utilization; Pore distribution; Specific surface area (Kim, N.-I. (132) 209)
- Polyvinylidene fluoride
Ethylene carbonate; Electrolyte; Ionic conductivity; Electrochemical cell; Discharge capacity (Mohamed, N.S. (132) 229)

- Pore distribution
Lithium-sulfur battery; Cathode binder; Polytetrafluoroethylene; Sulfur utilization; Specific surface area (Kim, N.-I. (132) 209)
- Positive electrode
Ni/MH battery; Carbon nanotubes (CNTs); High-rate discharge (Lv, J. (132) 282)
- Power efficiency
Electrochemical separation; Hydrogen purity; Gas permeation; Polymer electrolyte membrane fuel cell (Lee, H.K. (132) 92)
- Power generation
Disk-type SOFC; Numerical simulation; Impedance analysis; Gas conversion impedance (Takano, K. (132) 42)
- Proton exchange membrane fuel cell
Selective oxidation of carbon monoxide; Cu-Ce based catalyst; Effect of carbon dioxide and water; Cobalt dopant; Fuel processor (Park, J.W. (132) 18)
- Proton exchange membrane
Fuel cells; Membrane ion transfer; Nafion[®] membrane (De Francesco, M. (132) 127)
- Prussian blue
All-solid-state secondary cell; Thin-film electrode; Microbattery; Hexacyanometallate (Eftekhari, A. (132) 291)
- Quenching
Layered material; Lithium chromium manganese oxide; Intercalation; Lithium battery; High capacity (Wu, X. (132) 219)
- Rechargeable lithium battery
Lithium iron phosphate; Cathode material; Cycle performance; Discharge capacity (Kim, H.-S. (132) 235)
- Rechargeable battery
Zn-polyaniline battery; Cycle-life; Capacity; Zinc passivation; Limiting factors (Rahmanifar, M.S. (132) 296)
- Rechargeable lithium cells
Aluminium substrate; Dendrite-free lithium deposition (Suresh, P. (132) 166)
- Rechargeable lithium cells
Polymer electrolyte; Sulfur-containing composite; Poly(ethylene oxide); Ceramic filler (Yu, X. (132) 181)
- Recovery
Lead deposit; Copper substrate; Alkaline glycerol bath; Adherence (Carlos, I.A. (132) 261)
- Recycling
LiCoO₂; Cathode; Lithium rechargeable battery (Kim, D.-S. (132) 145)
- Residential use
Fuel processor; Natural gas; CO preferential oxidation; Polymer electrolyte fuel cell (Echigo, M. (132) 29)
- Reversible capacity
Allyl ethyl carbonate; Additive; Solid electrolyte interphase; Lithium-ion battery; Cycleability (Lee, J.-T. (132) 244)
- Room temperature molten salt
TFSI; Corrosion; Aluminium (Garcia, B. (132) 206)
- Selective oxidation of carbon monoxide
Cu-Ce based catalyst; Effect of carbon dioxide and water; Cobalt dopant; Proton exchange membrane fuel cell; Fuel processor (Park, J.W. (132) 18)
- Self-discharge
Iron electrode; Alkaline; Batteries (Souza, C.A.C. (132) 288)
- Sensitivity analysis
SOFC; Model; Tubular (Campanari, S. (132) 113)
- Sintering
Cerium oxide; Gadolinium oxide; Ceramic electrolyte; Electrical properties; Solid oxide; Fuel cell (Ma, J. (132) 71)
- SOFC (solid oxide fuel cell)
DOEx (design of experiments); Hybrid cycle; Humidifier; ICGT (inter-cooled gas turbine); Vision 21 (Yi, Y. (132) 77)
- SOFC
Model; Tubular; Sensitivity analysis (Campanari, S. (132) 113)
- SOFC
PEM; Hybrid power plant; Multi-objective optimization; Uncertainty (Subramanyan, K. (132) 99)
- SOFCs
LaAlO₃; LaGaO₃; Solid electrolyte; Conductivity (Chen, T.-Y. (132) 1)
- Sol-gel
Amorphous MnO₂; Electrochemical capacitors (Reddy, R.N. (132) 315)
- Solid electrolyte interphase
Allyl ethyl carbonate; Additive; Lithium-ion battery; Reversible capacity; Cycleability (Lee, J.-T. (132) 244)
- Solid electrolyte
LaAlO₃; LaGaO₃; Conductivity; SOFCs (Chen, T.-Y. (132) 1)
- Solid oxide fuel cells
Gel-cast; Composites; Anode (Yin, Y. (132) 36)
- Solid oxide
Cerium oxide; Gadolinium oxide; Ceramic electrolyte; Sintering; Electrical properties; Fuel cell (Ma, J. (132) 71)
- Specific surface area
Lithium-sulfur battery; Cathode binder; Polytetrafluoroethylene; Sulfur utilization; Pore distribution (Kim, N.-I. (132) 209)
- Spinel
Lithium ion batteries; 5-V cathode materials; Electrochemistry (Sun, Y. (132) 161)
- Spray dry method
Cathode material; LiNi_{1/3}Mn_{1/3}Co_{1/3}O₂; Metal acetate decomposition; Electrochemical behavior (Li, D.-C. (132) 150)
- Spray pyrolysis
LiMn₂O₄; Particle properties; Lithium batteries; Cathode materials (Matsuda, K. (132) 156)
- Sulfur utilization
Lithium-sulfur battery; Cathode binder; Polytetrafluoroethylene; Pore distribution; Specific surface area (Kim, N.-I. (132) 209)
- Sulfur-containing composite
Polymer electrolyte; Rechargeable lithium cells; Poly(ethylene oxide); Ceramic filler (Yu, X. (132) 181)
- Supercritical carbon dioxide
Nafion-grafted-polystyrene sulfonic acid; Impregnation; Direct methanol fuel cell; Ion-exchange capacity; Ion conductivity (Sauk, J. (132) 59)
- Surface coverage
Lithium-ion batteries; LiCoO₂; Al₂O₃; Gas-suspension spray coating; Capacity retention (Oh, S. (132) 249)
- Swelling
Lithium-ion cell; Gas evolution; Lithium cobalt oxide; Electrolyte oxidation (Lee, K.H. (132) 201)
- TFSI
Room temperature molten salt; Corrosion; Aluminium (Garcia, B. (132) 206)
- Thermal efficiency
Integrated coal gasification; Molten carbonate fuel cell; Performance of practical cell; Water-gas shift reaction (Yoshida, F. (132) 52)
- Thermal fluid
Thermoelectric generation; Thermoelectric device; Heat transfer; Bismuth telluride (Suzuki, R.O. (132) 266)
- Thermoelectric device
Thermoelectric generation; Heat transfer; Thermal fluid; Bismuth telluride (Suzuki, R.O. (132) 266)
- Thermoelectric generation
Thermoelectric device; Heat transfer; Thermal fluid; Bismuth telluride (Suzuki, R.O. (132) 266)
- Thin-film electrode
All-solid-state secondary cell; Microbattery; Prussian blue; Hexacyanometallate (Eftekhari, A. (132) 291)
- Tubular
SOFC; Model; Sensitivity analysis (Campanari, S. (132) 113)

Uncertainty

SOFC; PEM; Hybrid power plant; Multi-objective optimization (Subramanyan, K. (132) 99)

5-V cathode materials

Lithium ion batteries; Spinel; Electrochemistry (Sun, Y. (132) 161)

5 V battery

Lithium secondary cell; Lipon; All-solid-state cell; 5 V cathode; $\text{LiFe}_{0.5}\text{Mn}_{1.5}\text{O}_4$ (Eftekhari, A. (132) 240)

5 V cathode

5 V battery; Lithium secondary cell; Lipon; All-solid-state cell; $\text{LiFe}_{0.5}\text{Mn}_{1.5}\text{O}_4$ (Eftekhari, A. (132) 240)

Vision 21

DOEx (design of experiments); SOFC (solid oxide fuel cell); Hybrid cycle; Humidifier; ICGT (intercooled gas turbine) (Yi, Y. (132) 77)

Water electrolysis voltage

Water electrolysis; Hydrogen production; High-pressure hydrogen (Onda, K. (132) 64)

Water electrolysis

Hydrogen production; High-pressure hydrogen; Water electrolysis voltage (Onda, K. (132) 64)

Water-gas shift reaction

Integrated coal gasification; Molten carbonate fuel cell; Thermal efficiency; Performance of practical cell (Yoshida, F. (132) 52)

Zinc passivation

Rechargeable battery; Zn-polyaniline battery; Cycle-life; Capacity; Limiting factors (Rahmanifar, M.S. (132) 296)

Zn-polyaniline battery

Rechargeable battery; Cycle-life; Capacity; Zinc passivation; Limiting factors (Rahmanifar, M.S. (132) 296)