

Subject Index of Volume 133

- Absorptive glass mat (AGM) separator
Capillarity; Mechanical strength; Specific surface-area; Springiness; Standard monolayer; Valve-regulated lead–acid battery (Toniazzo, V. (133) 94)
- Absorptive glass mats
Cycle-life; Reinforcement; Synthetic fibre; Valve-regulated lead–acid batteries (Clement, N. (133) 87)
- Active surface
Lithium ion battery; Anode material; Electrochemical property (Xu, J. (133) 260)
- Adsorption transient
Polymer electrolyte fuel cell; CO stripping; Reactant distribution (Brett, D.J.L. (133) 205)
- Air-breathing
Direct methanol fuel cell; Gas diffusion backing; Sintered stainless steel fiber felt (Liu, J. (133) 175)
- Aluminum oxides
Polypyrrole; Aluminum solid-state capacitor; Dodecyl benzylsulfonic acid (Tsai, M.-L. (133) 302)
- Aluminum solid-state capacitor
Polypyrrole; Aluminum oxides; Dodecyl benzylsulfonic acid (Tsai, M.-L. (133) 302)
- Anode material
Li ion battery; Transition metal oxide; Ni addition; Mechanical milling (Kang, Y.-M. (133) 252)
- Anode material
Lithium ion battery; Active surface; Electrochemical property (Xu, J. (133) 260)
- Anode materials
Lithium ion battery; Mechanochemical methods; Cathode materials; Electrolytes (Ning, L.J. (133) 229)
- Automobile electrical systems
Battery; High-rate; Life-limiting factors; Partial-state-of-charge; Valve-regulated lead–acid (Moseley, P.T. (133) 104)
- Automotive battery separators
Two-battery concept; Future development; Oxidative stability; Polyethylene separators; Puncture resistance (Böhnstedt, W. (133) 59)
- Automotive lead–acid battery
Corrosion; Growth; High temperature; Lead–calcium–tin–barium alloy; Positive-grid (Furukawa, J. (133) 25)
- Barium sulfate
Carbon black; Lead–acid battery; Lignosulfonate; Negative plate; Pre-blended expander (Boden, D.P. (133) 47)
- Barium sulfate
Cyclic voltammetry; Electrochemical atomic force microscopy; Lead–acid battery; Negative electrode; Strontium sulfate (Vermesan, H. (133) 52)
- Battery
Automobile electrical systems; High-rate; Life-limiting factors; Partial-state-of-charge; Valve-regulated lead–acid (Moseley, P.T. (133) 104)
- Battery
Environmental protection; Green lead; Life-cycle assessment; Product stewardship; Sustainable development (Roche, M. (133) 3)
- Battery
Lead–acid; Saturation; Separator dry-out; Thermal runaway; Valve-regulated (Culpin, B. (133) 79)
- Bismuth telluride
Thermoelectric generation; Thermoelectric device; Heat transfer; Thermal fluid (Suzuki, R.O. (133) 277)
- Capacitor
Chemical activation; Needle coke (Mitani, S. (133) 298)
- Capacity
Lithium secondary battery; Positive electrode (cathode); LiFePO₄; Emulsion-drying method; Cycle stability (Cho, T.-H. (133) 272)
- Capillarity
Absorptive glass mat (AGM) separator; Mechanical strength; Specific surface-area; Springiness; Standard monolayer; Valve-regulated lead–acid battery (Toniazzo, V. (133) 94)
- Carbon black
Barium sulfate; Lead–acid battery; Lignosulfonate; Negative plate; Pre-blended expander (Boden, D.P. (133) 47)
- Carbon electrode
Fluorination; Surface modification; Lithium ion battery (Nakajima, T. (133) 243)
- Cathode materials
Lithium ion battery; Mechanochemical methods; Anode materials; Electrolytes (Ning, L.J. (133) 229)
- Cathodic multilayers
Solid oxide fuel cells; Sol–gel process; Electrochemical performances (Gaudon, M. (133) 214)
- Chemical activation
Capacitor; Needle coke (Mitani, S. (133) 298)
- Chinese battery manufacturing
Imperial smelting process; Lead market outlook; Lead prices; Lead premiums (Keen, A. (133) 8)
- CO stripping
Polymer electrolyte fuel cell; Reactant distribution; Adsorption transient (Brett, D.J.L. (133) 205)
- Conducting polymers
Methanol oxidation; DMFC; Nanostructured materials; Electro-catalyst (Rajesh, B. (133) 155)
- Conducting polymers
Micropower; Electrochemical capacitors; Microcapacitors; Photolithography; Electrolytes (Sung, J.-H. (133) 312)
- Continuous process
Economic assessment; Electroforming; Grid; Lead–acid battery (Warlimont, H. (133) 14)
- Control volume approach
PEM fuel cell; System-level modeling; Lumped-parameter model; Transient dynamics (Xue, X. (133) 188)
- Corrosion
Automotive lead–acid battery; Growth; High temperature; Lead–calcium–tin–barium alloy; Positive-grid (Furukawa, J. (133) 25)
- Cu-ceria anode
Solid oxide fuel cell; Direct oxidation; Hydrocarbon fuels; Pennsylvania crude oil; Jet fuel (Zhou, Z.F. (133) 181)

- Cycle stability
Lithium secondary battery; Positive electrode (cathode); LiFePO₄; Capacity; Emulsion-drying method (Cho, T.-H. (133) 272)
- Cycle-life
Absorptive glass mats; Reinforcement; Synthetic fibre; Valve-regulated lead-acid batteries (Clement, N. (133) 87)
- Cyclic voltammetry (CV)
Electrochemical atomic force microscopy (EC-AFM); Lead-acid battery; Negative electrode; Expander; Lignosulfonate (lignin) (Hirai, N. (133) 32)
- Cyclic voltammetry
Barium sulfate; Electrochemical atomic force microscopy; Lead-acid battery; Negative electrode; Strontium sulfate (Vermesan, H. (133) 52)
- Cyclic voltammetry
Failure mechanism; High-power cycling; Lead-acid battery; Positive active-material; Softening (Yan, J.H. (133) 135)
- Density/solidity
Lead-acid battery; Micro-glass; porosity; Recombinant battery separator mat; Valve-regulated (Zguris, G.C. (133) 67)
- Direct methanol fuel cell
Air-breathing; Gas diffusion backing; Sintered stainless steel fiber felt (Liu, J. (133) 175)
- Direct oxidation
Solid oxide fuel cell; Hydrocarbon fuels; Cu-ceria anode; Pennsylvania crude oil; Jet fuel (Zhou, Z.F. (133) 181)
- Disk-type SOFC
Doped lanthanum gallate; Impedance analysis; Power generation; Gas conversion impedance (Kato, T. (133) 169)
- DMFC
Methanol oxidation; Conducting polymers; Nanostructured materials; Electro-catalyst (Rajesh, B. (133) 155)
- Dodecyl benzenesulfonic acid
Polypyrrole; Aluminum solid-state capacitor; Aluminum oxides (Tsai, M.-L. (133) 302)
- Doped lanthanum gallate
Disk-type SOFC; Impedance analysis; Power generation; Gas conversion impedance (Kato, T. (133) 169)
- Double layer capacitor
Nanoporous carbon; Nonaqueous electrolyte solution (Arulepp, M. (133) 320)
- Dual-tab
Lead-acid battery; Valve-regulated; Spiral-wound; HEV (Cooper, A. (133) 116)
- ECDL capacitor
Mesoporous carbon; Electrode material; Specific capacitance; Supercapacitor (Fuentes, A.B. (133) 329)
- Economic assessment
Continuous process; Electroforming; Grid; Lead-acid battery (Warlimont, H. (133) 14)
- Efficiency
Proton exchange membrane fuel cell; Electric bicycle; Microcontroller; Metal hydride; Fuel consumption (Hwang, J.J. (133) 223)
- Electric bicycle
Proton exchange membrane fuel cell; Microcontroller; Metal hydride; Efficiency; Fuel consumption (Hwang, J.J. (133) 223)
- Electro-catalyst
Methanol oxidation; DMFC; Conducting polymers; Nanostructured materials (Rajesh, B. (133) 155)
- Electrochemical atomic force microscopy (EC-AFM)
Lead-acid battery; Negative electrode; Expander; Lignosulfonate (lignin); Cyclic voltammetry (CV) (Hirai, N. (133) 32)
- Electrochemical atomic force microscopy
Barium sulfate; Cyclic voltammetry; Lead-acid battery; Negative electrode; Strontium sulfate (Vermesan, H. (133) 52)
- Electrochemical capacitors
Micropower; Microcapacitors; Conducting polymers; Photolithography; Electrolytes (Sung, J.-H. (133) 312)
- Electrochemical performances
Cathodic multilayers; Solid oxide fuel cells; Sol-gel process (Gaudon, M. (133) 214)
- Electrochemical property
Lithium ion battery; Anode material; Active surface (Xu, J. (133) 260)
- Electrode material
Mesoporous carbon; Specific capacitance; ECDL capacitor; Supercapacitor (Fuentes, A.B. (133) 329)
- Electroforming
Continuous process; Economic assessment; Grid; Lead-acid battery (Warlimont, H. (133) 14)
- Electrolytes
Lithium ion battery; Mechanochemical methods; Cathode materials; Anode materials (Ning, L.J. (133) 229)
- Electrolytes
Micropower; Electrochemical capacitors; Microcapacitors; Conducting polymers; Photolithography (Sung, J.-H. (133) 312)
- Emulsion-drying method
Lithium secondary battery; Positive electrode (cathode); LiFePO₄; Capacity; Cycle stability (Cho, T.-H. (133) 272)
- Environmental protection
Battery; Green lead; Life-cycle assessment; Product stewardship; Sustainable development (Roche, M. (133) 3)
- Expander
Electrochemical atomic force microscopy (EC-AFM); Lead-acid battery; Negative electrode; Lignosulfonate (lignin); Cyclic voltammetry (CV) (Hirai, N. (133) 32)
- Failure mechanism
Cyclic voltammetry; High-power cycling; Lead-acid battery; Positive active-material; Softening (Yan, J.H. (133) 135)
- Failure mode
The 42 V PowerNet; High-rate partial-state-of-charge duty; Hydrogen evolution; Lead-acid battery; Sulfation (Lam, L.T. (133) 126)
- Fluorination
Surface modification; Carbon electrode; Lithium ion battery (Nakajima, T. (133) 243)
- Fuel consumption
Proton exchange membrane fuel cell; Electric bicycle; Microcontroller; Metal hydride; Efficiency (Hwang, J.J. (133) 223)
- Future development
Two-battery concept; Automotive battery separators; Oxidative stability; Polyethylene separators; Puncture resistance (Böhnstedt, W. (133) 59)
- Gas conversion impedance
Disk-type SOFC; Doped lanthanum gallate; Impedance analysis; Power generation (Kato, T. (133) 169)
- Gas diffusion backing
Direct methanol fuel cell; Air-breathing; Sintered stainless steel fiber felt (Liu, J. (133) 175)
- Gel valve-regulated lead-acid battery
Negative plates; Partial-state-of-charge (PSoC); Peru; Remote-area power-supply (RAPS); Sulfation (Newnham, R.H. (133) 141)
- Green lead
Battery; Environmental protection; Life-cycle assessment; Product stewardship; Sustainable development (Roche, M. (133) 3)
- Grid
Continuous process; Economic assessment; Electroforming; Lead-acid battery (Warlimont, H. (133) 14)
- Growth
Automotive lead-acid battery; Corrosion; High temperature; Lead-calcium-tin-barium alloy; Positive-grid (Furukawa, J. (133) 25)

- Heat transfer
Thermoelectric generation; Thermoelectric device; Thermal fluid; Bismuth telluride (Suzuki, R.O. (133) 277)
- HEV
Lead-acid battery; Valve-regulated; Spiral-wound; Dual-tab (Cooper, A. (133) 116)
- High power application
Substrate; MmNi_5 -based alloy; Nickel/metal hydride battery (Yang, H.B. (133) 286)
- High temperature
Automotive lead-acid battery; Corrosion; Growth; Lead-calcium-tin-barium alloy; Positive-grid (Furukawa, J. (133) 25)
- High-power cycling
Cyclic voltammetry; Failure mechanism; Lead-acid battery; Positive active-material; Softening (Yan, J.H. (133) 135)
- High-rate partial-state-of-charge duty
The 42 V PowerNet; Failure mode; Hydrogen evolution; Lead-acid battery; Sulfation (Lam, L.T. (133) 126)
- High-rate
Automobile electrical systems; Battery; Life-limiting factors; Partial-state-of-charge; Valve-regulated lead-acid (Moseley, P.T. (133) 104)
- Hybrid
Lithium battery; Intercalation; V_2O_5 ; Polyaniline; Post-treatment (Kang, S.-G. (133) 263)
- Hydrated molybdenum oxide
Molybdenum bronzes; Lithium insertion (Martínez-de la Cruz, A. (133) 268)
- Hydrocarbon fuels
Solid oxide fuel cell; Direct oxidation; Cu-ceria anode; Pennsylvania crude oil; Jet fuel (Zhou, Z.F. (133) 181)
- Hydrogen evolution
The 42 V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Lead-acid battery; Sulfation (Lam, L.T. (133) 126)
- Impedance analysis
Disk-type SOFC; Doped lanthanum gallate; Power generation; Gas conversion impedance (Kato, T. (133) 169)
- Imperial smelting process
Chinese battery manufacturing; Lead market outlook; Lead prices; Lead premiums (Keen, A. (133) 8)
- Intercalation
Lithium battery; Hybrid; V_2O_5 ; Polyaniline; Post-treatment (Kang, S.-G. (133) 263)
- Intermediate-temperature solid oxide fuel cell
Oxygen-deficient perovskite; Polarization resistance; Positive electrode material (Yu, H.-C. (133) 162)
- Ionic conductivity
Photoelectrochemical solar cell; Solid polymeric electrolyte; Titanium dioxide (Rahman, M.Y.A. (133) 293)
- Jet fuel
Solid oxide fuel cell; Direct oxidation; Hydrocarbon fuels; Cu-ceria anode; Pennsylvania crude oil (Zhou, Z.F. (133) 181)
- Lead market outlook
Chinese battery manufacturing; Imperial smelting process; Lead prices; Lead premiums (Keen, A. (133) 8)
- Lead premiums
Chinese battery manufacturing; Imperial smelting process; Lead market outlook; Lead prices (Keen, A. (133) 8)
- Lead prices
Chinese battery manufacturing; Imperial smelting process; Lead market outlook; Lead premiums (Keen, A. (133) 8)
- Lead-acid battery
Continuous process; Economic assessment; Electroforming; Grid (Warlimont, H. (133) 14)
- Lead-acid battery
Density/solidity; Micro-glass; porosity; Recombinant battery separator mat; Valve-regulated (Zguris, G.C. (133) 67)
- Lead-acid battery
Electrochemical atomic force microscopy (EC-AFM); Negative electrode; Expander; Lignosulfonate (lignin); Cyclic voltammetry (CV) (Hirai, N. (133) 32)
- Lead-acid battery
Barium sulfate; Cyclic voltammetry; Electrochemical atomic force microscopy; Negative electrode; Strontium sulfate (Vermeas, H. (133) 52)
- Lead-acid battery
Cyclic voltammetry; Failure mechanism; High-power cycling; Positive active-material; Softening (Yan, J.H. (133) 135)
- Lead-calcium-tin-barium alloy
Automotive lead-acid battery; Corrosion; Growth; High temperature; Positive-grid (Furukawa, J. (133) 25)
- Lead-acid battery
Barium sulfate; Carbon black; Lignosulfonate; Negative plate; Pre-blended expander (Boden, D.P. (133) 47)
- Lead-acid battery
Micro-fiber additive; Paste mixing; Plate pasting; Lead-in-air emissions (Ferreira, A. (133) 39)
- Lead-acid battery
The 42 V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Hydrogen evolution; Sulfation (Lam, L.T. (133) 126)
- Lead-acid battery
Valve-regulated; Spiral-wound; Dual-tab; HEV (Cooper, A. (133) 116)
- Lead-acid
Battery; Saturation; Separator dry-out; Thermal runaway; Valve-regulated (Culpin, B. (133) 79)
- Lead-in-air emissions
Lead-acid battery; Micro-fiber additive; Paste mixing; Plate pasting (Ferreira, A. (133) 39)
- Li ion battery
Anode material; Transition metal oxide; Ni addition; Mechanical milling (Kang, Y.-M. (133) 252)
- Life-cycle assessment
Battery; Environmental protection; Green lead; Product stewardship; Sustainable development (Roche, M. (133) 3)
- Life-limiting factors
Automobile electrical systems; Battery; High-rate; Partial-state-of-charge; Valve-regulated lead-acid (Moseley, P.T. (133) 104)
- LiFePO_4
Lithium secondary battery; Positive electrode (cathode); Capacity; Emulsion-drying method; Cycle stability (Cho, T.-H. (133) 272)
- Lignosulfonate (lignin)
Electrochemical atomic force microscopy (EC-AFM); Lead-acid battery; Negative electrode; Expander; Cyclic voltammetry (CV) (Hirai, N. (133) 32)
- Lignosulfonate
Barium sulfate; Carbon black; Lead-acid battery; Negative plate; Pre-blended expander (Boden, D.P. (133) 47)
- Lithium battery
Intercalation; Hybrid; V_2O_5 ; Polyaniline; Post-treatment (Kang, S.-G. (133) 263)
- Lithium insertion
Hydrated molybdenum oxide; Molybdenum bronzes (Martínez-de la Cruz, A. (133) 268)
- Lithium ion battery
Anode material; Active surface; Electrochemical property (Xu, J. (133) 260)
- Lithium ion battery
Fluorination; Surface modification; Carbon electrode (Nakajima, T. (133) 243)

- Lithium ion battery
 Mechanochemical methods; Cathode materials; Anode materials; Electrolytes (Ning, L.J. (133) 229)
- Lithium secondary battery
 Positive electrode (cathode); LiFePO_4 ; Capacity; Emulsion-drying method; Cycle stability (Cho, T.-H. (133) 272)
- Lumped-parameter model
 PEM fuel cell; System-level modeling; Transient dynamics; Control volume approach (Xue, X. (133) 188)
- Mechanical milling
 Li ion battery; Anode material; Transition metal oxide; Ni addition (Kang, Y.-M. (133) 252)
- Mechanical strength
 Absorptive glass mat (AGM) separator; Capillarity; Specific surface area; Springiness; Standard monolayer; Valve-regulated lead-acid battery (Toniazzi, V. (133) 94)
- Mechanochemical methods
 Lithium ion battery; Cathode materials; Anode materials; Electrolytes (Ning, L.J. (133) 229)
- Mesoporous carbon
 Electrode material; Specific capacitance; ECDL capacitor; Supercapacitor (Fuertes, A.B. (133) 329)
- Metal hydride
 Proton exchange membrane fuel cell; Electric bicycle; Microcontroller; Efficiency; Fuel consumption (Hwang, J.J. (133) 223)
- Methanol oxidation
 DMFC; Conducting polymers; Nanostructured materials; Electro-catalyst (Rajesh, B. (133) 155)
- Micro-fiber additive
 Lead-acid battery; Paste mixing; Plate pasting; Lead-in-air emissions (Ferreira, A. (133) 39)
- Micro-glass
 Density/solidity; Lead-acid battery; porosity; Recombinant battery separator mat; Valve-regulated (Zguris, G.C. (133) 67)
- Microcapacitors
 Micropower; Electrochemical capacitors; Conducting polymers; Photolithography; Electrolytes (Sung, J.-H. (133) 312)
- Microcontroller
 Proton exchange membrane fuel cell; Electric bicycle; Metal hydride; Efficiency; Fuel consumption (Hwang, J.J. (133) 223)
- Micropower
 Electrochemical capacitors; Microcapacitors; Conducting polymers; Photolithography; Electrolytes (Sung, J.-H. (133) 312)
- MmNi_5 -based alloy
 Substrate; Nickel/metal hydride battery; High power application (Yang, H.B. (133) 286)
- Molybdenum bronzes
 Hydrated molybdenum oxide; Lithium insertion (Martínez-de la Cruz, A. (133) 268)
- Nanoporous carbon
 Nonaqueous electrolyte solution; Double layer capacitor (Arulepp, M. (133) 320)
- Nanostructured materials
 Methanol oxidation; DMFC; Conducting polymers; Electro-catalyst (Rajesh, B. (133) 155)
- Needle coke
 Capacitor; Chemical activation (Mitani, S. (133) 298)
- Negative electrode
 Barium sulfate; Cyclic voltammetry; Electrochemical atomic force microscopy; Lead-acid battery; Strontium sulfate (Vermesan, H. (133) 52)
- Negative electrode
 Electrochemical atomic force microscopy (EC-AFM); Lead-acid battery; Expander; Lignosulfonate (lignin); Cyclic voltammetry (CV) (Hirai, N. (133) 32)
- Negative plate
 Barium sulfate; Carbon black; Lead-acid battery; Lignosulfonate; Pre-blended expander (Boden, D.P. (133) 47)
- Negative plates
 Gel valve-regulated lead-acid battery; Partial-state-of-charge (PSoC); Peru; Remote-area power-supply (RAPS); Sulfation (Newnham, R.H. (133) 141)
- Ni addition
 Li ion battery; Anode material; Transition metal oxide; Mechanical milling (Kang, Y.-M. (133) 252)
- Nickel/metal hydride battery
 Substrate; MmNi_5 -based alloy; High power application (Yang, H.B. (133) 286)
- Nonaqueous electrolyte solution
 Nanoporous carbon; Double layer capacitor (Arulepp, M. (133) 320)
- Oxidative stability
 Two-battery concept; Automotive battery separators; Future development; Polyethylene separators; Puncture resistance (Böhnstedt, W. (133) 59)
- Oxygen-deficient perovskite
 Intermediate-temperature solid oxide fuel cell; Polarization resistance; Positive electrode material (Yu, H.-C. (133) 162)
- Partial-state-of-charge (PSoC)
 Gel valve-regulated lead-acid battery; Negative plates; Peru; Remote-area power-supply (RAPS); Sulfation (Newnham, R.H. (133) 141)
- Partial-state-of-charge
 Automobile electrical systems; Battery; High-rate; Life-limiting factors; Valve-regulated lead-acid (Moseley, P.T. (133) 104)
- Paste mixing
 Lead-acid battery; Micro-fiber additive; Plate pasting; Lead-in-air emissions (Ferreira, A. (133) 39)
- PEM fuel cell
 System-level modeling; Lumped-parameter model; Transient dynamics; Control volume approach (Xue, X. (133) 188)
- Pennsylvania crude oil
 Solid oxide fuel cell; Direct oxidation; Hydrocarbon fuels; Cu-ceria anode; Jet fuel (Zhou, Z.F. (133) 181)
- Peru
 Gel valve-regulated lead-acid battery; Negative plates; Partial-state-of-charge (PSoC); Remote-area power-supply (RAPS); Sulfation (Newnham, R.H. (133) 141)
- Photoelectrochemical solar cell
 Ionic conductivity; Solid polymeric electrolyte; Titanium dioxide (Rahman, M.Y.A. (133) 293)
- Photolithography
 Micropower; Electrochemical capacitors; Microcapacitors; Conducting polymers; Electrolytes (Sung, J.-H. (133) 312)
- Plate pasting
 Lead-acid battery; Micro-fiber additive; Paste mixing; Lead-in-air emissions (Ferreira, A. (133) 39)
- Polarization resistance
 Intermediate-temperature solid oxide fuel cell; Oxygen-deficient perovskite; Positive electrode material (Yu, H.-C. (133) 162)
- Polyaniline
 Lithium battery; Intercalation; Hybrid; V_2O_5 ; Post-treatment (Kang, S.-G. (133) 263)
- Polyethylene separators
 Two-battery concept; Automotive battery separators; Future development; Oxidative stability; Puncture resistance (Böhnstedt, W. (133) 59)
- Polymer electrolyte fuel cell
 CO stripping; Reactant distribution; Adsorption transient (Brett, D.J.L. (133) 205)

- Polypyrrole
Aluminum solid-state capacitor; Aluminum oxides; Dodecyl benzyl-sulfonic acid (Tsai, M.-L. (133) 302)
- porosity
Density/solidity; Lead–acid battery; Micro-glass; Recombinant battery separator mat; Valve-regulated (Zguris, G.C. (133) 67)
- Positive active-material
Cyclic voltammetry; Failure mechanism; High-power cycling; Lead–acid battery; Softening (Yan, J.H. (133) 135)
- Positive electrode (cathode)
Lithium secondary battery; LiFePO_4 ; Capacity; Emulsion-drying method; Cycle stability (Cho, T.-H. (133) 272)
- Positive electrode material
Intermediate-temperature solid oxide fuel cell; Oxygen-deficient perovskite; Polarization resistance (Yu, H.-C. (133) 162)
- Positive-grid
Automotive lead–acid battery; Corrosion; Growth; High temperature; Lead–calcium–tin–barium alloy (Furukawa, J. (133) 25)
- Post-treatment
Lithium battery; Intercalation; Hybrid; V_2O_5 ; Polyaniline (Kang, S.-G. (133) 263)
- Power generation
Disk-type SOFC; Doped lanthanum gallate; Impedance analysis; Gas conversion impedance (Kato, T. (133) 169)
- 36/42 V PowerNet systems
Valve-regulated lead-acid; PowerNet; State-of-charge; State-of-health; Vehicles (May, G.J. (133) 110)
- PowerNet
Valve-regulated lead-acid; 36/42 V PowerNet systems; State-of-charge; State-of-health; Vehicles (May, G.J. (133) 110)
- Pre-blended expander
Barium sulfate; Carbon black; Lead-acid battery; Lignosulfonate; Negative plate (Boden, D.P. (133) 47)
- Product stewardship
Battery; Environmental protection; Green lead; Life-cycle assessment; Sustainable development (Roche, M. (133) 3)
- Proton exchange membrane fuel cell
Electric bicycle; Microcontroller; Metal hydride; Efficiency; Fuel consumption (Hwang, J.J. (133) 223)
- Puncture resistance
Two-battery concept; Automotive battery separators; Future development; Oxidative stability; Polyethylene separators (Böhnstedt, W. (133) 59)
- Reactant distribution
Polymer electrolyte fuel cell; CO stripping; Adsorption transient (Brett, D.J.L. (133) 205)
- Recombinant battery separator mat
Density/solidity; Lead–acid battery; Micro-glass; porosity; Valve-regulated (Zguris, G.C. (133) 67)
- Reinforcement
Absorptive glass mats; Cycle-life; Synthetic fibre; Valve-regulated lead-acid batteries (Clement, N. (133) 87)
- Remote-area power-supply (RAPS)
Gel valve-regulated lead-acid battery; Negative plates; Partial-state-of-charge (PSoC); Peru; Sulfation (Newnham, R.H. (133) 141)
- Saturation
Battery; Lead-acid; Separator dry-out; Thermal runaway; Valve-regulated (Culpin, B. (133) 79)
- Separator dry-out
Battery; Lead-acid; Saturation; Thermal runaway; Valve-regulated (Culpin, B. (133) 79)
- Sintered stainless steel fiber felt
Direct methanol fuel cell; Air-breathing; Gas diffusion backing (Liu, J. (133) 175)
- Softening
Cyclic voltammetry; Failure mechanism; High-power cycling; Lead–acid battery; Positive active-material (Yan, J.H. (133) 135)
- Sol–gel process
Cathodic multilayers; Solid oxide fuel cells; Electrochemical performances (Gaudon, M. (133) 214)
- Solid oxide fuel cell
Direct oxidation; Hydrocarbon fuels; Cu-ceria anode; Pennsylvania crude oil; Jet fuel (Zhou, Z.F. (133) 181)
- Solid oxide fuel cells
Cathodic multilayers; Sol–gel process; Electrochemical performances (Gaudon, M. (133) 214)
- Solid polymeric electrolyte
Ionic conductivity; Photoelectrochemical solar cell; Titanium dioxide (Rahman, M.Y.A. (133) 293)
- Specific capacitance
Mesoporous carbon; Electrode material; ECDL capacitor; Supercapacitor (Fuentes, A.B. (133) 329)
- Specific surface-area
Absorptive glass mat (AGM) separator; Capillarity; Mechanical strength; Springiness; Standard monolayer; Valve-regulated lead–acid battery (Toniazio, V. (133) 94)
- Spiral-wound
Lead-acid battery; Valve-regulated; Dual-tab; HEV (Cooper, A. (133) 116)
- Springiness
Absorptive glass mat (AGM) separator; Capillarity; Mechanical strength; Specific surface-area; Standard monolayer; Valve-regulated lead–acid battery (Toniazio, V. (133) 94)
- Standard monolayer
Absorptive glass mat (AGM) separator; Capillarity; Mechanical strength; Specific surface-area; Springiness; Valve-regulated lead–acid battery (Toniazio, V. (133) 94)
- State-of-charge
Valve-regulated lead-acid; 36/42 V PowerNet systems; PowerNet; State-of-health; Vehicles (May, G.J. (133) 110)
- State-of-health
Valve-regulated lead-acid; 36/42 V PowerNet systems; PowerNet; State-of-charge; Vehicles (May, G.J. (133) 110)
- Strontium sulfate
Barium sulfate; Cyclic voltammetry; Electrochemical atomic force microscopy; Lead–acid battery; Negative electrode (Vermesan, H. (133) 52)
- Substrate
MmNi₅-based alloy; Nickel/metal hydride battery; High power application (Yang, H.B. (133) 286)
- Sulfation
Gel valve-regulated lead-acid battery; Negative plates; Partial-state-of-charge (PSoC); Peru; Remote-area power-supply (RAPS) (Newnham, R.H. (133) 141)
- Sulfation
The 42 V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Hydrogen evolution; Lead-acid battery (Lam, L.T. (133) 126)
- Supercapacitor
Mesoporous carbon; Electrode material; Specific capacitance; ECDL capacitor (Fuentes, A.B. (133) 329)
- Surface modification
Fluorination; Carbon electrode; Lithium ion battery (Nakajima, T. (133) 243)
- Sustainable development
Battery; Environmental protection; Green lead; Life-cycle assessment; Product stewardship (Roche, M. (133) 3)
- Synthetic fibre
Absorptive glass mats; Cycle-life; Reinforcement; Valve-regulated lead-acid batteries (Clement, N. (133) 87)
- System-level modeling
PEM fuel cell; Lumped-parameter model; Transient dynamics; Control volume approach (Xue, X. (133) 188)

- The 42 V PowerNet
 Failure mode; High-rate partial-state-of-charge duty; Hydrogen evolution; Lead-acid battery; Sulfation (Lam, L.T. (133) 126)
- Thermal fluid
 Thermoelectric generation; Thermoelectric device; Heat transfer; Bismuth telluride (Suzuki, R.O. (133) 277)
- Thermal runaway
 Battery; Lead-acid; Saturation; Separator dry-out; Valve-regulated (Culpin, B. (133) 79)
- Thermoelectric device
 Thermoelectric generation; Heat transfer; Thermal fluid; Bismuth telluride (Suzuki, R.O. (133) 277)
- Thermoelectric generation
 Thermoelectric device; Heat transfer; Thermal fluid; Bismuth telluride (Suzuki, R.O. (133) 277)
- Titanium dioxide
 Ionic conductivity; Photoelectrochemical solar cell; Solid polymeric electrolyte (Rahman, M.Y.A. (133) 293)
- Transient dynamics
 PEM fuel cell; System-level modeling; Lumped-parameter model; Control volume approach (Xue, X. (133) 188)
- Transition metal oxide
 Li ion battery; Anode material; Ni addition; Mechanical milling (Kang, Y.-M. (133) 252)
- Two-battery concept
 Automotive battery separators; Future development; Oxidative stability; Polyethylene separators; Puncture resistance (Böhnstedt, W. (133) 59)
- V_2O_5
 Lithium battery; Intercalation; Hybrid; Polyaniline; Post-treatment (Kang, S.-G. (133) 263)
- Valve-regulated lead–acid battery
 Absorptive glass mat (AGM) separator; Capillarity; Mechanical strength; Specific surface-area; Springiness; Standard monolayer (Toniazzi, V. (133) 94)
- Valve-regulated lead-acid batteries
 Absorptive glass mats; Cycle-life; Reinforcement; Synthetic fibre (Clement, N. (133) 87)
- Valve-regulated lead-acid
 36/42 V PowerNet systems; PowerNet; State-of-charge; State-of-health; Vehicles (May, G.J. (133) 110)
- Valve-regulated lead-acid
 Automobile electrical systems; Battery; High-rate; Life-limiting factors; Partial-state-of-charge (Moseley, P.T. (133) 104)
- Valve-regulated
 Battery; Lead-acid; Saturation; Separator dry-out; Thermal runaway (Culpin, B. (133) 79)
- Valve-regulated
 Density/solidity; Lead–acid battery; Micro-glass; porosity; Recombinant battery separator mat (Zguris, G.C. (133) 67)
- Valve-regulated
 Lead-acid battery; Spiral-wound; Dual-tab; HEV (Cooper, A. (133) 116)
- Vehicles
 Valve-regulated lead-acid; 36/42 V PowerNet systems; PowerNet; State-of-charge; State-of-health (May, G.J. (133) 110)