

## Subject Index of Volume 134

- Adatom**  
Platinum; Ruthenium; Direct methanol fuel cell; Anode electrocatalyst (Cao, D. (134) 170)
- Anode electrocatalyst**  
Platinum; Ruthenium; Adatom; Direct methanol fuel cell (Cao, D. (134) 170)
- Anode**  
Li-ion battery; Thermal abuse; DSC; PVDF; Binder (Roth, E.P. (134) 222)
- Battery capacity**  
Lithium batteries; Battery power; Power fade; Capacity fade (Zhuang, G.V. (134) 293)
- Battery management system (BMS)**  
Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 252)
- Battery management system (BMS)**  
Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 262)
- Battery management system (BMS)**  
Hybrid-electric-vehicle (HEV); Extended Kalman filter (EKF); State-of-charge (SOC); State-of-health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 277)
- Battery power**  
Lithium batteries; Battery capacity; Power fade; Capacity fade (Zhuang, G.V. (134) 293)
- Battery**  
Ferrate; Fe(VI); Energy storage; Power source; Cathode (Walz, K.A. (134) 318)
- Battery**  
Fuel cell; Hybrid; System control; Power conversion; Portable power source (Blackwelder, M.J. (134) 139)
- Battery**  
Thin film; Cathode; Sputter; Charge–discharge; Capacity (Kim, W.-S. (134) 103)
- Battery–capacitor hybrid system**  
Capacitor configuration index; Eigen frequency (Sikha, G. (134) 130)
- Binder**  
Li-ion battery; Thermal abuse; DSC; PVDF; Anode (Roth, E.P. (134) 222)
- Bipolar plate**  
Fuel cell; Polymer composite; Bulk-moulding compound (Kuan, H.-C. (134) 7)
- Bulk-moulding compound**  
Fuel cell; Bipolar plate; Polymer composite (Kuan, H.-C. (134) 7)
- Capacitor configuration index**  
Battery–capacitor hybrid system; Eigen frequency (Sikha, G. (134) 130)
- Capacity fade**  
Lithium batteries; Battery power; Battery capacity; Power fade (Zhuang, G.V. (134) 293)
- Capacity**  
Thin film; Battery; Cathode; Sputter; Charge–discharge (Kim, W.-S. (134) 103)
- Carbon-coated graphite**  
Lithium-ion batteries; Cyclability (Striebel, K.A. (134) 241)
- Cathode flooding**  
Direct methanol fuel cell; Methanol crossover; CO<sub>2</sub> bubble dynamics; Two-phase flow; GDL wettability; Flow visualization (Lu, G.Q. (134) 33)
- Cathode**  
Battery; Ferrate; Fe(VI); Energy storage; Power source (Walz, K.A. (134) 318)
- Cathode**  
Thin film; Battery; Sputter; Charge–discharge; Capacity (Kim, W.-S. (134) 103)
- Ceramics**  
X-ray diffraction; Perovskites; Protonic conductors; Electrical conductivity; Substoichiometric materials (Sammes, N. (134) 153)
- CFD**  
Fuel cells; PEMFC; Micro flow channels (Cha, S.W. (134) 57)
- Charge–discharge**  
Thin film; Battery; Cathode; Sputter; Capacity (Kim, W.-S. (134) 103)
- Chemical cross-link**  
PVdF–HFP copolymer; Polyethylene glycol dimethacrylate; Polymer electrolytes; Controlled vaporization; Lithium batteries (Cheng, C.L. (134) 202)
- CO<sub>2</sub> bubble dynamics**  
Direct methanol fuel cell; Methanol crossover; Cathode flooding; Two-phase flow; GDL wettability; Flow visualization (Lu, G.Q. (134) 33)
- Composite polymer electrolyte**  
Poly(vinyl chloride); Ionic conductivity; Lithium battery (Subban, R.H.Y. (134) 211)
- Composite polymer electrolytes**  
Poly(ethylene oxide); Morphology; Rechargeable lithium battery; Conductivity; Transference number (Zhang, S. (134) 95)
- Conductivity**  
Composite polymer electrolytes; Poly(ethylene oxide); Morphology; Rechargeable lithium battery; Transference number (Zhang, S. (134) 95)
- Conductivity**  
Ion-exchange membranes; Nafion<sup>®</sup>; Polymer electrolyte fuel cells (Silva, R.F. (134) 18)
- Controlled vaporization**  
PVdF–HFP copolymer; Polyethylene glycol dimethacrylate; Chemical cross-link; Polymer electrolytes; Lithium batteries (Cheng, C.L. (134) 202)
- Convergence**  
Fuel cell; Electrolyser; Regenerative fuel cell; Empirical model (Busquet, S. (134) 41)
- Cyclability**  
Carbon-coated graphite; Lithium-ion batteries (Striebel, K.A. (134) 241)

- Cycle performance  
Lithium-ion battery; Solid electrolyte interface; Formation time; Intercalation (Lee, H.-H. (134) 118)
- Cyclic voltammetry  
Platinum nanocatalyst; Formic acid reduction method; Electrochemical active surface area; Methanol oxidation (Prabhuram, J. (134) 1)
- Cycling performance  
Discharge capacity; Lithium iron oxide; Structural change; Lithium battery (Lee, Y.T. (134) 88)
- Dielectric studies  
Poly(vinylacetate) based gel electrolytes; FT-IR studies; Ionic conductivity; Vogel–Tamman–Fulcher relationship; Ionic transference number (Baskaran, R. (134) 235)
- Direct methanol fuel cell  
Methanol crossover; CO<sub>2</sub> bubble dynamics; Cathode flooding; Two-phase flow; GDL wettability; Flow visualization (Lu, G.Q. (134) 33)
- Direct methanol fuel cell  
Platinum; Ruthenium; Adatom; Anode electrocatalyst (Cao, D. (134) 170)
- Discharge capacity  
Lithium iron oxide; Cycling performance; Structural change; Lithium battery (Lee, Y.T. (134) 88)
- DSC  
Li-ion battery; Thermal abuse; PVDF; Binder; Anode (Roth, E.P. (134) 222)
- Efficiency  
Fuel cells; Electrolyzers; Thermodynamics (Rao, A. (134) 181)
- Eigen frequency  
Battery–capacitor hybrid system; Capacitor configuration index (Sikha, G. (134) 130)
- Electrical conductivity  
Ceramics; X-ray diffraction; Perovskites; Protonic conductors; Substoichiometric materials (Sammes, N. (134) 153)
- Electro-catalysis  
Nickel catalyst; Methanol fuel cell (Abdel Rahim, M.A. (134) 160)
- Electrochemical active surface area  
Platinum nanocatalyst; Formic acid reduction method; Cyclic voltammetry; Methanol oxidation (Prabhuram, J. (134) 1)
- Electrochemical capacitor  
Mesopore; Nickel oxide; Pseudocapacitance (Xing, W. (134) 324)
- Electrochemical lithium insertion  
Sol–gel; Nanocrystalline titania; Granulation; Structured electrode (Wilhelm, O. (134) 197)
- Electrochemistry  
Nickel hydroxide; Layer double hydroxides; Urea precipitation; FTIR (Mavis, B. (134) 308)
- Electrodeposition  
Ruthenium oxide; Supercapacitor; Thin-film electrode; Morphology (Park, B.-O. (134) 148)
- Electrolyser  
Fuel cell; Regenerative fuel cell; Empirical model; Convergence (Busquet, S. (134) 41)
- Electrolyzers  
Fuel cells; Efficiency; Thermodynamics (Rao, A. (134) 181)
- Empirical model  
Fuel cell; Electrolyser; Regenerative fuel cell; Convergence (Busquet, S. (134) 41)
- Energy storage  
Battery; Ferrate; Fe(VI); Power source; Cathode (Walz, K.A. (134) 318)
- Ethanol  
Hydrogen; Reforming; WGS; Methanation; Fuel cell (Batista, M.S. (134) 27)
- Extended Kalman filter (EKF)  
Battery management system (BMS); Hybrid electric vehicle (HEV); State of charge (SOC); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 252)
- Extended Kalman filter (EKF)  
Battery management system (BMS); Hybrid-electric-vehicle (HEV); State-of-charge (SOC); State-of-health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 277)
- Fe(VI)  
Battery; Ferrate; Energy storage; Power source; Cathode (Walz, K.A. (134) 318)
- Ferrate  
Battery; Fe(VI); Energy storage; Power source; Cathode (Walz, K.A. (134) 318)
- Flow visualization  
Direct methanol fuel cell; Methanol crossover; CO<sub>2</sub> bubble dynamics; Cathode flooding; Two-phase flow; GDL wettability (Lu, G.Q. (134) 33)
- Formation time  
Lithium-ion battery; Solid electrolyte interface; Cycle performance; Intercalation (Lee, H.-H. (134) 118)
- Formic acid reduction method  
Platinum nanocatalyst; Cyclic voltammetry; Electrochemical active surface area; Methanol oxidation (Prabhuram, J. (134) 1)
- FT-IR studies  
Poly(vinylacetate) based gel electrolytes; Ionic conductivity; Vogel–Tamman–Fulcher relationship; Dielectric studies; Ionic transference number (Baskaran, R. (134) 235)
- FTIR  
Nickel hydroxide; Layer double hydroxides; Urea precipitation; Electrochemistry (Mavis, B. (134) 308)
- Fuel cell  
Battery; Hybrid; System control; Power conversion; Portable power source (Blackwelder, M.J. (134) 139)
- Fuel cell  
Bipolar plate; Polymer composite; Bulk-moulding compound (Kuan, H.-C. (134) 7)
- Fuel cell  
Electrolyser; Regenerative fuel cell; Empirical model; Convergence (Busquet, S. (134) 41)
- Fuel cell  
Ethanol; Hydrogen; Reforming; WGS; Methanation (Batista, M.S. (134) 27)
- Fuel cell  
Heat recirculation; Sulfur removal; Fuel gas; Fuel processing; Reforming (Richards, Geo. A. (134) 49)
- Fuel cells  
Electrolyzers; Efficiency; Thermodynamics (Rao, A. (134) 181)
- Fuel cells  
Interdigitated flow field; PEM fuel cells (Wang, L. (134) 185)
- Fuel cells  
PEMFC; Micro flow channels; CFD (Cha, S.W. (134) 57)
- Fuel gas  
Heat recirculation; Sulfur removal; Fuel processing; Fuel cell; Reforming (Richards, Geo. A. (134) 49)
- Fuel processing  
Heat recirculation; Sulfur removal; Fuel gas; Fuel cell; Reforming (Richards, Geo. A. (134) 49)
- GDL wettability  
Direct methanol fuel cell; Methanol crossover; CO<sub>2</sub> bubble dynamics; Cathode flooding; Two-phase flow; Flow visualization (Lu, G.Q. (134) 33)
- Gel electrolyte  
Natural; Graphite; LiFePO<sub>4</sub>; Li-ion battery; Polymer; LiFSI (Zaghib, K. (134) 124)

- Granulation  
Sol-gel; Nanocrystalline titania; Electrochemical lithium insertion; Structured electrode (Wilhelm, O. (134) 197)
- Graphite  
Natural; LiFePO<sub>4</sub>; Li-ion battery; Gel electrolyte; Polymer; LiFSI (Zaghib, K. (134) 124)
- Heat recirculation  
Sulfur removal; Fuel gas; Fuel processing; Fuel cell; Reforming (Richards, Geo. A. (134) 49)
- Hybrid electric vehicle (HEV)  
Battery management system (BMS); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 252)
- Hybrid electric vehicle (HEV)  
Battery management system (BMS); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 262)
- Hybrid  
Fuel cell; Battery; System control; Power conversion; Portable power source (Blackwelder, M.J. (134) 139)
- Hybrid-electric-vehicle (HEV)  
Battery management system (BMS); Extended Kalman filter (EKF); State-of-charge (SOC); State-of-health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 277)
- Hydrogen  
Ethanol; Reforming; WGS; Methanation; Fuel cell (Batista, M.S. (134) 27)
- Intercalation  
Lithium-ion battery; Solid electrolyte interface; Formation time; Cycle performance (Lee, H.-H. (134) 118)
- Interdigitated flow field  
PEM fuel cells; Fuel cells (Wang, L. (134) 185)
- Ion-exchange membranes  
Nafion<sup>®</sup>; Conductivity; Polymer electrolyte fuel cells (Silva, R.F. (134) 18)
- Ionic conductivity  
Poly(vinyl chloride); Composite polymer electrolyte; Lithium battery (Subban, R.H.Y. (134) 211)
- Ionic conductivity  
Poly(vinylacetate) based gel electrolytes; FT-IR studies; Vogel-Tamman-Fulcher relationship; Dielectric studies; Ionic transference number (Baskaran, R. (134) 235)
- Ionic transference number  
Poly(vinylacetate) based gel electrolytes; FT-IR studies; Ionic conductivity; Vogel-Tamman-Fulcher relationship; Dielectric studies (Baskaran, R. (134) 235)
- Layer double hydroxides  
Nickel hydroxide; Urea precipitation; FTIR; Electrochemistry (Mavis, B. (134) 308)
- Li-ion battery  
Natural; Graphite; LiFePO<sub>4</sub>; Gel electrolyte; Polymer; LiFSI (Zaghib, K. (134) 124)
- Li-ion battery  
Thermal abuse; DSC; PVDF; Binder; Anode (Roth, E.P. (134) 222)
- LiFePO<sub>4</sub>  
Natural; Graphite; Li-ion battery; Gel electrolyte; Polymer; LiFSI (Zaghib, K. (134) 124)
- LiFSI  
Natural; Graphite; LiFePO<sub>4</sub>; Li-ion battery; Gel electrolyte; Polymer (Zaghib, K. (134) 124)
- LiMn<sub>2</sub>O<sub>4</sub>  
Lithium ion batteries; Self-combustion reaction method; Pechini method (Gadjov, H. (134) 110)
- Lithium batteries  
Battery power; Battery capacity; Power fade; Capacity fade (Zhuang, G.V. (134) 293)
- Lithium batteries  
PVdF-HFP copolymer; Polyethylene glycol dimethacrylate; Chemical cross-link; Polymer electrolytes; Controlled vaporization (Cheng, C.L. (134) 202)
- Lithium battery  
Discharge capacity; Lithium iron oxide; Cycling performance; Structural change (Lee, Y.T. (134) 88)
- Lithium battery  
Poly(vinyl chloride); Composite polymer electrolyte; Ionic conductivity (Subban, R.H.Y. (134) 211)
- Lithium ion batteries  
LiMn<sub>2</sub>O<sub>4</sub>; Self-combustion reaction method; Pechini method (Gadjov, H. (134) 110)
- Lithium iron oxide  
Discharge capacity; Cycling performance; Structural change; Lithium battery (Lee, Y.T. (134) 88)
- Lithium-iron and lithium-nickel phosphates  
Raman spectroscopy; Titanium doping; Superconductivity (Butt, G. (134) 72)
- Lithium-ion batteries  
Carbon-coated graphite; Cyclability (Striebel, K.A. (134) 241)
- Lithium-ion battery  
Solid electrolyte interface; Formation time; Cycle performance; Intercalation (Lee, H.-H. (134) 118)
- Lithium-ion polymer battery (LiPB)  
Battery management system (BMS); Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH) (Plett, G.L. (134) 252)
- Lithium-ion polymer battery (LiPB)  
Battery management system (BMS); Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of charge (SOC); State of health (SOH) (Plett, G.L. (134) 262)
- Lithium-ion polymer battery (LiPB)  
Battery management system (BMS); Hybrid-electric-vehicle (HEV); Extended Kalman filter (EKF); State-of-charge (SOC); State-of-health (SOH) (Plett, G.L. (134) 277)
- Mesopore  
Nickel oxide; Electrochemical capacitor; Pseudocapacitance (Xing, W. (134) 324)
- Methanation  
Ethanol; Hydrogen; Reforming; WGS; Fuel cell (Batista, M.S. (134) 27)
- Methanol crossover  
Direct methanol fuel cell; CO<sub>2</sub> bubble dynamics; Cathode flooding; Two-phase flow; GDL wettability; Flow visualization (Lu, G.Q. (134) 33)
- Methanol fuel cell  
Nickel catalyst; Electro-catalysis (Abdel Rahim, M.A. (134) 160)
- Methanol oxidation  
Platinum nanocatalyst; Formic acid reduction method; Cyclic voltammetry; Electrochemical active surface area (Prabhuram, J. (134) 1)
- Micro flow channels  
Fuel cells; PEMFC; CFD (Cha, S.W. (134) 57)
- Morphology  
Composite polymer electrolytes; Poly(ethylene oxide); Rechargeable lithium battery; Conductivity; Transference number (Zhang, S. (134) 95)
- Morphology  
Ruthenium oxide; Electrodeposition; Supercapacitor; Thin-film electrode (Park, B.-O. (134) 148)
- Nafion<sup>®</sup>  
Ion-exchange membranes; Conductivity; Polymer electrolyte fuel cells (Silva, R.F. (134) 18)
- Nanocrystalline titania  
Sol-gel; Electrochemical lithium insertion; Granulation; Structured electrode (Wilhelm, O. (134) 197)

- Natural  
Graphite; LiFePO<sub>4</sub>; Li-ion battery; Gel electrolyte; Polymer; LiFSI (Zaghib, K. (134) 124)
- Nickel batteries  
Nickel hydroxide (Casas-Cabanas, M. (134) 298)
- Nickel catalyst  
Electro-catalysis; Methanol fuel cell (Abdel Rahim, M.A. (134) 160)
- Nickel hydroxide  
Layer double hydroxides; Urea precipitation; FTIR; Electrochemistry (Mavis, B. (134) 308)
- Nickel hydroxide  
Nickel batteries (Casas-Cabanas, M. (134) 298)
- Nickel oxide  
Mesopore; Electrochemical capacitor; Pseudocapacitance (Xing, W. (134) 324)
- Pechini method  
Lithium ion batteries; LiMn<sub>2</sub>O<sub>4</sub>; Self-combustion reaction method (Gadjov, H. (134) 110)
- PEM fuel cells  
Interdigitated flow field; Fuel cells (Wang, L. (134) 185)
- PEMFC  
Fuel cells; Micro flow channels; CFD (Cha, S.W. (134) 57)
- PEMFC  
Underground mining contaminants; Shock and vibration impact (Bétournay, M.C. (134) 80)
- Perovskites  
Ceramics; X-ray diffraction; Protonic conductors; Electrical conductivity; Substoichiometric materials (Sammes, N. (134) 153)
- Platinum nanocatalyst  
Formic acid reduction method; Cyclic voltammetry; Electrochemical active surface area; Methanol oxidation (Prabhuram, J. (134) 1)
- Platinum  
Ruthenium; Adatom; Direct methanol fuel cell; Anode electrocatalyst (Cao, D. (134) 170)
- Poly(ethylene oxide)  
Composite polymer electrolytes; Morphology; Rechargeable lithium battery; Conductivity; Transference number (Zhang, S. (134) 95)
- Poly(vinyl chloride)  
Composite polymer electrolyte; Ionic conductivity; Lithium battery (Subban, R.H.Y. (134) 211)
- Poly(vinylacetate) based gel electrolytes  
FT-IR studies; Ionic conductivity; Vogel–Tamman–Fulcher relationship; Dielectric studies; Ionic transference number (Baskaran, R. (134) 235)
- Polyethylene glycol dimethacrylate  
PVdF–HFP copolymer; Chemical cross-link; Polymer electrolytes; Controlled vaporization; Lithium batteries (Cheng, C.L. (134) 202)
- Polymer composite  
Fuel cell; Bipolar plate; Bulk-moulding compound (Kuan, H.-C. (134) 7)
- Polymer electrolyte fuel cells  
Ion-exchange membranes; Nafion<sup>®</sup>; Conductivity (Silva, R.F. (134) 18)
- Polymer electrolytes  
PVdF–HFP copolymer; Polyethylene glycol dimethacrylate; Chemical cross-link; Controlled vaporization; Lithium batteries (Cheng, C.L. (134) 202)
- Polymer  
Natural; Graphite; LiFePO<sub>4</sub>; Li-ion battery; Gel electrolyte; LiFSI (Zaghib, K. (134) 124)
- Portable power source  
Fuel cell; Battery; Hybrid; System control; Power conversion (Blackwelder, M.J. (134) 139)
- Power conversion  
Fuel cell; Battery; Hybrid; System control; Portable power source (Blackwelder, M.J. (134) 139)
- Power fade  
Lithium batteries; Battery power; Battery capacity; Capacity fade (Zhuang, G.V. (134) 293)
- Power source  
Battery; Ferrate; Fe(VI); Energy storage; Cathode (Walz, K.A. (134) 318)
- Protonic conductors  
Ceramics; X-ray diffraction; Perovskites; Electrical conductivity; Substoichiometric materials (Sammes, N. (134) 153)
- Pseudocapacitance  
Mesopore; Nickel oxide; Electrochemical capacitor (Xing, W. (134) 324)
- PVDF  
Li-ion battery; Thermal abuse; DSC; Binder; Anode (Roth, E.P. (134) 222)
- PVdF–HFP copolymer  
Polyethylene glycol dimethacrylate; Chemical cross-link; Polymer electrolytes; Controlled vaporization; Lithium batteries (Cheng, C.L. (134) 202)
- Raman spectroscopy  
Lithium–iron and lithium–nickel phosphates; Titanium doping; Superconductivity (Butt, G. (134) 72)
- Rechargeable lithium battery  
Composite polymer electrolytes; Poly(ethylene oxide); Morphology; Conductivity; Transference number (Zhang, S. (134) 95)
- Reforming  
Ethanol; Hydrogen; WGS; Methanation; Fuel cell (Batista, M.S. (134) 27)
- Reforming  
Heat recirculation; Sulfur removal; Fuel gas; Fuel processing; Fuel cell (Richards, Geo. A. (134) 49)
- Regenerative fuel cell  
Fuel cell; Electrolyser; Empirical model; Convergence (Busquet, S. (134) 41)
- Ruthenium oxide  
Electrodeposition; Supercapacitor; Thin-film electrode; Morphology (Park, B.-O. (134) 148)
- Ruthenium  
Platinum; Adatom; Direct methanol fuel cell; Anode electrocatalyst (Cao, D. (134) 170)
- Self-combustion reaction method  
Lithium ion batteries; LiMn<sub>2</sub>O<sub>4</sub>; Pechini method (Gadjov, H. (134) 110)
- Shock and vibration impact  
Underground mining contaminants; PEMFC (Bétournay, M.C. (134) 80)
- Sol–gel  
Nanocrystalline titania; Electrochemical lithium insertion; Granulation; Structured electrode (Wilhelm, O. (134) 197)
- Solid electrolyte interface  
Lithium-ion battery; Formation time; Cycle performance; Intercalation (Lee, H.-H. (134) 118)
- Sputter  
Thin film; Battery; Cathode; Charge–discharge; Capacity (Kim, W.-S. (134) 103)
- State of charge (SOC)  
Battery management system (BMS); Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 252)
- State of charge (SOC)  
Battery management system (BMS); Hybrid electric vehicle (HEV); Extended Kalman filter (EKF); State of health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 262)
- State-of-charge (SOC)  
Battery management system (BMS); Hybrid-electric-vehicle (HEV); Extended Kalman filter (EKF); State-of-health (SOH); Lithium-ion polymer battery (LiPB) (Plett, G.L. (134) 277)

- State of health (SOH)  
Battery management system (BMS); Hybrid electric vehicle (HEV);  
Extended Kalman filter (EKF); State of charge (SOC); Lithium-ion  
polymer battery (LiPB) (Plett, G.L. (134) 252)
- State of health (SOH)  
Battery management system (BMS); Hybrid electric vehicle (HEV);  
Extended Kalman filter (EKF); State of charge (SOC); Lithium-ion  
polymer battery (LiPB) (Plett, G.L. (134) 262)
- State-of-health (SOH)  
Battery management system (BMS); Hybrid-electric-vehicle (HEV);  
Extended Kalman filter (EKF); State-of-charge (SOC); Lithium-ion  
polymer battery (LiPB) (Plett, G.L. (134) 277)
- Structural change  
Discharge capacity; Lithium iron oxide; Cycling performance; Lithium  
battery (Lee, Y.T. (134) 88)
- Structured electrode  
Sol-gel; Nanocrystalline titania; Electrochemical lithium insertion;  
Granulation (Wilhelm, O. (134) 197)
- Substoichiometric materials  
Ceramics; X-ray diffraction; Perovskites; Protonic conductors; Elec-  
trical conductivity (Sammes, N. (134) 153)
- Sulfur removal  
Heat recirculation; Fuel gas; Fuel processing; Fuel cell; Reforming  
(Richards, Geo. A. (134) 49)
- Supercapacitor  
Ruthenium oxide; Electrodeposition; Thin-film electrode; Morphology  
(Park, B.-O. (134) 148)
- Superconductivity  
Lithium-iron and lithium-nickel phosphates; Raman spectroscopy;  
Titanium doping (Butt, G. (134) 72)
- System control  
Fuel cell; Battery; Hybrid; Power conversion; Portable power source  
(Blackwelder, M.J. (134) 139)
- Thermal abuse  
Li-ion battery; DSC; PVDF; Binder; Anode (Roth, E.P. (134) 222)
- Thermodynamics  
Fuel cells; Electrolyzers; Efficiency (Rao, A. (134) 181)
- Thin film  
Battery; Cathode; Sputter; Charge-discharge; Capacity (Kim, W.-S.  
(134) 103)
- Thin-film electrode  
Ruthenium oxide; Electrodeposition; Supercapacitor; Morphology  
(Park, B.-O. (134) 148)
- Titanium doping  
Lithium-iron and lithium-nickel phosphates; Raman spectroscopy;  
Superconductivity (Butt, G. (134) 72)
- Transference number  
Composite polymer electrolytes; Poly(ethylene oxide); Morphology;  
Rechargeable lithium battery; Conductivity (Zhang, S. (134) 95)
- Two-phase flow  
Direct methanol fuel cell; Methanol crossover; CO<sub>2</sub> bubble dynamics;  
Cathode flooding; GDL wettability; Flow visualization (Lu, G.Q.  
(134) 33)
- Underground mining contaminants  
Shock and vibration impact; PEMFC (Bétournay, M.C. (134) 80)
- Urea precipitation  
Nickel hydroxide; Layer double hydroxides; FTIR; Electrochemistry  
(Mavis, B. (134) 308)
- Vogel-Tamman-Fulcher relationship  
Poly(vinylacetate) based gel electrolytes; FT-IR studies; Ionic conductivity;  
Dielectric studies; Ionic transference number (Baskaran, R. (134) 235)
- WGS  
Ethanol; Hydrogen; Reforming; Methanation; Fuel cell (Batista, M.S.  
(134) 27)
- X-ray diffraction  
Ceramics; Perovskites; Protonic conductors; Electrical conductivity;  
Substoichiometric materials (Sammes, N. (134) 153)