

Subject Index of Volume 135

- Active and reactive power control**
 Fuel cell; PEM fuel cell; Fuel cell model; Neural networks (El-Sharkh, M.Y. (135) 88)
- Additives**
 Lead-acid; Battery; Capacity; Aspect ratio (Edwards, D.B. (135) 297)
- Air electrodes**
 Oxygen reduction; Lifetime; Electrocatalytic activity; Pore structure (Burchardt, T. (135) 192)
- AMTEC**
 Electrodes; Grain size; Power degradation; Temperature dependency (Lodhi, M.A.K. (135) 304)
- Analytical solution**
 Capacitors; Polynomial approximation; Porous electrode; Transient (Subramanian, V.R. (135) 361)
- Anode**
 Carbon; Tin; Lithium ion; Battery; Composite (Patel, P. (135) 273)
- Anode-supported cell**
 SOFC; Residual stress; X-ray stress measurements (Yakabe, H. (135) 9)
- Anodic deposition**
 Manganese dioxide; Pseudo-capacitors; Heat treatment; Cyclic voltammetry (Chang, J.-K. (135) 344)
- Aspect ratio**
 Lead-acid; Battery; Capacity; Additives (Edwards, D.B. (135) 297)
- Asymmetric capacitors**
 Electrochemical capacitors; Supercapacitors; Self-discharge; Float-currents; Leakage current (Niu, J. (135) 332)
- Au catalysts**
 Ceria support; Selective CO oxidation; PROX; PEMFC (Panzena, G. (135) 177)
- Batteries**
 Recycling; NiCd (Espinosa, D.C.R. (135) 320)
- Battery collection**
 Battery-recycling; Battery disposal (Espinosa, D.C.R. (135) 311)
- Battery disposal**
 Battery-recycling; Battery collection (Espinosa, D.C.R. (135) 311)
- Battery**
 Carbon; Tin; Lithium ion; Anode; Composite (Patel, P. (135) 273)
- Battery**
 Lead-acid; Capacity; Additives; Aspect ratio (Edwards, D.B. (135) 297)
- Battery-recycling**
 Battery collection; Battery disposal (Espinosa, D.C.R. (135) 311)
- Bimetallic catalyst**
 Nickel-ruthenium; Electro-catalysis; Methanol fuel cell (Abdel Rahim, M.A. (135) 42)
- Bridge inverter**
 Solar panels; Maximum power point tracking controller (Yuvarajan, S. (135) 327)
- Capacitors**
 Polynomial approximation; Analytical solution; Porous electrode; Transient (Subramanian, V.R. (135) 361)
- Capacity fade**
 Transmission electron microscopy; LiCoO₂; Disordered phase transformation; Spinel (Choi, S.H. (135) 286)
- Capacity**
 Lead-acid; Battery; Additives; Aspect ratio (Edwards, D.B. (135) 297)
- Carbon**
 Tin; Lithium ion; Anode; Battery; Composite (Patel, P. (135) 273)
- Catalyst ink**
 Direct methanol fuel cell (DMFC); Impedance analysis; Pore electrolyte resistance; Equivalent circuit; Conditioning (Kim, J.-H. (135) 29)
- Catalyst**
 Sodium borohydride; Chemical hydride; High pressure; Hydrogen generation (Kojima, Y. (135) 36)
- Cathode material**
 Li-ion battery; LiNi_{0.5}Mn_{0.5-x}Ti_xO₂; Solid state reaction; Electrochemical behavior (Li, D. (135) 262)
- Cathodes**
 Manganese oxides; Na_{0.44}MnO₂; Lithium rechargeable batteries (Doeff, M.M. (135) 240)
- Ceria support**
 Au catalysts; Selective CO oxidation; PROX; PEMFC (Panzena, G. (135) 177)
- CFD modeling**
 PEM fuel cell; Parallel computing; STAR-CD; Flow-field design; Water management; Large-scale PEMFC (Shimpalee, S. (135) 79)
- Chemical hydride**
 Sodium borohydride; High pressure; Catalyst; Hydrogen generation (Kojima, Y. (135) 36)
- CO tolerance**
 PEM; Fuel cell; Current pulsing; Self-oxidation; Sustained potential oscillations (Thomason, A.H. (135) 204)
- Colloidal phase**
 Composites; Conductivity (Kumar, B. (135) 215)
- Composite polymer electrolyte**
 Poly(ethylene oxide); SBA-15; Ion conductivity; ⁷Li NMR spectroscopy (Jaipal Reddy, M. (135) 1)
- Composite polymer electrolyte**
 Silica nanoparticle; Electrolyte; Rheology (Yerian, J.A. (135) 232)
- Composite**
 Carbon; Tin; Lithium ion; Anode; Battery (Patel, P. (135) 273)
- Composites**
 LiMn₂O₄; Polyaniline; Lithium battery (Fonseca, C. Polo (135) 249)
- Compressive seal**
 Thermal cycling; Phlogopite mica; Leak rate; Open circuit voltage (Chou, Y.-S. (135) 72)
- Conditioning**
 Direct methanol fuel cell (DMFC); Catalyst ink; Impedance analysis; Pore electrolyte resistance; Equivalent circuit (Kim, J.-H. (135) 29)
- Conductivity**
 Colloidal phase; Composites (Kumar, B. (135) 215)
- Conductivity**
 Corrosion resistance; Diffusion; Inner oxides (Parezanović, I. (135) 52)

- Conductivity**
 Polymer electrolyte; Polyvinylidene fluoride; Direct methanol fuel cell; Membrane; Cross-over (Kim, H.J. (135) 66)
- Conventional gas distributor**
 PEM fuel cells; Current density distribution; Segmented electrode; Mathematical modeling (Natarajan, D. (135) 95)
- Corrosion resistance**
 Conductivity; Diffusion; Inner oxides (Parezanović, I. (135) 52)
- Cross-over**
 Polymer electrolyte; Polyvinylidene fluoride; Direct methanol fuel cell; Conductivity; Membrane (Kim, H.J. (135) 66)
- Current density distribution**
 PEM fuel cells; Conventional gas distributor; Segmented electrode; Mathematical modeling (Natarajan, D. (135) 95)
- Current pulsing**
 PEM; Fuel cell; CO tolerance; Self-oxidation; Sustained potential oscillations (Thomason, A.H. (135) 204)
- Cyclic voltammetry**
 Manganese dioxide; Pseudo-capacitors; Heat treatment; Anodic deposition (Chang, J.-K. (135) 344)
- dc/ac inverter**
 Fuel cells; dc/dc converter; Fuzzy logic; Grid (Sakhare, A. (135) 165)
- dc/dc converter**
 Fuel cells; dc/ac inverter; Fuzzy logic; Grid (Sakhare, A. (135) 165)
- Diffusion**
 Corrosion resistance; Conductivity; Inner oxides (Parezanović, I. (135) 52)
- Direct methanol fuel cell (DMFC)**
 Catalyst ink; Impedance analysis; Pore electrolyte resistance; Equivalent circuit; Conditioning (Kim, J.-H. (135) 29)
- Direct methanol fuel cell**
 Polymer electrolyte; Polyvinylidene fluoride; Conductivity; Membrane; Cross-over (Kim, H.J. (135) 66)
- Disordered phase transformation**
 Transmission electron microscopy; LiCoO₂; Spinel; Capacity fade (Choi, S.H. (135) 286)
- DMFC**
 Model; Methanol permeation; Power; Efficiency (Dohle, H. (135) 152)
- Dry inlet**
 PEM; No external humidification; Gas diffusion layer; Nafion; System (Williams, M.V. (135) 122)
- Efficiency**
 DMFC; Model; Methanol permeation; Power (Dohle, H. (135) 152)
- Efficiency**
 Solid oxide fuel cell; Hydrogen sulfide; Mass and energy balance; Thermodynamic analysis (Lu, Y. (135) 184)
- Electric load**
 PEM; Fuel cells; Membrane electrode assembly; Electric vehicle; Transient; Stoichiometry (Kim, S. (135) 110)
- Electric vehicle**
 PEM; Fuel cells; Membrane electrode assembly; Transient; Stoichiometry; Electric load (Kim, S. (135) 110)
- Electrocatalysis**
 Nickel-ruthenium; Bimetallic catalyst; Methanol fuel cell (Abdel Rahim, M.A. (135) 42)
- Electrocatalytic activity**
 Air electrodes; Oxygen reduction; Lifetime; Pore structure (Burchardt, T. (135) 192)
- Electrochemical behavior**
 Li-ion battery; Cathode material; LiNi_{0.5}Mn_{0.5-x}Ti_xO₂; Solid state reaction (Li, D. (135) 262)
- Electrochemical capacitors**
 Supercapacitors; Asymmetric capacitors; Self-discharge; Float-currents; Leakage current (Niu, J. (135) 332)
- Electrochemical impedance**
 Graphite electrode; Lithium-ion rechargeable batteries; Vinylene carbonate (Itagaki, M. (135) 255)
- Electrodes**
 AMTEC; Grain size; Power degradation; Temperature dependency (Lodhi, M.A.K. (135) 304)
- Electrolysis**
 Electrolyzer; Unitized regenerative fuel cell (Verma, A. (135) 62)
- Electrolyte**
 Composite polymer electrolyte; Silica nanoparticle; Rheology (Yerian, J.A. (135) 232)
- Electrolyte**
 Flame retardants; Lithium-ion rechargeable batteries (Izquierdo-Gonzales, S. (135) 291)
- Electrolyte**
 Ionic conductivity; Lithium aluminate; Lithium borate; Lithium ion transference number; Partial charge (Tao, R. (135) 267)
- Electrolyzer**
 Electrolysis; Unitized regenerative fuel cell (Verma, A. (135) 62)
- EMD**
 Potentiodynamic deposition; Supercapacitors (Prasad, K.R. (135) 354)
- Equivalent circuit**
 Direct methanol fuel cell (DMFC); Catalyst ink; Impedance analysis; Pore electrolyte resistance; Conditioning (Kim, J.-H. (135) 29)
- ⁵⁷Fe Mössbauer spectroscopy**
 Lithium batteries; X-ray diffraction (Alcántara, R. (135) 281)
- Flame retardants**
 Lithium-ion rechargeable batteries; Electrolyte (Izquierdo-Gonzales, S. (135) 291)
- Float-currents**
 Electrochemical capacitors; Supercapacitors; Asymmetric capacitors; Self-discharge; Leakage current (Niu, J. (135) 332)
- Flow-field design**
 PEM fuel cell; CFD modeling; Parallel computing; STAR-CD; Water management; Large-scale PEMFC (Shimpalee, S. (135) 79)
- Fuel cell model**
 Fuel cell; PEM fuel cell; Active and reactive power control; Neural networks (El-Sharkh, M.Y. (135) 88)
- Fuel cell**
 PEM fuel cell; Active and reactive power control; Fuel cell model; Neural networks (El-Sharkh, M.Y. (135) 88)
- Fuel cell**
 PEM; Current pulsing; CO tolerance; Self-oxidation; Sustained potential oscillations (Thomason, A.H. (135) 204)
- Fuel cells**
 dc/dc converter; dc/ac inverter; Fuzzy logic; Grid (Sakhare, A. (135) 165)
- Fuel cells**
 PEM; Membrane electrode assembly; Electric vehicle; Transient; Stoichiometry; Electric load (Kim, S. (135) 110)
- Fuzzy logic**
 Fuel cells; dc/dc converter; dc/ac inverter; Grid (Sakhare, A. (135) 165)
- Gas diffusion layer**
 PEM; No external humidification; Dry inlet; Nafion; System (Williams, M.V. (135) 122)
- Grain size**
 AMTEC; Electrodes; Power degradation; Temperature dependency (Lodhi, M.A.K. (135) 304)
- Graphite electrode**
 Electrochemical impedance; Lithium-ion rechargeable batteries; Vinylene carbonate (Itagaki, M. (135) 255)
- Grid**
 Fuel cells; dc/dc converter; dc/ac inverter; Fuzzy logic (Sakhare, A. (135) 165)

- H₂S**
SOFC; Sulfur tolerant; Anode; Perovskite (Aguilar, L. (135) 17)
- Heat treatment**
Manganese dioxide; Pseudo-capacitors; Cyclic voltammetry; Anodic deposition (Chang, J.-K. (135) 344)
- High pressure**
Sodium borohydride; Chemical hydride; Catalyst; Hydrogen generation (Kojima, Y. (135) 36)
- Hydrogen generation**
Sodium borohydride; Chemical hydride; High pressure; Catalyst (Kojima, Y. (135) 36)
- Hydrogen sulfide**
Solid oxide fuel cell; Mass and energy balance; Thermodynamic analysis; Efficiency (Lu, Y. (135) 184)
- Impedance analysis**
Direct methanol fuel cell (DMFC); Catalyst ink; Pore electrolyte resistance; Equivalent circuit; Conditioning (Kim, J.-H. (135) 29)
- Inner oxides**
Corrosion resistance; Conductivity; Diffusion (Parezanović, I. (135) 52)
- Ion conductivity**
Composite polymer electrolyte; Poly(ethylene oxide); SBA-15; ⁷Li NMR spectroscopy (Jaipal Reddy, M. (135) 1)
- Ionic conductivity**
Electrolyte; Lithium aluminate; Lithium borate; Lithium ion transference number; Partial charge (Tao, R. (135) 267)
- Large-scale PEMFC**
PEM fuel cell; CFD modeling; Parallel computing; STAR-CD; Flow-field design; Water management (Shimpalee, S. (135) 79)
- Lead-acid**
Battery; Capacity; Additives; Aspect ratio (Edwards, D.B. (135) 297)
- Leak rate**
Thermal cycling; Compressive seal; Phlogopite mica; Open circuit voltage (Chou, Y.-S. (135) 72)
- Leakage current**
Electrochemical capacitors; Supercapacitors; Asymmetric capacitors; Self-discharge; Float-currents (Niu, J. (135) 332)
- ⁷Li NMR spectroscopy**
Composite polymer electrolyte; Poly(ethylene oxide); SBA-15; Ion conductivity (Jaipal Reddy, M. (135) 1)
- Li-ion battery**
Cathode material; LiNi_{0.5}Mn_{0.5-x}Ti_xO₂; Solid state reaction; Electrochemical behavior (Li, D. (135) 262)
- LiCoO₂**
Transmission electron microscopy; Disordered phase transformation; Spinel; Capacity fade (Choi, S.H. (135) 286)
- Lifetime**
Air electrodes; Oxygen reduction; Electrocatalytic activity; Pore structure (Burchardt, T. (135) 192)
- LiMn₂O₄**
Polyaniline; Composite; Lithium battery (Fonseca, C. Polo (135) 249)
- LiNi_{0.5}Mn_{0.5-x}Ti_xO₂**
Li-ion battery; Cathode material; Solid state reaction; Electrochemical behavior (Li, D. (135) 262)
- Lithium aluminate**
Electrolyte; Ionic conductivity; Lithium borate; Lithium ion transference number; Partial charge (Tao, R. (135) 267)
- Lithium batteries**
⁵⁷Fe Mössbauer spectroscopy; X-ray diffraction (Alcántara, R. (135) 281)
- Lithium battery**
LiMn₂O₄; Polyaniline; Composite (Fonseca, C. Polo (135) 249)
- Lithium borate**
Electrolyte; Ionic conductivity; Lithium aluminate; Lithium ion transference number; Partial charge (Tao, R. (135) 267)
- Lithium ion transference number**
Electrolyte; Ionic conductivity; Lithium aluminate; Lithium borate; Partial charge (Tao, R. (135) 267)
- Lithium ion**
Carbon; Tin; Anode; Battery; Composite (Patel, P. (135) 273)
- Lithium rechargeable batteries**
Manganese oxides; Cathodes; Na_{0.44}MnO₂ (Doeff, M.M. (135) 240)
- Lithium-ion rechargeable batteries**
Electrochemical impedance; Graphite electrode; Vinylene carbonate (Itagaki, M. (135) 255)
- Lithium-ion rechargeable batteries**
Flame retardants; Electrolyte (Izquierdo-Gonzales, S. (135) 291)
- Low temperature process**
SOFC; Multi-layered structure; Ni/YSZ anode (Hatae, T. (135) 25)
- Manganese dioxide**
Pseudo-capacitors; Heat treatment; Cyclic voltammetry; Anodic deposition (Chang, J.-K. (135) 344)
- Manganese oxides**
Cathodes; Na_{0.44}MnO₂; Lithium rechargeable batteries (Doeff, M.M. (135) 240)
- Mass and energy balance**
Solid oxide fuel cell; Hydrogen sulfide; Thermodynamic analysis; Efficiency (Lu, Y. (135) 184)
- Mathematical modeling**
PEM fuel cells; Conventional gas distributor; Current density distribution; Segmented electrode (Natarajan, D. (135) 95)
- Maximum power point tracking controller**
Solar panels; Bridge inverter (Yuvarajan, S. (135) 327)
- Membrane electrode assembly**
PEM; Fuel cells; Electric vehicle; Transient; Stoichiometry; Electric load (Kim, S. (135) 110)
- Membrane**
Polymer electrolyte; Polyvinylidene fluoride; Direct methanol fuel cell; Conductivity; Cross-over (Kim, H.J. (135) 66)
- Methanol fuel cell**
Nickel–ruthenium; Bimetallic catalyst; Electro-catalysis (Abdel Rahim, M.A. (135) 42)
- Methanol permeation**
DMFC; Model; Power; Efficiency (Dohle, H. (135) 152)
- Micro-fuel cells**
Proton exchange membrane; Silicon-based fuel cells; Porous silicon (Gold, S. (135) 198)
- Model predictive control**
PEM fuel cell dynamics; Model-based control; Transient model (Golbert, J. (135) 135)
- Model**
DMFC; Methanol permeation; Power; Efficiency (Dohle, H. (135) 152)
- Model-based control**
PEM fuel cell dynamics; Model predictive control; Transient model (Golbert, J. (135) 135)
- Multi-layered structure**
SOFC; Low temperature process; Ni/YSZ anode (Hatae, T. (135) 25)
- Na_{0.44}MnO₂**
Manganese oxides; Cathodes; Lithium rechargeable batteries (Doeff, M.M. (135) 240)
- Nafion**
PEM; No external humidification; Dry inlet; Gas diffusion layer; System (Williams, M.V. (135) 122)
- Neural networks**
Fuel cell; PEM fuel cell; Active and reactive power control; Fuel cell model (El-Sharkh, M.Y. (135) 88)
- Ni/YSZ anode**
SOFC; Low temperature process; Multi-layered structure (Hatae, T. (135) 25)

- NiCd**
Recycling; Batteries (Espinosa, D.C.R. (135) 320)
- Nickel–ruthenium**
Bimetallic catalyst; Electro-catalysis; Methanol fuel cell (Abdel Rahim, M.A. (135) 42)
- No external humidification**
PEM; Dry inlet; Gas diffusion layer; Nafion; System (Williams, M.V. (135) 122)
- Open circuit voltage**
Thermal cycling; Compressive seal; Phlogopite mica; Leak rate (Chou, Y.-S. (135) 72)
- Oxygen reduction**
Air electrodes; Lifetime; Electrocatalytic activity; Pore structure (Burchardt, T. (135) 192)
- Parallel computing**
PEM fuel cell; CFD modeling; STAR-CD; Flow-field design; Water management; Large-scale PEMFC (Shimpalee, S. (135) 79)
- Partial charge**
Electrolyte; Ionic conductivity; Lithium aluminate; Lithium borate; Lithium ion transference number (Tao, R. (135) 267)
- PEM fuel cell dynamics**
Model-based control; Model predictive control; Transient model (Golbert, J. (135) 135)
- PEM fuel cell**
CFD modeling; Parallel computing; STAR-CD; Flow-field design; Water management; Large-scale PEMFC (Shimpalee, S. (135) 79)
- PEM fuel cell**
Fuel cell; Active and reactive power control; Fuel cell model; Neural networks (El-Sharkh, M.Y. (135) 88)
- PEM fuel cells**
Conventional gas distributor; Current density distribution; Segmented electrode; Mathematical modeling (Natarajan, D. (135) 95)
- PEM**
Fuel cell; Current pulsing; CO tolerance; Self-oxidation; Sustained potential oscillations (Thomason, A.H. (135) 204)
- PEM**
Fuel cells; Membrane electrode assembly; Electric vehicle; Transient; Stoichiometry; Electric load (Kim, S. (135) 110)
- PEM**
No external humidification; Dry inlet; Gas diffusion layer; Nafion; System (Williams, M.V. (135) 122)
- PEMFC**
Au catalysts; Ceria support; Selective CO oxidation; PROX (Panzera, G. (135) 177)
- Perovskite**
SOFC; H₂S; Sulfur tolerant; Anode (Aguilar, L. (135) 17)
- Phlogopite mica**
Thermal cycling; Compressive seal; Leak rate; Open circuit voltage (Chou, Y.-S. (135) 72)
- Poly(ethylene oxide)**
Composite polymer electrolyte; SBA-15; Ion conductivity; ⁷Li NMR spectroscopy (Jaipal Reddy, M. (135) 1)
- Polyaniline**
LiMn₂O₄; Composite; Lithium battery (Fonseca, C. Polo (135) 249)
- Polymer electrolyte**
Polyvinylidene fluoride; Direct methanol fuel cell; Conductivity; Membrane; Cross-over (Kim, H.J. (135) 66)
- Polynomial approximation**
Capacitors; Analytical solution; Porous electrode; Transient (Subramanian, V.R. (135) 361)
- Polyvinylidene fluoride**
Polymer electrolyte; Direct methanol fuel cell; Conductivity; Membrane; Cross-over (Kim, H.J. (135) 66)
- Pore electrolyte resistance**
Direct methanol fuel cell (DMFC); Catalyst ink; Impedance analysis; Equivalent circuit; Conditioning (Kim, J.-H. (135) 29)
- Pore structure**
Air electrodes; Oxygen reduction; Lifetime; Electrocatalytic activity (Burchardt, T. (135) 192)
- Porous electrode**
Capacitors; Polynomial approximation; Analytical solution; Transient (Subramanian, V.R. (135) 361)
- Porous silicon**
Proton exchange membrane; Micro-fuel cells; Silicon-based fuel cells (Gold, S. (135) 198)
- Potentiodynamic deposition**
EMD; Supercapacitors (Prasad, K.R. (135) 354)
- Power degradation**
AMTEC; Electrodes; Grain size; Temperature dependency (Lodhi, M.A.K. (135) 304)
- Power**
DMFC; Model; Methanol permeation; Efficiency (Dohle, H. (135) 152)
- Proton exchange membrane**
Micro-fuel cells; Silicon-based fuel cells; Porous silicon (Gold, S. (135) 198)
- PROX**
Au catalysts; Ceria support; Selective CO oxidation; PEMFC (Panzera, G. (135) 177)
- Pseudo-capacitors**
Manganese dioxide; Heat treatment; Cyclic voltammetry; Anodic deposition (Chang, J.-K. (135) 344)
- Recycling**
Batteries; NiCd (Espinosa, D.C.R. (135) 320)
- Residual stress**
SOFC; Anode-supported cell; X-ray stress measurements (Yakabe, H. (135) 9)
- Rheology**
Composite polymer electrolyte; Silica nanoparticle; Electrolyte (Yerian, J.A. (135) 232)
- SBA-15**
Composite polymer electrolyte; Poly(ethylene oxide); Ion conductivity; ⁷Li NMR spectroscopy (Jaipal Reddy, M. (135) 1)
- Segmented electrode**
PEM fuel cells; Conventional gas distributor; Current density distribution; Mathematical modeling (Natarajan, D. (135) 95)
- Selective CO oxidation**
Au catalysts; Ceria support; PROX; PEMFC (Panzera, G. (135) 177)
- Self-discharge**
Electrochemical capacitors; Supercapacitors; Asymmetric capacitors; Float-currents; Leakage current (Niu, J. (135) 332)
- Self-oxidation**
PEM; Fuel cell; Current pulsing; CO tolerance; Sustained potential oscillations (Thomason, A.H. (135) 204)
- Silica nanoparticle**
Composite polymer electrolyte; Electrolyte; Rheology (Yerian, J.A. (135) 232)
- Silicon-based fuel cells**
Proton exchange membrane; Micro-fuel cells; Porous silicon (Gold, S. (135) 198)
- Sodium borohydride**
Chemical hydride; High pressure; Catalyst; Hydrogen generation (Kojima, Y. (135) 36)
- SOFC**
H₂S; Sulfur tolerant; Anode; Perovskite (Aguilar, L. (135) 17)
- SOFC**
Low temperature process; Multi-layered structure; Ni/YSZ anode (Hatae, T. (135) 25)

SOFC

Residual stress; Anode-supported cell; X-ray stress measurements (Yakabe, H. (135) 9)

Solar panels

Bridge inverter; Maximum power point tracking controller (Yuvarajan, S. (135) 327)

Solid oxide fuel cell

Hydrogen sulfide; Mass and energy balance; Thermodynamic analysis; Efficiency (Lu, Y. (135) 184)

Solid state reaction

Li-ion battery; Cathode material; $\text{LiNi}_{0.5}\text{Mn}_{0.5-x}\text{Ti}_x\text{O}_2$; Electrochemical behavior (Li, D. (135) 262)

Spinel

Transmission electron microscopy; LiCoO_2 ; Disordered phase transformation; Capacity fade (Choi, S.H. (135) 286)

STAR-CD

PEM fuel cell; CFD modeling; Parallel computing; Flow-field design; Water management; Large-scale PEMFC (Shimpalee, S. (135) 79)

Stoichiometry

PEM; Fuel cells; Membrane electrode assembly; Electric vehicle; Transient; Electric load (Kim, S. (135) 110)

Sulfur tolerant

SOFC; H_2S ; Anode; Perovskite (Aguilar, L. (135) 17)

Supercapacitors

Electrochemical capacitors; Asymmetric capacitors; Self-discharge; Float-currents; Leakage current (Niu, J. (135) 332)

Supercapacitors

EMD; Potentiodynamic deposition (Prasad, K.R. (135) 354)

Sustained potential oscillations

PEM; Fuel cell; Current pulsing; CO tolerance; Self-oxidation (Thomason, A.H. (135) 204)

System

PEM; No external humidification; Dry inlet; Gas diffusion layer; Nafion (Williams, M.V. (135) 122)

Temperature dependency

AMTEC; Electrodes; Grain size; Power degradation (Lodhi, M.A.K. (135) 304)

Thermal cycling

Compressive seal; Phlogopite mica; Leak rate; Open circuit voltage (Chou, Y.-S. (135) 72)

Thermodynamic analysis

Solid oxide fuel cell; Hydrogen sulfide; Mass and energy balance; Efficiency (Lu, Y. (135) 184)

Tin

Carbon; Lithium ion; Anode; Battery; Composite (Patel, P. (135) 273)

Transient model

PEM fuel cell dynamics; Model-based control; Model predictive control (Golbert, J. (135) 135)

Transient

Capacitors; Polynomial approximation; Analytical solution; Porous electrode (Subramanian, V.R. (135) 361)

Transient

PEM; Fuel cells; Membrane electrode assembly; Electric vehicle; Stoichiometry; Electric load (Kim, S. (135) 110)

Transmission electron microscopy

LiCoO_2 ; Disordered phase transformation; Spinel; Capacity fade (Choi, S.H. (135) 286)

Unitized regenerative fuel cell

Electrolyzer; Electrolysis (Verma, A. (135) 62)

Vinylene carbonate

Electrochemical impedance; Graphite electrode; Lithium-ion rechargeable batteries (Itagaki, M. (135) 255)

Water management

PEM fuel cell; CFD modeling; Parallel computing; STAR-CD; Flow-field design; Large-scale PEMFC (Shimpalee, S. (135) 79)

X-ray diffraction

^{57}Fe Mössbauer spectroscopy; Lithium batteries (Alcántara, R. (135) 281)

X-ray stress measurements

SOFC; Residual stress; Anode-supported cell (Yakabe, H. (135) 9)