

Subject Index of Volume 138

- Activated carbon**
 Steam activation; BET surface area; Mesopores; Supercapacitor (Wu, F.-C. (138) 351)
- Activation**
 SOFC; Ohmic; Concentration; Polarization; Performance fuel cell (Hernández-Pacheco, E. (138) 174)
- Air impurities**
 PEM fuel cell; Cyclic voltammetry (Mohtadi, R. (138) 216)
- Al₂O₃**
 LiCoVO₄; Surface modification; Li-ion batteries. (Landschoot, N.V. (138) 262)
- Aluminum electrode**
 Zinc; Aluminum-air battery (Tang, Y. (138) 313)
- Aluminum oxide**
 Electrolytic capacitor; Anodization; Hydration; TEM analysis (Chang, J.-K. (138) 301)
- Aluminum-air battery**
 Zinc; Aluminum electrode (Tang, Y. (138) 313)
- Amide**
 Hydrogen storage; Solid-gas reaction; Magnesium; Lithium; Imide (Nakamori, Y. (138) 309)
- Anode-supported**
 Intermediate temperature; Direct internal reforming; SOFC; Planar; Dynamic model (Aguilar, P. (138) 120)
- Anodization**
 Electrolytic capacitor; Aluminum oxide; Hydration; TEM analysis (Chang, J.-K. (138) 301)
- Auto thermal reforming**
 Hydrogen economy; Hydrogen production; Fuel processing; Fuel cell; Water recovery (Biesheuvel, P.M. (138) 156)
- Batteries**
 NiMH; Equalizer (Hande, A. (138) 327)
- Battery behavior**
 Lithium insertion; Comparison (Minakshi, M. (138) 319)
- Battery**
 Supercapacitor; Combination; High-pulse power (Choi, S.H. (138) 360)
- Bend loss coefficients**
 PEM fuel cell; Serpentine channels; Laminar flow; Computational fluid dynamics; Design correlations (Maharudrayya, S. (138) 1)
- BET surface area**
 Activated carbon; Steam activation; Mesopores; Supercapacitor (Wu, F.-C. (138) 351)
- Binder**
 Graphite anode; Solid electrolyte interface; Self-delithiation; Li-ion battery (Zhang, S.S. (138) 226)
- Biomass gasification**
 Molten carbonate fuel cell (MCFC); Gas turbine; Power generation system (Morita, H. (138) 31)
- Bipolar plate**
 Nitridation; Stainless steel; Ferrite; PEMFC (Wang, H. (138) 79)
- Bipolar plate**
 Thermal nitridation; Ni-based alloy; Stainless steel; PEMFC; Corrosion (Wang, H. (138) 86)
- Carbon black support**
 PEFC electrode; Graft polymerization; Monomer solution; Polymer electrolyte fuel cell; Tafel plots (Mizuhata, H. (138) 25)
- Carbon**
 Nanotube; Lithium battery (Morris, R.S. (138) 277)
- Catalyst layer**
 Fuel cell; Modeling; Particle size; Catalyst utilization; Polarization (Farhat, Z.N. (138) 68)
- Catalyst utilization**
 Fuel cell; Catalyst layer; Modeling; Particle size; Polarization (Farhat, Z.N. (138) 68)
- Cathode structure**
 PEMFC; Planar design; Free-breathing; Liquid water saturation (Hottingen, T. (138) 205)
- CFD**
 PEM fuel cells; Fuel cell modeling; Reformate (Zhou, T. (138) 101)
- Coatings**
 Solid oxide fuel cells; Interconnects; Electron microscopy; X-ray diffraction (Qu, W. (138) 162)
- Colloidal silica**
 Nanocomposite polymer electrolyte; Poly(ethylene glycol) diacrylate; Lithium polymer batteries; Nanosize SiO₂ (Qiu, W.-I. (138) 245)
- Combination**
 Battery; Supercapacitor; High-pulse power (Choi, S.H. (138) 360)
- Combustion CVD**
 Solid oxide fuel cells; Nanostructured electrodes; Functionally graded materials (Liu, Y. (138) 194)
- Comparison**
 Lithium insertion; Battery behavior (Minakshi, M. (138) 319)
- Composite materials**
 Sulfur cathode; Rechargeable lithium batteries; Cycle performance; Material utilization efficiency (Wang, J. (138) 271)
- Compressive metallic seals**
 Solid oxide fuel cells; Mica; Mechanical properties; Leakage rate; Stack testing (Bram, M. (138) 111)
- Computational fluid dynamics**
 PEM fuel cell; Serpentine channels; Laminar flow; Bend loss coefficients; Design correlations (Maharudrayya, S. (138) 1)
- Concentration**
 SOFC; Ohmic; Activation; Polarization; Performance fuel cell (Hernández-Pacheco, E. (138) 174)
- Corrosion**
 Thermal nitridation; Ni-based alloy; Stainless steel; PEMFC; Bipolar plate (Wang, H. (138) 86)
- “Coup de fouet”**
 Lead-acid batteries; Reactivation peak; State-of-charge; State-of-health; Grid corrosion (de Oliveira, C.P. (138) 294)
- Cyano group**
 Ionic liquid; Lithium battery (Egashira, M. (138) 240)
- Cycle durability**
 Ionic liquid; Lithium ion cell; Safety; Solid electrolyte interface (Sato, T. (138) 253)

- Cycle performance**
 Sulfur cathode; Composite materials; Rechargeable lithium batteries;
 Material utilization efficiency (Wang, J. (138) 271)
- Cyclic voltammetry**
 Fuel cell; Pulse electrodeposition; Off time (Kim, H. (138) 14)
- Cyclic voltammetry**
 PEM fuel cell; Air impurities (Mohtadi, R. (138) 216)
- Dehydration**
 Polymer electrolyte fuel cell stack; Water management; Flooding (Eckl,
 R. (138) 137)
- Design correlations**
 PEM fuel cell; Serpentine channels; Laminar flow; Bend loss
 coefficients; Computational fluid dynamics (Maharudrayya, S.
 (138) 1)
- Direct internal reforming**
 Anode-supported; Intermediate temperature; SOFC; Planar; Dynamic
 model (Aguiar, P. (138) 120)
- Dopant**
 Lithium rechargeable battery; LiCoO₂ cathode active material; Sol-gel
 method; Magnesium; Zirconium (Kim, H.-S. (138) 232)
- Double-layer capacitor**
 Non-aqueous solvent; Electrolyte; Phase diagram; Electrolytic conductivity;
 Electrochemical stability (Ding, M.S. (138) 340)
- Dynamic model**
 Anode-supported; Intermediate temperature; Direct internal reforming;
 SOFC; Planar (Aguiar, P. (138) 120)
- Dynamic model**
 Fuel cell; PEM fuel cell; Electrochemical model (El-Sharkh, M.Y. (138)
 199)
- Electrochemical impedance spectroscopy**
 Thermal batteries; Li-based molten salt batteries (Singh, P. (138) 323)
- Electrochemical model**
 Fuel cell; PEM fuel cell; Dynamic model (El-Sharkh, M.Y. (138) 199)
- Electrochemical stability**
 Non-aqueous solvent; Electrolyte; Double-layer capacitor; Phase diagram;
 Electrolytic conductivity (Ding, M.S. (138) 340)
- Electrochemical**
 Warpage; Glassy seals; Leakage; Hydrogen (Li, W. (138) 145)
- Electrode flooding**
 PEM fuel cells; Water management; Sequential exhausting (Knobbe,
 M.W. (138) 94)
- Electrolyte**
 Non-aqueous solvent; Double-layer capacitor; Phase diagram; Electrolytic conductivity; Electrochemical stability (Ding, M.S. (138) 340)
- Electrolytes**
 Non-flammable; Lithium batteries (Dixon, B.G. (138) 274)
- Electrolytic capacitor**
 Aluminum oxide; Anodization; Hydration; TEM analysis (Chang, J.-K.
 (138) 301)
- Electrolytic conductivity**
 Non-aqueous solvent; Electrolyte; Double-layer capacitor; Phase diagram;
 Electrochemical stability (Ding, M.S. (138) 340)
- Electron microscopy**
 Solid oxide fuel cells; Interconnects; Coatings; X-ray diffraction (Qu,
 W. (138) 162)
- Equalizer**
 NiMH; Batteries (Hande, A. (138) 327)
- Ethanol reforming**
 Hydrogen production; Fuel cell (Comas, J. (138) 61)
- Ferrite**
 Nitridation; Stainless steel; PEMFC; Bipolar plate (Wang, H. (138) 79)
- Flooding**
 Polymer electrolyte fuel cell stack; Water management; Dehydration
 (Eckl, R. (138) 137)
- Free-breathing**
 PEMFC; Planar design; Cathode structure; Liquid water saturation
 (Hottinen, T. (138) 205)
- Fuel cell modeling**
 PEM fuel cells; Reformate; CFD (Zhou, T. (138) 101)
- Fuel cell**
 Catalyst layer; Modeling; Particle size; Catalyst utilization; Polarization
 (Farhat, Z.N. (138) 68)
- Fuel cell**
 Ethanol reforming; Hydrogen production (Comas, J. (138) 61)
- Fuel cell**
 Hydrogen economy; Hydrogen production; Fuel processing; Auto thermal reforming; Water recovery (Biesheuvel, P.M. (138) 156)
- Fuel cell**
 PEM fuel cell; Electrochemical model; Dynamic model (El-Sharkh,
 M.Y. (138) 199)
- Fuel cell**
 PEM; Micro-fuel cell (Li, J. (138) 211)
- Fuel cell**
 PEMFC; Gas diffusion layer; Mass transfer (Jeng, K.T. (138) 41)
- Fuel cell**
 Pulse electrodeposition; Off time; Cyclic voltammetry (Kim, H. (138)
 14)
- Fuel processing**
 Hydrogen economy; Hydrogen production; Fuel cell; Auto thermal reforming; Water recovery (Biesheuvel, P.M. (138) 156)
- Fuel-cells**
 Geometric design; Graphical user interface; Voxel-based sculpturing
 (Smirnov, A.V. (138) 187)
- Functionally graded materials**
 Solid oxide fuel cells; Combustion CVD; Nanostructured electrodes
 (Liu, Y. (138) 194)
- Gas diffusion layer**
 PEMFC; Fuel cell; Mass transfer (Jeng, K.T. (138) 41)
- Gas turbine**
 Biomass gasification; Molten carbonate fuel cell (MCFC); Power generation system (Morita, H. (138) 31)
- Geometric design**
 Fuel-cells; Graphical user interface; Voxel-based sculpturing (Smirnov,
 A.V. (138) 187)
- Glassy seals**
 Warpage; Leakage; Electrochemical; Hydrogen (Li, W. (138) 145)
- Graft polymerization**
 PEFC electrode; Carbon black support; Monomer solution; Polymer electrolyte fuel cell; Tafel plots (Mizuhata, H. (138) 25)
- Graphical user interface**
 Fuel-cells; Geometric design; Voxel-based sculpturing (Smirnov, A.V. (138) 187)
- Graphite anode**
 Binder; Solid electrolyte interface; Self-delithiation; Li-ion battery
 (Zhang, S.S. (138) 226)
- Grid corrosion**
 Lead-acid batteries; “Coup de fouet”; Reactivation peak; State-of-charge; State-of-health (de Oliveira, C.P. (138) 294)
- High-pulse power**
 Battery; Supercapacitor; Combination (Choi, S.H. (138) 360)
- Hydration**
 Electrolytic capacitor; Aluminum oxide; Anodization; TEM analysis
 (Chang, J.-K. (138) 301)
- Hydrogen economy**
 Hydrogen production; Fuel processing; Fuel cell; Auto thermal reforming; Water recovery (Biesheuvel, P.M. (138) 156)
- Hydrogen production**
 Ethanol reforming; Fuel cell (Comas, J. (138) 61)

- Hydrogen production
 Hydrogen economy; Fuel processing; Fuel cell; Auto thermal reforming; Water recovery (Biesheuvel, P.M. (138) 156)
- Hydrogen storage
 Solid-gas reaction; Magnesium; Lithium; Amide; Imide (Nakamori, Y. (138) 309)
- Hydrogen
 Warpage; Glassy seals; Leakage; Electrochemical (Li, W. (138) 145)
- Imide
 Hydrogen storage; Solid-gas reaction; Magnesium; Lithium; Amide (Nakamori, Y. (138) 309)
- Interconnects
 Solid oxide fuel cells; Coatings; Electron microscopy; X-ray diffraction (Qu, W. (138) 162)
- Intermediate temperature
 Anode-supported; Direct internal reforming; SOFC; Planar; Dynamic model (Aguilar, P. (138) 120)
- Ionic liquid
 Lithium battery; Cyano group (Egashira, M. (138) 240)
- Ionic liquid
 Lithium ion cell; Safety; Cycle durability; Solid electrolyte interface (Sato, T. (138) 253)
- Laminar flow
 PEM fuel cell; Serpentine channels; Bend loss coefficients; Computational fluid dynamics; Design correlations (Maharudrayya, S. (138) 1)
- Lead-acid batteries
 "Coup de fouet"; Reactivation peak; State-of-charge; State-of-health; Grid corrosion (de Oliveira, C.P. (138) 294)
- Leakage rate
 Solid oxide fuel cells; Compressive metallic seals; Mica; Mechanical properties; Stack testing (Bram, M. (138) 111)
- Leakage
 Warpage; Glassy seals; Electrochemical; Hydrogen (Li, W. (138) 145)
- Li-based molten salt batteries
 Thermal batteries; Electrochemical impedance spectroscopy (Singh, P. (138) 323)
- Li-ion batteries.
 LiCoVO₄; Surface modification; Al₂O₃ (Landschoot, N.V. (138) 262)
- Li-ion battery
 Binder; Graphite anode; Solid electrolyte interface; Self-delithiation (Zhang, S.S. (138) 226)
- Li-ion battery
 Lithium cobalt oxide; Self-discharge (Choi, S.H. (138) 283)
- Li-ion
 Military; LiNiO₂ positive; Low temperatures (Fan, J. (138) 288)
- LiCoO₂ cathode active material
 Lithium rechargeable battery; Sol-gel method; Dopant; Magnesium; Zirconium (Kim, H.-S. (138) 232)
- LiCoVO₄
 Surface modification; Al₂O₃; Li-ion batteries. (Landschoot, N.V. (138) 262)
- LiNiO₂ positive
 Li-ion; Military; Low temperatures (Fan, J. (138) 288)
- Liquid water saturation
 PEMFC; Planar design; Free-breathing; Cathode structure (Hottinen, T. (138) 205)
- Lithium batteries
 Non-flammable; Electrolytes (Dixon, B.G. (138) 274)
- Lithium battery
 Ionic liquid; Cyano group (Egashira, M. (138) 240)
- Lithium battery
 Nanotube; Carbon (Morris, R.S. (138) 277)
- Lithium cobalt oxide
 Li-ion battery; Self-discharge (Choi, S.H. (138) 283)
- Lithium insertion
 Battery behavior; Comparison (Minakshi, M. (138) 319)
- Lithium ion cell
 Ionic liquid; Safety; Cycle durability; Solid electrolyte interface (Sato, T. (138) 253)
- Lithium polymer batteries
 Nanocomposite polymer electrolyte; Poly(ethylene glycol) diacrylate; Colloidal silica; Nanosize SiO₂ (Qiu, W.-l. (138) 245)
- Lithium rechargeable battery
 LiCoO₂ cathode active material; Sol-gel method; Dopant; Magnesium; Zirconium (Kim, H.-S. (138) 232)
- Lithium
 Hydrogen storage; Solid-gas reaction; Magnesium; Amide; Imide (Nakamori, Y. (138) 309)
- Low temperatures
 Li-ion; Military; LiNiO₂ positive (Fan, J. (138) 288)
- Magnesium
 Hydrogen storage; Solid-gas reaction; Lithium; Amide; Imide (Nakamori, Y. (138) 309)
- Magnesium
 Lithium rechargeable battery; LiCoO₂ cathode active material; Sol-gel method; Dopant; Zirconium (Kim, H.-S. (138) 232)
- Mass transfer
 PEMFC; Fuel cell; Gas diffusion layer (Jeng, K.T. (138) 41)
- Material utilization efficiency
 Sulfur cathode; Composite materials; Rechargeable lithium batteries; Cycle performance (Wang, J. (138) 271)
- Mechanical properties
 Solid oxide fuel cells; Compressive metallic seals; Mica; Leakage rate; Stack testing (Bram, M. (138) 111)
- Membrane electrode assembly
 Phosphosilicate; Polyimide (Nakamoto, N. (138) 51)
- Mesopores
 Activated carbon; Steam activation; BET surface area; Supercapacitor (Wu, F.-C. (138) 351)
- Mica
 Solid oxide fuel cells; Compressive metallic seals; Mechanical properties; Leakage rate; Stack testing (Bram, M. (138) 111)
- Micro-fuel cell
 Fuel cell; PEM (Li, J. (138) 211)
- Military
 Li-ion; LiNiO₂ positive; Low temperatures (Fan, J. (138) 288)
- Modeling
 Fuel cell; Catalyst layer; Particle size; Catalyst utilization; Polarization (Farhat, Z.N. (138) 68)
- Molten carbonate fuel cell (MCFC)
 Biomass gasification; Gas turbine; Power generation system (Morita, H. (138) 31)
- Monomer solution
 PEFC electrode; Carbon black support; Graft polymerization; Polymer electrolyte fuel cell; Tafel plots (Mizuhata, H. (138) 25)
- Nanocomposite polymer electrolyte
 Poly(ethylene glycol) diacrylate; Lithium polymer batteries; Colloidal silica; Nanosize SiO₂ (Qiu, W.-l. (138) 245)
- Nanosize SiO₂
 Nanocomposite polymer electrolyte; Poly(ethylene glycol) diacrylate; Lithium polymer batteries; Colloidal silica (Qiu, W.-l. (138) 245)
- Nanostructured electrodes
 Solid oxide fuel cells; Combustion CVD; Functionally graded materials (Liu, Y. (138) 194)
- Nanotube
 Lithium battery; Carbon (Morris, R.S. (138) 277)
- Ni-based alloy
 Thermal nitridation; Stainless steel; PEMFC; Bipolar plate; Corrosion (Wang, H. (138) 86)

- NiMH**
Batteries; Equalizer (Hande, A. (138) 327)
- Nitridation**
Stainless steel; Ferrite; PEMFC; Bipolar plate (Wang, H. (138) 79)
- Non-aqueous solvent**
Electrolyte; Double-layer capacitor; Phase diagram; Electrolytic conductivity; Electrochemical stability (Ding, M.S. (138) 340)
- Non-flammable**
Electrolytes; Lithium batteries (Dixon, B.G. (138) 274)
- Off time**
Fuel cell; Pulse electrodeposition; Cyclic voltammetry (Kim, H. (138) 14)
- Ohmic**
SOFC; Activation; Concentration; Polarization; Performance fuel cell (Hernández-Pacheco, E. (138) 174)
- Oxygen reduction**
Platinum-cobalt alloy; Polymer electrolyte fuel cells (Salgado, J.R.C. (138) 56)
- Particle size**
Fuel cell; Catalyst layer; Modeling; Catalyst utilization; Polarization (Farhat, Z.N. (138) 68)
- PEFC electrode**
Carbon black support; Graft polymerization; Monomer solution; Polymer electrolyte fuel cell; Tafel plots (Mizuhata, H. (138) 25)
- PEM fuel cell**
Air impurities; Cyclic voltammetry (Mohtadi, R. (138) 216)
- PEM fuel cell**
Fuel cell; Electrochemical model; Dynamic model (El-Sharkh, M.Y. (138) 199)
- PEM fuel cell**
Serpentine channels; Laminar flow; Bend loss coefficients; Computational fluid dynamics; Design correlations (Maharudrayya, S. (138) 1)
- PEM fuel cells**
Fuel cell modeling; Reformate; CFD (Zhou, T. (138) 101)
- PEM fuel cells**
Water management; Electrode flooding; Sequential exhausting (Knobbe, M.W. (138) 94)
- PEM**
Fuel cell; Micro-fuel cell (Li, J. (138) 211)
- PEMFC**
Fuel cell; Gas diffusion layer; Mass transfer (Jeng, K.T. (138) 41)
- Nitridation; Stainless steel; Ferrite; Bipolar plate (Wang, H. (138) 79)**
- PEMFC**
Planar design; Free-breathing; Cathode structure; Liquid water saturation (Hottinen, T. (138) 205)
- Performance fuel cell**
SOFC; Ohmic; Activation; Concentration; Polarization (Hernández-Pacheco, E. (138) 174)
- Phase diagram**
Non-aqueous solvent; Electrolyte; Double-layer capacitor; Electrolytic conductivity; Electrochemical stability (Ding, M.S. (138) 340)
- Phosphosilicate**
Membrane electrode assembly; Polyimide (Nakamoto, N. (138) 51)
- Planar design**
PEMFC; Free-breathing; Cathode structure; Liquid water saturation (Hottinen, T. (138) 205)
- Planar**
Anode-supported; Intermediate temperature; Direct internal reforming; SOFC; Dynamic model (Aguiar, P. (138) 120)
- Platinum-cobalt alloy**
Oxygen reduction; Polymer electrolyte fuel cells (Salgado, J.R.C. (138) 56)
- Polarization**
Fuel cell; Catalyst layer; Modeling; Particle size; Catalyst utilization (Farhat, Z.N. (138) 68)
- Polarization**
SOFC; Ohmic; Activation; Concentration; Performance fuel cell (Hernández-Pacheco, E. (138) 174)
- Poly(ethylene glycol) diacrylate**
Nanocomposite polymer electrolyte; Lithium polymer batteries; Colloidal silica; Nanosize SiO₂ (Qiu, W.-l. (138) 245)
- Polyimide**
Phosphosilicate; Membrane electrode assembly (Nakamoto, N. (138) 51)
- Polymer electrolyte fuel cell stack**
Water management; Dehydration; Flooding (Eckl, R. (138) 137)
- Polymer electrolyte fuel cell**
PEFC electrode; Carbon black support; Graft polymerization; Monomer solution; Tafel plots (Mizuhata, H. (138) 25)
- Polymer electrolyte fuel cells**
Platinum-cobalt alloy; Oxygen reduction (Salgado, J.R.C. (138) 56)
- Power generation system**
Biomass gasification; Molten carbonate fuel cell (MCFC); Gas turbine (Morita, H. (138) 31)
- Pulse electrodeposition**
Fuel cell; Off time; Cyclic voltammetry (Kim, H. (138) 14)
- Reactivation peak**
Lead-acid batteries; “Coup de fouet”; State-of-charge; State-of-health; Grid corrosion (de Oliveira, C.P. (138) 294)
- Rechargeable lithium batteries**
Sulfur cathode; Composite materials; Cycle performance; Material utilization efficiency (Wang, J. (138) 271)
- Reformate**
PEM fuel cells; Fuel cell modeling; CFD (Zhou, T. (138) 101)
- Safety**
Ionic liquid; Lithium ion cell; Cycle durability; Solid electrolyte interface (Sato, T. (138) 253)
- Self-delithiation**
Binder; Graphite anode; Solid electrolyte interface; Li-ion battery (Zhang, S.S. (138) 226)
- Self-discharge**
Lithium cobalt oxide; Li-ion battery (Choi, S.H. (138) 283)
- Sequential exhausting**
PEM fuel cells; Water management; Electrode flooding (Knobbe, M.W. (138) 94)
- Serpentine channels**
PEM fuel cell; Laminar flow; Bend loss coefficients; Computational fluid dynamics; Design correlations (Maharudrayya, S. (138) 1)
- SOFC**
Anode-supported; Intermediate temperature; Direct internal reforming; Planar; Dynamic model (Aguiar, P. (138) 120)
- SOFC**
Ohmic; Activation; Concentration; Polarization; Performance fuel cell (Hernández-Pacheco, E. (138) 174)
- Sol-gel method**
Lithium rechargeable battery; LiCoO₂ cathode active material; Dopant; Magnesium; Zirconium (Kim, H.-S. (138) 232)
- Solid electrolyte interface**
Binder; Graphite anode; Self-delithiation; Li-ion battery (Zhang, S.S. (138) 226)
- Solid electrolyte interface**
Ionic liquid; Lithium ion cell; Safety; Cycle durability (Sato, T. (138) 253)

- Solid oxide fuel cells
 Combustion CVD; Nanostructured electrodes; Functionally graded materials (Liu, Y. (138) 194)
- Solid oxide fuel cells
 Compressive metallic seals; Mica; Mechanical properties; Leakage rate; Stack testing (Bram, M. (138) 111)
- Solid oxide fuel cells
 Interconnects; Coatings; Electron microscopy; X-ray diffraction (Qu, W. (138) 162)
- Solid–gas reaction
 Hydrogen storage; Magnesium; Lithium; Amide; Imide (Nakamori, Y. (138) 309)
- Stack testing
 Solid oxide fuel cells; Compressive metallic seals; Mica; Mechanical properties; Leakage rate (Bram, M. (138) 111)
- Stainless steel
 Nitridation; Ferrite; PEMFC; Bipolar plate (Wang, H. (138) 79)
- Stainless steel
 Thermal nitridation; Ni-based alloy; PEMFC; Bipolar plate; Corrosion (Wang, H. (138) 86)
- State-of-charge
 Lead-acid batteries; “Coup de fouet”; Reactivation peak; State-of-health; Grid corrosion (de Oliveira, C.P. (138) 294)
- State-of-health
 Lead-acid batteries; “Coup de fouet”; Reactivation peak; State-of-charge; Grid corrosion (de Oliveira, C.P. (138) 294)
- Steam activation
 Activated carbon; BET surface area; Mesopores; Supercapacitor (Wu, F.-C. (138) 351)
- Sulfur cathode
 Composite materials; Rechargeable lithium batteries; Cycle performance; Material utilization efficiency (Wang, J. (138) 271)
- Supercapacitor
 Battery; Combination; High-pulse power (Choi, S.H. (138) 360)
- Surface modification
 LiCoVO₄; Al₂O₃; Li-ion batteries. (Landschoot, N.V. (138) 262)
- Supercapacitor
 Activated carbon; Steam activation; BET surface area; Mesopores (Wu, F.-C. (138) 351)
- Tafel plots
 PEFC electrode; Carbon black support; Graft polymerization; Monomer solution; Polymer electrolyte fuel cell (Mizuhata, H. (138) 25)
- TEM analysis
 Electrolytic capacitor; Aluminum oxide; Anodization; Hydration (Chang, J.-K. (138) 301)
- Thermal batteries
 Li-based molten salt batteries; Electrochemical impedance spectroscopy (Singh, P. (138) 323)
- Thermal nitridation
 Ni-based alloy; Stainless steel; PEMFC; Bipolar plate; Corrosion (Wang, H. (138) 86)
- Voxel-based sculpturing
 Fuel-cells; Geometric design; Graphical user interface (Smirnov, A.V. (138) 187)
- Warpage
 Glassy seals; Leakage; Electrochemical; Hydrogen (Li, W. (138) 145)
- Water management
 PEM fuel cells; Electrode flooding; Sequential exhausting (Knobbe, M.W. (138) 94)
- Water management
 Polymer electrolyte fuel cell stack; Dehydration; Flooding (Eckl, R. (138) 137)
- Water recovery
 Hydrogen economy; Hydrogen production; Fuel processing; Fuel cell; Auto thermal reforming (Biesheuvel, P.M. (138) 156)
- X-ray diffraction
 Solid oxide fuel cells; Interconnects; Coatings; Electron microscopy (Qu, W. (138) 162)
- Zinc
 Aluminum electrode; Aluminum–air battery (Tang, Y. (138) 313)
- Zirconium
 Lithium rechargeable battery; LiCoO₂ cathode active material; Sol–gel method; Dopant; Magnesuim (Kim, H.-S. (138) 232)