

Subject Index of Volume 140

- AAO template**
 Mn₂O₃ nanowires; Sol-gel synthesis; Supercapacitor (Wang, X. (140) 211)
- AB₅-type hydrogen storage alloy**
 Substituting Mm with La; Co-free; As-cast and rapidly quenched; Electrochemical performances (Zhang, Y.-h. (140) 381)
- Acid dissolution**
 LiNi_{0.8}Co_{0.2}O₂; Hydroxide; Carbonate; Spray drying (Oh, S.H. (140) 145)
- Additive**
 MCFC; Molten carbonate; NiO solubility; Electrolyte; Lanthanum (Matsuzawa, K. (140) 258)
- Adsorption**
 Pulse response; Molten carbonate fuel cells; Cathode; NiO; CO₂ (Özkan, G. (140) 28)
- Air utilization**
 Cathode catalyst; CeO₂; Direct methanol fuel cell; Oxygen storage material; MEA (Yu, H.B. (140) 59)
- Ammonia**
 Proton conductor; Doubly doped barium cerate; Fuel cells (Maffei, N. (140) 264)
- Anode material**
 CoSb₃; Solvothermal synthesis; Nanosized materials; Li-ion batteries (Xie, J. (140) 350)
- Anode**
 Lithium ion battery; Silicon; Cycle-life (Liu, W.-R. (140) 139)
- Anode**
 Triple-phase-boundary (TPB) length; Solid oxide fuel cell; Cathode (Deng, X. (140) 297)
- Aqueous electrolyte**
 Supercapacitor; Electrochemical capacitor; Specific capacitance; Carbon (Toupin, M. (140) 203)
- ARMA**
 Battery; Electrolyzer; Fuel cell; Photovoltaic array; Wind turbine (Kélowani, S. (140) 392)
- Artificial neural network**
 Proton exchange membrane fuel cell; Direct methanol fuel cell; Hybrid model; Back-propagation; Radial basis function (Ou, S. (140) 319)
- As-cast and rapidly quenched**
 Substituting Mm with La; Co-free; AB₅-type hydrogen storage alloy; Electrochemical performances (Zhang, Y.-h. (140) 381)
- Atmospheric plasma spray**
 ITSOFC; La_{0.6}Sr_{0.4}CoO_{3-δ} cathode (Zheng, R. (140) 217)
- Back-propagation**
 Artificial neural network; Proton exchange membrane fuel cell; Direct methanol fuel cell; Hybrid model; Radial basis function (Ou, S. (140) 319)
- Base station**
 PEMFC; UPS applications (Lin, M. (140) 346)
- Battery life prediction**
 Lithium-ion battery; Capacity fade; Equivalent-circuit model simulation; Thermal aging (Liaw, B.Y. (140) 157)
- Battery**
 ARMA; Electrolyzer; Fuel cell; Photovoltaic array; Wind turbine (Kélowani, S. (140) 392)
- Battery**
 Conducting polymer; Charge/discharge; Capacity; Stainless steel (Wang, J. (140) 162)
- Capacity fade**
 Lithium-ion battery; Equivalent-circuit model simulation; Battery life prediction; Thermal aging (Liaw, B.Y. (140) 157)
- Capacity fade**
 Secondary Li batteries; Li–Ni–Mn oxides; Cation stoichiometry; Freeze drying (Choi, S.H. (140) 355)
- Capacity**
 Conducting polymer; Battery; Charge/discharge; Stainless steel (Wang, J. (140) 162)
- Carbon monoxide resistance**
 Pt-Co; Methanol electro-oxidation; Nanoparticles; Fuel cell; Catalyst (Zeng, J. (140) 268)
- Carbon nanotubes**
 Support material; Electrocatalyst; Proton exchange membrane fuel cell; Cyclic voltammetry; Ethylene glycol (Rajalakshmi, N. (140) 250)
- Carbon**
 Supercapacitor; Electrochemical capacitor; Specific capacitance; Aqueous electrolyte (Toupin, M. (140) 203)
- Carbonate**
 LiNi_{0.8}Co_{0.2}O₂; Acid dissolution; Hydroxide; Spray drying (Oh, S.H. (140) 145)
- Catalyst**
 Pt-Co; Carbon monoxide resistance; Methanol electro-oxidation; Nanoparticles; Fuel cell (Zeng, J. (140) 268)
- Cathode catalyst**
 Air utilization; CeO₂; Direct methanol fuel cell; Oxygen storage material; MEA (Yu, H.B. (140) 59)
- Cathode**
 Pulse response; Adsorption; Molten carbonate fuel cells; NiO; CO₂ (Özkan, G. (140) 28)
- Cathode diagnosis**
 PAFC cathode; Steady-state model; Unsteady-state model (Choudhury, S.R. (140) 274)
- Cathode**
 Triple-phase-boundary (TPB) length; Solid oxide fuel cell; Anode (Deng, X. (140) 297)
- Cation stoichiometry**
 Secondary Li batteries; Li–Ni–Mn oxides; Freeze drying; Capacity fade (Choi, S.H. (140) 355)
- CeO₂**
 Air utilization; Cathode catalyst; Direct methanol fuel cell; Oxygen storage material; MEA (Yu, H.B. (140) 59)
- Characterization methods**
 Direct methanol fuel cell; Water uptake; Pervaporation; Impedance spectroscopy; Composite membranes (Silva, V.S. (140) 41)
- Charge/discharge**
 Conducting polymer; Battery; Capacity; Stainless steel (Wang, J. (140) 162)

- Co-free**
Substituting Mm with La; AB₅-type hydrogen storage alloy; As-cast and rapidly quenched; Electrochemical performances (Zhang, Y.-h. (140) 381)
- CO₂**
Pulse response; Adsorption; Molten carbonate fuel cells; Cathode; NiO (Özkan, G. (140) 28)
- Co₃O₄ coating**
Porous nickel cathode; Molten carbonate; Fuel cell; XRD; Raman spectroscopy; XPS; Porosity (Escudero, M.J. (140) 81)
- Composite membrane**
Separator; Ionic conductivity; High-rate performance; Li-ion battery (Zhang, S.S. (140) 361)
- Composite membranes**
Direct methanol fuel cell; Characterization methods; Water uptake; Pervaporation; Impedance spectroscopy (Silva, V.S. (140) 41)
- Composite polymeric electrolyte**
PMMA; Fumed silica; Rheological properties; Ionic conductivity (Ahmad, S. (140) 151)
- Conducting polymer**
Battery; Charge/discharge; Capacity; Stainless steel (Wang, J. (140) 162)
- CoSb₃**
Anode material; Solvothermal synthesis; Nanosized materials; Li-ion batteries (Xie, J. (140) 350)
- Cracks**
LiFePO₄ (Wang, D. (140) 125)
- Current-collector**
Self-discharge; Li-S cell; Open-circuit voltage; Stainless steel (Ryu, H.S. (140) 365)
- Cycle-life testing**
Laminated lithium-ion cell; Polymer electrolyte; Liquid electrolyte; Satellite application; Vacuum (Wang, X. (140) 129)
- Cycle-life**
Lithium ion battery; Silicon; Anode (Liu, W.-R. (140) 139)
- Cyclic voltammetry**
Carbon nanotubes; Support material; Electrocatalyst; Proton exchange membrane fuel cell; Ethylene glycol (Rajalakshmi, N. (140) 250)
- DC/DC converter**
Energy reclamation; Lithium-ion battery; Lithium sulfur dioxide battery; Partially depleted (Dougal, R.A. (140) 409)
- Design**
SOFC; Materials; Manufacturing; Fabrication (Wincewicz, K.C. (140) 280)
- Diphosphates**
Lithium metal phosphates; Li-ion batteries; FTIR spectroscopy; Phospho-olivines; Nasicon (Ait Salah, A. (140) 370)
- Direct ethanol fuel cell**
Ethanol crossover; Electrode delamination (Song, S. (140) 103)
- Direct ethanol fuel cells**
PtSn/C anode catalysts (Zhou, W.J. (140) 50)
- Direct methanol fuel cell**
Air utilization; Cathode catalyst; CeO₂; Oxygen storage material; MEA (Yu, H.B. (140) 59)
- Direct methanol fuel cell**
Artificial neural network; Proton exchange membrane fuel cell; Hybrid model; Back-propagation; Radial basis function (Ou, S. (140) 319)
- Direct methanol fuel cell**
Characterization methods; Water uptake; Pervaporation; Impedance spectroscopy; Composite membranes (Silva, V.S. (140) 41)
- Direct methanol fuel cell**
Palladium; Electroless plating; Methanol crossover; Solid-phase micro-extraction (Hejze, T. (140) 21)
- Direct methanol fuel cell**
Piezoelectric valveless micropump; Fuel delivery (Zhang, T. (140) 72)
- Direct methanol fuel cell**
Sulfonated poly(ether ether ketone) (sPEEK); Zirconium oxide; Sol-gel chemistry; Permeability coefficients; Morphology (Silva, V.S. (140) 34)
- Dopant**
Zirconia; Ionic conductivity; Microstructure (Kumar, B. (140) 12)
- Doubly doped barium cerate**
Ammonia; Proton conductor; Fuel cells (Maffei, N. (140) 264)
- Dynamic response time**
PEM fuel cell; Membrane; Water management; Transient behavior (Chen, F. (140) 243)
- Electroactive polymers**
Surface modified electrodes; Ferrocene ferrocenium redox couple electrode; Poly(vinylferrocene) electrode (Issa, T.B. (140) 388)
- Electrocatalyst**
Carbon nanotubes; Support material; Proton exchange membrane fuel cell; Cyclic voltammetry; Ethylene glycol (Rajalakshmi, N. (140) 250)
- Electrochemical capacitor**
Supercapacitor; Specific capacitance; Carbon; Aqueous electrolyte (Toupin, M. (140) 203)
- Electrochemical capacitor**
Voltage delay; Parallel connection; Impedance; Lithium battery (Chung, K.-i. (140) 376)
- Electrochemical performances**
Substituting Mm with La; Co-free; AB₅-type hydrogen storage alloy; As-cast and rapidly quenched (Zhang, Y.-h. (140) 381)
- Electrode delamination**
Direct ethanol fuel cell; Ethanol crossover (Song, S. (140) 103)
- Electrokinetic effect**
PEM fuel cell; Electroosmotic flow; Electroosmotic drag (Karimi, G. (140) 1)
- Electroless plating**
Palladium; Direct methanol fuel cell; Methanol crossover; Solid-phase microextraction (Hejze, T. (140) 21)
- Electrolyte**
MCFC; Molten carbonate; NiO solubility; Additive; Lanthanum (Matsuzawa, K. (140) 258)
- Electrolyzer**
ARMA; Battery; Fuel cell; Photovoltaic array; Wind turbine (Kélouwani, S. (140) 392)
- Electroosmotic drag**
PEM fuel cell; Electroosmotic flow; Electrokinetic effect (Karimi, G. (140) 1)
- Electroosmotic flow**
PEM fuel cell; Electroosmotic drag; Electrokinetic effect (Karimi, G. (140) 1)
- Energy reclamation**
DC/DC converter; Lithium-ion battery; Lithium sulfur dioxide battery; Partially depleted (Dougal, R.A. (140) 409)
- Equivalent-circuit model simulation**
Lithium-ion battery; Capacity fade; Battery life prediction; Thermal aging (Liaw, B.Y. (140) 157)
- Ethanol crossover**
Direct ethanol fuel cell; Electrode delamination (Song, S. (140) 103)
- Ethylene glycol**
Carbon nanotubes; Support material; Electrocatalyst; Proton exchange membrane fuel cell; Cyclic voltammetry (Rajalakshmi, N. (140) 250)
- Fabrication**
SOFC; Design; Materials; Manufacturing (Wincewicz, K.C. (140) 280)
- Ferrocene ferrocenium redox couple electrode**
Electroactive polymers; Surface modified electrodes; Poly(vinylferrocene) electrode (Issa, T.B. (140) 388)

- Flat-tube**
High power density; Solid oxide fuel cell; Simulation; Heat and mass transfer; Fluid flow (Lu, Y. (140) 331)
- Fluid flow**
Flat-tube; High power density; Solid oxide fuel cell; Simulation; Heat and mass transfer (Lu, Y. (140) 331)
- Freeze drying**
Secondary Li batteries; Li–Ni–Mn oxides; Cation stoichiometry; Capacity fade (Choi, S.H. (140) 355)
- FTIR spectroscopy**
Lithium metal phosphates; Li-ion batteries; Phospho-olivines; Diphosphates; Nasicon (Ait Salah, A. (140) 370)
- Fuel cell**
ARMA; Battery; Electrolyzer; Photovoltaic array; Wind turbine (Kélouwani, S. (140) 392)
- Fuel cell**
Co₃O₄ coating; Porous nickel cathode; Molten carbonate; XRD; Raman spectroscopy; XPS; Porosity (Escudero, M.J. (140) 81)
- Fuel cell**
Plate-type reactor; Methanol steam-reforming; Zirconia-sol solution; Hydrogen production (Lim, M.S. (140) 66)
- Fuel cell**
Pt-Co; Carbon monoxide resistance; Methanol electro-oxidation; Nanoparticles; Catalyst (Zeng, J. (140) 268)
- Fuel cells**
Ammonia; Proton conductor; Doubly doped barium cerate (Maffei, N. (140) 264)
- Fuel cells**
Novel gas distributors; High power density; Optimization (Li, P.W. (140) 311)
- Fuel cells**
Polymer compact heat-exchanger; Process intensification; Poly ether ether ketone; Heat-transfer (Zaheed, L. (140) 304)
- Fuel delivery**
Piezoelectric valveless micropump; Direct methanol fuel cell (Zhang, T. (140) 72)
- Fumed silica**
Composite polymeric electrolyte; PMMA; Rheological properties; Ionic conductivity (Ahmad, S. (140) 151)
- Heat and mass transfer**
Flat-tube; High power density; Solid oxide fuel cell; Simulation; Fluid flow (Lu, Y. (140) 331)
- Heat dissipation**
Thermal modelling; Thermal analysis; Lithium batteries; Thermal management (Chen, S.C. (140) 111)
- Heat-transfer**
Polymer compact heat-exchanger; Process intensification; Poly ether ether ketone; Fuel cells (Zaheed, L. (140) 304)
- High power density**
Flat-tube; Solid oxide fuel cell; Simulation; Heat and mass transfer; Fluid flow (Lu, Y. (140) 331)
- High power density**
Novel gas distributors; Fuel cells; Optimization (Li, P.W. (140) 311)
- High-rate performance**
Composite membrane; Separator; Ionic conductivity; Li-ion battery. (Zhang, S.S. (140) 361)
- Hybrid model**
Artificial neural network; Proton exchange membrane fuel cell; Direct methanol fuel cell; Back-propagation; Radial basis function (Ou, S. (140) 319)
- Hydrogen production**
Plate-type reactor; Methanol steam-reforming; Zirconia-sol solution; Fuel cell (Lim, M.S. (140) 66)
- Hydroxide**
LiNi_{0.8}Co_{0.2}O₂; Acid dissolution; Carbonate; Spray drying (Oh, S.H. (140) 145)
- Image analysis**
SOFC; Ni/YSZ anode; Microstructure analysis (Lee, K.-R. (140) 226)
- Impedance spectroscopy**
Direct methanol fuel cell; Characterization methods; Water uptake; Pervaporation; Composite membranes (Silva, V.S. (140) 41)
- Impedance**
Voltage delay; Parallel connection; Electrochemical capacitor; Lithium battery (Chung, K.-i. (140) 376)
- Ionic conductivity**
Composite membrane; Separator; High-rate performance; Li-ion battery. (Zhang, S.S. (140) 361)
- Ionic conductivity**
Composite polymeric electrolyte; PMMA; Fumed silica; Rheological properties (Ahmad, S. (140) 151)
- Ionic conductivity**
Dopant; Zirconia; Microstructure (Kumar, B. (140) 12)
- ITSOFC**
Atmospheric plasma spray; La_{0.6}Sr_{0.4}CoO_{3-δ} cathode (Zheng, R. (140) 217)
- La_{0.6}Sr_{0.4}CoO_{3-δ} cathode**
ITSOFC; Atmospheric plasma spray (Zheng, R. (140) 217)
- Laminated lithium-ion cell**
Polymer electrolyte; Liquid electrolyte; Satellite application; Cycle-life testing; Vacuum (Wang, X. (140) 129)
- Lanthanum**
MCFC; Molten carbonate; NiO solubility; Electrolyte; Additive (Mat-suzawa, K. (140) 258)
- Lead-acid battery technology**
Lead-acid battery; Soaking of lead-acid battery plates in H₂SO₄ solution; Sulfation of lead oxides; Sulfation of 3BS paste; Structure of sulfated lead-acid battery paste (Dimitrov, M. (140) 168)
- Lead-acid battery**
Lead-acid battery technology; Soaking of lead-acid battery plates in H₂SO₄ solution; Sulfation of lead oxides; Sulfation of 3BS paste; Structure of sulfated lead-acid battery paste (Dimitrov, M. (140) 168)
- Leak rates**
Open-circuit voltage; Phlogopite mica; Solid oxide fuel cell; Thermal cycle (Chou, Y.-S. (140) 340)
- Li–Ni–Mn oxides**
Secondary Li batteries; Cation stoichiometry; Freeze drying; Capacity fade (Choi, S.H. (140) 355)
- Li–S cell**
Self-discharge; Current-collector; Open-circuit voltage; Stainless steel (Ryu, H.S. (140) 365)
- Li-ion batteries**
CoSb₃; Anode material; Solvothermal synthesis; Nanosized materials (Xie, J. (140) 350)
- Li-ion batteries**
Lithium metal phosphates; FTIR spectroscopy; Phospho-olivines; Diphosphates; Nasicon (Ait Salah, A. (140) 370)
- Li-ion battery.**
Composite membrane; Separator; Ionic conductivity; High-rate performance (Zhang, S.S. (140) 361)
- LiFePO₄**
Cracks (Wang, D. (140) 125)
- LiNi_{0.8}Co_{0.2}O₂**
Acid dissolution; Hydroxide; Carbonate; Spray drying (Oh, S.H. (140) 145)
- Liquid electrolyte**
Laminated lithium-ion cell; Polymer electrolyte; Satellite application; Cycle-life testing; Vacuum (Wang, X. (140) 129)
- Lithium batteries**
Thermal modelling; Thermal analysis; Heat dissipation; Thermal management (Chen, S.C. (140) 111)

- Lithium battery
Voltage delay; Parallel connection; Electrochemical capacitor; Impedance (Chung, K.-i. (140) 376)
- Lithium ion battery
Silicon; Anode; Cycle-life (Liu, W.-R. (140) 139)
- Lithium metal phosphates
Li-ion batteries; FTIR spectroscopy; Phospho-olivines; Diphosphates; Nasicon (Ait Salah, A. (140) 370)
- Lithium sulfur dioxide battery
DC/DC converter; Energy reclamation; Lithium-ion battery; Partially depleted (Dougal, R.A. (140) 409)
- Lithium-ion battery
Capacity fade; Equivalent-circuit model simulation; Battery life prediction; Thermal aging (Liaw, B.Y. (140) 157)
- Lithium-ion battery
DC/DC converter; Energy reclamation; Lithium sulfur dioxide battery; Partially depleted (Dougal, R.A. (140) 409)
- Manufacturing
SOFC; Design; Materials; Fabrication (Wincewicz, K.C. (140) 280)
- Materials
SOFC; Design; Manufacturing; Fabrication (Wincewicz, K.C. (140) 280)
- MCFC
Molten carbonate; NiO solubility; Electrolyte; Additive; Lanthanum (Matsuzawa, K. (140) 258)
- MEA
Air utilization; Cathode catalyst; CeO₂; Direct methanol fuel cell; Oxygen storage material (Yu, H.B. (140) 59)
- Membrane
PEM fuel cell; Water management; Transient behavior; Dynamic response time (Chen, F. (140) 243)
- Methanol crossover
Palladium; Electroless plating; Direct methanol fuel cell; Solid-phase microextraction (Hejze, T. (140) 21)
- Methanol electro-oxidation
Pt-Co; Carbon monoxide resistance; Nanoparticles; Fuel cell; Catalyst (Zeng, J. (140) 268)
- Methanol steam-reforming
Plate-type reactor; Zirconia-sol solution; Fuel cell; Hydrogen production (Lim, M.S. (140) 66)
- Micro-gas
Microelectromechanical system; WIMS-EMT (Cook, K.A. (140) 181)
- Microelectromechanical system
Micro-gas; WIMS-EMT (Cook, K.A. (140) 181)
- Microstructure analysis
SOFC; Ni/YSZ anode; Image analysis (Lee, K.-R. (140) 226)
- Microstructure
Dopant; Zirconia; Ionic conductivity (Kumar, B. (140) 12)
- MnO₂ nanowires
AAO template; Sol-gel synthesis; Supercapacitor (Wang, X. (140) 211)
- Model
SOFC; Transport phenomena (Hwang, J.J. (140) 235)
- Molten carbonate fuel cells
Pulse response; Adsorption; Cathode; NiO; CO₂ (Özkan, G. (140) 28)
- Molten carbonate
Co₃O₄ coating; Porous nickel cathode; Fuel cell; XRD; Raman spectroscopy; XPS; Porosity (Escudero, M.J. (140) 81)
- Molten carbonate
MCFC; NiO solubility; Electrolyte; Additive; Lanthanum (Matsuzawa, K. (140) 258)
- Morphology
Sulfonated poly(ether ether ketone) (sPEEK); Zirconium oxide; Sol-gel chemistry; Permeability coefficients; Direct methanol fuel cell (Silva, V.S. (140) 34)
- Nanoparticles
Pt-Co; Carbon monoxide resistance; Methanol electro-oxidation; Fuel cell; Catalyst (Zeng, J. (140) 268)
- Nanosized materials
CoSb₃; Anode material; Solvothermal synthesis; Li-ion batteries (Xie, J. (140) 350)
- Nasicon
Lithium metal phosphates; Li-ion batteries; FTIR spectroscopy; Phospho-olivines; Diphosphates (Ait Salah, A. (140) 370)
- Ni/YSZ anode
SOFC; Image analysis; Microstructure analysis (Lee, K.-R. (140) 226)
- NiO solubility
MCFC; Molten carbonate; Electrolyte; Additive; Lanthanum (Matsuzawa, K. (140) 258)
- NiO
Pulse response; Adsorption; Molten carbonate fuel cells; Cathode; CO₂ (Özkan, G. (140) 28)
- Novel gas distributors
High power density; Fuel cells; Optimization (Li, P.W. (140) 311)
- Open-circuit voltage
Phlogopite mica; Solid oxide fuel cell; Leak rates; Thermal cycle (Chou, Y.-S. (140) 340)
- Open-circuit voltage
Self-discharge; Li-S cell; Current-collector; Stainless steel (Ryu, H.S. (140) 365)
- Optimization
Novel gas distributors; High power density; Fuel cells (Li, P.W. (140) 311)
- Oxygen storage material
Air utilization; Cathode catalyst; CeO₂; Direct methanol fuel cell; MEA (Yu, H.B. (140) 59)
- PAFC cathode
Steady-state model; Cathode diagnosis; Unsteady-state model (Choudhury, S.R. (140) 274)
- Palladium
Electroless plating; Direct methanol fuel cell; Methanol crossover; Solid-phase microextraction (Hejze, T. (140) 21)
- Parallel connection
Voltage delay; Electrochemical capacitor; Impedance; Lithium battery (Chung, K.-i. (140) 376)
- Partially depleted
DC/DC converter; Energy reclamation; Lithium-ion battery; Lithium sulfur dioxide battery (Dougal, R.A. (140) 409)
- Partially spent batteries
Virtual Test Bed; State-of-charge (Dougal, R.A. (140) 400)
- PEM fuel cell
Electroosmotic flow; Electroosmotic drag; Electrokinetic effect (Karmi, G. (140) 1)
- PEM fuel cell
Membrane; Water management; Transient behavior; Dynamic response time (Chen, F. (140) 243)
- PEMFC
UPS applications; Base station (Lin, M. (140) 346)
- Permeability coefficients
Sulfonated poly(ether ether ketone) (sPEEK); Zirconium oxide; Sol-gel chemistry; Morphology; Direct methanol fuel cell (Silva, V.S. (140) 34)
- Pervaporation
Direct methanol fuel cell; Characterization methods; Water uptake; Impedance spectroscopy; Composite membranes (Silva, V.S. (140) 41)
- Phlogopite mica
Open-circuit voltage; Solid oxide fuel cell; Leak rates; Thermal cycle (Chou, Y.-S. (140) 340)

- Phospho-olivines
Lithium metal phosphates; Li-ion batteries; FTIR spectroscopy; Diphosphates; Nasicon (Ait Salah, A. (140) 370)
- Photovoltaic array
ARMA; Battery; Electrolyzer; Fuel cell; Wind turbine (Kélouwani, S. (140) 392)
- Piezoelectric valveless micropump
Direct methanol fuel cell; Fuel delivery (Zhang, T. (140) 72)
- Plate-type reactor
Methanol steam-reforming; Zirconia-sol solution; Fuel cell; Hydrogen production (Lim, M.S. (140) 66)
- PMMA
Composite polymeric electrolyte; Fumed silica; Rheological properties; Ionic conductivity (Ahmad, S. (140) 151)
- Poly ether ether ketone
Polymer compact heat-exchanger; Process intensification; Heat-transfer; Fuel cells (Zaheed, L. (140) 304)
- Poly(vinylferrocene) electrode
Electroactive polymers; Surface modified electrodes; Ferrocene ferrocenium redox couple electrode (Issa, T.B. (140) 388)
- Polymer compact heat-exchanger
Process intensification; Poly ether ether ketone; Heat-transfer; Fuel cells (Zaheed, L. (140) 304)
- Polymer electrolyte
Laminated lithium-ion cell; Liquid electrolyte; Satellite application; Cycle-life testing; Vacuum (Wang, X. (140) 129)
- Porosity
 Co_3O_4 coating; Porous nickel cathode; Molten carbonate; Fuel cell; XRD; Raman spectroscopy; XPS (Escudero, M.J. (140) 81)
- Porous nickel cathode
 Co_3O_4 coating; Molten carbonate; Fuel cell; XRD; Raman spectroscopy; XPS; Porosity (Escudero, M.J. (140) 81)
- Preferential oxidation
Reformer model; Water-gas shift reaction (Sandhu, S.S. (140) 88)
- Process intensification
Polymer compact heat-exchanger; Poly ether ether ketone; Heat-transfer; Fuel cells (Zaheed, L. (140) 304)
- Proton conductor
Ammonia; Doubly doped barium cerate; Fuel cells (Maffei, N. (140) 264)
- Proton exchange membrane fuel cell
Artificial neural network; Direct methanol fuel cell; Hybrid model; Back-propagation; Radial basis function (Ou, S. (140) 319)
- Proton exchange membrane fuel cell
Carbon nanotubes; Support material; Electrocatalyst; Cyclic voltammetry; Ethylene glycol (Rajalakshmi, N. (140) 250)
- Pt-Co
Carbon monoxide resistance; Methanol electro-oxidation; Nanoparticles; Fuel cell; Catalyst (Zeng, J. (140) 268)
- PtSn/C anode catalysts
Direct ethanol fuel cells (Zhou, W.J. (140) 50)
- Pulse response
Adsorption; Molten carbonate fuel cells; Cathode; NiO ; CO_2 ; Özkan, G. (140) 28)
- Radial basis function
Artificial neural network; Proton exchange membrane fuel cell; Direct methanol fuel cell; Hybrid model; Back-propagation (Ou, S. (140) 319)
- Raman spectroscopy
 Co_3O_4 coating; Porous nickel cathode; Molten carbonate; Fuel cell; XRD; XPS; Porosity (Escudero, M.J. (140) 81)
- Reformer model
Preferential oxidation; Water-gas shift reaction (Sandhu, S.S. (140) 88)
- Rheological properties
Composite polymeric electrolyte; PMMA; Fumed silica; Ionic conductivity (Ahmad, S. (140) 151)
- Satellite application
Laminated lithium-ion cell; Polymer electrolyte; Liquid electrolyte; Cycle-life testing; Vacuum (Wang, X. (140) 129)
- Secondary Li batteries
Li–Ni–Mn oxides; Cation stoichiometry; Freeze drying; Capacity fade (Choi, S.H. (140) 355)
- Self-discharge
Li–S cell; Current-collector; Open-circuit voltage; Stainless steel (Ryu, H.S. (140) 365)
- Separator
Composite membrane; Ionic conductivity; High-rate performance; Li-ion battery. (Zhang, S.S. (140) 361)
- Silicon
Lithium ion battery; Anode; Cycle-life (Liu, W.-R. (140) 139)
- Simulation
Flat-tube; High power density; Solid oxide fuel cell; Heat and mass transfer; Fluid flow (Lu, Y. (140) 331)
- Soaking of lead-acid battery plates in H_2SO_4 solution
Lead-acid battery; Lead-acid battery technology; Sulfation of lead oxides; Sulfation of 3BS paste; Structure of sulfated lead-acid battery paste (Dimitrov, M. (140) 168)
- SOFC
Design; Materials; Manufacturing; Fabrication (Wincewicz, K.C. (140) 280)
- SOFC
Model; Transport phenomena (Hwang, J.J. (140) 235)
- SOFC
Ni/YSZ anode; Image analysis; Microstructure analysis (Lee, K.-R. (140) 226)
- Sol-gel chemistry
Sulfonated poly(ether ether ketone) (sPEEK); Zirconium oxide; Permeability coefficients; Morphology; Direct methanol fuel cell (Silva, V.S. (140) 34)
- Sol-gel synthesis
 MnO_2 nanowires; AAO template; Supercapacitor (Wang, X. (140) 211)
- Solid oxide fuel cell
Flat-tube; High power density; Simulation; Heat and mass transfer; Fluid flow (Lu, Y. (140) 331)
- Solid oxide fuel cell
Open-circuit voltage; Phlogopite mica; Leak rates; Thermal cycle (Chou, Y.-S. (140) 340)
- Solid oxide fuel cell
Triple-phase-boundary (TPB) length; Cathode; Anode (Deng, X. (140) 297)
- Solid-phase microextraction
Palladium; Electroless plating; Direct methanol fuel cell; Methanol crossover (Hejze, T. (140) 21)
- Solvothermal synthesis
 CoSb_3 ; Anode material; Nanosized materials; Li-ion batteries (Xie, J. (140) 350)
- Specific capacitance
Supercapacitor; Electrochemical capacitor; Carbon; Aqueous electrolyte (Toupin, M. (140) 203)
- Spray drying
 $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$; Acid dissolution; Hydroxide; Carbonate (Oh, S.H. (140) 145)
- Stainless steel
Conducting polymer; Battery; Charge/discharge; Capacity (Wang, J. (140) 162)
- Stainless steel
Self-discharge; Li–S cell; Current-collector; Open-circuit voltage (Ryu, H.S. (140) 365)
- State-of-charge
Virtual Test Bed; Partially spent batteries (Dougal, R.A. (140) 400)
- Steady-state model
PAFC cathode; Cathode diagnosis; Unsteady-state model (Choudhury, S.R. (140) 274)

- Structure of sulfated lead-acid battery paste
 Lead-acid battery; Lead-acid battery technology; Soaking of lead-acid battery plates in H₂SO₄ solution; Sulfation of lead oxides; Sulfation of 3BS paste (Dimitrov, M. (140) 168)
- Substituting Mn with La
 Co-free; AB₅-type hydrogen storage alloy; As-cast and rapidly quenched; Electrochemical performances (Zhang, Y.-h. (140) 381)
- Sulfation of 3BS paste
 Lead-acid battery; Lead-acid battery technology; Soaking of lead-acid battery plates in H₂SO₄ solution; Sulfation of lead oxides; Structure of sulfated lead-acid battery paste (Dimitrov, M. (140) 168)
- Sulfation of lead oxides
 Lead-acid battery; Lead-acid battery technology; Soaking of lead-acid battery plates in H₂SO₄ solution; Sulfation of 3BS paste; Structure of sulfated lead-acid battery paste (Dimitrov, M. (140) 168)
- Sulfonated poly(ether ether ketone) (sPEEK)
 Zirconium oxide; Sol-gel chemistry; Permeability coefficients; Morphology; Direct methanol fuel cell (Silva, V.S. (140) 34)
- Supercapacitor
 Electrochemical capacitor; Specific capacitance; Carbon; Aqueous electrolyte (Toupin, M. (140) 203)
- Supercapacitor
 MnO₂ nanowires; AAO template; Sol-gel synthesis (Wang, X. (140) 211)
- Support material
 Carbon nanotubes; Electrocatalyst; Proton exchange membrane fuel cell; Cyclic voltammetry; Ethylene glycol (Rajalakshmi, N. (140) 250)
- Surface modified electrodes
 Electroactive polymers; Ferrocene ferrocenium redox couple electrode; Poly(vinylferrocene) electrode (Issa, T.B. (140) 388)
- Thermal aging
 Lithium-ion battery; Capacity fade; Equivalent-circuit model simulation; Battery life prediction (Liaw, B.Y. (140) 157)
- Thermal analysis
 Thermal modelling; Lithium batteries; Heat dissipation; Thermal management (Chen, S.C. (140) 111)
- Thermal cycle
 Open-circuit voltage; Phlogopite mica; Solid oxide fuel cell; Leak rates (Chou, Y.-S. (140) 340)
- Thermal management
 Thermal modelling; Thermal analysis; Lithium batteries; Heat dissipation (Chen, S.C. (140) 111)
- Thermal modelling
 Thermal analysis; Lithium batteries; Heat dissipation; Thermal management (Chen, S.C. (140) 111)
- Transient behavior
 PEM fuel cell; Membrane; Water management; Dynamic response time (Chen, F. (140) 243)
- Transport phenomena
 SOFC; Model (Hwang, J.J. (140) 235)
- Triple-phase-boundary (TPB) length
 Solid oxide fuel cell; Cathode; Anode (Deng, X. (140) 297)
- Unsteady-state model
 PAFC cathode; Cathode diagnosis; Steady-state model (Choudhury, S.R. (140) 274)
- UPS applications
 PEMFC; Base station (Lin, M. (140) 346)
- Vacuum
 Laminated lithium-ion cell; Polymer electrolyte; Liquid electrolyte; Satellite application; Cycle-life testing (Wang, X. (140) 129)
- Virtual Test Bed
 State-of-charge; Partially spent batteries (Dougal, R.A. (140) 400)
- Voltage delay
 Parallel connection; Electrochemical capacitor; Impedance; Lithium battery (Chung, K.-i. (140) 376)
- Water management
 PEM fuel cell; Membrane; Transient behavior; Dynamic response time (Chen, F. (140) 243)
- Water uptake
 Direct methanol fuel cell; Characterization methods; Pervaporation; Impedance spectroscopy; Composite membranes (Silva, V.S. (140) 41)
- Water-gas shift reaction
 Reformer model; Preferential oxidation (Sandhu, S.S. (140) 88)
- WIMS-EMT
 Microelectromechanical system; Micro-gas (Cook, K.A. (140) 181)
- Wind turbine
 ARMA; Battery; Electrolyzer; Fuel cell; Photovoltaic array (Kélouwani, S. (140) 392)
- XPS
 Co₃O₄ coating; Porous nickel cathode; Molten carbonate; Fuel cell; XRD; Raman spectroscopy; Porosity (Escudero, M.J. (140) 81)
- XRD
 Co₃O₄ coating; Porous nickel cathode; Molten carbonate; Fuel cell; Raman spectroscopy; XPS; Porosity (Escudero, M.J. (140) 81)
- Zirconia-sol solution
 Plate-type reactor; Methanol steam-reforming; Fuel cell; Hydrogen production (Lim, M.S. (140) 66)
- Zirconia
 Dopant; Ionic conductivity; Microstructure (Kumar, B. (140) 12)
- Zirconium oxide
 Sulfonated poly(ether ether ketone) (sPEEK); Sol-gel chemistry; Permeability coefficients; Morphology; Direct methanol fuel cell (Silva, V.S. (140) 34)