

## Subject Index of Volume 144

- Absorbent-glass-mat (AGM)  
VRLA batteries; Gelled electrolyte; Colloidal silica; Hybrid; Oxygen recombination (Martha, S.K. (144) 560)
- Absorptive glass mat  
Bipolar; Lead-acid battery; Power assist life-cycle; Hybrid electric vehicle; Internal resistance (Saakes, M. (144) 536)
- Absorptive glass mat  
Lead-acid battery; Valve-regulated; Stationary power; Gel; Polymeric separator (Toniazco, V. (144) 365)
- Absorptive glass mat  
Stationary batteries; Automotive batteries; High power; Copper-stretch metal; Spiral wound (Wagner, R. (144) 494)
- Activated carbon electrode  
Electrochemical capacitor; Polymer/carbon composite; Poly(*o*-toluidine); Polyaniline (Sivakumar, C. (144) 295)
- Activated carbon  
Steam activation; KOH activation; Pore structure; Supercapacitor (Wu, F.-C. (144) 302)
- Active material  
Lead-acid batteries; Impurities; Additives; Glass; Separators (Prengaman, R.D. (144) 426)
- Adaptive mesh refinement  
Parameter estimation; PEM fuel cell (Carnes, B. (144) 83)
- Additives  
Lead-acid batteries; Active material; Impurities; Glass; Separators (Prengaman, R.D. (144) 426)
- Adhesive  
Polymer; Fuel cell; Breathing; Copper (Jaouen, F. (144) 113)
- Ageing  
Valve regulated lead-acid battery (VRLA); Thin tubular plates; Fast charging; Cycle life; Current distribution (Svoboda, V. (144) 244)
- AGM battery  
Automotive battery; Lead-acid battery; Battery monitoring system (Karden, E. (144) 505)
- Alloy  
Hydrogen evolution reaction; Bismuth; Lead; Lead-acid battery; Chemical deposition (Wu, Y.M. (144) 338)
- Ancillary services  
Electric vehicle; Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Renewable energy; Wind power (Kempton, W. (144) 280)
- Ancillary services  
Electric vehicle; Fuel cell; Plug-in hybrid; Vehicle-to-grid power; V2G (Kempton, W. (144) 268)
- Anisotropy  
Capacity; Recharge efficiency; Separator saturation; Valve-regulated lead-acid battery; Tortuosity (Culpin, B. (144) 313)
- Anode  
Lithium-ion battery; Zn<sub>3</sub>P<sub>2</sub>; Specific capacity (Satya Kishore, M.V.V.M. (144) 204)
- Automotive batteries  
Stationary batteries; High power; Copper-stretch metal; Absorptive glass mat; Spiral wound (Wagner, R. (144) 494)
- Automotive battery  
Electronic systems; Vehicle power-supply; Load; powerNet; Management system (Kellaway, M.J. (144) 467)
- Automotive battery  
Lead-acid battery; AGM battery; Battery monitoring system (Karden, E. (144) 505)
- Automotive battery  
Vehicle electric power system; State-of-charge; State of health; Monitoring; Capacity loss (Meissner, E. (144) 438)
- Battery life prediction  
Modelling; Simulation; End-of-life criteria; Electrochemical model; Equivalent circuit model (Wenzl, H. (144) 373)
- Battery management  
Lead-acid battery; Photovoltaic systems; Charge; Pulsed current; “Hard” sulphation (Benchetrite, D. (144) 346)
- Battery monitoring system  
Automotive battery; Lead-acid battery; AGM battery (Karden, E. (144) 505)
- Battery monitoring  
Lead-acid; Battery; Valve-regulated; State-of-charge; State-of-health (May, G.J. (144) 411)
- Battery  
Lead-acid; Valve-regulated; Battery monitoring; State-of-charge; State-of-health (May, G.J. (144) 411)
- Bipolar plate  
PEM fuel cells; Fluid mechanics; Flow field; Visualization; Modeling (Barreras, F. (144) 54)
- Bipolar  
Lead-acid battery; Power assist life-cycle; Hybrid electric vehicle; Absorptive glass mat; Internal resistance (Saakes, M. (144) 536)
- Bipolar  
Lead-acid batteries; Ebonex<sup>®</sup> ceramic (Loyns, A.C. (144) 329)
- Bismuth  
Hydrogen evolution reaction; Lead; Lead-acid battery; Chemical deposition; Alloy (Wu, Y.M. (144) 338)
- Breathing  
Polymer; Fuel cell; Adhesive; Copper (Jaouen, F. (144) 113)
- 1-Butyl-3-methyl-imidazolium bis((trifluoromethyl)sulfonyl)amide (BMI<sup>+</sup>Tf<sub>2</sub>N<sup>-</sup>)  
Hydrophobic ionic liquid; Room temperature molten salt; Lithium/seawater battery (Zhang, Y. (144) 191)
- 1-Butyl-3-methyl-imidazolium hexafluorophosphate (BMI<sup>+</sup>PF<sub>6</sub><sup>-</sup>)  
1-Butyl-3-methyl-imidazolium bis((trifluoromethyl)sulfonyl)amide (BMI<sup>+</sup>Tf<sub>2</sub>N<sup>-</sup>); Hydrophobic ionic liquid; Room temperature molten salt; Lithium/seawater battery (Zhang, Y. (144) 191)

- Capacity fade  
Li-Sn alloy anode; Sn-SnO<sub>2</sub> mixtures; Irreversible capacity (Sivashanmugam, A. (144) 197)
- Capacity loss  
Automotive battery; Vehicle electric power system; State-of-charge; State of health; Monitoring (Meissner, E. (144) 438)
- Capacity  
Recharge efficiency; Separator saturation; Valve-regulated lead-acid battery; Tortuosity; Anisotropy (Culpin, B. (144) 313)
- Capacity  
Cathode; Li-ion batteries; Oxygen partial pressure; Conductivity (Wolfenstine, J. (144) 226)
- Carbon deposition  
SOFC; Fuel flexibility; Syngas; Thermal management (Yi, Y. (144) 67)
- Carbonaceous deposits  
Cu-based anode; SOFC; SEM; TPO (He, H. (144) 135)
- Cathode catalyst  
PEM fuel cells; PtCo alloy; Metal dissolution; Durability (Yu, P. (144) 11)
- Cathode material  
Li-ion cells; Doped manganese spinel; Electronic properties (Molenda, J. (144) 176)
- Cathode  
Li-ion batteries; Oxygen partial pressure; Conductivity; Capacity (Wolfenstine, J. (144) 226)
- Cathode  
Sol-gel method; LiNi<sub>0.8</sub>Co<sub>0.2</sub>-xGaxO<sub>2</sub>; Phase transition (Han, C.J. (144) 214)
- Charge  
Lead-acid battery; Photovoltaic systems; Battery management; Pulsed current; "Hard" sulphation (Benchetrite, D. (144) 346)
- Chemical deposition  
Hydrogen evolution reaction; Bismuth; Lead; Lead-acid battery; Alloy (Wu, Y.M. (144) 338)
- Co-B catalyst  
Hydrogen generation; NaBH<sub>4</sub>; Polymer electrolyte membrane fuel cell (Jeong, S.U. (144) 129)
- Colloidal silica  
VRLA batteries; Absorbent-glass-mat (AGM); Gelled electrolyte; Hybrid; Oxygen recombination (Martha, S.K. (144) 560)
- Compressed electrodes  
Lead-acid batteries; Micro-porous additives (Toussaint, G. (144) 546)
- Computational fluid dynamics  
PEM fuel cell; Gas diffusion media; In-plane permeability; Through-plane permeability; Serpentine channels (Pharoah, J.G. (144) 77)
- Computational fluid dynamics  
Planar fuel cells; Parallel channels; Laminar flow; Flow distribution (Maharudrayya, S. (144) 94)
- Computer-aided optimization  
Grid design; High-power lead-acid battery; Electrical resistance (Yamada, K. (144) 352)
- Conductivity analysis  
Proton conductor; Poly(vinyl alcohol); Differential scanning calorimetry; Transport number; Optical absorption (Hirankumar, G. (144) 262)
- Conductivity  
Cathode; Li-ion batteries; Oxygen partial pressure; Capacity (Wolfenstine, J. (144) 226)
- Copper  
Polymer; Fuel cell; Breathing; Adhesive (Jaouen, F. (144) 113)
- Copper-stretch metal  
Stationary batteries; Automotive batteries; High power; Absorptive glass mat; Spiral wound (Wagner, R. (144) 494)
- Corrosion  
Lead-acid battery; Microstructural effects; Grid growth; Electroforming; Positive active-mass (Warlimont, H. (144) 486)
- Cranking capability  
Impedance spectroscopy; Lead-acid battery; State-of-function; State-of-charge; EISmeter (Blanke, H. (144) 418)
- Cross-linking  
PVdF-HFP copolymer; Polymer electrolytes; Thermal shutdown; Mechanical property (Cheng, C.L. (144) 238)
- Cu-based anode  
SOFC; Carbonaceous deposits; SEM; TPO (He, H. (144) 135)
- Current density distribution  
Polymer electrolyte fuel cells; Low humidity (Yoshioka, S. (144) 146)
- Current distribution  
Valve regulated lead-acid battery (VRLA); Thin tubular plates; Fast charging; Cycle life; Ageing (Svoboda, V. (144) 244)
- Cycle life  
Valve regulated lead-acid battery (VRLA); Thin tubular plates; Fast charging; Current distribution; Ageing (Svoboda, V. (144) 244)
- Cycle life  
Valve-regulated lead-acid batteries; Hybrid vehicles; Failure mode analysis (Soria, M.L. (144) 473)
- Cyclic application  
State-of-charge; Lead-acid battery; Monitor; Valve-regulated; Golf trolley (Stevenson, P. (144) 513)
- Cycling tests  
Gel Polymer Electrolyte; Lithium batteries; High capacity prototype (Sannier, L. (144) 231)
- Cycling  
Float voltage; Overpotential; Sulfation; Grid corrosion; VRLA (Muneret, X. (144) 322)
- Differential scanning calorimetry  
Proton conductor; Poly(vinyl alcohol); Conductivity analysis; Transport number; Optical absorption (Hirankumar, G. (144) 262)
- Diffusion  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Distributed energy resources  
Lead-acid battery; Storage technologies; Stationary applications; Power quality; Renewable (Perrin, M. (144) 402)
- DMFC  
Micro fuel cell; High power (Lu, G.Q. (144) 141)
- DMFC  
Fuel cell; Methanol oxidation; Tungsten trioxide dissolution; Pt-WO<sub>3</sub>/C; Electrocatalyst (Raghuveer, V. (144) 1)
- Doped manganese spinel  
Li-ion cells; Cathode material; Electronic properties (Molenda, J. (144) 176)
- Dual-tab  
Dual-tab; Honda *Insight*; Hybrid electric vehicle; Lead-acid battery; Valve-regulated (Cooper, A. (144) 385)
- Durability  
PEM fuel cells; PtCo alloy; Cathode catalyst; Metal dissolution (Yu, P. (144) 11)
- Ebonex<sup>®</sup> ceramic  
Lead-acid batteries; Bipolar (Loyns, A.C. (144) 329)
- EISmeter  
Impedance spectroscopy; Lead-acid battery; State-of-function; Cranking capability; State-of-charge (Blanke, H. (144) 418)
- EISmeter  
Impedance spectroscopy; Impedance spectra; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Electric vehicle  
Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; Renewable energy; Wind power (Kempton, W. (144) 280)

- Electric vehicle  
Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; V2G (Kempton, W. (144) 268)
- Electrical resistance  
Computer-aided optimization; Grid design; High-power lead-acid battery (Yamada, K. (144) 352)
- Electrocatalyst  
Fuel cell; Methanol oxidation; Tungsten trioxide dissolution; Pt-WO<sub>3</sub>/C; DMFC (Raghuvver, V. (144) 1)
- Electro-catalyst  
Nickel-zeolite; Silicalite-1; Methanol oxidation (Khalil, M.W. (144) 35)
- Electrocatalytic oxidation  
Methanol; Nickel; Nickel dimethylglyoxime; Modified electrode (Golikand, A.N. (144) 21)
- Electrochemical capacitor  
Activated carbon electrode; Polymer/carbon composite; Poly(*o*-toluidine); Polyaniline (Sivakumar, C. (144) 295)
- Electrochemical model  
Battery life prediction; Modelling; Simulation; End-of-life criteria; Equivalent circuit model (Wenzl, H. (144) 373)
- Electrochemical performance  
La-Mg-Ni system electrode alloy; Rapid quenching technique; Microstructure (Zhang, Y.-H. (144) 255)
- Electroforming  
Lead-acid battery; Microstructural effects; Corrosion; Grid growth; Positive active-mass (Warlimont, H. (144) 486)
- Electrolyser  
Solar energy; Hydrogen; PEMFC; Metal hydrides (Chaparro, A.M. (144) 165)
- Electrolyte transport  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Electrolyte  
Lithium ion batteries; Thermal stability; Trimethyl phosphate; Trimethyl phosphite (Yao, X.L. (144) 170)
- Electronic properties  
Li-ion cells; Doped manganese spinel; Cathode material (Molenda, J. (144) 176)
- Electronic systems  
Automotive battery; Vehicle power-supply; Load; powerNet; Management system (Kellaway, M.J. (144) 467)
- End-of-life criteria  
Battery life prediction; Modelling; Simulation; Electrochemical model; Equivalent circuit model (Wenzl, H. (144) 373)
- Energy  
Fuel cell; Hydrogen economy; Lead-acid battery; Mobile and stationary power; Road transportation (Rand, D.A.J. (144) 568)
- Equivalent circuit model  
Battery life prediction; Modelling; Simulation; End-of-life criteria; Electrochemical model (Wenzl, H. (144) 373)
- Failure mode analysis  
Valve-regulated lead-acid batteries; Hybrid vehicles; Cycle life (Soria, M.L. (144) 473)
- Failure mode  
42-V PowerNet; High-rate partial-state-of-charge duty; Pulse-generation device; Hydrogen evolution; Lead-acid battery; Sulfation; Skin effect (Lam, L.T. (144) 552)
- Fast charging  
Valve regulated lead-acid battery (VRLA); Thin tubular plates; Cycle life; Current distribution; Ageing (Svoboda, V. (144) 244)
- Float voltage  
Overpotential; Sulfation; Cycling; Grid corrosion; VRLA (Muneret, X. (144) 322)
- Flow distribution  
Planar fuel cells; Parallel channels; Laminar flow; Computational fluid dynamics (Maharudraya, S. (144) 94)
- Flow field  
PEM fuel cells; Bipolar plate; Fluid mechanics; Visualization; Modeling (Barreras, F. (144) 54)
- Flow-field plate  
PEMFC cathode; Gas diffusion layer; Reaction distribution; PEMFC modeling (Sun, W. (144) 42)
- Fluid mechanics  
PEM fuel cells; Bipolar plate; Flow field; Visualization; Modeling (Barreras, F. (144) 54)
- Frequency domain  
Impedance spectroscopy; Impedance spectra; EISmeter; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Fuel cell  
Electric vehicle; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; Renewable energy; Wind power (Kempton, W. (144) 280)
- Fuel cell  
Electric vehicle; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; V2G (Kempton, W. (144) 268)
- Fuel cell  
Energy; Hydrogen economy; Lead-acid battery; Mobile and stationary power; Road transportation (Rand, D.A.J. (144) 568)
- Fuel cell  
Methanol oxidation; Tungsten trioxide dissolution; Pt-WO<sub>3</sub>/C; Electrocatalyst; DMFC (Raghuvver, V. (144) 1)
- Fuel cell  
Transient; SOFC; Reverse; Loading (Gemmen, R.S. (144) 152)
- Fuel cell  
Polymer; Breathing; Adhesive; Copper (Jaouen, F. (144) 113)
- Fuel flexibility  
SOFC; Carbon deposition; Syngas; Thermal management (Yi, Y. (144) 67)
- Gas diffusion layer  
PEMFC cathode; Flow-field plate; Reaction distribution; PEMFC modeling (Sun, W. (144) 42)
- Gas diffusion media  
PEM fuel cell; In-plane permeability; Through-plane permeability; Serpentine channels; Computational fluid dynamics (Pharoah, J.G. (144) 77)
- Gel Polymer Electrolyte  
Lithium batteries; Cycling tests; High capacity prototype (Sannier, L. (144) 231)
- Gel  
Lead-acid battery; Valve-regulated; Stationary power; Absorptive glass mat; Polymeric separator (Toniazzo, V. (144) 365)
- Gelled electrolyte  
VRLA batteries; Absorbent-glass-mat (AGM); Colloidal silica; Hybrid; Oxygen recombination (Martha, S.K. (144) 560)
- Glass  
Lead-acid batteries; Active material; Impurities; Additives; Separators (Prengaman, R.D. (144) 426)
- Golf trolley  
State-of-charge; Lead-acid battery; Cyclic application; Monitor; Valve-regulated (Stevenson, P. (144) 513)
- Graphite  
Tin oxide; Lithium-ion battery; Microwave (Wang, Y. (144) 220)
- Grid corrosion  
Float voltage; Overpotential; Sulfation; Cycling; VRLA (Muneret, X. (144) 322)
- Grid design  
Computer-aided optimization; High-power lead-acid battery; Electrical resistance (Yamada, K. (144) 352)

- Grid growth  
Lead-acid battery; Microstructural effects; Corrosion; Electroforming; Positive active-mass (Warlimont, H. (144) 486)
- Heat loss  
PEM fuel cell; Stack temperature; Self-heating (Koh, J.-H. (144) 122)
- High capacity prototype  
Gel Polymer Electrolyte; Lithium batteries; Cycling tests (Sannier, L. (144) 231)
- High power  
DMFC; Micro fuel cell (Lu, G.Q. (144) 141)
- High power  
Stationary batteries; Automotive batteries; Copper-stretch metal; Absorptive glass mat; Spiral wound (Wagner, R. (144) 494)
- High temperature  
PEM fuel cell; Stack; Performance (Bonville, L.J. (144) 107)
- High-power lead-acid battery  
Computer-aided optimization; Grid design; Electrical resistance (Yamada, K. (144) 352)
- High-rate partial-state-of-charge duty  
42-V PowerNet; Failure mode; Pulse-generation device; Hydrogen evolution; Lead-acid battery; Sulfation; Skin effect (Lam, L.T. (144) 552)
- Honda *Insight*  
Dual-tab; Hybrid electric vehicle; Lead-acid battery; Valve-regulated (Cooper, A. (144) 385)
- Hybrid electric vehicle  
Bipolar; Lead-acid battery; Power assist life-cycle; Absorptive glass mat; Internal resistance (Saakes, M. (144) 536)
- Hybrid electric vehicle  
Dual-tab; Honda *Insight*; Lead-acid battery; Valve-regulated (Cooper, A. (144) 385)
- Hybrid system  
PEMFC; Lead-acid battery; Modeling (Jossen, A. (144) 395)
- Hybrid vehicles  
Valve-regulated lead-acid batteries; Cycle life; Failure mode analysis (Soria, M.L. (144) 473)
- Hybrid  
VRLA batteries; Absorbent-glass-mat (AGM); Gelled electrolyte; Colloidal silica; Oxygen recombination (Martha, S.K. (144) 560)
- Hydrogen economy  
Energy; Fuel cell; Lead-acid battery; Mobile and stationary power; Road transportation (Rand, D.A.J. (144) 568)
- Hydrogen evolution reaction  
Bismuth; Lead; Lead-acid battery; Chemical deposition; Alloy (Wu, Y.M. (144) 338)
- Hydrogen evolution  
42-V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Pulse-generation device; Lead-acid battery; Sulfation; Skin effect (Lam, L.T. (144) 552)
- Hydrogen generation  
Co-B catalyst;  $\text{NaBH}_4$ ; Polymer electrolyte membrane fuel cell (Jeong, S.U. (144) 129)
- Hydrogen  
Solar energy; PEMFC; Electrolyser; Metal hydrides (Chaparro, A.M. (144) 165)
- Hydrophobic ionic liquid  
1-Butyl-3-methyl-imidazolium hexafluorophosphate ( $\text{BMI}^+\text{PF}_6^-$ ); 1-Butyl-3-methyl-imidazolium bis((trifluoromethyl)sulfonyl)amide ( $\text{BMI}^+\text{Tf}_2\text{N}^-$ ); Room temperature molten salt; Lithium/seawater battery (Zhang, Y. (144) 191)
- Impedance spectra  
EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Impedance spectroscopy  
Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Impedance spectroscopy  
Lead-acid battery; State-of-function; Cranking capability; State-of-charge; EISmeter (Blanke, H. (144) 418)
- Impurities  
Lead-acid batteries; Active material; Additives; Glass; Separators (Prengaman, R.D. (144) 426)
- In-plane permeability  
PEM fuel cell; Gas diffusion media; Through-plane permeability; Serpentine channels; Computational fluid dynamics (Pharoah, J.G. (144) 77)
- Intercalation compounds  
Lithium batteries; Iron phosphate (Dollé, M. (144) 208)
- Internal resistance  
Bipolar; Lead-acid battery; Power assist life-cycle; Hybrid electric vehicle; Absorptive glass mat (Saakes, M. (144) 536)
- Ion exchange  
Lithium battery; Positive electrode material; Lithium nickel titanium oxide; Layer structure (Tsuda, M. (144) 183)
- Iron phosphate  
Lithium batteries; Intercalation compounds (Dollé, M. (144) 208)
- Irreversible capacity  
Li-Sn alloy anode; Sn-SnO<sub>2</sub> mixtures; Capacity fade (Sivashanmugam, A. (144) 197)
- KOH activation  
Activated carbon; Steam activation; Pore structure; Supercapacitor (Wu, F.-C. (144) 302)
- Laminar flow  
Planar fuel cells; Parallel channels; Flow distribution; Computational fluid dynamics (Maharudrayya, S. (144) 94)
- La-Mg-Ni system electrode alloy  
Rapid quenching technique; Microstructure; Electrochemical performance (Zhang, Y.-H. (144) 255)
- Layer structure  
Lithium battery; Positive electrode material; Lithium nickel titanium oxide; Ion exchange (Tsuda, M. (144) 183)
- Lead alloy  
Lead dioxide; Lead-acid battery (Shiota, M. (144) 358)
- Lead dioxide  
Lead alloy; Lead-acid battery (Shiota, M. (144) 358)
- Lead  
Hydrogen evolution reaction; Bismuth; Lead-acid battery; Chemical deposition; Alloy (Wu, Y.M. (144) 338)
- Lead-acid batteries  
Active material; Impurities; Additives; Glass; Separators (Prengaman, R.D. (144) 426)
- Lead-acid batteries  
Bipolar; Ebonex<sup>®</sup> ceramic (Loyns, A.C. (144) 329)
- Lead-acid batteries  
Micro-porous additives; Compressed electrodes (Toussaint, G. (144) 546)
- Lead-acid battery  
Automotive battery; AGM battery; Battery monitoring system (Karden, E. (144) 505)
- Lead-acid battery  
Hybrid system; PEMFC; Modeling (Jossen, A. (144) 395)
- Lead-acid battery  
Lead alloy; Lead dioxide (Shiota, M. (144) 358)
- Lead-acid battery  
Microstructural effects; Corrosion; Grid growth; Electroforming; Positive active-mass (Warlimont, H. (144) 486)

- Lead-acid battery  
Valve-regulated; Stationary power; Absorptive glass mat; Gel; Polymeric separator (Toniazzi, V. (144) 365)
- Lead-acid  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; VRLA (Thele, M. (144) 461)
- Lead-acid  
Battery; Valve-regulated; Battery monitoring; State-of-charge; State-of-health (May, G.J. (144) 411)
- Lead-acid battery  
42-V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Pulse-generation device; Hydrogen evolution; Sulfation; Skin effect (Lam, L.T. (144) 552)
- Lead-acid battery  
Bipolar; Power assist life-cycle; Hybrid electric vehicle; Absorptive glass mat; Internal resistance (Saakes, M. (144) 536)
- Lead-acid battery  
Dual-tab; Honda *Insight*; Hybrid electric vehicle; Valve-regulated (Cooper, A. (144) 385)
- Lead-acid battery  
Energy; Fuel cell; Hydrogen economy; Mobile and stationary power; Road transportation (Rand, D.A.J. (144) 568)
- Lead-acid battery  
Hydrogen evolution reaction; Bismuth; Lead; Chemical deposition; Alloy (Wu, Y.M. (144) 338)
- Lead-acid battery  
Impedance spectroscopy; State-of-function; Cranking capability; State-of-charge; EISmeter (Blanke, H. (144) 418)
- Lead-acid battery  
Distributed energy resources; Storage technologies; Stationary applications; Power quality; Renewable (Perrin, M. (144) 402)
- Lead-acid battery  
Lead-acid battery; Photovoltaic systems; Charge; Battery management; Pulsed current; "Hard" sulphation (Benchetrite, D. (144) 346)
- Lead-acid battery  
State-of-charge; Cyclic application; Monitor; Valve-regulated; Golf trolley (Stevenson, P. (144) 513)
- "Hard" sulphation  
Lead-acid battery; Photovoltaic systems; Charge; Battery management; Pulsed current (Benchetrite, D. (144) 346)
- Li-ion batteries  
Cathode; Oxygen partial pressure; Conductivity; Capacity (Wolfenstine, J. (144) 226)
- Li-ion cells  
Doped manganese spinel; Cathode material; Electronic properties (Molenda, J. (144) 176)
- $\text{LiNi}_{0.8}\text{Co}_{0.2-x}\text{GaxO}_2$   
Cathode; Sol-gel method; Phase transition (Han, C.J. (144) 214)
- Li-Sn alloy anode  
Sn-SnO<sub>2</sub> mixtures; Capacity fade; Irreversible capacity (Sivashanmugam, A. (144) 197)
- Lithium batteries  
Gel Polymer Electrolyte; Cycling tests; High capacity prototype (Sannier, L. (144) 231)
- Lithium batteries  
Iron phosphate; Intercalation compounds (Dollé, M. (144) 208)
- Lithium battery  
Positive electrode material; Lithium nickel titanium oxide; Layer structure; Ion exchange (Tsuda, M. (144) 183)
- Lithium ion batteries  
Thermal stability; Electrolyte; Trimethyl phosphate; Trimethyl phosphite (Yao, X.L. (144) 170)
- Lithium nickel titanium oxide  
Lithium battery; Positive electrode material; Layer structure; Ion exchange (Tsuda, M. (144) 183)
- Lithium/seawater battery  
1-Butyl-3-methyl-imidazolium hexafluorophosphate ( $\text{BMI}^+\text{PF}_6^-$ ); 1-Butyl-3-methyl-imidazolium bis((trifluoromethyl)sulfonyl)amide ( $\text{BMI}^+\text{Tf}_2\text{N}^-$ ); Hydrophobic ionic liquid; Room temperature molten salt (Zhang, Y. (144) 191)
- Lithium-ion battery  
Zn<sub>3</sub>P<sub>2</sub>; Anode; Specific capacity (Satya Kishore, M.V.V.M. (144) 204)
- Lithium-ion battery  
Tin oxide; Graphite; Microwave (Wang, Y. (144) 220)
- Load  
Automotive battery; Electronic systems; Vehicle power-supply; powerNet; Management system (Kellaway, M.J. (144) 467)
- Loading  
Fuel cell; Transient; SOFC; Reverse (Gemmen, R.S. (144) 152)
- Low humidity  
Polymer electrolyte fuel cells; Current density distribution (Yoshioka, S. (144) 146)
- Management system  
Automotive battery; Electronic systems; Vehicle power-supply; Load; powerNet (Kellaway, M.J. (144) 467)
- Mechanical property  
PVdF-HFP copolymer; Polymer electrolytes; Thermal shutdown; Cross-linking (Cheng, C.L. (144) 238)
- Metal dissolution  
PEM fuel cells; PtCo alloy; Cathode catalyst; Durability (Yu, P. (144) 11)
- Metal hydrides  
Solar energy; Hydrogen; PEMFC; Electrolyser (Chaparro, A.M. (144) 165)
- Methanol oxidation  
Fuel cell; Tungsten trioxide dissolution; Pt-WO<sub>3</sub>/C; Electrocatalyst; DMFC (Raghuvver, V. (144) 1)
- Methanol oxidation  
Nickel-zeolite; Silicalite-1; Electro-catalyst (Khalil, M.W. (144) 35)
- Methanol  
Electrocatalytic oxidation; Nickel; Nickel dimethylglyoxime; Modified electrode (Golikand, A.N. (144) 21)
- Micro fuel cell  
DMFC; High power (Lu, G.Q. (144) 141)
- Micro-porous additives  
Lead-acid batteries; Compressed electrodes (Toussaint, G. (144) 546)
- Microstructural effects  
Lead-acid battery; Corrosion; Grid growth; Electroforming; Positive active-mass (Warlimont, H. (144) 486)
- Microstructure  
La-Mg-Ni system electrode alloy; Rapid quenching technique; Electrochemical performance (Zhang, Y.-H. (144) 255)
- Microwave  
Tin oxide; Graphite; Lithium-ion battery (Wang, Y. (144) 220)
- Mobile and stationary power  
Energy; Fuel cell; Hydrogen economy; Lead-acid battery; Road transportation (Rand, D.A.J. (144) 568)
- Modeling  
Hybrid system; PEMFC; Lead-acid battery (Jossen, A. (144) 395)
- Modeling  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Modeling  
PEM fuel cells; Bipolar plate; Fluid mechanics; Flow field; Visualization (Barreras, F. (144) 54)
- Modelling  
Battery life prediction; Simulation; End-of-life criteria; Electro-chemical model; Equivalent circuit model (Wenzl, H. (144) 373)
- Modified electrode  
Electrocatalytic oxidation; Methanol; Nickel; Nickel dimethylglyoxime (Golikand, A.N. (144) 21)

- Monitor  
State-of-charge; Lead–acid battery; Cyclic application; Valve regulated; Golf trolley (Stevenson, P. (144) 513)
- Monitoring  
Automotive battery; Vehicle electric power system; State-of-charge; State of health; Capacity loss (Meissner, E. (144) 438)
- $\text{NaBH}_4$   
Hydrogen generation; Co-B catalyst; Polymer electrolyte membrane fuel cell (Jeong, S.U. (144) 129)
- Nickel dimethylglyoxime  
Electrocatalytic oxidation; Methanol; Nickel; Modified electrode (Golikand, A.N. (144) 21)
- Nickel  
Electrocatalytic oxidation; Methanol; Nickel dimethylglyoxime; Modified electrode (Golikand, A.N. (144) 21)
- Nickel–zeolite  
Silicalite-1; Electro-catalyst; Methanol oxidation (Khalil, M.W. (144) 35)
- Optical absorption  
Proton conductor; Poly(vinyl alcohol); Differential scanning calorimetry; Conductivity analysis; Transport number (Hirankumar, G. (144) 262)
- Overpotential  
Float voltage; Sulfation; Cycling; Grid corrosion; VRLA (Muneret, X. (144) 322)
- Oxygen partial pressure  
Cathode; Li-ion batteries; Conductivity; Capacity (Wolfenstine, J. (144) 226)
- Oxygen recombination  
VRLA batteries; Absorbent-glass-mat (AGM); Gelled electrolyte; Colloidal silica; Hybrid (Martha, S.K. (144) 560)
- Parallel channels  
Planar fuel cells; Laminar flow; Flow distribution; Computational fluid dynamics (Maharudrayya, S. (144) 94)
- Parameter estimation  
PEM fuel cell; Adaptive mesh refinement (Carnes, B. (144) 83)
- PEM fuel cell  
Parameter estimation; Adaptive mesh refinement (Carnes, B. (144) 83)
- PEM fuel cell  
Gas diffusion media; In-plane permeability; Through-plane permeability; Serpentine channels; Computational fluid dynamics (Pharoah, J.G. (144) 77)
- PEM fuel cell  
Stack temperature; Self-heating; Heat loss (Koh, J.-H. (144) 122)
- PEM fuel cell  
Stack; Performance; High temperature (Bonville, L.J. (144) 107)
- PEM fuel cells  
Bipolar plate; Fluid mechanics; Flow field; Visualization; Modeling (Barreras, F. (144) 54)
- PEM fuel cells  
PtCo alloy; Cathode catalyst; Metal dissolution; Durability (Yu, P. (144) 11)
- PEMFC cathode  
Flow-field plate; Gas diffusion layer; Reaction distribution; PEMFC modeling (Sun, W. (144) 42)
- PEMFC modeling  
PEMFC cathode; Flow-field plate; Gas diffusion layer; Reaction distribution (Sun, W. (144) 42)
- PEMFC  
Hybrid system; Lead-acid battery; Modeling (Jossen, A. (144) 395)
- PEMFC  
Solar energy; Hydrogen; Electrolyser; Metal hydrides (Chaparro, A.M. (144) 165)
- Performance  
PEM fuel cell; Stack; High temperature (Bonville, L.J. (144) 107)
- Phase transition  
Cathode; Sol–gel method;  $\text{LiNi}_{0.8}\text{Co}_{0.2-x}\text{GaxO}_2$  (Han, C.J. (144) 214)
- Photovoltaic systems  
Lead–acid battery; Charge; Battery management; Pulsed current; “Hard” sulphation (Benchetrite, D. (144) 346)
- Planar fuel cells  
Parallel channels; Laminar flow; Flow distribution; Computational fluid dynamics (Maharudrayya, S. (144) 94)
- Plug-in hybrid  
Electric vehicle; Fuel cell; Vehicle-to-grid power; Ancillary services; Renewable energy; Wind power (Kempton, W. (144) 280)
- Plug-in hybrid  
Electric vehicle; Fuel cell; Vehicle-to-grid power; Ancillary services; V2G (Kempton, W. (144) 268)
- Poly(*o*-toluidine)  
Electrochemical capacitor; Activated carbon electrode; Polymer/carbon composite; Polyaniline (Sivakumar, C. (144) 295)
- Poly(vinyl alcohol)  
Proton conductor; Differential scanning calorimetry; Conductivity analysis; Transport number; Optical absorption (Hirankumar, G. (144) 262)
- Polyaniline  
Electrochemical capacitor; Activated carbon electrode; Polymer/carbon composite; Poly(*o*-toluidine) (Sivakumar, C. (144) 295)
- Polymer electrolyte fuel cells  
Low humidity; Current density distribution (Yoshioka, S. (144) 146)
- Polymer electrolyte membrane fuel cell  
Hydrogen generation; Co-B catalyst;  $\text{NaBH}_4$  (Jeong, S.U. (144) 129)
- Polymer electrolytes  
PVdF-HFP copolymer; Thermal shutdown; Cross-linking; Mechanical property (Cheng, C.L. (144) 238)
- Polymer/carbon composite  
Electrochemical capacitor; Activated carbon electrode; Poly(*o*-toluidine); Polyaniline (Sivakumar, C. (144) 295)
- Polymer  
Fuel cell; Breathing; Adhesive; Copper (Jaouen, F. (144) 113)
- Polymeric separator  
Lead-acid battery; Valve-regulated; Stationary power; Absorptive glass mat; Gel (Toniazzo, V. (144) 365)
- Pore structure  
Activated carbon; Steam activation; KOH activation; Supercapacitor (Wu, F.-C. (144) 302)
- Positive active-mass  
Lead-acid battery; Microstructural effects; Corrosion; Grid growth; Electroforming (Warlimont, H. (144) 486)
- Positive electrode material  
Lithium battery; Lithium nickel titanium oxide; Layer structure; Ion exchange (Tsuda, M. (144) 183)
- Power assist life-cycle  
Bipolar; Lead–acid battery; Hybrid electric vehicle; Absorptive glass mat; Internal resistance (Saakes, M. (144) 536)
- Power quality  
Lead–acid battery; Distributed energy resources; Storage technologies; Stationary applications; Renewable (Perrin, M. (144) 402)
- powerNet  
Automotive battery; Electronic systems; Vehicle power-supply; Load; Management system (Kellaway, M.J. (144) 467)
- Proton conductor  
Poly(vinyl alcohol); Differential scanning calorimetry; Conductivity analysis; Transport number; Optical absorption (Hirankumar, G. (144) 262)
- PtCo alloy  
PEM fuel cells; Cathode catalyst; Metal dissolution; Durability (Yu, P. (144) 11)
- Pt– $\text{WO}_3/\text{C}$   
Fuel cell; Methanol oxidation; Tungsten trioxide dissolution; Electrocatalyst; DMFC (Raghuvver, V. (144) 1)

- Pulsed current  
Lead–acid battery; Photovoltaic systems; Charge; Battery management; “Hard” sulphation (Benchetrite, D. (144) 346)
- Pulse-generation device  
42-V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Hydrogen evolution; Lead–acid battery; Sulfation; Skin effect (Lam, L.T. (144) 552)
- PVdF-HFP copolymer  
Polymer electrolytes; Thermal shut-down; Cross-linking; Mechanical property (Cheng, C.L. (144) 238)
- Rapid quenching technique  
La–Mg–Ni system electrode alloy; Microstructure; Electrochemical performance (Zhang, Y.-H. (144) 255)
- Reaction distribution  
PEMFC cathode; Flow-field plate; Gas diffusion layer; PEMFC modeling (Sun, W. (144) 42)
- Recharge efficiency  
Capacity; Separator saturation; Valve-regulated lead-acid battery; Tortuosity; Anisotropy (Culpin, B. (144) 313)
- Renewable energy  
Electric vehicle; Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; Wind power (Kempton, W. (144) 280)
- Renewable  
Lead–acid battery; Distributed energy resources; Storage technologies; Stationary applications; Power quality (Perrin, M. (144) 402)
- Reverse  
Fuel cell; Transient; SOFC; Loading (Gemmen, R.S. (144) 152)
- Road transportation  
Energy; Fuel cell; Hydrogen economy; Lead–acid battery; Mobile and stationary power (Rand, D.A.J. (144) 568)
- Room temperature molten salt  
1-Butyl-3-methyl-imidazolium hexafluorophosphate ( $\text{BMI}^+\text{PF}_6^-$ ); 1-Butyl-3-methyl-imidazolium bis((trifluoromethyl)sulfonyl)amide ( $\text{BMI}^+\text{TF}_2\text{N}^-$ ); Hydrophobic ionic liquid; Lithium/seawater battery (Zhang, Y. (144) 191)
- Self-heating  
PEM fuel cell; Stack temperature; Heat loss (Koh, J.-H. (144) 122)
- SEM  
Cu-based anode; SOFC; Carbonaceous deposits; TPO (He, H. (144) 135)
- Separator saturation  
Capacity; Recharge efficiency; Valve-regulated lead-acid battery; Tortuosity; Anisotropy (Culpin, B. (144) 313)
- Separators  
Lead-acid batteries; Active material; Impurities; Additives; Glass (Prengaman, R.D. (144) 426)
- Serpentine channels  
PEM fuel cell; Gas diffusion media; In-plane permeability; Through-plane permeability; Computational fluid dynamics (Pharoah, J.G. (144) 77)
- Silicalite-1  
Nickel–zeolite; Electro-catalyst; Methanol oxidation (Khalil, M.W. (144) 35)
- Simulation  
Battery life prediction; Modelling; End-of-life criteria; Electrochemical model; Equivalent circuit model (Wenzl, H. (144) 373)
- Simulation  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Skin effect  
42-V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Pulse-generation device; Hydrogen evolution; Lead–acid battery; Sulfation (Lam, L.T. (144) 552)
- Sn–SnO<sub>2</sub> mixtures  
Li–Sn alloy anode; Capacity fade; Irreversible capacity (Sivashanmugam, A. (144) 197)
- SOFC  
Cu-based anode; Carbonaceous deposits; SEM; TPO (He, H. (144) 135)
- SOFC  
Fuel cell; Transient; Reverse; Loading (Gemmen, R.S. (144) 152)
- SOFC  
Fuel flexibility; Carbon deposition; Syngas; Thermal management (Yi, Y. (144) 67)
- Solar energy  
Hydrogen; PEMFC; Electrolyser; Metal hydrides (Chaparro, A.M. (144) 165)
- Sol–gel method  
Cathode;  $\text{LiNi}_{0.8}\text{Co}_{0.2-x}\text{Ga}_x\text{O}_2$ ; Phase transition (Han, C.J. (144) 214)
- Specific capacity  
Lithium-ion battery; Zn<sub>3</sub>P<sub>2</sub>; Anode (Satya Kishore, M.V.V.M. (144) 204)
- Spiral wound  
Stationary batteries; Automotive batteries; High power; Copper-stretch metal; Absorptive glass mat (Wagner, R. (144) 494)
- Stack temperature  
PEM fuel cell; Self-heating; Heat loss (Koh, J.-H. (144) 122)
- Stack  
PEM fuel cell; Performance; High temperature (Bonville, L.J. (144) 107)
- State of health  
Automotive battery; Vehicle electric power system; State-of-charge; Monitoring; Capacity loss (Meissner, E. (144) 438)
- State-of-charge  
Automotive battery; Vehicle electric power system; State of health; Monitoring; Capacity loss (Meissner, E. (144) 438)
- State-of-charge  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; Lead-acid; VRLA (Thele, M. (144) 461)
- State-of-charge  
Impedance spectroscopy; Lead–acid battery; State-of-function; Cranking capability; EISmeter (Blanke, H. (144) 418)
- State-of-charge  
Lead-acid; Battery; Valve-regulated; Battery monitoring; State-of-health (May, G.J. (144) 411)
- State-of-charge  
Lead–acid battery; Cyclic application; Monitor; Valve-regulated; Golf trolley (Stevenson, P. (144) 513)
- State-of-charge  
Valve-regulated lead-acid battery; Thin liquid film (Pavlov, D. (144) 521)
- State-of-function  
Impedance spectroscopy; Lead–acid battery; Cranking capability; State-of-charge; EISmeter (Blanke, H. (144) 418)
- State-of-health  
Lead-acid; Battery; Valve-regulated; Battery monitoring; State-of-charge (May, G.J. (144) 411)
- Stationary applications  
Lead–acid battery; Distributed energy resources; Storage technologies; Power quality; Renewable (Perrin, M. (144) 402)
- Stationary batteries  
Automotive batteries; High power; Copper-stretch metal; Absorptive glass mat; Spiral wound (Wagner, R. (144) 494)
- Stationary power  
Lead-acid battery; Valve-regulated; Absorptive glass mat; Gel; Polymeric separator (Toniazco, V. (144) 365)
- Steam activation  
Activated carbon; KOH activation; Pore structure; Supercapacitor (Wu, F.-C. (144) 302)

- Storage technologies  
Lead–acid battery; Distributed energy resources; Stationary applications; Power quality; Renewable (Perrin, M. (144) 402)
- Sulfation  
42-V PowerNet; Failure mode; High-rate partial-state-of-charge duty; Pulse-generation device; Hydrogen evolution; Lead–acid battery; Skin effect (Lam, L.T. (144) 552)
- Sulfation  
Float voltage; Overpotential; Cycling; Grid corrosion; VRLA (Muneret, X. (144) 322)
- Supercapacitor  
Activated carbon; Steam activation; KOH activation; Pore structure (Wu, F.-C. (144) 302)
- Syngas  
SOFC; Fuel flexibility; Carbon deposition; Thermal management (Yi, Y. (144) 67)
- Thermal management  
SOFC; Fuel flexibility; Carbon deposition; Syngas (Yi, Y. (144) 67)
- Thermal shutdown  
PVdF-HFP copolymer; Polymer electrolytes; Cross-linking; Mechanical property (Cheng, C.L. (144) 238)
- Thermal stability  
Lithium ion batteries; Electrolyte; Trimethyl phosphate; Trimethyl phosphite (Yao, X.L. (144) 170)
- Thin liquid film  
State-of-charge; Valve-regulated lead-acid battery (Pavlov, D. (144) 521)
- Thin tubular plates  
Valve regulated lead-acid battery (VRLA); Fast charging; Cycle life; Current distribution; Ageing (Svoboda, V. (144) 244)
- Through-plane permeability  
PEM fuel cell; Gas diffusion media; In-plane permeability; Serpentine channels; Computational fluid dynamics (Pharoah, J.G. (144) 77)
- Time domain  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid; VRLA (Thele, M. (144) 461)
- Tin oxide  
Graphite; Lithium-ion battery; Microwave (Wang, Y. (144) 220)
- Tortuosity  
Capacity; Recharge efficiency; Separator saturation; Valve-regulated lead-acid battery; Anisotropy (Culpin, B. (144) 313)
- TPO  
Cu-based anode; SOFC; Carbonaceous deposits; SEM (He, H. (144) 135)
- Transient  
Fuel cell; SOFC; Reverse; Loading (Gemmen, R.S. (144) 152)
- Transport number  
Proton conductor; Poly(vinyl alcohol); Differential scanning calorimetry; Conductivity analysis; Optical absorption (Hirankumar, G. (144) 262)
- Trimethyl phosphate  
Lithium ion batteries; Thermal stability; Electrolyte; Trimethyl phosphite (Yao, X.L. (144) 170)
- Trimethyl phosphite  
Lithium ion batteries; Thermal stability; Electrolyte; Trimethyl phosphate (Yao, X.L. (144) 170)
- Tungsten trioxide dissolution  
Fuel cell; Methanol oxidation; Pt–WO<sub>3</sub>/C; Electrocatalyst; DMFC (Raghuvver, V. (144) 1)
- 42-V PowerNet  
Failure mode; High-rate partial-state-of-charge duty; Pulse-generation device; Hydrogen evolution; Lead–acid battery; Sulfation; Skin effect (Lam, L.T. (144) 552)
- V2G  
Electric vehicle; Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Ancillary services (Kempton, W. (144) 268)
- Valve regulated lead-acid battery (VRLA)  
Thin tubular plates; Fast charging; Cycle life; Current distribution; Ageing (Svoboda, V. (144) 244)
- Valve-regulated lead-acid batteries  
Hybrid vehicles; Cycle life; Failure mode analysis (Soria, M.L. (144) 473)
- Valve-regulated lead-acid battery  
Capacity; Recharge efficiency; Separator saturation; Tortuosity; Anisotropy (Culpin, B. (144) 313)
- Valve-regulated lead-acid battery  
State-of-charge; Thin liquid film (Pavlov, D. (144) 521)
- Valve-regulated  
Dual-tab; Honda *Insight*; Hybrid electric vehicle; Lead–acid battery (Cooper, A. (144) 385)
- Valve-regulated  
Lead-acid battery; Stationary power; Absorptive glass mat; Gel; Polymeric separator (Toniazzo, V. (144) 365)
- Valve-regulated  
Lead-acid; Battery; Battery monitoring; State-of-charge; State-of-health (May, G.J. (144) 411)
- Valve-regulated  
State-of-charge; Lead–acid battery; Cyclic application; Monitor; Golf trolley (Stevenson, P. (144) 513)
- Vehicle electric power system  
Automotive battery; State-of-charge; State of health; Monitoring; Capacity loss (Meissner, E. (144) 438)
- Vehicle power-supply  
Automotive battery; Electronic systems; Load; powerNet; Management system (Kellaway, M.J. (144) 467)
- Vehicle-to-grid power  
Electric vehicle; Fuel cell; Plug-in hybrid; Ancillary services; Renewable energy; Wind power (Kempton, W. (144) 280)
- Vehicle-to-grid power  
Electric vehicle; Fuel cell; Plug-in hybrid; Ancillary services; V2G (Kempton, W. (144) 268)
- Visualization  
PEM fuel cells; Bipolar plate; Fluid mechanics; Flow field; Modeling (Barreras, F. (144) 54)
- VRLA batteries  
Absorbent-glass-mat (AGM); Gelled electrolyte; Colloidal silica; Hybrid; Oxygen recombination (Martha, S.K. (144) 560)
- VRLA  
Float voltage; Overpotential; Sulfation; Cycling; Grid corrosion (Muneret, X. (144) 322)
- VRLA  
Impedance spectroscopy; Impedance spectra; EISmeter; Frequency domain; Time domain; Modeling; Simulation; Diffusion; Electrolyte transport; State-of-charge; Lead-acid (Thele, M. (144) 461)
- Wind power  
Electric vehicle; Fuel cell; Plug-in hybrid; Vehicle-to-grid power; Ancillary services; Renewable energy (Kempton, W. (144) 280)
- Zn<sub>3</sub>P<sub>2</sub>  
Lithium-ion battery; Anode; Specific capacity (Satya Kishore, M.V.V.M. (144) 204)