

Subject Index of Volume 147

- 2-Acrylamido-2-methylpropanesulfonic acid**
 Interpenetrating; Polyelectrolyte; Gel; Methyl methacrylate;
 Rechargeable lithium polymer battery (Kalapala, S. (147) 256)
- Activation energy**
 Solid oxide fuel cell; Seals; Glass; Devitrification; Differential thermal analysis (Bansal, N.P. (147) 107)
- Additive**
 Solid electrolyte interphase (SEI); Lithium-ion battery; Graphite anode; Triethyl 2-(1,3-oxazolidin-3-yl)ethyl orthosilicate (Trofimov, B.A. (147) 260)
- Ageing**
 Lithium-ion battery; Power fade; Capacity fade; Impedance; Life-time (Vetter, J. (147) 269)
- Annealing**
 Lithium secondary battery; Silicon powder anode; Copper electroless deposition; Galvanostatic intermittent titration; Cycle performance (Kim, J.W. (147) 227)
- Anode catalyst**
 Fuel cell; Contamination; Modeling (Zhang, J. (147) 58)
- Anode feeding**
 Direct methanol fuel cell; Natural circulation; Pumpless (Ye, Q. (147) 196)
- Anode-supported**
 Intermediate-temperature; DIR; SOFC; Dynamic simulation; Control strategy (Aguiar, P. (147) 136)
- Aqueous processing**
 Lithium-ion battery; Natural graphite particles; Carboxymethyl cellulose; Styrene butadiene rubber (Lee, J.-H. (147) 249)
- Automotive**
 Lead acid; Supercapacitor; Hybrid electric vehicles; Batteries (Bentley, P. (147) 288)
- Batteries**
 Lead acid; Supercapacitor; Hybrid electric vehicles; Automotive (Bentley, P. (147) 288)
- Capacity fade**
 Lithium-ion battery; Ageing; Power fade; Impedance; Life-time (Vetter, J. (147) 269)
- Capacity fading**
 LiCoO₂; Molten salt synthesis; Cathode material; Li-ion batteries; Structural transition (Tan, K.S. (147) 241)
- Carbon**
 LiFePO₄; LiFePO₄-C composite; Solid-state reaction; Rate capability (Zhang, S.S. (147) 234)
- Carboxymethyl cellulose**
 Lithium-ion battery; Aqueous processing; Natural graphite particles; Styrene butadiene rubber (Lee, J.-H. (147) 249)
- Cathode material**
 LiCoO₂; Molten salt synthesis; Li-ion batteries; Capacity fading; Structural transition (Tan, K.S. (147) 241)
- Cathode materials**
 Lithium batteries; Oxides (Hong, Y.-S. (147) 214)
- Cell**
 Proton; Exchange; Fuel; Mechanistic; Modeling (Cheddie, D. (147) 72)
- CFD**
 PEM fuel cells; Fuel cell modeling; Water management; FEMLAB (Guvelioglu, G.H. (147) 95)
- Cobalt oxide**
 Morphology; Non-aqueous synthesis; Lithium storage capacity; Battery, Fuel cell (Zhao, Z.W. (147) 264)
- Computational fuel cell dynamics**
 Polymer electrolyte fuel cells; Water management; Gas dynamics; Low humidity (Wang, Y. (147) 148)
- Contamination**
 Fuel cell; Anode catalyst; Modeling (Zhang, J. (147) 58)
- Control strategy**
 Anode-supported; Intermediate-temperature; DIR; SOFC; Dynamic simulation (Aguiar, P. (147) 136)
- Copper catalyst**
 Hydrogen; PROX; Selective oxidation (Cheekatamarla, P.K. (147) 178)
- Copper electroless deposition**
 Lithium secondary battery; Silicon powder anode; Annealing; Galvanostatic intermittent titration; Cycle performance (Kim, J.W. (147) 227)
- Cycle performance**
 Lithium secondary battery; Silicon powder anode; Copper electroless deposition; Annealing; Galvanostatic intermittent titration (Kim, J.W. (147) 227)
- Cycability**
 LiMn₂O₄; Fluorine; Electronic conductivity; Lithium secondary battery; Electrochemical properties (Son, J.T. (147) 220)
- Devitrification**
 Solid oxide fuel cell; Seals; Glass; Activation energy; Differential thermal analysis (Bansal, N.P. (147) 107)
- Differential thermal analysis**
 Solid oxide fuel cell; Seals; Glass; Devitrification; Activation energy (Bansal, N.P. (147) 107)
- DIR**
 Anode-supported; Intermediate-temperature; SOFC; Dynamic simulation; Control strategy (Aguiar, P. (147) 136)
- Direct methanol fuel cell**
 Anode feeding; Natural circulation; Pumpless (Ye, Q. (147) 196)
- Dynamic simulation**
 Anode-supported; Intermediate-temperature; DIR; SOFC; Control strategy (Aguiar, P. (147) 136)
- Electric scooter**
 State-of-charge; Lead-acid battery; Newton-Raphson method; Recursive least-squares method; Mathematical model (Tseng, C.-Y. (147) 282)

- Electrochemical properties**
 LiMn_2O_4 ; Fluorine; Electronic conductivity; Cycleability; Lithium secondary battery (Son, J.T. (147) 220)
- Electrolyte**
 Ionic conductivity; Solid oxide fuel cells; ScSZ (Varanasi, C. (147) 128)
- Electronic conductivity**
 LiMn_2O_4 ; Fluorine; Cycleability; Lithium secondary battery; Electrochemical properties (Son, J.T. (147) 220)
- Exchange**
 Proton; Fuel; Cell; Mechanistic; Modeling (Cheddie, D. (147) 72)
- Exit temperature**
 Two-phase model; Fuel cell; Relative humidity; Steady model; Transient model (Yu, X. (147) 184)
- FEMLAB**
 PEM fuel cells; Fuel cell modeling; Water management; CFD (Guvelioglu, G.H. (147) 95)
- Flow network analysis**
 PEM fuel cell; Stack; Performance optimization; Mathematical modeling (Karimi, G. (147) 162)
- Fluorine**
 LiMn_2O_4 ; Electronic conductivity; Cycleability; Lithium secondary battery; Electrochemical properties (Son, J.T. (147) 220)
- Fuel cell modeling**
 PEM fuel cells; Water management; CFD; FEMLAB (Guvelioglu, G.H. (147) 95)
- Fuel cell**
 Anode catalyst; Contamination; Modeling (Zhang, J. (147) 58)
- Fuel cell**
 Polymer electrolyte membrane; Methanol feed; Mathematical modeling; Review (Sousa, Jr, R. (147) 32)
- Fuel cell**
 Two-phase model; Relative humidity; Exit temperature; Steady model; Transient model (Yu, X. (147) 184)
- Fuel cells**
 Mixed ion-electronic conductors; Oxygen ion conductors; Oxygen separation; Transport across interfaces (Virkar, A.V. (147) 8)
- Fuel**
 Proton; Exchange; Cell; Mechanistic; Modeling (Cheddie, D. (147) 72)
- Galvanostatic intermittent titration**
 Lithium secondary battery; Silicon powder anode; Copper electroless deposition; Annealing; Cycle performance (Kim, J.W. (147) 227)
- Gas dynamics**
 Computational fuel cell dynamics; Polymer electrolyte fuel cells; Water management; Low humidity (Wang, Y. (147) 148)
- Gel**
 Interpenetrating; Polyelectrolyte; Methyl methacrylate; 2-Acrylamido-2-methylpropanesulfonic acid; Rechargeable lithium polymer battery (Kalapala, S. (147) 256)
- GenSys™**
 Reliability; Reliability growth; PEM fuel cell system; PEM stack life; Plug Power (Feitelberg, A.S. (147) 203)
- Glass**
 Solid oxide fuel cell; Seals; Devitrification; Activation energy; Differential thermal analysis (Bansal, N.P. (147) 107)
- Glass-ceramics**
 Solid oxide fuel cells; Sealants (Fergus, J.W. (147) 46)
- Graphite anode**
 Additive; Solid electrolyte interphase (SEI); Lithium-ion battery; Triethyl 2-(1,3-oxazolidin-3-yl)ethyl orthosilicate (Trofimov, B.A. (147) 260)
- Hybrid electric vehicles**
 Lead acid; Supercapacitor; Automotive; Batteries (Bentley, P. (147) 288)
- Hydrogen oxidation reaction**
 Solid oxide fuel cells; Nickel anodes; Nano-YSZ; Ion impregnation (Jiang, S.P. (147) 1)
- Hydrogen**
 PROX; Selective oxidation; Copper catalyst (Cheekatamarla, P.K. (147) 178)
- Impedance**
 Lithium-ion battery; Ageing; Power fade; Capacity fade; Life-time (Vetter, J. (147) 269)
- Intermediate-temperature**
 Anode-supported; DIR; SOFC; Dynamic simulation; Control strategy (Aguilar, P. (147) 136)
- Interpenetrating**
 Polyelectrolyte; Gel; Methyl methacrylate; 2-Acrylamido-2-methylpropanesulfonic acid; Rechargeable lithium polymer battery (Kalapala, S. (147) 256)
- I-V curve**
 Polymer electrolyte fuel cells; Proton exchange membrane fuel cells; Performance test; Stack (Tanaka, T. (147) 208)
- Ion impregnation**
 Solid oxide fuel cells; Nickel anodes; Nano-YSZ; Hydrogen oxidation reaction (Jiang, S.P. (147) 1)
- Ionic conductivity**
 Solid oxide fuel cells; Electrolyte; ScSZ (Varanasi, C. (147) 128)
- Lab-on-a-chip**
 Microreactor; Micro fuel cells; Microreformer; Microfluidics; Radial flow (Pattekar, A.V. (147) 116)
- Lead acid**
 Supercapacitor; Hybrid electric vehicles; Automotive; Batteries (Bentley, P. (147) 288)
- Lead-acid battery**
 State-of-charge; Electric scooter; Newton-Raphson method; Recursive least-squares method; Mathematical model (Tseng, C.-Y. (147) 282)
- LiCoO₂**
 Molten salt synthesis; Cathode material; Li-ion batteries; Capacity fading; Structural transition (Tan, K.S. (147) 241)
- LiFePO₄**
 $\text{LiFePO}_4\text{-C}$ composite; Carbon; Solid-state reaction; Rate capability (Zhang, S.S. (147) 234)
- LiFePO₄-C composite**
 LiFePO_4 ; Carbon; Solid-state reaction; Rate capability (Zhang, S.S. (147) 234)
- Life-time**
 Lithium-ion battery; Ageing; Power fade; Capacity fade; Impedance (Vetter, J. (147) 269)
- Li-ion batteries**
 LiCoO_2 ; Molten salt synthesis; Cathode material; Capacity fading; Structural transition (Tan, K.S. (147) 241)
- LiMn₂O₄**
 Fluorine; Electronic conductivity; Cycleability; Lithium secondary battery; Electrochemical properties (Son, J.T. (147) 220)
- Lithium batteries**
 Cathode materials; Oxides (Hong, Y.-S. (147) 214)
- Lithium secondary battery**
 LiMn_2O_4 ; Fluorine; Electronic conductivity; Cycleability; Electrochemical properties (Son, J.T. (147) 220)
- Lithium secondary battery**
 Silicon powder anode; Copper electroless deposition; Annealing; Galvanostatic intermittent titration; Cycle performance (Kim, J.W. (147) 227)
- Lithium-ion battery**
 Additive; Solid electrolyte interphase (SEI); Graphite anode; Triethyl 2-(1,3-oxazolidin-3-yl)ethyl orthosilicate (Trofimov, B.A. (147) 260)

- Lithium-ion battery
Ageing; Power fade; Capacity fade; Impedance; Life-time (Vetter, J. (147) 269)
- Lithium-ion battery
Aqueous processing; Natural graphite particles; Carboxymethyl cellulose; Styrene butadiene rubber (Lee, J.-H. (147) 249)
- Low humidity
Computational fuel cell dynamics; Polymer electrolyte fuel cells; Water management; Gas dynamics (Wang, Y. (147) 148)
- Mathematical model
State-of-charge; Electric scooter; Lead-acid battery; Newton-Raphson method; Recursive least-squares method (Tseng, C.-Y. (147) 282)
- Mathematical modeling
Fuel cell; Polymer electrolyte membrane; Methanol feed; Review (Sousa, Jr, R. (147) 32)
- Mathematical modeling
PEM fuel cell; Stack; Performance optimization; Flow network analysis (Karimi, G. (147) 162)
- Mechanistic
Proton; Exchange; Fuel; Cell; Modeling (Cheddie, D. (147) 72)
- Methanol feed
Fuel cell; Polymer electrolyte membrane; Mathematical modeling; Review (Sousa, Jr, R. (147) 32)
- Methyl methacrylate
Interpenetrating; Polyelectrolyte; Gel; 2-Acrylamido-2-methylpropane-sulfonic acid; Rechargeable lithium polymer battery (Kalapala, S. (147) 256)
- Micro fuel cells
Microreactor; Microreformer; Microfluidics; Lab-on-a-chip; Radial flow (Pattekar, A.V. (147) 116)
- Microfluidics
Microreactor; Micro fuel cells; Microreformer; Lab-on-a-chip; Radial flow (Pattekar, A.V. (147) 116)
- Microreactor
Micro fuel cells; Microreformer; Microfluidics; Lab-on-a-chip; Radial flow (Pattekar, A.V. (147) 116)
- Microreformer
Microreactor; Micro fuel cells; Microfluidics; Lab-on-a-chip; Radial flow (Pattekar, A.V. (147) 116)
- Mixed ion-electronic conductors
Oxygen ion conductors; Fuel cells; Oxygen separation; Transport across interfaces (Virkar, A.V. (147) 8)
- Modeling
Fuel cell; Anode catalyst; Contamination (Zhang, J. (147) 58)
- Modeling
Proton; Exchange; Fuel; Cell; Mechanistic (Cheddie, D. (147) 72)
- Modeling
SOFC; Segmented-in-series; Shunting current; Optimization (Lai, T.S. (147) 85)
- Molten salt synthesis
 LiCoO_2 ; Cathode material; Li-ion batteries; Capacity fading; Structural transition (Tan, K.S. (147) 241)
- Morphology
Cobalt oxide; Non-aqueous synthesis, Lithium storage capacity, Battery, Fuel cell (Zhao, Z.W. (147) 264)
- Nano-YSZ
Solid oxide fuel cells; Nickel anodes; Ion impregnation; Hydrogen oxidation reaction (Jiang, S.P. (147) 1)
- Natural circulation
Direct methanol fuel cell; Anode feeding; Pumpless (Ye, Q. (147) 196)
- Natural graphite particles
Lithium-ion battery; Aqueous processing; Carboxymethyl cellulose; Styrene butadiene rubber (Lee, J.-H. (147) 249)
- Newton-Raphson method
State-of-charge; Electric scooter; Lead-acid battery; Recursive least-squares method; Mathematical model (Tseng, C.-Y. (147) 282)
- Nickel anodes
Solid oxide fuel cells; Nano-YSZ; Ion impregnation; Hydrogen oxidation reaction (Jiang, S.P. (147) 1)
- Non-aqueous synthesis, Lithium storage capacity, Battery, Fuel cell
Cobalt oxide; Morphology (Zhao, Z.W. (147) 264)
- Optimization
SOFC; Modeling; Segmented-in-series; Shunting current (Lai, T.S. (147) 85)
- Oxides
Lithium batteries; Cathode materials (Hong, Y.-S. (147) 214)
- Oxygen ion conductors
Mixed ion-electronic conductors; Fuel cells; Oxygen separation; Transport across interfaces (Virkar, A.V. (147) 8)
- Oxygen separation
Mixed ion-electronic conductors; Oxygen ion conductors; Fuel cells; Transport across interfaces (Virkar, A.V. (147) 8)
- PEM fuel cell system
Reliability; Reliability growth; PEM stack life; Plug Power; GenSys™ (Feitelberg, A.S. (147) 203)
- PEM fuel cell
Stack; Performance optimization; Flow network analysis; Mathematical modeling (Karimi, G. (147) 162)
- PEM fuel cells
Fuel cell modeling; Water management; CFD; FEMLAB (Guvelioglu, G.H. (147) 95)
- PEM stack life
Reliability; Reliability growth; PEM fuel cell system; Plug Power; GenSys™ (Feitelberg, A.S. (147) 203)
- Performance optimization
PEM fuel cell; Stack; Flow network analysis; Mathematical modeling (Karimi, G. (147) 162)
- Performance test
Polymer electrolyte fuel cells; Proton exchange membrane fuel cells; I-V curve; Stack (Tanaka, T. (147) 208)
- Plug Power
Reliability; Reliability growth; PEM fuel cell system; PEM stack life; GenSys™ (Feitelberg, A.S. (147) 203)
- Polyelectrolyte
Interpenetrating; Gel; Methyl methacrylate; 2-Acrylamido-2-methylpropane-sulfonic acid; Rechargeable lithium polymer battery (Kalapala, S. (147) 256)
- Polymer electrolyte fuel cells
Computational fuel cell dynamics; Water management; Gas dynamics; Low humidity (Wang, Y. (147) 148)
- Polymer electrolyte fuel cells
Proton exchange membrane fuel cells; Performance test; I-V curve; Stack (Tanaka, T. (147) 208)
- Polymer electrolyte membrane
Fuel cell; Methanol feed; Mathematical modeling; Review (Sousa Jr, R. (147) 32)
- Power fade
Lithium-ion battery; Ageing; Capacity fade; Impedance; Life-time (Vetter, J. (147) 269)
- Proton exchange membrane fuel cells
Polymer electrolyte fuel cells; Performance test; I-V curve; Stack (Tanaka, T. (147) 208)
- Proton
Exchange; Fuel; Cell; Mechanistic; Modeling (Cheddie, D. (147) 72)
- PROX
Hydrogen; Selective oxidation; Copper catalyst (Cheekatamarla, P.K. (147) 178)

- Pumpless
Direct methanol fuel cell; Anode feeding; Natural circulation (Ye, Q. (147) 196)
- Radial flow
Microreactor; Micro fuel cells; Microreformer; Microfluidics; Lab-on-a-chip (Pattekar, A.V. (147) 116)
- Rate capability
 LiFePO_4 ; $\text{LiFePO}_4\text{-C}$ composite; Carbon; Solid-state reaction (Zhang, S.S. (147) 234)
- Rechargeable lithium polymer battery
Interpenetrating; Polyelectrolyte; Gel; Methyl methacrylate; 2-Acrylamido-2-methylpropanesulfonic acid (Kalapala, S. (147) 256)
- Recursive least-squares method
State-of-charge; Electric scooter; Lead-acid battery; Newton-Raphson method; Mathematical model (Tseng, C.-Y. (147) 282)
- Relative humidity
Two-phase model; Fuel cell; Exit temperature; Steady model; Transient model (Yu, X. (147) 184)
- Reliability growth
Reliability; PEM fuel cell system; PEM stack life; Plug Power; GenSysTM (Feitelberg, A.S. (147) 203)
- Reliability
Reliability growth; PEM fuel cell system; PEM stack life; Plug Power; GenSysTM (Feitelberg, A.S. (147) 203)
- Review
Fuel cell; Polymer electrolyte membrane; Methanol feed; Mathematical modeling (Sousa, Jr, R. (147) 32)
- ScSZ
Ionic conductivity; Solid oxide fuel cells; Electrolyte (Varanasi, C. (147) 128)
- Sealants
Solid oxide fuel cells; Glass-ceramics (Fergus, J.W. (147) 46)
- Seals
Solid oxide fuel cell; Glass; Devitrification; Activation energy; Differential thermal analysis (Bansal, N.P. (147) 107)
- Segmented-in-series
SOFC; Modeling; Shunting current; Optimization (Lai, T.S. (147) 85)
- Selective oxidation
Hydrogen; PROX; Copper catalyst (Cheekatamarla, P.K. (147) 178)
- Shunting current
SOFC; Modeling; Segmented-in-series; Optimization (Lai, T.S. (147) 85)
- Silicon powder anode
Lithium secondary battery; Copper electroless deposition; Annealing; Galvanostatic intermittent titration; Cycle performance (Kim, J.W. (147) 227)
- SOFC
Anode-supported; Intermediate-temperature; DIR; Dynamic simulation; Control strategy (Aguiar, P. (147) 136)
- SOFC
Modeling; Segmented-in-series; Shunting current; Optimization (Lai, T.S. (147) 85)
- Solid electrolyte interphase (SEI)
Additive; Lithium-ion battery; Graphite anode; Triethyl 2-(1,3-oxazolidin-3-yl)ethyl orthosilicate (Trofimov, B.A. (147) 260)
- Solid oxide fuel cell
Seals; Glass; Devitrification; Activation energy; Differential thermal analysis (Bansal, N.P. (147) 107)
- Solid oxide fuel cells
Ionic conductivity; Electrolyte; ScSZ (Varanasi, C. (147) 128)
- Solid oxide fuel cells
Nickel anodes; Nano-YSZ; Ion impregnation; Hydrogen oxidation reaction (Jiang, S.P. (147) 1)
- Solid oxide fuel cells
Sealants; Glass-ceramics (Fergus, J.W. (147) 46)
- Solid-state reaction
 LiFePO_4 ; $\text{LiFePO}_4\text{-C}$ composite; Carbon; Rate capability (Zhang, S.S. (147) 234)
- Stack
PEM fuel cell; Performance optimization; Flow network analysis; Mathematical modeling (Karimi, G. (147) 162)
- Stack
Polymer electrolyte fuel cells; Proton exchange membrane fuel cells; Performance test; I-V curve (Tanaka, T. (147) 208)
- State-of-charge
Electric scooter; Lead-acid battery; Newton-Raphson method; Recursive least-squares method; Mathematical model (Tseng, C.-Y. (147) 282)
- Steady model
Two-phase model; Fuel cell; Relative humidity; Exit temperature; Transient model (Yu, X. (147) 184)
- Structural transition
 LiCoO_2 ; Molten salt synthesis; Cathode material; Li-ion batteries; Capacity fading (Tan, K.S. (147) 241)
- Styrene butadiene rubber
Lithium-ion battery; Aqueous processing; Natural graphite particles; Carboxymethyl cellulose (Lee, J.-H. (147) 249)
- Supercapacitor
Lead acid; Hybrid electric vehicles; Automotive; Batteries (Bentley, P. (147) 288)
- Transient model
Two-phase model; Fuel cell; Relative humidity; Exit temperature; Steady model (Yu, X. (147) 184)
- Transport across interfaces
Mixed ion-electronic conductors; Oxygen ion conductors; Fuel cells; Oxygen separation (Virkar, A.V. (147) 8)
- Triethyl 2-(1,3-oxazolidin-3-yl)ethyl orthosilicate
Additive; Solid electrolyte interphase (SEI); Lithium-ion battery; Graphite anode (Trofimov, B.A. (147) 260)
- Two-phase model
Fuel cell; Relative humidity; Exit temperature; Steady model; Transient model (Yu, X. (147) 184)
- Water management
Computational fuel cell dynamics; Polymer electrolyte fuel cells; Gas dynamics; Low humidity (Wang, Y. (147) 148)
- Water management
PEM fuel cells; Fuel cell modeling; CFD; FEMLAB (Guvelioglu, G.H. (147) 95)