



Available online at www.sciencedirect.com



Journal of Power Sources 163 (2007) 1143

JOURNAL OF
**POWER
SOURCES**

www.elsevier.com/locate/jpowsour

Corrigendum

Corrigendum to “Interpretation of the interconnected microstructure of an NiO–YSZ anode composite for solid oxide fuel cells via impedance spectroscopy” [J. Power Sources 158 (2006) 45–51]


K.-R. Lee^a, Y.S. Pyo^b, B.S. So^b, S.M. Kim^b, B.K. Lee^b, J.H. Hwang^{b,*},
J. Kim^a, J.-H. Lee^a, H.-W. Lee^a

^a Nano-Materials Research Center, Korea Institute of Science and Technology, Seoul 136-791, Republic of Korea

^b Department of Materials Science and Engineering, Hongik University, Sangsu-dong, Mapo-gu, Seoul 121-791, Republic of Korea

Available online 13 November 2006

The author regrets that in the above-mentioned article the pore connectivity presented in Fig. 5 was not correct. A corrected version of Fig. 5 is given below.



DOI of original article:10.1016/j.jpowsour.2005.09.011.

* Corresponding author. Tel.: +82 2 320 3069; fax: +82 2 333 0127.

E-mail address: jhwang@wow.hongik.ac.kr (J.H. Hwang).