

## Subject Index of Volume 164

- Absorbent**  
Quasi-solid-state dye-sensitized solar cell; PAA-PEG hybrid; Polymer gel electrolyte; Liquid electrolyte absorbency; Energy conversion efficiency (Lan, Z. (164) 921)
- AC impedance**  
Solid oxide fuel cells; Ammonia; YSZ; Dry-pressing (Ma, Q. (164) 86)
- Activation loss**  
PEMFC stack; Voltage degradation model; Concentration resistance coefficient; Ohmic loss (Lu, L. (164) 306)
- Adaptive control**  
PEM fuel cell; System identification (Yang, Y.-P. (164) 761)
- AES**  
Polyaniline; Poly(styrene sulfonic acid); Pt particles; Methanol oxidation (Huang, L.-M. (164) 519)
- Air breathing**  
DMFC; Passive; Planar; Design; Performance (Martin, J.J. (164) 287)
- Air breathing**  
Planar cathode; Model; Performance characteristics; Parametric study (Rajani, B.P.M. (164) 210)
- Air flow channel**  
Water management; PEM fuel cell; Two-phase flow; Hydrophilicity; Pressure drop (Quan, P. (164) 222)
- Air, coolant and power flow control**  
PEMFC; DC/DC PWM converter (Choe, S.-Y. (164) 614)
- Air-breathing**  
PEMFCs; CFD; Heat and mass transfer; Oxygen transport limitation (Wang, Y. (164) 721)
- Alcohol**  
Electrochemical oxidation; Cyclic voltammetry; Electrocatalyst; Polymer electrolyte fuel cell (Fujiwara, N. (164) 457)
- Alkaline Zn/MnO<sub>2</sub> Battery**  
Surfactants; Zinc passivation; Crystal growth; Electrochemical capacity (Ghavami, R.K. (164) 934)
- Aluminum solid-state capacitor**  
Polypyrrole; Ammonium borodisalicylate; Electropolymerization (Toita, S. (164) 905)
- Amides**  
Hydrogen storage; Imides; Ammonia; Ball-milling (Janot, R. (164) 496)
- Ammonia**  
Hydrogen storage; Imides; Amides; Ball-milling (Janot, R. (164) 496)
- Ammonia**  
Solid oxide fuel cells; YSZ; Dry-pressing; AC impedance (Ma, Q. (164) 86)
- Ammonium borodisalicylate**  
Polypyrrole; Electropolymerization; Aluminum solid-state capacitor (Toita, S. (164) 905)
- Amorphous Co<sub>3</sub>Sn<sub>2</sub>**  
Li-ion batteries; Anode materials; Nanomaterials (Xie, J. (164) 386)
- Anode**  
H<sub>2</sub>/air PEM; Fuel cell; Relative humidity; Cathode; Membrane (Saleh, M.M. (164) 503)
- Anode**  
HEMM; Reduction; Silicon-based composite; Lithium ion batteries (Yang, X. (164) 880)
- Anode**  
High-energy mechanical milling; C-SiSn composite; Li-ion battery (Rock, N.L. (164) 829)
- Anode**  
Natural graphite; Thermal oxidation; Lithium-ion battery; Cycleability; Irreversible capacity (Shim, J. (164) 862)
- Anode materials**  
Li-ion batteries; Nanomaterials; Amorphous Co<sub>3</sub>Sn<sub>2</sub> (Xie, J. (164) 386)
- Anode microstructure**  
Lattice Boltzmann method; SOFC; Concentration polarization; Multi-component diffusion; Porous media (Joshi, A.S. (164) 631)
- Anode water removal**  
PEMFC; Water management; Water dynamics (Karnik, A.Y. (164) 590)
- Anode-supported**  
Solid oxide fuel cell; Surface diffusion; Modeling (Shi, Y. (164) 639)
- Anodic Pb<sup>2+</sup> film**  
Pb-Ca-Sn-Li alloy; Lead-acid battery; Lithium; Electrochemical impedance spectroscopy (EIS) (Shervedani, R.K. (164) 890)
- Anodic polarization**  
Lithium alanate; Diethyl ether; Tetrahydrofuran; Specific conductivity; Hydrogen generation (Senoh, H. (164) 94)
- ATTR-SEIRAS**  
Catalysis; Fuel cell; Bifunctional mechanism (Futamata, M. (164) 532)
- Auto-humidification**  
Stirred tank reactor fuel cell; Current density distribution; Impedance; Spatially-resolved impedance; Single-channel serpentine design (Hogarth, W.H.J. (164) 464)
- Auto-ignition process**  
Doped ceria; Conductivity; Interconnect; SOFC (Zhou, X. (164) 293)
- Autothermal**  
Kerosene; Dodecane; Tetralin; Ceria; Zirconia (Gould, B.D. (164) 344)
- Azur-B**  
Photogalvanic cell; Thionine; Fill factor; Conversion efficiency; Power point (Lal, C. (164) 926)
- Ball-milling**  
Hydrogen storage; Imides; Amides; Ammonia (Janot, R. (164) 496)
- Batch-type metallothermic reduction**  
Leakage current; Dielectric dissipation; Solid-electrolyte capacitor; External continuous supply; Tantalum powder (Yoon, J.S. (164) 959)
- BCC phase**  
Hydrogen storage materials; V-based alloys; FeV80 master alloy (Yan, Y. (164) 799)
- Bifunctional mechanism**  
Catalysis; Fuel cell; ATTR-SEIRAS (Futamata, M. (164) 532)
- Bi-layer electrolyte**  
SOFC; Low temperature; SDC; ScSZ; Pulsed laser deposition (Yang, D. (164) 182)
- Bioethanol**  
Hydrogen production and purification; PEM fuel-cells (Giunta, P. (164) 336)
- Bipolar lead-acid battery**  
Chemical forming; PbO<sub>2</sub>; Conductive polyethylene; Curing; Discharge capacity; Power density (Karami, H. (164) 896)

- Bipolar plates  
Contact resistance; PEM fuel cells; Mechanical texturing (Kraytsberg, A. (164) 697)
- Borohydride ion  
Carbon felt; Filter-press cell; FM01-LC cell; Hydrogen peroxide; Liquid fuel cell (de León, C.P. (164) 441)
- Buckypaper  
Direct methanol fuel cell; Dynamic hydrogen electrode; Electrochemical impedance spectroscopy; Constant phase element; Electrocatalyst (Jeng, K.-T. (164) 33)
- 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMI.BF<sub>4</sub>)  
Ionic liquid; Hydrogen production; Nickel electrode; 304 stainless steel; Carbon steel electrode (de Souza, R.F. (164) 792)
- Capacity  
Nano-crystalline LiMn<sub>2</sub>O<sub>4</sub> thin film; Pulsed laser deposition; Charge/discharge; Stability (Tang, S.B. (164) 372)
- Capacity enhancement  
EDLC; Sheet electrode; Electric conducting adhesive (Kim, I.-J. (164) 964)
- Capacity retention  
Lithium-ion batteries;  $\gamma$ -MnOOH; LiMn<sub>2</sub>O<sub>4</sub>; Spinel-type; Discharge rate (Bao, S.-J. (164) 885)
- Carbon  
Catalyst support; Oxidation; Tungsten carbide; Proton exchange membrane fuel cells (Chhina, H. (164) 431)
- Carbon deposition  
Solid oxide fuel cell (SOFC); Direct internal reforming; Scandia stabilized zirconia; Composite anode; Ethanol (Ye, X.-F. (164) 203)
- Carbon dioxide  
Hydrogen production; Methanol; Electrolysis; Permeation (Take, T. (164) 9)
- Carbon dioxide sensor  
DMFC; Methanol crossover (Han, J. (164) 166)
- Carbon felt  
Borohydride ion; Filter-press cell; FM01-LC cell; Hydrogen peroxide; Liquid fuel cell (de León, C.P. (164) 441)
- Carbon filaments  
Methane decomposition; Zeolites; SBA-15; Hydrogen production (Ashok, J. (164) 809)
- Carbon formation boundary  
Thermodynamic analysis; Dimethyl ether; Steam reforming; Fuel cell; Hydrogen (Faungnawakij, K. (164) 73)
- Carbon steel electrode  
Ionic liquid; Hydrogen production; 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMI.BF<sub>4</sub>); Nickel electrode; 304 stainless steel (de Souza, R.F. (164) 792)
- Catalysis  
Fuel cell; Bifunctional mechanism; ATTR-SEIRAS (Futamata, M. (164) 532)
- Catalyst infiltration  
Solid oxide fuel cells; Sulfur tolerant anode; Y-doped SrTiO<sub>3</sub> (Kurokawa, H. (164) 510)
- Catalyst support  
Oxidation; Tungsten carbide; Carbon; Proton exchange membrane fuel cells (Chhina, H. (164) 431)
- Catalytic activity  
Methanol; CO; Platinum nanoparticles (Teng, Z.-H. (164) 105)
- Catalytic activity  
Platinum nanoparticles; Oleylamine; Controlled size; Heat treatment; Methanol oxidation (Liu, Z. (164) 472)
- Catalytic oxidation  
Nanostructure; Composite; Poly(*N*-acetylaniline); Methanol (Jiang, C. (164) 49)
- Catalytic partial oxidation  
Hydrogen production; Steam reforming; Methane; Ni catalyst (Chen, L. (164) 803)
- Cathode  
Direct borohydride fuel cell; Fuel crossover; Platinum; Silver (Liu, B.H. (164) 100)
- Cathode  
Ethanol; Fuel cell; Pt-Co/C; Electrocatalysts (Lopes, T. (164) 111)
- Cathode  
H<sub>2</sub>/air PEM; Fuel cell; Relative humidity; Anode; Membrane (Saleh, M.M. (164) 503)
- Cathode  
SOFC; Segmented-in-series; Optimization; Modeling (Lai, T.S. (164) 742)
- Cathode materials  
Kinetics; Phase transformation; Ionic conductivity; Electronic conductivity (Ma, J. (164) 849)
- Cathode materials  
Secondary Li batteries; Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>; Freeze drying; Particle morphology (Brylev, O.A. (164) 868)
- Cathode-supported SOFC  
Solid oxide fuel cells; La<sub>0.6</sub>Sr<sub>0.4</sub>Co<sub>0.2</sub>Fe<sub>0.8</sub>O<sub>3- $\delta$</sub> ; Gadolinium-doped ceria oxide; Co-firing (Liu, Y. (164) 56)
- Ceria  
Kerosene; Dodecane; Tetralin; Zirconia; Autothermal (Gould, B.D. (164) 344)
- Ceria  
Methanol; Solid oxide fuel cells; Deactivation (Kim, T. (164) 42)
- Ceria electrolytes  
Intermediate temperature solid oxide fuel cells; Methane electro-oxidation; Redox-cycles; Ni-Cu catalyst (Sin, A. (164) 300)
- CFD  
Air-breathing; PEMFCs; Heat and mass transfer; Oxygen transport limitation (Wang, Y. (164) 721)
- Charge/discharge  
Nano-crystalline LiMn<sub>2</sub>O<sub>4</sub> thin film; Pulsed laser deposition; Capacity; Stability (Tang, S.B. (164) 372)
- Chemical forming  
PbO<sub>2</sub>; Bipolar lead-acid battery; Conductive polyethylene; Curing; Discharge capacity; Power density (Karami, H. (164) 896)
- Chromium oxide  
Transmission electron microscopy; Lithium-ion battery; Conversion reaction; Stainless steel (Dupont, L. (164) 839)
- Chromium vaporization  
Protective coatings; Poisoning; Degradation (Stanislawski, M. (164) 578)
- CO  
Methanol; Catalytic activity; Platinum nanoparticles (Teng, Z.-H. (164) 105)
- CO<sub>2</sub>-sequestring  
SOFC; Thermodynamic analysis; Nickel oxide; Durability (Nehter, P. (164) 252)
- Coal syngas  
Solid oxide fuel cell stacks; Sulfur tolerant anode; Experimental performance; Long-term testing (Marquez, A.I. (164) 659)
- Coalescence mechanism  
High temperature PEMFC; PBI/H<sub>3</sub>PO<sub>4</sub>; Platinum electrocatalyst; Electrochemical surface area (Zhai, Y. (164) 126)
- $\beta$ -CoOOH coated  $\beta$ -NiOOH  
Spherical  $\beta$ -Ni(OH); Zn-NiOOH battery; Storage stability; Electrochemical property (Fu, X.-Z. (164) 916)
- Co-firing  
Solid oxide fuel cells; Cathode-supported SOFC; La<sub>0.6</sub>Sr<sub>0.4</sub>Co<sub>0.2</sub>Fe<sub>0.8</sub>O<sub>3- $\delta$</sub> ; Gadolinium-doped ceria oxide (Liu, Y. (164) 56)
- Composite  
Nanostructure; Poly(*N*-acetylaniline); Methanol; Catalytic oxidation (Jiang, C. (164) 49)
- Composite anode  
Solid oxide fuel cell (SOFC); Direct internal reforming; Scandia stabilized zirconia; Ethanol; Carbon deposition (Ye, X.-F. (164) 203)
- Composite electrode  
Electrochemical capacitor; Nickel hydroxide/AC; Specific capacitance (Huang, Q. (164) 425)
- Composite membrane  
Fuel cell; Sulfonated polyimide; Nafion; Multilayer (Wang, L. (164) 80)
- Composite membranes  
Poly(benzimidazole); PTFE; Fuel cell (Lin, H.-L. (164) 481)

- Compression  
Fuel cell; Gas diffusion layer; Strain; Freezing; Durability (Lee, C. (164) 141)
- Concentration cell  
Electrochemical hydrogen pump; Separation and compression of hydrogen; Proton exchange membrane (Onda, K. (164) 1)
- Concentration polarization  
Lattice Boltzmann method; SOFC; Anode microstructure; Multi-component diffusion; Porous media (Joshi, A.S. (164) 631)
- Concentration resistance coefficient  
PEMFC stack; Voltage degradation model; Ohmic loss; Activation loss (Lu, L. (164) 306)
- Conductive polyethylene  
Chemical forming; PbO<sub>2</sub>; Bipolar lead–acid battery; Curing; Discharge capacity; Power density (Karami, H. (164) 896)
- Conductivity  
Doped ceria; Auto-ignition process; Interconnect; SOFC (Zhou, X. (164) 293)
- Constant phase element  
Direct methanol fuel cell; Dynamic hydrogen electrode; Electrochemical impedance spectroscopy; Electrocatalyst; Buckypaper (Jeng, K.-T. (164) 33)
- Contact resistance  
Current-collector; Micro direct methanol fuel cell; Fuel delivery; Exposure ratio (Yang, W.M. (164) 549)
- Contact resistance  
PEM fuel cells; Bipolar plates; Mechanical texturing (Kraytsberg, A. (164) 697)
- Controlled size  
Platinum nanoparticles; Oleylamine; Heat treatment; Catalytic activity; Methanol oxidation (Liu, Z. (164) 472)
- Conversion efficiency  
Photogalvanic cell; Thionine; Azur-B; Fill factor; Power point (Lal, C. (164) 926)
- Conversion reaction  
Transmission electron microscopy; Lithium-ion battery; Chromium oxide; Stainless steel (Dupont, L. (164) 839)
- Cross-linking  
Proton conductivity; Sulfonation; Membrane (Ding, F.C. (164) 488)
- Crosslinking  
Sulfonated poly(ether ether ketone)s; UV irradiation; Proton exchange membrane; Direct methanol fuel cell (Zhong, S. (164) 65)
- Crystal growth  
Surfactants; Alkaline Zn/MnO<sub>2</sub> Battery; Zinc passivation; Electrochemical capacity (Ghavami, R.K. (164) 934)
- C–SiSn composite  
High-energy mechanical milling; Anode; Li-ion battery (Rock, N.L. (164) 829)
- Curing  
Chemical forming; PbO<sub>2</sub>; Bipolar lead–acid battery; Conductive polyethylene; Discharge capacity; Power density (Karami, H. (164) 896)
- Current density distribution  
Stirred tank reactor fuel cell; Impedance; Auto-humidification; Spatially-resolved impedance; Single-channel serpentine design (Hogarth, W.H.J. (164) 464)
- Current distribution  
Water distribution; Net water transport coefficient; Water management; Fuel cell diagnostics (Lu, G.Q. (164) 134)
- Current-collector  
Micro direct methanol fuel cell; Fuel delivery; Contact resistance; Exposure ratio (Yang, W.M. (164) 549)
- Cycle analysis  
Solid oxide fuel cell; Recuperative heat exchanger; Exhaust gas recirculation (Zhang, X. (164) 752)
- Cycleability  
Natural graphite; Anode; Thermal oxidation; Lithium-ion battery; Irreversible capacity (Shim, J. (164) 862)
- Cyclic voltammetry  
Electrochemical oxidation; Alcohol; Electrocatalyst; Polymer electrolyte fuel cell (Fujiwara, N. (164) 457)
- Cyclic voltammetry  
Li-ion battery; LiMn<sub>2</sub>O<sub>4</sub>; Spinel cathode; Discharge capacity (Singhal, R. (164) 857)
- Cyclic voltammetry  
PEMFC; H<sub>2</sub>S poisoning; Potential steps (Shi, W. (164) 272)
- DC/DC PWM converter  
PEMFC; Air, coolant and power flow control (Choe, S.-Y. (164) 614)
- Deactivation  
Methanol; Solid oxide fuel cells; Ceria (Kim, T. (164) 42)
- Degradation  
Protective coatings; Chromium vaporization; Poisoning (Stanislawski, M. (164) 578)
- Dense YSZ electrolyte  
SOFCs; Suspension spray; Transition anode layer (Yan, R. (164) 567)
- Design  
DMFC; Passive; Planar; Air breathing; Performance (Martin, J.J. (164) 287)
- Design metrics  
Micropower; Portable power generation; Fuel cell system; Micro fuel cell; Pareto optimal (Mitsos, A. (164) 678)
- Dielectric dissipation  
Batch-type metalothermal reduction; Leakage current; Solid-electrolyte capacitor; External continuous supply; Tantalum powder (Yoon, J.S. (164) 959)
- Diethyl ether  
Lithium alanate; Tetrahydrofuran; Specific conductivity; Anodic polarization; Hydrogen generation (Senoh, H. (164) 94)
- Diffusion-limited  
Lithium/air cell; Transient model; Organic electrolyte (Sandhu, S.S. (164) 365)
- Dimethyl ether  
Thermodynamic analysis; Carbon formation boundary; Steam reforming; Fuel cell; Hydrogen (Faungnawakij, K. (164) 73)
- Direct borohydride fuel cell  
Fuel crossover; Cathode; Platinum; Silver (Liu, B.H. (164) 100)
- Direct internal reforming  
Solid oxide fuel cell (SOFC); Scandia stabilized zirconia; Composite anode; Ethanol; Carbon deposition (Ye, X.-F. (164) 203)
- Direct methanol fuel cell  
Crosslinking; Sulfonated poly(ether ether ketone)s; UV irradiation; Proton exchange membrane (Zhong, S. (164) 65)
- Direct methanol fuel cell  
Dynamic hydrogen electrode; Electrochemical impedance spectroscopy; Constant phase element; Electrocatalyst; Buckypaper (Jeng, K.-T. (164) 33)
- Direct methanol fuel cell  
Electron transport; Modeling; Three dimensions (Liu, W. (164) 561)
- Direct methanol fuel cell  
Liquid feed fuel cell; Fuel sensor-less control (Chang, C.L. (164) 606)
- Direct methanol fuel cell  
Water transport; Mathematical modeling; Three-dimension; Interfacial liquid coverage (Liu, W. (164) 189)
- Direct methanol fuel cell (DMFC)  
Methanol electro-oxidation; Pt-CeO<sub>2</sub>/CNTs (Wang, J. (164) 555)
- Discharge capacity  
Chemical forming; PbO<sub>2</sub>; Bipolar lead–acid battery; Conductive polyethylene; Curing; Power density (Karami, H. (164) 896)
- Discharge capacity  
Li-ion battery; LiMn<sub>2</sub>O<sub>4</sub>; Cyclic voltammetry; Spinel cathode (Singhal, R. (164) 857)
- Discharge rate  
Lithium-ion batteries;  $\gamma$ -MnOOH; LiMn<sub>2</sub>O<sub>4</sub>; Spinel-type; Capacity retention (Bao, S.-J. (164) 885)
- Distributed generation  
Dynamic model; Microturbine; Proton exchange membrane fuel cell; Simulation (El-Sharkh, M.Y. (164) 315)
- DMFC  
Fuel cell; Ultrasound enhancement; Sonochemistry (Han, J. (164) 90)

- DMFC  
Fuel stack; Power characteristics; Methanol crossover; Water transfer (Liu, Y. (164) 322)
- DMFC  
Methanol crossover; Carbon dioxide sensor (Han, J. (164) 166)
- DMFC  
Passive; Planar; Air breathing; Design; Performance (Martin, J.J. (164) 287)
- DMFC
- Dodecane  
Kerosene; Tetralin; Ceria; Zirconia; Autothermal (Gould, B.D. (164) 344)
- Doped ceria  
Conductivity; Auto-ignition process; Interconnect; SOFC (Zhou, X. (164) 293)
- Dry-pressing  
Solid oxide fuel cells; Ammonia; YSZ; AC impedance (Ma, Q. (164) 86)
- Durability  
Fuel cell; Gas diffusion layer; Compression; Strain; Freezing (Lee, C. (164) 141)
- Durability  
SOFC; Thermodynamic analysis; Nickel oxide; CO<sub>2</sub>-sequestering (Nehter, P. (164) 252)
- Dynamic hydrogen electrode  
Direct methanol fuel cell; Electrochemical impedance spectroscopy; Constant phase element; Electrocatalyst; Buckypaper (Jeng, K.-T. (164) 33)
- Dynamic model  
Distributed generation; Microturbine; Proton exchange membrane fuel cell; Simulation (El-Sharkh, M.Y. (164) 315)
- EDLC  
Sheet electrode; Electric conducting adhesive; Capacity enhancement (Kim, I.-J. (164) 964)
- Electric conducting adhesive  
EDLC; Sheet electrode; Capacity enhancement (Kim, I.-J. (164) 964)
- Electric double layer capacitor  
Electrochemical impedance spectroscopy; Transmission line model; Fractal structure (Itagaki, M. (164) 415)
- Electrocatalyst  
Direct methanol fuel cell; Dynamic hydrogen electrode; Electrochemical impedance spectroscopy; Constant phase element; Buckypaper (Jeng, K.-T. (164) 33)
- Electrocatalyst  
Electrochemical oxidation; Cyclic voltammetry; Alcohol; Polymer electrolyte fuel cell (Fujiwara, N. (164) 457)
- Electrocatalysts  
Ethanol; Fuel cell; Cathode; Pt-Co/C (Lopes, T. (164) 111)
- Electrochemical capacitor  
Composite electrode; Nickel hydroxide/AC; Specific capacitance (Huang, Q. (164) 425)
- Electrochemical capacity  
Surfactants; Alkaline Zn/MnO<sub>2</sub> Battery; Zinc passivation; Crystal growth (Ghavami, R.K. (164) 934)
- Electrochemical hydrogen pump  
Separation and compression of hydrogen; Proton exchange membrane; Concentration cell (Onda, K. (164) 1)
- Electrochemical impedance spectroscopy  
Direct methanol fuel cell; Dynamic hydrogen electrode; Constant phase element; Electrocatalyst; Buckypaper (Jeng, K.-T. (164) 33)
- Electrochemical impedance spectroscopy  
Electric double layer capacitor; Transmission line model; Fractal structure (Itagaki, M. (164) 415)
- Electrochemical impedance spectroscopy (EIS)  
Pb-Ca-Sn-Li alloy; Lead-acid battery; Lithium; Anodic Pb<sup>2+</sup> film (Shervedani, R.K. (164) 890)
- Electrochemical oxidation  
Cyclic voltammetry; Alcohol; Electrocatalyst; Polymer electrolyte fuel cell (Fujiwara, N. (164) 457)
- Electrochemical property  
β-CoOOH coated β-NiOOH; Spherical β-Ni(OH); Zn-NiOOH battery; Storage stability (Fu, X.-Z. (164) 916)
- Electrochemical surface area  
High temperature PEMFC; PBI/H<sub>3</sub>PO<sub>4</sub>; Platinum electrocatalyst; Coalescence mechanism (Zhai, Y. (164) 126)
- Electrodeposition  
Manganese dioxide; Supercapacitors; Lyotropic liquid crystalline (Xue, T. (164) 953)
- Electrolysis  
Hydrogen production; Methanol; Permeation; Carbon dioxide (Take, T. (164) 9)
- Electrolyte  
Thermal batteries; Molten salts (Masset, P. (164) 397)
- Electrolyzer  
Fuel cell; Hydrogen; Renewable energy (Bergen, A. (164) 624)
- Electron transport  
Direct methanol fuel cell; Modeling; Three dimensions (Liu, W. (164) 561)
- Electronic conductivity  
Kinetics; Cathode materials; Phase transformation; Ionic conductivity (Ma, J. (164) 849)
- Electroosmotic flow  
Serpentine microchannel; Numerical; Three-dimensional; Zeta potential (Saha, A.A. (164) 154)
- Electrooxidation  
Ethanol; Fuel cells; Palladium; Oxide (Xu, C. (164) 527)
- Electropolymerization  
Polypyrrole; Ammonium borodisalicylate; Aluminum solid-state capacitor (Toita, S. (164) 905)
- Electrospinning  
Three-dimensional rechargeable lithium ion batteries; Nanofibers; TiO<sub>2</sub>; Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub> (Lu, H.-W. (164) 874)
- Energy conversion efficiency  
Quasi-solid-state dye-sensitized solar cell; Absorbent; PAA-PEG hybrid; Polymer gel electrolyte; Liquid electrolyte absorbency (Lan, Z. (164) 921)
- Ethanol  
Fuel cell; Cathode; Pt-Co/C; Electrocatalysts (Lopes, T. (164) 111)
- Ethanol  
Fuel cells; Palladium; Oxide; Electrooxidation (Xu, C. (164) 527)
- Ethanol  
Solid oxide fuel cell (SOFC); Direct internal reforming; Scandia stabilized zirconia; Composite anode; Carbon deposition (Ye, X.-F. (164) 203)
- Exhaust gas recirculation  
Solid oxide fuel cell; Cycle analysis; Recuperative heat exchanger (Zhang, X. (164) 752)
- Experiment  
Nafion loading; PEMFC; Parametric study; Prediction (Cheng, C.-H. (164) 730)
- Experimental performance  
Solid oxide fuel cell stacks; Sulfur tolerant anode; Coal syngas; Long-term testing (Marquez, A.I. (164) 659)
- Exposure ratio  
Current-collector; Micro direct methanol fuel cell; Fuel delivery; Contact resistance (Yang, W.M. (164) 549)
- External continuous supply  
Batch-type metallothermic reduction; Leakage current; Dielectric dissipation; Solid-electrolyte capacitor; Tantalum powder (Yoon, J.S. (164) 959)
- Fe-Cr alloys  
SOFC; Interconnect; Thermal expansion properties; Oxidation resistance properties (Han, M. (164) 278)
- FeV80 master alloy  
Hydrogen storage materials; V-based alloys; BCC phase (Yan, Y. (164) 799)
- Fill factor  
Photogalvanic cell; Thionine; Azur-B; Conversion efficiency; Power point (Lal, C. (164) 926)

- Filter-press cell  
 Borohydride ion; Carbon felt; FM01-LC cell; Hydrogen peroxide; Liquid fuel cell (de León, C.P. (164) 441)
- Finite element analysis  
 Planar SOFC; Thermal stress; Multiple-cell stack; 3D model (Lin, C.-K. (164) 238)
- Five-layer model  
 Water transport; PEMFC (Chen, F. (164) 649)
- Flow field obstruction  
 Proton exchange membrane fuel cells; Residence time distribution; Water management; Gas diffusion electrode liquid water content (St-Pierre, J. (164) 196)
- Flow imbalance  
 PEMFC; MEMS; Micro-valve; Fuel cell energy management (Hensel, J.P. (164) 115)
- FM01-LC cell  
 Borohydride ion; Carbon felt; Filter-press cell; Hydrogen peroxide; Liquid fuel cell (de León, C.P. (164) 441)
- Fractal structure  
 Electric double layer capacitor; Electrochemical impedance spectroscopy; Transmission line model (Itagaki, M. (164) 415)
- Freeze drying  
 Secondary Li batteries; Cathode materials;  $\text{Li}_{1+x}\text{V}_3\text{O}_8$ ; Particle morphology (Brylev, O.A. (164) 868)
- Freezing  
 Fuel cell; Gas diffusion layer; Compression; Strain; Durability (Lee, C. (164) 141)
- FTIR  
 Polymer blend; XRD; SEM; Thermal and conductivity studies (Rajendran, S. (164) 815)
- Fuel cell  
 Catalysis; Bifunctional mechanism; ATTR-SEIRAS (Futamata, M. (164) 532)
- Fuel cell  
 Composite membrane; Sulfonated polyimide; Nafion; Multilayer (Wang, L. (164) 80)
- Fuel cell  
 DMFC; Ultrasound enhancement; Sonochemistry (Han, J. (164) 90)
- Fuel cell  
 Electrolyzer; Hydrogen; Renewable energy (Bergen, A. (164) 624)
- Fuel cell  
 Ethanol; Cathode; Pt-Co/C; Electrocatalysts (Lopes, T. (164) 111)
- Fuel cell  
 Gas diffusion layer; Compression; Strain; Freezing; Durability (Lee, C. (164) 141)
- Fuel cell  
 $\text{H}_2$ /air PEM; Relative humidity; Cathode; Anode; Membrane (Saleh, M.M. (164) 503)
- Fuel cell  
 MEMS; Microreactor; Microchemical systems; PID control; Steam reforming (Shin, W.C. (164) 328)
- Fuel cell  
 Poly(benzimidazole); PTFE; Composite membranes (Lin, H.-L. (164) 481)
- Fuel cell  
 Thermodynamic analysis; Carbon formation boundary; Dimethyl ether; Steam reforming; Hydrogen (Faungnawakij, K. (164) 73)
- Fuel cell diagnostics  
 Current distribution; Water distribution; Net water transport coefficient; Water management (Lu, G.Q. (164) 134)
- Fuel cell energy management  
 PEMFC; MEMS; Micro-valve; Flow imbalance (Hensel, J.P. (164) 115)
- Fuel cell system  
 Micropower; Portable power generation; Micro fuel cell; Pareto optimal; Design metrics (Mitsos, A. (164) 678)
- Fuel cells  
 Ethanol; Palladium; Oxide; Electrooxidation (Xu, C. (164) 527)
- Fuel cells  
 Proton conducting membrane; Semi-interpenetrating network; Poly(vinyl alcohol); Poly(styrene sulfonic acid-co-maleic acid); Membrane electrode assembly (Lin, C.W. (164) 449)
- Fuel crossover  
 Direct borohydride fuel cell; Cathode; Platinum; Silver (Liu, B.H. (164) 100)
- Fuel delivery  
 Current-collector; Micro direct methanol fuel cell; Contact resistance; Exposure ratio (Yang, W.M. (164) 549)
- Fuel loss  
 SOFC; Low temperature; SDC; Internal shorting (Zhang, X. (164) 668)
- Fuel sensor-less control  
 Liquid feed fuel cell; Direct methanol fuel cell (Chang, C.L. (164) 606)
- Fuel stack  
 DMFC; Power characteristics; Methanol crossover; Water transfer (Liu, Y. (164) 322)
- Fuel-cell  
 Proton exchange membrane; Robust control; System identification (Wang, F.-C. (164) 704)
- Fully-coupled transport phenomena  
 PEM fuel cell; Mixed-domain model; Interfacial boundary condition; Water content (Meng, H. (164) 688)
- Gadolinium-doped ceria oxide  
 Solid oxide fuel cells; Cathode-supported SOFC;  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Ce}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ ; Co-firing (Liu, Y. (164) 56)
- Gas diffusion electrode liquid water content  
 Proton exchange membrane fuel cells; Residence time distribution; Water management; Flow field obstruction (St-Pierre, J. (164) 196)
- Gas diffusion layer  
 Fuel cell; Compression; Strain; Freezing; Durability (Lee, C. (164) 141)
- Gel  
 Lithium polymer battery; Polymerizable ionic liquids; Ultra high molecular weight polymer; Rate performance (Sato, T. (164) 390)
- Gel electrolyte  
 Poly(acrylonitrile); Poly(vinyl acetate); PAN-based gel; Lithium ion battery (Amaral, F.A. (164) 379)
- Genetic algorithm  
 Molten carbonate fuel cell; Variable structure control (Yang, F. (164) 713)
- $\text{H}_2$ /air PEM  
 Fuel cell; Relative humidity; Cathode; Anode; Membrane (Saleh, M.M. (164) 503)
- $\text{H}_2\text{S}$  poisoning  
 PEMFC; Cyclic voltammetry; Potential steps (Shi, W. (164) 272)
- Heat  
 Solid oxide fuel cell; Thermal energy storage; Residential; Micro-CHP (Hawkes, A.D. (164) 260)
- Heat and mass transfer  
 Air-breathing; PEMFCs; CFD; Oxygen transport limitation (Wang, Y. (164) 721)
- Heat treatment  
 Platinum nanoparticles; Oleylamine; Controlled size; Catalytic activity; Methanol oxidation (Liu, Z. (164) 472)
- HEMM  
 Reduction; Silicon-based composite; Anode; Lithium ion batteries (Yang, X. (164) 880)
- High rate chargeability  
 Ni-MH battery; Hydride electrode alloy; High rate dischargeability (Shi, S. (164) 911)
- High rate dischargeability  
 Ni-MH battery; Hydride electrode alloy; High rate chargeability (Shi, S. (164) 911)
- High temperature PEMFC  
 PBI/ $\text{H}_3\text{PO}_4$ ; Platinum electrocatalyst; Electrochemical surface area; Coalescence mechanism (Zhai, Y. (164) 126)
- High-energy mechanical milling  
 C-SiSn composite; Anode; Li-ion battery (Rock, N.L. (164) 829)
- Hybrid model  
 Proton exchange membrane fuel cell (PEMFC); Pressure-incremental; Particle swarm optimization (PSO); Least square support vector machine (LS-SVM) (Zhong, Z.-D. (164) 746)

- Hydride electrode alloy  
Ni–MH battery; High rate chargeability; High rate dischargeability (Shi, S. (164) 911)
- Hydrogen  
Electrolyzer; Fuel cell; Renewable energy (Bergen, A. (164) 624)
- Hydrogen  
Thermodynamic analysis; Carbon formation boundary; Dimethyl ether; Steam reforming; Fuel cell (Faungnawakij, K. (164) 73)
- Hydrogen generation  
Lithium alanate; Diethyl ether; Tetrahydrofuran; Specific conductivity; Anodic polarization (Senoh, H. (164) 94)
- Hydrogen generation  
Sodium borohydride; Supported Co catalyst; Hydrolysis (Ye, W. (164) 544)
- Hydrogen peroxide  
Borohydride ion; Carbon felt; Filter-press cell; FM01-LC cell; Liquid fuel cell (de León, C.P. (164) 441)
- Hydrogen production  
Catalytic partial oxidation; Steam reforming; Methane; Ni catalyst (Chen, L. (164) 803)
- Hydrogen production  
Ionic liquid; 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMI.BF<sub>4</sub>); Nickel electrode; 304 stainless steel; Carbon steel electrode (de Souza, R.F. (164) 792)
- Hydrogen production  
Methane decomposition; Carbon filaments; Zeolites; SBA-15 (Ashok, J. (164) 809)
- Hydrogen production  
Methanol; Electrolysis; Permeation; Carbon dioxide (Take, T. (164) 9)
- Hydrogen production and purification  
Bioethanol; PEM fuel-cells (Giunta, P. (164) 336)
- Hydrogen storage  
Imides; Amides; Ammonia; Ball-milling (Janot, R. (164) 496)
- Hydrogen storage  
Sodium borohydride; Hydrolysis; Kinetics (Zhang, J.S. (164) 772)
- Hydrogen storage  
Sodium borohydride; Regeneration; Sodium hydride; Reciprocal system; Molten salts (Calabretta, D.L. (164) 782)
- Hydrogen storage materials  
V-based alloys; BCC phase; FeV80 master alloy (Yan, Y. (164) 799)
- Hydrolysis  
Hydrogen generation; Sodium borohydride; Supported Co catalyst (Ye, W. (164) 544)
- Hydrolysis  
Hydrogen storage; Sodium borohydride; Kinetics (Zhang, J.S. (164) 772)
- Hydrophilicity  
Water management; PEM fuel cell; Air flow channel; Two-phase flow; Pressure drop (Quan, P. (164) 222)
- Imides  
Hydrogen storage; Amides; Ammonia; Ball-milling (Janot, R. (164) 496)
- Impedance  
Stirred tank reactor fuel cell; Current density distribution; Auto-humidification; Spatially-resolved impedance; Single-channel serpentine design (Hogarth, W.H.J. (164) 464)
- Interconnect  
Doped ceria; Conductivity; Auto-ignition process; SOFC (Zhou, X. (164) 293)
- Interconnect  
SOFC; Fe–Cr alloys; Thermal expansion properties; Oxidation resistance properties (Han, M. (164) 278)
- Interfacial boundary condition  
PEM fuel cell; Mixed-domain model; Fully-coupled transport phenomena; Water content (Meng, H. (164) 688)
- Interfacial liquid coverage  
Direct methanol fuel cell; Water transport; Mathematical modeling; Three-dimension (Liu, W. (164) 189)
- Intermediate temperature solid oxide fuel cells  
Methane electro-oxidation; Redox-cycles; Ni–Cu catalyst; Ceria electrolytes (Sin, A. (164) 300)
- Internal shorting  
SOFC; Low temperature; SDC; Fuel loss (Zhang, X. (164) 668)
- Ionic conductivity  
Kinetics; Cathode materials; Phase transformation; Electronic conductivity (Ma, J. (164) 849)
- Ionic liquid  
Hydrogen production; 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMI.BF<sub>4</sub>); Nickel electrode; 304 stainless steel; Carbon steel electrode (de Souza, R.F. (164) 792)
- Irreversible capacity  
Natural graphite; Anode; Thermal oxidation; Lithium-ion battery; Cycleability (Shim, J. (164) 862)
- Kerosene  
Dodecane; Tetralin; Ceria; Zirconia; Autothermal (Gould, B.D. (164) 344)
- Kinetics  
Cathode materials; Phase transformation; Ionic conductivity; Electronic conductivity (Ma, J. (164) 849)
- Kinetics  
Hydrogen storage; Sodium borohydride; Hydrolysis (Zhang, J.S. (164) 772)
- Kinetics  
Lithium-ion battery; LiMn<sub>2</sub>O<sub>4</sub>; Precursor (Zhao, M.S. (164) 822)
- La<sub>0.6</sub>Sr<sub>0.4</sub>Co<sub>0.2</sub>Fe<sub>0.8</sub>O<sub>3-δ</sub>  
Solid oxide fuel cells; Cathode-supported SOFC; Gadolinium-doped ceria oxide; Co-firing (Liu, Y. (164) 56)
- Lattice Boltzmann method  
SOFC; Concentration polarization; Anode microstructure; Multi-component diffusion; Porous media (Joshi, A.S. (164) 631)
- Lead-acid battery  
Pb–Ca–Sn–Li alloy; Lithium; Anodic Pb<sup>2+</sup> film; Electrochemical impedance spectroscopy (EIS) (Shervedani, R.K. (164) 890)
- Leakage current  
Batch-type metalothermic reduction; Dielectric dissipation; Solid-electrolyte capacitor; External continuous supply; Tantalum powder (Yoon, J.S. (164) 959)
- Least square support vector machine (LS-SVM)  
Proton exchange membrane fuel cell (PEMFC); Pressure-incremental; Hybrid model; Particle swarm optimization (PSO) (Zhong, Z.-D. (164) 746)
- Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>  
Secondary Li batteries; Cathode materials; Freeze drying; Particle morphology (Brylev, O.A. (164) 868)
- Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>  
Electrospinning; Three-dimensional rechargeable lithium ion batteries; Nanofibers; TiO<sub>2</sub> (Lu, H.-W. (164) 874)
- Lifetime criterion  
Porous ceramic; Sintering behavior; α-Lithium aluminate (α-LiAlO<sub>2</sub>) matrix; Pore structure (Zhou, L. (164) 24)
- Li-ion batteries  
Anode materials; Nanomaterials; Amorphous Co<sub>3</sub>Sn<sub>2</sub> (Xie, J. (164) 386)
- Li-ion battery  
High-energy mechanical milling; C–SiSn composite; Anode (Rock, N.L. (164) 829)
- Li-ion battery  
LiMn<sub>2</sub>O<sub>4</sub>; Cyclic voltammetry; Spinel cathode; Discharge capacity (Singhal, R. (164) 857)
- LiMn<sub>2</sub>O<sub>4</sub>  
Li-ion battery; Cyclic voltammetry; Spinel cathode; Discharge capacity (Singhal, R. (164) 857)
- LiMn<sub>2</sub>O<sub>4</sub>  
Lithium-ion batteries; γ-MnOOH; Spinel-type; Discharge rate; Capacity retention (Bao, S.-J. (164) 885)
- LiMn<sub>2</sub>O<sub>4</sub>  
Lithium-ion battery; Precursor; Kinetics (Zhao, M.S. (164) 822)
- Liquid electrification  
Nanoporous; Mechanical-to-electric energy conversion; Monel (Qiao, Y. (164) 931)

- Liquid electrolyte absorbency  
Quasi-solid-state dye-sensitized solar cell; Absorbent; PAA-PEG hybrid; Polymer gel electrolyte; Energy conversion efficiency (Lan, Z. (164) 921)
- Liquid feed fuel cell  
Fuel sensor-less control; Direct methanol fuel cell (Chang, C.L. (164) 606)
- Liquid fuel cell  
Borohydride ion; Carbon felt; Filter-press cell; FM01-LC cell; Hydrogen peroxide (de León, C.P. (164) 441)
- Lithium  
Pb-Ca-Sn-Li alloy; Lead-acid battery; Anodic Pb<sup>2+</sup> film; Electrochemical impedance spectroscopy (EIS) (Shervedani, R.K. (164) 890)
- Lithium alanate  
Diethyl ether; Tetrahydrofuran; Specific conductivity; Anodic polarization; Hydrogen generation (Senoh, H. (164) 94)
- $\alpha$ -Lithium aluminate ( $\alpha$ -LiAlO<sub>2</sub>) matrix  
Porous ceramic; Sintering behavior; Lifetime criterion; Pore structure (Zhou, L. (164) 24)
- Lithium ion batteries  
HEMM; Reduction; Silicon-based composite; Anode (Yang, X. (164) 880)
- Lithium ion battery  
Gel electrolyte; Poly(acrylonitrile); Poly(vinyl acetate); PAN-based gel (Amaral, F.A. (164) 379)
- Lithium polymer battery  
Polymerizable ionic liquids; Ultra high molecular weight polymer; Gel; Rate performance (Sato, T. (164) 390)
- Lithium/air cell  
Transient model; Organic electrolyte; Diffusion-limited (Sandhu, S.S. (164) 365)
- Lithium-ion batteries  
 $\gamma$ -MnOOH; LiMn<sub>2</sub>O<sub>4</sub>; Spinel-type; Discharge rate; Capacity retention (Bao, S.-J. (164) 885)
- Lithium-ion battery  
LiMn<sub>2</sub>O<sub>4</sub>; Precursor; Kinetics (Zhao, M.S. (164) 822)
- Lithium-ion battery  
Natural graphite; Anode; Thermal oxidation; Cycleability; Irreversible capacity (Shim, J. (164) 862)
- Lithium-ion battery  
Transmission electron microscopy; Chromium oxide; Conversion reaction; Stainless steel (Dupont, L. (164) 839)
- Long-term testing  
Solid oxide fuel cell stacks; Sulfur tolerant anode; Coal syngas; Experimental performance (Marquez, A.I. (164) 659)
- Low temperature  
SOFC; SDC; Internal shorting; Fuel loss (Zhang, X. (164) 668)
- Low temperature  
SOFC; SDC; ScSZ; Bi-layer electrolyte; Pulsed laser deposition (Yang, D. (164) 182)
- Lyotropic liquid crystalline  
Manganese dioxide; Supercapacitors; Electrodeposition (Xue, T. (164) 953)
- Manganese  
Recycling; Zn-MnO<sub>2</sub> batteries (Freitas, M.B.J.G. (164) 947)
- Manganese dioxide  
Supercapacitors; Lyotropic liquid crystalline; Electrodeposition (Xue, T. (164) 953)
- Mathematical modeling  
Direct methanol fuel cell; Water transport; Three-dimension; Interfacial liquid coverage (Liu, W. (164) 189)
- Mechanical texturing  
Contact resistance; PEM fuel cells; Bipolar plates (Kraytsberg, A. (164) 697)
- Mechanical-to-electric energy conversion  
Nanoporous; Liquid electrification; Monel (Qiao, Y. (164) 931)
- Membrane  
Cross-linking; Proton conductivity; Sulfonation (Ding, F.C. (164) 488)
- Membrane  
H<sub>2</sub>/air PEM; Fuel cell; Relative humidity; Cathode; Anode (Saleh, M.M. (164) 503)
- Membrane electrode assembly  
Proton conducting membrane; Semi-interpenetrating network; Poly(vinyl alcohol); Poly(styrene sulfonic acid-co-maleic acid); Fuel cells (Lin, C.W. (164) 449)
- MEMS  
Microreactor; Microchemical systems; PID control; Steam reforming; Fuel cell (Shin, W.C. (164) 328)
- MEMS  
PEMFC; Micro-valve; Fuel cell energy management; Flow imbalance (Hensel, J.P. (164) 115)
- Methane  
Hydrogen production; Catalytic partial oxidation; Steam reforming; Ni catalyst (Chen, L. (164) 803)
- Methane decomposition  
Carbon filaments; Zeolites; SBA-15; Hydrogen production (Ashok, J. (164) 809)
- Methane electro-oxidation  
Intermediate temperature solid oxide fuel cells; Redox-cycles; Ni-Cu catalyst; Ceria electrolytes (Sin, A. (164) 300)
- Methanol  
CO; Catalytic activity; Platinum nanoparticles (Teng, Z.-H. (164) 105)
- Methanol  
Hydrogen production; Electrolysis; Permeation; Carbon dioxide (Take, T. (164) 9)
- Methanol  
Nanostructure; Composite; Poly(*N*-acetylaniline); Catalytic oxidation (Jiang, C. (164) 49)
- Methanol  
Solid oxide fuel cells; Ceria; Deactivation (Kim, T. (164) 42)
- Methanol crossover  
DMFC; Carbon dioxide sensor (Han, J. (164) 166)
- Methanol crossover  
DMFC; Fuel stack; Power characteristics; Water transfer (Liu, Y. (164) 322)
- Methanol electro-oxidation  
Direct methanol fuel cell (DMFC); Pt-CeO<sub>2</sub>/CNTs (Wang, J. (164) 555)
- Methanol oxidation  
Platinum nanoparticles; Oleylamine; Controlled size; Heat treatment; Catalytic activity (Liu, Z. (164) 472)
- Methanol oxidation  
Polyaniline; Poly(styrene sulfonic acid); Pt particles; AES (Huang, L.-M. (164) 519)
- Micro direct methanol fuel cell  
Current-collector; Fuel delivery; Contact resistance; Exposure ratio (Yang, W.M. (164) 549)
- Micro fuel cell  
Micropower; Portable power generation; Fuel cell system; Pareto optimal; Design metrics (Mitsos, A. (164) 678)
- Microchemical systems  
MEMS; Microreactor; PID control; Steam reforming; Fuel cell (Shin, W.C. (164) 328)
- Micro-CHP  
Solid oxide fuel cell; Thermal energy storage; Heat; Residential (Hawkes, A.D. (164) 260)
- Microporous membrane  
Separator; Polyolefin; Non-woven; Thermal shutdown; Safety (Zhang, S.S. (164) 351)
- Micropower  
Portable power generation; Fuel cell system; Micro fuel cell; Pareto optimal; Design metrics (Mitsos, A. (164) 678)
- Microreactor  
MEMS; Microchemical systems; PID control; Steam reforming; Fuel cell (Shin, W.C. (164) 328)
- Microturbine  
Distributed generation; Dynamic model; Proton exchange membrane fuel cell; Simulation (El-Sharkh, M.Y. (164) 315)
- Micro-valve  
PEMFC; MEMS; Fuel cell energy management; Flow imbalance (Hensel, J.P. (164) 115)

- Mixed-domain model  
 PEM fuel cell; Interfacial boundary condition; Fully-coupled transport phenomena; Water content (Meng, H. (164) 688)
- $\gamma$ -MnOOH  
 Lithium-ion batteries;  $\text{LiMn}_2\text{O}_4$ ; Spinel-type; Discharge rate; Capacity retention (Bao, S.-J. (164) 885)
- Model  
 Air breathing; Planar cathode; Performance characteristics; Parametric study (Rajani, B.P.M. (164) 210)
- Model  
 Two-phase transport; Porous electrode (Hwang, J.J. (164) 174)
- 3D model  
 Planar SOFC; Thermal stress; Multiple-cell stack; Finite element analysis (Lin, C.-K. (164) 238)
- Modeling  
 Direct methanol fuel cell; Electron transport; Three dimensions (Liu, W. (164) 561)
- Modeling  
 SOFC; Segmented-in-series; Optimization; Cathode (Lai, T.S. (164) 742)
- Modeling  
 Solid oxide fuel cell; Anode-supported; Surface diffusion (Shi, Y. (164) 639)
- Molten carbonate fuel cell  
 Variable structure control; Genetic algorithm (Yang, F. (164) 713)
- Molten salts  
 Sodium borohydride; Regeneration; Hydrogen storage; Sodium hydride; Reciprocal system (Calabretta, D.L. (164) 782)
- Molten salts  
 Thermal batteries; Electrolyte (Masset, P. (164) 397)
- Monel  
 Nanoporous; Mechanical-to-electric energy conversion; Liquid electrification (Qiao, Y. (164) 931)
- Multi-component diffusion  
 Lattice Boltzmann method; SOFC; Concentration polarization; Anode microstructure; Porous media (Joshi, A.S. (164) 631)
- Multilayer  
 Fuel cell; Composite membrane; Sulfonated polyimide; Nafion (Wang, L. (164) 80)
- Multiple-cell stack  
 Planar SOFC; Thermal stress; Finite element analysis; 3D model (Lin, C.-K. (164) 238)
- Nafion  
 Fuel cell; Composite membrane; Sulfonated polyimide; Multilayer (Wang, L. (164) 80)
- Nafion loading  
 PEMFC; Parametric study; Prediction; Experiment (Cheng, C.-H. (164) 730)
- Nano-crystalline  $\text{LiMn}_2\text{O}_4$  thin film  
 Pulsed laser deposition; Capacity; Charge/discharge; Stability (Tang, S.B. (164) 372)
- Nanofibers  
 Electrospinning; Three-dimensional rechargeable lithium ion batteries;  $\text{TiO}_2$ ;  $\text{Li}_4\text{Ti}_5\text{O}_{12}$  (Lu, H.-W. (164) 874)
- Nanomaterials  
 Li-ion batteries; Anode materials; Amorphous  $\text{Co}_3\text{Sn}_2$  (Xie, J. (164) 386)
- Nanoporous  
 Mechanical-to-electric energy conversion; Liquid electrification; Monel (Qiao, Y. (164) 931)
- Nanostructure  
 Composite; Poly(*N*-acetylaniline); Methanol; Catalytic oxidation (Jiang, C. (164) 49)
- Natural graphite  
 Anode; Thermal oxidation; Lithium-ion battery; Cycleability; Irreversible capacity (Shim, J. (164) 862)
- Net water transport coefficient  
 Current distribution; Water distribution; Water management; Fuel cell diagnostics (Lu, G.Q. (164) 134)
- Ni catalyst  
 Hydrogen production; Catalytic partial oxidation; Steam reforming; Methane (Chen, L. (164) 803)
- Nickel electrode  
 Ionic liquid; Hydrogen production; 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMI.BF<sub>4</sub>); 304 stainless steel; Carbon steel electrode (de Souza, R.F. (164) 792)
- Nickel hydroxide/AC  
 Electrochemical capacitor; Composite electrode; Specific capacitance (Huang, Q. (164) 425)
- Nickel oxide  
 SOFC; Thermodynamic analysis; Durability; CO<sub>2</sub>-sequestering (Nehter, P. (164) 252)
- Ni–Cu catalyst  
 Intermediate temperature solid oxide fuel cells; Methane electro-oxidation; Redox-cycles; Ceria electrolytes (Sin, A. (164) 300)
- Ni–MH battery  
 Hydride electrode alloy; High rate chargeability; High rate dischargeability (Shi, S. (164) 911)
- Non-noble catalysts  
 PEMFCs; Tungsten nitride; Oxygen reduction reaction (Zhong, H. (164) 572)
- Non-woven  
 Separator; Microporous membrane; Polyolefin; Thermal shutdown; Safety (Zhang, S.S. (164) 351)
- Numerical  
 Serpentine microchannel; Electroosmotic flow; Three-dimensional; Zeta potential (Saha, A.A. (164) 154)
- Ohmic loss  
 PEMFC stack; Voltage degradation model; Concentration resistance coefficient; Activation loss (Lu, L. (164) 306)
- Oleylamine  
 Platinum nanoparticles; Controlled size; Heat treatment; Catalytic activity; Methanol oxidation (Liu, Z. (164) 472)
- Optimization  
 SOFC; Segmented-in-series; Cathode; Modeling (Lai, T.S. (164) 742)
- Organic electrolyte  
 Lithium/air cell; Transient model; Diffusion-limited (Sandhu, S.S. (164) 365)
- Oxidation  
 Catalyst support; Tungsten carbide; Carbon; Proton exchange membrane fuel cells (Chhina, H. (164) 431)
- Oxidation resistance properties  
 SOFC; Interconnect; Fe–Cr alloys; Thermal expansion properties (Han, M. (164) 278)
- Oxide  
 Ethanol; Fuel cells; Palladium; Electrooxidation (Xu, C. (164) 527)
- Oxygen reduction reaction  
 PEMFC; DMFC; Porous carbon (Yamada, H. (164) 538)
- Oxygen reduction reaction  
 PEMFCs; Tungsten nitride; Non-noble catalysts (Zhong, H. (164) 572)
- Oxygen transport limitation  
 Air-breathing; PEMFCs; CFD; Heat and mass transfer (Wang, Y. (164) 721)
- PAA–PEG hybrid  
 Quasi-solid-state dye-sensitized solar cell; Absorbent; Polymer gel electrolyte; Liquid electrolyte absorbency; Energy conversion efficiency (Lan, Z. (164) 921)
- Palladium  
 Ethanol; Fuel cells; Oxide; Electrooxidation (Xu, C. (164) 527)
- PAN-based gel  
 Gel electrolyte; Poly(acrylonitrile); Poly(vinyl acetate); Lithium ion battery (Amaral, F.A. (164) 379)
- Parametric study  
 Air breathing; Planar cathode; Model; Performance characteristics (Rajani, B.P.M. (164) 210)



- Parametric study  
Nafion loading; PEMFC; Prediction; Experiment (Cheng, C.-H. (164) 730)
- Pareto optimal  
Micropower; Portable power generation; Fuel cell system; Micro fuel cell; Design metrics (Mitsos, A. (164) 678)
- Particle morphology  
Secondary Li batteries; Cathode materials;  $\text{Li}_{1+x}\text{V}_3\text{O}_8$ ; Freeze drying (Brylev, O.A. (164) 868)
- Particle swarm optimization (PSO)  
Proton exchange membrane fuel cell (PEMFC); Pressure-incremental; Hybrid model; Least square support vector machine (LS-SVM) (Zhong, Z.-D. (164) 746)
- Passive  
DMFC; Planar; Air breathing; Design; Performance (Martin, J.J. (164) 287)
- Pb–Ca–Sn–Li alloy  
Lead-acid battery; Lithium; Anodic  $\text{Pb}^{2+}$  film; Electrochemical impedance spectroscopy (EIS) (Shervedani, R.K. (164) 890)
- PBI/ $\text{H}_3\text{PO}_4$   
High temperature PEMFC; Platinum electrocatalyst; Electrochemical surface area; Coalescence mechanism (Zhai, Y. (164) 126)
- $\text{PbO}_2$   
Chemical forming; Bipolar lead-acid battery; Conductive polyethylene; Curing; Discharge capacity; Power density (Karami, H. (164) 896)
- PEM fuel cell  
Mixed-domain model; Interfacial boundary condition; Fully-coupled transport phenomena; Water content (Meng, H. (164) 688)
- PEM fuel cell  
System identification; Adaptive control (Yang, Y.-P. (164) 761)
- PEM fuel cell  
Water management; Air flow channel; Two-phase flow; Hydrophilicity; Pressure drop (Quan, P. (164) 222)
- PEM fuel cells  
Contact resistance; Bipolar plates; Mechanical texturing (Kraytsberg, A. (164) 697)
- PEM fuel-cells  
Hydrogen production and purification; Bioethanol (Giunta, P. (164) 336)
- PEMFC  
DC/DC PWM converter; Air, coolant and power flow control (Choe, S.-Y. (164) 614)
- PEMFC  
DMFC; Porous carbon; Oxygen reduction reaction (Yamada, H. (164) 538)
- PEMFC  
 $\text{H}_2\text{S}$  poisoning; Cyclic voltammetry; Potential steps (Shi, W. (164) 272)
- PEMFC  
MEMS; Micro-valve; Fuel cell energy management; Flow imbalance (Hensel, J.P. (164) 115)
- PEMFC  
Nafion loading; Parametric study; Prediction; Experiment (Cheng, C.-H. (164) 730)
- PEMFC  
Water management; Anode water removal; Water dynamics (Karnik, A.Y. (164) 590)
- PEMFC  
Water management layer; Rolling method (Shi, J. (164) 284)
- PEMFC  
Water transport; Five-layer model (Chen, F. (164) 649)
- PEMFC stack  
Voltage degradation model; Concentration resistance coefficient; Ohmic loss; Activation loss (Lu, L. (164) 306)
- PEMFCs  
Air-breathing; CFD; Heat and mass transfer; Oxygen transport limitation (Wang, Y. (164) 721)
- PEMFCs  
Tungsten nitride; Oxygen reduction reaction; Non-noble catalysts (Zhong, H. (164) 572)
- Performance  
DMFC; Passive; Planar; Air breathing; Design (Martin, J.J. (164) 287)
- Performance characteristics  
Air breathing; Planar cathode; Model; Parametric study (Rajani, B.P.M. (164) 210)
- Permeation  
Hydrogen production; Methanol; Electrolysis; Carbon dioxide (Take, T. (164) 9)
- Phase transformation  
Kinetics; Cathode materials; Ionic conductivity; Electronic conductivity (Ma, J. (164) 849)
- Photogalvanic cell  
Thionine; Azur-B; Fill factor; Conversion efficiency; Power point (Lal, C. (164) 926)
- PID control  
MEMS; Microreactor; Microchemical systems; Steam reforming; Fuel cell (Shin, W.C. (164) 328)
- Planar  
DMFC; Passive; Air breathing; Design; Performance (Martin, J.J. (164) 287)
- Planar cathode  
Air breathing; Model; Performance characteristics; Parametric study (Rajani, B.P.M. (164) 210)
- Planar SOFC  
Thermal stress; Multiple-cell stack; Finite element analysis; 3D model (Lin, C.-K. (164) 238)
- Platinum  
Direct borohydride fuel cell; Fuel crossover; Cathode; Silver (Liu, B.H. (164) 100)
- Platinum electrocatalyst  
High temperature PEMFC; PBI/ $\text{H}_3\text{PO}_4$ ; Electrochemical surface area; Coalescence mechanism (Zhai, Y. (164) 126)
- Platinum nanoparticles  
Methanol; CO; Catalytic activity (Teng, Z.-H. (164) 105)
- Platinum nanoparticles  
Oleylamine; Controlled size; Heat treatment; Catalytic activity; Methanol oxidation (Liu, Z. (164) 472)
- Poisoning  
Protective coatings; Chromium vaporization; Degradation (Stanislawski, M. (164) 578)
- Poly(acrylonitrile)  
Gel electrolyte; Poly(vinyl acetate); PAN-based gel; Lithium ion battery (Amaral, F.A. (164) 379)
- Polyaniline  
Poly(styrene sulfonic acid); Pt particles; AES; Methanol oxidation (Huang, L.-M. (164) 519)
- Poly(benzimidazole)  
PTFE; Composite membranes; Fuel cell (Lin, H.-L. (164) 481)
- Polymer blend  
FTIR; XRD; SEM; Thermal and conductivity studies (Rajendran, S. (164) 815)
- Polymer electrolyte fuel cell  
Electrochemical oxidation; Cyclic voltammetry; Alcohol; Electrocatalyst (Fujiwara, N. (164) 457)
- Polymer gel electrolyte  
Quasi-solid-state dye-sensitized solar cell; Absorbent; PAA-PEG hybrid; Liquid electrolyte absorbency; Energy conversion efficiency (Lan, Z. (164) 921)
- Polymerizable ionic liquids  
Lithium polymer battery; Ultra high molecular weight polymer; Gel; Rate performance (Sato, T. (164) 390)
- Poly(*N*-acetylaniline)  
Nanostructure; Composite; Methanol; Catalytic oxidation (Jiang, C. (164) 49)
- Polyolefin  
Separator; Microporous membrane; Non-woven; Thermal shutdown; Safety (Zhang, S.S. (164) 351)
- Polypyrrole  
Ammonium borodisalicylate; Electropolymerization; Aluminum solid-state capacitor (Toita, S. (164) 905)

- Poly(styrene sulfonic acid)  
 Polyaniline; Pt particles; AES; Methanol oxidation (Huang, L.-M. (164) 519)
- Poly(styrene sulfonic acid-co-maleic acid)  
 Proton conducting membrane; Semi-interpenetrating network; Poly(vinyl alcohol); Membrane electrode assembly; Fuel cells (Lin, C.W. (164) 449)
- Poly(vinyl acetate)  
 Gel electrolyte; Poly(acrylonitrile); PAN-based gel; Lithium ion battery (Amaral, F.A. (164) 379)
- Poly(vinyl alcohol)  
 Proton conducting membrane; Semi-interpenetrating network; Poly(styrene sulfonic acid-co-maleic acid); Membrane electrode assembly; Fuel cells (Lin, C.W. (164) 449)
- Pore structure  
 Porous ceramic; Sintering behavior; Lifetime criterion;  $\alpha$ -Lithium aluminate ( $\alpha$ -LiAlO<sub>2</sub>) matrix (Zhou, L. (164) 24)
- Porous carbon  
 PEMFC; DMFC; Oxygen reduction reaction (Yamada, H. (164) 538)
- Porous ceramic  
 Sintering behavior; Lifetime criterion;  $\alpha$ -Lithium aluminate ( $\alpha$ -LiAlO<sub>2</sub>) matrix; Pore structure (Zhou, L. (164) 24)
- Porous electrode  
 Two-phase transport; Model (Hwang, J.J. (164) 174)
- Porous media  
 Lattice Boltzmann method; SOFC; Concentration polarization; Anode microstructure; Multi-component diffusion (Joshi, A.S. (164) 631)
- Portable power generation  
 Micropower; Fuel cell system; Micro fuel cell; Pareto optimal; Design metrics (Mitsos, A. (164) 678)
- Potential steps  
 PEMFC; H<sub>2</sub>S poisoning; Cyclic voltammetry (Shi, W. (164) 272)
- Power characteristics  
 DMFC; Fuel stack; Methanol crossover; Water transfer (Liu, Y. (164) 322)
- Power density  
 Chemical forming; PbO<sub>2</sub>; Bipolar lead-acid battery; Conductive polyethylene; Curing; Discharge capacity (Karami, H. (164) 896)
- Power point  
 Photogalvanic cell; Thionine; Azur-B; Fill factor; Conversion efficiency (Lal, C. (164) 926)
- Precursor  
 Lithium-ion battery; LiMn<sub>2</sub>O<sub>4</sub>; Kinetics (Zhao, M.S. (164) 822)
- Prediction  
 Nafion loading; PEMFC; Parametric study; Experiment (Cheng, C.-H. (164) 730)
- Pressure drop  
 Water management; PEM fuel cell; Air flow channel; Two-phase flow; Hydrophilicity (Quan, P. (164) 222)
- Pressure-incremental  
 Proton exchange membrane fuel cell (PEMFC); Hybrid model; Particle swarm optimization (PSO); Least square support vector machine (LS-SVM) (Zhong, Z.-D. (164) 746)
- Protective coatings  
 Chromium vaporization; Poisoning; Degradation (Stanislawski, M. (164) 578)
- Proton conducting membrane  
 Semi-interpenetrating network; Poly(vinyl alcohol); Poly(styrene sulfonic acid-co-maleic acid); Membrane electrode assembly; Fuel cells (Lin, C.W. (164) 449)
- Proton conductivity  
 Cross-linking; Sulfonation; Membrane (Ding, F.C. (164) 488)
- Proton exchange membrane  
 Crosslinking; Sulfonated poly(ether ether ketone)s; UV irradiation; Direct methanol fuel cell (Zhong, S. (164) 65)
- Proton exchange membrane  
 Electrochemical hydrogen pump; Separation and compression of hydrogen; Concentration cell (Onda, K. (164) 1)
- Proton exchange membrane  
 Fuel-cell; Robust control; System identification (Wang, F.-C. (164) 704)
- Proton exchange membrane fuel cell  
 Distributed generation; Dynamic model; Microturbine; Simulation (El-Sharkh, M.Y. (164) 315)
- Proton exchange membrane fuel cell (PEMFC)  
 Pressure-incremental; Hybrid model; Particle swarm optimization (PSO); Least square support vector machine (LS-SVM) (Zhong, Z.-D. (164) 746)
- Proton exchange membrane fuel cells  
 Catalyst support; Oxidation; Tungsten carbide; Carbon (Chhina, H. (164) 431)
- Proton exchange membrane fuel cells  
 Residence time distribution; Water management; Flow field obstruction; Gas diffusion electrode liquid water content (St-Pierre, J. (164) 196)
- Pt particles  
 Polyaniline; Poly(styrene sulfonic acid); AES; Methanol oxidation (Huang, L.-M. (164) 519)
- Pt-CeO<sub>2</sub>/CNTs  
 Direct methanol fuel cell (DMFC); Methanol electro-oxidation (Wang, J. (164) 555)
- Pt-Co/C  
 Ethanol; Fuel cell; Cathode; Electrocatalysts (Lopes, T. (164) 111)
- PTFE  
 Poly(benzimidazole); Composite membranes; Fuel cell (Lin, H.-L. (164) 481)
- Pulsed laser deposition  
 Nano-crystalline LiMn<sub>2</sub>O<sub>4</sub> thin film; Capacity; Charge/discharge; Stability (Tang, S.B. (164) 372)
- Pulsed laser deposition  
 SOFC; Low temperature; SDC; ScSZ; Bi-layer electrolyte (Yang, D. (164) 182)
- Quasi-solid-state dye-sensitized solar cell  
 Absorbent; PAA-PEG hybrid; Polymer gel electrolyte; Liquid electrolyte absorbency; Energy conversion efficiency (Lan, Z. (164) 921)
- Rate performance  
 Lithium polymer battery; Polymerizable ionic liquids; Ultra high molecular weight polymer; Gel (Sato, T. (164) 390)
- Reciprocal system  
 Sodium borohydride; Regeneration; Hydrogen storage; Sodium hydride; Molten salts (Calabretta, D.L. (164) 782)
- Recuperative heat exchanger  
 Solid oxide fuel cell; Cycle analysis; Exhaust gas recirculation (Zhang, X. (164) 752)
- Recycling  
 Manganese; Zn-MnO<sub>2</sub> batteries (Freitas, M.B.J.G. (164) 947)
- Redox-cycles  
 Intermediate temperature solid oxide fuel cells; Methane electro-oxidation; Ni-Cu catalyst; Ceria electrolytes (Sin, A. (164) 300)
- Reduction  
 HEMM; Silicon-based composite; Anode; Lithium ion batteries (Yang, X. (164) 880)
- Regeneration  
 Sodium borohydride; Hydrogen storage; Sodium hydride; Reciprocal system; Molten salts (Calabretta, D.L. (164) 782)
- Relative humidity  
 H<sub>2</sub>/air PEM; Fuel cell; Cathode; Anode; Membrane (Saleh, M.M. (164) 503)
- Renewable energy  
 Electrolyzer; Fuel cell; Hydrogen (Bergen, A. (164) 624)
- Residence time distribution  
 Proton exchange membrane fuel cells; Water management; Flow field obstruction; Gas diffusion electrode liquid water content (St-Pierre, J. (164) 196)
- Residential  
 Solid oxide fuel cell; Thermal energy storage; Heat; Micro-CHP (Hawkes, A.D. (164) 260)
- Robust control  
 Proton exchange membrane; Fuel-cell; System identification (Wang, F.-C. (164) 704)

- Rolling method  
Water management layer; PEMFC (Shi, J. (164) 284)
- Safety  
Separator; Microporous membrane; Polyolefin; Non-woven; Thermal shutdown (Zhang, S.S. (164) 351)
- SBA-15  
Methane decomposition; Carbon filaments; Zeolites; Hydrogen production (Ashok, J. (164) 809)
- Scandia stabilized zirconia  
Solid oxide fuel cell (SOFC); Direct internal reforming; Composite anode; Ethanol; Carbon deposition (Ye, X.-F. (164) 203)
- ScSZ  
SOFC; Low temperature; SDC; Bi-layer electrolyte; Pulsed laser deposition (Yang, D. (164) 182)
- SDC  
SOFC; Low temperature; Internal shorting; Fuel loss (Zhang, X. (164) 668)
- SDC  
SOFC; Low temperature; ScSZ; Bi-layer electrolyte; Pulsed laser deposition (Yang, D. (164) 182)
- Secondary Li batteries  
Cathode materials;  $\text{Li}_{1+x}\text{V}_3\text{O}_8$ ; Freeze drying; Particle morphology (Brylev, O.A. (164) 868)
- Segmented-in-series  
SOFC; Optimization; Cathode; Modeling (Lai, T.S. (164) 742)
- SEM  
Polymer blend; FTIR; XRD; Thermal and conductivity studies (Rajendran, S. (164) 815)
- Semi-interpenetrating network  
Proton conducting membrane; Poly(vinyl alcohol); Poly(styrene sulfonic acid-co-maleic acid); Membrane electrode assembly; Fuel cells (Lin, C.W. (164) 449)
- Separation and compression of hydrogen  
Electrochemical hydrogen pump; Proton exchange membrane; Concentration cell (Onda, K. (164) 1)
- Separator  
Microporous membrane; Polyolefin; Non-woven; Thermal shutdown; Safety (Zhang, S.S. (164) 351)
- Serpentine microchannel  
Electroosmotic flow; Numerical; Three-dimensional; Zeta potential (Saha, A.A. (164) 154)
- Sheet electrode  
EDLC; Electric conducting adhesive; Capacity enhancement (Kim, I.-J. (164) 964)
- Silicon-based composite  
HEMM; Reduction; Anode; Lithium ion batteries (Yang, X. (164) 880)
- Silver  
Direct borohydride fuel cell; Fuel crossover; Cathode; Platinum (Liu, B.H. (164) 100)
- Simulation  
Distributed generation; Dynamic model; Microturbine; Proton exchange membrane fuel cell (El-Sharkh, M.Y. (164) 315)
- Single-channel serpentine design  
Stirred tank reactor fuel cell; Current density distribution; Impedance; Auto-humidification; Spatially-resolved impedance (Hogarth, W.H.J. (164) 464)
- Sintering behavior  
Porous ceramic; Lifetime criterion;  $\alpha$ -Lithium aluminate ( $\alpha$ - $\text{LiAlO}_2$ ) matrix; Pore structure (Zhou, L. (164) 24)
- Slurry spin coating  
Solid oxide fuel cells; YSZ electrolyte film; Technique parameters (Wang, J. (164) 17)
- Sodium borohydride  
Hydrogen generation; Supported Co catalyst; Hydrolysis (Ye, W. (164) 544)
- Sodium borohydride  
Hydrogen storage; Hydrolysis; Kinetics (Zhang, J.S. (164) 772)
- Sodium borohydride  
Regeneration; Hydrogen storage; Sodium hydride; Reciprocal system; Molten salts (Calabretta, D.L. (164) 782)
- Sodium hydride  
Sodium borohydride; Regeneration; Hydrogen storage; Reciprocal system; Molten salts (Calabretta, D.L. (164) 782)
- SOFC  
Doped ceria; Conductivity; Auto-ignition process; Interconnect (Zhou, X. (164) 293)
- SOFC  
Interconnect; Fe-Cr alloys; Thermal expansion properties; Oxidation resistance properties (Han, M. (164) 278)
- SOFC  
Lattice Boltzmann method; Concentration polarization; Anode microstructure; Multi-component diffusion; Porous media (Joshi, A.S. (164) 631)
- SOFC  
Low temperature; SDC; Internal shorting; Fuel loss (Zhang, X. (164) 668)
- SOFC  
Low temperature; SDC; ScSZ; Bi-layer electrolyte; Pulsed laser deposition (Yang, D. (164) 182)
- SOFC  
Segmented-in-series; Optimization; Cathode; Modeling (Lai, T.S. (164) 742)
- SOFC  
Thermodynamic analysis; Nickel oxide; Durability;  $\text{CO}_2$ -sequestering (Nehter, P. (164) 252)
- SOFCs  
Suspension spray; Dense YSZ electrolyte; Transition anode layer (Yan, R. (164) 567)
- Solid oxide fuel cell  
Anode-supported; Surface diffusion; Modeling (Shi, Y. (164) 639)
- Solid oxide fuel cell  
Cycle analysis; Recuperative heat exchanger; Exhaust gas recirculation (Zhang, X. (164) 752)
- Solid oxide fuel cell  
Thermal energy storage; Heat; Residential; Micro-CHP (Hawkes, A.D. (164) 260)
- Solid oxide fuel cell (SOFC)  
Direct internal reforming; Scandia stabilized zirconia; Composite anode; Ethanol; Carbon deposition (Ye, X.-F. (164) 203)
- Solid oxide fuel cell stacks  
Sulfur tolerant anode; Coal syngas; Experimental performance; Long-term testing (Marquez, A.I. (164) 659)
- Solid oxide fuel cells  
Ammonia; YSZ; Dry-pressing; AC impedance (Ma, Q. (164) 86)
- Solid oxide fuel cells  
Cathode-supported SOFC;  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ ; Gadolinium-doped ceria oxide; Co-firing (Liu, Y. (164) 56)
- Solid oxide fuel cells  
Methanol; Ceria; Deactivation (Kim, T. (164) 42)
- Solid oxide fuel cells  
Sulfur tolerant anode; Y-doped  $\text{SrTiO}_3$ ; Catalyst infiltration (Kurokawa, H. (164) 510)
- Solid oxide fuel cells  
YSZ electrolyte film; Slurry spin coating; Technique parameters (Wang, J. (164) 17)
- Solid-electrolyte capacitor  
Batch-type metallothermic reduction; Leakage current; Dielectric dissipation; External continuous supply; Tantalum powder (Yoon, J.S. (164) 959)
- Sonochemistry  
Fuel cell; DMFC; Ultrasound enhancement (Han, J. (164) 90)
- Spatially-resolved impedance  
Stirred tank reactor fuel cell; Current density distribution; Impedance; Auto-humidification; Single-channel serpentine design (Hogarth, W.H.J. (164) 464)
- Specific capacitance  
Electrochemical capacitor; Composite electrode; Nickel hydroxide/AC (Huang, Q. (164) 425)

- Specific conductivity  
Lithium alanate; Diethyl ether; Tetrahydrofuran; Anodic polarization; Hydrogen generation (Senoh, H. (164) 94)
- Spherical  $\beta$ -Ni(OH)  
 $\beta$ -CoOOH coated  $\beta$ -NiOOH; Zn-NiOOH battery; Storage stability; Electrochemical property (Fu, X.-Z. (164) 916)
- Spinel cathode  
Li-ion battery; LiMn<sub>2</sub>O<sub>4</sub>; Cyclic voltammetry; Discharge capacity (Singhal, R. (164) 857)
- Spinel-type  
Lithium-ion batteries;  $\gamma$ -MnOOH; LiMn<sub>2</sub>O<sub>4</sub>; Discharge rate; Capacity retention (Bao, S.-J. (164) 885)
- Stability  
Nano-crystalline LiMn<sub>2</sub>O<sub>4</sub> thin film; Pulsed laser deposition; Capacity; Charge/discharge (Tang, S.B. (164) 372)
- Stainless steel  
Transmission electron microscopy; Lithium-ion battery; Chromium oxide; Conversion reaction (Dupont, L. (164) 839)
- 304 stainless steel  
Ionic liquid; Hydrogen production; 1-*n*-Butyl-3-methylimidazolium tetrafluoroborate (BMLBF<sub>4</sub>); Nickel electrode; Carbon steel electrode (de Souza, R.F. (164) 792)
- Steam reforming  
Hydrogen production; Catalytic partial oxidation; Methane; Ni catalyst (Chen, L. (164) 803)
- Steam reforming  
MEMS; Microreactor; Microchemical systems; PID control; Fuel cell (Shin, W.C. (164) 328)
- Steam reforming  
Thermodynamic analysis; Carbon formation boundary; Dimethyl ether; Fuel cell; Hydrogen (Faungnawakij, K. (164) 73)
- Stirred tank reactor fuel cell  
Current density distribution; Impedance; Auto-humidification; Spatially-resolved impedance; Single-channel serpentine design (Hogarth, W.H.J. (164) 464)
- Storage stability  
 $\beta$ -CoOOH coated  $\beta$ -NiOOH; Spherical  $\beta$ -Ni(OH); Zn-NiOOH battery; Electrochemical property (Fu, X.-Z. (164) 916)
- Strain  
Fuel cell; Gas diffusion layer; Compression; Freezing; Durability (Lee, C. (164) 141)
- Sulfonated poly(ether ether ketone)s  
Crosslinking; UV irradiation; Proton exchange membrane; Direct methanol fuel cell (Zhong, S. (164) 65)
- Sulfonated polyimide  
Fuel cell; Composite membrane; Nafion; Multilayer (Wang, L. (164) 80)
- Sulfonation  
Cross-linking; Proton conductivity; Membrane (Ding, F.C. (164) 488)
- Sulfur tolerant anode  
Solid oxide fuel cell stacks; Coal syngas; Experimental performance; Long-term testing (Marquez, A.I. (164) 659)
- Sulfur tolerant anode  
Solid oxide fuel cells; Y-doped SrTiO<sub>3</sub>; Catalyst infiltration (Kurokawa, H. (164) 510)
- Supercapacitors  
Manganese dioxide; Lyotropic liquid crystalline; Electrodeposition (Xue, T. (164) 953)
- Supported Co catalyst  
Hydrogen generation; Sodium borohydride; Hydrolysis (Ye, W. (164) 544)
- Surface diffusion  
Solid oxide fuel cell; Anode-supported; Modeling (Shi, Y. (164) 639)
- Surfactants  
Alkaline Zn/MnO<sub>2</sub> Battery; Zinc passivation; Crystal growth; Electrochemical capacity (Ghavami, R.K. (164) 934)
- Suspension spray  
SOFCs; Dense YSZ electrolyte; Transition anode layer (Yan, R. (164) 567)
- System identification  
PEM fuel cell; Adaptive control (Yang, Y.-P. (164) 761)
- System identification  
Proton exchange membrane; Fuel-cell; Robust control (Wang, F.-C. (164) 704)
- Tantalum powder  
Batch-type metallothermic reduction; Leakage current; Dielectric dissipation; Solid-electrolyte capacitor; External continuous supply (Yoon, J.S. (164) 959)
- Technique parameters  
Solid oxide fuel cells; YSZ electrolyte film; Slurry spin coating (Wang, J. (164) 17)
- Tetrahydrofuran  
Lithium alanate; Diethyl ether; Specific conductivity; Anodic polarization; Hydrogen generation (Senoh, H. (164) 94)
- Tetralin  
Kerosene; Dodecane; Ceria; Zirconia; Autothermal (Gould, B.D. (164) 344)
- Thermal and conductivity studies  
Polymer blend; FTIR; XRD; SEM (Rajendran, S. (164) 815)
- Thermal batteries  
Molten salts; Electrolyte (Masset, P. (164) 397)
- Thermal energy storage  
Solid oxide fuel cell; Heat; Residential; Micro-CHP (Hawkes, A.D. (164) 260)
- Thermal expansion properties  
SOFC; Interconnect; Fe-Cr alloys; Oxidation resistance properties (Han, M. (164) 278)
- Thermal oxidation  
Natural graphite; Anode; Lithium-ion battery; Cycleability; Irreversible capacity (Shim, J. (164) 862)
- Thermal shutdown  
Separator; Microporous membrane; Polyolefin; Non-woven; Safety (Zhang, S.S. (164) 351)
- Thermal stress  
Planar SOFC; Multiple-cell stack; Finite element analysis; 3D model (Lin, C.-K. (164) 238)
- Thermodynamic analysis  
Carbon formation boundary; Dimethyl ether; Steam reforming; Fuel cell; Hydrogen (Faungnawakij, K. (164) 73)
- Thermodynamic analysis  
SOFC; Nickel oxide; Durability; CO<sub>2</sub>-sequestring (Nehter, P. (164) 252)
- Thionine  
Photogalvanic cell; Azur-B; Fill factor; Conversion efficiency; Power point (Lal, C. (164) 926)
- Three dimensions  
Direct methanol fuel cell; Electron transport; Modeling (Liu, W. (164) 561)
- Three-dimension  
Direct methanol fuel cell; Water transport; Mathematical modeling; Interfacial liquid coverage (Liu, W. (164) 189)
- Three-dimensional  
Serpentine microchannel; Electroosmotic flow; Numerical; Zeta potential (Saha, A.A. (164) 154)
- Three-dimensional rechargeable lithium ion batteries  
Electrospinning; Nanofibers; TiO<sub>2</sub>; Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub> (Lu, H.-W. (164) 874)
- TiO<sub>2</sub>  
Electrospinning; Three-dimensional rechargeable lithium ion batteries; Nanofibers; Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub> (Lu, H.-W. (164) 874)
- Transient model  
Lithium/air cell; Organic electrolyte; Diffusion-limited (Sandhu, S.S. (164) 365)
- Transition anode layer  
SOFCs; Suspension spray; Dense YSZ electrolyte (Yan, R. (164) 567)
- Transmission electron microscopy  
Lithium-ion battery; Chromium oxide; Conversion reaction; Stainless steel (Dupont, L. (164) 839)
- Transmission line model  
Electric double layer capacitor; Electrochemical impedance spectroscopy; Fractal structure (Itagaki, M. (164) 415)

- Tungsten carbide  
Catalyst support; Oxidation; Carbon; Proton exchange membrane fuel cells (Chhina, H. (164) 431)
- Tungsten nitride  
PEMFCs; Oxygen reduction reaction; Non-noble catalysts (Zhong, H. (164) 572)
- Two-phase flow  
Water management; PEM fuel cell; Air flow channel; Hydrophilicity; Pressure drop (Quan, P. (164) 222)
- Two-phase transport  
Model; Porous electrode (Hwang, J.J. (164) 174)
- Ultra high molecular weight polymer  
Lithium polymer battery; Polymerizable ionic liquids; Gel; Rate performance (Sato, T. (164) 390)
- Ultrasound enhancement  
Fuel cell; DMFC; Sonochemistry (Han, J. (164) 90)
- UV irradiation  
Crosslinking; Sulfonated poly(ether ether ketone)s; Proton exchange membrane; Direct methanol fuel cell (Zhong, S. (164) 65)
- Variable structure control  
Molten carbonate fuel cell; Genetic algorithm (Yang, F. (164) 713)
- V-based alloys  
Hydrogen storage materials; BCC phase; FeV80 master alloy (Yan, Y. (164) 799)
- Voltage degradation model  
PEMFC stack; Concentration resistance coefficient; Ohmic loss; Activation loss (Lu, L. (164) 306)
- Water content  
PEM fuel cell; Mixed-domain model; Interfacial boundary condition; Fully-coupled transport phenomena (Meng, H. (164) 688)
- Water distribution  
Current distribution; Net water transport coefficient; Water management; Fuel cell diagnostics (Lu, G.Q. (164) 134)
- Water dynamics  
PEMFC; Water management; Anode water removal (Karnik, A.Y. (164) 590)
- Water management  
Current distribution; Water distribution; Net water transport coefficient; Fuel cell diagnostics (Lu, G.Q. (164) 134)
- Water management  
PEM fuel cell; Air flow channel; Two-phase flow; Hydrophilicity; Pressure drop (Quan, P. (164) 222)
- Water management  
PEMFC; Anode water removal; Water dynamics (Karnik, A.Y. (164) 590)
- Water management  
Proton exchange membrane fuel cells; Residence time distribution; Flow field obstruction; Gas diffusion electrode liquid water content (St-Pierre, J. (164) 196)
- Water management layer  
Rolling method; PEMFC (Shi, J. (164) 284)
- Water transfer  
DMFC; Fuel stack; Power characteristics; Methanol crossover (Liu, Y. (164) 322)
- Water transport  
Direct methanol fuel cell; Mathematical modeling; Three-dimension; Interfacial liquid coverage (Liu, W. (164) 189)
- Water transport  
PEMFC; Five-layer model (Chen, F. (164) 649)
- XRD  
Polymer blend; FTIR; SEM; Thermal and conductivity studies (Rajendran, S. (164) 815)
- Y-doped SrTiO<sub>3</sub>  
Solid oxide fuel cells; Sulfur tolerant anode; Catalyst infiltration (Kurokawa, H. (164) 510)
- YSZ  
Solid oxide fuel cells; Ammonia; Dry-pressing; AC impedance (Ma, Q. (164) 86)
- YSZ electrolyte film  
Solid oxide fuel cells; Slurry spin coating; Technique parameters (Wang, J. (164) 17)
- Zeolites  
Methane decomposition; Carbon filaments; SBA-15; Hydrogen production (Ashok, J. (164) 809)
- Zeta potential  
Serpentine microchannel; Electroosmotic flow; Numerical; Three-dimensional (Saha, A.A. (164) 154)
- Zinc passivation  
Surfactants; Alkaline Zn/MnO<sub>2</sub> Battery; Crystal growth; Electrochemical capacity (Ghavami, R.K. (164) 934)
- Zirconia  
Kerosene; Dodecane; Tetralin; Ceria; Autothermal (Gould, B.D. (164) 344)
- Zn-MnO<sub>2</sub> batteries  
Manganese; Recycling (Freitas, M.B.J.G. (164) 947)
- Zn-NiOOH battery  
 $\beta$ -CoOOH coated  $\beta$ -NiOOH; Spherical  $\beta$ -Ni(OH)<sub>2</sub>; Storage stability; Electrochemical property (Fu, X.-Z. (164) 916)