

Subject Index of Volume 168

- AC impedance
Fuel cell characterization; Stack evaluation and diagnosis; Proton exchange membrane fuel cells (Zhu, W.H. (168) 211)
- Additives
Li-ion batteries; Surface films; Cathodes (Li, W. (168) 258)
- AFM
Fuel cells; Polymer electrolytes; Proton conductivity; Microstructure; NMR (Quartarone, E. (168) 126)
- Ageing
Lead-acid battery; Lifetime model; Photovoltaic; Wind (Schiffer, J. (168) 66)
- AGM
Lead-acid; Charging; HEV; Charge acceptance; Flooded (Sauer, D.U. (168) 22)
- AGM separators
VRLA; Telecommunication; Grid alloys; Reliability (Misra, S.S. (168) 40)
- Air breathing
Direct methanol fuel cell; Water management; Passive (Jewett, G. (168) 434)
- Ammonia-borane
Fuel cells; Direct oxidation; Cyclic voltammetry; Electrocatalysis (Zhang, X.-B. (168) 167)
- Ammonia-borane
Noble metals; Supported catalysts; Hydrogen generation (Chandra, M. (168) 135)
- AMTEC electrode
Power degradation; Temperature-dependence (Lodhi, M.A.K. (168) 537)
- Ancillary services
Electric-drive vehicles; Energy storage; Vehicle-to-grid power; V2G (Tomić, J. (168) 459)
- Anode
SOFC; Sulfur degradation; Sulfur tolerance (Gong, M. (168) 289)
- Anode gas diffusion layer
Direct methanol fuel cell; Electrochemical impedance spectra; Flow visualization; Contact angle (Zhang, J. (168) 453)
- Anode recycle
Solid oxide fuel cell; Reformer recycle; Carbon formation; Auxiliary power unit; Diesel reforming (Shekhawat, D. (168) 477)
- Anodes
Methanol; Fuel cells; Chronoamperometry; Theoretical models (Ohanian, M. (168) 307)
- Array architecture fuel cell
Microfluidic fuel cell; Membraneless fuel cell; Laminar flow-based fuel cell; Vanadium redox couple; Graphite rod (Kjeang, E. (168) 379)
- Auxiliary power unit
Solid oxide fuel cell; Anode recycle; Reformer recycle; Carbon formation; Diesel reforming (Shekhawat, D. (168) 477)
- $Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_{3-\delta}$
Solid-oxide fuel cells; Composite cathode; $LaCoO_3$; Electrochemical impedance spectra (Zhou, W. (168) 330)
- Back convection
Direct methanol fuel cells; Water crossover; Water management; Diffusion layer (Xu, C. (168) 143)
- Batteries
Hybrid electric vehicles (HEV); Micro-hybrid; Energy management; Supercapacitors (Karden, E. (168) 2)
- Battery cycle-life
Nickel hydroxide; Solid micro-particles; Pasted electrodes; Dopants; Oxygen evolution (Snook, G.A. (168) 513)
- Battery lifetime
Hybrid bus; Regeneration (Kellaway, M.J. (168) 95)
- Battery-management system
Stand-alone system; Lead-acid battery; State-of-charge; State-of-health; Renewable energy system (Kaiser, R. (168) 58)
- Bend test
Clad sheet; Bipolar plate; Proton exchange membrane fuel cell (Hong, S.-T. (168) 408)
- Bipolar plate
Clad sheet; Proton exchange membrane fuel cell; Bend test (Hong, S.-T. (168) 408)
- Bipolar plate
Fuel cell; Laminate; Wet-lay composite; Graphite composite (Cunningham, B.D. (168) 418)
- Blend
Proton exchange membrane; Crosslinked; Direct methanol fuel cell; Proton conductivity; Methanol diffusion (Zhong, S. (168) 154)
- Ca-doped CeO_2
Cocprecipitation; $Ce_{1-x}Ca_xO_{2-x}$; Soft-chemical synthesis; Nano-particles; Oxide ion electrolyte (Thangadurai, V. (168) 178)
- Capacity retention
Supercapacitor; Hydrrous ruthenium oxide; Vapour-grown carbon fibre; Electrochemical capacitor; Morphology (Lee, B.J. (168) 546)
- Capillary flow
Gas diffusion layer; Leverett; Polymer electrolyte fuel cell; Two-phase flow; Water management (Kumbur, E.C. (168) 356)
- Carbon
Direct carbon fuel cell; DCFC; Graphite; Coal; Coal rods (Hackett, G.A. (168) 111)
- Carbon anode
Plasma-fluorination; Surface modification; Lithium ion battery (Nakajima, T. (168) 265)
- Carbon dioxide
Fuel crossover; Direct formic acid fuel cell; Nafion®; Cell conditioning (Jeong, K.-J. (168) 119)
- Carbon formation
Solid oxide fuel cell; Anode recycle; Reformer recycle; Auxiliary power unit; Diesel reforming (Shekhawat, D. (168) 477)
- Cathode
Fuel cell; SOFC; Silver; Mechanofusion (Simner, S.P. (168) 236)

- Cathode active materials
Organic sulfide polymers; Rechargeable lithium battery; Specific capacity (Zhang, J.Y. (168) 278)
- Cathode air filter
PEM stack contaminant; PEFC filter design (Kennedy, D.M. (168) 391)
- Cathodes
Li-ion batteries; Surface films; Additives (Li, W. (168) 258)
- $Ce_{1-x}Ca_xO_{2-x}$
Ca-doped CeO_2 ; Coprecipitation; Soft-chemical synthesis; Nano-particles; Oxide ion electrolyte (Thangadurai, V. (168) 178)
- Cell conditioning
Fuel crossover; Direct formic acid fuel cell; Nafion®; Carbon dioxide (Jeong, K.-J. (168) 119)
- Cell performance
Direct alkaline fuel cell; Over potentials; Fuel cell modeling (Verma, A. (168) 200)
- Ceramic fiber
SOFC; Compressive seals; Plain mica; Hybrid mica (Le, S. (168) 447)
- Charge acceptance
Frequency domain; Model; Overcharging; Lead-acid; VRLA (Thele, M. (168) 31)
- Charge acceptance
Lead-acid; Charging; HEV; Flooded; AGM (Sauer, D.U. (168) 22)
- Charge transfer resistance
Mn spinel; Rate capability; Coprecipitation; Homogeneous distribution; Crystallinity (Wang, X. (168) 282)
- Charging
Lead-acid; HEV; Charge acceptance; Flooded; AGM (Sauer, D.U. (168) 22)
- Charging strategies
Valve-regulated lead-acid batteries; Spiral wound; Cycle life; Hybrid vehicles (Soria, M.L. (168) 12)
- Chronoamperometry
Methanol; Fuel cells; Theoretical models; Anodes (Ohanian, M. (168) 307)
- Clad sheet
Bipolar plate; Proton exchange membrane fuel cell; Bend test (Hong, S.-T. (168) 408)
- Coal
Direct carbon fuel cell; DCFC; Carbon; Graphite; Coal rods (Hackett, G.A. (168) 111)
- Coal rods
Direct carbon fuel cell; DCFC; Carbon; Graphite; Coal (Hackett, G.A. (168) 111)
- Co-doped lithium manganese spinels
Secondary Li-ion battery; Cyclic voltammetry (Xie, Y. (168) 272)
- Colloid silica gel electrolyte
Polysiloxane-based gel electrolyte; Cycle life; Positive active material; Value-regulated lead-acid battery (Tang, Z. (168) 49)
- Composite cathode
SOFC; Impedance; Perovskite; Polarization (Qiang, F. (168) 338)
- Composite cathode
Solid-oxide fuel cells; $Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_{3-\delta}$; $LaCoO_3$; Electrochemical impedance spectra (Zhou, W. (168) 330)
- Compressive seals
SOFC; Ceramic fiber; Plain mica; Hybrid mica (Le, S. (168) 447)
- Conductive polymers
Corrosion; Sulfuric acid; Fuel cells (Gonzalez-Rodriguez, J.G. (168) 184)
- Contact angle
Direct methanol fuel cell; Anode gas diffusion layer; Electrochemical impedance spectra; Flow visualization (Zhang, J. (168) 453)
- Conversion
Soluble divalent lead; Lead dioxide; Flow liquid battery (Peng, H.Y. (168) 105)
- Coprecipitation
Ca-doped CeO_2 ; $Ce_{1-x}Ca_xO_{2-x}$; Soft-chemical synthesis; Nano-particles; Oxide ion electrolyte (Thangadurai, V. (168) 178)
- Coprecipitation
Mn spinel; Rate capability; Homogeneous distribution; Crystallinity; Charge transfer resistance (Wang, X. (168) 282)
- Corrosion
Conductive polymers; Sulfuric acid; Fuel cells (Gonzalez-Rodriguez, J.G. (168) 184)
- Crosslinked
Proton exchange membrane; Blend; Direct methanol fuel cell; Proton conductivity; Methanol diffusion (Zhong, S. (168) 154)
- Crystal morphology
Lead-acid batteries; Positive plates; Curing; Pasting (Boden, D.P. (168) 90)
- Crystallinity
Mn spinel; Rate capability; Coprecipitation; Homogeneous distribution; Charge transfer resistance (Wang, X. (168) 282)
- CTE
Glass seal; SOFC; Leak rate; NiO (Chou, Y.-S. (168) 426)
- Curing
Lead-acid batteries; Positive plates; Pasting; Crystal morphology (Boden, D.P. (168) 90)
- Current distribution
PEM; Fuel cell (Sun, H. (168) 400)
- Cycle life
Polysiloxane-based gel electrolyte; Colloid silica gel electrolyte; Positive active material; Value-regulated lead-acid battery (Tang, Z. (168) 49)
- Cycle life
Valve-regulated lead-acid batteries; Spiral wound; Charging strategies; Hybrid vehicles (Soria, M.L. (168) 12)
- Cyclic voltammetry
Ammonia-borane; Fuel cells; Direct oxidation; Electrocatalysis (Zhang, X.-B. (168) 167)
- Cyclic voltammetry
Secondary Li-ion battery; Co-doped lithium manganese spinels (Xie, Y. (168) 272)
- DCFC
Direct carbon fuel cell; Carbon; Graphite; Coal; Coal rods (Hackett, G.A. (168) 111)
- Diesel reforming
Solid oxide fuel cell; Anode recycle; Reformer recycle; Carbon formation; Auxiliary power unit (Shekhawat, D. (168) 477)
- Diffusion layer
Direct methanol fuel cells; Water crossover; Water management; Back convection (Xu, C. (168) 143)
- Direct alkaline fuel cell
Over potentials; Cell performance; Fuel cell modeling (Verma, A. (168) 200)
- Direct carbon fuel cell
DCFC; Carbon; Graphite; Coal; Coal rods (Hackett, G.A. (168) 111)
- Direct formic acid fuel cell
Fuel crossover; Nafion®; Carbon dioxide; Cell conditioning (Jeong, K.-J. (168) 119)
- Direct methanol fuel cell
Anode gas diffusion layer; Electrochemical impedance spectra; Flow visualization; Contact angle (Zhang, J. (168) 453)
- Direct methanol fuel cell
Proton exchange membrane; Crosslinked; Blend; Proton conductivity; Methanol diffusion (Zhong, S. (168) 154)
- Direct methanol fuel cell
PtRu/C; PtRu black; Unalloyed Ru (Guo, J. (168) 299)
- Direct methanol fuel cell
Water management; Air breathing; Passive (Jewett, G. (168) 434)
- Direct methanol fuel cells
Water crossover; Water management; Diffusion layer; Back convection (Xu, C. (168) 143)
- Direct oxidation
Ammonia-borane; Fuel cells; Cyclic voltammetry; Electrocatalysis (Zhang, X.-B. (168) 167)
- Discharge capacity
Negative electrode; Vanadates; Molybdenum oxide; Li-ion battery; X-ray diffraction (Reddy, M.A. (168) 509)

- Distributed generation
Dynamic model; Microturbine; Parallel operation; Proton exchange membrane fuel cell; Simulation (Uzunoglu, M. (168) 469)
- Dopants
Nickel hydroxide; Solid micro-particles; Pasted electrodes; Battery cycle-life; Oxygen evolution (Snook, G.A. (168) 513)
- Dye-sensitized solar cell
Electrochromic device; Photovoltaic; Optical density difference; Response time (Ahn, K.-S. (168) 533)
- Dynamic model
Distributed generation; Microturbine; Parallel operation; Proton exchange membrane fuel cell; Simulation (Uzunoglu, M. (168) 469)
- Electric bicycle
Valve-regulated lead-acid battery; Grid alloy; Lead; Samarium; Oxide film (Chen, H.Y. (168) 79)
- Electrical modelling
Ultracapacitors; High current tests; Impedance; Spectroscopy (Lajnef, W. (168) 553)
- Electric-drive vehicles
Energy storage; Vehicle-to-grid power; Ancillary services; V2G (Tomić, J. (168) 459)
- Electrocatalysis
Ammonia-borane; Fuel cells; Direct oxidation; Cyclic voltammetry (Zhang, X.-B. (168) 167)
- Electrochemical capacitor
Supercapacitor; Hydrated ruthenium oxide; Vapour-grown carbon fibre; Capacity retention; Morphology (Lee, B.J. (168) 546)
- Electrochemical impedance spectra
Direct methanol fuel cell; Anode gas diffusion layer; Flow visualization; Contact angle (Zhang, J. (168) 453)
- Electrochemical impedance spectra
Solid-oxide fuel cells; Composite cathode; $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$; LaCoO_3 (Zhou, W. (168) 330)
- Electrochromic device
Dye-sensitized solar cell; Photovoltaic; Optical density difference; Response time (Ahn, K.-S. (168) 533)
- Electrode/electrolyte interface
Epitaxial thin-film; Lithium battery; Reflectivity (Hirayama, M. (168) 493)
- Electrolyte leakage
Remote monitoring; VRLA battery; Lifetime prediction; Internal resistance (Tsujikawa, T. (168) 99)
- Energy management
Hybrid electric vehicles (HEV); Micro-hybrid; Batteries; Supercapacitors (Karden, E. (168) 2)
- Energy storage
Electric-drive vehicles; Vehicle-to-grid power; Ancillary services; V2G (Tomić, J. (168) 459)
- Epitaxial thin-film
Lithium battery; Electrode/electrolyte interface; Reflectivity (Hirayama, M. (168) 493)
- Flooded
Lead-acid; Charging; HEV; Charge acceptance; AGM (Sauer, D.U. (168) 22)
- Flow liquid battery
Soluble divalent lead; Lead dioxide; Conversion (Peng, H.Y. (168) 105)
- Flow visualization
Direct methanol fuel cell; Anode gas diffusion layer; Electrochemical impedance spectra; Contact angle (Zhang, J. (168) 453)
- Frequency domain
Model; Overcharging; Charge acceptance; Lead-acid; VRLA (Thele, M. (168) 31)
- Fuel cell
Bipolar plate; Laminate; Wet-lay composite; Graphite composite (Cunningham, B.D. (168) 418)
- Fuel cell
Load conditions; PEM FCPP; Reactive power; Stand-alone; Voltage stability (Uzunoglu, M. (168) 240)
- Fuel cell
Montmorillonite; Modified Nafion® membrane; Poly(propylene oxide); 1,3-Propane sultone (Lin, Y.-F. (168) 162)
- Fuel cell
PEM; Current distribution (Sun, H. (168) 400)
- Fuel cell
Platinum oxide; $\text{Sr}_3\text{NiPtO}_6$; $\text{Sr}_3\text{CuPtO}_6$; PEMFC (Kjellin, P. (168) 346)
- Fuel cell
Polybenzimidazole; Nanocomposite; Montmorillonite (Chuang, S.-W. (168) 172)
- Fuel cell
SOFC; Cathode; Silver; Mechanofusion (Simner, S.P. (168) 236)
- Fuel cell characterization
AC impedance; Stack evaluation and diagnosis; Proton exchange membrane fuel cells (Zhu, W.H. (168) 211)
- Fuel cell modeling
Direct alkaline fuel cell; Over potentials; Cell performance (Verma, A. (168) 200)
- Fuel cells
Ammonia-borane; Direct oxidation; Cyclic voltammetry; Electrocatalysis (Zhang, X.-B. (168) 167)
- Fuel cells
Conductive polymers; Corrosion; Sulfuric acid (Gonzalez-Rodriguez, J.G. (168) 184)
- Fuel cells
Methanol; Chronoamperometry; Theoretical models; Anodes (Ohanian, M. (168) 307)
- Fuel cells
Polymer electrolytes; Proton conductivity; Microstructure; NMR; AFM (Quartarone, E. (168) 126)
- Fuel crossover
Direct formic acid fuel cell; Nafion®; Carbon dioxide; Cell conditioning (Jeong, K.-J. (168) 119)
- Fuel-free current
Lattice oxygen; Intermittent flow; Methane oxidation; Solid oxide fuel cell; Synthesis gas (Huang, T.-J. (168) 229)
- Functionally-graded electrodes
SOFC; Multi-component mass transfer; Porous media; Parametric analyses (Ni, M. (168) 369)
- Gas diffusion layer
Capillary flow; Leverett; Polymer electrolyte fuel cell; Two-phase flow; Water management (Kumbur, E.C. (168) 356)
- Glass seal
SOFC; Leak rate; NiO; CTE (Chou, Y.-S. (168) 426)
- Grafting method
Silica-zirconia support; Nickel catalyst; Liquefied natural gas; Steam reforming; Hydrogen production (Seo, J.G. (168) 251)
- Graphite
Direct carbon fuel cell; DCFC; Carbon; Coal; Coal rods (Hackett, G.A. (168) 111)
- Graphite composite
Fuel cell; Bipolar plate; Laminate; Wet-lay composite (Cunningham, B.D. (168) 418)
- Graphite rod
Microfluidic fuel cell; Membraneless fuel cell; Laminar flow-based fuel cell; Vanadium redox couple; Array architecture fuel cell (Kjeang, E. (168) 379)
- Grid alloy
Valve-regulated lead-acid battery; Lead; Samarium; Electric bicycle; Oxide film (Chen, H.Y. (168) 79)
- Grid alloys
VRLA; Telecommunication; AGM separators; Reliability (Misra, S.S. (168) 40)
- HEV
Lead-acid; Charging; Charge acceptance; Flooded; AGM (Sauer, D.U. (168) 22)

- High current tests
 Ultracapacitors; Electrical modelling; Impedance; Spectroscopy (Lajnef, W. (168) 553)
- Homogeneous distribution
 Mn spinel; Rate capability; Coprecipitation; Crystallinity; Charge transfer resistance (Wang, X. (168) 282)
- Hybrid bus
 Regeneration; Battery lifetime (Kellaway, M.J. (168) 95)
- Hybrid electric vehicles (HEV)
 Micro-hybrid; Energy management; Batteries; Supercapacitors (Karden, E. (168) 2)
- Hybrid mica
 SOFC; Compressive seals; Ceramic fiber; Plain mica (Le, S. (168) 447)
- Hybrid vehicles
 Valve-regulated lead-acid batteries; Spiral wound; Cycle life; Charging strategies (Soria, M.L. (168) 12)
- Hydrogen generation
 Ammonia-borane; Noble metals; Supported catalysts (Chandra, M. (168) 135)
- Hydrogen production
 Silica-zirconia support; Nickel catalyst; Grafting method; Liquefied natural gas; Steam reforming (Seo, J.G. (168) 251)
- Hydrous ruthenium oxide
 Supercapacitor; Vapour-grown carbon fibre; Electrochemical capacitor; Capacity retention; Morphology (Lee, B.J. (168) 546)
- Impedance
 SOFC; Composite cathode; Perovskite; Polarization (Qiang, F. (168) 338)
- Impedance
 Ultracapacitors; Electrical modelling; High current tests; Spectroscopy (Lajnef, W. (168) 553)
- Interconnects
 Solid oxide fuel cells (Alman, D.E. (168) 351)
- Intermittent flow
 Lattice oxygen; Fuel-free current; Methane oxidation; Solid oxide fuel cell; Synthesis gas (Huang, T.-J. (168) 229)
- Internal resistance
 Remote monitoring; VRLA battery; Electrolyte leakage; Lifetime prediction (Tsujikawa, T. (168) 99)
- Iron/air battery anode
 Nano-carbon; Metal-sulfide additive; Nano-sized Fe₂O₃-loaded carbon composite electrode (Hang, B.T. (168) 522)
- Kinetics
 Lithium-ion cells; Low-temperature electrolytes; Performance (Smart, M.C. (168) 501)
- LaCoO₃
 Solid-oxide fuel cells; Composite cathode; Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_{3-δ}; Electrochemical impedance spectra (Zhou, W. (168) 330)
- Laminar flow-based fuel cell
 Microfluidic fuel cell; Membraneless fuel cell; Vanadium redox couple; Graphite rod; Array architecture fuel cell (Kjeang, E. (168) 379)
- Laminate
 Fuel cell; Bipolar plate; Wet-lay composite; Graphite composite (Cunningham, B.D. (168) 418)
- Lattice oxygen
 Fuel-free current; Intermittent flow; Methane oxidation; Solid oxide fuel cell; Synthesis gas (Huang, T.-J. (168) 229)
- Lead
 Valve-regulated lead-acid battery; Grid alloy; Samarium; Electric bicycle; Oxide film (Chen, H.Y. (168) 79)
- Lead dioxide
 Soluble divalent lead; Conversion; Flow liquid battery (Peng, H.Y. (168) 105)
- Lead-acid
 Charging; HEV; Charge acceptance; Flooded; AGM (Sauer, D.U. (168) 22)
- Lead-acid
 Frequency domain; Model; Overcharging; Charge acceptance; VRLA (Thele, M. (168) 31)
- Lead-acid batteries
 Positive plates; Curing; Pasting; Crystal morphology (Boden, D.P. (168) 90)
- Lead-acid battery
 Ageing; Lifetime model; Photovoltaic; Wind (Schiffer, J. (168) 66)
- Lead-acid battery
 Battery-management system; Stand-alone system; State-of-charge; State-of-health; Renewable energy system (Kaiser, R. (168) 58)
- Leak rate
 Glass seal; SOFC; NiO; CTE (Chou, Y.-S. (168) 426)
- Leverett
 Capillary flow; Gas diffusion layer; Polymer electrolyte fuel cell; Two-phase flow; Water management (Kumbur, E.C. (168) 356)
- Lifetime model
 Lead-acid battery; Ageing; Photovoltaic; Wind (Schiffer, J. (168) 66)
- Lifetime prediction
 Remote monitoring; VRLA battery; Electrolyte leakage; Internal resistance (Tsujikawa, T. (168) 99)
- Li-ion batteries
 Surface films; Cathodes; Additives (Li, W. (168) 258)
- Li-ion battery
 Negative electrode; Vanadates; Molybdenum oxide; Discharge capacity; X-ray diffraction (Reddy, M.A. (168) 509)
- Liquefied natural gas
 Silica-zirconia support; Nickel catalyst; Grafting method; Steam reforming; Hydrogen production (Seo, J.G. (168) 251)
- Lithium battery
 Epitaxial thin-film; Electrode/electrolyte interface; Reflectivity (Hirayama, M. (168) 493)
- Lithium ion battery
 Plasma-fluorination; Surface modification; Carbon anode (Nakajima, T. (168) 265)
- Lithium-ion cell
 Satellite application; Surface characterization; Performance-degradation mechanism (Wang, X. (168) 484)
- Lithium-ion cells
 Low-temperature electrolytes; Performance; Kinetics (Smart, M.C. (168) 501)
- Load conditions
 Fuel cell; PEM FCPP; Reactive power; Stand-alone; Voltage stability (Uzunoglu, M. (168) 240)
- Low-temperature electrolytes
 Lithium-ion cells; Performance; Kinetics (Smart, M.C. (168) 501)
- Mechanofusion
 Fuel cell; SOFC; Cathode; Silver (Simner, S.P. (168) 236)
- Membraneless fuel cell
 Microfluidic fuel cell; Laminar flow-based fuel cell; Vanadium redox couple; Graphite rod; Array architecture fuel cell (Kjeang, E. (168) 379)
- Metal-sulfide additive
 Nano-carbon; Nano-sized Fe₂O₃-loaded carbon composite electrode; Iron/air battery anode (Hang, B.T. (168) 522)
- Methane oxidation
 Lattice oxygen; Fuel-free current; Intermittent flow; Solid oxide fuel cell; Synthesis gas (Huang, T.-J. (168) 229)
- Methanol
 Fuel cells; Chronoamperometry; Theoretical models; Anodes (Ohanian, M. (168) 307)
- Methanol diffusion
 Proton exchange membrane; Crosslinked; Blend; Direct methanol fuel cell; Proton conductivity (Zhong, S. (168) 154)
- Microfluidic fuel cell
 Membraneless fuel cell; Laminar flow-based fuel cell; Vanadium redox couple; Graphite rod; Array architecture fuel cell (Kjeang, E. (168) 379)

- Micro-hybrid
Hybrid electric vehicles (HEV); Energy management; Batteries; Supercapacitors (Karden, E. (168) 2)
- Microstructure
Fuel cells; Polymer electrolytes; Proton conductivity; NMR; AFM (Quartarone, E. (168) 126)
- Microturbine
Distributed generation; Dynamic model; Parallel operation; Proton exchange membrane fuel cell; Simulation (Uzunoglu, M. (168) 469)
- Mixed-domain model
PEM fuel cell; Two-phase transport; Water management; Thermal management (Meng, H. (168) 218)
- Mn spinel
Rate capability; Coprecipitation; Homogeneous distribution; Crystallinity; Charge transfer resistance (Wang, X. (168) 282)
- Model
Frequency domain; Overcharging; Charge acceptance; Lead-acid; VRLA (Thele, M. (168) 31)
- Model
Polymer-electrolyte fuel cell; Model; Water-transport plate; Water management (Weber, A.Z. (168) 191)
- Model
Polymer-electrolyte fuel cell; Water-transport plate; Water management; Model (Weber, A.Z. (168) 191)
- Modified Nafion® membrane
Fuel cell; Montmorillonite; Poly(propylene oxide); 1,3-Propane sultone (Lin, Y.-F. (168) 162)
- Molybdenum oxide
Negative electrode; Vanadates; Li-ion battery; Discharge capacity; X-ray diffraction (Reddy, M.A. (168) 509)
- Montmorillonite
Fuel cell; Modified Nafion® membrane; Poly(propylene oxide); 1,3-Propane sultone (Lin, Y.-F. (168) 162)
- Montmorillonite
Polybenzimidazole; Nanocomposite; Fuel cell (Chuang, S.-W. (168) 172)
- Morphology
Supercapacitor; Hydrous ruthenium oxide; Vapour-grown carbon fibre; Electrochemical capacitor; Capacity retention (Lee, B.J. (168) 546)
- Multi-component mass transfer
SOFC; Functionally-graded electrodes; Porous media; Parametric analyses (Ni, M. (168) 369)
- Nafion®
Fuel crossover; Direct formic acid fuel cell; Carbon dioxide; Cell conditioning (Jeong, K.-J. (168) 119)
- Nano-carbon
Metal-sulfide additive; Nano-sized Fe₂O₃-loaded carbon composite electrode; Iron/air battery anode (Hang, B.T. (168) 522)
- Nanocomposite
Polybenzimidazole; Fuel cell; Montmorillonite (Chuang, S.-W. (168) 172)
- Nano-particles
Ca-doped CeO₂; Coprecipitation; Ce_{1-x}Ca_xO_{2-x}; Soft-chemical synthesis; Oxide ion electrolyte (Thangadurai, V. (168) 178)
- Nano-sized Fe₂O₃-loaded carbon composite electrode
Nano-carbon; Metal-sulfide additive; Iron/air battery anode (Hang, B.T. (168) 522)
- Negative electrode
Vanadates; Molybdenum oxide; Li-ion battery; Discharge capacity; X-ray diffraction (Reddy, M.A. (168) 509)
- Nickel catalyst
Silica-zirconia support; Grafting method; Liquefied natural gas; Steam reforming; Hydrogen production (Seo, J.G. (168) 251)
- Nickel hydroxide
Solid micro-particles; Pasted electrodes; Dopants; Battery cycle-life; Oxygen evolution (Snook, G.A. (168) 513)
- NiO
Glass seal; SOFC; Leak rate; CTE (Chou, Y.-S. (168) 426)
- NMR
Fuel cells; Polymer electrolytes; Proton conductivity; Microstructure; AFM (Quartarone, E. (168) 126)
- Noble metals
Ammonia-borane; Supported catalysts; Hydrogen generation (Chandra, M. (168) 135)
- Optical density difference
Dye-sensitized solar cell; Electrochromic device; Photovoltaic; Response time (Ahn, K.-S. (168) 533)
- Organic sulfide polymers
Rechargeable lithium battery; Cathode active materials; Specific capacity (Zhang, J.Y. (168) 278)
- Over potentials
Direct alkaline fuel cell; Cell performance; Fuel cell modeling (Verma, A. (168) 200)
- Overcharging
Frequency domain; Model; Charge acceptance; Lead-acid; VRLA (Thele, M. (168) 31)
- Oxide film
Valve-regulated lead-acid battery; Grid alloy; Lead; Samarium; Electric bicycle (Chen, H.Y. (168) 79)
- Oxide ion electrolyte
Ca-doped CeO₂; Coprecipitation; Ce_{1-x}Ca_xO_{2-x}; Soft-chemical synthesis; Nano-particles (Thangadurai, V. (168) 178)
- Oxygen evolution
Nickel hydroxide; Solid micro-particles; Pasted electrodes; Dopants; Battery cycle-life (Snook, G.A. (168) 513)
- Parallel operation
Distributed generation; Dynamic model; Microturbine; Proton exchange membrane fuel cell; Simulation (Uzunoglu, M. (168) 469)
- Parametric analyses
SOFC; Functionally-graded electrodes; Multi-component mass transfer; Porous media (Ni, M. (168) 369)
- Passive
Direct methanol fuel cell; Water management; Air breathing (Jewett, G. (168) 434)
- Pasted electrodes
Nickel hydroxide; Solid micro-particles; Dopants; Battery cycle-life; Oxygen evolution (Snook, G.A. (168) 513)
- Pasting
Lead-acid batteries; Positive plates; Curing; Crystal morphology (Boden, D.P. (168) 90)
- PEFC filter design
Cathode air filter; PEM stack contaminant (Kennedy, D.M. (168) 391)
- PEM
Fuel cell; Current distribution (Sun, H. (168) 400)
- PEM FCPP
Fuel cell; Load conditions; Reactive power; Stand-alone; Voltage stability (Uzunoglu, M. (168) 240)
- PEM fuel cell
Mixed-domain model; Two-phase transport; Water management; Thermal management (Meng, H. (168) 218)
- PEM stack contaminant
Cathode air filter; PEFC filter design (Kennedy, D.M. (168) 391)
- PEMFC
Platinum oxide; Sr₃NiPtO₆; Sr₃CuPtO₆; Fuel cell (Kjellin, P. (168) 346)
- PEMFC
Self-humidifying membrane; Sulfated zirconia supported platinum catalyst; SPEEK; Proton conductivity (Zhang, Y. (168) 323)
- Performance
Lithium-ion cells; Low-temperature electrolytes; Kinetics (Smart, M.C. (168) 501)
- Performance-degradation mechanism
Lithium-ion cell; Satellite application; Surface characterization (Wang, X. (168) 484)

- Perovskite
SOFC; Composite cathode; Impedance; Polarization (Qiang, F. (168) 338)
- Photovoltaic
Dye-sensitized solar cell; Electrochromic device; Optical density difference; Response time (Ahn, K.-S. (168) 533)
- Photovoltaic
Lead-acid battery; Ageing; Lifetime model; Wind (Schiffer, J. (168) 66)
- Plain mica
SOFC; Compressive seals; Ceramic fiber; Hybrid mica (Le, S. (168) 447)
- Plasma-fluorination
Surface modification; Carbon anode; Lithium ion battery (Nakajima, T. (168) 265)
- Platinum oxide
 $\text{Sr}_3\text{NiPtO}_6$; $\text{Sr}_3\text{CuPtO}_6$; Fuel cell; PEMFC (Kjellin, P. (168) 346)
- Polarization
SOFC; Composite cathode; Impedance; Perovskite (Qiang, F. (168) 338)
- Polybenzimidazole
Nanocomposite; Fuel cell; Montmorillonite (Chuang, S.-W. (168) 172)
- Polymer electrolyte fuel cell
Capillary flow; Gas diffusion layer; Leverett; Two-phase flow; Water management (Kumbur, E.C. (168) 356)
- Polymer electrolytes
Fuel cells; Proton conductivity; Microstructure; NMR; AFM (Quartarone, E. (168) 126)
- Polymer-electrolyte fuel cell
Model; Water-transport plate; Water management; Model (Weber, A.Z. (168) 191)
- Poly(propylene oxide)
Fuel cell; Montmorillonite; Modified Nafion[®] membrane; 1,3-Propane sultone (Lin, Y.-F. (168) 162)
- Polysiloxane-based gel electrolyte
Colloid silica gel electrolyte; Cycle life; Positive active material; Value-regulated lead-acid battery (Tang, Z. (168) 49)
- Porous media
SOFC; Functionally-graded electrodes; Multi-component mass transfer; Parametric analyses (Ni, M. (168) 369)
- Positive active material
Polysiloxane-based gel electrolyte; Colloid silica gel electrolyte; Cycle life; Value-regulated lead-acid battery (Tang, Z. (168) 49)
- Positive plates
Lead-acid batteries; Curing; Pasting; Crystal morphology (Boden, D.P. (168) 90)
- Power degradation
AMTEC electrode; Temperature-dependence (Lodhi, M.A.K. (168) 537)
- 1,3-Propane sultone
Fuel cell; Montmorillonite; Modified Nafion[®] membrane; Poly(propylene oxide) (Lin, Y.-F. (168) 162)
- Proton conductivity
Fuel cells; Polymer electrolytes; Microstructure; NMR; AFM (Quartarone, E. (168) 126)
- Proton conductivity
PEMFC; Self-humidifying membrane; Sulfated zirconia supported platinum catalyst; SPEEK (Zhang, Y. (168) 323)
- Proton conductivity
Proton exchange membrane; Crosslinked; Blend; Direct methanol fuel cell; Methanol diffusion (Zhong, S. (168) 154)
- Proton exchange membrane
Crosslinked; Blend; Direct methanol fuel cell; Proton conductivity; Methanol diffusion (Zhong, S. (168) 154)
- Proton exchange membrane fuel cell
Clad sheet; Bipolar plate; Bend test (Hong, S.-T. (168) 408)
- Proton exchange membrane fuel cell
Distributed generation; Dynamic model; Microturbine; Parallel operation; Simulation (Uzunoglu, M. (168) 469)
- Proton exchange membrane fuel cells
Fuel cell characterization; AC impedance; Stack evaluation and diagnosis (Zhu, W.H. (168) 211)
- PtRu black
Direct methanol fuel cell; PtRu/C; Unalloyed Ru (Guo, J. (168) 299)
- PtRu/C
Direct methanol fuel cell; PtRu black; Unalloyed Ru (Guo, J. (168) 299)
- Rate capability
Mn spinel; Coprecipitation; Homogeneous distribution; Crystallinity; Charge transfer resistance (Wang, X. (168) 282)
- Reactive power
Fuel cell; Load conditions; PEM FCPP; Stand-alone; Voltage stability (Uzunoglu, M. (168) 240)
- Rechargeable lithium battery
Organic sulfide polymers; Cathode active materials; Specific capacity (Zhang, J.Y. (168) 278)
- Reflectivity
Epitaxial thin-film; Lithium battery; Electrode/electrolyte interface (Hirayama, M. (168) 493)
- Reformer recycle
Solid oxide fuel cell; Anode recycle; Carbon formation; Auxiliary power unit; Diesel reforming (Shekhawat, D. (168) 477)
- Regeneration
Hybrid bus; Battery lifetime (Kellaway, M.J. (168) 95)
- Reliability
VRLA; Telecommunication; Grid alloys; AGM separators (Misra, S.S. (168) 40)
- Remote monitoring
VRLA battery; Electrolyte leakage; Lifetime prediction; Internal resistance (Tsujikawa, T. (168) 99)
- Renewable energy system
Battery-management system; Stand-alone system; Lead-acid battery; State-of-charge; State-of-health (Kaiser, R. (168) 58)
- Response time
Dye-sensitized solar cell; Electrochromic device; Photovoltaic; Optical density difference (Ahn, K.-S. (168) 533)
- Samarium
Value-regulated lead-acid battery; Grid alloy; Lead; Electric bicycle; Oxide film (Chen, H.Y. (168) 79)
- Satellite application
Lithium-ion cell; Surface characterization; Performance-degradation mechanism (Wang, X. (168) 484)
- Secondary Li-ion battery
Co-doped lithium manganese spinels; Cyclic voltammetry (Xie, Y. (168) 272)
- Self-humidifying membrane
PEMFC; Sulfated zirconia supported platinum catalyst; SPEEK; Proton conductivity (Zhang, Y. (168) 323)
- Silica-zirconia support
Nickel catalyst; Grafting method; Liquefied natural gas; Steam reforming; Hydrogen production (Seo, J.G. (168) 251)
- Silver
Fuel cell; SOFC; Cathode; Mechanofusion (Simner, S.P. (168) 236)
- Simulation
Distributed generation; Dynamic model; Microturbine; Parallel operation; Proton exchange membrane fuel cell (Uzunoglu, M. (168) 469)
- SOFC
Anode; Sulfur degradation; Sulfur tolerance (Gong, M. (168) 289)
- SOFC
Composite cathode; Impedance; Perovskite; Polarization (Qiang, F. (168) 338)
- SOFC
Compressive seals; Ceramic fiber; Plain mica; Hybrid mica (Le, S. (168) 447)
- SOFC
Fuel cell; Cathode; Silver; Mechanofusion (Simner, S.P. (168) 236)
- SOFC
Functionally-graded electrodes; Multi-component mass transfer; Porous media; Parametric analyses (Ni, M. (168) 369)

- SOFC
Glass seal; Leak rate; NiO; CTE (Chou, Y.-S. (168) 426)
- Soft-chemical synthesis
Ca-doped CeO₂; Coprecipitation; Ce_{1-x}Ca_xO_{2-x}; Nano-particles; Oxide ion electrolyte (Thangadurai, V. (168) 178)
- Solid micro-particles
Nickel hydroxide; Pasted electrodes; Dopants; Battery cycle-life; Oxygen evolution (Snook, G.A. (168) 513)
- Solid oxide fuel cell
Anode recycle; Reformer recycle; Carbon formation; Auxiliary power unit; Diesel reforming (Shekhawat, D. (168) 477)
- Solid oxide fuel cell
Lattice oxygen; Fuel-free current; Intermittent flow; Methane oxidation; Synthesis gas (Huang, T.-J. (168) 229)
- Solid oxide fuel cells
Interconnects (Alman, D.E. (168) 351)
- Solid-oxide fuel cells
Composite cathode; Ba_{0.5}Sr_{0.5}Co_{0.8}Fe_{0.2}O_{3-δ}; LaCoO₃; Electrochemical impedance spectra (Zhou, W. (168) 330)
- Soluble divalent lead
Lead dioxide; Conversion; Flow liquid battery (Peng, H.Y. (168) 105)
- Specific capacity
Organic sulfide polymers; Rechargeable lithium battery; Cathode active materials (Zhang, J.Y. (168) 278)
- Spectroscopy
Ultracapacitors; Electrical modelling; High current tests; Impedance (Lajnef, W. (168) 553)
- SPEEK
PEMFC; Self-humidifying membrane; Sulfated zirconia supported platinum catalyst; Proton conductivity (Zhang, Y. (168) 323)
- Spiral wound
Valve-regulated lead-acid batteries; Cycle life; Charging strategies; Hybrid vehicles (Soria, M.L. (168) 12)
- Sr₃CuPtO₆
Platinum oxide; Sr₃NiPtO₆; Fuel cell; PEMFC (Kjellin, P. (168) 346)
- Sr₃NiPtO₆
Platinum oxide; Sr₃CuPtO₆; Fuel cell; PEMFC (Kjellin, P. (168) 346)
- Stack evaluation and diagnosis
Fuel cell characterization; AC impedance; Proton exchange membrane fuel cells (Zhu, W.H. (168) 211)
- Stand-alone
Fuel cell; Load conditions; PEM FCPP; Reactive power; Voltage stability (Uzunoglu, M. (168) 240)
- Stand-alone system
Battery-management system; Lead-acid battery; State-of-charge; State-of-health; Renewable energy system (Kaiser, R. (168) 58)
- State-of-charge
Battery-management system; Stand-alone system; Lead-acid battery; State-of-health; Renewable energy system (Kaiser, R. (168) 58)
- State-of-health
Battery-management system; Stand-alone system; Lead-acid battery; State-of-charge; Renewable energy system (Kaiser, R. (168) 58)
- Steam reforming
Silica-zirconia support; Nickel catalyst; Grafting method; Liquefied natural gas; Hydrogen production (Seo, J.G. (168) 251)
- Sulfated zirconia supported platinum catalyst
PEMFC; Self-humidifying membrane; SPEEK; Proton conductivity (Zhang, Y. (168) 323)
- Sulfur degradation
SOFC; Anode; Sulfur tolerance (Gong, M. (168) 289)
- Sulfur tolerance
SOFC; Anode; Sulfur degradation (Gong, M. (168) 289)
- Sulfuric acid
Conductive polymers; Corrosion; Fuel cells (Gonzalez-Rodriguez, J.G. (168) 184)
- Supercapacitor
Hydrous ruthenium oxide; Vapour-grown carbon fibre; Electrochemical capacitor; Capacity retention; Morphology (Lee, B.J. (168) 546)
- Supercapacitors
Hybrid electric vehicles (HEV); Micro-hybrid; Energy management; Batteries (Karden, E. (168) 2)
- Supported catalysts
Ammonia-borane; Noble metals; Hydrogen generation (Chandra, M. (168) 135)
- Surface characterization
Lithium-ion cell; Satellite application; Performance-degradation mechanism (Wang, X. (168) 484)
- Surface films
Li-ion batteries; Cathodes; Additives (Li, W. (168) 258)
- Surface modification
Plasma-fluorination; Carbon anode; Lithium ion battery (Nakajima, T. (168) 265)
- Synthesis gas
Lattice oxygen; Fuel-free current; Intermittent flow; Methane oxidation; Solid oxide fuel cell (Huang, T.-J. (168) 229)
- Telecommunication
VRLA; Grid alloys; AGM separators; Reliability (Misra, S.S. (168) 40)
- Temperature-dependence
AMTEC electrode; Power degradation (Lodhi, M.A.K. (168) 537)
- Theoretical models
Methanol; Fuel cells; Chronoamperometry; Anodes (Ohanian, M. (168) 307)
- Thermal management
PEM fuel cell; Mixed-domain model; Two-phase transport; Water management (Meng, H. (168) 218)
- Two-phase flow
Capillary flow; Gas diffusion layer; Leverett; Polymer electrolyte fuel cell; Water management (Kumbur, E.C. (168) 356)
- Two-phase transport
PEM fuel cell; Mixed-domain model; Water management; Thermal management (Meng, H. (168) 218)
- Ultracapacitors
Electrical modelling; High current tests; Impedance; Spectroscopy (Lajnef, W. (168) 553)
- Unalloyed Ru
Direct methanol fuel cell; PtRu/C; PtRu black (Guo, J. (168) 299)
- V2G
Electric-drive vehicles; Energy storage; Vehicle-to-grid power; Ancillary services (Tomić, J. (168) 459)
- Value-regulated lead-acid battery
Polysiloxane-based gel electrolyte; Colloid silica gel electrolyte; Cycle life; Positive active material (Tang, Z. (168) 49)
- Valve-regulated lead-acid batteries
Spiral wound; Cycle life; Charging strategies; Hybrid vehicles (Soria, M.L. (168) 12)
- Valve-regulated lead-acid battery
Grid alloy; Lead; Samarium; Electric bicycle; Oxide film (Chen, H.Y. (168) 79)
- Vanadates
Negative electrode; Molybdenum oxide; Li-ion battery; Discharge capacity; X-ray diffraction (Reddy, M.A. (168) 509)
- Vanadium redox couple
Microfluidic fuel cell; Membraneless fuel cell; Laminar flow-based fuel cell; Graphite rod; Array architecture fuel cell (Kjeang, E. (168) 379)
- Vapour-grown carbon fibre
Supercapacitor; Hydrous ruthenium oxide; Electrochemical capacitor; Capacity retention; Morphology (Lee, B.J. (168) 546)
- Vehicle-to-grid power
Electric-drive vehicles; Energy storage; Ancillary services; V2G (Tomić, J. (168) 459)
- Voltage stability
Fuel cell; Load conditions; PEM FCPP; Reactive power; Stand-alone (Uzunoglu, M. (168) 240)
- VRLA
Frequency domain; Model; Overcharging; Charge acceptance; Lead-acid (Thele, M. (168) 31)

- VRLA
Telecommunication; Grid alloys; AGM separators; Reliability (Misra, S.S. (168) 40)
- VRLA battery
Remote monitoring; Electrolyte leakage; Lifetime prediction; Internal resistance (Tsuji-kawa, T. (168) 99)
- Water crossover
Direct methanol fuel cells; Water management; Diffusion layer; Back convection (Xu, C. (168) 143)
- Water management
Capillary flow; Gas diffusion layer; Leverett; Polymer electrolyte fuel cell; Two-phase flow (Kumbur, E.C. (168) 356)
- Water management
Direct methanol fuel cell; Air breathing; Passive (Jewett, G. (168) 434)
- Water management
Direct methanol fuel cells; Water crossover; Diffusion layer; Back convection (Xu, C. (168) 143)
- Water management
PEM fuel cell; Mixed-domain model; Two-phase transport; Thermal management (Meng, H. (168) 218)
- Water management
Polymer-electrolyte fuel cell; Model; Water-transport plate; Model (Weber, A.Z. (168) 191)
- Water-transport plate
Polymer-electrolyte fuel cell; Model; Water management; Model (Weber, A.Z. (168) 191)
- Wet-lay composite
Fuel cell; Bipolar plate; Laminate; Graphite composite (Cunningham, B.D. (168) 418)
- Wind
Lead-acid battery; Ageing; Lifetime model; Photovoltaic (Schiffer, J. (168) 66)
- X-ray diffraction
Negative electrode; Vanadates; Molybdenum oxide; Li-ion battery; Discharge capacity (Reddy, M.A. (168) 509)