

Cumulative Subject Index for Volumes 114–120¹

A

- Acidity
 Nb₂O₅/TiO₂ photocatalyst surface, **115**, 187
- Alloys
 Al₁₅-type superconductor, displacive crystallographic phase transition for, model, **119**, 364
 (AgIn)_{2(1-z)}(MnIn₂)_zTe₄, *T(z)* diagram and optical energy gap values, **114**, 539
 Zn_{1-x}Mn_xGa₂Se₄, energy gap values and *T(z)* diagram, **115**, 416
- Alluaudite
 NaMn₃(PO₄)(HPO₄)₂, synthesis and structure, **115**, 240
- Aluminum
 Ag₃[Al₃Si₃O₁₂], structures at 298, 623, and 723 K from Rietveld refinements of powder X-ray diffraction data, **115**, 55
 Al³⁺, effect of structure on Cu–Zn coprecipitate, **115**, 204
 A₆T₄Al₄₃ (*A* = Y, Nd, Sm, Gd–Lu, U; *T* = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131
 AT₂Al₂₀ (*A* = rare earths, U; *T* = Ti, Ta, Mo, W), with CeCr₂Al₂₀-type structure, **114**, 337
 α- and β-AlF₃ · 3H₂O, incorporation of Cu(II), analysis by ESR, **116**, 249
 α-Al₂O₃, relationship between valence force constants and elastic constants, **116**, 378
 Al₂₈O₂₁C₆N₆, diamond-related compound in system Al₂O₃–Al₄C₃–AlN, identification, **120**, 211
 Al–O–R–O–Al, characterization by IR and ¹³C and ²⁷Al NMR techniques, **119**, 319
 Al₄(PO₄)₃(HPO₄)F₆, (N₂C₆H₁₈)_{2.5}, 3H₂O, synthesis and crystal structure, **120**, 197
 Ba–β-Al₂O₃, materials for high-temperature catalytic combustion, crystal structure, **114**, 326
 BaAl₉O_{14.5}, BaAl₁₂O₁₉, and BaAl₁₄O₂₂, FT-IR skeletal powder spectra, **117**, 8
 Ba_{5-y}Sr_yR_{2-x}Al₂Zr_{1+x}O_{13+x/2} (*R* = Gd–Lu, Y, Sc), structural study, **118**, 180
 Bi₂Fe_{4-x}Al_xO₉, structural and magnetic studies, **114**, 199
 Ca₄Al₆O₁₆S, crystal structure, **119**, 1
 CaMg₂Al₁₆O₂₇
 phase relationships in CaO–Al₂O₃–MgO system, **120**, 358
 structure refinement, **120**, 364
 Ca₂Mg₂Al₂₈O₄₆
 phase relationships in CaO–Al₂O₃–MgO system, **120**, 358
 structure refinement, **120**, 364
 CaO–Al₂O₃–MgO system, Al-rich part, phase relationships, **120**, 358
 CeCr₂Al₂₀, related structure, AT₂Al₂₀ (*A* = rare earths, U; *T* = Ti, Ta, Mo, W) ternary aluminides with, **114**, 337
 Cs₉Mo₉Al₃P₁₁O₅₉, with tunnel structure, isolation, **114, 451
 –Cu–Cr spinel oxide semiconductors, compensated, analysis, **120**, 388
 Ho₆Mo₄Al₄₃, related type structure of A₆T₄Al₄₃ (*A* = Y, Nd, Sm, Gd–Lu, U; *T* = Ti, V, Nb, Ta), **116**, 131
 KAlSiO₄ polymorphs, synthesis and characterization on SiO₂–KAlO₂ join, **115**, 214
 (Mg, Na, Al)₂(Al, Zn)₃, crystal structure, **115**, 270
 Mn₃Al_{2-x}Cr_xGe₃O₁₂, X-ray absorption spectroscopic and magnetic analysis, **118**, 261
 α-Na₃Al₂(AsO₄)₃, crystal structure: structural relation to 11-Na₃Fe₂(AsO₄)₃, **118**, 33
 NaAlO₂ · 5/4H₂O, and dehydration product, crystal structure, **115**, 126
 Na₄Al(PO₄)₂(OH), synthesis and characterization, **118**, 412
 Ni–Al–*M* (*M* = Cr, Fe), synthesis and characterization, **118**, 285
 SiO₂–KAlO₂ join, KAlSiO₄ polymorphs, synthesis and characterization, **115**, 214
 U₂Fe_{17-x}Al_xC_y, magnetic properties, **115**, 13
 Zn–Al layered double hydroxides, preparation by surface modification of layered compound, **117**, 337**
- Aluminum oxide
 and silica pillared materials, zeolite-like, preparation, **120**, 381
- o*-Aminophenol
 in silver colloids, analysis by SERS, **116**, 427
- Ammonia
 gaseous, in temperature-programmed synthesis of V–*Me*–O–N (*Me* = Mo, W) synthesis, **116**, 205
- Ammonium
 M₂HPO₄–(NH₄)₂HPO₄–H₂O (*M* = Na, K, NH₄), electrical conductivity measurements, **119**, 68
 NH₄X–CuX₂–H₂O (*X* = Cl[–], Br[–]), double salts, **114**, 385
 (NH₄)₃FeF₆ (Ba_{1-x}Sr_x)₂(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-z}, with related structure, powder X-ray and neutron diffraction analysis, **115**, 197
 (NH₄)₂HPO₄–*M*'₂HPO₄–H₂O (*M*' = Na, K, NH₄), electrical conductivity measurements, **119**, 68
 NH₄Mo(H₂O)O₂PO₄, preparation, characterization, and structure, **118**, 153
 (NH₄)₂MoO₄, hydrothermal preparation, structure, and reactivity, **117**, 323
 (NH₄)₂Mo₃O₁₀ · H₂O, crystal structure, determination by powder diffraction, **116**, 422
 NH₄Sn₂(PO₄)₃, hydrothermal synthesis and characterization, **119**, 197
 (NH₄)₆[TeMo₆O₂₄] · 7H₂O, single crystals, infrared and polarized Raman spectra, **118**, 341
 (NH₄)₆[TeMo₆O₂₄] · Te(OH)₆ · 7H₂O, single crystals, infrared and polarized Raman spectra, **118**, 341
 (NH₄)₂V₃O₈ fresnoite-type vanadium oxides, magnetic susceptibility, **114**, 499
 (NH₄)₂(WO₃)₃SeO₃, synthesis, crystal structure and properties, **120**, 112
- Annealing
 LaMnO_{3+x} powder in air, **119**, 164
- Antiferromagnetism
 in *A*–*B* interactions between tetrahedral 3d⁵ and 3d⁵ or 3d³ octahedral cations in oxidic lithium spinels, electronic spectrum, **120**, 244
 CoU₂O₆, **114**, 595
 NiU₂O₆, **114**, 595
- Antimony
 AAgSb₂ (*A* = Y, La–Nd, Sm, Gd–Tm, U), with HfCuSi₂-type structure, preparation, **115**, 305
 REAgSb₂ (*RE* = Y, La–Nd, Sm, Gd–Tm), magnetism and crystal structure, **115**, 441

¹ Boldface numbers indicate the appropriate volume; lightface numbers indicate pagination.

- $REBa_2SbO_6$ ($RE = Pr, Sm, Gd$), synthesis and characterization, as substrates for $YBa_2Cu_3O_{7-\delta}$, **116**, 193
 $(Ca_{0.9}Sb_{0.1})MnO_3$, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 $Cs_4Sb_4O_8(Si_{4(1-x)}Ge_{4x}O_{12})$, solid solution, electron and X-ray diffraction and ^{29}Si MAS NMR analysis, **114**, 528
 $CuSb_2O_6$, long-range magnetic order, confirmation, **118**, 199
 $HgBiSr_7Cu_2SbO_{15}$, double cationic ordering, **116**, 53
 $K_{2x}Ba_{2-x}Sb_4O_9(PO_4)_2$ ($0 < x < 0.4$), synthesis and structure, **114**, 399
 β - Sb_2O_4 -type structure, Bi_2O_4 with, **116**, 281
 $M_{1/2}Sb_{3/2}(PO_4)_3$ ($M = Y, In, Sc$), preparation and crystal structure, **118**, 104
 $Sb_2(PO_4)_3$, preparation and crystal structure, **118**, 104
 $\approx SbVO_4$, rutile-type, nonstoichiometry, **116**, 369
 MSn_2Sb_2 ($M = Na, Sr$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 M_5SnSb_3 ($M = Na, K$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 $Sr_2Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xTe_{0.3}Sb_{0.8}O_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 $Sr_2Zn_{1-x}Mn_xTe_{1-x}Sb_xO_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 $YCa_2SbFe_4O_{12}$, magnetic ordering, **115**, 435
- Arsenic**
 AA_2O_6 ($A = Mn, Co, Ni$), structural and magnetic properties, **118**, 402
 $M_2As_2O_7$ ($M = Ni, Co, Mn$), magnetic properties and structures, **115**, 229
 $BaCuAs_2O_7$, synthesis and structure, **118**, 280
 $CePd_{2-x}As_2$, with $ThCr_2Si_2$ structure, structure refinement, **115**, 37
 $Cs(TiAs)O_5$, crystal structure, **120**, 299
 $ACuAs_2$ ($A = Y, La-Nd, Sm, Gd-Lu$), with $HfCuSi_2$ -type structure, preparation, **115**, 305
 Li_3AsO_4 , guest ion vibrational behavior, **115**, 83
 Mn_4As_3 , synthesis, crystal structure, and relation to other manganese arsenides, **119**, 344
 α - $Na_3Al_2(AsO_4)_3$, crystal structure: structural relation to $II-Na_3Fe_2(AsO_4)_3$, **118**, 33
 $NaCa_2M_2^+(AsO_4)_3$ ($M^{2+} = Mg, Ni, Co$), structure, **118**, 267
 $II-Na_3Fe_2(AsO_4)_3$, structural relation to α - $Na_3Al_2(AsO_4)_3$ and $Na_7Fe_4(AsO_4)_6$ sodium ion conductors, **118**, 33
 $Na_7Fe_4(AsO_4)_6$, crystal structure: structural relation to $II-Na_3Fe_2(AsO_4)_3$, **118**, 33
 $NiAs$ filled structure, $GdRuCu_2$ with, **118**, 158
 $NiAs-Ni_2In$, intermetallic phases, superstructures in, analysis, **118**, 313
 $Pb_2Cu(II)_7(AsO_4)_6$, crystal structure, topological relationship to $Pb_2Cu(I)_2Cu(II)_6(AsO_4)_6$, **114**, 413
 $Pb_2Cu(I)_2Cu(II)_6(AsO_4)_6$, crystal structure, topological relationship to $Pb_2Cu(II)_7(AsO_4)_6$, **114**, 413
 $LnPd_3As_2$ ($Ln = La-Nd, Sm, Gd$) arsenides, **115**, 37
 MSn_2As_2 ($M = Na, Sr$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 M_5SnAs_3 ($M = Na, K$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 $TlBeAsO_4$, and $TlBePO_4$ stereochemical activity of thallium (I) lone pair, **114**, 123
- Aurivillius phases**
 Raman modes, temperature and polarization dependence, **114**, 112
- B**
- Band calculations**
 Mn_2OBO_3 , **114**, 311
- Barium**
 $Ba-\beta$ - Al_2O_3 , materials for high-temperature catalytic combustion, crystal structure, **114**, 326
 $BaAl_9O_{14.5}$, $BaAl_{12}O_{19}$, and $BaAl_{14}O_{22}$, FT-IR skeletal powder spectra, **117**, 8
 $BaAu_2O_4$, preparation and crystal structure, **118**, 247
 $Ba_{2-x}Bi_xCu_2O_5$ ($0 \leq x \leq 1.5$), synthesis and characterization, **114**, 585
 $BaBiO_{3-\delta}$ ($0 \leq \delta \leq 0.5$), analysis, **117**, 55
 $BaBiO_2Cl$, cation ordering, **117**, 201
 $BaCe_yPr_{1-y}O_3$, magnetic properties, **119**, 405
 $BaCoO_{3-y}$, HREM study, **120**, 327
 $Ln_2BaCo_2O_7$ ($Ln = Sm, Gd$), synthetic, structural, electrical, and magnetic properties, **114**, 286
 Ba_2CoRuO_6 , structural and electronic properties, **114**, 174
 $Ba_3Cr_2MO_9$ ($M = Mo, W$), structure and magnetic properties, **120**, 238
 $BaCuAs_2O_7$, synthesis and structure, **118**, 280
 $BaCuO_{2+x}$, structural, magnetic, and EPR studies, **119**, 50
 $RBa_2Cu_3O_{7-y}$ ($R = Ln$ or Y), FT-IR skeletal study, **119**, 36
 $Ln_2Ba_2CuPtO_8$ ($Ln = Ho-Lu$), synthesis and characterization, **120**, 316
 $BaCu_2S_2$, electrical and magnetic properties, **117**, 73
 α - $BaCu_4S_3$, electrical and magnetic properties, **117**, 73
 $Ln_2Ba_2Cu_2Ti_2O_{11-\delta}$ ($Ln = La-Tb$), synthesis, structure, and superconductivity, **119**, 224
 $BaEu(CO_3)_2$, optical properties, correlation to crystallographic structure, **116**, 286
 $Ba_2M_2F_7Cl$ ($M = Mn^{2+}, Fe^{2+}, Co^{2+}, Ni^{2+}, Zn^{2+}$), synthesis, magnetic behavior, and structural study, **115**, 98
 $Ba_2MM'F_7Cl$ ($M, M' = Mn^{2+}, Fe^{2+}, Co^{2+}, Ni^{2+}, Zn^{2+}$), synthesis, magnetic behavior, and structural study, **115**, 98
 $BaFe_{12-2x}Co_xTi_2O_{19}$
 crystallite size and shape, determination by X-ray line broadening analysis, **114**, 534
 samples with composition range $0 < x > 0$, synthesis for magnetic recording, **115**, 347
 $BaFe_{12-2x}Ir_xMe_xO_{19}$ ($Me = Co, Zn$; $x \sim 0.85$), magnetic properties, cationic distribution in relation to, **120**, 17
 $BaFe_{12}O_{19}$, FT-IR skeletal powder spectra, **117**, 8
 $Ba_2Fe_2Ti_4O_{13}$, preparation, crystal structure, dielectric properties, and magnetic behavior, **120**, 121
 $BaHgRuO_5$, synthesis and structure, **120**, 223
 $[Ba_2(H_2O)_{10}][Fe(CN)_5NO]_2 \cdot 3H_2O$, hydrogen-bonding system, **114**, 102
 $BaLaCoRuO_6$, structural and electronic properties, **114**, 174
 $BaLiCuO_4(CO_3)_2$, electronic and vibrational spectra, **119**, 359
 $BaMnO_{3-y}$ ($0.22 \leq y \leq 0.40$), ordering and defects, **117**, 21
 $Ln_{1-x}Ba_xMnO_3$ ($Ln = rare\ earths$), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
 $BaMo_4O_{13} \cdot 2H_2O$, hydrothermal synthesis and crystal structure, **116**, 95
 $BaMo(PO_4)_2$, with yavapaiite layer structure, synthesis and characterization, **116**, 364
 $Ba_4NaCuO_4(CO_3)_2$, electronic and vibrational spectra, **119**, 359
 $BaNb_0.8S_{3-\delta}$, structure and physical properties, **115**, 427
 $BaNbS_3$, structure and physical properties, **115**, 427
 $[Ba_2(OH)_2(H_2O)_{10}][Se_4]$, synthesis and crystal structure, **120**, 12
 $BaPrO_3$, magnetic properties, **119**, 405
 $REBa_2SbO_6$ ($RE = Pr, Sm, Gd$), synthesis and characterization, as substrates for $YBa_2Cu_3O_{7-\delta}$, **116**, 193
 $Ba_{5-y}Sr_yR_{2-x}Al_2Zr_{1+x}O_{13+x/2}$ ($R = Gd-Lu, Y, Sc$), structural study, **118**, 180
 $(Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-\delta}$, with $(NH)_4FeF_6$ structure type, powder X-ray and neutron diffraction analysis, **115**, 197
 $BaTa_2S_5$, superconducting and normal state properties, **116**, 392
 $Ba_8Ta_4Ti_3O_{24}$, synthesis and crystal structure, **114**, 560
 $Ba_{10}Ta_{7.04}Ti_{1.2}O_{30}$, synthesis and crystal structure, **114**, 560
 $BaTe_2$, synthesis and characterization, **117**, 247
 Ba_2TiO_4 , with titanate tetrahedra, luminescence, **118**, 337
 $Ba_4Ti_2CO_3O_6$, oxycarbonates built up from rock salt layers, **116**, 321
 BaV_3O_8 , hydrothermal synthesis and crystal structure, **117**, 407

- $\text{Ba}_x\text{V}_8\text{O}_{16}$ ($x = 1.09(1)$), synthesis and crystal structure, **115**, 88
 $\text{BaVO}(\text{PO}_4)(\text{H}_2\text{PO}_4) \cdot \text{H}_2\text{O}$, synthesis, structure, and magnetism, **118**, 241
 $\text{Ba}_8(\text{VO})_6(\text{PO}_4)_2(\text{HPO}_4)_{11} \cdot 3\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **116**, 77
 $\text{Ba}(\text{VO})_2(\text{SeO}_3)_2(\text{HSeO}_3)_2$, hydrothermal synthesis and crystal structure, **116**, 77
 $\text{Ba}_{0.4}\text{V}_3\text{O}_8(\text{VO})_{0.4} \cdot n\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **114**, 359
 BaY_2S_4 , structure and properties, **117**, 363
 Ba_2ZnN_2 , synthesis and crystal structure, **119**, 375
 $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$, from 2201–0201 intergrowth $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, synthesis, **118**, 357
 $\text{Bi}_{n+1}\text{Sr}_{2n+2}\text{Ba}_{n-1}\text{Fe}_{n+1}\text{O}_{6n+4}$, with intergrowths of 2201 and 0201 structure, synthesis, **118**, 227
 $\text{Eu}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{Eu}_3\text{Ba}_2\text{Mn}_2\text{Cu}_2\text{O}_{12}$ intergrowth between 123 and 0201 structures, **115**, 1
 $\text{Hg}_{2-x}\text{M}_x\text{Ba}_2\text{Pr}_2\text{Cu}_2\text{O}_{10-\delta}$ ($M = \text{Cu}, \text{Pr}$), synthesis and crystal structure, **114**, 230
 $(\text{Hg}_{1-x}\text{M}_x)(\text{Sr}, \text{Ba})_2\text{Pr}_2\text{Cu}_2\text{O}_{9-\delta}$ ($M = \text{Pr}, \text{Pb}, \text{Bi}, \text{Tl}$), synthesis and characterization, **115**, 525
 $\text{Hg}_{1-x}\text{Tl}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{CO}_3\text{O}_{7-\delta}$, modulated superconducting oxides, structural aspects, **120**, 332
 $\text{K}_{2-x}\text{Ba}_{2-x}\text{Sb}_4\text{O}_9(\text{PO}_4)_2$ ($0 < x < 0.4$), synthesis and structure, **114**, 399
 $\text{K}_2\text{BaSnTe}_4$, synthesis and characterization, **117**, 247
 $\text{La}_4\text{BaCu}_5\text{O}_{12}$, insulating, prepared by reduction of metallic $\text{La}_4\text{BaCu}_5\text{O}_{13.1}$, analysis, **114**, 95
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Sn}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 LaSrFeO_4 , structure and electrical properties, effects of substitution of alkaline earths or Y for La, **115**, 456
 $\text{Nd}_{1-x}\text{Ba}_x\text{TiO}_3$ ($0 \leq x \leq 1$), structure, transport, and magnetic properties, **114**, 164
 $(\text{Nd}_{2/3}\text{Ce}_{1/3})_4(\text{Ba}_{2/3}\text{Nd}_{1/3})_4\text{Cu}_6\text{O}_{16+x}$, **120**, 146
 $\text{Sr}_y\text{Ba}_{1-y}\text{PrO}_3$, magnetic properties, **119**, 405
 $\text{Tb}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, synthesis and crystal structure, **117**, 213
 $\text{Ti}_2(\text{Ba}_2\text{Gd})\text{Gd}_{2-x}\text{Ce}_x\text{Cu}_2\text{O}_{13}$, design and synthesis, **114**, 57
 $\text{YBaCoCu}_{1-x}\text{Fe}_x\text{O}_5$, magnetic behavior, **115**, 514
 $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, synthesis by solid state reaction, **115**, 407
 YBaCuFeO_5 , crystal and magnetic structure, **114**, 24
 $\text{YBa}_2\text{Cu}_3\text{O}_y$, oxygen nonstoichiometry in, vapor pressure scanning, **119**, 62
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$, films, perovskites as substrates for, synthesis and characterization, **116**, 193
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$, sulfur-doped pellets, copper whisker growth from inside, **117**, 151
 $\text{Y}_2\text{BaCuO}_5\text{--YBa}_2\text{Cu}_3\text{O}_{6+x}$, quantitative X-ray phase analysis and EPR spectra, **116**, 136
- Basicity**
 on surface of $\text{Me}(\text{OH})_2\text{--SiO}_2$ ($\text{Me} = \text{Ca}, \text{Mg}, \text{Sr}$) mixtures, changes from mechanical activation, **115**, 390
- Beryllium**
 $\text{Na}_2\text{BeGeO}_4$, structure and ionic conductivity, **118**, 62
 TlBeAsO_4 and TlBePO_4 , stereochemical activity of thallium (I) lone pair, **114**, 123
- Betaine**
 $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, analysis by infrared, polarized Raman, and SERS spectroscopy, **114**, 129
- 2,2'-Bipyridyl**
 stepwise reaction with $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$ in solid state, **119**, 299
- Bismuth**
 $\text{Ba}_{2-x}\text{Bi}_x\text{Cu}_2\text{O}_5$ ($0 \leq x \leq 1.5$), synthesis and characterization, **114**, 585
 $\text{BaBiO}_{3-\delta}$ ($0 \leq \delta \leq 0.5$), analysis, **117**, 55
 BaBiO_2Cl , cation ordering, **117**, 201
 $(\text{Ba}_{1-x}\text{Sr}_x)(\text{Sr}_{0.67}\text{Bi}_{0.33})(\text{Pb}_{1-y}\text{Bi}_y)\text{O}_{6-\delta}$, with $(\text{NH})_4\text{FeF}_6$ structure type, powder X-ray and neutron diffraction analysis, **115**, 197
 $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$, from 2201–0201 intergrowth $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, **118**, 357
 $\text{BiCaRu}_2\text{O}_{7-y}$, preparation and structure, **119**, 254
 $\text{Bi}_2\text{Fe}_{4-x}\text{Al}_x\text{O}_9$, structural and magnetic studies, **114**, 199
 $\text{BiLa}_2\text{O}_{4.5}$, average structure and superstructure, X-ray powder and electron diffraction studies, **116**, 72
 Bi_2MoO_6 , phase transitions, structural changes in, analysis, letter to editor, **119**, 210
 $\text{Bi}_{2-x}\text{Nb}_x\text{O}_{3+x}$, solid solution, electron diffraction study, **119**, 311
 Bi_3NF_6 , synthesis and structure, **114**, 73
 Bi_2O_4 , crystal structure with $\beta\text{-Sb}_2\text{O}_4$ -type structure, **116**, 281
 $\text{Bi}_3\text{RE}_5\text{O}_{12}$ ($\text{RE} = \text{Y}, \text{La}, \text{Pr--Lu}$), related phases, synthesis and characterization, **116**, 68
 $\text{Bi}_2\text{O}_3\text{--CaO}$, rhombohedral β type solid solutions in, TEM analysis, **118**, 66
 BiOCuSe , powder X-ray and IR studies, **118**, 74
 $\text{Bi}_2\text{O}_3\text{--Ln}_2\text{O}_3$ ($\text{Ln} = \text{Sm}, \text{Eu}, \text{Gd}, \text{Tb}, \text{Dy}$), low-temperature stable phase, **120**, 32
 $\text{Bi}_2\text{O}_3\text{--SrO}$, rhombohedral β type solid solutions in, TEM analysis, **118**, 66
 $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 $(\text{BiS})_{1.11}\text{NbS}_2$, layered composite crystal structure, **116**, 61
 $(\text{BiS})_{1+\delta}(\text{Nb}_{1+\delta}\text{S}_2)_n$, misfit layer structures, analysis by TEM and XRD, **115**, 274
 $\text{Bi}_{n+1}\text{Sr}_{2n+2}\text{Ba}_{n-1}\text{Fe}_{n+1}\text{O}_{6n+4}$, with intergrowths of 2201 and 0201 structure, synthesis, **118**, 227
 BiSrCaCuO , electronic lone pair localization and electrostatic energy calculations, **114**, 459
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$, chemical diffusion and synthesis kinetics, **116**, 314
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 $\text{Bi}_{16}\text{Sr}_{28}\text{Cu}_{17}\text{O}_{69+\delta}$, synthesis and characterization, **119**, 169
 $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, 2201–0201 intergrowth, $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$ from, synthesis, **118**, 357
 BiTeX ($X = \text{Cl}, \text{Br}, \text{I}$), crystal structure, determination by powder X-ray diffraction, **114**, 379
 $\text{Bi}_2\text{TeO}_5\text{--Bi}_2\text{Te}_2\text{O}_7$, phase region, analysis by electron microscopy, **116**, 240
 $\text{Bi}_4\text{Te}_2\text{O}_9\text{Br}_2$, pyroelectric phase, crystal structure, **116**, 406
 $\text{Bi}_2\text{Ti}_4\text{O}_{11}$, phase transition, *in situ* analysis, **119**, 281
 $M^i\text{Bi}(\text{WO}_4)_2$ ($M^i = \text{Li}, \text{Na}, \text{K}$), vibrational properties, **117**, 177
 $(\text{Ca}_{0.9}\text{Bi}_{0.1})\text{MnO}_3$, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 $(\text{Hg}_{1-x}\text{Bi}_x)(\text{Sr}, \text{Ba})_2\text{Pr}_2\text{Cu}_2\text{O}_{9-\delta}$, synthesis and characterization, **115**, 525
 $\text{HgBiSr}_7\text{Cu}_2\text{SbO}_{15}$, double cationic ordering, **116**, 53
 Mo–Bi–O system, structural modeling, letter to editor, **119**, 428
- Bonding**
 metal-metal
 role in TiS, VS, TiSe, and VSe monochalcogenides, **114**, 346
 tetrahedral clusters of GaMo_4S_8 -type compounds, analysis, **120**, 80
 in Zintl phases, analysis by ^{119}Sn Mössbauer spectroscopy, **118**, 397
- Book reviews**
 Advances in Solid State Chemistry, Volume 3. C. R. A. Catlow (Ed.), 1993, **114**, 300
 Advances in the Synthesis and Reactivity of Solids, Volume 2. T. A. Mallouk (Ed.), 1994, **114**, 300
 Handbook of Molecular Sieves, R. Szostak, 1992, **114**, 300

Boron

- BN, crystalline cubic thin films, hot-filament-assisted electron beam deposition, **118**, 99
 –carbon–nitrogen system, properties and preparation, **114**, 258
 CsNbOB₂O₅, synthesis and characterization, **120**, 74
 CsTaOB₂O₅, synthesis and characterization, **120**, 74
 Li(H₂O)₄B(OH)₄ · 2H₂O, crystal structure and dehydration process, **115**, 549
 Mn₃B₇O₁₃Br, high-temperature single crystal X-ray diffraction, **120**, 60
 Mn₃B₇O₁₃I, high-temperature single crystal X-ray diffraction, **120**, 60
 Mn₂OBO₃, synthesis, crystal structure, band calculations, and magnetic susceptibility, **114**, 311
 TiO₂–NaPO₃–Na₂B₄O₇ system, optically nonlinear glasses, Raman scattering and XAFS analysis, **120**, 151
 ZnO–B₂O₂–SiO₂–P₂O₅, fluoride-containing glasses, MOS capacitors passivated by, OH-related capacitance–voltage recovery effect in, **118**, 212

Bromine

- BiTeBr, crystal structure, determination by powder X-ray diffraction, **114**, 379
 Bi₄Te₂O₉Br₂, pyroelectric phase, crystal structure, **116**, 406
 ABBR₄ (A = Mg, Mn, Zn; B = Li, Na), nonceramic preparation techniques, **117**, 34
 Me⁺Br – CuX₂–H₂O (Me⁺ = K⁺, NH₄⁺, Rb⁺, Cs⁺), double salts, **114**, 385
 CdBr₂, solid state reactions with 8-hydroxyquinoline, **117**, 416
 CsErTa₆Br₁₈, crystal structure, **118**, 274
 CsGeBr₃, pressure-induced phase transition, analysis by X-ray diffraction and Raman spectroscopy, **118**, 20
 InCdBr₃, synthesis, crystal structure, and electronic structure, **116**, 45
 Mn₃B₇O₁₃Br, high-temperature single crystal X-ray diffraction, **120**, 60
 Nb₃SBr₇, synthesis, crystal structure, and magnetic susceptibility, **120**, 311
 M₂RETa₆Br₁₈, MRETa₆Br₁₈, and RETa₆Br₁₈ (M = monovalent cation; RE = rare earth), crystal structure, **118**, 274
 M₂RETa₆Br₁₅O₃ (M = monovalent cation; RE = rare earths), synthesis and crystal structure, **120**, 43

C

Cadmium

- Ca_{10–x–y}Cd_xPb_y(PO₄)₆(OH)₂, solid solutions, analysis by X-ray and IR spectroscopy, **116**, 8
 CdX₂ (X = Cl, Br, I), solid state reactions with 8-hydroxyquinoline, **117**, 416
 CdCr₂Se₄, lattice dynamics, **118**, 43
 CdGa₂X₄ (X = S, Se), compounds crystallizing in thiogallate-type structure, lattice dynamical calculations, **114**, 442
 Cd_{2–x}GeO_{4–x–3y}N_{2y}, preparation and characterization, **119**, 304
 CdS particles, preparation in silica glasses by sol–gel method, **118**, 1
 Co_xCd_{1–x}In₂S₄, spinel solid solutions, structural, magnetic, and optical properties, **114**, 524
 InCdBr₃, synthesis, crystal structure, and electronic structure, **116**, 45
 Slater functions, formulation by distance between subspaces, **116**, 275

Calcium

- (1 – x)Ag₂SO₄–(x)CaSO₄ (x = 0.01–0.20), defect chemistry, **116**, 232
 BiCaRu₂O_{7–y}, preparation and structure, **119**, 254
 Bi₂O₃–CaO, rhombohedral β type solid solutions in, TEM analysis, **118**, 66
 Bi_{1.8}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+δ}, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 Bi₂Sr₂CaCu₂O₈, chemical diffusion and synthesis kinetics, **116**, 314
 Bi₂Sr₂CaCu₂O_{8+δ}, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 BiSrCaCuO, electronic lone pair localization and electrostatic energy calculations, **114**, 459

- Ca₄Al₆O₁₆S, crystal structure, **119**, 1
 Ca_{10–x–y}Cd_xPb_y(PO₄)₆(OH)₂, solid solutions, analysis by X-ray and IR spectroscopy, **116**, 8
 Ca₃CoN₃, preparation, crystal structure, electrical properties, and magnetic properties, **119**, 161
 CaCu_{0.15}Ga_{3.85}, crystal structure, analysis by powder X-ray diffraction data, **114**, 342
 CaCuO₂–SrCuO₂ infinite-layer thin film heterostructures, growth monitored by RHEED, **114**, 190
 CaFeTi₂O₆, high-pressure synthesis and crystal structure, **114**, 277
 Ca₃HfSi₂O₉, structure determination from powder diffraction, **115**, 464
 CaMg₂Al₁₆O₂₇
 phase relationships in CaO–Al₂O₃–MgO system, **120**, 358
 structure refinement, **120**, 364
 Ca₂Mg₂Al₂₈O₄₆
 phase relationships in CaO–Al₂O₃–MgO system, **120**, 358
 structure refinement, **120**, 364
 (Ca_{0.9}M_{0.1})MnO₃ (M = Y, La, Ce, Sm, In, Sn, Sb, Pb, Bi), electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 Ln_{1–x}Ca_xMnO₃ (Ln = rare earths), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
 CaO–Al₂O₃–MgO system, Al-rich part, phase relationships, **120**, 358
 Ca(OH)₂–SiO₂, mixtures, surface changes in basicity and species, role of mechanical activation, **115**, 390
 Ca₁₀(PO₄)₆(OH)₂, induced radiation damage, analysis by TEM, **116**, 265
 Ca₂Sn_xGa_{8–2x}O₁₂ (2.5 < x < 3.0), solid solutions, cationic sites, simultaneous occurrence of Sn⁴⁺ on, **118**, 6
 γ-CaSO₄, CaSO₄ · 0.5H₂O, and CaSO₄ · 0.6H₂O, crystal structure, determination by powder diffraction methods, **117**, 165
 Ca_{1–x}Sr_xNiN (0 ≤ x ≤ 0.5), solid solutions, preparation, crystal structure, and properties, **115**, 353
 (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372
 Ca₄Tl₂CO₃O₆, oxycarbonates built up from rock salt layers, **116**, 321
 CaTl₂O₄ and Ca₂Tl₂O₆, characterization as chemical twins of rock salt structure, **114**, 428
 Ca₃Tl₂O₆, synthesis and crystal structure, **115**, 508
 Ca₃Tl₄O₉, isolation, **119**, 134
 CaY₂S₄, structure and properties, **117**, 363
 Ca₅Y₄S₁₁, NaCl-type structure, Rietveld refinement, **119**, 45
 Ca₃ZrSi₂O₉, structure determination from powder diffraction, **115**, 464
 (Hg,Pr)–Sr–(Sr,Ca,Pr)–Cu–O, 1201, 1212, and 1222 superconductors, ordering principles and defect structures, **114**, 369
 La_{1–x}Ca_xCrO_{3–δ}, chemical diffusion, **115**, 152
 La_{1–x}Ca_xMnO₃ bulk samples, giant magnetoresistance, letter to editor, **114**, 297
 LaSrFeO₄, structure and electrical properties, effects of substitution of alkaline earths or Y for La, **115**, 456
 –lead, hydroxyapatite, cation effects in oxidative coupling of methane, **114**, 138
 Li₂Ca₂Si₅O₁₃, crystal structure determination, **114**, 512
 NaCa₂M₂⁺(AsO₄)₃ (M²⁺ = Mg, Ni, Co), structure, **118**, 267
 Nd_{1–x}Ca_xFeO_{3–y}, nonstoichiometry and physical properties, analysis, **114**, 265
 Nd_{1–x}Ca_xTiO₃ (0 ≤ x ≤ 1), structure, transport, and magnetic properties, **114**, 164
 Pr_{0.7}Sr_{0.05}Ca_{0.25}MnO_{3–δ}, effects of spectacular giant magnetoresistance, **117**, 424
 Sr₂CaIrO₆, preparation and stabilization by high oxygen pressure, **115**, 447
 YCa₂SbFe₄O₁₂, magnetic ordering, **115**, 435

- Calorimetry
differential scanning, $[\text{NH}_3-(\text{CH}_2)_2-\text{NH}_2-(\text{CH}_2)_2-\text{NH}_3]_2\text{P}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, **114**, 42
- Capacitance–voltage curve
MOS capacitors passivated by fluoride-containing $\text{ZnO}-\text{B}_2\text{O}_3-\text{SiO}_2-\text{P}_2\text{O}_5$ glasses, OH-related capacitance–voltage recovery effect in, **118**, 212
- Capacitors
MOS, passivation by fluoride-containing $\text{ZnO}-\text{B}_2\text{O}_3-\text{SiO}_2-\text{P}_2\text{O}_5$ glasses, OH-related capacitance–voltage recovery effect in, **118**, 212
- Carbon
 $\text{Al}_{28}\text{O}_{21}\text{C}_6\text{N}_6$, diamond-related compound in system $\text{Al}_2\text{O}_3-\text{Al}_4\text{C}_3-\text{AlN}$, identification, **120**, 211
 $\text{Al}_4(\text{PO}_4)_3(\text{HPO}_4)\text{F}_6$, $(\text{N}_2\text{C}_6\text{H}_{18})_{2.5}$, $3\text{H}_2\text{O}$, synthesis and crystal structure, **120**, 197
 $\text{BaEu}(\text{CO}_3)_2$, optical properties, correlation to crystallographic structure, **116**, 286
 $[\text{Ba}_2(\text{H}_2\text{O})_{10}][\text{Fe}(\text{CN})_5\text{NO}]_2 \cdot 3\text{H}_2\text{O}$, hydrogen-bonding system, **114**, 102
 $\text{Ba}_2\text{LiCuO}_4(\text{CO}_3)_2$, electronic and vibrational spectra, **119**, 359
 $\text{Ba}_2\text{NaCuO}_4(\text{CO}_3)_2$, electronic and vibrational spectra, **119**, 359
 CCl_4 , reaction with TT-Phase NbO , kinetic mechanism, **117**, 379
 $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, analysis by infrared, polarized Raman, and SERS spectroscopy, **114**, 129
 $[n-\text{C}_6\text{H}_{19}\text{NH}_3]_2\text{CuCl}_4$, characterization by FTIR, **117**, 97
 $2(\text{C}_6\text{H}_5\text{NH}_3) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$, crystal structure, determination from powder data, **117**, 103
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, transport, optical, and magnetic properties, **114**, 159
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 4\text{H}_2\text{O}$, X-ray diffraction and NMR analysis, **120**, 231
 $\text{Co}-\text{Li}_2\text{CO}_3$, phase composition, microstructure, and sintering, *erratum*, **116**, 15; **117**, 433
 $\text{Cu}(\text{C}_4\text{H}_5\text{N}_3)_2\text{Cl}_2$, synthesis and characterization, **117**, 333
 $\text{Cu}^{\text{II}}(1,4-\text{C}_4\text{H}_4\text{N}_2)(\text{C}_4\text{O}_4)(\text{OH})_2$, synthesis and structure determination with silica gels, **117**, 256
 $\text{CuSr}(\text{HCOO})_4$, crystal structure and thermal decomposition, **117**, 145
decomposition from CO_2 , analysis with $\text{Ni}_{0.39}\text{Fe}_{2.61}\text{O}_{4-\delta}$, X-ray diffraction and Mössbauer studies, **120**, 64
 GdRuC_2 , with filled NiAs structure, **118**, 158
 $\text{Hg}_{1-x}\text{Tl}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{CO}_3\text{O}_{7-\delta}$, modulated superconducting oxides, structural aspects, **120**, 332
 $\text{LaMn}_{11}\text{C}_{2-x}$, preparation, structure refinement, and properties, **114**, 66
 $\text{La}_2\text{O}_2\text{CN}_2$, synthesis and crystal structure, **114**, 592
 $\text{Na}_3\text{La}_2(\text{CO}_3)_4\text{F} \cdot \text{Eu}^{3+}$, optical properties, correlation to crystallographic structure, **116**, 286
 $\text{N}(\text{CH}_3)_4\text{H}_2\text{PO}_4 \cdot \text{H}_2\text{O}$, FT-IR and polarized Raman spectra, **120**, 343
 $[\text{NH}_3-(\text{CH}_2)_2-\text{NH}_2-(\text{CH}_2)_2-\text{NH}_3]_2\text{P}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, structural, DSC, and IR analysis, **114**, 42
-nitrogen polymers, high-pressure synthesis, **117**, 229
 $(M^{2+})_6(M^{3+})_2(\text{OH})_{16}\text{CO}_3 \cdot 4\text{H}_2\text{O}$ ($M^{2+} = \text{Cu}, \text{Zn}, \text{Co}$; $M^{3+} = \text{Cr}$), characterization, **119**, 246
 ScCrC_2 , preparation, properties, and crystal structure, **119**, 324
 $\text{Si}_{1-x}\text{C}_x:\text{H}$ alloys, structural properties and chemical ordering, **117**, 427
 $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}]_2$, preparation and structural characterization, **114**, 506
 $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}] \cdot [(\text{CH}_3)_3\text{NH}]$, preparation and structural characterization, **114**, 506
 $(\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O})$, crystal structure, determination by X-ray diffraction, **120**, 1
 $\text{Sr}_5\text{Mn}_4\text{CO}_3\text{O}_{10}$, synthesis and structure, **120**, 279
 $\text{Sr}_2\text{RuO}_4 \cdot 0.25 \text{CO}_2$, synthesis, application in synthesis of $\text{Sr}_3\text{Ru}_2\text{O}_7$, **116**, 141
 $\text{A}_4\text{Tl}_2\text{CO}_3\text{O}_6$ ($\text{A} = \text{Ca}, \text{Sr}, \text{Ba}$), oxycarbonates built up from rock salt layers, **116**, 321
 $\text{Tm}_2\text{Fe}_2\text{Si}_2\text{C}$, preparation, structure refinement, and properties, **114**, 66
 $\text{U}_2\text{Fe}_{17-x}\text{M}_x\text{C}_y$ ($\text{M} = \text{Al}, \text{Si}$, and Ge), magnetic properties, **115**, 13
VC, synthesis by temperature programmed reduction, **120**, 320
- $(\text{V}^{\text{IV}}\text{O})[\text{V}^{\text{VO}}\text{O}_4] \cdot 0.5[\text{C}_3\text{N}_2\text{H}_{12}]$, synthesis, crystal structure, and structural correlations with V_2O_5 and other vanadyl compounds, **120**, 137
 $\text{VO}(\text{HCO}_3)_2 \cdot \text{H}_2\text{O}$, compounds based on double layers in, synthesis, **117**, 136
 $\text{Zr}(\text{O}_3\text{PC}_6\text{H}_5)_x(\text{HPO}_4)_{2-x}$, synthesis and stability, **117**, 275
- Cations
positive mixed effect on $\text{Ag}_2\text{SO}_4-\text{Tl}_2\text{SO}_4$, **114**, 271
- Ceramics
mixed valent nickel and manganese oxides, **116**, 355
and oxides, effects of ultrasound, macro- and microscopic analysis, **115**, 532
- Cerium
 $\text{BaCe}_y\text{Pr}_{1-y}\text{O}_3$, magnetic properties, **119**, 405
 $(\text{Ca}_{0.9}\text{Ce}_{0.1})\text{MnO}_3$, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 Ce^{4+} , doped $\text{La}_{1.2}\text{Tb}_{0.8}\text{CuO}_{4+\delta}$, derivatives, structural and conducting properties, **115**, 332
 CeAgSb_2
with HfCuSi_2 -type structure, preparation, **115**, 305
magnetism and crystal structure, **115**, 441
 $\text{CeT}_2\text{Al}_{20}$ ($T = \text{Ti}, \text{Mo}, \text{W}$), with $\text{CeCr}_2\text{Al}_{20}$ -type structure, **114**, 337
 $\text{Ce}_2\text{Ba}_2\text{Cu}_2\text{Tl}_2\text{O}_{11-\delta}$, synthesis, structure, and superconductivity, **119**, 224
 $\text{CeCr}_2\text{Al}_{20}$, related structure, $\text{AT}_2\text{Al}_{20}$ ($\text{A} = \text{La}-\text{Lu}, \text{U}$; $T = \text{Ti}, \text{Ta}, \text{Mo}, \text{W}$) ternary aluminides with, **114**, 337
 CeCuAs_2 , with HfCuSi_2 -type structure, preparation, **115**, 305
 $\text{Ln}_{2-x}\text{Ce}_x\text{CuO}_4$, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491
 $\text{Ce}_{0.818}\text{Gd}_{0.182}\text{O}_{1.909-y}$, nonstoichiometric 10 mol%, phase diagram, **117**, 392
 $\text{CeK}_2(\text{NO}_3)_6$, double valence change for cerium during thermal decomposition, letter to editor, **115**, 295
 CeNbO_4 , relationship between covalence and displacive phase transition temperature, **116**, 28
 Ce_2O_3 , cation array structure, **119**, 131
 $(1-x)\text{CeO}_2 \cdot x\text{YO}_{1.5}$, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 $\text{CeO}_2-\delta\text{YO}_{21.5}$, single crystal X-ray study, **115**, 23
 $\text{CePd}_{2-x}\text{As}_2$, with ThCr_2Si_2 structure, structure refinement, **115**, 37
 CePd_3As_2 , arsenides, **115**, 37
 $\text{Ce}_2\text{P}_6\text{O}_{18} \cdot 10\text{H}_2\text{O}$, preparation and characterization, **119**, 203
 $\text{MCEaTa}_6\text{Br}_{18}$ ($\text{M} = \text{K}, \text{Rb}, \text{Cs}$), crystal structure, **118**, 274
 $\text{M}_2\text{CeTa}_6\text{Br}_{15}\text{O}_3$ ($\text{M} = \text{monovalent cation}$), synthesis and crystal structure, **120**, 43
 CeVO_3 , magnetic and transport properties, **119**, 24
 $\text{Cs}_3\text{CeCl}_6 \cdot 3\text{H}_2\text{O}$, thermal dehydration and crystal structure, **116**, 329
 $\text{Hg}_{0.4}\text{Ce}_{0.5}\text{Cu}_{0.1}\text{Sr}_{2-x}\text{La}_x\text{CuO}_{4+\delta}$, synthesis and characterization, **116**, 347
 $(\text{Nd}_{2/3}\text{Ce}_{1/3})_4(\text{Ba}_{2/3}\text{Nd}_{1/3})_4\text{Cu}_6\text{O}_{16+x}$, **120**, 146
 $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$, FT-IR skeletal study, **119**, 36
 $\text{Ti}_2(\text{Ba}_2\text{Gd})\text{Gd}_{2-x}\text{Ce}_x\text{Cu}_2\text{O}_{13}$, design and synthesis, **114**, 57
- Cesium
 $[\text{Cs}^+(15\text{-crown-5})(18\text{-crown-6})\text{e}^-]_6 \cdot (18\text{-crown-6})$, properties, **117**, 309
 $\text{Cs}_2[\text{AuCl}_2][\text{AuCl}_4]$, local electronic anisotropy, probing with anomalous scattering diffraction, **118**, 383
 $\text{Cs}_3\text{LnCl}_6 \cdot 3\text{H}_2\text{O}$ ($\text{Ln} = \text{La}-\text{Nd}$), thermal dehydration and crystal structure, **116**, 329
 $\text{CsCl}/\text{TbCl}_3$ systems, ternary chlorides in, analysis, **115**, 484
 $\text{CsX}-\text{CuX}_2-\text{H}_2\text{O}$ ($\text{X}^- = \text{Cl}^-, \text{Br}^-$), double salts, **114**, 385
 $\text{CsErTa}_6\text{Br}_{18}$, crystal structure, **118**, 274
 CsGeBr_3 , pressure-induced phase transition, analysis by X-ray diffraction and Raman spectroscopy, **118**, 20
 CsHSO_4
phase transitions, **117**, 412
thermally induced phase transitions, **117**, 414
 $\text{Cs}_9\text{Mo}_9\text{Al}_3\text{P}_{11}\text{O}_{59}$ with tunnel structure, isolation, **114**, 451

- CsMo₂O₃(PO₄)₂, mixed valent monophosphate with layer structure, **116**, 87
- CsNbOB₂O₅, synthesis and characterization, **120**, 74
- Cs₄Sb₄O₈(Si_{4(1-x)}Ge_{4x}O₁₂), solid solution, electron and X-ray diffraction and ²⁹Si MAS NMR analysis, **114**, 528
- CsRETa₆Br₁₈ (RE = La–Lu,Y), crystal structure, **118**, 274
- Cs₂RETa₆Br₁₈ (RE = Eu,Yb), crystal structure, **118**, 274
- CsTaOB₂O₅, synthesis and characterization, **120**, 74
- Cs(TiAs)O₅, crystal structure, **120**, 299
- Cs(TiP)O₅, crystal structure, **120**, 299
- α- and β-CsTi₃P₅O₁₉, synthesis and crystal structure, **115**, 120
- Cs₂V₄O₉, synthesis, crystal structure, and magnetic properties, **115**, 174
- Cs₂(WO₃)₃SeO₃, synthesis, crystal structure and properties, **120**, 112
- Cs₂ZrCl₆, green-to-blue up-conversion emission from U⁴⁺ ion in, effect of temperature, **116**, 113
- YbI₂–CsI, phase diagrams, measurement and calculation, **114**, 146
- Channel networks
two-dimensional, in KNB₅GeO₁₆ · 2H₂O, **115**, 373
- Chemical ordering
Si_{1-x}C_x:H alloys, **117**, 427
- Chemical reactivity
TiV_{5-y}Fe_yS₈ (y = 0.5–1.5), **119**, 147
- Chevkinites
Pr₄V₅Si₄O₂₂ with related structure, **116**, 211
- Chevreil phases
M_xMo₆S₈ (M = Sn,Co,Ni,Pb,La,Ho), and tungsten analogs, amorphous precursors for low-temperature preparation, **117**, 269
- Chlorine
BaBiO₂Cl, cation ordering, **117**, 201
- Ba₂M₂F₇Cl (M = Mn²⁺,Fe²⁺,Co²⁺,Ni²⁺,Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98
- Ba₂MM′F₇Cl (M,M′ = Mn²⁺,Fe²⁺,Co²⁺,Ni²⁺,Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98
- BiTeCl, crystal structure, determination by powder X-ray diffraction, **114**, 379
- CCl₄, reaction with TT-Phase NbO, kinetic mechanism, **117**, 379
- CdCl₂, solid state reactions with 8-hydroxyquinoline, **117**, 416
- [n-C₉H₁₉NH₃]₂CuCl₄, characterization by FTIR, **117**, 97
- ABCl₄ (A = Mg,Mn,Zn; B = Li,Na), nonceramic preparation techniques, **117**, 34
- Me⁺Cl – CuX₂–H₂O (Me⁺ = K⁺,NH₄⁺Rb⁺,Cs⁺), double salts, **114**, 385
- ACl/TbCl₃ (A = K,Rb,Cs), ternary chlorides in, analysis, **115**, 484
- Cs₂[AuCl₂][AuCl₄], local electronic anisotropy, probing with anomalous scattering diffraction, **118**, 383
- Cs₃LnCl₆ · 3H₂O (Ln = La–Nd), thermal dehydration and crystal structure, **116**, 329
- Cs₂ZrCl₆, green-to-blue up-conversion emission from U⁴⁺ ion in, effect of temperature, **116**, 113
- Cu(C₄H₅N₃)₂Cl₂, synthesis and characterization, **117**, 333
- CuCl₂ · 2H₂O, stepwise reaction with 2,2′-bipyridyl in solid state, **119**, 299
- MgO–MgCl₂–H₂O, chemical reactions, analysis by time-resolved synchrotron X-ray powder diffraction, **114**, 556
- NaCl, related U, Np, and Pu compounds, thermodynamic and magnetic properties, **115**, 66
- NaClO₃, high-pressure behavior, **118**, 378
- NaSn₂Cl₅, synthesis and crystal structure, **115**, 158
- Chromium
Ba₃Cr₂MO₉ (M = Mo,W), structure and magnetic properties, **120**, 238
- CdCr₂Se₄, lattice dynamics, **118**, 43
- CeCr₂Al₂₀, AT₂Al₂₀ (A = rare earths,U; T = Ti,Ta,Mo,W) ternary aluminides with, **114**, 337
- CoCr₂S₄, lattice dynamics, **118**, 43
- (Cr_{1-x}Fe_x)₃Te₄, magnetic properties, **120**, 49
- CrO₂–CrOOH system, CrO₂ from decomposition, interconversion in, **119**, 13
- (M²⁺)₆Cr₂(OH)₁₆CO₃ · 4H₂O (M²⁺ = Cu,Zn,Co), characterization, **119**, 246
- CrOOH–CrO₂ system, CrO₂ from decomposition, interconversion in, **119**, 13
- Cr₂S₃–CuS, copper–chromium sulfide spinel and thermal decomposition reactions in, **117**, 122
- Cr₂Sn₃Se₇, structural determination and magnetic properties, **115**, 165
- M¹Cr(WO₄)₂ (M¹ = Li,Na,K), vibrational properties, **117**, 177
- Cu–Al spinel oxide semiconductors, compensated, analysis, **120**, 388
- CuCrP₂S₆, copper disorder, stacking distortions, and magnetic ordering, **116**, 208
- CuCr₂S₄, spinel formation, thermal decomposition reactions in crystal-line mixtures, **117**, 122
- HgCr₂Se₄, lattice dynamics, **118**, 43
- induction of structural changes in TiO₂, analysis by X-ray diffraction, **114**, 364
- K_{3/2}Cr_{1/2}Te_{3/2}O₆ · 0.5H₂O, electrical properties and structural characterization, **116**, 290
- La_{1-x}Ca_xCrO_{3-δ}, chemical diffusion, **115**, 152
- LaCo_{1-x}Cr_xO₃, reduction and reoxidation properties, **119**, 271
- LaCrO₃, oxygen ion migration, **118**, 125
- (La_{1-x}Nd_x)CrO₃ (0 ≤ x ≤ 1.0), electrical properties and crystal structure, relationship, **114**, 236
- Li_{0.5}(FeCr)_xGa_{2.5-2x}O₄, tetrahedral 3d⁵ and 3d⁵ or 3d³ octahedral cations in, antiferromagnetic A–B interactions and electronic spectrum, **120**, 244
- Mn₃Al_{2-x}Cr_xGe₃O₁₂, X-ray absorption spectroscopic and magnetic analysis, **118**, 261
- Na_xCr₂Ti_{8-x}O₁₆, tunnel structure analysis for stability and sodium ion transport, **116**, 296
- Nd(Cr_{1-x}Mn_x)O₃ (0 ≤ x ≤ 0.6), cation–anion–cation overlap and electrical properties, relationship, **118**, 367
- Ni–Al–Cr, synthesis and characterization, **118**, 285
- Pb₄(PO₄)₂CrO₄, phase transformation, **116**, 179
- ScCrC₂, preparation, properties, and crystal structure, **119**, 324
- Sn_{1-p}Cr₂S_{4-p} channel-type composite crystal, X-ray and electron diffraction study, **115**, 7
- Sr₂Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xTc_{0.2}Sb_{0.8}O₆, mixed valent oxide ceramic, superconducting properties, **116**, 355
- Sr₂Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xW_{0.2}Ta_{0.8}O₆, mixed valent oxide ceramic, superconducting properties, **116**, 355
- ThCr₂Si₂, CePd_{2-x}As₂ with related structure, **115**, 37
- [Zn₂Cr(OH)₆]_x · nH₂O, where X⁻ = 1/2 mal²⁻, cis-[Cr(mal)₂(H₂O)₂]⁻, and 1/3[Cr(mal)₃]³⁻ (mal = malonate), malonate intercalation into, **119**, 331
- ZnCr₂S₄, lattice dynamics, **118**, 43
- ZnCr₂Se₄, lattice dynamics, **118**, 43
- Citric acid
mediated synthesis of β-Co(OH)₂, **114**, 550
- Cobalt
Ba₂CoM′F₇Cl (M′ = Mn²⁺,Fe²⁺,Co²⁺,Ni²⁺,Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98
- Ba₂Co₂F₇Cl, synthesis, magnetic behavior, and structural study, **115**, 98
- BaCoO_{3-y}, HREM study, **120**, 327
- BaFe_{12-2x}Co_xTi_xO₁₉
crystallite size and shape, determination by X-ray line broadening analysis, **114**, 534
- samples with composition range 0 < x < 1, synthesis for magnetic recording, **115**, 347
- BaFe_{12-2x}Ir_xCo_xO₁₉ (x ~ 0.85 and x ~ 0.50), magnetic properties, cationic distribution in relation to, **120**, 17
- BaLaCoRuO₆, structural and electronic properties, **114**, 174

- boron–nitrogen system, properties and preparation, **114**, 258
- Ca_3CoN_3 , preparation, crystal structure, electrical properties, and magnetic properties, **119**, 161
- CoAs_2O_6 , structural and magnetic properties, **118**, 402
- $\text{Co}_2\text{As}_2\text{O}_7$, magnetic properties and structures, **115**, 229
- $\text{Co}_x\text{Cd}_{1-x}\text{In}_2\text{S}_4$, spinel solid solutions, structural, magnetic, and optical properties, **114**, 524
- CoCr_2S_4 , lattice dynamics, **118**, 43
- $\text{Co}_x\text{Cu}_{1-x}\text{Fe}_2\text{O}_4$ ($0 \leq x < 0.3$), thermal behavior and magnetic properties, *erratum*, **117**, 64; **117**, 433
- $\text{Co-Li}_2\text{CO}_3$, phase composition, microstructure, and sintering, *erratum*, **116**, 15; **117**, 433
- $\text{Co}_x\text{Mo}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
- $\text{Ln}_2\text{MCo}_2\text{O}_7$ ($\text{Ln} = \text{Sm, Gd}; \text{M} = \text{Sr, Ba}$), synthetic, structural, electrical, and magnetic properties, **114**, 286
- $\beta\text{-Co(OH)}_2$, organic additive-mediated, synthesis, **114**, 550
- $\text{Co}_6(\text{M}^{3+})_2(\text{OH})_{16}\text{CO}_3 \cdot 4\text{H}_2\text{O}$ ($\text{M}^{3+} = \text{Cr}$), characterization, **119**, 246
- $\text{Co}_2(\text{OH})\text{PO}_4$, structure-directing effect of organic additives, **114**, 151
- $\text{Co(ReO}_4)_2 \cdot 4\text{H}_2\text{O}$, preparation and crystal structure determination, **115**, 255
- $\text{A,A}'\text{CoRuO}_6$ ($\text{A,A}' = \text{Sr, Ba, La}$), structural and electronic properties, **114**, 174
- $\text{CoSeO}_3\text{-II}$, crystal structure, **120**, 182
- CoU_2O_6 , antiferromagnetic ordering, **114**, 595
- $\text{Co}_x\text{W}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
- $\text{LaCo}_{1-x}\text{Cr}_x\text{O}_3$, reduction and reoxidation properties, **119**, 271
- $\text{LaCo}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$, Sr doped, thermochemical stability, electrical conductivity, and Seebeck coefficient, **118**, 117
- $\text{La}_2\text{CoIrO}_6$, structure and magnetic properties, **116**, 199
- LaCoO_3
magnetic and transport properties, **116**, 224
oxygen ion migration, **118**, 125
- $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($0 < x \leq 0.50$), **118**, 323
- $\text{La}_{0.2}\text{Sr}_{0.8}\text{Cu}_{0.4}\text{Co}_{0.6}\text{O}_{3-y}$, synthesis, **119**, 260
- LiCoO_2 , synthesis and thermal stability, **117**, 1
- $\text{NaCa}_2\text{Co}_3^{2+}$ (AsO_4)₃, structure, **118**, 267
- $\text{NaCo}_2(\text{SeO}_3)_2(\text{OH})$, polarized electronic absorption spectra and crystal structure, **115**, 360
- NiCo_2O_4 , preparation by sol–gel process, **116**, 157
- $\text{PbCo}_3(\text{P}_2\text{O}_7)_2$, crystal structure, **118**, 202
- SmCo_5 , and $\text{Sm}_2\text{Co}_{17}$, and Sm_2Co_7 , binary magnetic phases competing for stability, leapfrog thermodynamics, **116**, 92
- $\text{Sn}_{1-x}\text{Co}_x\text{O}_y$ ($0 < x \leq 0.15$), thin films, structural models, **116**, 256
- $\text{SrCoO}_{3-\delta}$, electronic states, effects of oxygen, **119**, 76
- $\text{Ln}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($\text{Ln} = \text{La, Pr, Nd}$) solid solutions, oxide ion conduction, **120**, 128
- $\text{Sr}_3\text{Co}_2\text{O}_{7-y}$ ($0.94 \leq y \leq 1.22$), structure and oxygen stoichiometry, **115**, 499
- $\text{U}_3\text{Co}_4\text{Ge}_7$, crystal structure and magnetic properties, **115**, 247
- $\text{YBaCoCu}_{1-x}\text{Fe}_x\text{O}_5$, magnetic behavior, **115**, 514
- $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, synthesis by solid state reaction, **115**, 407
- Combustion
high-temperature, Ba– β - Al_2O_3 , materials, crystal structure, **114**, 326
- Computer applications
POWSIM
in crystal structure determination of $2(\text{C}_6\text{H}_5\text{NH}_3) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$ from powder data, **117**, 103
direct method powder diffraction package, in analysis of $\text{K}_2\text{Mo}_2\text{O}_{10} \cdot 3\text{H}_2\text{O}$, **115**, 225
- Conductivity
 $\text{Ag}_4\text{Hf}_3\text{S}_8$, **115**, 112
ionic, *see* Ionic conductivity
- Copper
 $\text{Ba}_{2-x}\text{Bi}_x\text{Cu}_2\text{O}_5$ ($0 \leq x \leq 1.5$), synthesis and characterization, **114**, 585
- $\text{BaCuAs}_2\text{O}_7$, synthesis and structure, **118**, 280
- BaCuO_{2+x} , structural, magnetic, and EPR studies, **119**, 50
- $\text{RBa}_2\text{Cu}_3\text{O}_{7-y}$ ($R = \text{Ln or Y}$), FT-IR skeletal study, **119**, 36
- $\text{Ln}_2\text{Ba}_2\text{CuPtO}_8$ ($\text{Ln} = \text{Ho-Lu}$), synthesis and characterization, **120**, 316
- BaCu_2S_2 , electrical and magnetic properties, **117**, 73
- $\alpha\text{-BaCu}_4\text{S}_3$, electrical and magnetic properties, **117**, 73
- $\text{Ln}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11-\delta}$ ($\text{Ln} = \text{La-Tb}$), synthesis, structure, and superconductivity, **119**, 224
- $\text{BaLiCuO}_4(\text{CO}_3)_2$, electronic and vibrational spectra, **119**, 359
- $\text{Ba}_x\text{NaCuO}_4(\text{CO}_3)_2$, electronic and vibrational spectra, **119**, 359
- $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
- BiSrCaCuO , electronic lone pair localization and electrostatic energy calculations, **114**, 459
- $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$, chemical diffusion and synthesis kinetics, **116**, 314
- $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
- $\text{Bi}_{1.8}\text{Sr}_{2.8}\text{Cu}_{1.7}\text{O}_{69+\delta}$, synthesis and characterization, **119**, 169
- $\text{CaCu}_{0.15}\text{Ga}_{3.85}$, crystal structure, analysis by powder X-ray diffraction data, **114**, 342
- $\text{CaCuO}_2\text{-SrCuO}_2$ infinite-layer thin film heterostructures, growth monitored by RHEED, **114**, 190
- $\text{Ln}_{2-x}\text{Ce}_x\text{CuO}_4$, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491
- $[\eta\text{-C}_9\text{H}_{19}\text{NH}_3]_2\text{CuCl}_4$, characterization by FTIR, **117**, 97
- $\text{Co}_2\text{Cu}_{1-x}\text{Fe}_2\text{O}_4$ ($0 \leq x < 0.3$), thermal behavior and magnetic properties, *erratum*, **117**, 64; **117**, 433
- Cr–Al spinel oxide semiconductors, compensated, analysis, **120**, 388
- Cu, disorder in CuCrP_2S_6 , **116**, 208
- Cu(II) , incorporation into α - and β - $\text{AlF}_3 \cdot 3\text{H}_2\text{O}$, analysis by ESR, **116**, 249
- ACuAs_2 ($A = \text{Y, La-Nd, Sm, Gd-Lu}$), with HfCuSi_2 -type structure, preparation, **115**, 305
- $\text{Cu}(\text{C}_4\text{H}_9\text{N}_3)_2\text{Cl}_2$, synthesis and characterization, **117**, 333
- $\text{Cu}^{\text{II}}(1,4\text{-C}_4\text{H}_4\text{N}_2)(\text{C}_6\text{O}_4)(\text{OH})_2$, synthesis and structure determination with silica gels, **117**, 256
- $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, stepwise reaction with 2,2'-bipyridyl in solid state, **119**, 299
- CuCrP_2S_6 , copper disorder, stacking distortions, and magnetic ordering, **116**, 208
- CuCr_2S_4 , spinel formation, thermal decomposition reactions in crystal-line mixtures, **117**, 122
- $\text{Me}^+\text{X-CuX}_2\text{-H}_2\text{O}$ ($\text{Me}^+ = \text{K}^+, \text{NH}_4^+, \text{Rb}^+, \text{Cs}^+$; $\text{X}^- = \text{Cl}^-, \text{Br}^-$), double salts, **114**, 385
- CuNb_2O_6 , lithium insertion characteristics, **118**, 193
- $\text{CuNd}_2\text{Ge}_2\text{O}_8$, crystal structure, growth, and magnetic and spectroscopic properties, **120**, 254
- $\text{R}_2\text{Cu}_2\text{O}_5$ ($R = \text{Yb, Tm, Er, Y, Ho}$), structural characterization by neutron diffraction, **115**, 324
- $\text{Cu}_6(\text{M}^{3+})_2(\text{OH})_{16}\text{CO}_3 \cdot 4\text{H}_2\text{O}$ ($\text{M}^{3+} = \text{Cr}$), characterization, **119**, 246
- $\text{Cu}_2(\text{OH})_3\text{NO}_3$, magnetic behavior and exchange coupling, single crystal study, **116**, 1
- $\text{Cu}_{0.5}(\text{OH})_{0.5}[\text{VOPO}_4] \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **117**, 157
- CuS , $\text{Cu}_{1.4}\text{S}$, $\text{Cu}_{1.8}\text{S}$, and Cu_2S films, optical and electrical properties, **114**, 469
- ACu_7S_4 ($A = \text{Ti, K, Rb}$), physical properties and successive phase transitions, **115**, 379
- CuSb_2O_6 , long-range magnetic order, confirmation, **118**, 199
- $\text{CuS-Cr}_2\text{S}_3$, copper–chromium sulfide spinel and thermal decomposition reactions in, **117**, 122
- $\text{CuSr}(\text{HCOO})_4$, crystal structure and thermal decomposition, **117**, 145

- $\text{CuS}_{1-x}\text{Se}_x$ ($0 \leq x \leq 1$), phase transition, determination by X-ray diffraction, **118**, 176
 $\text{Cu}_{0.5}[\text{VOPO}_4] \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **117**, 157
 Cu–Zn coprecipitate, effect of incorporation of Al^{+3} on structure, **115**, 204
 $\text{Cu}_x\text{Zn}_{1-x}\text{Nb}_2\text{O}_6$, structural relations, **115**, 476
 $\text{Eu}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{Eu}_3\text{Ba}_2\text{Mn}_2\text{Cu}_2\text{O}_{12}$ intergrowth between 123 and 0201 structures, **115**, 1
 HfCuSi_2 , ternary arsenides and antimonides with related structure, preparation, **115**, 305
 $\text{Hg}_{2-x}\text{M}_x\text{Ba}_2\text{Pr}_2\text{Cu}_2\text{O}_{10-\delta}$, synthesis and crystal structure, **114**, 230
 $\text{HgBiSr}_7\text{Cu}_2\text{SbO}_{15}$, double cationic ordering, **116**, 53
 $\text{Hg}_{0.4}\text{Ce}_{0.5}\text{Cu}_{0.1}\text{Sr}_{2-x}\text{La}_x\text{CuO}_{4+\delta}$, synthesis and characterization, **116**, 347
 $\text{Hg}_{2-x}\text{Cu}_x\text{Ba}_2\text{Pr}_2\text{Cu}_2\text{O}_{10-\delta}$ ($M = \text{Cu}, \text{Pr}$), synthesis and crystal structure, **114**, 230
 (Hg,Pr)–Sr–(Sr,Ca,Pr)–Cu–O, 1201, 1212, and 1222 superconductors, ordering principles and defect structures, **114**, 369
 $(\text{Hg}_{1-x}\text{M}_x)(\text{Sr},\text{Ba})_2\text{Pr}_2\text{Cu}_2\text{O}_{9-\delta}$ ($M = \text{Pr}, \text{Pb}, \text{Bi}, \text{Ti}$), synthesis and characterization, **115**, 525
 $\text{Hg}_{1-x}\text{Ti}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{CO}_3\text{O}_{7-\delta}$, modulated superconducting oxides, structural aspects, **120**, 332
 $\text{HoSr}_2\text{Cu}_2\text{Mo}_{0.3}\text{O}_{7.54}$, synthesis and crystal structure, **119**, 115
 $\text{La}_4\text{BaCu}_5\text{O}_{12}$, insulating, prepared by reduction of metallic $\text{La}_4\text{BaCu}_5\text{O}_{13.1}$, analysis, **114**, 95
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Sn}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_5\text{Cu}_5\text{O}_{13.35}$, crystal structure, determination by high-resolution synchrotron X-ray diffraction, **118**, 170
 $\text{La}_2\text{CuO}_4\text{–Nd}_2\text{CuO}_4$, superconductivity, after treatment under oxidizing conditions, **115**, 540
 $\text{La}_{0.2}\text{Sr}_{0.8}\text{Cu}_{0.4}\text{M}_{0.6}\text{O}_{3-y}$ ($M = \text{Co}, \text{Fe}$), synthesis, **119**, 260
 $\text{La}_{1-x}\text{Sr}_x\text{CuO}_3$, perovskite lattice, mixed valence $\text{Cu(III)}/\text{Cu(IV)}$ in, stabilization under high oxygen pressure, **114**, 88
 $\text{La}_{6.4}\text{Sr}_{1.6}\text{Cu}_8\text{O}_{20}$, ordered substitution of iron for copper, **115**, 469
 $(\text{La}_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{16+\delta}$, oxygen content and structure relationship, **115**, 490
 $\text{La}_{1.2}\text{Tb}_{0.8}\text{CuO}_{4+\delta}$, with T^* structure, conducting properties and structure, **115**, 332
 LiCuO_2 , symmetry, analysis by X-ray and neutron diffraction measurements, **114**, 590
 α - and β - $\text{Na}_3\text{CuP}_2\text{O}_7$, crystal structure, **120**, 23
 $\text{Na}_2\text{Cu}_2\text{ZrS}_4$, synthesis and crystal structure, **117**, 30
 $\text{Na}_4\text{H}[\text{Cu}(\text{H}_2\text{TeO}_6)_2] \cdot 17\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
 $\text{Na}_4\text{K}[\text{Cu}(\text{HIO}_6)_2] \cdot 12\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
 $(\text{Nd}_{2/3}\text{Ce}_{1/3})_4(\text{Ba}_{2/3}\text{Nd}_{1/3})_4\text{Cu}_6\text{O}_{16+x}$, **120**, 146
 $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$, FT-IR skeletal study, **119**, 36
 $\text{Nd}_2\text{CuO}_4\text{–Nd}_2\text{CuO}_4$, superconductivity, after treatment under oxidizing conditions, **115**, 540
 $\text{Nd}_2\text{O}_3\text{–Pr}_6\text{O}_{11}\text{–CuO}$, phase relations, **115**, 291
 MOCuSe ($M = \text{Bi}, \text{Gd}, \text{Dy}$), powder X-ray and IR studies, **118**, 74
 $\text{Pb}_2\text{Cu(II)}_7(\text{AsO}_4)_6$, crystal structure, topological relationship to $\text{Pb}_2\text{Cu(I)}_2\text{Cu(II)}_6(\text{AsO}_4)_6$, **114**, 413
 $\text{Pb}_2\text{Cu(I)}_2\text{Cu(II)}_6(\text{AsO}_4)_6$, crystal structure, topological relationship to $\text{Pb}_2\text{Cu(II)}_7(\text{AsO}_4)_6$, **114**, 413
 $\text{Pr}_{7-y}\text{Sr}_y\text{CuO}_{4-\delta}$, effect of oxygen and strontium content, **116**, 385
 $\text{RbTaCu}_2\text{Te}_4$, synthesis and characterization, **117**, 247
 $\text{Sm}_{1-x}\text{Sr}_x\text{CuO}_{2.5-x/2+\delta}$, PLD thin films, perovskite phases and phasoids, **116**, 37
 $\text{Sm}_2\text{Sr}_6\text{Cu}_8\text{O}_{17+\delta}$ perovskite films, analysis by HREM, **116**, 300
 $\text{Sr}_3\text{CuIrO}_6$, structure and magnetic properties, **117**, 300
 SrCuO_2 orthorhombic crystals, growth and structural refinement, **114**, 289
 $\text{SrCuO}_2\text{–CaCuO}_2$ infinite-layer thin film heterostructures, growth monitored by RHEED, **114**, 190
 TaCu_3Te_4 , synthesis and characterization, **117**, 247
 $\text{Tb}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, synthesis and crystal structure, **117**, 213
 $\text{Ti}_2(\text{Ba}_2\text{Gd})\text{Gd}_{2-x}\text{Ce}_x\text{Cu}_2\text{O}_{13}$, design and synthesis, **114**, 57
 whisker growth from inside $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ sulfur-doped pellets, **117**, 151
 $\text{YBaCoCu}_{1-x}\text{Fe}_x\text{O}_5$, magnetic behavior, **115**, 514
 $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, synthesis by solid state reaction, **115**, 407
 YBaCuFeO_5 , crystal and magnetic structure, **114**, 24
 $\text{Y}_2\text{BaCuO}_5\text{–YBa}_2\text{Cu}_3\text{O}_{6+x}$, quantitative X-ray phase analysis and EPR spectra, **116**, 136
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ films, perovskites as substrates for, synthesis and characterization, **116**, 193
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$, sulfur-doped pellets, copper whisker growth from inside, **117**, 151
 Y_2BaCuO_5 , quantitative X-ray phase analysis and EPR spectra, **116**, 136
 $\text{YBa}_2\text{Cu}_3\text{O}_y$, oxygen nonstoichiometry in, vapor pressure scanning, **119**, 62
 YCuO_2 and $\text{Y}_2\text{Cu}_2\text{O}_5$ phases in $\text{Y}_2\text{O}_3\text{–Cu–CuO}$ system, analysis by oxygen coulometry, **114**, 420
 $\text{Y}_{1-x}\text{Pr}_x\text{Sr}_2\text{Cu}_{2.85}\text{Re}_{0.15}\text{O}_7$, retarded $\text{Pr } f$ hybridization and T_c suppression, **118**, 215
 $(\text{Zn}, \text{Cu}_{1-x})(\text{OH})_{2-y}(\text{NO}_3)_y \cdot z\text{H}_2\text{O}$, cation distribution and coordination chemistry, structural and spectroscopic study, **118**, 303
 Coupling
 exchange, $\text{Cu}_2(\text{OH})_3\text{NO}_3$, measurements as function of magnitude and orientation of magnetic field, **116**, 1
 Covalence
 RAO_4 and LiAO_3 ($R = \text{rare earth elements}; A = \text{Nb}, \text{Ta}$), relationship with displacive phase transition temperature, **116**, 28
 Crown ethers
 $[\text{Cs}^+(15\text{-crown-5})(18\text{-crown-6})e^-]_6 \cdot (18\text{-crown-6})$, properties, **117**, 309
 Crystal chemistry
 $\approx \text{SbVO}_4$, **116**, 369
 TiS, VS, TiSe, and VSe, and solid solutions, crystal chemistry and role of metal–metal bonding, **114**, 346
 Crystal field
 effect on rare-earth (Pr,Nd,Eu) mixed oxide, magnetic susceptibility, **114**, 52
 Crystal field potentials
 multipole expansions, $\text{Re}B_q^k\text{–Im}B_q^k$, parameter ratio quality, **115**, 92
 Crystal growth
 $\text{CuNd}_2\text{Ge}_2\text{O}_8$, **120**, 254
 Crystals
 mixed, *see* Mixed crystals
 Crystal structure, *see also* Tunnel structure
 $\text{Ag}_4\text{Hf}_3\text{S}_8$, **115**, 112
 $\text{Ag}_2\text{MnGeTe}_4$, symmetry, **115**, 192
 $\text{AgMn}_3(\text{PO}_4)(\text{HPO}_4)_2$, **117**, 206
 REAgSb_2 ($\text{RE} = \text{Y}, \text{La–Nd}, \text{Sm}, \text{Gd–Tm}$), **115**, 441
 $\text{Ag}_3\text{Sn}_3\text{S}_8$, **116**, 409
 $\text{AgV}_2(\text{PO}_4)\text{P}_2\text{O}_7$, **115**, 521
 $\text{Ag}_4\text{Zr}_3\text{S}_8$, **116**, 409
 $\text{Al}_{28}\text{O}_{21}\text{C}_6\text{N}_6$, diamond-related compound in system $\text{Al}_2\text{O}_3\text{–Al}_4\text{C}_3\text{–AlN}$, identification, **120**, 211
 $\text{Al}_4(\text{PO}_4)_3(\text{HPO}_4)\text{F}_6$, $(\text{N}_2\text{C}_6\text{H}_{18})_{2.5} \cdot 3\text{H}_2\text{O}$, **120**, 197
 AA_2O_6 ($A = \text{Mn}, \text{Co}, \text{Ni}$), **118**, 402
 $\text{M}_2\text{As}_2\text{O}_7$ ($M = \text{Ni}, \text{Co}, \text{Mn}$), **115**, 229
 AuNi_2Sn_4 , **119**, 142
 MAu_2O_4 ($M = \text{Sr}, \text{Ba}$), **118**, 247
 $\text{Ba–}\beta\text{–Al}_2\text{O}_3$, **114**, 326

- $Ba_{2-x}Bi_xCu_2O_5$ ($0 \leq x \leq 1.5$), **114**, 585
 $BaBiO_{3-\delta}$ system ($0 \leq \delta \leq 0.5$), **117**, 55
 $BaCoO_{3-y}$, **120**, 327
 $Ba_3Cr_2MO_9$ ($M = Mo, W$), **120**, 238
 $BaCuAs_2O_7$, **118**, 280
 $Ln_2Ba_2CuPtO_8$ ($Ln = Ho-Lu$), **120**, 316
 $BaEu(CO_3)_2$, **116**, 286
 $Ba_2M_2F_7Cl$ ($M = Mn^{2+}, Fe^{2+}, Co^{2+}, Ni^{2+}, Zn^{2+}$), **115**, 98
 $Ba_2MM'F_7Cl$ ($M, M' = Mn^{2+}, Fe^{2+}, Co^{2+}, Ni^{2+}, Zn^{2+}$), **115**, 98
 $BaFe_{12-2x}Co_xTi_xO_{19}$, **114**, 534
 $BaFe_{12-2x}Ir_xMe_xO_{19}$ ($Me = Co, Zn$; $x \sim 0.85$ and $x \sim 0.50$), **120**, 17
 $Ba_2Fe_2Ti_4O_{13}$, **120**, 121
 $BaHgRuO_5$, **120**, 223
 $BaMo_4O_{13} \cdot 2H_2O$, **116**, 95
 $BaMo(PO_4)_2$, **116**, 364
 $BaNb_{0.8}S_{3-\delta}$, **115**, 427
 $BaNbS_3$, **115**, 427
 $[Ba_2(OH)_2(H_2O)_{10}][Se_4]$, **120**, 12
 $Ba_{5-y}Sr_yR_{2-x}Al_2Zr_{1+x}O_{13+4x/2}$ ($R = Gd-Lu, Y, Sc$), **118**, 180
 $(Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-\delta}$ (NH_4) FeF_6 structure type, **115**, 197
 $BaTa_2S_5$, **116**, 392
 $Ba_8Ta_4Ti_3O_{24}$, **114**, 560
 $Ba_{10}Ta_{7.04}Ti_{1.2}O_{30}$, **114**, 560
 $BaTe_2$, **117**, 247
 BaV_3O_8 , **117**, 407
 $Ba_xV_8O_{16}$ ($x = 1.09(1)$), **115**, 88
 $BaVO(PO_4)(H_2PO_4) \cdot H_2O$, **118**, 241
 $Ba_8(VO)_6(PO_4)_2(HPO_4)_{11} \cdot 3H_2O$, **116**, 77
 $Ba(VO)_2(SeO_3)_2(HSeO_3)_2$, **116**, 77
 $Ba_{0.4}V_3O_8(VO)_{0.4} \cdot nH_2O$, **114**, 359
 BaY_2S_4 , **117**, 363
 Ba_2ZnN_2 , **119**, 375
 $Bi_{13}Ba_7Fe_{13}O_{66}$, from 2201-0201 intergrowth $Bi_2Sr_4Fe_2O_{10}$, **118**, 357
 $BiCaRu_2O_{7-y}$, **119**, 254
 $Bi_2Fe_{4-x}Al_xO_9$, **114**, 199
 $BiLa_2O_{4.5}$, **116**, 72
 $Bi_3RE_5O_{12}$ ($RE = Y, La, Pr-Lu$), related phases, **116**, 68
 Bi_3NF_6 , **114**, 73
 Bi_2O_3 , **118**, 66
 Bi_2O_4 , **116**, 281
 $Bi_2O_3-Ln_2O_3$ ($Ln = Sm, Eu, Gd, Tb, Dy$), **120**, 32
 Bi_2O_3-SrO , **118**, 66
 $(BiS)_{1.11}NbS_2$, **116**, 61
 $Bi_{16}Sr_{28}Cu_{17}O_{69+\delta}$, **119**, 169
 $BiTeX$ ($X = Cl, Br, I$), **114**, 379
 $Bi_2TeO_5-Bi_2Te_2O_7$, phase region, **116**, 240
 $Bi_4Te_2O_9Br_2$, **116**, 406
 $Bi_2Ti_4O_{11}$, **119**, 281
 $Ca_4Al_6O_{16}S$, **119**, 1
 Ca_3CoN_3 , **119**, 161
 $CaCu_{0.15}Ga_{3.85}$, **114**, 342
 $CaFeTi_2O_6$ at high pressure, **114**, 277
 $Ca_3HfSi_2O_9$, **115**, 464
 $Ca_{10}(PO_4)_6(OH)_2$, **116**, 265
 γ - $CaSO_4$, **117**, 165
 $CaSO_4 \cdot 0.5H_2O$, **117**, 165
 $CaSO_4 \cdot 0.6H_2O$, **117**, 165
 $Ca_{1-x}Sr_xNiN$ ($0 \leq x \leq 0.5$) solid solutions, **115**, 353
 $Ca_nTi_2O_{n+3}$ series, chemical twinning of $Ca_2Ti_2O_5$ and $CaTi_2O_4$, **114**, 428
 $Ca_3Ti_2O_6$, **115**, 508
 $Ca_3Ti_4O_9$, **119**, 134
 CaY_2S_4 , **117**, 363
 $Ca_5Y_4S_{11}$, NaCl-type Rietveld refinement, **119**, 45
 $Ca_3ZrSi_2O_9$, **115**, 464
 $CdCr_2Se_4$, **118**, 43
 $Cd_{2-x}GeO_{4-x-3y}N_{2y}$, **119**, 304
 $CeO_{2-\delta}YO_{21.5}$, **115**, 23
 $2(C_6H_5NH_3) \cdot Mo_3O_{10} \cdot 4H_2O$, **117**, 103
 $(C_{18}H_{30}N_3)_2 \cdot [Si_8O_{18}(OH)_2] \cdot 41H_2O$, **120**, 231
 $Co_xCd_{1-x}In_2S_4$, **114**, 524
 $CoCr_2S_4$, **118**, 43
 $Ln_2MCo_2O_7$ ($Ln = Sm, Gd$; $M = Sr, Ba$), **114**, 286
 β - $Co(OH)_2$, **114**, 550
 $Co_2(OH)PO_4$, **114**, 151
 $CoSeO_3-II$, **120**, 182
 $Cr_2Sn_3Se_7$, **115**, 165
 $Cs_2[AuCl_2][AuCl_4]$, local electronic anisotropy, probing with anomalous scattering diffraction, **118**, 383
 $Cs_3LnCl_6 \cdot 3H_2O$ ($Ln = La-Nd$), **116**, 329
 $CsErTa_6Br_{18}$, **118**, 274
 $CsGeBr_3$, **118**, 20
 $CsMo_2O_3(PO_4)_2$, **116**, 87
 $CsNbOB_2O_5$, **120**, 74
 $CsTaOB_2O_5$, **120**, 74
 $Cs(TiAs)O_5$, **120**, 299
 $Cs(TiP)O_5$, **120**, 299
 α - and β - $CsTi_3P_5O_{19}$, **115**, 120
 $Cu^{II}(1,4-C_4H_4N_2)(C_4O_4)(OH_2)_4$, **117**, 256
 $CuNb_2O_6$ with inserted Li, **118**, 193
 $CuNd_2Ge_2O_8$, **120**, 254
 $R_2Cu_2O_5$ ($R = Yb, Tm, Er, Y, Ho$), **115**, 324
 $Cu_2(OH)_3NO_3$, **116**, 1
 $Cu_{0.5}(OH)_{0.5}[VOPO_4] \cdot 2H_2O$, **117**, 157
 $CuSr(HCOO)_4$, **117**, 145
 $Cu_{0.5}[VOPO_4] \cdot 2H_2O$, **117**, 157
 $Cu_xZn_{1-x}Nb_2O_6$, **115**, 476
 $Eu_3Ba_2Mn_2Cu_2O_{12}$, **115**, 1
 $EuNiO_3$, **120**, 170
 $Fe_{1-x}O$, **117**, 398
 $Ga_2O_3(ZnO)_m$ ($m = 7, 8, 9, 16$), in $In_2O_3-ZnGa_2O_4-ZnO$ system, **116**, 170
 $GdRuC_2$, with filled NiAs structure, **118**, 158
 $(Gd, Sn_{1-x}S)_{1.16}(NbS_2)_3$, **114**, 435
 HfO_2 , **119**, 289
 $Hg_{2-x}M_xBa_2Pr_2Cu_2O_{10-\delta}$ ($M = Cu, Pr$), **114**, 230
 $HgBiSr_7Cu_2SbO_{15}$, double cationic ordering, **116**, 53
 $HgCr_2Se_4$, **118**, 43
 $(Hg_{1-x}M_x)(Sr, Ba)_2Pr_2Cu_2O_{9-\delta}$ ($M = Pr, Pb, Bi, Ti$), **115**, 525
 $HoSr_2Cu_{2.7}Mo_{0.3}O_{7.54}$, **119**, 115
 $InCdBr_3$, **116**, 45
 $InGaO_3(ZnO)_3$, in $In_2O_3-ZnGa_2O_4-ZnO$ system, **116**, 170
 $InMnO_3$, **116**, 118
 $In_2O_3(ZnO)_m$ ($m = 3, 4, 5$), in $In_2O_3-ZnGa_2O_4-ZnO$ system, **116**, 170
 $InPO_4-I$, **117**, 373
 $InVO_4-I$, **118**, 93
 in iron-substituted γ -nickel oxyhydroxides, **114**, 6
 $K_2Ag_2SnTe_4$, **117**, 247
 $KAlSiO_4$ polymorphs on SiO_2-KAlO_2 , **115**, 214
 $K_{2-x}Ba_{2-x}Sb_4O_9(PO_4)_2$ ($0 < x < 0.4$), **114**, 399
 $K_2BaSnTe_4$, **117**, 247
 $K_{3/2}Cr_{1/2}Te_{3/2}O_6 \cdot 0.5H_2O$, **116**, 290
 KH_2PO_4 , **114**, 219
 K_xIrO_2 , **118**, 372
 $KMgLa(PO_4)_2$ doped with Eu, **114**, 282
 $KMo(H_2O)_2PO_4$, **118**, 153
 KMo_4O_6 tetragonal form, **117**, 217
 $K_2Mo_2O_{10} \cdot 3H_2O$, **115**, 225
 $KNB_5GeO_{16} \cdot 2H_2O$, **115**, 373

- KNiPS₄, addendum, **116**, 107; **117**, 432
 La₄BaCu₅O₁₂, **114**, 95
 La_{1-x}Ca_xCrO_{3-δ}, **115**, 152
 LaCo_{0.2}Fe_{0.8}O_{3-δ}, doped with Sr, **118**, 117
 La₅Cu₅O_{13.35}, **118**, 170
 LaMnO_{3+δ}, **114**, 516
 LaMnO₃, at room temperature and at 1273 K under N₂, **119**, 191
 La₃NbO₇, **116**, 103
 (La_{1-x}Nd_x)CrO₃ (0 ≤ x ≤ 1.0), relationship with electrical properties, **114**, 236
 La₂O₃, monoclinic, identity with La_{9.33}(SiO₄)₆, **120**, 38
 La₂O₂CN₂, **114**, 592
 LaPd₂O₄, **114**, 206
 La_{0.2}Sr_{0.8}Cu_{0.4}M_{0.6}O_{3-y} (M = Co,Fe) cubic perovskites, **119**, 260
 La_{0.8}Sr_{0.2}MnO₃, **120**, 175
 La₄Ti₃S₄O₈, **114**, 406
 La₆Ti₂S₈O₅, rare-earth/transition-metal oxysulfides, **114**, 406
 La₂₀Ti₁₁S₄₄O₆, **120**, 164
 Li₂Ca₂Si₅O₁₃, **114**, 512
 LiCoO₂, **117**, 1
 Li_{1-x}H₁₀O₃, **115**, 309
 Li(H₂O)₄B(OH)₄ · 2H₂O, **115**, 549
 Li₄Mn₅O₁₂, Rietveld refinement, **115**, 420
 LiMoOP₂O₇, **120**, 260
 Li_{2.88}PO_{3.73}N_{0.14}, **115**, 313
 Li_{0.8}VO₂, **114**, 184
 δ-LiZnPO₄, **117**, 39
 LiZnPO₄, **114**, 249
 Li₃Zr₄F₁₉, **120**, 187
 Li₄ZrF₈, **120**, 187
 Lu₃O₂F₅, **119**, 125
 (Mg,Na,Al)₂(Al,Zn)₃, **115**, 270
 Mn₃Al_{2-x}Cr_xGe₃O₁₂, **118**, 261
 Mn₄As₃, **119**, 344
 Mn₃B₇O₁₃Br, **120**, 60
 Mn₃B₇O₁₃I, **120**, 60
 Mn₂(MnTa₃)N_{6-δ}O_{2+δ} (0 ≤ δ ≤ 1), **117**, 48
 Mn₂OBO₃, **114**, 311
 Mn₂VO(PO₄)₂ · H₂O, **115**, 76
 (Mn_xZn_{1-x})(OH)(NO₃)H₂O (x = 0.53,1.00), **118**, 28
 Mo-Bi-O system, letter to editor, **119**, 428
 M₂MoO₄ (M = Na,NH₄,Ag), **117**, 323
 Mo_{7.6}W_{1.4}O₂₅, **119**, 8
 α-Na₃Al₂(AsO₄)₃, **118**, 33
 NaAlO₂ · 5/4H₂O, and dehydration product, **115**, 126
 Na₄Al(PO₄)₂(OH), **118**, 412
 Na₂BeGeO₄, **118**, 62
 NaCa₂M²⁺(AsO₄)₃ (M²⁺ = Mg,Ni,Co), **118**, 267
 NaClO₃, high-pressure behavior, **118**, 378
 NaCo₂(SeO₃)₂(OH), **115**, 360
 α- and β-Na₂CuP₂O₇, **120**, 23
 Na₂Cu₂ZrS₄, **117**, 30
 Na₇Fe₄(AsO₄)₆, **118**, 33
 Na₄H[Cu(H₂TeO₆)₂] · 17H₂O, **115**, 208
 Na₄K[Cu(HfO₆)₂] · 12H₂O, **115**, 208
 Na₃La₂(CO₃)₄F · Eu³⁺, **116**, 286
 NaMn₃(PO₄)(HPO₄)₂, **115**, 240
 Na₃(MoO)₄(PO₄)₅, **114, 543
 Na_{0.75}Mo_{1.17}W_{0.83}O₃(PO₄)₂, **120**, 353
 ε-Na₂Si₂O₅, **119**, 400
 NaSn₂Cl₅, **115**, 158
 Na₂SnSe₃ with sechser single chains, **117**, 356
 NaM^{IV}_x(Ti,Zr)_{2-x}(PO₄)₃ (M = Nb,Mo; 0 ≤ x ≤ 1), **114**, 224
 α-Na₂UO₄, **115**, 299
 β-Na₂UO₄, **115**, 299
 Na_{0.13}(V_{0.13}Mo_{0.87})O₃ · nH₂O, **119**, 176
 NbN_x, **117**, 294
 Nb_{2-x}P_{3-y}O₁₂, **116**, 335
 Nb₃SBr₇, **120**, 311
 NdMnO_{3+y}, **118**, 53
 [NH₃-(CH₂)₂-NH₂-(CH₂)₂-NH₃]₂P₆O₁₈ · 2H₂O, **114**, 42
 NH₄Mo(H₂O)₂PO₄, **118**, 153
 (NH₄)₂Mo₃O₁₀ · H₂O, **116**, 422
 NH₄Sn₂(PO₄)₃, **119**, 197
 (Ni_{1-x}Mg_x)₆MnO₈, **118**, 112
 Ln₄Ni₃O_{10-δ} (Ln = La,Pr,Nd), **117**, 236
 Ni_{1.282(4)}Si_{1.284(5)}P₃, **114**, 476
 NiSi₂P₃, **114**, 476
 MOCuSe (M = Bi,Gd,Dy), **118**, 74
 ordering in BaBiO₂Cl, **117**, 201
 PbCo₃(P₂O₇)₂, **118**, 202
 Pb₂Cu(II)₇(AsO₄)₆, **114**, 413
 Pb₂Cu(II)₂Cu(II)₆(AsO₄)₆, **114**, 413
 PbFe₃(P₂O₇)₂, **118**, 202
 Pb_{1-x}In_xTe (x = 0.56), **116**, 33
 Pb₄(PO₄)₂CrO₄, **116**, 179
 Pb_{2-x}Ln_xRu₂O_{7-y} (Ln = Nd,Gd), **114**, 15
 P₄ON₆, **115**, 265
 PrMnO_{3+y}, **118**, 53
 PrMnOGeO₄, **120**, 7
 Pr₂O₃, monoclinic, identity with monoclinic Pr_{9.33}(SiO₄)₆O₂, **120**, 38
 Pr₉O₁₆, **118**, 133
 Pr₁₀O₁₈, **118**, 141
 Pr₄V₅Si₄O₂₂, **116**, 211
 RbTaCu₂Te₄, **117**, 247
 M(ReO₄)₂ · 4H₂O (M = Co,Zn), **115**, 255
 rod packings, mathematical analysis, **114**, 36
 Ru₂P₆O₁₈, **119**, 107
 Ru(PO₃)₃ · Ru₂P₆O₁₈, **119**, 107
 M_{1/2}Sb_{2/3}(PO₄)₃ (M = Y,In,Sc), **118**, 104
 Sb₂(PO₄)₃, **118**, 104
 ScCrC₂, **119**, 324
 Si_{1-x}C_x:H alloys, **117**, 427
 Sm₂Sr₆Cu₈O_{17+δ} films, **116**, 300
 Sn_{1-x}Co_xO_y (0 < x ≤ 0.15), **116**, 256
 Sn_{1-p}Cr₂S_{4-p}, **115**, 7
 SnS₂, **117**, 219
 Sn₄S₉[(C₃H₇)₄N]₂, **114**, 506
 Sn₄S₉[(C₃H₇)₄N] · [(CH₃)₃NH], **114**, 506
 SnSe₂, **117**, 219
 Sr₃Co₂O_{7-y} (0.94 ≤ y ≤ 1.22), **115**, 499
 SrCuO₂, **114**, 289
 (Sr[Fe(CN)₅NO] · 4H₂O), **120**, 1
 Sr₃Ml₂O₆ (M = Ni,Cu,Zn), **117**, 300
 Sr₃La₂Ti₂O₁₀, **119**, 412
 Sr₅Mn₄CO₃O₁₀, **120**, 279
 SrNb₄O₆, **114**, 301
 SrNiN, **115**, 353
 Sr(OD)₂, **119**, 157
 Sr₂RhO₄, **118**, 206
 Sr₃V₂O_{6.99}, **118**, 292
 SrY₂S₄, **117**, 363
 Sr₃ZnN₂, **119**, 375
 M₂RE₂Ta₆Br₁₅O₃ (M = monovalent cation; RE = rare earths), **120**, 43
 TaCu₃Te₄, **117**, 247
 Tb₂Ba₂Cu₂Ti₂O₁₁, **117**, 213
 M₆[TeMo₆O₂₄] · 7H₂O (M = K,NH₄), **118**, 341
 ThFe₅P₃, **117**, 80
 Th₄Fe₁₇P₁₀O_{1-x}, **117**, 80
 thiosulfate cancrinite, hydrothermally synthesized, **117**, 386**

- TiO₂, chromium induced changes, **114**, 364
 TiS,VS,TiSe,VSe monochalcogenides, **114**, 346
 TiZn₁₆, **118**, 219
 Ti₃Zn₂₂, **118**, 219
 A₄Tl₂CO₃O₆ (A = Ca,Sr,Ba), **116**, 321
 Tl₂GeTe₃, **117**, 351
 TlV_{5-y}Fe_yS₈ (y = 0.5–1.5), **119**, 147
 Tm₂Fe₂Si₂C, **114**, 66
 U₃Co₄Ge₇, **115**, 247
 U₃Ni_{3.34}P₆, **116**, 307
 (NH₄)₂V₃O₈, **114**, 499
 A₂V₄O₉, (A = Rb,Cs), **115**, 174
 (V^{VO}O)[V^{VO}O₄] · 0.5[C₃N₂H₁₂], **120**, 137
 VOHPO₄ · 1/2H₂O, transformation to γ-(VO)₂P₂O₇, **119**, 349
 M₂(WO₃)₃SeO₃ (M = NH₄,Rb,Cs), **120**, 112
 WTh₈Zr₁₈F₄O₅₃, superstructure, associating anion-excess and anion-deficient blocks, **115**, 283
 Y₂Ba₃Cu₃Co₂O₁₂, **115**, 407
 YBaCuFeO₅, **114**, 24
 Y₂(Zr_yTi_{1-y})₂O₇, **117**, 108
 ZnCr₂S₄, **118**, 43
 ZnCr₂Se₄, **118**, 43
 (Zn₁Cu_{1-x})(OH)_{2-y}(NO₃)_y · zH₂O, **118**, 303
 Zn₂(OH)PO₄, **114**, 151
 Zn₂P₂O₇, **119**, 219
 Zn₂SiO₄, Fe-doped, **117**, 16
 Zn₃V₄(PO₄)₆, **115**, 140
 α-MZr₃F₁₅ series (M = Y,In,Lu,Yb,Gd,Eu,Pr,Tl), **118**, 389
 Zr(O₃PC₆H₅)_x(HPO₄)_{2-x}, **117**, 275
 Zr₂(WO₄)(PO₄)₂, **120**, 101
- Cyclohexaphosphates
 [NH₃-(CH₂)₂-NH₂-(CH₂)₂-NH₃]₂P₆O₁₈ · 2H₂O, structural, DSC, and IR analysis, **114**, 42

D

- Debye model
 --sub-quasi-chemical approximation, thermodynamics of binary mixed crystals, **115**, 368
- Decomposition
 photoassisted, salicylic acid on TiO₂ and Pd/TiO₂ films, **119**, 339
 thermal, *see* Thermal decomposition
- Defect chemistry
 (1 - x)Ag₂SO₄-xCaSO₄ (x = 0.01–0.20), **116**, 232
 (1 - x)CeO₂ · xYO_{1.5} and (1 - x)ZrO₂ · xRO_{1.5} (R = Ho,Dy,Tb,Gd), defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 effect of oxygen defect on strong-metal-support interaction between Pt TiO₂(rutile)(110) surface, **119**, 237
 Fe_{1-x}O, paracrystalline descriptions, **117**, 398
 Y₃TaO₇ EXAFS analysis and reinvestigation of structure, **114**, 79
- Defect structure
 BaMnO_{3-y} (0.22 ≅ y ≅ 0.40), **117**, 21
 La/Sr vacancy, in La_{0.8}Sr_{0.2}MnO₃ imaging by HREM, **114**, 211
 MgO-doped LiNbO₃, model, **118**, 148
 Nb_{2-x}P_{3-y}O₁₂, **116**, 335
 NdMnO_{3+y}, effect of oxygen nonstoichiometry, **118**, 53
 and ordering principles, 1201, 1212, and 1222 (Hg,Pr)-Sr-(Sr,Ca,Pr)-Cu-O superconductors, **114**, 369
 PrMnO_{3+y}, effect of oxygen nonstoichiometry, **118**, 53
- Dehydration
 Li(H₂O)₄B(OH)₄ · 2H₂O, **115**, 549
 NaAlO₂ · 5/4H₂O, product crystal structure, **115**, 126
 thermal, Cs₃LnCl₆ · 3H₂O (Ln = La-Nd), **116**, 329

- Deuterium
 and hydrogen, solubility in crystalline Pd₉Si₂, **120**, 90
 Sr(OD)₂, crystal structure, **119**, 157
- Dielectric properties
 Ba₂Fe₂Ti₄O₁₃, **120**, 121
- Differential scanning calorimetry
 [NH₃-(CH₂)₂-NH₂-(CH₂)₂-NH₃]₂P₆O₁₈ · 2H₂O, **114**, 42
- Differential thermal analysis
 Ag₂S-Ga₂S₃-GeS₂, phase diagram, analysis by DTA and XRD, **117**, 189
- Diffusion
 chemical, Bi₂Sr₂CaCu₂O₈, **116**, 314
 La_{1-x}Ca_xCrO_{3-δ}, **115**, 152
- Disorder
 Cu in CuCrP₂S₆, **116**, 208
- Doping
 hole and electron, RNiO₃ (R = La,Nd), **116**, 146
- DSC, *see* Differential scanning calorimetry
- DTA, *see* Differential thermal analysis
- Durapatite
 induced radiation damage, analysis by TEM, **116**, 265
 lead-calcium, cation effects in oxidative coupling of methane, **114**, 138
- Dysprosium
 Ba_{5-y}Sr_yDy_{2-x}Al₂Zr_{1+x}O_{13+x/2}, structural study, **118**, 180
 Bi₃Dy₅O₁₂, related phases, synthesis and characterization, **116**, 68
 Bi₂O₃-Dy₂O₃, low-temperature stable phase, **120**, 32
 DyAO₄ (A = Nb,Ta), relationship between covalence and displacive phase transition temperature, **116**, 28
 DyAgSb₂
 with HfCuSi₂-type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 DyBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36
 DyCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
 Dy₂O₃, cation array structure, **119**, 131
 DyOCuSe, powder X-ray and IR studies, **118**, 74
 DyTa₆Br₁₈, crystal structure, **118**, 274
 MDyTa₆Br₁₈ (M = K,Rb,Cs), crystal structure, **118**, 274
 M₂DyTa₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43
 DyTi₂Al₂₀, with CeCr₂Al₂₀-type structure, **114**, 337
 (1 - x)ZrO₂ · xDyO_{1.5}, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290

E

- Elastic constants
 α-Al₂O₃, relationship to valence force constants, **116**, 378
- Electrical conductivity
 Eu₂Ba₂Cu₂Ti₂O₁₁, **119**, 80
 M₂HPO₄-M'₂HPO₄-H₂O (M,M' = Na,K,NH₄), **119**, 68
 La₂Ba₂Cu₂Sn₂O₁₁, **119**, 80
 La₂Ba₂Cu₂Ti₂O₁₁, **119**, 80
 LaCo_{0.2}Fe_{0.8}O_{3-δ}, doped with Sr, **118**, 117
 U₃Ni_{3.34}P₆, **116**, 307
- Electrical properties
 BaCu₂S₂, **117**, 73
 α-BaCu₄S₃, **117**, 73
 BaTa₂S₅, **116**, 392
 Ca₃CoN₃, **119**, 161
 Ln₂MCO₂O₇ (Ln = Sm,Gd; M = Sr,Ba), **114**, 286
 K_{3/2}Cr_{1/2}Te_{3/2}O₆ · 0.5H₂O, **116**, 290
 LaMo_{8-x}O₁₄ (x = 0 and 0.3) containing isolated Mo₈ clusters, **117**, 261

- (La_{1-x}Nd_x)CrO₃ (0 ≤ x ≤ 1.0), relationship with crystal structure, **114**, 236
- LaSrFeO₄, effects of substitution of alkali earths or Y for La, **115**, 456
- NaM^{IV}(Ti,Zr)_{2-x}(PO₄)₃ (M = Nb,Mo; 0 ≤ x ≤ 1), **114**, 224
- NbN_x, **117**, 294
- Nd(Cr_{1-x}Mn_x)O₃ (0 ≤ x ≤ 0.6), relationship to cation-anion-cation overlap, **118**, 367
- Pb_{2-x}Ln_xRu₂O_{7-y} (Ln = Nd,Gd), **114**, 15
- MP₂O₇ (M = Mo,W), **115**, 146
- Sr₃Ru₂O₇, **116**, 141
- Sr₃V₂O_{6,99}, **118**, 292
- Electrical resistivity**
- ACu₇S₄ (A = Tl,K,Rb), **115**, 379
- Mn_xTa₂S₂, intercalation compounds, **114**, 1
- Electrides**
- [Cs⁺(15-crown-5)(18-crown-6)e⁻]₆ · (18-crown-6), properties, **117**, 309
- Electrocatalysts**
- LaNiO₃ and NiCo₂O₄, preparation by sol-gel route, **116**, 157
- Electrochemistry**
- H_xNb₂O₅, **115**, 260
- LiMn₂O₄ and Li_{1-x}Mn₂O₄ as 4-V Li-cell cathodes, comparison, letter to editor, **119**, 216
- Electron beam deposition**
- hot-filament assisted, crystalline cubic BN, **118**, 99
- Electron diffraction**
- BiLa₂O_{4,5}, **116**, 72
- Cs₄Sb₄O₈(Si_{4(1-x)}Ge_{4x}O₁₂), solid solution, electron and X-ray diffraction and ²⁹Si MAS NMR analysis, **114**, 528
- Sn_{1-p}Cr₂S_{4-p}, **115**, 7
- Electronic absorption**
- NaCo₂(SeO₃)₂(OH), **115**, 360
- Electronic anisotropy**
- Cs₂[AuCl₂][AuCl₄], local, probing with anomalous scattering diffraction, **118**, 383
- Electronic distortions**
- out-of-center, around octahedrally coordinated d⁰ transition metals, **115**, 395
- Electronic lone pairs**
- localization in α-PbO, SnO, Pb_{1-x}(TiO)_xO, Pb₃O₄, Pb₃(V,P)₂O₈, **114**, 459
- Electronic properties**
- BaNb_{0.8}S_{3-δ}, **115**, 427
- BaNbS₃, **115**, 427
- copper sulfide films of variable composition, **114**, 469
- A,A'CoRuO₆ (A,A' = Sr,Ba,La), **114**, 174
- Li_xNa_yV₂O₅ (0.23 ≤ x + y ≤ 0.37), **118**, 10
- SrCoO_{3-δ}, electronic states, effects of oxygen, **119**, 76
- SrMnO_{3-x}, **114**, 242
- Electronic spectra**
- Ba₄LiCuO₄(CO₃)₂ and Ba₄NaCuO₄(CO₃)₂, **119**, 359
- Na₄H[Cu(H₂TeO₆)₂] · 17H₂O and Na₄K[Cu(HIO₆)₂] · 12H₂O, **115**, 208
- oxidic lithium spinels, antiferromagnetic A-B interactions between tetrahedral 3d⁵ and 3d⁵ or 3d³ octahedral cations, **120**, 244
- Electronic structure**
- InCdBr₃, **116**, 45
- Electron microscopy**
- Bi₂TeO₅-Bi₂Te₂O₇, phase region, **116**, 240
- Electron paramagnetic resonance**
- α- and β-AlF₃ · 3H₂O, incorporation of Cu(II), **116**, 249
- BaCuO_{2+x}, **119**, 50
- α-,β-, and γ-Fe₂WO₆ phases, analysis at low temperatures, **120**, 216
- Y₂BaCuO₅-YBa₂Cu₃O_{6+x}, **116**, 136
- Electrostatic energy**
- in α-PbO, SnO, Pb_{1-x}(TiO)_xO, Pb₃O₄, Pb₃(V,P)₂O₈ and BiSrCaCuO-type superconductor, calculation, **114**, 459
- Emissions**
- green-to-blue up-conversion, from U⁴⁺ ion in Cs₂ZrCl₆, effect of temperature, **116**, 113
- Enthalpy**
- Ho₂(TeO₃)₃ and Te₄O₁₁, tellurite formation, determination, **118**, 210
- EPR, *see* Electron paramagnetic resonance
- Erbium**
- Ba_{5-y}Sr_yEr_{2-x}Al₂Zr_{1+x}O_{13+x/2}, structural study, **118**, 180
- Bi₃Er₅O₁₂, related phases, synthesis and characterization, **116**, 68
- CsErTa₆Br₁₈, crystal structure, **118**, 274
- ErAO₄ (A = Nb,Ta), relationship between covalence and displacive phase transition temperature, **116**, 28
- ErAgSb₂
- with HfCuSi₂-type structure, preparation, **115**, 305
- magnetism and crystal structure, **115**, 441
- ErBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36
- Er₂Ba₂CuPtO₈, synthesis and characterization, **120**, 316
- ErCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
- Er₂Cu₂O₅, structural characterization by neutron diffraction, **115**, 324
- Er₂O₃, cation array structure, **119**, 131
- Er₂P₆O₁₈ · 10H₂O, preparation and characterization, **119**, 203
- ErTa₆Br₁₈, crystal structure, **118**, 274
- MErTa₆Br₁₈ (M = K,Rb,Cs), crystal structure, **118**, 274
- M₂ErTa₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43
- Er₂(TeO₃)₃ and Te₄O₁₁, tellurite formation, enthalpy determination, **118**, 210
- ErTi₂Al₂₀, with CeCr₂Al₂₀-type structure, **114**, 337
- ESR, *see* Electron paramagnetic resonance
- Ethanol**
- incipient chemical reaction with scratched silicon surface, **120**, 96
- Europium**
- BaEu(CO₃)₂, optical properties, correlation to crystallographic structure, **116**, 286
- Bi₃Eu₅O₁₂, related phases, synthesis and characterization, **116**, 68
- Bi₂O₃-Eu₂O₃, low-temperature stable phase, **120**, 32
- in doping of KMgLa(PO₄)₂ phosphate, optical and structural investigation, **114**, 282
- EuAO₄ (A = Nb,Ta), relationship between covalence and displacive phase transition temperature, **116**, 28
- EuT₂Al₂₀ (T = Ti,Mo,W), with CeCr₂Al₂₀-type structure, **114**, 337
- EuBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36
- Eu₂Ba₂Cu₂Ti₂O₁₁, high-temperature transport and defect studies, **119**, 80
- Eu₂Ba₂Cu₂Ti₂O_{11-δ}, synthesis, structure, and superconductivity, **119**, 224
- Eu₃Ba₂Mn₂Cu₂O₁₂ intergrowth between 123 and 0201 structures, **115**, 1
- Eu_{2-x}Ce_xCuO₄, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491
- EuNiO₃, preparation, crystal structure, and metal-insulator transition, **120**, 170
- Eu₂O₃, cation array structure, **119**, 131
- EuTa₆Br₁₈, crystal structure, **118**, 274
- M₂EuTa₆Br₁₈ (M = K,Rb,Cs), crystal structure, **118**, 274
- MEuTa₆Br₁₈ (M = K,Rb,Cs), crystal structure, **118**, 274
- M₂EuTa₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43
- Eu₂(TeO₃)₃ and Te₄O₁₁, tellurite formation, enthalpy determination, **118**, 210
- α-EuZr₃F₁₅ series, cationic distribution, **118**, 389
- Na₃La₂(CO₃)₄F:Eu³⁺, optical properties, correlation to crystallographic structure, **116**, 286
- rare-earth mixed oxide, magnetic susceptibility effect of crystal field, **114**, 52
- EXAFS, *see* Extended X-ray absorption fine structure

Extended X-ray absorption fine structure
 LiNb(OH)OPO₄, structural analysis, **114**, 317
 Li_{0.8}VO₂, **114**, 184
 Mn₃Al_{2-x}Cr_xGe₃O₁₂, **118**, 261
 Y₃TaO₇, **114**, 79

F

Ferroelectricity

Aurivillius phases, **114**, 112

Ferromagnetism, *see also* Antiferromagnetism

LaMnO₃, **114**, 294

NdNiO₃, **114**, 294

Films

copper sulfide, variable composition, optical and electrical properties, **114**, 469

Sm₂Sr₆Cu₈O_{17+δ}, analysis by HREM, **116**, 300

thin

BN, crystalline cubic, hot-filament-assisted electron beam deposition, **118**, 99

La_{1-x}MnO_{3-δ}, self-doped, giant magnetoresistance, **117**, 420

pulsed laser deposited, Sm_{1-x}Sr_xSr_xCuO_{2.5-x/2+δ}, perovskite phases and phasoids, **116**, 37

Sn_{1-x}Co_xO_y (0 < x ≤ 0.15), structural models, **116**, 256

TiO₂-Pd films, photoassisted decomposition of salicylic acid, **119**, 339

Fluorine

α- and β-AlF₃ · 3H₂O, incorporation of Cu(II), analysis by ESR, **116**, 249

Al₄(PO₄)₃(HPO₄)F₆, (N₂C₆H₁₈)_{2.5}, 3H₂O, synthesis and crystal structure, **120**, 197

BaEu(CO₃)₂, optical properties, correlation to crystallographic structure, **116**, 286

Ba₂M₂F₇Cl (M = Mn²⁺, Fe²⁺, Co²⁺, Ni²⁺, Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98

Ba₂MM'F₇Cl (M, M' = Mn²⁺, Fe²⁺, Co²⁺, Ni²⁺, Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98

Bi₃NF₆, synthesis and structure, **114**, 73

LiF-ZrF₄, phase diagram, reanalysis with Li₄ZrF₈ and Li₃Zr₄F₁₉ crystal structures, **120**, 187

Li₃Zr₄F₁₉, crystal structure, in reanalysis of LiF-ZrF₄ phase diagram, **120**, 187

Li₄ZrF₈, crystal structure, in reanalysis of LiF-ZrF₄ phase diagram, **120**, 187

Lu₃O₂F₅, synthesis and crystal structure, **119**, 125

Na₃La₂(CO₃)₄F · Eu²⁺, optical properties, correlation to crystallographic structure, **116**, 286

(NH₄)₃FeF₆, (Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-δ} with related structure, powder X-ray and neutron diffraction analysis, **115**, 197

PbF₂/GeO₂/WO₃, glass doped with Tm³⁺ and Tm³⁺/Tb³⁺, blue up-conversion emission, **115**, 71

WTh₈Zr₁₈F₄O₅₃, superstructure, associating anion-excess and anion-deficient blocks, **115**, 283

α-MZr₃F₁₅ series (M = Y, In, Lu, Yb, Gd, Eu, Pr, Tl), cationic distribution, **118**, 389

Fluorite homologous series

Pr₉O₁₆, crystal structures, **118**, 133

Pr₁₀O₁₈, oxygen-deficient fluorite-related R_nO_{2-n}, structures, **118**, 141

Fourier-transform infrared spectroscopy

BaAl₉O_{14.5}, BaAl₁₂O₁₉, and BaAl₁₄O₂₂, **117**, 8

RBa₂Cu₃O_{7-y} (R = Ln or Y), skeletal study, **119**, 36

BaFe₁₂O₁₉, **117**, 8

[n-C₉H₁₉NH₃]₂CuCl₄, **117**, 97

N(CH₃)₄H₂PO₄ · H₂O, **120**, 343

Nd_{2-x}Ce_xCuO₄, **119**, 36

NH₂HSO₃, **116**, 217

Fructose

mediated synthesis of β-Co(OH)₂, **114**, 550

G

Gadolinium

Ba_{5-y}Sr_yGd_{2-x}Al₂Zr_{1+x}O_{13+x/2}, structural study, **118**, 180

Bi₃Gd₅O₁₂, related phases, synthesis and characterization, **116**, 68

Bi₂O₃-Gd₂O₃, low-temperature stable phase, **120**, 32

Ce_{0.818}Gd_{0.182}O_{1.909-y}, nonstoichiometric 10 mol%, phase diagram, **117**, 392

GdAO₄ (A = Nb, Ta), relationship between covalence and displacive phase transition temperature, **116**, 28

GdAgSb₂

with HfCuSi₂-type structure, preparation, **115**, 305

magnetism and crystal structure, **115**, 441

Gd₆T₄Al₄₃ (T = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131

GdBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36

Gd₂Ba₂Cu₂Ti₂O_{11-δ}, synthesis, structure, and superconductivity, **119**, 224

GdBa₂SbO₆, synthesis and characterization, as substrates for YBa₂Cu₃O_{7-δ}, **116**, 193

Gd_{2-x}Ce_xCuO₄, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491

Gd₂MCu₂O₇ (M = Sr, Ba), synthetic, structural, electrical, and magnetic properties, **114**, 286

GdCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305

Gd_{1-x}A_xMnO₃ (A = Ca, Sr, Ba, Pb), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204

Gd₂O₃, cation array structure, **119**, 131

GdOCuSe, powder X-ray and IR studies, **118**, 74

GdRuC₂, with filled NiAs structure, **118**, 158

(Gd_{1-x}Sn_{1-x}S)_{1.16}(NbS₂)₃, crystal structure and synthesis, **114**, 435

GdT₆Br₁₈, crystal structure, **118**, 274

MGdT₆Br₁₈ (M = K, Rb, Cs), crystal structure, **118**, 274

M₂GdT₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43

M'-GdT₆O₄, synthesis and characterization, letter to editor, **118**, 419

GdT₂Al₂₀, with CeCr₂Al₂₀-type structure, **114**, 337

α-GdZr₃F₁₅ series, cationic distribution, **118**, 389

Na₂GdOPO₄, solid-state synthesis, X-ray powder diffraction, and IR data, **120**, 275

Pb_{2-x}Gd_xRu₂O_{7-y}, synthesis, crystal structure, and electrical properties, **114**, 15

PrPd₃As₂ arsenides, preparation, **115**, 37

Ti₂(Ba₂Gd)Gd_{2-x}Ce_xCu₂O₁₃, design and synthesis, **114**, 57

(1-x)ZrO₂ · xGdO_{1.5}, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290

Gallium

Ag₂S-Ga₂S₃-GeS₂, phase diagram, analysis by DTA and XRD, **117**, 189

CaCu_{0.15}Ga_{3.85}, crystal structure, analysis by powder X-ray diffraction data, **114**, 342

Ca_xSn_xGa_{8-2x}O₁₂ (2.5 < x < 3.0), solid solutions, cationic sites, simultaneous occurrence of Sn⁴⁺ on, **118**, 6

AGa₂X₄ (A = Cd, Hg; X = S, Se), compounds crystallizing in thiogallate-type structure, lattice dynamical calculations, **114**, 442

GaMo₄S₈-type compounds, tetrahedral clusters: metal bonding analysis, **120**, 80

Ga₂O₃(ZnO)_m (m = 7, 8, 9, 16), in In₂O₃-ZnGa₂O₄-ZnO system, **116**, 170

InGaO₃(ZnO)₃, in In₂O₃-ZnGa₂O₄-ZnO system, synthesis and single-crystal data, **116**, 170

- $\text{Li}_{0.5}(\text{FeCr})_x\text{Ga}_{2.5-2x}\text{O}_4$ and $\text{Li}_{0.5}\text{Fe}_x\text{Ga}_{2.5-x}\text{O}_4$, tetrahedral $3d^5$ and $3d^5$ or $3d^3$ octahedral cations in, antiferromagnetic *A-B* interactions and electronic spectrum, **120**, 244
 mixed valent nickel and manganese oxide ceramics, superconducting properties, **116**, 355
 $\text{Zn}_{1-x}\text{Mn}_x\text{Ga}_2\text{Se}_4$, energy gap values and $T(z)$ diagram, **115**, 416
- Garnet**
 $\text{Ca}_x\text{Sn}_{1-x}\text{Ga}_{8-2x}\text{O}_{12}$ ($2.5 < x < 3.0$), solid solutions, cationic sites, simultaneous occurrence of Sn^{4+} on, **118**, 6
- Gels**
 Al-O-R-O-Al , characterization by IR, and ^{13}C and ^{27}Al NMR techniques, **119**, 319
- Germanium**
 $\text{Ag}_2\text{MnGeTe}_4$, crystal symmetry, **115**, 192
 $\text{Ag}_2\text{S-Ga}_2\text{S}_3\text{-GeS}_2$, phase diagram, analysis by DTA and XRD, **117**, 189
 $\text{Cd}_{2-x}\text{GeO}_{4-x-3y}\text{N}_{2y}$, preparation and characterization, **119**, 304
 CsGeBr_3 , pressure-induced phase transition, analysis by X-ray diffraction and Raman spectroscopy, **118**, 20
 $\text{Cs}_4\text{Sb}_4\text{O}_8(\text{Si}_{4(1-x)}\text{Ge}_{4x}\text{O}_{12})$, solid solution, electron and X-ray diffraction and ^{29}Si MAS NMR analysis, **114**, 528
 $\text{CuNd}_2\text{Ge}_2\text{O}_8$, crystal structure, growth, and magnetic and spectroscopic properties, **120**, 254
 MGe_xTe_2 ($M = \text{Nb, Ta}$; $1/3 \leq x \leq 1/2$), origin of short interslab Te-Te contacts, analysis, **119**, 394
 $\text{KNb}_5\text{GeO}_{16} \cdot 2\text{H}_2\text{O}$, with 2D channel network, **115**, 373
 $\text{Mn}_3\text{Al}_{2-x}\text{Cr}_x\text{Ge}_3\text{O}_{12}$, X-ray absorption spectroscopic and magnetic analysis, **118**, 261
 $\text{Na}_2\text{BeGeO}_4$, structure and ionic conductivity, **118**, 62
 $\text{PbF}_2/\text{GeO}_2/\text{WO}_3$, glass doped with Tm^{3+} and $\text{Tm}^{3+}/\text{Tb}^{3+}$, blue up-conversion emission, **115**, 71
 PrMnOGeO_4 , preparation and crystal structure, **120**, 7
 Tl_2GeTe_3 , crystal structure, **117**, 351
 $\text{U}_3\text{Co}_4\text{Ge}_7$, crystal structure and magnetic properties, **115**, 247
 $\text{U}_2\text{Fe}_{17-x}\text{Ge}_x\text{C}_y$, magnetic properties, **115**, 13
- Giant magnetoresistance**
 effects in $\text{Pr}_{0.7}\text{Sr}_{0.05}\text{Ca}_{0.25}\text{MnO}_{3-\delta}$, effects, **117**, 424
 in self-doped $\text{La}_{1-x}\text{MnO}_{3-\delta}$ thin films, **117**, 420
- Glasses**
 polarizable and OH-containing, applications to MOS devices, mechanism, **120**, 54
 $\text{TiO}_2\text{-NaPO}_3\text{-Na}_2\text{B}_4\text{O}_7$ system, optically nonlinear, Raman scattering and XAFS analysis, **120**, 151
 $\text{ZnO-B}_2\text{O}_2\text{-SiO}_2\text{-P}_2\text{O}_5$, fluoride-containing, MOS capacitors passivated by, OH-related capacitance-voltage recovery effect in, **118**, 212
- Glucose**
 mediated synthesis of $\beta\text{-Co(OH)}_2$, **114**, 550
- Glycerol**
 mediated synthesis of $\beta\text{-Co(OH)}_2$, **114**, 550
- Gold**
 AuNi_2Sn_4 , crystal structure, **119**, 142
 MAu_2O_4 ($M = \text{Sr, Ba}$), preparation and crystal structure, **118**, 247
 $\text{Cs}_2[\text{AuCl}_2][\text{AuCl}_4]$, local electronic anisotropy, probing with anomalous scattering diffraction, **118**, 383
- H**
- Hafnium**
 $\text{Ag}_4\text{Hf}_3\text{S}_8$, crystal structure and conductivity, **115**, 112
 $\text{Ca}_3\text{HfSi}_2\text{O}_9$, structure determination from powder diffraction, **115**, 464
 with HfCuSi_2 , ternary arsenides and antimonides with related structure, preparation, **115**, 305
 HfO_2 , powders, characterization by transmission electron microscopy, **119**, 289
 High-resolution electron microscopy
 BaCoO_{3-y} , **120**, 327
 $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3\text{La/Sr}$ vacancy defects, **114**, 211
 $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$, ordered La(Sr)-deficient nonstoichiometry in, **120**, 175
 $\text{Sm}_2\text{Sr}_6\text{Cu}_8\text{O}_{17+\delta}$ films, **116**, 300
 $\text{Sr}_{1-x}\text{La}_x\text{TiO}_{3+0.5x}$ layer structure, **117**, 88
 High-resolution electron spectroscopy
 $\text{Bi}_{2-x}\text{Nb}_x\text{O}_{3+x}$ solid solution, **119**, 311
- Holmium**
 $\text{Ba}_{5-y}\text{Sr}_y\text{Ho}_{2-x}\text{Al}_2\text{Zr}_{1+x}\text{O}_{13+x/2}$, structural study, **118**, 180
 $\text{Bi}_3\text{Ho}_5\text{O}_{12}$, related phases, synthesis and characterization, **116**, 68
 HoAO_4 ($A = \text{Nb, Ta}$), relationship between covalence and displacive phase transition temperature, **116**, 28
 HoAgSb_2
 with HfCuSi_2 -type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 $\text{HoBa}_2\text{Cu}_3\text{O}_{7-y}$, FT-IR skeletal study, **119**, 36
 $\text{Ho}_2\text{Ba}_2\text{CuPtO}_8$, synthesis and characterization, **120**, 316
 HoCuAs_2 , with HfCuSi_2 -type structure, preparation, **115**, 305
 $\text{Ho}_2\text{Cu}_2\text{O}_5$, structural characterization by neutron diffraction, **115**, 324
 $\text{Ho}_6\text{Mo}_4\text{Al}_{43}$, related structure of $\text{A}_6\text{T}_4\text{Al}_{43}$ ($A = \text{Y, Nd, Sm, Gd-Lu, U}$; $T = \text{Ti, V, Nb, Ta}$), **116**, 131
 $\text{Ho}_x\text{Mo}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
 Ho_2O_3 , cation array structure, **119**, 131
 $\text{HoSr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.54}$, synthesis and crystal structure, **119**, 115
 $\text{HoTa}_6\text{Br}_{18}$, crystal structure, **118**, 274
 $\text{MHoTa}_6\text{Br}_{18}$ ($M = \text{K, Rb, Cs}$), crystal structure, **118**, 274
 $\text{M}_2\text{HoTa}_6\text{Br}_{15}\text{O}_3$ ($M =$ monovalent cation), synthesis and crystal structure, **120**, 43
 $\text{Ho}_2(\text{TeO}_3)_3$ and Te_4O_{11} , tellurite formation, enthalpy determination, **118**, 210
 $\text{HoTi}_2\text{Al}_{20}$, with $\text{CeCr}_2\text{Al}_{20}$ -type structure, **114**, 337
 $\text{Ho}_x\text{W}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
 $(1-x)\text{ZrO}_2 \cdot x\text{HoO}_{1.5}$, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
- Homogeneity**
 PbO-ZrO_2 solution derived powders, related problems, **117**, 343
- Homogeneity range**
 and physical properties, intercalation compounds of Mn_xTaS_2 , **114**, 1
- HREM**, *see* High-resolution electron microscopy
- Hydrogen**
 $\text{AgMn}_3(\text{PO}_4)(\text{HPO}_4)_2$, synthesis and structure, **117**, 206
 $\text{Al}_4(\text{PO}_4)_3(\text{HPO}_4)\text{F}_6$, $(\text{N}_2\text{C}_6\text{H}_{18})_{2.5}$, $3\text{H}_2\text{O}$, synthesis and crystal structure, **120**, 197
 $\text{BaVO}(\text{PO}_4)(\text{H}_2\text{PO}_4) \cdot \text{H}_2\text{O}$, synthesis, structure, and magnetism, **118**, 241
 $\text{Ba}_8(\text{VO})_6(\text{PO}_4)_2(\text{HPO}_4)_{11} \cdot 3\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **116**, 77
 $\text{Ba}(\text{VO})_2(\text{SeO}_3)_2(\text{HSeO}_3)_2$, hydrothermal synthesis and crystal structure, **116**, 77
 $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, analysis by infrared, polarized Raman, and SERS spectroscopy, **114**, 129
 $[n\text{-C}_9\text{H}_{19}\text{NH}_3]_2\text{CuCl}_4$, characterization by FTIR, **117**, 97
 $2(\text{C}_6\text{H}_5\text{NH}_3) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$, crystal structure, determination from powder data, **117**, 103
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, transport, optical, and magnetic properties, **114**, 159
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_6\text{O}_{18}(\text{OH})_2] \cdot 4\text{H}_2\text{O}$, X-ray diffraction and NMR analysis, **120**, 231
 CrOOH-CrO_2 system, CrO_2 from decomposition, interconversion in, **119**, 13

- CsHSO₄
 phase transitions, **117**, 412
 thermally induced phase transitions, **117**, 414
- Cu(C₄H₅N₃)₂Cl₂, synthesis and characterization, **117**, 333
- Cu^{II}(1,4-C₄H₄N₂)(C₄O₄)(OH₂)₄, synthesis and structure determination with silica gels, **117**, 256
- CuSr(HCOO)₄, crystal structure and thermal decomposition, **117**, 145 and deuterium, solubility in crystalline Pd₉Si₂, **120**, 90
- H_xNb₂O₅, electrochemical investigations, **115**, 260
- M₂HPO₄-M₂HPO₄-H₂O (M, M' = Na, K, NH₄), electrical conductivity measurements, **119**, 68
- KH₂PO₄, crystal structure, **114**, 219
- Li_{1-x}H_xIO₃, protons, localization by single-crystal neutron diffraction, **115**, 309
- MgHOP₄ · 0.78H₂O, ambient pressure and temperature synthesis, **114**, 598
- Na₄H[Cu(H₂TeO₆)₂] · 17H₂O, crystal structure, electronic spectra, and XPS, **115**, 208
- Na₄K[Cu(HIO₆)₂] · 12H₂O, crystal structure, electronic spectra, and XPS, **115**, 208
- NaMn₃(PO₄)(HPO₄)₂, synthesis and structure, **115**, 240
- N(CH₃)₄H₂PO₄ · H₂O, FT-IR and polarized Raman spectra, **120**, 343
- [NH₃-(CH₂)₂-NH₂-(CH₂)₂-NH₃]₂P₆O₁₈ · 2H₂O, structural, DSC, and IR analysis, **114**, 42
- NH₂HSO₃, analysis by vibrational and surface enhanced Raman scattering, **116**, 217
- ReH_x, formation at high pressure, *in situ* diffraction study, **118**, 299
- Si_{1-x}C_x:H alloys, structural properties and chemical ordering, **117**, 427
- Sn₄S₉[(C₃H₇)₄N]₂, preparation and structural characterization, **114**, 506
- Sn₄S₉[(C₃H₇)₄N] · [(CH₃)₃NH], preparation and structural characterization, **114**, 506
- βSr(HCOO)₂, crystal structure and thermal decomposition, **117**, 145
- (V^{IV}O)[V^{VO}O₄] · 0.5[C₃N₂H₁₂], synthesis, crystal structure, and structural correlations with V₂O₅ and other vanadyl compounds, **120**, 137
- VO(HCO₂)₂ · H₂O, compounds based on double layers in, synthesis, **117**, 136
- Zr(O₃PC₆H₅)_x(HPO₄)_{2-x}, synthesis and stability, **117**, 275
- Hydrogen bonding
 [Ba₂(H₂O)₁₀][Fe(CN)₅NO]₂·3H₂O, **114**, 102
 [Ba₂(OH)₂(H₂O)₁₀][Se₄], **120**, 12
- Hydrolysis catalysts
 and sol-gel technique, in preparation of crystalline structure of MgO, **115**, 411
- Hydrothermal synthesis
 BaMo₄O₁₃ · 2H₂O, **116**, 95
 BaV₃O₈, **117**, 407
 Ba(VO)₂(SeO₃)₂(HSeO₃)₂, **116**, 77
 Ba₃(VO)₆(PO₄)₂(HPO₄)₁₁ · 3H₂O, **116**, 77
 Ba_{0.4}V₃O₈(VO)_{0.4} · nH₂O, **114**, 359
 Cu_{0.5}(OH)_{0.5}[VOPO₄] · 2H₂O, **117**, 157
 Cu_{0.5}[VOPO₄] · 2H₂O, **117**, 157
 Mn₂VO(PO₄)₂ · H₂O, **115**, 76
 NH₄Sn₂(PO₄)₃, **119**, 197
 thiosulfate cancrinite, **117**, 386
- Hydroxide
 [Ba₂(OH)₂(H₂O)₁₀][Se₄], synthesis and crystal structure, **120**, 12
 Ca_{10-x-y}Cd_xPb_y(PO₄)₆(OH)₂, solid solutions, analysis by X-ray and IR spectroscopy, **116**, 8
 Ca₁₀(PO₄)₆(OH)₂, induced radiation damage, analysis by TEM, **116**, 265
 (C₁₈H₃₀N₃)₂ · [Si₈O₁₈(OH)₂] · 4H₂O, X-ray diffraction and NMR analysis, **120**, 231
 β-Co(OH)₂, organic additive-mediated, synthesis, **114**, 550
 Co₂(OH)PO₄, structure-directing effect of organic additives, **114**, 151
- Cu₂(OH)₃NO₃, magnetic behavior and exchange coupling, single crystal study, **116**, 1
- Cu_{0.5}(OH)_{0.5}[VOPO₄] · 2H₂O, hydrothermal synthesis and crystal structure, **117**, 157
- glasses containing, applications to MOS devices, mechanism, **120**, 54
- KOH
 concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
 incipient chemical reaction with scratched silicon surface, **120**, 96
 layered double, Zn-Al, preparation by surface modification of layered compound, **117**, 337
- Li(H₂O)₄B(OH)₄ · 2H₂O, crystal structure and dehydration process, **115**, 549
- LiNb(OH)OPO₄, structural analysis by XRD and EXAFS, **114**, 317
- LiOH, concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
- (Mn_xZn_{1-x})(OH)(NO₃)H₂O (x = 0.53, 1.00), synthesis and characterization, **118**, 28
- Na₄Al(PO₄)₂(OH), synthesis and characterization, **118**, 412
- NaCo₂(SeO₃)₂(OH), polarized electronic absorption spectra and crystal structure, **115**, 360
- NaOH, concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
- (NH₄)₆[TeMo₆O₂₄] · Te(OH)₆ · 7H₂O, single crystals, infrared and polarized Raman spectra, **118**, 341
- (M²⁺)₆(M³⁺)₂(OH)₁₆CO₃ · 4H₂O (M²⁺ = Cu, Zn, Co; M³⁺ = Cr), characterization, **119**, 246
- Me(OH)₂-SiO₂ (Me = Ca, Mg, Sr), mixtures, surface changes in basicity and species, role of mechanical activation, **115**, 390
- Pb₁₀(PO₄)₆(OH)₂, nucleation kinetics, analysis by X-ray and IR spectroscopy, **116**, 8
- related capacitance-voltage recovery effect in MOS capacitors passivated by fluoride-containing ZnO-B₂O₃-SiO₂-P₂O₅ glasses, **118**, 212
- VOHPO₄ · 1/2H₂O, transformation to γ-(VO)₂P₂O₇, **119**, 349
- [Zn₂Cr(OH)₆]_x · nH₂O, where X⁻ = 1/2 mal²⁻, *cis*-[Cr(mal)₂(H₂O)₂]⁻, and 1/3[Cr(mal)₃]³⁻ (mal = malonate), malonate intercalation into, **119**, 331
- (Zn_xCu_{1-x})(OH)_{2-y}(NO₃)_y · zH₂O, cation distribution and coordination chemistry, structural and spectroscopic study, **118**, 303
- Zn₂(OH)PO₄, structure-directing effect of organic additives, **114**, 151
- Hydroxyapatite, *see* Durapatite
- 8-Hydroxyquinoline
 solid state reactions with CdX₂ (X = Cl, Br, I), **117**, 416

I

Ignition reaction

Ta₂N formation in air, letter to editor, **119**, 207

Impedance spectroscopy

LiTaO₃, **116**, 185

Indium

(AgIn)_{2(1-x)}(MnIn₂)₂Te₄, alloys, *T*(*z*) diagram and optical energy gap values, **114**, 539

(Ca_{0.9}In_{0.1})MnO₃, electrical transport properties and high-temperature thermoelectric performance, **120**, 105

Co_xCd_{1-x}In₂S₄, spinel solid solutions, structural, magnetic, and optical properties, **114**, 524

InCdBr₃, synthesis, crystal structure, and electronic structure, **116**, 45

InGaO₃(ZnO)₃, in In₂O₃-ZnGa₂O₄-ZnO system, synthesis and single-crystal data, **116**, 170

InMnO₃, synthesis, structure, and magnetic properties, **116**, 118

In_xNb₃Se₄, multilayer precursor synthesis, **117**, 290

In₂O₃, cation array structure, **119**, 131

- $\text{In}_2\text{O}_3\text{-ZnGa}_2\text{O}_4\text{-ZnO}$ system, synthesis and single-crystal data, **116**, 170
- $\text{In}_2\text{O}_3(\text{ZnO})_m$ ($m = 3,4,5$), in $\text{In}_2\text{O}_3\text{-ZnGa}_2\text{O}_4\text{-ZnO}$ system, **116**, 170
- $\text{InPO}_4\text{-I}$, synthesis and characterization, **117**, 373
- $\text{In}_{1/2}\text{Sb}_{2/3}(\text{PO}_4)_3$, preparation and crystal structure, **118**, 104
- $\text{InVO}_4\text{-I}$, metastable form, crystal structure, **118**, 93
- $\text{NiAs-Ni}_2\text{In}$, intermetallic phases, superstructures in, analysis, **118**, 313
- $\text{Pb}_{1-x}\text{In}_x\text{Te}$ ($x = 0.56$), oxidation states, **116**, 33
- $\alpha\text{-MZr}_3\text{F}_{15}$ series ($M = \text{Y, In, Lu, Yb, Gd, Eu, Pr, Tl}$), cationic distribution, **118**, 389
- Infrared spectroscopy, *see also* Fourier-transform infrared spectroscopy
- Al-O-R-O-Al gels, **119**, 319
- $\text{Ca}_{10-x-y}\text{Cd}_x\text{Pb}_y(\text{PO}_4)_6(\text{OH})_2$ solid solutions, **116**, 8
- $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, **114**, 129
- $\text{Na}_2\text{GdOPO}_4$, **120**, 275
- $[\text{NH}_3-(\text{CH}_2)_2-\text{NH}_2-(\text{CH}_2)_2-\text{NH}_3]_2\text{P}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, **114**, 42
- $(\text{NH}_4)_6[\text{TeMo}_6\text{O}_{24}] \cdot \text{Te}(\text{OH})_6 \cdot 7\text{H}_2\text{O}$, **118**, 341
- MOCuSe ($M = \text{Bi, Gd, Dy}$), **118**, 74
- $\text{Pb}_{10}(\text{PO}_4)_6(\text{OH})_2$, nucleation kinetics, **116**, 8
- $M_6[\text{TeMo}_6\text{O}_{24}] \cdot 7\text{H}_2\text{O}$ ($M = \text{K, NH}_4$), **118**, 341
- $M^I M^{III}(\text{WO}_4)_2$ ($M^I = \text{Li, Na, K}$; $M^{III} = \text{Bi, Cr}$), vibrational properties, **117**, 177
- Intercalation
- malonate into $[\text{Zn}_2\text{Cr}(\text{OH})_6]X \cdot n\text{H}_2\text{O}$, where $X^- = 1/2 \text{ mal}^{2-}$, *cis*- $[\text{Cr}(\text{mal})_2(\text{H}_2\text{O})_2]^-$, and $1/3[\text{Cr}(\text{mal})_3]^{3-}$ (*mal* = malonate), malonate intercalation into, **119**, 331
- $[\text{Mn}(\text{H}_2\text{O})]1/4(\text{VO})3/4\text{PO}_4 \cdot 2\text{H}_2\text{O}$, **116**, 400
- Intercalation compounds
- Mn_xTaS_2 , physical properties and homogeneity range, **114**, 1
- Intergrowths
- $\text{Bi}_{n+1}\text{Sr}_{2n+2}\text{Ba}_{n-1}\text{Fe}_{n+1}\text{O}_{6n+4}$ of 2201 and 0201 structure, **118**, 227
- Iodine
- BiTeI , crystal structure, determination by powder X-ray diffraction, **114**, 379
- CdI_2 , solid state reactions with 8-hydroxyquinoline, **117**, 416
- $\text{CH}_3\text{NH}_3\text{SnI}_3$, conducting perovskite, transport, optical, and magnetic properties, **114**, 159
- $\text{Li}_{1-x}\text{H}_x\text{IO}_3$, protons, localization by single-crystal neutron diffraction, **115**, 309
- $\text{Mn}_3\text{B}_5\text{O}_{13}\text{I}$, high-temperature single crystal X-ray diffraction, **120**, 60
- $\text{Na}_4\text{K}[\text{Cu}(\text{HIO}_6)_2] \cdot 12\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
- $\text{YbI}_2 \cdot \text{H}_2\text{O}$, crystal structure, determination by X-ray powder diffraction, **114**, 308
- $\text{YbI}_2\text{-Al}$ ($A = \text{Na, K, Rb, Cs}$) phase diagrams, measurement and calculation, **114**, 146
- Ionic conductivity
- $\text{Ag}_{3.8}\text{Sn}_3\text{S}_8$, **116**, 409
- $(1-x)\text{Ag}_2\text{SO}_4\text{-(}x\text{)CaSO}_4$ ($x = 0.01 - 0.20$), **116**, 232
- $\text{Ag}_4\text{Zr}_3\text{S}_8$, **116**, 409
- $\text{Li}_{2.88}\text{PO}_{3.73}\text{N}_{0.14}$, **115**, 313
- $\text{Na}_2\text{BeGeO}_4$, **118**, 62
- oxide, in solid solutions $\text{Ln}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($\text{Ln} = \text{La, Pr, Nd}$) solid solutions, oxide ion conduction, **120**, 128
- Ion migration
- oxygen, in LaBO_3 ($B = \text{Cr, Mn, Fe, Co}$), **118**, 125
- Ion transport
- Na ions in $\text{Na}_x\text{Cr}_x\text{Ti}_{8-x}\text{O}_{16}$ tunnel structure, analysis, **116**, 296
- Iridium
- $\text{BaFe}_{12-2x}\text{Ir}_x\text{Me}_x\text{O}_{19}$ ($\text{Me} = \text{Co, Zn}$; $x \sim 0.85$ and $x \sim 0.50$), magnetic properties, cationic distribution in relation to, **120**, 17
- K_xIrO_2 , structural study, **118**, 372
- $\text{La}_2\text{MlIrO}_6$ ($M = \text{Mg, Co, Ni, Zn}$), structure and magnetic properties, **116**, 199
- $\text{Sr}_2\text{MlIrO}_6$ ($M = \text{Ca, Mg}$), preparation and stabilization by high oxygen pressure, **115**, 447
- $\text{Sr}_3\text{MlIrO}_6$ ($M = \text{Ni, Cu, Zn}$), structure and magnetic properties, **117**, 300
- Iron
- $\text{BaFe}_{12-2x}\text{Co}_x\text{Ti}_x\text{O}_{19}$
- crystallite size and shape, determination by X-ray line broadening analysis, **114**, 534
- samples with composition range $0 < x < 1$, synthesis for magnetic recording, **115**, 347
- $\text{Ba}_2\text{FeM}'\text{F}_7\text{Cl}$ ($M' = \text{Mn}^{2+}, \text{Fe}^{2+}, \text{Co}^{2+}, \text{Ni}^{2+}, \text{Zn}^{2+}$), synthesis, magnetic behavior, and structural study, **115**, 98
- $\text{Ba}_2\text{Fe}_2\text{F}_7\text{Cl}$, synthesis, magnetic behavior, and structural study, **115**, 98
- $\text{BaFe}_{12-2x}\text{Ir}_x\text{Me}_x\text{O}_{19}$ ($\text{Me} = \text{Co, Zn}$; $x \sim 0.85$ and $x \sim 0.50$), magnetic properties, cationic distribution in relation to, **120**, 17
- $\text{BaFe}_{12}\text{O}_{19}$, FT-IR skeletal powder spectra, **117**, 8
- $\text{Ba}_2\text{Fe}_2\text{Ti}_4\text{O}_{13}$, preparation, crystal structure, dielectric properties, and magnetic behavior, **120**, 121
- $[\text{Ba}_2(\text{H}_2\text{O})_{10}][\text{Fe}(\text{CN})_5\text{NO}]_2\text{3H}_2\text{O}$, hydrogen-bonding system, **114**, 102
- $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$, from 2201-0201 intergrowth $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, **118**, 357
- $\text{Bi}_2\text{Fe}_{4-x}\text{Al}_x\text{O}_9$, structural and magnetic studies, **114**, 199
- $\text{Bi}_{n+1}\text{Sr}_{2n+2}\text{Ba}_{n-1}\text{Fe}_{n+1}\text{O}_{6n+4}$, with intergrowths of 2201 and 0201 structure, synthesis, **118**, 227
- $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, 2201-0201 intergrowth, $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$ from, synthesis, **118**, 357
- $\text{CaFeTi}_2\text{O}_6$, high-pressure synthesis and crystal structure, **114**, 277
- $\text{Co}_x\text{Cu}_{1-x}\text{Fe}_2\text{O}_4$ ($0 \leq x < 0.3$), thermal behavior and magnetic properties, *erratum*, **117**, 64; **117**, 433
- $(\text{Cr}_{1-x}\text{Fe}_x)_3\text{Te}_4$, magnetic properties, **120**, 49
- doped Zn_2SiO_4 single crystals, luminescence, **117**, 16
- Fe-Mo-O catalysts, reduction behavior, analysis by TPR with *in situ* Mössbauer spectroscopy and X-ray diffraction, **117**, 127
- Fe_{1-x}O , defect distributions in, paracrystalline descriptions, **117**, 398
- α -, β -, and γ - Fe_2WO_6 phases, magnetic and EPR studies at low temperatures, **120**, 216
- KeFeS_2 , tetrahedral FeS^5 -unit containing, X-ray absorption spectra, **119**, 380
- $\text{LaCo}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$, Sr doped, thermochemical stability, electrical conductivity, and Seebeck coefficient, **118**, 117
- LaFeO_3 , oxygen ion migration, **118**, 125
- $\text{La}_{2.0}\text{Sr}_{0.8}\text{Cu}_{0.4}\text{Fe}_{0.6}\text{O}_{3-y}$, synthesis, **119**, 260
- LaSrFeO_4 , structure and electrical properties, effects of substitution of alkaline earths or Y for La, **115**, 456
- $\text{Li}_{0.5}(\text{FeCr})_2\text{Ga}_{2.5-2x}\text{O}_4$ and $\text{Li}_{0.5}\text{Fe}_x\text{Ga}_{2.5-x}\text{O}_4$, tetrahedral $3d^5$ and $3d^5$ or $3d^3$ octahedral cations in, antiferromagnetic *A-B* interactions and electronic spectrum, **120**, 244
- $\text{Lu}_2\text{Fe}_2\text{Si}_2\text{C}$, preparation, structure refinement, and properties, **114**, 66
- $\text{II-Na}_3\text{Fe}_2(\text{AsO}_4)_3$, structural relation to $\alpha\text{-Na}_3\text{Al}_2(\text{AsO}_4)_3$ and $\text{Na}_7\text{Fe}_4(\text{AsO}_4)_6$ sodium ion conductors, **118**, 33
- $\text{Na}_7\text{Fe}_3(\text{AsO}_4)_6$, crystal structure: structural relation to $\text{II-Na}_3\text{Fe}_2(\text{AsO}_4)_3$, **118**, 33
- Na_5FeS_4 , tetrahedral FeS^5 -unit containing, X-ray absorption spectra, **119**, 380
- $\text{Nd}_{1-x}\text{Ca}_x\text{FeO}_{3-y}$, nonstoichiometry and physical properties, analysis, **114**, 265
- $(\text{NH}_4)_3\text{FeF}_6$, $(\text{Ba}_{1-x}\text{Sr}_x)(\text{Sr}_{0.67}\text{Bi}_{0.33})(\text{Pb}_{1-y}\text{Bi}_y)\text{O}_{6-\delta}$ with related structure, powder X-ray and neutron diffraction analysis, **115**, 197
- Ni-Al-Fe , synthesis and characterization, synthesis and characterization, **118**, 285
- $\text{Ni}_{0.39}\text{Fe}_{2.61}\text{O}_{4-\delta}$, in analysis of CO_2 decomposition to carbon, **120**, 64
- ordered substitution for Cu in tetragonal perovskite $\text{La}_{6.4}\text{Sr}_{1.6}\text{Cu}_8\text{O}_{20}$, **115**, 469
- $\text{PbFe}_3(\text{P}_2\text{O}_7)_2$, crystal structure, **118**, 202
- $(\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O})$, crystal structure, determination by X-ray diffraction, **120**, 1

- substituted γ -nickel oxyhydroxides, iron oxidation state in, analysis, **114**, 6
- ThFe₅P₃, crystal structure, **117**, 80
- Th₄Fe₁₇P₁₀O_{1-x}, crystal structure, **117**, 80
- TlV_{5-y}Fe_yS₈ ($y = 0.5-1.5$), crystal structure, chemical reactivity, magnetic properties, and Mössbauer spectroscopy, **119**, 147
- Tm₂Fe₂Si₂C, preparation, structure refinement, and properties, **114**, 66
- U₂Fe_{17-x}M_xC_y ($M = \text{Al, Si, and Ge}$), magnetic properties, **115**, 13
- YBaCoCu_{1-x}Fe_xO₅, magnetic behavior, **115**, 514
- YBaCuFeO₅, crystal and magnetic structure, **114**, 24
- YCa₂SbFe₄O₁₂, magnetic ordering, **115**, 435
- Isokinetic relationships
in thermal decomposition of solids, analysis by isoconventional methods for analysis, **114**, 392
- K**
- Kinetics
Bi₂Sr₂CaCu₂O₈ synthesis, **116**, 314
and dissolution mechanism, quartz in concentrated basic media (NaOH, KOH, LiOH), effect of solvents, **118**, 254
MoO₃ reduction, **118**, 84
Pb₁₀(PO₄)₆(OH)₂, nucleation, analysis by X-ray and IR, **116**, 8
- L**
- Lactose
mediated synthesis of β -Co(OH)₂, **114**, 550
- Lanthanum
BaLaCoRuO₆, structural and electronic properties, **114**, 174
BiLa₂O_{4.5}, average structure and superstructure, X-ray powder and electron diffraction studies, **116**, 72
Bi₃La₅O₁₂, related phases, synthesis and characterization, **116**, 68
(Ca_{0.9}La_{0.1})MnO₃, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
Cs₃LaCl₆ · 3H₂O, thermal dehydration and crystal structure, **116**, 329
Hg_{0.4}Ce_{0.5}Cu_{0.1}Sr_{2-x}La_xCuO_{4+y}, synthesis and characterization, **116**, 347
KMgLa(PO₄)₂ doped with Eu, optical and structural investigation, **114**, 282
LaAgSb₂
with HfCuSi₂-type structure, preparation, **115**, 305
magnetism and crystal structure, **115**, 441
LaT₂Al₂₀ ($T = \text{Ti, Mo, W}$), with CeCr₂Al₂₀-type structure, **114**, 337
La₄BaCu₅O₁₂, insulating, prepared by reduction of metallic La₄BaCu₅O_{13.1}, analysis, **114**, 95
La₂Ba₂Cu₂Sn₂O₁₁, high-temperature transport and defect studies, **119**, 80
La₂Ba₂Cu₂Ti₂O₁₁, high-temperature transport and defect studies, **119**, 80
La₂Ba₂Cu₂Ti₂O_{11- δ} , synthesis, structure, and superconductivity, **119**, 224
La_{1-x}Ca_xCrO_{3- δ} , chemical diffusion, **115**, 152
La_{2-x}Ce_xCuO₄, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491
LaCo_{1-x}Cr_xO₃, reduction and reoxidation properties, **119**, 271
LaCo_{0.2}Fe_{0.8}O_{3- δ} , Sr doped, thermochemical stability, electrical conductivity, and Seebeck coefficient, **118**, 117
LaCoO₃, magnetic and transport properties, **116**, 224
LaCoRuO₆, structural and electronic properties, **114**, 174
LaCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
La₅Cu₅O_{13.35}, crystal structure, determination by high-resolution synchrotron X-ray diffraction, **118**, 170
La₂CuO₄-Nd₂CuO₄, superconductivity, after treatment under oxidizing conditions, **115**, 540
La₂MlIrO₆ ($M = \text{Mg, Co, Ni, Zn}$), structure and magnetic properties, **116**, 199
La_{0.5}Li_{0.5}TiO₃, microstructural study, **118**, 78
LaMn₁₁C_{2-x}, preparation, structure refinement, and properties, **114**, 66
La_{1-x}MnO_{3- δ} , self-doped thin films, giant magnetoresistance, **117**, 420
La_{1-x}A_xMnO₃, giant magnetoresistance
in bulk samples with $A = \text{Sr or Ca}$, letter to editor, **114**, 297
in samples with $A = \text{Ca, Sr, Ba, Pb}$, effect of internal pressure and analysis of related properties, letter to editor, **120**, 204
LaMnO₃
crystal structure at room temperature and at 1273 K under N₂, **119**, 191
electrochemical synthesis and ferromagnetism, **114**, 294
LaMnO_{3+ δ}
perovskite-type solid solutions, structural behavior, **114**, 516
powder annealed in air, surface characterization, **119**, 164
synthesized with poly(acrylic acid), surface characterization, **116**, 343
LaMo_{8-x}O₁₄ ($x = 0$ and 0.3), containing isolated Mo₉ clusters, electrical and magnetic properties, **117**, 261
La_xMo₆S₈, amorphous precursors for low-temperature preparation, **117**, 269
LaNbO₄, relationship between covalence and displacive phase transition temperature, **116**, 28
La₃NbO₇, structural analysis, **116**, 103
(La_{1-x}Nd_x)CrO₃ ($0 \leq x \leq 1.0$), electrical properties and crystal structure, relationship, **114**, 236
La_{1-x}A_xNiO₃ ($A = \text{Sr, Th}$; $0 \leq x \leq 0.1$), hole and electron doping, **116**, 146
LaNiO₃, preparation by sol-gel process, **116**, 157
La₄Ni₅O_{10- δ} , synthesis, structure, and properties, **117**, 236
LaBO₃ ($B = \text{Cr, Mn, Fe, Co}$), oxygen ion migration, **118**, 125
La₂O₃
cation array structure, **119**, 131
monoclinic, identity with La_{9.33}(SiO₄)₆, **120**, 38
La₂O₂CN₂, synthesis and crystal structure, **114**, 592
La₂O₃-Mn₂O₃, phase diagram, **114**, 516
LaPd₃As₂ arsenides, preparation, **115**, 37
LaPd₂O₄, synthesis, **114**, 206
La₂P₆O₁₈ · 10H₂O, preparation and characterization, **119**, 203
 α -La₂S₇, β -La₂S₇, and LaSe₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
La_{9.33}(SiO₄)₆, identity with monoclinic La₂O₃, **120**, 38
La_{1-x}Sr_xCoO_{3- δ}
magnetic and transport properties in samples with $0 < x \leq 0.50$, **118**, 323
solid solutions, oxide ion conduction, **120**, 128
La_{0.2}Sr_{0.8}Cu_{0.4}M_{0.6}O_{3-y} ($M = \text{Co, Fe}$), synthesis, **119**, 260
La_{1-x}Sr_xCuO₃, perovskite lattice, mixed valence Cu(III)/Cu(IV) in, stabilization under high oxygen pressure, **114**, 88
La_{6.4}Sr_{1.6}Cu₈O₂₀, ordered substitution of iron for copper, **115**, 469
(La_{1-x}Sr_x)₈Cu₈O_{16+ δ} , oxygen content and structure relationship, **115**, 490
LaSrFeO₄, structure and electrical properties, effects of substitution of alkaline earths or Y for La, **115**, 456
LaSrGa_{1-x}Ni_xO_{4- δ} , mixed valent oxide ceramic, superconducting properties, **116**, 355
La_{0.8}Sr_{0.2}MnO₃
La/Sr vacancy defects, imaging by HREM, **114**, 211
ordered La(Sr)-deficient nonstoichiometry in, analysis by HRTEM, **120**, 175
La_{1-x}Sr_{1+x}NiO_{4- δ} , mixed valent oxide ceramic, superconducting properties, **116**, 355
MLaTa₆Br₁₈ ($M = \text{K, Rb, Cs}$), crystal structure, **118**, 274
M₂LaTa₆Br₁₅O₃ ($M = \text{monovalent cation}$), synthesis and crystal structure, **120**, 43

- La_{1.2}Tb_{0.8}CuO_{4+s}, with T* structure, conducting properties and structure, **115**, 332
- LaTe₃, synthesis by moderate temperature solid-state metathesis, **117**, 318
- La₄Ti₅S₄O₈, synthesis and characterization, **114**, 406
- La₆Ti₂S₈O₅, synthesis and characterization, **114**, 406
- La₂₀Ti₁₁S₄₄O₆, preparation and crystal structure determination, **120**, 164
- La_xW₆S₈, amorphous precursors for low-temperature preparation, **117**, 269
- Na₃La₂(CO₃)₄F:Eu³⁺, optical properties, correlation to crystallographic structure, **116**, 286
- Sr_{1-x}La_xTiO_{3+0.5x}, layer structure, determination by high-resolution electron microscopy, **117**, 88
- Sr₃La₂Ti₂O₁₀, preparation and characterization, **119**, 412
- Laser irradiation
effect on properties of transition metal oxides, letter to editor, **118**, 417
- Lattice dynamics
AGa₂X₄ (A = Cd, Hg; X = S, Se), compounds crystallizing in thioallate-type structure, lattice dynamical calculations, **114**, 442
spinel-type ACr₂X₄ (A = Cd, Co, Hg, Zn; X = S, Se), **118**, 43
- Lead
(Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-δ}, with (NH)₄FeF₆ structure type, powder X-ray and neutron diffraction analysis, **115**, 197
Bi_{1.8}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+δ}, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
Ca_{10-x-y}Cd_xPb_y(PO₄)₆(OH)₂, solid solutions, analysis by X-ray and IR spectroscopy, **116**, 8
-calcium, hydroxyapatite, cation effects in oxidative coupling of methane, **114**, 138
(Ca_{0.9}Pb_{0.1})MnO₃, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
(Hg_{1-x}Pb_x)(Sr, Ba)₂Pr₂Cu₂O_{9-δ}, synthesis and characterization, **115**, 525
PbCo₃(P₂O₇)₂, crystal structure, **118**, 202
Pb₂Cu(II)₇(AsO₄)₆ and Pb₂Cu(I)₂Cu(II)₆(AsO₄)₆, topologically related crystal structures, **114**, 413
PbFe₃(P₂O₇)₂, crystal structure, **118**, 202
PbF₂/GeO₂/WO₃, glass doped with Tm³⁺ and Tm³⁺/Tb³⁺, blue up-conversion emission, **115**, 71
Pb_{1-x}In_xTe (x = 0.56), oxidation states, **116**, 33
Ln_{1-x}Pb_xMnO₃ (Ln = rare earths), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
Pb_xMo₆S₈, amorphous precursors for low-temperature preparation, **117**, 269
α-PbO, electronic lone pair localization and electrostatic energy calculations, **114**, 459
PbO-based glasses, OH-containing, applications to MOS devices, mechanism, **120**, 54
Pb₃O₄, electronic lone pair localization and electrostatic energy calculations, **114**, 459
PbO-ZrO₂, solution derived powders, homogeneity problems in, **117**, 343
Pb₄(PO₄)₂CrO₄, phase transformation, **116**, 179
Pb₁₀(PO₄)₆(OH)₂, nucleation kinetics, analysis by X-ray and IR spectroscopy, **116**, 8
Pb_{2-x}Ln_xRu₂O_{7-y} (Ln = Nd, Gd), synthesis, crystal structure, and electrical properties, **114**, 15
Pb_{1-x}(TiO)_xO, electronic lone pair localization and electrostatic energy calculations, **114**, 459
Pb₃(V,P)₂O₈, electronic lone pair localization and electrostatic energy calculations, **114**, 459
Pb_xW₆S₈, amorphous precursors for low-temperature preparation, **117**, 269
- Leapfrog thermodynamics
Sm-Co systems, binary magnetic phases competing for stability, leapfrog thermodynamics, **116**, 92
- Lithium
Ba₄LiCuO₄(CO₃)₂, electronic and vibrational spectra, **119**, 359
Co-Li₂CO₃, phase composition, microstructure, and sintering, *erratum*, **116**, 15; **117**, 433
La_{0.5}Li_{0.5}TiO₃, microstructural study, **118**, 78
Li, insertion characteristics in CuNb₂O₆, **118**, 193
ALi₂X₄ (A = Mg, Mn, Zn; X = Cl, Br), nonceramic preparation techniques, **117**, 34
Li₃AsO₄, guest ion vibrational behavior, **115**, 83
Li₂Ca₂Si₅O₁₃, crystal structure determination, **114**, 512
LiCoO₂, synthesis and thermal stability, **117**, 1
LiCuO₂, symmetry, analysis by X-ray and neutron diffraction measurements, **114**, 590
Li_{0.5}(FeCr)_xGa_{2.5-2x}O₄ and Li_{0.5}Fe_xGa_{2.5-x}O₄, tetrahedral 3d⁵ and 3d⁵ or 3d³ octahedral cations in, antiferromagnetic A-B interactions and electronic spectrum, **120**, 244
LiF-ZrF₄ phase diagram, reanalysis with Li₄ZrF₈ and Li₃Zr₄F₁₉ crystal structures, **120**, 187
Li_{1-x}H_xIO₃, protons, localization by single-crystal neutron diffraction, **115**, 309
Li(H₂O)₄B(OH)₄ · 2H₂O, crystal structure and dehydration process, **115**, 549
LiMn₂O₄, and Li_{1-x}Mn₂O₄, as 4-V Li-cell cathodes, differences in electrochemical behavior, letter to editor, **119**, 216
Li₄Mn₅O₁₂, preparation and crystal structure refinement by Rietveld method, **115**, 420
LiMoOP₂O₇, synthesis and structure determination, **120**, 260
Li_xNa_yV₂O₅ (0.23 ≤ x + y ≤ 0.37), bronzes obtained from sol-gel process, **118**, 10
LiNbO₃, MgO-doped, defect structure model, **118**, 148
LiNb(OH)OPO₃, structural analysis by XRD and EXAFS, **114**, 317
LiAO₃ (A = Nb, Ta), relationship between covalence and displacive phase transition temperature, **116**, 28
LiOH, concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
Li_{2.88}PO_{3.73}N_{0.14}, with γ-Li₃PO₄ structure, synthesis, crystal structure, and ionic conductivity, **115**, 313
LiTaO₃, impedance spectroscopy, **116**, 185
Li_{0.8}VO₂ single crystals, superstructure analysis, **114**, 184
LiM^{III}(WO₄)₂ (M^{III} = Bi, Cr), vibrational properties, **117**, 177
δ₁-LiZnPO₄, preparation, structure determination, and thermal transformation, **117**, 39
LiZnPO₄, structure determination by *ab initio* methods, **114**, 249
LiZnPO₄ · H₂O, light-atom positions in, location by powder neutron diffraction, **114**, 249
Li₃Zr₄F₁₉, crystal structure and reanalysis of LiF-ZrF₄ phase diagram, **120**, 187
Li₄ZrF₈, crystal structure and reanalysis of LiF-ZrF₄ phase diagram, **120**, 187
- Lithium cells
lamellar MnO₂ synthesis and characterization for, **120**, 70
- Luminescence
Ba₂TiO₄, with titanate tetrahedra, **118**, 337
Fe-doped with willemite single crystals, **117**, 16
- Lutetium
Ba_{5-y}Sr_yLu_{2-x}Al₂Zr_{1+x}O_{13+x/2}, structural study, **118**, 180
Bi₃Lu₅O₁₂, related phases, synthesis and characterization, **116**, 68
Lu₆T₄Al₄₃ (T = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131
Lu₂Fe₂Si₂C, preparation, structure refinement, and properties, **114**, 66
Lu₂Ba₂CuPtO₈, synthesis and characterization, **120**, 316
LuCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
LuNbO₄, relationship between covalence and displacive phase transition temperature, **116**, 28
Lu₂O₃, cation array structure, **119**, 131

- Lu₃O₂F₅, synthesis and crystal structure, **119**, 125
 MLuTa₆Br₁₈ (*M* = K,Rb,Cs), crystal structure, **118**, 274
 M₂LuTa₆Br₁₅O₃ (*M* = monovalent cation), synthesis and crystal structure, **120**, 43
 M'-LuTaO₄, synthesis and characterization, letter to editor, **118**, 419
 α-LuZr₃F₁₅ series, cationic distribution, **118**, 389

M

Magnesium

- CaMg₂Al₁₆O₂₇
 phase relationships in CaO-Al₂O₃-MgO system, **120**, 358
 structure refinement, **120**, 364
 Ca₂Mg₂Al₂₈O₄₆
 phase relationships in CaO-Al₂O₃-MgO system, **120**, 358
 structure refinement, **120**, 364
 CaO-Al₂O₃-MgO system, Al-rich part, phase relationships, **120**, 358
 KMgLa(PO₄)₂ doped with Eu, optical and structural investigation, **114**, 282
 La₂MgIrO₆, structure and magnetic properties, **116**, 199
 MgB₂X₄ (*B* = Li,Na; *X* = Cl,Br), nonceramic preparation techniques, **117**, 34
 MgHOP₄ · 0.78H₂O, ambient pressure and temperature synthesis, **114**, 598
 (Mg,Na,Al)₂(Al,Zn)₃, crystal structure, **115**, 270
 MgO, crystalline structure, preparation by sol-gel technique with different hydrolysis catalysts, **115**, 411
 Mg(OH)₂-SiO₂, mixtures, surface changes in basicity and species, role of mechanical activation, **115**, 390
 MgO-MgCl₂-H₂O, chemical reactions, analysis by time-resolved synchrotron X-ray powder diffraction, **114**, 556
 NaCa₂Mg₂²⁺ (AsO₄)₃, structure, **118**, 267
 (Ni_{1-x}Mg_x)₆MnO₈, crystal structure and magnetic properties, **118**, 112
 Sr₂MgIrO₆, preparation and stabilization by high oxygen pressure, **115**, 447
 Magnetic behavior
 Ba₂M₂F₇Cl and Ba₂MM'F₇Cl (*M,M'* = Mn²⁺,Fe²⁺,Co²⁺,Ni²⁺,Zn²⁺), **115**, 98
 YBaCoCu_{1-x}Fe_xO₅, **115**, 514
 Magnetic ordering
 CuCrP₂S₆, **116**, 208
 long-range, CuSb₂O₆, confirmation, **118**, 199
 YCa₂SbFe₄O₁₂, **115**, 435
 Magnetic phases
 binary, Sm-Co systems, competing for stability, leapfrog dynamics, **116**, 92
 Magnetic properties
 REAgSb₂ (*RE* = Y,La-Nd,Sm,Gd-Tm), **115**, 441
 AAs₂O₆ (*A* = Mn,Co,Ni), **118**, 402
 M₂As₂O₇ (*M* = Ni,Co,Mn), **115**, 229
 BaCe_γPr_{1-γ}O₃, **119**, 405
 Ba₃Cr₂MO₉ (*M* = Mo,W), **120**, 238
 BaCu₂S₂, **117**, 73
 α-BaCu₄S₃, **117**, 73
 BaFe_{12-2x}Ir_xMe_xO₁₉ (*Me* = Co,Zn; *x* ~ 0.85 and *x* ~ 0.50), **120**, 17
 Ba₂Fe₂Ti₄O₁₃, **120**, 121
 BaPrO₃, **119**, 405
 BaTa₂S₅, **116**, 392
 BaVO(PO₄)(H₂PO₄) · H₂O, **118**, 241
 Ca₃CoN₃, **119**, 161
 CeVO₃, **119**, 24
 CH₃NH₃SnI₃, **114**, 159
 Co_xCu_{1-x}Fe₂O₄ (0 ≤ *x* < 0.3), *erratum*, **117**, 64; **117**, 433
 Ln₂MCo₂O₇ (*Ln* = Sm,Gd; *M* = Sr,Ba), **114**, 286
 (Cr_{1-x}Fe_x)₃Te₄, **120**, 49

- Cr₂Sn₃Se₇, **115**, 165
 CuNd₂Ge₂O₈, **120**, 254
 InMnO₃, **116**, 118
 LaCoO₃, **116**, 224
 La₂MiIrO₆ (*M* = Mg,Co,Ni,Zn), **116**, 199
 LaMo_{8-x}O₁₄ (*x* = 0 and 0.3) containing isolated Mo₈ clusters, **117**, 261
 La_{1-x}Sr_xCoO_{3-δ} (0 < *x* ≤ 0.50), **118**, 323
 Lu₂Fe₂Si₂C, **114**, 66
 (Mn_xZn_{1-x})(OH)(NO₃)H₂O (*x* = 0.53,1.00), **118**, 28
 NaM^{IV}(Ti,Zr)_{2-x}(PO₄)₃ (*M* = Nb,Mo; 0 ≤ *x* ≤ 1), **114**, 224
 Nd_{1-x}A_xTiO₃ (*A* = Ca,Sr,Ba; 0 ≤ *x* ≤ 1), **114**, 164
 (Ni_{1-x}Mg_x)₆MnO₈, **118**, 112
 Ln₄Ni₃O_{10-δ} (*Ln* = La,Pr,Nd), **117**, 236
 MP₂O₇ (*M* = Mo,W), **115**, 146
 Sr_γBa_{1-γ}PrO₃, **119**, 405
 Sr₃MiIrO₆ (*M* = Ni,Cu,Zn), **117**, 300
 Sr₃Ru₂O₇, **116**, 141
 Sr₃V₂O_{6,99}, **118**, 292
 TiZn₁₆, **118**, 219
 Ti₃Zn₂₂, **118**, 219
 TiV_{5-y}Fe_yS₈ (*y* = 0.5-1.5), **119**, 147
 Tm₂Fe₂Si₂C, **114**, 66
 U, Np, and Pu NaCl-type compounds, **115**, 66
 U₃Co₄Ge₇, **115**, 247
 U₂Fe_{17-x}M_xC_y (*M* = Al,Si, and Ge), **115**, 13
 U₃Ni_{3,34}P₆, **116**, 307
 A₂V₄O₉, (*A* = Rb,Cs), **115**, 174
 Magnetic recording
 synthesis of BaFe_{12-2x}Co_xTi_xO₁₉ (0 < *x* < 1) for, **115**, 347
 Magnetic structure
 YBaCuFeO₅, **114**, 24
 Magnetic susceptibility
 BaCuO_{2+x}, **119**, 50
 Bi₂Fe_{4-x}Al_xO₉, **114, 199
 Co_xCd_{1-x}In₂S₄ spinel solid solutions, **114, 524
 Cu₂(OH)₃NO₃, **116**, 1
 ACu₇S₄ (*A* = Ti,K,Rb), **115**, 379
 α-,β-, and γ-Fe₂WO₆ phases, analysis at low temperatures, **120**, 216
 Mn₃Al_{2-x}Cr_xGe₃O₁₂, **118**, 261
 Mn₂(MnTa₃)N_{6-δ}O_{2+δ} (0 ≤ δ ≤ 1), **117**, 48
 Mn₂OBO₃, **114**, 311
 Mn_xTa₂S₂, intercalation compounds, **114**, 1
 Nb₃SBr₇, **120**, 311
 (NH₄)₂V₃O₈ fresnoite-type vanadium oxides, **114**, 499
 rare-earth (Pr,Nd,Eu) mixed oxides, effect of crystal field, **114**, 52
 Magnetoresistance, *see also* Giant magnetoresistance
 La_{1-x}A_xMnO₃ (*A* = Sr or Ca), letter to editor, **114**, 297
 Manganese
 (AgIn)_{2(1-z)}(MnIn₂)_zTe₄, alloys, *T(z)* diagram and optical energy gap values, **114**, 539
 Ag₂MnGeTe₄, crystal symmetry, **115**, 192
 AgMn₃(PO₄)(HPO₄)₂, synthesis and structure, **117**, 206
 Ba₂MnM'F₇Cl (*M'* = Mn²⁺,Fe²⁺,Co²⁺,Ni²⁺,Zn²⁺), synthesis, magnetic behavior, and structural study, **115**, 98
 Ba₂Mn₂F₇Cl, synthesis, magnetic behavior, and structural study, **115**, 98
 BaMnO_{3-y} (0.22 ≤ *y* ≤ 0.40), ordering and defects, **117**, 21
 (Ca_{0.9}M_{0.1})MnO₃ (*M* = Y,La,Ce,Sm,In,Sb,Sn,Pb,Bi), electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 Eu₃Ba₂Mn₂Cu₂O₁₂ intergrowth between 123 and 0201 structures, **115**, 1
 InMnO₃, synthesis, structure, and magnetic properties, **116**, 118
 La_{1-x}A_xMnO₃ (*A* = Sr or Ca), bulk samples, giant magnetoresistance, letter to editor, **114**, 297
 La_{1-x}MnO_{3-δ}, self-doped thin films, giant magnetoresistance, **117**, 420****

- La₂O₃-Mn₂O₃, phase diagram, **114**, 516
- LaMnO₃
 crystal structure at room temperature and at 1273 K under N₂, **119**, 191
 electrochemical synthesis and ferromagnetism, **114**, 294
 oxygen ion migration, **118**, 125
- LaMnO_{3+δ}
 perovskite-type solid solutions, structural behavior, **114**, 516
 powder annealed in air, surface characterization, **119**, 164
 synthesized with poly(acrylic acid), surface characterization, **116**, 343
- La_{0.8}Sr_{0.2}MnO₃
 La/Sr vacancy defects, imaging by HREM, **114**, 211
 ordered La(Sr)-deficient nonstoichiometry in, analysis by HRTEM, **120**, 175
- LiMn₂O₄, and Li_{1-x}Mn₂O₄, as 4-V Li-cell cathodes, differences in electrochemical behavior, letter to editor, **119**, 216
- Li₄Mn₅O₁₂, preparation and crystal structure refinement by Rietveld method, **115**, 420
- mixed valent oxide ceramics, superconducting properties, **116**, 355
- MnB₂X₄ (B = Li, Na; X = Cl, Br), nonceramic preparation techniques, **117**, 34
- Mn₃Al_{2-x}Cr_xGe₃O₁₂, X-ray absorption spectroscopic and magnetic analysis, **118**, 261
- Mn₄As₃, synthesis, crystal structure, and relation to other manganese arsenides, **119**, 344
- MnAs₂O₆, structural and magnetic properties, **118**, 402
- Mn₂As₂O₇, magnetic properties and structures, **115**, 229
- Mn₃B₇O₁₃Br, high-temperature single crystal X-ray diffraction, **120**, 60
- Mn₃B₇O₁₃I, high-temperature single crystal X-ray diffraction, **120**, 60
- [Mn(H₂O)]1/4(VO)3/4PO₄ · 2H₂O, synthesis, characterization, and intercalation of vanadyl phosphate with manganese, **116**, 400
- Mn₂(MnTa₃)N_{6-δ}O_{2+δ} (0 ≤ δ ≤ 1), synthesis, structure, and magnetic susceptibility, **117**, 48
- MnO₂, from thermal decomposition of NaMnO₄, synthesis and characterization, **120**, 70
- Ln_{1-x}A_xMnO₃ (Ln = rare earths; A = Ca, Sr, Ba, Pb), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
- Mn₂OBO₃, synthesis, crystal structure, band calculations, and magnetic susceptibility, **114**, 311
- Mn_xTa₂, intercalation compounds, physical properties and homogeneity range, **114**, 1
- Mn₂VO(PO₄)₂ · H₂O, hydrothermal synthesis and structure, **115**, 76
- (Mn_xZn_{1-x})(OH)(NO₃)H₂O (x = 0.53, 1.00), synthesis and characterization, **118**, 28
- NaMnO₄, lamellar MnO₂ from, thermal decomposition synthesis and characterization for rechargeable lithium cells, **120**, 70
- NaMn₃(PO₄)(HPO₄)₂, synthesis and structure, **115**, 240
- Nd(Cr_{1-x}Mn_x)O₃ (0 ≤ x ≤ 0.6), cation-anion-cation overlap and electrical properties, relationship, **118**, 367
- NdMnO_{3+y}, crystal and defect structure and oxygen nonstoichiometry, **118**, 53
- (Ni_{1-x}Mg_x)₆MnO₈, crystal structure and magnetic properties, **118**, 112
- PrMnO_{3+y}, crystal and defect structure, and oxygen nonstoichiometry, **118**, 53
- PrMnOGeO₄, preparation and crystal structure, **120**, 7
- Pr_{0.7}Sr_{0.05}Ca_{0.25}MnO_{3-δ}, effects of spectacular giant magnetoresistance, **117**, 424
- Sr₅Mn₄CO₃O₁₀, synthesis and structure, **120**, 279
- SrMnO_{3-x}, electronic properties, **114**, 242
- Zn_{1-x}Mn₂Ga₂Se₄, energy gap values and T(z) diagram, **115**, 416
- Mathematical analysis
 rod packings, **114**, 42
- Mechanical activation
 effect on basicity and species on surface of Me(OH)₂-SiO₂ (Me = Ca, Mg, Sr) mixtures, **115**, 390
- Mercury
 BaHgRuO₅, synthesis and structure, **120**, 223
 Hg_{2-x}M_xBa₂Pr₂Cu₂O_{10-δ} (M = Cu, Pr), synthesis and crystal structure, **114**, 230
 HgBiSr₇Cu₂SbO₁₅, double cationic ordering, **116**, 53
 Hg_{0.4}Ce_{0.5}Cu_{0.1}Sr_{2-x}La_xCuO_{4+δ}, synthesis and characterization, **116**, 347
 HgCr₂Se₄, lattice dynamics, **118**, 43
 HgGa₂X₄ (X = S, Se), compounds crystallizing in thiogallate-type structure, lattice dynamical calculations, **114**, 442
 (Hg, Pr)-Sr-(Sr, Ca, Pr)-Cu-O, 1201, 1212, and 1222 superconductors, ordering principles and defect structures, **114**, 369
 (Hg_{1-x}M_x)(Sr, Ba)₂Pr₂Cu₂O_{9-δ} (M = Pr, Pb, Bi, Tl), synthesis and characterization, **115**, 525
 Hg_{1-x}Tl_xSr_{4-y}Ba_yCu₂CO₃O_{7-δ}, modulated superconducting oxides, structural aspects, **120**, 332
- Metal-insulator transition
 EuNiO₃, **120**, 170
 Sm_{1-x}Nd_xNiO₃, **120**, 157
- Metathesis
 solid-state, moderate temperature, in synthesis of rare-earth polychalcogenides, **117**, 318
- Methane
 oxidative coupling cation effects of lead-calcium hydroxyapatite, **114**, 138
- Microdomains
 associated with defect fluorite to C-type sesquioxide transition in (1 - x)CeO₂ · xYO_{1.5} and (1 - x)ZrO₂ · xRO_{1.5} (R = Ho, Dy, Tb, Gd), **120**, 290
- Microstructure
 Co-Li₂CO₃, *erratum*, **116**, 15; **117**, 433
 fumed titanium dioxide photocatalyst, **115**, 236
 La_{0.5}Li_{0.5}TiO₃, **118**, 78
- Mixed crystals
 binary, thermodynamics in sub-quasi-chemical/Debye approximation, **115**, 368
- Modulation waves
 in analysis of cubic stabilized zirconias, disordered structure, **115**, 43
- Molybdenum
 Ba₃Cr₂MoO₉, structure and magnetic properties, **120**, 238
 BaMo₄O₁₃ · 2H₂O, hydrothermal synthesis and crystal structure, **116**, 95
 BaMo(PO₄)₂, with yavapaiite layer structure, synthesis and characterization, **116**, 364
 Bi₂MoO₆, phase transitions, structural changes in, analysis, letter to editor, **119**, 210
 2(C₆H₅NH₃) · Mo₃O₁₀ · 4H₂O, crystal structure, determination from powder data, **117**, 103
 Cs₉Mo₉Al₃P₁₁O₅₉ with tunnel structure, isolation, **114**, 451
 CsMo₂O₃(PO₄)₂, mixed valent monophosphate with layer structure, **116**, 87
 Fe-Mo-O catalysts, reduction behavior, analysis by TPR with *in situ* Mössbauer spectroscopy and X-ray diffraction, **117**, 127
 GaMo₄S₈-type compounds, tetrahedral clusters: metal bonding analysis, **120**, 80
 Ho₆Mo₄Al₃, related structure of A₆T₄Al₃ (A = Y, Nd, Sm, Gd-Lu, U; T = Ti, V, Nb, Ta), **116**, 131
 HoSr₂Cu_{2.7}Mo_{0.3}O_{7.54}, synthesis and crystal structure, **119**, 115
 KMo(H₂O)₂PO₄, preparation, characterization, and structure, **118**, 153
 KMo₄O₆, analysis of tetragonal forms, **117**, 217
 K₂Mo₂O₁₀ · 3H₂O, crystal structure, determination by direct method/powder diffraction package, **115**, 225

- β -K₂Mo₂O₄P₂O₇, tunnel structure, **114**, 481
 K₃(Mo)₄(PO₄)₅ with tunnel structure, **114**, 61
 LaMo_{8-x}O₁₄ ($x = 0$ and 0.3), containing isolated Mo₈ clusters, electrical and magnetic properties, **117**, 261
 LiMoOP₂O₇, synthesis and structure determination, **120**, 260
 Mo-Bi-O system, structural modeling, letter to editor, **119**, 428
 MoO₃-II, soft chemical synthesis, **119**, 199
 MoO₃, reduction, kinetics and mechanism, **118**, 84
 M₂MoO₄ ($M = \text{Na, NH}_4, \text{Ag}$), hydrothermal preparation, structure, and reactivity, **117**, 323
 MoP₂O₇, synthesis and magnetic and electrical properties, **115**, 146
 M_xMo₆S₈ ($M = \text{Sn, Co, Ni, Pb, La, Ho}$), amorphous precursors for low-temperature preparation, **117**, 269
 AMo₂Al₂₀ ($A = \text{La, Ce, Pr, Nd, Sm, Eu, U}$), with CeCr₂Al₂₀-type structure, **114**, 337
 Mo_{7.6}W_{1.4}O₂₅, crystal structure, **119**, 8
 Na₃(MoO)₄(PO₄)₅, tunnel structure and synthesis, **114**, 543
 Na_{0.75}Mo_{1.17}W_{0.83}O₃(PO₄)₂, synthesis and crystal structure, **120**, 353
 NaNb_x^{IV}(Ti,Zr)_{2-x}(PO₄)₃ ($0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 Na_{0.13}(V_{0.13}Mo_{0.87})O₃ · n H₂O, synthesis and structure, **119**, 176
 NH₄Mo(H₂O)₂PO₄, preparation, characterization, and structure, **118**, 153
 (NH₄)₂Mo₃O₁₀ · H₂O, crystal structure, determination by powder diffraction, **116**, 422
 (NH₄)₆[TeMo₆O₂₄] · Te(OH)₆ · 7H₂O, single crystals, infrared and polarized Raman spectra, **118**, 341
 Slater functions, formulation by distance between subspaces, **116**, 275
 M₆[TeMo₆O₂₄] · 7H₂O ($M = \text{K, NH}_4$), single crystals, infrared and polarized Raman spectra, **118**, 341
 V-Mo-O-N, synthesis by temperature-programmed reaction, **116**, 205
 Monochalcogenides
 TiS, VS, TiSe, and VSe, and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
 Mössbauer spectroscopy
 CO₂ decomposition to carbon, analysis with Ni_{0.39}Fe_{2.61}O_{4- δ} , **120**, 64
in situ, and X-ray diffraction, TPR with, in analysis of Fe-Mo-O catalysts, **117**, 127
¹¹⁹Sn, in analysis of bonding in Zintl phases, **118**, 397
 TiV_{3-y}Fe_yS₈ ($y = 0.5-1.5$), **119**, 147
 Multipole expansions
 crystal field potential, ReB_q^k-ImB_q^k, parameter ratio quality, **115**, 92
- N**
- Nasicon structure
 NaM_x^{IV}(Ti,Zr)_{2-x}(PO₄)₃ ($M = \text{Nb, Mo}$; $0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 Neodymium
 Bi₃Nd₅O₁₂, related phases, synthesis and characterization, **116**, 68
 Cs₃NdCl₆ · 3H₂O, thermal dehydration and crystal structure, **116**, 329
 CuNd₂Ge₂O₈, crystal structure, growth, and magnetic and spectroscopic properties, **120**, 254
 (La_{1-x}Nd_x)CrO₃ ($0 \leq x \leq 1.0$), electrical properties and crystal structure, relationship, **114**, 236
 NdAgSb₂
 with HfCuSi₂-type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 NdT₂Al₂₀ ($T = \text{Ti, Mo, W}$), with CeCr₂Al₂₀-type structure, **114**, 337
 Nd₆T₄Al₄₃ ($T = \text{Ti, V, Nb, Ta}$), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131
 NdBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36
 Nd₂Ba₂Cu₂Ti₂O_{11- δ} , synthesis, structure, and superconductivity, **119**, 224
 Nd_{1-x}Ca_xFeO_{3-y}, nonstoichiometry and physical properties, analysis, **114**, 265
 (Nd_{2/3}Ce_{1/3})₄(Ba_{2/3}Nd_{1/3})₄Cu₆O_{16+x}, **120**, 146
 Nd_{2-x}Ce_xCuO₄
 FT-IR skeletal study, **119**, 36
 oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491
 Nd(Cr_{1-x}Mn_x)O₃ ($0 \leq x \leq 0.6$), cation-anion-cation overlap and electrical properties, relationship, **118**, 367
 NdCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
 Nd₂CuO₄-Nd₂CuO₄, superconductivity, after treatment under oxidizing conditions, **115**, 540
 Nd_{1-x}A_xMnO₃ ($A = \text{Ca, Sr, Ba, Pb}$), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
 NdMnO_{3+y}, crystal and defect structure and oxygen nonstoichiometry, **118**, 53
 Nd_{1-x}A_xNiO₃ ($A = \text{Sr, Th}$; $0 \leq x \leq 0.1$), hole and electron doping, **116**, 146
 NdNiO₃ electrochemical synthesis and ferromagnetism, **114**, 294
 Nd₃Ni₂O_{10- δ} , synthesis, structure, and properties, **117**, 236
 NdAO₄ ($A = \text{Nb, Ta}$), relationship between covalence and displacive phase transition temperature, **116**, 28
 Nd₂O₃, cation array structure, **119**, 131
 Nd₂O₃-Pr₆O₁₁-CuO, phase relations, **115**, 291
 Nd_{1-x}Sr_xCoO_{3- δ} solid solutions, oxide ion conduction, **120**, 128
 MNdTa₆Br₁₈ ($M = \text{K, Rb, Cs}$), crystal structure, **118**, 274
 NdTa₆Br₁₈, crystal structure, **118**, 274
 M₂NdTa₆Br₁₅O₃ ($M = \text{monovalent cation}$), synthesis and crystal structure, **120**, 43
 Nd₂(TeO₃)₃ and Te₄O₁₁, tellurite formation, enthalpy determination, **118**, 210
 Nd_{1-x}A_xTiO₃ ($A = \text{Ca, Sr, Ba}$; $0 \leq x \leq 1$), structure, transport, and magnetic properties, **114**, 164
 Pb_{2-x}Nd_xRu₂O_{7-y}, synthesis, crystal structure, and electrical properties, **114**, 15
 PrPd₃As₂ arsenides, preparation, **115**, 37
 rare-earth mixed oxide, magnetic susceptibility effect of crystal field, **114**, 52
 Sm_{1-x}Nd_xNiO₃, preparation and metal-insulator properties, **120**, 157
 SrNdGa_{1-x}Mn_xO₄, mixed valent oxide ceramic, superconducting properties, **116**, 355
 Sr_{1+x}Nd_{1-x}MnO₄, mixed valent oxide ceramic, superconducting properties, **116**, 355
 Neptunium
 NaCl-type compound, thermodynamic and magnetic properties, **115**, 66
 Neutron diffraction, *see also* Powder neutron diffraction
 (Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6- δ} compounds with (NH₄)₄FeF₆ structure type, **115**, 197
 R₂Cu₂O₅ ($R = \text{Yb, Tm, Er, Y, Ho}$), **115**, 324
 LiCuO₂, symmetry, **114**, 590
 Li_{1-x}H_xIO₃, proton localization, **115**, 309
 Y₂(Zr_xTi_{1-y})₂O₇, Rietveld analysis of disorder from Zr substitution, **117**, 108
 Nickel
 AuNi₂Sn₄, crystal structure, **119**, 142
 Ba₂NiM^{IV}F₇Cl ($M' = \text{Mn}^{2+}, \text{Fe}^{2+}, \text{Co}^{2+}, \text{Ni}^{2+}, \text{Zn}^{2+}$), synthesis, magnetic behavior, and structural study, **115**, 98
 Ba₂Ni₂F₇Cl, synthesis, magnetic behavior, and structural study, **115**, 98
 Ca_{1-x}Sr_xNiN ($0 \leq x \leq 0.5$), solid solutions, preparation, crystal structure, and properties, **115**, 353
 EuNiO₃, preparation, crystal structure, and metal-insulator transition, **120**, 170
 KNiPS₄, with one- and two-dimensional structural arrangements, addendum, **116**, 107; **117**, 432

- $\text{La}_2\text{NiIrO}_6$, structure and magnetic properties, **116**, 199
 LaNiO_3 , preparation by sol-gel process, **116**, 157
 mixed valent oxide ceramics, superconducting properties, **116**, 355
 $\text{NaCa}_2\text{Ni}_2(\text{AsO}_4)_3$, structure, **118**, 267
 NdNiO_3 electrochemical synthesis and ferromagnetism, **114**, 294
 Ni ions, location and reducibility in HEU-type zeolites, **114**, 108
 Ni-Al-M ($M = \text{Cr, Fe}$), synthesis and characterization, **118**, 285
 NiAs filled structure, GdRuC_2 with, **118**, 158
 $\text{NiAs-Ni}_2\text{In}$, intermetallic phases, superstructures in, analysis, **118**, 313
 NiAs_2O_6 , structural and magnetic properties, **118**, 402
 $\text{Ni}_2\text{As}_2\text{O}_7$, magnetic properties and structures, **115**, 229
 NiCo_2O_4 , preparation by sol-gel process, **116**, 157
 $\text{Ni}_{0.39}\text{Fe}_{2.61}\text{O}_{4-\delta}$, in analysis of CO_2 decomposition to carbon, **120**, 64
 $(\text{Ni}_{1-x}\text{Mg}_x)_6\text{MnO}_8$, crystal structure and magnetic properties, **118**, 112
 $\text{Ni}_x\text{Mo}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
 $R_{1-x}A_x\text{NiO}_3$ ($R = \text{La, Nd}$; $A = \text{Sr, Th}$; $0 \leq x \leq 0.1$), hole and electron doping, **116**, 146
 $\text{Ln}_4\text{Ni}_3\text{O}_{10-\delta}$ ($\text{Ln} = \text{La, Pr, Nd}$), synthesis, structure, and properties, **117**, 236
 $\text{Ni}_{1.28(2)}\text{Si}_{1.28(4)}\text{P}_3$, crystal structure, **114**, 476
 NiSi_2P_3 , crystal structure, **114**, 476
 NiU_2O_6 , antiferromagnetic ordering, **114**, 595
 $\text{Ni}_x\text{W}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
 $\text{Sm}_{1-x}\text{Nd}_x\text{NiO}_3$, preparation and metal-insulator properties, **120**, 157
 $\text{Sr}_3\text{NiIrO}_6$, structure and magnetic properties, **117**, 300
 SrNiN , preparation, crystal structure, and properties, **115**, 353
 $\text{U}_3\text{Ni}_{3.34}\text{P}_6$, preparation, crystal structure, and physical properties, **116**, 307
 γ -Nickel oxyhydroxides
 iron-substituted, iron oxidation state in, analysis, **114**, 6
 Niobium
 $\text{BaNb}_{0.8}\text{S}_{3-\delta}$, structure and physical properties, **115**, 427
 BaNbS_3 , structure and physical properties, **115**, 427
 $\text{Bi}_{2-x}\text{Nb}_x\text{O}_{3+x}$, solid solution, electron diffraction study, **119**, 311
 $(\text{BiS})_{1.11}\text{NbS}_2$, layered composite crystal structure, **116**, 61
 $(\text{BiS})_{1+\delta}(\text{Nb}_{1+\epsilon}\text{S}_2)_n$, misfit layer structures, analysis by TEM and XRD, **115**, 274
 $\text{CsNbOB}_2\text{O}_5$, synthesis and characterization, **120**, 74
 CuNb_2O_6 , lithium insertion characteristics, **118**, 193
 $\text{Cu}_x\text{Zn}_{1-x}\text{Nb}_2\text{O}_6$, structural relations, **115**, 476
 $(\text{Gd}_x\text{Sn}_{1-x}\text{S})_{1.16}(\text{NbS}_2)_3$, crystal structure and synthesis, **114**, 435
 $\text{H}_x\text{Nb}_2\text{O}_5$, electrochemical investigations, **115**, 260
 $\text{In}_x\text{Nb}_3\text{Se}_4$, multilayer precursor synthesis, **117**, 290
 $\text{KNb}_5\text{GeO}_{16} \cdot 2\text{H}_2\text{O}$, with 2D channel network, **115**, 373
 La_3NbO_7 , structural analysis, **116**, 103
 LiNbO_3
 MgO-doped, defect structure model, **118**, 148
 relationship between covalence and displacive phase transition temperature, **116**, 28
 $\text{LiNb}(\text{OH})\text{OPO}_4$, structural analysis by XRD and EXAFS, **114**, 317
 $\text{NaNb}_x^{IV}(\text{Ti, Zr})_{2-x}(\text{PO}_4)_3$ ($0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 $\text{Nb}_6\text{T}_4\text{Al}_{43}$ ($T = \text{Ti, V, Nb, Ta}$), with $\text{Ho}_6\text{Mo}_4\text{Al}_{43}$ -type structure, preparation, **116**, 131
 NbN_x , synthesis by pulsed laser desorption and characterization, **117**, 294
 NbO , TT-Phase, reaction with CCl_4 , kinetic mechanism, **117**, 379
 RNbO_4 ($R = \text{Y, La-Lu}$), relationship between covalence and displacive phase transition temperature, **116**, 28
 Nb_2O_5 , effect of laser irradiation, letter to editor, **118**, 417
 $\text{Nb}_2\text{O}_5/\text{TiO}_2$ photocatalysts, surface acidity and photocatalytic activity, **115**, 187
 $\text{NbP}_2\text{O}_7\text{h}$, with cubic structure, preparation, **119**, 98
 $\text{Nb}_{2-x}\text{P}_{3-y}\text{O}_{12}$, preparation, composition, and structure, **116**, 335
 Nb_3SBr_7 , synthesis, crystal structure, and magnetic susceptibility, **120**, 311
 $\text{Nb}_x\text{A}_y\text{Te}_z$ ($A = \text{Si, Ge}$; $1/3 \leq x \leq 1/2$), origin of short interslab Te-Te contacts in, analysis, **119**, 394
 $\text{Nb}_4\text{W}_{13}\text{O}_{47}$, oxidation products, analysis by TEM, **120**, 268
 $\text{Nb}_7\text{W}_{10}\text{O}_{47}$, oxidation products, transmission electron microscopy analysis, **119**, 420
 Slater functions, formulation by distance between subspaces, **116**, 275
 SrNb_4O_6 , crystal structure, **114**, 301
 $\text{Ti}_2\text{Nb}_2\text{O}_{6+x}$ ($0 \leq x \leq 1$) solution, continuous cubic pyrochlore type, **114**, 575
 $\text{UNb}_2\text{Al}_{20}$, with $\text{CeCr}_2\text{Al}_{20}$ -type structure, **114**, 337
 Nitrogen
 $\text{Al}_{28}\text{O}_{21}\text{C}_6\text{N}_6$, diamond-related compound in system $\text{Al}_2\text{O}_3\text{-Al}_4\text{C}_3\text{-AlN}$, identification, **120**, 211
 $\text{Al}_4(\text{PO}_4)_3(\text{HPO}_4)\text{F}_6 \cdot (\text{N}_2\text{C}_6\text{H}_{18})_{2.5} \cdot 3\text{H}_2\text{O}$, synthesis and crystal structure, **120**, 197
 $[\text{Ba}_2(\text{H}_2\text{O})_{10}][\text{Fe}(\text{CN})_5\text{NO}]_2 \cdot 3\text{H}_2\text{O}$, hydrogen-bonding system, **114**, 102
 Ba_2ZnN_2 , synthesis and crystal structure, **119**, 375
 Bi_3NF_6 , synthesis and structure, **114**, 73
 BN, crystalline cubic thin films, hot-filament-assisted electron beam deposition, **118**, 99
 Ca_3CoN_3 , preparation, crystal structure, electrical properties, and magnetic properties, **119**, 161
 -carbon-boron system, properties and preparation, **114**, 258
 -carbon polymers, high-pressure synthesis, **117**, 229
 $\text{Ca}_{1-x}\text{Sr}_x\text{NiN}$ ($0 \leq x \leq 0.5$) solid solutions, preparation, crystal structure, and properties, **115**, 353
 $(\text{Ca, Th})(\text{N, O})$ and $(\text{Sr, Th})(\text{N, O})$ phases, synthesis and characterization, **120**, 372
 $\text{Cd}_{2-x}\text{GeO}_{4-x-3y}\text{N}_{2y}$, preparation and characterization, **119**, 304
 $\text{CeK}_2(\text{NO}_3)_6$, double valence change for cerium during thermal decomposition, letter to editor, **115**, 295
 $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, analysis by infrared, polarized Raman, and SERS spectroscopy, **114**, 129
 $[n\text{-C}_9\text{H}_{19}\text{NH}_3]_2\text{CuCl}_4$, characterization by FTIR, **117**, 97
 $2(\text{C}_6\text{H}_5\text{NH}_3) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$, crystal structure, determination from powder data, **117**, 103
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, transport, optical, and magnetic properties, **114**, 159
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 41\text{H}_2\text{O}$, X-ray diffraction and NMR analysis, **120**, 231
 $\text{Cu}(\text{C}_4\text{H}_5\text{N}_3)_2\text{Cl}_2$, synthesis and characterization, **117**, 333
 $\text{Cu}^{II}(\text{1,4-C}_4\text{H}_4\text{N}_2)(\text{C}_4\text{O}_4)(\text{OH}_2)_4$, synthesis and structure determination with silica gels, **117**, 256
 $\text{Cu}_2(\text{OH})_3\text{NO}_3$, magnetic behavior and exchange coupling, single crystal study, **116**, 1
 $\text{La}_2\text{O}_2\text{CN}_2$, synthesis and crystal structure, **114**, 592
 $\text{Li}_{2.88}\text{PO}_{3.73}\text{Nb}_{0.14}$, with $\gamma\text{-Li}_3\text{PO}_4$ structure, synthesis, crystal structure, and ionic conductivity, **115**, 313
 $\text{Mn}_2(\text{MnTa}_3)\text{N}_{6-\delta}\text{O}_{2+\delta}$ ($0 \leq \delta \leq 1$), synthesis, structure, and magnetic susceptibility, **117**, 48
 $(\text{Mn}_x\text{Zn}_{1-x})(\text{OH})(\text{NO}_3)\text{H}_2\text{O}$ ($x = 0.53, 1.00$), synthesis and characterization, **118**, 28
 NbN_x , synthesis by pulsed laser desorption and characterization, **117**, 294
 $\text{N}(\text{CH}_3)_4\text{H}_2\text{PO}_4 \cdot \text{H}_2\text{O}$, FT-IR and polarized Raman spectra, **120**, 343
 $[\text{NH}_3-(\text{CH}_2)_2-\text{NH}_2-(\text{CH}_2)_2-\text{NH}_3]_2\text{P}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, structural, DSC, and IR analysis, **114**, 42
 NH_2HSO_3 , analysis by vibrational and surface enhanced Raman scattering, **116**, 217
 P_4ON_6 , crystal structure, **115**, 265
 $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}]_2$, preparation and structural characterization, **114**, 506

- $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}] \cdot [(\text{CH}_3)_3\text{NH}]$, preparation and structural characterization, **114**, 506
 $(\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O})$, crystal structure, determination by X-ray diffraction, **120**, 1
 SrNiN , preparation, crystal structure, and properties, **115**, 353
 Sr_2ZnN_2 , synthesis and crystal structure, **119**, 375
 Ta_2N , formation by air ignition, letter to editor, **119**, 207
 TaThN_3 , synthesis, **120**, 378
 $(\text{V}^{\text{IV}})[\text{V}^{\text{VO}_4}] \cdot 0.5[\text{C}_3\text{N}_2\text{H}_{12}]$, synthesis, crystal structure, and structural correlations with V_2O_5 and other vanadyl compounds, **120**, 137
 V-Me-O-N ($\text{Me} = \text{Mo, W}$), synthesis by temperature-programmed reaction, **116**, 205
 $(\text{Zn}_x\text{Cu}_{1-x})(\text{OH})_{2-y}(\text{NO}_3)_y \cdot z\text{H}_2\text{O}$, cation distribution and coordination chemistry, structural and spectroscopic study, **118**, 303
- Nonstoichiometry
 oxygen
 $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+\delta}$, **119**, 120
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$, **119**, 120
 $(\text{Nd}_{2/3}\text{Ce}_{1/3})_4(\text{Ba}_{2/3}\text{Nd}_{1/3})_4\text{Cu}_6\text{O}_{16+x}$, **120**, 146
 in $\text{NdMnO}_{3-y}\text{PrMnO}_{3+y}$, **118**, 53
 $\text{YBa}_2\text{Cu}_3\text{O}_y$, measurement by vapor pressure scanning, **119**, 62
- Nuclear magnetic resonance
 ^{27}Al and ^{13}C , Al-O-R-O-Al gels, **119**, 319
 ^{29}Si , magic-angle spinning, in analysis of $\text{Cs}_4\text{Sb}_4\text{O}_8(\text{Si}_{4(x)}\text{Ge}_{4-x}\text{O}_{12})$ solid solution, **114**, 528
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 41\text{H}_2\text{O}$, **120**, 231
- Nucleation
 $\text{Pb}_{10}(\text{PO}_4)_6(\text{OH})_2$ kinetics, analysis by X-ray and IR spectroscopy, **116**, 8

O

- Optical analysis
 $\text{KMgLa}(\text{PO}_4)_2$ doped with Eu, **114**, 282
- Optical energy gap
 $(\text{AgIn})_2(1-z)(\text{MnIn}_2)_z\text{Te}_4$, **114**, 539
- Optical properties
 $\text{BaEu}(\text{CO}_3)_2$, correlation to crystallographic structure, **116**, 286
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, **114**, 159
 $\text{Co}_x\text{Cd}_{1-x}\text{In}_2\text{S}_4$ spinel solid solutions, **114**, 524
 copper sulfide films of variable composition, **114**, 469
 $\text{Na}_3\text{La}_2(\text{CO}_3)_4\text{F}:\text{Eu}^{3+}$, correlation to crystallographic structure, **116**, 286
 $\text{Zn}_{1-z}\text{Mn}_z\text{Ga}_2\text{Se}_4$, **115**, 416
- Ordering
 antiferromagnetic, CoU_2O_6 , NiU_2O_6 , antiferromagnetic ordering, **114**, 595
 BaMnO_{3-y} ($0.22 \leq y \leq 0.40$), **117**, 21
 cations, in BaBiO_2Cl , **117**, 201
 and defect structure, 1201, 1212, and 1222 (Hg, Pr)- Sr -(Sr, Ca, Pr)- Cu -O superconductors, **114**, 369
 double cationic, $\text{HgBiSr}_7\text{Cu}_2\text{SbO}_{15}$, **116**, 53
 magnetic, *see* Magnetic ordering
 $\text{Si}_{1-x}\text{C}_x$: H alloys, **117**, 427
- Oxidation, *see also* Reoxidation
 $\text{Nb}_7\text{W}_{10}\text{O}_{47}$, transmission electron microscopy analysis of products, **119**, 420
- Oxidation state
 iron, in iron substituted γ -nickel oxyhydroxides, analysis, **114**, 6
 $\text{Pb}_{1-x}\text{In}_x\text{Te}$ ($x = 0.56$), **116**, 33
- Oxides
 and ceramics, effects of ultrasound, macro- and microscopic analysis, **115**, 532

- Oxygen
 content variations in $\text{Ln}_{2-x}\text{Ce}_x\text{CuO}_4$, effect of internal stress, analysis by thermogravimetry, **114**, 491
 defects
 effects on strong-metal-support interaction between Pt TiO_2 (rutile)(110) surface, **119**, 237
 on $\text{SrCoO}_{3-\delta}$, effects on electronic states, **119**, 76
 deficiency in $(\text{La}_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{16+\delta}$, relationship to structure, **115**, 490
 at high pressure
 perovskite lattice of $\text{La}_{1-x}\text{Sr}_x\text{CuO}_3$ under, mixed valence Cu(III)/Cu(IV) in, stabilization, **114**, 88
 stabilization of
 mixed valence Cu(III)/Cu(IV) in perovskite lattice of $\text{La}_{1-x}\text{Sr}_x\text{CuO}_3$, **114**, 88
 Sr_2MnO_6 ($M = \text{Ca, Mg}$), **115**, 447
 in synthesis of BaHgRuO_5 , **120**, 223
 LaFeO_3 , ion migration, **118**, 125
 nonstoichiometry in $\text{NdMnO}_{3-y}\text{PrMnO}_{3+y}$, **118**, 53
 and Sr, content in $\text{Pr}_{2-y}\text{Sr}_y\text{CuO}_{4-\delta}$, effect on microstructure and phase stability, **116**, 385
 stoichiometry in $\text{Sr}_3\text{Co}_2\text{O}_{7-y}$ ($0.94 \leq y \leq 1.22$), **115**, 499
- Oxygen coulometry
 Y-Cu-O system, analysis, **114**, 420

P

- Packings
 rod, *see* Rod packings
- Palladium
 $\text{CePd}_{2-x}\text{As}_2$, with ThCr_2Si_2 structure, structure refinement, **115**, 37
 LaPd_2O_4 , synthesis, **114**, 206
 LnPd_3As_2 ($\text{Ln} = \text{La-Nd, Sm, Gd}$) arsenides, preparation, **115**, 37
 Pd_9Si_2 , solubility of deuterium and hydrogen in, **120**, 90
 Slater functions, formulation by distance between subspaces, **116**, 275
 $-\text{TiO}_2$ films, photoassisted decomposition of salicylic acid, **119**, 339
- Passivation
 MOS capacitors, by fluoride-containing $\text{ZnO-B}_2\text{O}_3\text{-SiO}_2\text{-P}_2\text{O}_5$ glasses, OH-related capacitance-voltage recovery effect in, **118**, 212
- Perovskite lattice
 $\text{La}_{1-x}\text{Sr}_x\text{CuO}_3$, mixed valence Cu(III)/Cu(IV) in, stabilization under high oxygen pressure, **114**, 88
- Perovskites
 $\text{BaCe}_y\text{Pr}_{1-y}\text{O}_3$, **119**, 405
 $\text{Ln}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11-\delta}$ ($\text{Ln} = \text{La-Tb}$), **119**, 224
 BaPrO_3 , **119**, 405
 $\text{REBa}_2\text{SbO}_6$ ($\text{RE} = \text{Pr, Sm, Gd}$), synthesis and characterization, as substrates for $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$, **116**, 193
 $\text{CaFeTi}_2\text{O}_6$, high-pressure synthesis and crystal structure, **114**, 277
 CeVO_3 , magnetic and transport properties, **119**, 24
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, conducting halide, transport, optical, and magnetic properties, **114**, 159
 $A, A'\text{CoRuO}_6$ ($A, A' = \text{Sr, Ba, La}$), **114**, 174
 $\text{Eu}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 icosahedral-type, displacive crystallographic phase transition for, model, **119**, 364
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Sn}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{LaMnO}_{3+\delta}$, perovskite-type solid solutions, structural behavior, **114**, 516
 LaBO_3 ($B = \text{Cr, Mn, Fe, Co}$), oxygen ion migration, **118**, 125
 $\text{La}_{0.2}\text{Sr}_{0.8}\text{Cu}_{0.4}\text{M}_{0.6}\text{O}_{3-y}$ ($M = \text{Co, Fe}$), synthesis, **119**, 260

- La_{6.4}Sr_{1.6}Cu₈O₂₀, tetragonal, ordered substitution of iron for copper, **115**, 469
- Na_{2/3}Th_{1/3}TiO₃, synthesis, letter to editor, **120**, 207
- Nd_{1-x}Ca_xFeO_{3-y}, nonstoichiometry and physical properties, analysis, **114**, 265
- Nd_{1-x}A_xTiO₃ ($A = \text{Ca, Sr, Ba}$; $0 \leq x \leq 1$), structure, transport, and magnetic properties, **114**, 164
- phases in Sm_{1-x}Sr_xCuO_{2.5-x/2+δ} PLD thin films, **116**, 37
- Pr_{0.7}Sr_{0.05}Ca_{0.25}MnO_{3-δ}, effects of spectacular giant magnetoresistance, **117**, 424
- related blocks, Aurivillius phases, Raman modes, temperature and polarization dependence, **114**, 112
- related compound, Y₂Ba₃Cu₃Co₂O₁₂, synthesis by solid state reaction, **115**, 407
- Sm_{1-x}Nd_xNiO₃, preparation and metal-insulator properties, **120**, 157
- Sm₂Sr₆Cu₈O_{17+δ} films, analysis by HREM, **116**, 300
- Sr_yBa_{1-y}PrO₃, **119**, 405
- SrCoO_{3-δ}, electronic states, effects of oxygen, **119**, 76
- Sr₂MnO₆ ($M = \text{Ca, Mg}$), preparation and stabilization by high oxygen pressure, **115**, 447
- TaThN₃, synthesis, **120**, 378
- Tb₂Ba₂Cu₂Ti₂O₁₁, synthesis and crystal structure, **117**, 213
- Phase analysis
- quantitative X-ray, Y₂BaCuO₅-YBa₂Cu₃O_{6+x}, **116**, 136
- Phase behavior
- solid-phase, [H-C₉H₁₉NH₃]₂CuCl₄, characterization by FTIR, **117**, 97
- Phase composition
- Co-Li₂CO₃, *erratum*, **116**, 15; **117**, 433
- NiAs-Ni₂In, intermetallic-type, superstructures in, analysis, **118**, 313
- Phase diagram
- Ag₂S-Ga₂S₃-GeS₂, analysis by DTA and XRD, **117**, 189
- Ag₂SO₄-Ti₂SO₄, **114**, 271
- Ce_{0.818}Gd_{0.182}O_{1.909-y}, nonstoichiometric 10 mol%, **117**, 392
- AlCl/TbCl₃ ($A = \text{K, Rb, Cs}$), **115**, 484
- La₂O₃-Mn₂O₃, **114**, 516
- LiF-ZrF₄, reanalysis with Li₄ZrF₈ and Li₃Zr₄F₁₉ crystal structures, **120**, 187
- T(z), (AgIn)_{2(1-z)}(MnIn₂zTe₄, **114**, 539
- YbI₂-Al ($A = \text{Na, K, Rb, Cs}$) phase diagrams, measurement and calculation, **114**, 146
- Phase relations
- Nd₂O₃-Pr₆O₁₁-CuO ternary system, **115**, 291
- Phase stability
- Bi_{1.8}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+δ} and Bi₂Sr₂CaCu₂O_{8+δ}, **119**, 120
- Phase transformation
- Pb₄(PO₄)₂CrO₄, **116**, 179
- Zn₂P₂O₇, analysis, **119**, 219
- Phase transitions
- Bi₂MoO₆, structural changes in, analysis, letter to editor, **119**, 210
- Bi₂Ti₄O₁₁, *in situ* analysis, **119**, 281
- CsHSO₄, **117**, 412; 414
- CuS_{1-x}Se_x ($0 \leq x \leq 1$), analysis by X-ray diffractometry, **118**, 176
- displacive crystallographic, for A15-type superconductor alloys and icosahedral-type perovskites, **119**, 364
- successive, in ACu_yS₄ ($A = \text{Ti, K, Rb}$), **115**, 379
- temperature, displacive, RAO₄ and LIAO₃, ($R = \text{rare earth elements}$; $A = \text{Nb, Ta}$), relationship with covalence, **116**, 28
- Phasoids
- in Sm_{1-x}Sr_xCuO_{2.5-x/2+δ} PLD thin films, **116**, 37
- Phosphorus
- AgMn₃(PO₄)(HPO₄)₂, synthesis and structure, **117**, 206
- AgV₂(PO₄)₂P₂O₇, crystal structure determination, **115**, 521
- Al₄(PO₄)₃(HPO₄)F₆, (N₂C₆H₁₈)_{2.5}, 3H₂O, synthesis and crystal structure, **120**, 197
- BaMo(PO₄)₂, with yavapaiite layer structure, synthesis and characterization, **116**, 364
- BaVO(PO₄)(H₂PO₄) · H₂O, synthesis, structure, and magnetism, **118**, 241
- Ba₈(VO)₆(PO₄)₂(HPO₄)₁₁ · 3H₂O, hydrothermal synthesis and crystal structure, **116**, 77
- Ca_{10-x-y}Cd_xPb_y(PO₄)₆(OH)₂, solid solutions, analysis by X-ray and IR spectroscopy, **116**, 8
- Ca₁₀(PO₄)₆(OH)₂, induced radiation damage, analysis by TEM, **116**, 265
- Co₂(OH)PO₄, structure-directing effect of organic additives, **114**, 151
- Cs₉Mo₉Al₃P₁₁O₅₉ with tunnel structure, isolation, **114**, 451
- CsMo₂O₃(PO₄)₂, mixed valent monophosphate with layer structure, **116**, 87
- Cs(TiP)O₅, crystal structure, **120**, 299
- α- and β-CsTi₃P₅O₁₉, synthesis and crystal structure, **115**, 120
- CuCrP₂S₆, copper disorder, stacking distortions, and magnetic ordering, **116**, 208
- Cu_{0.5}(OH)_{0.5}[VOPO₄] · 2H₂O, hydrothermal synthesis and crystal structure, **117**, 157
- Cu_{0.5}[VOPO₄] · 2H₂O, hydrothermal synthesis and crystal structure, **117**, 157
- M₂HPO₄-M'₂HPO₄-H₂O ($M, M' = \text{Na, K, NH}_4$), electrical conductivity measurements, **119**, 68
- InPO₄-1, synthesis and characterization, **117**, 373
- K₂Ba_{2-x}Sb_xO₉(PO₄)₂ ($0 < x < 0.4$), synthesis and structure, **114**, 399
- KH₂PO₄, crystal structure, **114**, 219
- KMgLa(PO₄)₂ doped with Eu, optical and structural investigation, **114**, 282
- KMo(H₂O)₂O₂PO₄, preparation, characterization, and structure, **118**, 153
- β-K₂Mo₂O₄P₂O₇, tunnel structure, **114**, 481
- K₃(Mo)₄(PO₄)₅ with tunnel structure, **114**, 61
- KNiPS₄, with one- and two-dimensional structural arrangements, addendum, **116**, 107; **117**, 432
- LiMoOP₂O₇, synthesis and structure determination, **120**, 260
- LiNb(OH)OPO₄, structural analysis by XRD and EXAFS, **114**, 317
- Li_{2.88}PO_{3.73}N_{0.14} with γ-Li₃PO₄ structure, synthesis, crystal structure, and ionic conductivity, **115**, 313
- δ₁-LiZnPO₄, preparation, structure determination, and thermal transformation, **117**, 39
- LiZnPO₄ · H₂O, light-atom positions in, location by powder neutron diffraction, **114**, 249
- LiZnPO₄, structure determination by *ab initio* methods, **114**, 249
- MgHOP₄ · 0.78H₂O, ambient pressure and temperature synthesis, **114**, 598
- [Mn(H₂O)]_{1/4}(VO)_{3/4}PO₄ · 2H₂O, synthesis, characterization, and intercalation of vanadyl phosphate with manganese, **116**, 400
- Mn₂VO(PO₄)₂ · H₂O, hydrothermal synthesis and structure, **115**, 76
- Na₄Al(PO₄)₂(OH), synthesis and characterization, **118**, 412
- α- and β-Na₂CuP₂O₇, crystal structure, **120**, 23
- Na₂GdOPO₄, solid-state synthesis, X-ray powder diffraction, and IR data, **120**, 275
- NaMn₃(PO₄)(HPO₄)₂, synthesis and structure, **115**, 240
- Na₃(MoO)₄(PO₄)₅, tunnel structure and synthesis, **114**, 543
- Na_{0.75}Mo_{1.17}W_{0.83}O₃(PO₄)₂, synthesis and crystal structure, **120**, 353
- NaM_x^{IV}(Ti, Zr)_{2-x}(PO₄)₃ ($M = \text{Nb, Mo}$; $0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
- NbP₂O₇, with cubic structure, preparation, **119**, 98
- Nb_{2-x}P_{3-y}O₁₂, preparation, composition, and structure, **116**, 335
- N(CH₃)₄H₂PO₄ · H₂O, FT-IR and polarized Raman spectra, **120**, 343
- [NH₃-(CH₂)₂-NH₂-(CH₂)₂-NH₃]₂P₆O₁₈ · 2H₂O, structural, DSC, and IR analysis, **114**, 42

- $\text{NH}_4\text{Mo}(\text{H}_2\text{O})\text{O}_2\text{PO}_4$, preparation, characterization, and structure, **118**, 153
- $\text{NH}_4\text{Sn}_2(\text{PO}_4)_3$, hydrothermal synthesis and characterization, **119**, 197
- $\text{Ni}_{1.282(4)}\text{Si}_{1.284(5)}\text{P}_3$, crystal structure, **114**, 476
- NiSi_2P_3 , crystal structure, **114**, 476
- $\text{PbCo}_7(\text{P}_2\text{O}_7)_2$, crystal structure, **118**, 202
- $\text{PbFe}_3(\text{P}_2\text{O}_7)_2$, crystal structure, **118**, 202
- $\text{Pb}_4(\text{PO}_4)_2\text{CrO}_4$, phase transformation, **116**, 179
- $\text{Pb}_{10}(\text{PO}_4)_6(\text{OH})_2$, nucleation kinetics, analysis by X-ray and IR spectroscopy, **116**, 8
- $\text{Pb}_3(\text{V,P})_2\text{O}_8$, electronic lone pair localization and electrostatic energy calculations, **114**, 459
- $(\text{PO}_4)^{3-}$, in Li_3AsO_4 , vibrational behavior, **115**, 83
- MP_2O_7 ($M = \text{Mo, W}$), synthesis and magnetic and electrical properties, **115**, 146
- $\text{Ln}_2\text{P}_6\text{O}_{18} \cdot 10\text{H}_2\text{O}$, preparation and characterization, **119**, 203
- P_4ON_6 , crystal structure, **115**, 265
- $\text{Ru}_2\text{P}_6\text{O}_{18}$, preparation and crystal structure, **119**, 107
- $\text{Ru}(\text{PO}_3)_3 \cdot \text{Ru}_2\text{P}_6\text{O}_{18}$, preparation and crystal structure, **119**, 107
- $\text{M}_{1/2}\text{Sb}_{5/2}(\text{PO}_4)_3$ ($M = \text{Y, In, Sc}$), preparation and crystal structure, **118**, 104
- $\text{Sb}_2(\text{PO}_4)_3$, preparation and crystal structure, **118**, 104
- M_5SnP_3 ($M = \text{Na, K}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
- ThFe_3P_3 , crystal structure, **117**, 80
- $\text{Th}_4\text{Fe}_{17}\text{P}_{10}\text{O}_{1-x}$, crystal structure, **117**, 80
- $\text{TiO}_2\text{-NaPO}_3\text{-Na}_2\text{B}_4\text{O}_7$ system, optically nonlinear glasses, Raman scattering and XAFS analysis, **120**, 151
- TlBePO_4 , and TlBeAsO_4 stereochemical activity of thallium (I) lone pair, **114**, 123
- $\text{U}_3\text{Ni}_{3.34}\text{P}_6$, preparation, crystal structure, and physical properties, **116**, 307
- $\text{VOHPO}_4 \cdot 1/2\text{H}_2\text{O}$, transformation to $\gamma\text{-(VO)}_2\text{P}_2\text{O}_7$, **119**, 349
- $\text{ZnO-B}_2\text{O}_3\text{-SiO}_2\text{-P}_2\text{O}_5$, fluoride-containing glasses, MOS capacitors passivated by, OH-related capacitance-voltage recovery effect in, **118**, 212
- $\text{Zn}_2(\text{OH})\text{PO}_4$, structure-directing effect of organic additives, **114**, 151
- $\text{Zn}_2\text{P}_2\text{O}_7$, phase transformations, analysis, **119**, 219
- $\text{Zn}_3\text{V}_4(\text{PO}_4)_6$, structure determination, **115**, 140
- $\text{Zr}(\text{O}_3\text{PC}_6\text{H}_5)_x(\text{HPO}_4)_{2-x}$, synthesis and stability, **117**, 275
- $\text{Zr}_2(\text{WO}_4)(\text{PO}_4)_2$, structure determination by powder X-ray diffraction, **120**, 101
- Photocatalysts**
- fumed titanium dioxide, microstructural characterization, **115**, 236
- $\text{Nb}_2\text{O}_5/\text{TiO}_2$, surface acidity, **115**, 187
- Platinum**
- $\text{Ln}_2\text{Ba}_2\text{CuPtO}_8$ ($\text{Ln} = \text{Ho-Lu}$), synthesis and characterization, **120**, 316
- Pt and TiO_2 (rutile)(110) surface, strong-metal-support interaction between, effect of oxygen defect, **119**, 237
- Plutonium**
- NaCl -type compound, thermodynamic and magnetic properties, **115**, 66
- Polarization**
- dependence of Aurivillius phases Raman modes, **114**, 112
- Polarized Raman spectroscopy**
- $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, **114**, 129
- $\text{N}(\text{CH}_3)_4\text{H}_2\text{PO}_4 \cdot \text{H}_2\text{O}$, **120**, 343
- Poly(acrylic acid)**
- $\text{LaMnO}_{3+\delta}$ synthesized with, surface characterization, **116**, 343
- Polychalcogenides**
- rare-earth salts, synthesis by moderate temperature solid-state metathesis, **117**, 318
- Polymers**
- carbon-nitrogen, high-pressure synthesis, **117**, 229
- Polymorphism**
- reversible, garnet-alluaudite, evidence in $\text{NaCa}_2\text{M}_2^+(\text{AsO}_4)_3$ ($M^{2+} = \text{Mg, Ni, Co}$) structure, **118**, 267
- Potassium**
- $\text{CeK}_2(\text{NO}_3)_6$, double valence change for cerium during thermal decomposition, letter to editor, **115**, 295
- $\text{M}_2\text{HPO}_4\text{-K}_2\text{HPO}_4\text{-H}_2\text{O}$ ($M = \text{Na, K, NH}_4$), electrical conductivity measurements, **119**, 68
- $\text{K}_2\text{Ag}_2\text{SnTe}_4$, synthesis and characterization, **117**, 247
- KAlSiO_4 polymorphs, synthesis and characterization on $\text{SiO}_2\text{-KAlO}_2$ join, **115**, 214
- $\text{K}_{2-x}\text{Ba}_{2-x}\text{Sb}_4\text{O}_9(\text{PO}_4)_2$ ($0 < x < 0.4$), synthesis and structure, **114**, 399
- $\text{K}_2\text{BaSnTe}_4$, synthesis and characterization, **117**, 247
- KCl/TbCl_3 ternary chlorides in, analysis, **115**, 484
- $\text{K}_{3/2}\text{Cr}_{1/2}\text{Te}_{3/2}\text{O}_6 \cdot 0.5\text{H}_2\text{O}$, electrical properties and structural characterization, **116**, 290
- $\text{KX-CuX}_2 \cdot \text{H}_2\text{O}$ ($X^- = \text{Cl}^-, \text{Br}^-$), double salts, **114**, 385
- KCu_7S_4 , physical properties and successive phase transitions, **115**, 379
- KeFeS_2 , tetrahedral FeS^5 -unit containing, X-ray absorption spectra, **119**, 380
- KH_2PO_4 , crystal structure, **114**, 219
- $\text{K}_2\text{HPO}_4\text{-M}_2\text{HPO}_4\text{-H}_2\text{O}$ ($M' = \text{Na, K, NH}_4$), electrical conductivity measurements, **119**, 68
- K_xIrO_2 , structural study, **118**, 372
- $\text{KMgLa}(\text{PO}_4)_2$ doped with Eu, optical and structural investigation, **114**, 282
- $\text{KMo}(\text{H}_2\text{O})\text{O}_2\text{PO}_4$, preparation, characterization, and structure, **118**, 153
- KMo_4O_6 , analysis of tetragonal forms, **117**, 217
- $\text{K}_2\text{Mo}_2\text{O}_{10} \cdot 3\text{H}_2\text{O}$, crystal structure, determination by direct method/powder diffraction package, **115**, 225
- $\beta\text{-K}_2\text{Mo}_2\text{O}_4\text{P}_2\text{O}_7$, tunnel structure, **114**, 481
- $\text{K}_3(\text{Mo})_4(\text{PO}_4)_5$ with tunnel structure, **114**, 61
- $\text{KNb}_5\text{GeO}_{16} \cdot 2\text{H}_2\text{O}$, with 2D channel network, **115**, 373
- KNiPS_4 , with one- and two-dimensional structural arrangements, addendum, **116**, 107; **117**, 432
- KOH**
- concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
- incipient chemical reaction with scratched silicon surface, **120**, 96
- K_5SnX_3 ($X = \text{P, As, Sb}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
- $\text{KRETa}_6\text{Br}_{18}$ ($\text{RE} = \text{La-Lu, Y}$), crystal structure, **118**, 274
- $\text{K}_2\text{RETa}_6\text{Br}_{18}$ ($\text{RE} = \text{Eu, Yb}$), crystal structure, **118**, 274
- $\text{K}_6[\text{TeMo}_6\text{O}_{24}] \cdot 7\text{H}_2\text{O}$, single crystals, infrared and polarized Raman spectra, **118**, 341
- $\text{K}_2\text{V}_3\text{O}_8$ fernesite-type vanadium oxides, magnetic susceptibility, **114**, 499
- $\text{KM}^{\text{III}}(\text{WO}_4)_2$ ($M^{\text{III}} = \text{Bi, Cr}$), vibrational properties, **117**, 177
- $\text{Na}_x\text{K}[\text{Cu}(\text{HfO}_6)_2] \cdot 12\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
- $\text{SiO}_2\text{-KAlO}_2$ join, synthesis and characterization of KAlSiO_4 polymorphs on, **115**, 214
- $\text{YbI}_2\text{-KI}$, phase diagrams, measurement and calculation, **114**, 146
- Powder diffraction**
- $2(\text{C}_6\text{H}_5\text{NH}_3) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$, in crystal structure determination, **117**, 103
- and direct method package, in analysis of $\text{K}_2\text{Mo}_2\text{O}_{10} \cdot 3\text{H}_2\text{O}$, **115**, 225
- $(\text{NH}_4)_2\text{Mo}_3\text{O}_{10} \cdot \text{H}_2\text{O}$, **116**, 422
- Powder neutron diffraction**
- $\gamma\text{-CaSO}_4$, $\text{CaSO}_4 \cdot 0.5\text{H}_2\text{O}$, and $\text{CaSO}_4 \cdot 0.6\text{H}_2\text{O}$, **117**, 165
- $\text{LiZnPO}_4 \cdot \text{H}_2\text{O}$ light-atom positions, **114**, 249

Powder X-ray diffraction

- Ag₃[Al₃Si₃O₁₂], Rietveld refinements at 298, 623, and 723 K, **115**, 55
 Ag₂S–Ga₂S₃–GeS₂, phase diagram, analysis by DTA and XRD, **117**, 189
 (Ba_{1-x}Sr_x)(Sr_{0.67}Bi_{0.33})(Pb_{1-y}Bi_y)O_{6-δ} compounds with (NH₄)₄FeF₆ structure type, **115**, 197
 BiLa₂O_{4.5}, **116**, 72
 (BiS)_{1+δ}(Nb_{1+x}S₂)_n, misfit layer structures, **115**, 274
 BiTeX (X = Cl, Br, I), in determination of crystal structure, **114**, 379
 CaCu_{0.15}Ga_{3.85}, in analysis of crystal structure, **114**, 342
 Ca₃HfSi₂O₉, **115**, 464
 γ-CaSO₄, CaSO₄ · 0.5H₂O, and CaSO₄ · 0.6H₂O, **117**, 165
 Ca₃ZrSi₂O₉, **115**, 464
 MgO–MgCl₂–H₂O, chemical reactions, analysis, **114**, 556
 Na₂GdOPO₄, **120**, 275
 MOCuSe (M = Bi, Gd, Dy), **118**, 74
 M(ReO₄)₂ · 4H₂O (M = Co, Zn), **115**, 255
 Sn_{1-p}Cr₂S_{4-p}, **115**, 7
 Y₂BaCuO₅–YBa₂Cu₃O_{6+x}, quantitative X-ray, **116**, 136
 YbI₂ · H₂O, in determination of crystal structure, **114**, 308
 (Zn_xCu_{1-x})(OH)_{2-y}(NO₃)_y · zH₂O, **118**, 303
 Zr₂(WO₄)(PO₄)₂, **120**, 101
- Praseodymium**
 BaCe_yPr_{1-y}O₃, magnetic properties, **119**, 405
 BaPrO₃, magnetic properties, **119**, 405
 Bi₃Pr₅O₁₂, related phases, synthesis and characterization, **116**, 68
 Cs₃PrCl₆ · 3H₂O, thermal dehydration and crystal structure, **116**, 329
 Hg_{2-x}M_xBa₂Pr₂Cu₂O_{10-δ} (M = Cu, Pr), synthesis and crystal structure, **114**, 230
 (Hg, Pr)–Sr–(Sr, Ca, Pr)–Cu–O, 1201, 1212, and 1222 superconductors, ordering principles and defect structures, **114**, 369
 (Hg_{1-x}M_x)(Sr, Ba)₂Pr₂Cu₂O_{9-δ} (M = Pr, Pb, Bi, Tl), synthesis and characterization, **115**, 525
 Nd₂O₃–Pr₆O₁₁–CuO, phase relations, **115**, 291
 PrAgSb₂
 with HfCuSi₂-type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 PrT₂Al₂₀ (T = Ti, Mo, W), with CeCr₂Al₂₀-type structure, **114**, 337
 PrBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36
 Pr₂Ba₂Cu₂Ti₂O_{11-δ}, synthesis, structure, and superconductivity, **119**, 224
 PrBa₂SbO₆, synthesis and characterization, as substrates for YBa₂Cu₃O_{7-δ}, **116**, 193
 PrCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305
 PrMnO_{3+y}, crystal and defect structure, and oxygen nonstoichiometry, **118**, 53
 PrMnOGeO₄, preparation and crystal structure, **120**, 7
 PrNbO₄, relationship between covalence and displacive phase transition temperature, **116**, 28
 Pr₄Ni₃O_{10-δ}, synthesis, structure, and properties, **117**, 236
 Pr₉O₁₆, crystal structure, **118**, 133
 Pr₂O₃
 cation array structure, **119**, 131
 monoclinic, identity with Pr_{9.33}(SiO₄)₆O₂, **120**, 38
 Pr₁₀O₁₈, crystal structure, **118**, 141
 PrPd₃As₂ arsenides, preparation, **115**, 37
 Pr₂P₆O₁₈ · 10H₂O, preparation and characterization, **119**, 203
 α-PrS₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
 PrSe₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
 Pr_{9.33}(SiO₄)₆O₂, identity with monoclinic Pr_{9.33}(SiO₄)₆O₂, **120**, 38
 Pr_{0.7}Sr_{0.05}Ca_{0.25}MnO_{3-δ}, effects of spectacular giant magnetoresistance, **117**, 424
 Pr_{1-x}Sr_xCoO_{3-δ} solid solutions, oxide ion conduction, **120**, 128
- Pr_{2-y}Sr_yCuO_{4-δ}, effect of oxygen and strontium content, **116**, 385
 MPrTa₆Br₁₈ (M = K, Rb, Cs), crystal structure, **118**, 274
 M₂PrTa₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43
 PrTe₃, synthesis by moderate temperature solid-state metathesis, **117**, 318
 Pr₄V₅Si₄O₂₂, with chevkinite structure, **116**, 211
 α-PrZr₃F₁₅ series, cationic distribution, **118**, 389
 rare-earth mixed oxide, magnetic susceptibility effect of crystal field, **114**, 52
 Sr_yBa_{1-y}PrO₃, magnetic properties, **119**, 405
 Y_{1-x}Pr_xSr₂Cu_{2.85}Re_{0.15}O₇, retarded Pr f hybridization and T_c suppression, **118**, 215
- Pressure, see also Vapor pressure scanning**
 high
 formation of rhenium hydride, *in situ* diffraction study, **118**, 299
 NaClO₃ behavior, **118**, 378
 oxygen, high, stabilization of
 mixed valence Cu(III)/Cu(IV) in perovskite lattice of La_{1-x}Sr_xCuO₃, **114**, 88
 Sr₂MfO₆ (M = Ca, Mg), **115**, 447
- Promethium**
 PmAO₄ (A = Nb, Ta), relationship between covalence and displacive phase transition temperature, **116**, 28
 Pm₂Ba₂Cu₂Ti₂O_{11-δ}, synthesis, structure, and superconductivity, **119**, 224
 Pm₂O₃, cation array structure, **119**, 131
 MPmTa₆Br₁₈ (M = K, Rb, Cs), crystal structure, **118**, 274
 PmTa₆Br₁₈, crystal structure, **118**, 274
 M₂PmTa₆Br₁₅O₃ (M = monovalent cation), synthesis and crystal structure, **120**, 43
- Pulsed laser deposition**
 NbN_x, synthesis, **117**, 294
 Sm_{1-x}Sr_xCuO_{2.5-x/2+δ} thin films, perovskite phases and phasoids, **116**, 37
 Sm₂Sr₆Cu₈O_{17+δ} perovskite thin films prepared by, HREM study, **116**, 300
- Pyrochlores**
 Pb_{2-x}Ln_xRu₂O_{7-y} (Ln = Nd, Gd), synthesis, crystal structure, and electrical properties, **114**, 15
 Tl₂Nb₂O_{6+x} (0 ≤ x ≤ 1) solutions, continuous cubic type, **114**, 575
 Y₂(Zr_yTi_{1-y})₂O₇, neutron Rietveld analysis of disorder from Zr substitution, **117**, 108
- Pyroelectric properties**
 Bi₄Te₂O₉Br₂, **116**, 406

Q

Quartz

- in concentrated basic media (NaOH, KOH, LiOH), kinetics and dissolution mechanism, effect of solvents, **118**, 254

R

Raman spectroscopy

- Aurivillius phases, **114**, 112
 CsGeBr₃, pressure-induced phase transition, **118**, 20
 (NH₄)₆[TeMo₆O₂₄] · Te(OH)₆ · 7H₂O, **118**, 341
 polarized, *see* Polarized Raman spectroscopy
 surface enhanced, *see* Surface enhanced Raman spectroscopy
 M₆[TeMo₆O₂₄] · 7H₂O (M = K, NH₄), **118**, 341
 TiO₂–NaPO₃–Na₂B₄O₇ system optically nonlinear glasses, **120**, 151
 M^IM^{III}(WO₄)₂ (M^I = Li, Na, K; M^{III} = Bi, Cr), vibrational properties, **117**, 177

Reduction

LaCo_{1-x}CrO₃, reduction and reoxidation properties, **119**, 271

MoO₃, kinetics and mechanism, **118**, 84

temperature-programmed, *see* Temperature-programmed reduction

Reflection high-energy diffraction

CaCuO₂-SrCuO₂ infinite-layer thin film heterostructures, **114**, 190

Reoxidation

LaCo_{1-x}CrO₃, reduction and reoxidation properties, **119**, 271

RHEED, *see* Reflection high-energy diffraction

Rhenium

ReH₇, formation at high pressure, *in situ* diffraction study, **118**, 299

M(ReO₄)₂ · 4H₂O (*M* = Co, Zn), preparation and crystal structure determination, **115**, 255

Y_{1-x}Pr_xSr₂Cu_{2.85}Re_{0.15}O₇, retarded Pr *f* hybridization and *T_c* suppression, **118**, 215

Rhodium

Slater functions, formulation by distance between subspaces, **116**, 275

Sr₂RhO₄, crystal structure, **118**, 206

Rietveld refinement

Ag₃[Al₃Si₃O₁₂] structure from powder X-ray diffraction data, at 298, 623, and 723 K, **115**, 55

BiCaRu₂O_{7-y}, **119**, 254

Ca₅Y₄S₁₁, NaCl-type structure, **119**, 45

HoSr₂Cu_{2.7}Mo_{0.3}O_{7.54} superconductor, **119**, 115

Li₄Mn₅O₁₂ crystal structure, **115**, 420

Y₂(Zr_{1-y}Ti_{1-y})₂O₇, neutron diffraction analysis of disorder from Zr substitution, **117**, 108

Rod packings

mathematical analysis, **114**, 36

Rubidium

RbCl/TbCl₃ ternary chlorides in, analysis, **115**, 484

RbX - CuX₂ - H₂O (*X*⁻ = Cl⁻, Br⁻), double salts, **114**, 385

RbCu₇S₄, physical properties and successive phase transitions, **115**, 379

RbRETa₆Br₁₈ (*RE* = La-Lu, Y), crystal structure, **118**, 274

Rb₂RETa₆Br₁₈ (*RE* = Eu, Yb), crystal structure, **118**, 274

RbTaCu₂Te₄, synthesis and characterization, **117**, 247

Rb₂V₃O₈ fresnoite-type vanadium oxides, magnetic susceptibility, **114**, 499

Rb₂V₄O₉, synthesis, crystal structure, and magnetic properties, **115**, 174

Rb₂(WO₃)₃SeO₃, synthesis, crystal structure and properties, **120**, 112

YbI₂-RbI, phase diagrams, measurement and calculation, **114**, 146

Ruddlesden-Popper nickelates

Ln₄Ni₃O_{10-δ} (*Ln* = La, Pr, Nd), synthesis, structure, and properties, **117**, 236

Ruthenium

BaHgRuO₅, synthesis and structure, **120**, 223

BaLaCoRuO₆, structural and electronic properties, **114**, 174

BiCaRu₂O_{7-y}, preparation and structure, **119**, 254

A, A'CoRuO₆ (*A, A'* = Sr, Ba, La), structural and electronic properties, **114**, 174

GdRuC₂, with filled NiAs structure, **118**, 158

Pb_{2-x}Ln_xRu₂O_{7-y} (*Ln* = Nd, Gd), synthesis, crystal structure, and electrical properties, **114**, 15

Ru₂P₆O₁₈, preparation and crystal structure, **119**, 107

Ru(PO₃)₃ · Ru₂P₆O₁₈, preparation and crystal structure, **119**, 107

Slater functions, formulation by distance between subspaces, **116**, 275

SrLaCoRuO₆, structural and electronic properties, **114**, 174

Sr₃Ru₂O₇, synthesis with Sr₂RuO₄ · 0.25 CO₂, **116**, 141

Sr₂RuO₄ · 0.25 CO₂, synthesis, application in synthesis of Sr₃Ru₂O₇, **116**, 141

S

Salicyclic acid

photoassisted decomposition on TiO₂ and Pd/TiO₂ films, **119**, 339

Salts

double, *Me*⁺*X* - CuX₂ - H₂O (*Me*⁺ = K⁺, NH₄⁺, Rb⁺, Cs⁺; *X*⁻ = Cl⁻, Br⁻), **114**, 385

rocksalt, (Ca, Th)(N, O) and (Sr, Th)(N, O) phases, synthesis and characterization, **120**, 372

Samarium

Bi₂O₃-Sm₂O₃, low-temperature stable phase, **120**, 32

Bi₃Sm₅O₁₂, related phases, synthesis and characterization, **116**, 68

(Ca_{0.9}Sm_{0.1})MnO₃, electrical transport properties and high-temperature thermoelectric performance, **120**, 105

PrPd₃As₂ arsenides, preparation, **115**, 37

SmAO₄ (*A* = Nb, Ta), relationship between covalence and displacive phase transition temperature, **116**, 28

SmAgSb₂

with HfCuSi₂-type structure, preparation, **115**, 305

magnetism and crystal structure, **115**, 441

SmT₂Al₂₀ (*T* = Ti, Mo), with CeCr₂Al₂₀-type structure, **114**, 337

Sm₆T₄Al₄₃ (*T* = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131

SmBa₂Cu₃O_{7-y}, FT-IR skeletal study, **119**, 36

Sm₂Ba₂Cu₂Ti₂O_{11-δ}, synthesis, structure, and superconductivity, **119**, 224

SmBa₂SbO₆, synthesis and characterization, as substrates for YBa₂Cu₃O_{7-δ}, **116**, 193

Sm_{2-x}Ce_xCuO₄, oxygen variations, effect of internal stress, analysis by thermogravimetry, **114**, 491

SmCo₅, and Sm₂Co₁₇, and Sm₂Co₇, binary magnetic phases competing for stability, leapfrog thermodynamics, **116**, 92

Sm₂MCu₂O₇ (*M* = Sr, Ba), synthetic, structural, electrical, and magnetic properties, **114**, 286

SmCuAs₂, with HfCuSi₂-type structure, preparation, **115**, 305

Sm_{1-x}Nd_xNiO₃, preparation and metal-insulator properties, **120**, 157

Sm₂O₃, cation array structure, **119**, 131

Sm₂P₆O₁₈ · 10H₂O, preparation and characterization, **119**, 203

Sm_{1-x}Sr_xCuO_{2.5-x/2+δ} PLD thin films, perovskite phases and phasoids, **116**, 37

Sm₂Sr₆Cu₈O_{17+δ} perovskite films, analysis by HREM, **116**, 300

MSmTa₆Br₁₈ (*M* = K, Rb, Cs), crystal structure, **118**, 274

SmTa₆Br₁₈, crystal structure, **118**, 274

M₂SmTa₆Br₁₅O₃ (*M* = monovalent cation), synthesis and crystal structure, **120**, 43

Sm₂(TeO₃)₃ and Te₄O₁₁, tellurite formation, enthalpy determination, **118**, 210

Scandium

Ba_{5-y}Sr_ySc_{2-x}Al₂Zr_{1+x}O_{13+x/2}, structural study, **118**, 180

ScCrC₂, preparation, properties, and crystal structure, **119**, 324

Sc₂O₃, cation array structure, **119**, 131

Sc_{1/2}Sb_{2/3}(PO₄)₃, preparation and crystal structure, **118**, 104

Secher chains

Na₂SnSe₃ with, synthesis, **117**, 356

Seebeck coefficient

Eu₂Ba₂Cu₂Ti₂O₁₁, **119**, 80

La₂Ba₂Cu₂Sn₂O₁₁, **119**, 80

La₂Ba₂Cu₂Ti₂O₁₁, **119**, 80

LaCo_{0.2}Fe_{0.8}O_{3-δ}, doped with Sr, **118**, 117

Selenium

[Ba₂(OH)₂(H₂O)₁₀][Se₄], synthesis and crystal structure, **120**, 12

Ba(VO)₂(SeO₃)₂(HSeO₃)₂, hydrothermal synthesis and crystal structure, **116**, 77

CdCr₂Se₄, lattice dynamics, **118**, 43

- CoSeO₃-II, crystal structure, **120**, 182
- Cr₂Sn₃Se₇, structural determination and magnetic properties, **115**, 165
- CuS_{1-x}Se_x (0 ≤ x ≤ 1), phase transition, determination by X-ray diffraction, **118**, 176
- AGa₂Se₄ (A = Cd,Hg), compounds crystallizing in thioallate-type structure, lattice dynamical calculations, **114**, 442
- HgCr₂Se₄, lattice dynamics, **118**, 43
- In_xNb₃Se₄, multilayer precursor synthesis, **117**, 290
- LaSe₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
- NaCo₂(SeO₃)₂(OH), polarized electronic absorption spectra and crystal structure, **115**, 360
- Na₂SnSe₃, with sechser single chains, synthesis, **117**, 356
- MOCuSe (M = Bi,Gd,Dy), powder X-ray and IR studies, **118**, 74
- PrSe₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
- SnSe₂, layered structures, structural evolution to 3- and 4-connected tin oxy-sulfides, **117**, 219
- TiSe, and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
- VSe, and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
- M₂(WO₃)₃SeO₃ (M = NH₄,Rb,Cs), synthesis, crystal structure and properties, **120**, 112
- ZnCr₂Se₄, lattice dynamics, **118**, 43
- Zn_{1-x}MnzGa₂Se₄, energy gap values and T(z) diagram, **115**, 416
- SERS, *see* Surface enhanced Raman spectroscopy
- Silica gel
- Cu^{II}(1,4-C₄H₄N₂)(C₄O₄)(OH₂)₄ preparation in, **117**, 256
- film, coated over scratched Si {111} surface, stabilization, **115**, 18
- Silicon
- Ag₃[Al₃Si₃O₁₂], structures at 298, 623, and 723 K from Rietveld refinements of powder X-ray diffraction data, **115**, 55
- Ca₃HfSi₂O₉, structure determination from powder diffraction, **115**, 464
- Ca₃ZrSi₂O₉, structure determination from powder diffraction, **115**, 464
- (C₁₈H₃₀N₃)₂ · [Si₈O₁₈(OH)₂] · 41H₂O, X-ray diffraction and NMR analysis, **120**, 231
- Cs₄Sb₄O₈(Si_{4(1-x)}Ge_{4x}O₁₂), solid solution, electron and X-ray diffraction and ²⁹Si MAS NMR analysis, **114**, 528
- with HfCuSi₂, in ternary antimonides with related structure, preparation, **115**, 305
- KAlSiO₄ polymorphs, synthesis and characterization on SiO₂-KAlO₂ join, **115**, 214
- La_{9.33}(SiO₄)₆, identity with monoclinic La₂O₃, **120**, 38
- Li₂Ca₂Si₅O₁₃, crystal structure determination, **114**, 512
- Lu₂Fe₂Si₂, preparation, structure refinement, and properties, **114**, 66
- and metal and oxide devices, applications of polarizable and OH-containing glasses, mechanism, **120**, 54
- ε-Na₂Si₂O₅, with high-pressure layer structure, synthesis, **119**, 400
- Ni_{1.282(4)}Si_{1.284(5)}P₃, crystal structure, **114**, 476
- NiSi₂P₃, crystal structure, **114**, 476
- Me(OH)₂-SiO₂ (Me = Ca,Mg,Sr), mixtures, surface changes in basicity and species, role of mechanical activation, **115**, 390
- Pd₅Si₂, solubility of deuterium and hydrogen in, **120**, 90
- Pr_{9.33}(SiO₄)₆O₂, identity with monoclinic Pr₂O₃, **120**, 38
- Pr₄V₅Si₄O₂₂, with chevkinite structure, **116**, 211
- scratched {111} surface
- incipient chemical reaction with ethoxy and hydroxy groups, **120**, 96
- silica gel film coated over, stabilization, **115**, 18
- Si_{1-x}CxH alloys, structural properties and chemical ordering, **117**, 427
- SiO₂-KAlO₂ join, synthesis and characterization of KAlSiO₄ polymorphs on, **115**, 214
- MSi₂Te₂ (M = Nb,Ta; 1/3 ≤ x ≤ 1/2), origin of short interslab Te-Te contacts in, analysis, **119**, 394
- ThCr₂Si₂, CePd_{2-x}As₂ with related structure, **115**, 37
- Tm₂Fe₂Si₂, preparation, structure refinement, and properties, **114**, 66
- U₂Fe_{17-x}Si_xC_y, magnetic properties, **115**, 13
- ZnO-B₂O₂-SiO₂-P₂O₅, fluoride-containing glasses, MOS capacitors passivated by, OH-related capacitance-voltage recovery effect in, **118**, 212
- Zn₂SiO₄, Fe-doped single crystals, luminescence, **117**, 16
- Silicon dioxide
- and alumina pillared materials, zeolite-like, preparation, **120**, 381
- glasses, CdS particles in, preparation by sol-gel method, **118**, 1
- Silver
- Ag₃[Al₃Si₃O₁₂], structures at 298, 623, and 723 K from Rietveld refinements of powder X-ray diffraction data, **115**, 55
- Ag₄Hf₃S₈, crystal structure and conductivity, **115**, 112
- (AgIn)_{2(1-z)}(MnIn_z)_zTe₄, alloys, T(z) diagram and optical energy gap values, **114**, 539
- Ag₂MnGeTe₄, crystal symmetry, **115**, 192
- AgMn₃(PO₄)(HPO₄)₂, synthesis and structure, **117**, 206
- Ag₂MoO₄, hydrothermal preparation, structure, and reactivity, **117**, 323
- AAGSb₂ (A = Y,La-Nd,Sm,Gd-Tm,U), with HfCuSi₂-type structure, preparation, **115**, 305
- REAgSb₂ (RE = Y,La-Nd,Sm,Gd-Tm), magnetism and crystal structure, **115**, 441
- Ag₂S-Ga₂S₃-GeS₂, phase diagram, analysis by DTA and XRD, **117**, 189
- Ag_{3.8}Sn₃S₈, superionic conductor, crystal structure and conductivity, **116**, 409
- (1-x)Ag₂SO₄-(x)CaSO₄ (x = 0.01 - 0.20), defect chemistry, **116**, 232
- Ag₂SO₄-Tl₂SO₄, phase diagram and positive mixed cation effect, **114**, 271
- AgV₂(PO₄)₂P₂O₇, crystal structure determination, **115**, 521
- Ag₄Zr₃S₈, superionic conductor, crystal structure and conductivity, **116**, 409
- colloids, 2-aminophenol in, analysis by SERS, **116**, 427
- K₂Ag₂SnTe₄, synthesis and characterization, **117**, 247
- Slater functions, formulation by distance between subspaces, **116**, 275
- Sinterability
- Co-Li₂CO₃, *erratum*, **116**, 15; **117**, 433
- Slater functions
- for Y-Cd atoms, formulation by distance between subspaces, **116**, 275
- Sodium
- Ba₄NaCuO₄(CO₃)₂, electronic and vibrational spectra, **119**, 359
- M₂HPO₄-Na₂HPO₄-H₂O (M = Na,K,NH₄), electrical conductivity measurements, **119**, 68
- Li_xNa_{1-x}V₂O₅ (0.23 ≤ x + y ≤ 0.37), bronzes obtained from sol-gel process, electrical properties, **118**, 10
- (Mg,Na,Al)₂(Al,Zn)₃, crystal structure, **115**, 270
- ANa₂X₄ (A = Mg,Mn; X = Cl,Br), nonceramic preparation techniques, **117**, 34
- α-Na₃Al₂(AsO₄)₃, crystal structure: structural relation to II-Na₃Fe₂(AsO₄)₃, **118**, 33
- NaAlO₂ · 5/4H₂O, and dehydration product, crystal structure, **115**, 126
- Na₄Al(PO₄)₂(OH), synthesis and characterization, **118**, 412
- Na₂BeGeO₄, structure and ionic conductivity, **118**, 62
- NaCa₂M₂²⁺(AsO₄)₃ (M²⁺ = Mg,Ni,Co), structure, **118**, 267
- NaCl, related U, Np, and Pu compounds, thermodynamic and magnetic properties, **115**, 66
- NaClO₃, high-pressure behavior, **118**, 378
- NaCo₂(SeO₃)₂(OH), polarized electronic absorption spectra and crystal structure, **115**, 360
- Na_xCr_xTi_{8-x}O₁₆, tunnel structure analysis for stability and sodium ion transport, **116**, 296
- α- and β-Na₂CuP₂O₇, crystal structure, **120**, 23

- $\text{Na}_2\text{Cu}_2\text{ZrS}_4$, synthesis and crystal structure, **117**, 30
 II- $\text{Na}_3\text{Fe}_2(\text{AsO}_4)_3$, structural relation to $\alpha\text{-Na}_3\text{Al}_2(\text{AsO}_4)_3$ and $\text{Na}_7\text{Fe}_4(\text{AsO}_4)_6$ sodium ion conductors, **118**, 33
 $\text{Na}_7\text{Fe}_4(\text{AsO}_4)_6$, crystal structure: structural relation to II- $\text{Na}_3\text{Fe}_2(\text{AsO}_4)_3$, **118**, 33
 Na_3FeS_4 , tetrahedral FeS^{5-} unit containing, X-ray absorption spectra, **119**, 380
 $\text{Na}_2\text{GdOPO}_4$, solid-state synthesis, X-ray powder diffraction, and IR data, **120**, 275
 $\text{Na}_4\text{H}[\text{Cu}(\text{H}_2\text{TeO}_6)_2] \cdot 17\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
 $\text{Na}_2\text{HPO}_4\text{-}M'_2\text{HPO}_4\text{-H}_2\text{O}$ ($M' = \text{Na, K, NH}_4$), electrical conductivity measurements, **119**, 68
 $\text{Na}_3\text{La}_2(\text{CO}_3)_4\text{F:Eu}^{3+}$, optical properties, correlation to crystallographic structure, **116**, 286
 NaMnO_4 , lamellar MnO_2 from, thermal decomposition synthesis and characterization for rechargeable lithium cells, **120**, 70
 $\text{NaMn}_3(\text{PO}_4)(\text{HPO}_4)_2$, synthesis and structure, **115**, 240
 Na_2MoO_4 , hydrothermal preparation, structure, and reactivity, **117**, 323
 $\text{Na}_2(\text{MoO})_4(\text{PO}_4)_5$, tunnel structure and synthesis, **114**, 543
 $\text{Na}_{0.75}\text{Mo}_{1.17}\text{W}_{0.83}\text{O}_3(\text{PO}_4)_2$, synthesis and crystal structure, **120**, 353
 NaOH , concentrated basic media, quartz in, kinetics and dissolution mechanism, solvent influence, **118**, 254
 $\varepsilon\text{-Na}_2\text{Si}_2\text{O}_5$, with high-pressure layer structure, synthesis, **119**, 400
 NaSn_2X_2 ($X = \text{As, Sb}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 Na_5SnX_3 ($X = \text{P, As, Sb}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 NaSn_2Cl_5 , synthesis and crystal structure, **115**, 158
 Na_2SnSe_3 , with sechser single chains, synthesis, **117**, 356
 $\text{Na}_{2/3}\text{Th}_{1/3}\text{TiO}_3$, synthesis, letter to editor, **120**, 207
 $\text{NaM}^{\text{IV}}(\text{Ti, Zr})_{2-x}(\text{PO}_4)_3$ ($M = \text{Nb, Mo}$; $0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 $\alpha\text{-Na}_2\text{UO}_4$ and $\beta\text{-Na}_2\text{UO}_4$, structure and thermochemistry, **115**, 299
 $\text{Na}_{0.13}(\text{V}_{0.13}\text{Mo}_{0.87})\text{O}_3 \cdot n\text{H}_2\text{O}$, synthesis and structure, **119**, 176
 $\text{NaM}^{\text{III}}(\text{WO}_4)_2$ ($M^{\text{III}} = \text{Bi, Cr}$), vibrational properties, **117**, 177
 $\text{TiO}_2\text{-NaPO}_3\text{-Na}_2\text{B}_4\text{O}_7$ system, optically nonlinear glasses, Raman scattering and XAFS analysis, **120**, 151
 $\text{YbI}_2\text{-NaI}$, phase diagrams, measurement and calculation, **114**, 146
 Sol-gel method
 with hydrolysis catalysts, in preparation of crystalline structure of MgO , **115**, 411
 LaNiO_3 preparation, **116**, 157
 $\text{Li}_x\text{Na}_y\text{V}_2\text{O}_5$ ($0.23 \leq x + y \leq 0.37$) prepared by, bronzes obtained, **118**, 10
 NiCo_2O_4 preparation, **116**, 157
 in preparation of CdS particles, in silica glasses, **118**, 1
 Solids
 thermal decomposition, isokinetic relationships in, analysis by isoconventional methods for analysis, **114**, 392
 Solid solutions
 $\text{Bi}_2\text{O}_3\text{-CaO}$, rhombohedral β type, TEM analysis, **118**, 66
 $\text{Bi}_2\text{O}_3\text{-SrO}$, rhombohedral β type, TEM analysis, **118**, 66
 $\text{Ca}_x\text{Sn}_{1-x}\text{Ga}_{8-2x}\text{O}_{12}$ ($2.5 < x < 3.0$), cationic sites, simultaneous occurrence of Sn^{4+} on, **118**, 6
 $\text{Ca}_{1-x}\text{Sr}_x\text{NiN}$ ($0 \leq x \leq 0.5$), preparation and crystal structure, and properties, **115**, 353
 $(1-x)\text{CeO}_2 \cdot x\text{YO}_{1.5}$, defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 $\text{CeO}_2\text{-}\delta\text{YO}_{2.5}$, single crystal X-ray diffraction study, **115**, 23
 $\text{Co}_x\text{Cd}_{1-x}\text{In}_2\text{S}_4$, spinels, structural, magnetic, and optical properties, **114**, 524
 $\text{Cs}_x\text{Sb}_4\text{O}_8(\text{Si}_{4(1-x)}\text{Ge}_4x\text{O}_{12})$, electron and X-ray diffraction and ^{29}Si MAS NMR analysis, **114**, 528
 $\text{LaMnO}_{3+\delta}$, perovskite-type, structural behavior, **114**, 516
 $\text{Ln}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($\text{Ln} = \text{La, Pr, Nd}$), oxide ion conduction in, **120**, 128
 TiS , VS , TiSe , and VSe monochalcogenides, crystal chemistry and role of metal-metal bonding, **114**, 346
 $\text{Ti}_2\text{Nb}_2\text{O}_{6+x}$, continuous cubic pyrochlore type, **114**, 575
 $(1-x)\text{ZrO}_2 \cdot x\text{RO}_{1.5}$ ($R = \text{Ho, Dy, Tb, Gd}$), defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 Solid state reactions
 $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, **115**, 407
 Spinel
 Al-Cu-Cr oxide semiconductors, compensated, analysis, **120**, 388
 $\text{Co}_x\text{Cd}_{1-x}\text{In}_2\text{S}_4$, structural, magnetic, and optical properties, **114**, 524
 oxidic lithium, tetrahedral $3d^5$ and $3d^5$ or $3d^5$ octahedral cations in, antiferromagnetic $A\text{-}B$ interactions and electronic spectrum, **120**, 244
 Stability, *see* Phase stability; Thermal stability
 Stacking distortions
 CuCrP_2S_6 , **116**, 208
 Stoichiometry
 oxygen in $\text{Sr}_3\text{Co}_2\text{O}_{7-y}$ ($0.94 \leq y \leq 1.22$), **115**, 499
 Strontium
 $\text{Ba}_{5-y}\text{Sr}_y\text{R}_{2-x}\text{Al}_2\text{Zr}_{1+x}\text{O}_{13+x/2}$ ($R = \text{Gd-Lu, Y, Sc}$), structural study, **118**, 180
 $(\text{Ba}_{1-x}\text{Sr}_x)(\text{Sr}_{0.67}\text{Bi}_{0.33})(\text{Pb}_{1-y}\text{Bi}_y)\text{O}_{6-\delta}$, with $(\text{NH}_4)\text{FeF}_6$ structure type, powder X-ray and neutron diffraction analysis, **115**, 197
 $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$, from 2201-0201 intergrowth $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, synthesis, **118**, 357
 $\text{Bi}_2\text{O}_3\text{-SrO}$, rhombohedral β type solid solutions in, TEM analysis, **118**, 66
 $\text{Bi}_{1.8}\text{Pb}_{0.4}\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 $\text{Bi}_{n+1}\text{Sr}_{2n+2}\text{Ba}_{n-1}\text{Fe}_{n+1}\text{O}_{6n+4}$, with intergrowths of 2201 and 0201 structure, synthesis, **118**, 227
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$, chemical diffusion and synthesis kinetics, **116**, 314
 $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$, phase stability, oxygen nonstoichiometry, and superconductivity properties, **119**, 120
 BiSrCaCuO , electronic lone pair localization and electrostatic energy calculations, **114**, 459
 $\text{Bi}_{1.6}\text{Sr}_{28}\text{Cu}_{17}\text{O}_{69+\delta}$, synthesis and characterization, **119**, 169
 $\text{Bi}_2\text{Sr}_4\text{Fe}_2\text{O}_{10}$, 2201-0201 intergrowth, $\text{Bi}_{13}\text{Ba}_2\text{Fe}_{13}\text{O}_{66}$ from, synthesis, **118**, 357
 $\text{Ca}_{1-x}\text{Sr}_x\text{NiN}$ ($0 \leq x \leq 0.5$) solid solutions, preparation, crystal structure, and properties, **115**, 353
 $(\text{Ca, Th})(\text{N, O})$ and $(\text{Sr, Th})(\text{N, O})$ phases, synthesis and characterization, **120**, 372
 $\text{CuSr}(\text{HCOO})_4$, crystal structure and thermal decomposition, **117**, 145
 $\text{HgBiSr}_7\text{Cu}_2\text{SbO}_{15}$, double cationic ordering, **116**, 53
 $\text{Hg}_{0.4}\text{Ce}_{0.5}\text{Cu}_{0.1}\text{Sr}_{2-x}\text{La}_x\text{CuO}_{4+\delta}$, synthesis and characterization, **116**, 347
 $(\text{Hg, Pr})\text{-Sr}\text{-}(\text{Sr, Ca, Pr})\text{-Cu}\text{-O}$, 1201, 1212, and 1222 superconductors, ordering principles and defect structures, **114**, 369
 $(\text{Hg}_{1-x}\text{M}_x)(\text{Sr, Ba})_2\text{Pr}_2\text{Cu}_2\text{O}_{9-\delta}$ ($M = \text{Pr, Pb, Bi, Tl}$), synthesis and characterization, **115**, 525
 $\text{Hg}_{1-x}\text{Ti}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{CO}_3\text{O}_{7-\delta}$, modulated superconducting oxides, structural aspects, **120**, 332
 $\text{HoSr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.54}$, synthesis and crystal structure, **119**, 115
 $\text{LaCo}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$, Sr doped, thermochemical stability, electrical conductivity, and Seebeck coefficient, **118**, 117
 $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ ($0 < x \leq 0.50$), **118**, 323
 $\text{La}_{0.2}\text{Sr}_{0.8}\text{Cu}_{0.4}\text{M}_{0.6}\text{O}_{3-y}$ ($M = \text{Co, Fe}$), synthesis, **119**, 260
 $\text{La}_{1-x}\text{Sr}_x\text{CuO}_3$, perovskite lattice, mixed valence Cu(III)/Cu(IV) in, stabilization under high oxygen pressure, **114**, 88
 $\text{La}_{6.4}\text{Sr}_{1.6}\text{Cu}_8\text{O}_{20}$, ordered substitution of iron for copper, **115**, 469
 $(\text{La}_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{16+\delta}$, oxygen content and structure relationship, **115**, 490

- LaSrFeO₄, structure and electrical properties, effects of substitution of alkaline earths or Y for La, **115**, 456
- La_{0.8}Sr_{0.2}MnO₃
La/Sr vacancy defects, imaging by HREM, **114**, 211
ordered La(Sr)-deficient nonstoichiometry in, analysis by HRTEM, **120**, 175
- La_{1-x}Sr_xMnO₃ bulk samples, giant magnetoresistance, letter to editor, **114**, 297
- mixed valent manganese and nickel oxide ceramics, superconducting properties, **116**, 355
- Nd_{1-x}Sr_xTiO₃ (0 ≤ x ≤ 1), structure, transport, and magnetic properties, **114**, 164
- Pr_{0.7}Sr_{0.05}Ca_{0.25}MnO_{3-δ}, effects of spectacular giant magnetoresistance, **117**, 424
- Pr_{2-y}Sr_yCuO_{4-δ}, effect of oxygen and strontium content, **116**, 385
- Sm_{1-x}Sr_xCuO_{2.5-x/2+δ} PLD thin films, perovskite phases and phasoids, **116**, 37
- Sm₂Sr₆Cu₈O_{17+δ} perovskite films, analysis by HREM, **116**, 300
- Sr²⁺, doped La_{1.2}Tb_{0.8}CuO_{4+δ}, derivatives, structural and conducting properties, **115**, 332
- SrAu₂O₄, preparation and crystal structure, **118**, 247
- Sr_yBa_{1-y}PrO₃, magnetic properties, **119**, 405
- SrCoO_{3-δ}, electronic states, effects of oxygen, **119**, 76
- Ln_{1-x}Sr_xCoO_{3-δ} (Ln = La, Pr, Nd) solid solutions, oxide ion conduction, **120**, 128
- Ln₂SrCo₂O₇ (Ln = Sm, Gd), synthetic, structural, electrical, and magnetic properties, **114**, 286
- Sr₃Co₂O_{7-y} (0.94 ≤ y ≤ 1.22), structure and oxygen stoichiometry, **115**, 499
- Sr₂CoRuO₆, structural and electronic properties, **114**, 174
- SrCuO₂ orthorhombic crystals, growth and structural refinement, **114**, 289
- SrCuO₂-CaCuO₂ infinite-layer thin film heterostructures, growth monitored by RHEED, **114**, 190
- (Sr[Fe(CN)₅NO] · 4H₂O), crystal structure, determination by X-ray diffraction, **120**, 1
- Sr₂MiRO₆ (M = Ca, Mg), preparation and stabilization by high oxygen pressure, **115**, 447
- Sr₃MiRO₆ (M = Ni, Cu, Zn), structure and magnetic properties, **117**, 300
- Sr_{1-x}La_xTiO_{3+0.5x}, layer structure, determination by high-resolution electron microscopy, **117**, 88
- Sr₃La₂Ti₂O₁₀, preparation and characterization, **119**, 412
- Sr₂Mn₄CO₃O₁₀, synthesis and structure, **120**, 279
- SrMnO_{3-x} electronic properties, **114**, 242
- Ln_{1-x}Sr_xMnO₃ (Ln = rare earths), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
- SrNb₄O₆, crystal structure, **114**, 301
- SrNiN, preparation, crystal structure, and properties, **115**, 353
- R_{1-x}Sr_xNiO₃ (R = La, Nd; 0 ≤ x ≤ 0.1), hole and electron doping, **116**, 146
- Sr(OD)₂, crystal structure, **119**, 157
- Sr(OH)₂-SiO₂, mixtures, surface changes in basicity and species, role of mechanical activation, **115**, 390
- Sr₂RhO₄, crystal structure, **118**, 206
- Sr₃Ru₂O₇, synthesis with Sr₂RuO₄ · 0.25 CO₂, **116**, 141
- Sr₂RuO₄ · 0.25 CO₂, synthesis, application in synthesis of Sr₃Ru₂O₇, **116**, 141
- SrSn₂X₂ (X = As, Sb), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
- Sr₄Tl₂CO₃O₆, oxycarbonates built up from rock salt layers, **116**, 321
- Sr₃V₂O_{6.99}, preparation, electronic, and magnetic properties, **118**, 292
- SrY₂S₄, structure and properties, **117**, 363
- Sr₂ZnN₂, synthesis and crystal structure, **119**, 375
- Y_{1-x}Pr_xSr₂Cu_{2.85}Re_{0.15}O₇, retarded Pr *f* hybridization and T_c suppression, **118**, 215
- Structure
average, and superstructure, BiLa₂O_{4.5} X-ray powder and electron diffraction studies, **116**, 72
- BaCuO_{2+x}, **119**, 50
- Bi_{2-x}Nb_xO_{3+x} solid solution, **119**, 311
- CePd_{2-x}As₂, with ThCr₂Si₂ structure, refinement, **115**, 37
- A₂A'CoRuO₆ (A, A' = Sr, Ba, La), **114**, 174
- crystal, *see* Crystal structure
- CsMo₂O₃(PO₄)₂, mixed valent monophosphate, **116**, 87
- cubic stabilized zirconias, disordered, modulation wave analysis, **115**, 43
- defect, *see* Defect structure
- electronic, InCdBr₃, **116**, 45
- Hg_{1-x}Tl_xSr_{4-y}Ba_yCu₂CO₃O_{7-δ}, **120**, 332
- La₂MiRO₆ (M = Mg, Co, Ni, Zn), **116**, 199
- (La_{1-x}Sr_x)₈Cu₈O_{16+δ}, relationship to structure, **115**, 490
- LaSrFeO₄, effects of substitution of alkaline earths or Y for La, **115**, 456
- LiNb(OH)OPO₄, analysis by XRD and EXAFS, **114**, 317
- M₂O₃, cation array, **119**, 131
- magnetic, YBaCuFeO₅, **114**, 24
- microstructure, *see* Microstructure
- ε-Na₂Si₂O₅, **119**, 400
- Nd_{1-x}A_xTiO₃ (A = Ca, Sr, Ba; 0 ≤ x ≤ 1), **114**, 164
- Pr_{2-y}Sr_yCuO_{4-δ}, effect of oxygen, **116**, 385
- superstructure, *see* Superstructure
- thiogallate, AGa₂X₄ (A = Cd, Hg; X = S, Se) compounds crystallizing in, lattice dynamical calculations, **114**, 442
- TiO₂ photocatalyst, fumed, microstructural characterization, **115**, 236
- tunnel, *see* Tunnel structure
- (V^{IV}O)[V^VO₄] · 0.5[C₃N₂H₁₂], correlations with V₂O₅ and other vanadyl compounds, **120**, 137
- Sulfamic acid
NH₂HSO₃, analysis by vibrational and surface enhanced Raman scattering, **116**, 217
- Sulfur
Ag₄Hf₃S₈, crystal structure and conductivity, **115**, 112
- Ag₂S-Ga₂S₃-GeS₂, phase diagram, analysis by DTA and XRD, **117**, 189
- Ag_{3.8}Sn₃S₈, superionic conductor, crystal structure and conductivity, **116**, 409
- (1-x)Ag₂SO₄-(x)CaSO₄ (x = 0.01 - 0.20), defect chemistry, **116**, 232
- Ag₂SO₄-Ti₂SO₄, phase diagram and positive mixed cation effect, **114**, 271
- Ag₄Zr₃S₈, superionic conductor, crystal structure and conductivity, **116**, 409
- BaCu₂S₂, electrical and magnetic properties, **117**, 73
- α-BaCu₄S₃, electrical and magnetic properties, **117**, 73
- BaNb_{0.8}S_{3-δ}, structure and physical properties, **115**, 427
- BaNbS₃, structure and physical properties, **115**, 427
- BaTa₂S₅, superconducting and normal state properties, **116**, 392
- BaY₂S₄, structure and properties, **117**, 363
- (BiS)_{1.11}NbS₂, layered composite crystal structure, **116**, 61
- (BiS)_{1+δ}(Nb_{1+ε}S₂)_n, misfit layer structures, analysis by TEM and XRD, **115**, 274
- Ca₄Al₆O₁₆S, crystal structure, **119**, 1
- γ-CaSO₄, CaSO₄ · 0.5H₂O, and CaSO₄ · 0.6H₂O, crystal structure, determination by powder diffraction methods, **117**, 165
- CaY₂S₄, structure and properties, **117**, 363
- Ca₅Y₄S₁₁, NaCl-type structure, Rietveld refinement, **119**, 45
- CdS particles, preparation in silica glasses by sol-gel method, **118**, 1
- Co_xCd_{1-x}In₂S₄, spinel solid solutions, structural, magnetic, and optical properties, **114**, 524
- CoCr₂S₄, lattice dynamics, **118**, 43

- Cr₂S₃-CuS, copper-chromium sulfide spinel and thermal decomposition reactions in, **117**, 122
- CsHSO₄
phase transitions, **117**, 412
thermally induced phase transitions, **117**, 414
- CuCrP₂S₆, copper disorder, stacking distortions, and magnetic ordering, **116**, 208
- CuCr₂S₄, spinel formation, thermal decomposition reactions in crystalline mixtures, **117**, 122
- CuS, Cu_{1.4}S, Cu_{1.8}S, and Cu₂S films, optical and electrical properties, **114**, 469
- ACu₇S₄ (A = Tl, K, Rb), physical properties and successive phase transitions, **115**, 379
- CuS-Cr₂S₃, copper-chromium sulfide spinel and thermal decomposition reactions in, **117**, 122
- CuS_{1-x}Se_x (0 ≤ x ≤ 1), phase transition, determination by X-ray diffraction, **118**, 176
- doped YBa₂Cu₃O_{7-x} pellets, copper whisker growth from inside, **117**, 151
- GaMo₄S₈-type compounds, tetrahedral clusters: metal bonding analysis, **120**, 80
- AGa₂S₄ (A = Cd, Hg), compounds crystallizing in thioallate-type structure, lattice dynamical calculations, **114**, 442
- (Gd₂Sn_{1-x}S)_{1.16}(NbS₂)₃, crystal structure and synthesis, **114**, 435
- KeFeS₂, tetrahedral FeS²⁻-unit containing, X-ray absorption spectra, **119**, 380
- KNiPS₄, with one- and two-dimensional structural arrangements, addendum, **116**, 107; **117**, 432
- α-LaS₂ and β-LaS₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
- La₄Ti₃S₄O₈, synthesis and characterization, **114**, 406
- La₆Ti₂S₈O₅, synthesis and characterization, **114**, 406
- La₂₀Ti₁₁S₄₄O₆, preparation and crystal structure determination, **120**, 164
- Mn_xTa₂S₂, intercalation compounds, physical properties and homogeneity range, **114**, 1
- M_xMo₆S₈ (M = Sn, Co, Ni, Pb, La, Ho), amorphous precursors for low-temperature preparation, **117**, 269
- Na₂Cu₂ZrS₄, synthesis and crystal structure, **117**, 30
- Na₅FeS₄, tetrahedral FeS²⁻-unit containing, X-ray absorption spectra, **119**, 380
- Nb₃SBr₇, synthesis, crystal structure, and magnetic susceptibility, **120**, 311
- NH₂HSO₃, analysis by vibrational and surface enhanced Raman scattering, **116**, 217
- PrS₂, synthesis by moderate temperature solid-state metathesis, **117**, 318
- A₂S (A = N, K; x = 1, 2, 3, 4), synthesis by moderate temperature solid-state metathesis, **117**, 318
- Sn_{1-p}Cr₂S_{4-p} channel-type composite crystal, X-ray and electron diffraction study, **115**, 7
- SnS₂, layered structures, structural evolution to 3- and 4-connected tin oxy-sulfides, **117**, 219
- Sn₄S₉[(C₃H₇)₄N]₂, preparation and structural characterization, **114**, 506
- Sn₄S₉[(C₃H₇)₄N] · [(CH₃)₃NH], preparation and structural characterization, **114**, 506
- SnSe₂, layered structures, structural evolution to 3- and 4-connected tin oxy-sulfides, **117**, 219
- (SO₄)²⁻, in Li₃AsO₄, vibrational behavior, **115**, 83
- SrY₂S₄, structure and properties, **117**, 363
- TaS₂6R polytype, physical properties, **114**, 486
- TiS, and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
- TiV_{5-y}Fe_yS₈ (y = 0.5-1.5), crystal structure, chemical reactivity, magnetic properties, and Mössbauer spectroscopy, **119**, 147
- VS, and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
- M_xW₆S₈ (M = Sn, Co, Ni, Pb, La, Ho), amorphous precursors for low-temperature preparation, **117**, 269
- ZnCr₂S₄, lattice dynamics, **118**, 43
- Superconductivity
Ln₂Ba₂Cu₂Ti₂O_{11-δ} (Ln = La-Tb), **119**, 224
Bi_{1.8}Pb_{0.4}Sr₂Ca₂Cu₃O_{10+δ}, **119**, 120
Bi₂Sr₂CaCu₂O_{8+δ}, **119**, 120
mixed valent nickel and manganese oxide ceramics, **116**, 355
Nd₂CuO₄-Nd₂CuO₄, system, after treatment under oxidizing conditions, **115**, 540
- Superconductors
A15-type alloys, displacive crystallographic phase transition for, model, **119**, 364
BiSrCaCuO-type, electronic localization and electrostatic energy calculation in α-PbO, SnO, Pb_{1-x}(TiO)_xO, Pb₃O₄, Pb₃(V,P)₂O₈, **114**, 459
(Hg,Pr)-Sr-(Sr,Ca,Pr)-Cu-O, 1201, 1212, and 1222, ordering principles and defect structures, **114**, 369
Hg_{1-x}Tl_xSr_{4-y}Ba_yCu₂CO₃O_{7-δ}, structural aspects, **120**, 332
HoSr₂Cu_{2.7}Mo_{0.3}O_{7.54}, synthesis and crystal structure, **119**, 115
- Superstructure
and average structure, BiLa₂O_{4.5} X-ray powder and electron diffraction studies, **116**, 72
NbP₂O₇, preparation, **119**, 98
NiAs-Ni₂In-type intermetallic phase, **118**, 313
- Surface acidity
Nb₂O₅/TiO₂ photocatalysts, **115**, 187
- Surface enhanced Raman scattering
NH₂HSO₃, **116**, 217
- Surface enhanced Raman spectroscopy
2-aminophenol in silver colloids, **116**, 427
(CH₃)₃NCH₂COO · (COOH)₂ · H₂O, **114**, 129
- Synthesis
AgMn₃(PO₄)(HPO₄)₂, **117**, 206
Al₄(PO₄)₃(HPO₄)F₆ · (N₂C₆H₁₈)_{2.5} · 3H₂O, **120**, 197
Ba_{2-x}Bi_xCu₂O₅ (0 ≤ x ≤ 1.5), **114**, 585
BaCuAs₂O₇, **118**, 280
Ln₂Ba₂CuPtO₈ (Ln = Ho-Lu), **120**, 316
Ln₂Ba₂Cu₂Ti₂O_{11-δ} (Ln = La-Tb), **119**, 224
Ba₂M₂F₇Cl and Ba₂MM'F₇Cl (M, M' = Mn²⁺, Fe²⁺, Co²⁺, Ni²⁺, Zn²⁺), **115**, 98
BaFe_{12-2x}Co_xTi_xO₁₉ (0 < x < 1), **115**, 347
BaHgRuO₅, **120**, 223
BaMo(PO₄)₂ with yavapaiite layer structure, **116**, 364
[Ba₂(OH)₂(H₂O)₁₀][Se₄], **120**, 12
REBa₂SbO₆ (RE = Pr, Sm, Gd) as substrates for YBa₂Cu₃O_{7-δ} films, **116**, 193
Ba₈Ta₄Ti₃O₂₄, **114**, 560
Ba₁₀Ta_{7.04}Ti_{1.2}O₃₀, **114**, 560
BaTe₂, **117**, 247
Ba_xV₈O₁₆ (x = 1.09(1)), **115**, 88
BaVO(PO₄)(H₂PO₄) · H₂O, **118**, 241
Ba₂ZnN₂, **119**, 375
Bi₁₃Ba₂Fe₁₃O₆₆, from 2201-0201 intergrowth Bi₂Sr₄Fe₂O₁₀, **118**, 357
Bi₂Fe_{4-x}Al_xO₉, **114**, 199
Bi₃NF₆, **114**, 73
Bi₃RE₅O₁₂ (RE = Y, La, Pr-Lu), related phases, **116**, 68
Bi_{n+1}Sr_{2n+2}Ba_{n-1}Fe_{n+1}O_{6n+4}, **118**, 227
Bi₂Sr₂CaCu₂O₈, **116**, 314
Bi₁₆Sr₂₈Cu₁₇O_{69+δ}, **119**, 169
CaFeTi₂O₆, high-pressure method, **114**, 277

- (Ca,Th)(N,O) and (Sr,Th)(N,O) rocksalt phases, **120**, 372
 $\text{Ca}_3\text{Ti}_2\text{O}_6$, **115**, 508
 $\text{Ln}_2\text{MCo}_2\text{O}_7$ ($\text{Ln} = \text{Sm,Gd}$; $M = \text{Sr,Ba}$), **114**, 286
 β -Co(OH)₂ organic additive-mediated, **114**, 550
 $\text{Cs}_9\text{Mo}_9\text{Al}_3\text{P}_{11}\text{O}_{59}$, **114**, 451
 $\text{CsNbOB}_2\text{O}_5$, **120**, 74
 $\text{CsTaOB}_2\text{O}_5$, **120**, 74
 α - and β - $\text{CsTi}_3\text{P}_5\text{O}_{19}$, **115**, 120
cubic stabilized zirconias, **115**, 43
 $\text{Cu}(\text{C}_4\text{H}_5\text{N}_3)_2\text{Cl}_2$, **117**, 333
 $\text{Cu}^{\text{II}}(1,4\text{-C}_4\text{H}_4\text{N}_2)(\text{C}_4\text{O}_4)(\text{OH})_2$, **117**, 256
 $\text{Eu}_3\text{Ba}_2\text{Mn}_2\text{Cu}_2\text{O}_{12}$, **115**, 1
 $\text{Ga}_2\text{O}_3(\text{ZnO})_m$ ($m = 7,8,9,16$), in $\text{In}_2\text{O}_3\text{-ZnGa}_2\text{O}_4\text{-ZnO}$ system, **116**, 170
 $(\text{Gd}_x\text{Sn}_{1-x})_{1.16}(\text{NbS}_2)_3$, **114**, 435
 $\text{Hg}_{2-x}\text{M}_x\text{Ba}_2\text{Pr}_2\text{Cu}_2\text{O}_{10-\delta}$ ($M = \text{Cu,Pr}$), **114**, 230
 $\text{Hg}_{0.4}\text{Ce}_{0.5}\text{Cu}_{0.1}\text{Sr}_{2-x}\text{La}_x\text{CuO}_{4+\delta}$, **116**, 347
 $(\text{Hg}_{1-x}\text{M}_x)(\text{Sr,Ba})_2\text{Pr}_2\text{Cu}_2\text{O}_{9-\delta}$ ($M = \text{Pr,Pb,Bi,Tl}$), **115**, 525
 $\text{HoSr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.54}$, **119**, 115
hydrothermal, see Hydrothermal synthesis
 InCdBr_3 , **116**, 45
 $\text{InGaO}_3(\text{ZnO})_3$, in $\text{In}_2\text{O}_3\text{-ZnGa}_2\text{O}_4\text{-ZnO}$ system, **116**, 170
 InMnO_3 , **116**, 118
 $\text{In,Nb}_3\text{Se}_4$, by multilayer precursor synthesis, **117**, 290
 $\text{In}_2\text{O}_3(\text{ZnO})_m$ ($m = 3,4,5$), in $\text{In}_2\text{O}_3\text{-ZnGa}_2\text{O}_4\text{-ZnO}$ system, **116**, 170
 InPO_{4-1} , **117**, 373
 $\text{K}_2\text{Ag}_2\text{SnTe}_4$, **117**, 247
 KAlSiO_4 polymorphs on $\text{SiO}_2\text{-KAlO}_2$, **115**, 214
 $\text{K}_{2x}\text{Ba}_{2-x}\text{Sb}_4\text{O}_9(\text{PO}_4)_2$ ($0 < x < 0.4$), **114**, 399
 $\text{K}_2\text{BaSnTe}_4$, **117**, 247
 $\text{KNb}_5\text{GeO}_{16} \cdot 2\text{H}_2\text{O}$, **115**, 373
 LaMnO_3 , electrochemical methods, **114**, 294
 $\text{LaMnO}_{3+\delta}$, **116**, 343; **119**, 164
 $\text{La}_2\text{O}_2\text{CN}_2$, **114**, 592
 LaPd_2O_4 , **114**, 206
 $\text{La}_4\text{Ti}_3\text{S}_4\text{O}_8$, **114**, 406
 $\text{La}_6\text{Ti}_3\text{S}_8\text{O}_5$, **114**, 406
 LiCoO_2 , **117**, 1
 $\text{LiMoOP}_2\text{O}_7$, **120**, 260
 $\text{Li}_{2.88}\text{PO}_{3.73}\text{N}_{0.14}$, **115**, 313
 $\delta_1\text{-LiZnPO}_4$, **117**, 39
 $\text{Lu}_3\text{O}_2\text{F}_5$, **119**, 125
metastable materials by high-pressure methods, **117**, 229
 $\text{MgHOP}_4 \cdot 0.78\text{H}_2\text{O}$ at ambient pressure and temperature, **114**, 598
 Mn_4As_3 , **119**, 344
 $[\text{Mn}(\text{H}_2\text{O})]1/4(\text{VO})3/4\text{PO}_4 \cdot 2\text{H}_2\text{O}$, **116**, 400
 $\text{Mn}_2(\text{MnTa}_3)\text{N}_{6-\delta}\text{O}_{2+\delta}$ ($0 \leq \delta \leq 1$), **117**, 48
 MnO_2 , from thermal decomposition of NaMnO_4 , for rechargeable lithium cells, **120**, 70
 Mn_2OBO_3 , **114**, 311
 Mn_xTaS_2 , **114**, 1
 $(\text{Mn}_x\text{Zn}_{1-x})(\text{OH})(\text{NO}_3)\text{H}_2\text{O}$ ($x = 0.53,1.00$), **118**, 28
 $\text{MoO}_3\text{-II}$, soft chemical method, **119**, 199
 $M_2\text{MoO}_4$ ($M = \text{Na,NH}_4,\text{Ag}$), **117**, 323
 $\alpha\text{-Na}_3\text{Al}_2(\text{AsO}_4)_3$, **118**, 33
 $\text{Na}_4\text{Al}(\text{PO}_4)_2(\text{OH})$, **118**, 412
 $\text{Na}_2\text{Cu}_2\text{ZrS}_4$, **117**, 30
 $\text{Na}_7\text{Fe}_4(\text{AsO}_4)_6$, **118**, 33
 $\text{Na}_2\text{GdOPO}_4$, in solid state, **120**, 275
 $\text{NaMn}_3(\text{PO}_4)(\text{HPO}_4)_2$, **115**, 240
 $\text{Na}_3(\text{MoO})_4(\text{PO}_4)_5$, **114**, 543
 $\text{Na}_{0.75}\text{Mo}_{1.17}\text{W}_{0.83}\text{O}_3(\text{PO}_4)_2$, **120**, 353
 NaSn_2Cl_5 , **115**, 158
 Na_2SnSe_3 , with sechser single chains, **117**, 356
 $\text{Na}_{2/3}\text{Th}_{1/3}\text{TiO}_3$, synthesis, letter to editor, **120**, 207
 $\text{Na}_{0.13}(\text{V}_{0.13}\text{Mo}_{0.87})\text{O}_3 \cdot n\text{H}_2\text{O}$, **119**, 176
 Nb_3SBr_7 , **120**, 311
 NdNiO_3 , electrochemical methods, **114**, 294
 Ni-Al-M ($M = \text{Cr,Fe}$), **118**, 285
 $\text{Ln}_4\text{Ni}_3\text{O}_{10-\delta}$ ($\text{Ln} = \text{La,Pr,Nd}$), **117**, 236
 $\text{Pb}_{2-x}\text{Ln}_x\text{Ru}_2\text{O}_{7-y}$ ($\text{Ln} = \text{Nd,Gd}$), **114**, 15
 MP_2O_7 ($M = \text{Mo,W}$), **115**, 146
 PrMnOGeO_4 , **120**, 7
rare-earth chalcogenides, **117**, 318
 $\text{RbTaCu}_2\text{Te}_4$, **117**, 247
 $\text{Sm}_{1-x}\text{Nd}_x\text{NiO}_3$, **120**, 157
 $\text{Sm}_2\text{Sr}_6\text{Cu}_8\text{O}_{17+\delta}$ films, **116**, 300
 $\text{Sr}_5\text{Mn}_4\text{CO}_3\text{O}_{10}$, **120**, 279
 $\text{Sr}_3\text{Ru}_2\text{O}_7$, **116**, 141
 $\text{Sr}_2\text{RuO}_4 \cdot 0.25 \text{CO}_2$, **116**, 141
 $\text{Sr}_3\text{V}_2\text{O}_{6.99}$, **118**, 292
 Sr_2ZnN_2 , **119**, 375
 $M_2\text{RETa}_6\text{Br}_{15}\text{O}_3$ ($M = \text{monovalent cation}$; $\text{RE} = \text{rare earths}$), **120**, 43
 TaCu_3Te_4 , **117**, 247
 $M'\text{-RTaO}_4$ ($R = \text{Gd,Y,Lu}$), letter to editor, **118**, 419
 TaThN_3 , **120**, 378
 $\text{Tb}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, **117**, 213
 $\text{Ti}_2(\text{Ba}_2\text{Gd})\text{Gd}_2-x\text{Ce}_x\text{Cu}_2\text{O}_{13}$, **114**, 57
 $\text{A}_4\text{Ti}_2\text{CO}_3\text{O}_6$ ($A = \text{Ca,Sr,Ba}$), **116**, 321
 VC , **120**, 320
 $\text{A}_2\text{V}_4\text{O}_9$, ($A = \text{Rb,Cs}$), **115**, 174
 $(\text{V}^{\text{IV}}\text{O})[\text{V}^{\text{VO}}\text{O}_4] \cdot 0.5[\text{C}_3\text{N}_2\text{H}_{12}]$, **120**, 137
 V-Me-O-N ($\text{Me} = \text{Mo,W}$), with temperature-programmed reaction, **116**, 205
 $M_2(\text{WO}_3)_3\text{SeO}_3$ ($M = \text{NH}_4,\text{Rb,Cs}$), **120**, 112
 $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, **115**, 407
 $\text{Zr}(\text{O}_3\text{PC}_6\text{H}_5)_x(\text{HPO}_4)_{2-x}$, **117**, 275

T

Tantalum

- BaTa_2S_5 , superconducting and normal state properties, **116**, 392
 $\text{Ba}_8\text{Ta}_4\text{Ti}_3\text{O}_{24}$, synthesis and crystal structure, **114**, 560
 $\text{Ba}_{10}\text{Ta}_7\text{O}_4\text{Ti}_{1.2}\text{O}_{30}$, synthesis and crystal structure, **114**, 560
 $\text{CsErTa}_6\text{Br}_{18}$, crystal structure, **118**, 274
 $\text{CsTaOB}_2\text{O}_5$, synthesis and characterization, **120**, 74
 LiTaO_3
impedance spectroscopy, **116**, 185
relationship between covalence and displacive phase transition temperature, **116**, 28
 RTaO_4 ($R = \text{Nd-Er}$), relationship between covalence and displacive phase transition temperature, **116**, 28
 $\text{Mn}_2(\text{MnTa}_3)\text{N}_{6-\delta}\text{O}_{2+\delta}$ ($0 \leq \delta \leq 1$), synthesis, structure, and magnetic susceptibility, **117**, 48
 Mn_xTaS_2 , intercalation compounds, physical properties and homogeneity range, **114**, 1
 $\text{RbTaCu}_2\text{Te}_4$, synthesis and characterization, **117**, 247
 $\text{Sr}_2\text{Zn}_{0.2}\text{Ga}_{0.8-x}\text{Mn}(\text{Cr})_x\text{W}_{0.2}\text{Ta}_{0.8}\text{O}_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 $\text{Ta}_6\text{T}_4\text{Al}_3$ ($T = \text{Ti,V,Nb,Ta}$), with $\text{Ho}_6\text{Mo}_4\text{Al}_3$ -type structure, preparation, **116**, 131
 $M_2\text{RETa}_6\text{Br}_{18}$, $M\text{RETa}_6\text{Br}_{18}$, and $\text{RETa}_6\text{Br}_{18}$ ($M = \text{monovalent cation}$; $\text{RE} = \text{rare earth}$), crystal structure, **118**, 274
 $M_2\text{RETa}_6\text{Br}_{15}\text{O}_3$ ($M = \text{monovalent cation}$; $\text{RE} = \text{rare earths}$), synthesis and crystal structure, **120**, 43
 TaCu_3Te_4 , synthesis and characterization, **117**, 247
 Ta_2N , formation by air ignition, letter to editor, **119**, 207

- M' - $RTaO_4$ ($R = Gd, Y, Lu$), synthesis and characterization, letter to editor, **118**, 419
- Ta_2O_5 , effect of laser irradiation, letter to editor, **118**, 417
- TaS_2 , 6R polytype, physical properties, **114**, 486
- TaA_2Te_2 ($A = Si, Ge$; $1/3 \leq x \leq 1/2$), origin of short interslab Te-Te contacts in, analysis, **119**, 394
- $TaThN_3$, synthesis, **120**, 378
- UTa_2Al_{20} , with $CeCr_2Al_{20}$ -type structure, **114**, 337
- Y_3TaO_7 , EXAFS analysis and reinvestigation of structure, **114**, 79
- Technetium**
- Slater functions, formulation by distance between subspaces, **116**, 275
- Tellurium**
- $(AgIn)_{2(1-x)}(MnIn_2)_xTe_4$, alloys, $T(z)$ diagram and optical energy gap values, **114**, 539
- $Ag_2MnGeTe_4$, crystal symmetry, **115**, 192
- $BaTe_2$, synthesis and characterization, **117**, 247
- $BiTeX$ ($X = Cl, Br, I$), crystal structure, determination by powder X-ray diffraction, **114**, 379
- Bi_2TeO_5 - Bi_2TeO_7 , phase region, analysis by electron microscopy, **116**, 240
- $Bi_4Te_2O_9Br_2$, pyroelectric phase, crystal structure, **116**, 406
- $(Cr_{1-x}Fe_x)_3Te_4$, magnetic properties, **120**, 49
- $K_2Ag_2SnTe_4$, synthesis and characterization, **117**, 247
- $K_2BaSnTe_4$, synthesis and characterization, **117**, 247
- $K_{3/2}Cr_{1/2}Te_{3/2}O_6 \cdot 0.5H_2O$, electrical properties and structural characterization, **116**, 290
- La_2Te_3 , synthesis by moderate temperature solid-state metathesis, **117**, 318
- $Na_4H[Cu(H_2TeO_6)_2] \cdot 17H_2O$, crystal structure, electronic spectra, and XPS, **115**, 208
- $(NH_4)_6[TeMo_6O_{24}] \cdot Te(OH)_6 \cdot 7H_2O$, single crystals, infrared and polarized Raman spectra, **118**, 341
- $Pb_{1-x}In_xTe$ ($x = 0.56$), oxidation states, **116**, 33
- $PrTe_3$, synthesis by moderate temperature solid-state metathesis, **117**, 318
- $RbTaCu_2Te_4$, synthesis and characterization, **117**, 247
- $Sr_2Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xTe_{0.2}Sb_{0.8}O_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
- $Sr_2Zn_{1-x}Mn_xTe_{1-x}Sb_xO_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
- $TaCu_3Te_4$, synthesis and characterization, **117**, 247
- MA_xTe_2 ($M = Nb, Ta$; $A = Si, Ge$; $1/3 \leq x \leq 1/2$), origin of short interslab Te-Te contacts in, analysis, **119**, 394
- $M_6[TeMo_6O_{24}] \cdot 7H_2O$ ($M = K, NH_4$), single crystals, infrared and polarized Raman spectra, **118**, 341
- TeO_2 , in formation of tellurites of Er, Nd, Sm, Ho, and Eu, **118**, 210
- Te_4O_{11} , in formation of tellurites of Er, Nd, Sm, Ho, and Eu, **118**, 210
- Tl_2GeTe_3 , crystal structure, **117**, 351
- TEM**, see Transmission electron microscopy
- Temperature**
- dependence of Aurivillius phases Raman modes, **114**, 112
- displacive, phase transition, RAO_4 and $LiAO_3$, ($R =$ rare earth elements; $A = Nb, Ta$), relationship with covalence, **116**, 28
- effect on green-to-blue up-conversion, from U^{4+} ion in Cs_2ZrCl_6 , effect of temperature, **116**, 113
- in $V-Me-O-N$ ($Me = Mo, W$) synthesis, **116**, 205
- Temperature-programmed reduction
- with *in situ* Mössbauer spectroscopy and X-ray diffraction, in analysis of Fe-Mo-O catalysts, **117**, 127
- in synthesis of VC, **120**, 320
- Terbium**
- Bi_2O_3 - Tb_2O_3 , low-temperature stable phase, **120**, 32
- $Bi_3Tb_5O_{12}$, related phases, synthesis and characterization, **116**, 68
- $ACl/TbCl_3$ ($A = K, Rb, Cs$), ternary chlorides in, analysis, **115**, 484
- $La_{1.2}Tb_{0.8}CuO_{4+\delta}$, with T' structure, conducting properties and structure, **115**, 332
- $TbAO_4$ ($A = Nb, Ta$), relationship between covalence and displacive phase transition temperature, **116**, 28
- $TbAgSb_2$
- with $HfCuSi_2$ -type structure, preparation, **115**, 305
- magnetism and crystal structure, **115**, 441
- $Tb_2Ba_2Cu_2Ti_2O_{11}$, synthesis and crystal structure, **117**, 213
- $Tb_2Ba_2Cu_2Ti_2O_{11-\delta}$, synthesis, structure, and superconductivity, **119**, 224
- $TbCuAs_2$, with $HfCuSi_2$ -type structure, preparation, **115**, 305
- Tb_2O_3 , cation array structure, **119**, 131
- $MTbTa_6Br_{18}$ ($M = K, Rb, Cs$), crystal structure, **118**, 274
- $TbTa_6Br_{18}$, crystal structure, **118**, 274
- $M_2TbTa_6Br_{15}O_3$ ($M =$ monovalent cation), synthesis and crystal structure, **120**, 43
- $TbTi_2Al_{20}$, with $CeCr_2Al_{20}$ -type structure, **114**, 337
- $(1-x)ZrO_2 \cdot xTbO_{1.5}$, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
- Ternary chlorides**
- in $AKCl/TbCl_3$ ($A = K, Rb, Cs$), analysis, **115**, 484
- Tetraethyl orthosilicate**
- incipient chemical reaction with scratched silicon surface, **120**, 96
- Thallium**
- Ag_2SO_4 - Tl_2SO_4 , phase diagram and positive mixed cation effect, **114**, 271
- $CaTl_2O_4$ and $Ca_2Tl_2O_5$, characterization as chemical twins of rock salt structure, **114**, 428
- $Ca_3Tl_2O_6$, synthesis and crystal structure, **115**, 508
- $Ca_3Tl_4O_9$, isolation, **119**, 134
- $Hg_{1-x}Tl_xSr_{4-y}Ba_yCu_2CO_3O_{7-\delta}$, modulated superconducting oxides, structural aspects, **120**, 332
- $(Hg_{1-x}Tl_x)(Sr, Ba)_2Pr_2Cu_2O_{9-\delta}$, synthesis and characterization, **115**, 525
- $TlBeAsO_4$ and $TlBePO_4$, stereochemical activity of thallium (I) lone pair, **114**, 123
- $A_4Tl_2CO_3O_6$ ($A = Ca, Sr, Ba$), oxycarbonates built up from rock salt layers, **116**, 321
- $TiCu_7S_4$, physical properties and successive phase transitions, **115**, 379
- Tl_2GeTe_3 , crystal structure, **117**, 351
- $Tl_2Nb_2O_{6+x}$ ($0 \leq x \leq 1$) solution, continuous cubic pyrochlore type, **114**, 575
- Tl_2O_3 , cation array structure, **119**, 131
- $TlV_{5-y}Fe_yS_8$ ($y = 0.5-1.5$), crystal structure, chemical reactivity, magnetic properties, and Mössbauer spectroscopy, **119**, 147
- α - $TlZr_3F_{15}$ series, cationic distribution, **118**, 389
- Thermal behavior**
- α - and β - $AlF_3 \cdot 3H_2O$, incorporation of Cu(II), analysis by ESR, **116**, 249
- $Co_xCu_{1-x}Fe_2O_4$ ($0 \leq x < 0.3$), *erratum*, **117**, 64; **117**, 433
- Thermal decomposition**
- associated reactions in CuS - Cr_2S_3 , crystal mixtures, **117**, 122
- $CeK_2(NO_3)_6$, double valence change for cerium during, letter to editor, **115**, 295
- $CuSr(HCOO)_4$, **117**, 145
- $NaMnO_4$, MnO_2 from, for synthesis and characterization for rechargeable lithium cells, **120**, 70
- solids, isokinetic relationships in, analysis by isoconversional methods for analysis, **114**, 392
- Thermal stability**
- $LaCo_{0.2}Fe_{0.8}O_{3-\delta}$, doped with Sr, **118**, 117
- $LiCoO_2$, **117**, 1
- Thermal transformation**
- δ_1 - $LiZnPO_4$, **117**, 39

- Thermochemistry
 α - and β - Na_2UO_4 , **115**, 299
- Thermodynamics, *see also* Leapfrog thermodynamics
 binary mixed crystals in sub-quasi-chemical/Debye approximation, **115**, 368
 ACu_7S_4 ($A = \text{Tl, K, Rb}$), **115**, 379
 U, Np, and Pu NaCl-type compounds, **115**, 66
- Thermoelectric power
 ACu_7S_4 ($A = \text{Tl, K, Rb}$), **115**, 379
 high-temperature, performance of $(\text{Ca}_{0.9}\text{M}_{0.1})\text{MnO}_3$ ($M = \text{Y, La, Ce, Sm, In, Sn, Sb, Pb, Bi}$), **120**, 105
- Thermogravimetric analysis
 $\text{Ln}_{2-x}\text{Ce}_x\text{CuO}_4$, **114**, 491
- Thiogallate
 structure, AGa_2X_4 ($A = \text{Cd, Hg}$; $X = \text{S, Se}$) compounds crystallizing in, lattice dynamical calculations, **114**, 442
- Thiosulfate cancrinite
 hydrothermally synthesized, structure and properties, **117**, 386
- Thorium
 (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372
 $\text{Na}_{2/3}\text{Th}_{1/3}\text{TiO}_3$, synthesis, letter to editor, **120**, 207
 TaThN_3 , synthesis, **120**, 378
 ThCr_2Si_2 , $\text{CePd}_{2-x}\text{As}_2$ with related structure, **115**, 37
 ThFe_5P_3 , crystal structure, **117**, 80
 $\text{Th}_4\text{Fe}_{17}\text{P}_{10}\text{O}_{1-x}$, crystal structure, **117**, 80
 $\text{R}_{1-x}\text{Th}_x\text{NiO}_3$ ($R = \text{La, Nd}$; $0 \leq x \leq 0.1$), hole and electron doping, **116**, 146
 $\text{WTh}_8\text{Zr}_{18}\text{F}_4\text{O}_{53}$, superstructure, associating anion-excess and anion-deficient blocks, **115**, 283
- Thulium
 $\text{Ba}_{5-y}\text{Sr}_y\text{Tm}_{2-x}\text{Al}_2\text{Zr}_{1+x}\text{O}_{13+x/2}$, structural study, **118**, 180
 Tm^{3+} , $\text{PbF}_2/\text{GeO}_2/\text{WO}_3$, glass doped with blue up-conversion emission, **115**, 71
 $\text{Tm}_2\text{Fe}_2\text{Si}_2\text{C}$, preparation, structure refinement, and properties, **114**, 66
 TmAgSb_2
 with HfCuSi_2 -type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 $\text{TmBa}_2\text{Cu}_3\text{O}_{7-y}$, FT-IR skeletal study, **119**, 36
 $\text{Tm}_2\text{Ba}_2\text{CuPtO}_8$, synthesis and characterization, **120**, 316
 TmCuAs_2 , with HfCuSi_2 -type structure, preparation, **115**, 305
 $\text{Tm}_2\text{Cu}_2\text{O}_5$, structural characterization by neutron diffraction, **115**, 324
 TmNbO_4 , relationship between covalence and displacive phase transition temperature, **116**, 28
 Tm_2O_3 , cation array structure, **119**, 131
 $\text{MTmTa}_6\text{Br}_{18}$ ($M = \text{K, Rb, Cs}$), crystal structure, **118**, 274
 $\text{TmTa}_6\text{Br}_{18}$, crystal structure, **118**, 274
 $\text{M}_2\text{TmTa}_6\text{Br}_{15}\text{O}_3$ ($M = \text{monovalent cation}$), synthesis and crystal structure, **120**, 43
 $\text{TmTi}_2\text{Al}_{20}$, with $\text{CeCr}_2\text{Al}_{20}$ -type structure, **114**, 337
- Tin
 $\text{Ag}_{3.8}\text{Sn}_3\text{S}_8$, superionic conductor, crystal structure and conductivity, **116**, 409
 AuNi_2Sn_4 , crystal structure, **119**, 142
 $\text{Ca}_x\text{Sn}_x\text{Ga}_{8-2x}\text{O}_{12}$ ($2.5 < x < 3.0$), solid solutions, cationic sites, simultaneous occurrence of Sn^{4+} on, **118**, 6
 $(\text{Ca}_{0.9}\text{Sn}_{0.1})\text{MnO}_3$, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 $\text{CH}_3\text{NH}_3\text{SnI}_3$, transport, optical, and magnetic properties, **114**, 159
 $\text{Cr}_2\text{Sn}_3\text{Se}_7$, structural determination and magnetic properties, **115**, 165
 $(\text{Gd}_{1-x}\text{S})_{1.16}(\text{NbS}_2)_3$, crystal structure and synthesis, **114**, 435
 $\text{K}_2\text{Ag}_2\text{SnTe}_4$, synthesis and characterization, **117**, 247
 $\text{K}_2\text{BaSnTe}_4$, synthesis and characterization, **117**, 247
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Sn}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 NaSn_2Cl_5 , synthesis and crystal structure, **115**, 158
 Na_2SnSe_3 , with sechsr single chains, synthesis, **117**, 356
 $\text{NH}_4\text{Sn}_2(\text{PO}_4)_3$, hydrothermal synthesis and characterization, **119**, 197
 ^{119}Sn , Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 M_5SnX_3 ($M = \text{Na, K}$; $X = \text{P, As, Sb}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 MSn_2X_2 ($M = \text{Na, Sr}$; $X = \text{As, Sb}$), Mössbauer spectroscopy, in analysis of bonding in Zintl phases, **118**, 397
 $\text{Sn}_{1-x}\text{Co}_x\text{O}_y$ ($0 < x \leq 0.15$), thin films, structural models, **116**, 256
 $\text{Sn}_{1-p}\text{Cr}_2\text{S}_{4-p}$ channel-type composite crystal, X-ray and electron diffraction study, **115**, 7
 $\text{Sn}_x\text{Mo}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
 SnO , electronic lone pair localization and electrostatic energy calculations, **114**, 459
 SnS_2 , layered structures, structural evolution to 3- and 4-connected tin oxy-sulfides, **117**, 219
 $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}]_2$, preparation and structural characterization, **114**, 506
 $\text{Sn}_4\text{S}_9[(\text{C}_3\text{H}_7)_4\text{N}] \cdot [(\text{CH}_3)_3\text{NH}]$, preparation and structural characterization, **114**, 506
 SnSe_2 , layered structures, structural evolution to 3- and 4-connected tin oxy-sulfides, **117**, 219
 $\text{Sn}_x\text{W}_6\text{S}_8$, amorphous precursors for low-temperature preparation, **117**, 269
- Titanium
 $\text{Ln}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11-\delta}$ ($\text{Ln} = \text{La-Tb}$), synthesis, structure, and superconductivity, **119**, 224
 $\text{BaFe}_{12-2x}\text{Co}_x\text{Ti}_x\text{O}_{19}$
 crystallite size and shape, determination by X-ray line broadening analysis, **114**, 534
 samples with composition range $0 < x < 1$, synthesis for magnetic recording, **115**, 347
 $\text{Ba}_2\text{Fe}_2\text{Ti}_4\text{O}_{13}$, preparation, crystal structure, dielectric properties, and magnetic behavior, **120**, 121
 $\text{Ba}_8\text{Ta}_4\text{Ti}_3\text{O}_{24}$, synthesis and crystal structure, **114**, 560
 $\text{Ba}_{10}\text{Ta}_{7.04}\text{Ti}_{1.2}\text{O}_{30}$, synthesis and crystal structure, **114**, 560
 Ba_2TiO_4 , with titanate tetrahedra, luminescence, **118**, 337
 $\text{Bi}_2\text{Ti}_4\text{O}_{11}$, phase transition, *in situ* analysis, **119**, 281
 $\text{CaFeTi}_2\text{O}_6$, high-pressure synthesis and crystal structure, **114**, 277
 $\text{Cs}(\text{TiAs})\text{O}_5$, crystal structure, **120**, 299
 $\text{Cs}(\text{TiP})\text{O}_5$, crystal structure, **120**, 299
 α - and β - $\text{CsTi}_3\text{P}_5\text{O}_{19}$, synthesis and crystal structure, **115**, 120
 $\text{Eu}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11}$, high-temperature transport and defect studies, **119**, 80
 $\text{La}_{0.5}\text{Li}_{0.5}\text{TiO}_3$, microstructural study, **118**, 78
 $\text{La}_4\text{Ti}_3\text{S}_4\text{O}_8$, synthesis and characterization, **114**, 406
 $\text{La}_6\text{Ti}_2\text{S}_8\text{O}_5$, synthesis and characterization, **114**, 406
 $\text{La}_{20}\text{Ti}_{11}\text{S}_{44}\text{O}_6$, preparation and crystal structure determination, **120**, 164
 $\text{Na}_x\text{Cr}_x\text{Ti}_{8-x}\text{O}_{16}$, tunnel structure analysis for stability and sodium ion transport, **116**, 296
 $\text{Na}_{2/3}\text{Th}_{1/3}\text{TiO}_3$, synthesis, letter to editor, **120**, 207
 $\text{NaM}^{\text{IV}}(\text{Ti, Zr})_{2-x}(\text{PO}_4)_3$ ($M = \text{Nb, Mo}$; $0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 $\text{Nb}_2\text{O}_5/\text{TiO}_2$ photocatalysts, surface acidity and photocatalytic activity, **115**, 187
 $\text{Nd}_{1-x}\text{A}_x\text{TiO}_3$ ($A = \text{Ca, Sr, Ba}$; $0 \leq x \leq 1$), structure, transport, and magnetic properties, **114**, 164

- Pb_{1-x}(TiO)_x, O, electronic lone pair localization and electrostatic energy calculations, **114**, 459
- Sr_{1-x}La_xTiO_{3+0.5x}, layer structure, determination by high-resolution electron microscopy, **117**, 88
- Sr₃La₂Ti₂O₁₀, preparation and characterization, **119**, 412
- Tb₂Ba₂Cu₂Ti₂O₁₁, synthesis and crystal structure, **117**, 213
- ATi₂Al₂₀ (*A* = rare earths, U), with CeCr₂Al₂₀-type structure, **114**, 337
- Ti₆T₄Al₄₃ (*T* = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131
- Ti₂(Ba₂Gd)Gd_{2-x}Ce_xCu₂O₁₃, design and synthesis, **114**, 57
- TiO₂
chromium-induced structural changes, analysis by X-ray diffraction, **114**, 364
effect of laser irradiation, letter to editor, **118**, 417
films, photoassisted decomposition of salicylic acid, **119**, 339
photocatalyst, fumed, microstructural characterization, **115**, 236
(rutile)(110) surface and Pt, strong-metal-support interaction between, effect of oxygen defect, **119**, 237
- TiO₂-Pd films, photoassisted decomposition of salicylic acid, **119**, 339
- TiO₂-NaPO₃-Na₂B₄O₇ system, optically nonlinear glasses, Raman scattering and XAFS analysis, **120**, 151
- TiS and TiSe, monochalcogenides and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
- TiZn₁₆, preparation, properties, and crystal structure, **118**, 219
- Ti₃Zn₂₂, preparation, properties, and crystal structure, **118**, 219
- Y₂(Zr_{1-x}Ti_{1-y})₂O₇, neutron Rietveld analysis of disorder from Zr substitution, **117**, 108
and zirconium phosphates, zeolite-like, preparation, **120**, 381
- Transition metals
*d*⁰, octahedrally coordinated, out-of-center distortions around, **115**, 395
- Transmission electron microscopy
Bi₂O₃-CaO, **118**, 66
Bi₂O₃-SrO, **118**, 66
(BiS)_{1+x}(Nb_{1+x}S₂)_n, misfit layer structures, **115**, 274
fumed titanium dioxide photocatalyst, **115**, 236
HfO₂ powders, **119**, 289
Nb₄W₁₃O₄₇ oxidation products, **120**, 268
Nb₇W₁₀O₄₇ oxidation products, **119**, 420
- Transmission electron spectroscopy
Ca₁₀(PO₄)₆(OH)₂, **116**, 265
- Transport properties
CeVO₃, **119**, 24
CH₃NH₃SnI₃, **114**, 159
electrical, (Ca_{0.9}M_{0.1})MnO₃ (*M* = Y, La, Ce, Sm, In, Sn, Sb, Pb, Bi), **120**, 105
LaCoO₃, **116**, 224
La_{1-x}Sr_xCoO_{3-δ} (*0* < *x* ≤ 0.50), **118**, 323
Nd_{1-x}A_xTiO₃ (*A* = Ca, Sr, Ba; *0* ≤ *x* ≤ 1), **114**, 164
- Tungsten
Ba₃Cr₂WO₉, structure and magnetic properties, **120**, 238
α-, β-, and γ-Fe₂WO₆ phases, magnetic and EPR studies at low temperatures, **120**, 216
Mo_{7.6}W_{1.4}O₂₅, crystal structure, **119**, 8
Na_{0.75}Mo_{1.17}W_{0.83}O₃(PO₄)₂, synthesis and crystal structure, **120**, 353
Nb₄W₁₃O₄₇, oxidation products, analysis by TEM, **120**, 268
Nb₇W₁₀O₄₇, oxidation products, analysis by TEM, **119**, 420
PbF₂/GeO₂/WO₃, glass doped with Tm³⁺ and Tm³⁺/Tb³⁺, blue up-conversion emission, **115**, 71
Sr₂Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xW_{0.2}Ta_{0.8}O₆, mixed valent oxide ceramic, superconducting properties, **116**, 355
V-W-O-N, synthesis by temperature-programmed reaction, **116**, 205
AW₂Al₂₀ (*A* = La, Ce, Pr, Nd, Eu, U), with CeCr₂Al₂₀-type structure, **114**, 337
M^I*M*^{III}(WO₄)₂ (*M*^I = Li, Na, K; *M*^{III} = Bi, Cr), vibrational properties, **117**, 177
- WO₃, 1/3H₂O, reinvestigation and preparation, **119**, 90
M₂(WO₃)₃SeO₃ (*M* = NH₄, Rb, Cs), synthesis, crystal structure and properties, **120**, 112
WP₂O₇, synthesis and magnetic and electrical properties, **115**, 146
WTh₈Zr₁₈F₄O₅₃, superstructure, associating anion-excess and anion-deficient blocks, **115**, 283
M_xW₆Y₈, (*M* = Sn, Co, Ni, Pb, La, Ho), amorphous precursors for low-temperature preparation, **117**, 269
Zr₂(WO₄)(PO₄)₂, structure determination by powder X-ray diffraction, **120**, 101
- Tunnel structure
Cs₉Mo₉Al₃P₁₁O₅₉, **114**, 451
β-K₂Mo₂O₄P₂O₇, **114**, 481
K₃(Mo)₄(PO₄)₅, **114**, 61
Na_xCr_xTi_{18-x}O₁₆, analysis for stability and sodium ion transport, **116**, 296
Na₃(MoO)₄(PO₄)₅, **114**, 543
- T(z) diagram
(AgIn)_{2(1-z)}(MnIn₂)_zTe₄, **114**, 539
Zn_{1-z}MnzGa₂Se₄, **115**, 416
- U**
- Ultrasound
effect on ceramics and oxides, macro- and microscopic analysis, **115**, 532
- Uranium
CoU₂O₆, antiferromagnetic ordering, **114**, 595
NaCl-type compound, thermodynamic and magnetic properties, **115**, 66
α- and β-Na₂UO₄, structure and thermochemistry, **115**, 299
NiU₂O₆, antiferromagnetic ordering, **114**, 595
U⁴⁺, green-to-blue up-conversion emission in Cs₂ZrCl₆, effect of temperature, **116**, 113
UAgSb₂, with HfCuSi₂-type structure, preparation, **115**, 305
UT₂Al₂₀ (*T* = Ti, Nb, Ta, Mo, W), with CeCr₂Al₂₀-type structure, **114**, 337
U₆T₄Al₄₃ (*T* = Ti, V, Nb, Ta), with Ho₆Mo₄Al₄₃-type structure, preparation, **116**, 131
U₃Co₄Ge₇, crystal structure and magnetic properties, **115**, 247
U₂Fe_{17-x}M_xC_y (*M* = Al, Si, and Ge), magnetic properties, **115**, 13
U₃Ni_{3.34}P₆, preparation, crystal structure, and physical properties, **116**, 307
- V**
- Valence
Cu in Ba_{2-x}Bi_xCu₂O₅ (*0* ≤ *x* ≤ 1.5), **114**, 585
mixed, Cu(III)/Cu(IV) in perovskite lattice of La_{1-x}Sr_xCuO₃ stabilization under high oxygen pressure, **114**, 88
- Valence force constants
α-Al₂O₃, relationship to elastic constants, **116**, 378
- Vanadium
AgV₂(PO₄)₂P₂O₇, crystal structure determination, **115**, 521
BaV₃O₈, hydrothermal synthesis and crystal structure, **117**, 407
Ba_xV₈O₁₆ (*x* = 1.09(1)), synthesis and crystal structure, **115**, 88
BaVO(PO₄)(H₂PO₄) · H₂O, synthesis, structure, and magnetism, **118**, 241
Ba₈(VO)₆(PO₄)₂(HPO₄)₁₁ · 3H₂O, hydrothermal synthesis and crystal structure, **116**, 77
Ba(VO)₂(SeO₃)₂(HSeO₃)₂, hydrothermal synthesis and crystal structure, **116**, 77
Ba_{0.4}V₃O₈(VO)_{0.4} · *n*H₂O, hydrothermal synthesis and crystal structure, **114**, 359
CeVO₃, magnetic and transport properties, **119**, 24
Cu_{0.5}(OH)_{0.5}[VOPO₄] · 2H₂O, hydrothermal synthesis and crystal structure, **117**, 157

- $\text{Cu}_{0.5}[\text{VOPO}_4] \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **117**, 157
 InVO_4 -I, metastable form, crystal structure, **118**, 93
 $\text{Li}_x\text{Na}_y\text{V}_2\text{O}_5$ ($0.23 \leq x + y \leq 0.37$), bronzes obtained from sol-gel process, electrical properties, **118**, 10
 $\text{Li}_{0.8}\text{VO}_2$ single crystals, superstructure analysis, **114**, 184
 $[\text{Mn}(\text{H}_2\text{O})]_{1/4}(\text{VO})_{3/4}\text{PO}_4 \cdot 2\text{H}_2\text{O}$, synthesis, characterization, and intercalation of vanadyl phosphate with manganese, **116**, 400
 $\text{Mn}_2\text{VO}(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$, hydrothermal synthesis and structure, **115**, 76
 $\text{Na}_{0.13}(\text{V}_{0.13}\text{Mo}_{0.87})\text{O}_3 \cdot n\text{H}_2\text{O}$, synthesis and structure, **119**, 176
 $\text{Pb}_3(\text{V}_2\text{P}_2\text{O}_8)$, electronic lone pair localization and electrostatic energy calculations, **114**, 459
 $\text{Pr}_4\text{V}_5\text{Si}_4\text{O}_{22}$, with chevkinite structure, **116**, 211
 $\approx\text{SbVO}_4$, rutile-type, nonstoichiometry, **116**, 369
 $\text{Sr}_3\text{V}_2\text{O}_{6.99}$, preparation, electronic, and magnetic properties, **118**, 292
 $\text{TlV}_{5-y}\text{Fe}_y\text{S}_8$ ($y = 0.5-1.5$), crystal structure, chemical reactivity, magnetic properties, and Mössbauer spectroscopy, **119**, 147
 $\text{Va}_6\text{T}_4\text{Al}_{13}$ ($T = \text{Ti, V, Nb, Ta}$), with $\text{Ho}_6\text{Mo}_4\text{Al}_{13}$ -type structure, preparation, **116**, 131
 VC, synthesis by temperature programmed reduction, **120**, 320
 V_2O_5
 effect of laser irradiation, letter to editor, **118**, 417
 structural correlation with $(\text{V}^{\text{VO}})[\text{V}^{\text{VO}}_4] \cdot 0.5[\text{C}_3\text{N}_2\text{H}_{12}]$, **120**, 137
 $\text{A}_2\text{V}_3\text{O}_8$ ($A = \text{K, Rb, NH}_4$), fresnoite-type vanadium oxides, magnetic susceptibility, **114**, 499
 $\text{A}_2\text{V}_4\text{O}_9$ ($A = \text{Rb, Cs}$), synthesis, crystal structure, and magnetic properties, **115**, 174
 $(\text{V}^{\text{VO}})[\text{V}^{\text{VO}}_4] \cdot 0.5[\text{C}_3\text{N}_2\text{H}_{12}]$, synthesis, crystal structure, and structural correlations with V_2O_5 and other vanadyl compounds, **120**, 137
 $\text{VO}(\text{HCO}_2)_2 \cdot \text{H}_2\text{O}$, compounds based on double layers in, synthesis, **117**, 136
 $\text{VOHPO}_4 \cdot 1/2\text{H}_2\text{O}$, transformation to $\gamma\text{-(VO)}_2\text{P}_2\text{O}_7$, **119**, 349
 V-Me-O-N ($\text{Me} = \text{Mo, W}$), synthesis by temperature-programmed reaction, **116**, 205
 $\gamma\text{-(VO)}_2\text{P}_2\text{O}_7$, transformation from $\text{VOHPO}_4 \cdot 1/2\text{H}_2\text{O}$, **119**, 349
 VS and VSe, monochalcogenides and solid solutions, crystal chemistry and role of metal-metal bonding, **114**, 346
 $\text{Zn}_3\text{V}_4(\text{PO}_4)_6$, structure determination, **115**, 140
 Vapor pressure scanning
 $\text{YBa}_2\text{Cu}_3\text{O}_x$, oxygen nonstoichiometry, **119**, 62
 Vibrational behavior
 Li_3AsO_4 guest ions, **115**, 83
 Vibrational spectra
 $\text{Ba}_4\text{LiCuO}_4(\text{CO}_3)_2$ and $\text{Ba}_4\text{NaCuO}_4(\text{CO}_3)_2$, **119**, 359
 Y_2O_3 , **118**, 163
- W**
- Water
 α - and β - $\text{AlF}_3 \cdot 3\text{H}_2\text{O}$, incorporation of Cu(II), analysis by ESR, **116**, 249
 $\text{Al}_4(\text{PO}_4)_3(\text{HPO}_4)\text{F}_6 \cdot (\text{N}_2\text{C}_6\text{H}_{18})_{2.5} \cdot 3\text{H}_2\text{O}$, synthesis and crystal structure, **120**, 197
 $[\text{Ba}_2(\text{H}_2\text{O})_{10}][\text{Fe}(\text{CN})_5\text{NO}]_2 \cdot 3\text{H}_2\text{O}$, hydrogen-bonding system, **114**, 102
 $\text{BaMo}_4\text{O}_{13} \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **116**, 95
 $[\text{Ba}_2(\text{OH})_2(\text{H}_2\text{O})_{10}][\text{Se}_4]$, synthesis and crystal structure, **120**, 12
 $\text{BaVO}(\text{PO}_4)(\text{H}_2\text{PO}_4) \cdot \text{H}_2\text{O}$, synthesis, structure, and magnetism, **118**, 241
 $\text{Ba}_8(\text{VO})_6(\text{PO}_4)_2(\text{HPO}_4)_{11} \cdot 3\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **116**, 77
 $\text{Ba}_{0.4}\text{V}_3\text{O}_8(\text{VO})_{0.4} \cdot n\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **114**, 359
 $\text{CaSO}_4 \cdot 0.5\text{H}_2\text{O}$ and $\text{CaSO}_4 \cdot 0.6\text{H}_2\text{O}$, crystal structure, determination by powder diffraction methods, **117**, 165
 $(\text{CH}_3)_3\text{NCH}_2\text{COO} \cdot (\text{COOH})_2 \cdot \text{H}_2\text{O}$, analysis by infrared, polarized Raman, and SERS spectroscopy, **114**, 129
 $2(\text{C}_6\text{H}_5\text{NH}_2) \cdot \text{Mo}_3\text{O}_{10} \cdot 4\text{H}_2\text{O}$, crystal structure, determination from powder data, **117**, 103
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 41\text{H}_2\text{O}$, X-ray diffraction and NMR analysis, **120**, 231
 $\text{Cs}_3\text{LnCl}_6 \cdot 3\text{H}_2\text{O}$ ($\text{Ln} = \text{La-Nd}$), thermal dehydration and crystal structure, **116**, 329
 $\text{Cu}^{\text{II}}(1,4\text{-C}_4\text{H}_4\text{N}_2)(\text{C}_2\text{O}_4)(\text{OH})_2$, synthesis and structure determination with silica gels, **117**, 256
 $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, stepwise reaction with 2,2'-bipyridyl in solid state, **119**, 299
 $\text{Me}^+\text{X} - \text{CuX}_2 - \text{H}_2\text{O}$ ($\text{Me}^+ = \text{K}^+, \text{NH}_4^+, \text{Rb}^+, \text{Cs}^+$; $\text{X}^- = \text{Cl}^-, \text{Br}^-$), double salts, **114**, 385
 $\text{Cu}_{0.5}(\text{OH})_{0.5}[\text{VOPO}_4] \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **117**, 157
 $\text{Cu}_{0.5}[\text{VOPO}_4] \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **117**, 157
 $\text{M}_2\text{HPO}_4\text{-M}'\text{HPO}_4\text{-H}_2\text{O}$ ($\text{M, M}' = \text{Na, K, NH}_4$), electrical conductivity measurements, **119**, 68
 $\text{K}_{3/2}\text{Cr}_{1/2}\text{Te}_{3/2}\text{O}_6 \cdot 0.5\text{H}_2\text{O}$, electrical properties and structural characterization, **116**, 290
 $\text{KMo}(\text{H}_2\text{O})\text{O}_2\text{PO}_4$, preparation, characterization, and structure, **118**, 153
 $\text{K}_2\text{Mo}_2\text{O}_{10} \cdot 3\text{H}_2\text{O}$, crystal structure, determination by direct method/powder diffraction package, **115**, 225
 $\text{KNb}_5\text{GeO}_{16} \cdot 2\text{H}_2\text{O}$, with 2D channel network, **115**, 373
 $\text{Li}(\text{H}_2\text{O})_4\text{B}(\text{OH})_4 \cdot 2\text{H}_2\text{O}$, crystal structure and dehydration process, **115**, 549
 $\text{LiZnPO}_4 \cdot \text{H}_2\text{O}$, light-atom positions in, location by powder neutron diffraction, **114**, 249
 $\text{MgHOP}_4 \cdot 0.78\text{H}_2\text{O}$, ambient pressure and temperature synthesis, **114**, 598
 $\text{MgO-MgCl}_2\text{-H}_2\text{O}$, chemical reactions, analysis by time-resolved synchrotron X-ray powder diffraction, **114**, 556
 $[\text{Mn}(\text{H}_2\text{O})]_{1/4}(\text{VO})_{3/4}\text{PO}_4 \cdot 2\text{H}_2\text{O}$, synthesis, characterization, and intercalation of vanadyl phosphate with manganese, **116**, 400
 $\text{Mn}_2\text{VO}(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$, hydrothermal synthesis and structure, **115**, 76
 $(\text{Mn}_x\text{Zn}_{1-x})(\text{OH})(\text{NO}_3)\text{H}_2\text{O}$ ($x = 0.53, 1.00$), synthesis and characterization, **118**, 28
 $\text{NaAlO}_2 \cdot 5/4\text{H}_2\text{O}$, crystal structure, **115**, 126
 $\text{Na}_2\text{H}[\text{Cu}(\text{H}_2\text{TeO}_6)_2] \cdot 17\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
 $\text{Na}_4\text{K}[\text{Cu}(\text{HIO}_6)_2] \cdot 12\text{H}_2\text{O}$, crystal structure, electronic spectra, and XPS, **115**, 208
 $\text{Na}_{0.13}(\text{V}_{0.13}\text{Mo}_{0.87})\text{O}_3 \cdot n\text{H}_2\text{O}$, synthesis and structure, **119**, 176
 $\text{N}(\text{CH}_3)_4\text{H}_2\text{PO}_4 \cdot \text{H}_2\text{O}$, FT-IR and polarized Raman spectra, **120**, 343
 $[\text{NH}_3\text{-(CH}_2)_2\text{-NH}_2\text{-(CH}_2)_2\text{-NH}_3]_2\text{P}_6\text{O}_{18} \cdot 2\text{H}_2\text{O}$, structural, DSC, and IR analysis, **114**, 42
 $\text{NH}_4\text{Mo}(\text{H}_2\text{O})\text{O}_2\text{PO}_4$, preparation, characterization, and structure, **118**, 153
 $(\text{NH}_4)_2\text{Mo}_3\text{O}_{10} \cdot \text{H}_2\text{O}$, crystal structure, determination by powder diffraction, **116**, 422
 $(\text{NH}_4)_6[\text{TeMo}_6\text{O}_{24}] \cdot \text{Te}(\text{OH})_6 \cdot 7\text{H}_2\text{O}$, single crystals, infrared and polarized Raman spectra, **118**, 341
 $(\text{M}^{2+})_6(\text{M}^{3+})_2(\text{OH})_{16}\text{CO}_3 \cdot 4\text{H}_2\text{O}$ ($\text{M}^{2+} = \text{Cu, Zn, Co}$; $\text{M}^{3+} = \text{Cr}$), characterization, **119**, 246
 $\text{Ln}_2\text{P}_6\text{O}_{18} \cdot 10\text{H}_2\text{O}$, preparation and characterization, **119**, 203
 $\text{M}(\text{ReO}_4)_2 \cdot 4\text{H}_2\text{O}$ ($\text{M} = \text{Co, Zn}$), preparation and crystal structure determination, **115**, 255
 $(\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O})$, crystal structure, determination by X-ray diffraction, **120**, 1

- $M_6[\text{TeMo}_6\text{O}_{24}] \cdot 7\text{H}_2\text{O}$ ($M = \text{K}, \text{NH}_4$), single crystals, infrared and polarized Raman spectra, **118**, 341
 $\text{VO}(\text{HCO}_2)_2 \cdot \text{H}_2\text{O}$, compounds based on double layers in, synthesis, **117**, 136
 $\text{VOHPO}_4 \cdot 1/2\text{H}_2\text{O}$, transformation to $\gamma\text{-(VO)}_2\text{P}_2\text{O}_7$, **119**, 349
 $\text{WO}_3 \cdot 1/3\text{H}_2\text{O}$, reinvestigation and preparation, **119**, 90
 $\text{YbI}_2 \cdot \text{H}_2\text{O}$, crystal structure, determination by X-ray powder diffraction, **114**, 308
 $[\text{Zn}_2\text{Cr}(\text{OH})_6]X \cdot n\text{H}_2\text{O}$, where $X^- = 1/2 \text{ mal}^{2-}$, *cis*- $[\text{Cr}(\text{mal})_2(\text{H}_2\text{O})_2]^-$, and $1/3[\text{Cr}(\text{mal})_3]^{3-}$ (mal = malonate), malonate intercalation into, **119**, 331
 $(\text{Zn}_x\text{Cu}_{1-x})(\text{OH})_{2-y}(\text{NO}_3)_y \cdot z\text{H}_2\text{O}$, cation distribution and coordination chemistry, structural and spectroscopic study, **118**, 303
- Wüstite**
 Fe_{1-x}O , defect distributions in, paracrystalline descriptions, **117**, 398
- X**
- XPS, *see* X-ray photoelectron spectra
 X-ray absorption spectroscopy
 KFeFeS_2 , tetrahedral FeS^2 -unit containing, **119**, 380
 $\text{TiO}_2\text{-NaPO}_3\text{-Na}_2\text{B}_4\text{O}_7$ system optically nonlinear glasses, **120**, 151
 X-ray adsorption near-edge structure
 $\text{Mn}_3\text{Al}_{2-x}\text{Cr}_x\text{Ge}_2\text{O}_{12}$, **118**, 261
 X-ray diffraction, *see also* Powder X-ray diffraction
 anomalous scattering, for probing $\text{Cs}_2[\text{AuCl}_2][\text{AuCl}_4]$, electronic anisotropy, **118**, 383
 $\text{BaFe}_{12-2x}\text{Co}_x\text{Ti}_x\text{O}_{19}$, line broadening, **114**, 534
 $\text{CeO}_2\text{-}\delta\text{YO}_{21.5}$, **115**, 23
 $(\text{C}_{18}\text{H}_{30}\text{N}_3)_2 \cdot [\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 4\text{H}_2\text{O}$, **120**, 231
 CO_2 decomposition to carbon, analysis with $\text{Ni}_{0.39}\text{Fe}_{2.61}\text{O}_{4-\delta}$, **120**, 64
 CsGeBr_3 , analysis of pressure-induced phase transition, **118**, 20
 $\text{CsNbOB}_2\text{O}_5$, **120**, 74
 $\text{Cs}_4\text{Sb}_4\text{O}_8(\text{Si}_{4(1-x)}\text{Ge}_x\text{O}_{12})$ solid solution, **114**, 528
 $\text{CsTaOB}_2\text{O}_5$, **120**, 74
 $\text{CuNd}_2\text{Ge}_2\text{O}_8$, **120**, 254
 fumed titanium dioxide photocatalyst, **115**, 236
 high-resolution synchrotron, $\text{La}_5\text{Cu}_5\text{O}_{13.35}$, **118**, 170
 LiCuO_2 , symmetry, **114**, 590
 $\text{LiNb}(\text{OH})\text{OPO}_4$, structural analysis, **114**, 317
 $\text{Li}_{0.8}\text{VO}_2$, **114**, 184
 $\text{Mn}_3\text{B}_7\text{O}_{13}\text{Br}$, **120**, 60
 $\text{Mn}_3\text{B}_7\text{O}_{13}\text{I}$, **120**, 60
 ReH_x , *in situ* formation at high pressure, **118**, 299
 and *in situ* Mössbauer spectroscopy, TPR with, in analysis of Fe-Mo-O catalysts, **117**, 127
 $(\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O})$ crystal structure, **120**, 1
 TiO_2 , chromium induced changes, **114**, 364
 X-ray diffractometry
 powder $\text{CuS}_{1-x}\text{Se}_x$ ($0 \leq x \leq 1$), **118**, 176
 X-ray photoelectron spectra
 $\text{Na}_4\text{H}[\text{Cu}(\text{H}_2\text{TeO}_6)_2] \cdot 17\text{H}_2\text{O}$ and $\text{Na}_4\text{K}[\text{Cu}(\text{HIO}_6)_2] \cdot 12\text{H}_2\text{O}$, **115**, 208
 X-ray spectroscopy
 $\text{Ca}_{10-x-y}\text{Cd}_x\text{Pb}_y(\text{PO}_4)_6(\text{OH})_2$ solid solutions, **116**, 8
 $\text{Pb}_{10}(\text{PO}_4)_6(\text{OH})_2$, nucleation kinetics, **116**, 8
 XRD, *see* X-ray diffraction
- Y**
- Ytterbium**
 $\text{Ba}_{5-y}\text{Sr}_y\text{Yb}_{2-x}\text{Al}_2\text{Zr}_{1+x}\text{O}_{13+x/2}$, structural study, **118**, 180
 $\text{Bi}_3\text{Yb}_5\text{O}_{12}$, related phases, synthesis and characterization, **116**, 68
 $\text{YbBa}_2\text{Cu}_3\text{O}_{7-y}$, FT-IR skeletal study, **119**, 36
 $\text{Yb}_2\text{Ba}_2\text{CuPtO}_8$, synthesis and characterization, **120**, 316
 YbCuAs_2 , with HfCuSi_2 -type structure, preparation, **115**, 305
 $\text{Yb}_2\text{Cu}_2\text{O}_5$, structural characterization by neutron diffraction, **115**, 324
 $\text{YbI}_2 \cdot \text{H}_2\text{O}$, crystal structure, determination by X-ray powder diffraction, **114**, 308
 $\text{YbI}_2\text{-Al}$ ($A = \text{Na}, \text{K}, \text{Rb}, \text{Cs}$) phase diagrams, measurement and calculation, **114**, 146
 YbNbO_4 , relationship between covalence and displacive phase transition temperature, **116**, 28
 Yb_2O_3 , cation array structure, **119**, 131
 $\text{Yb}_2\text{P}_6\text{O}_{18} \cdot 10\text{H}_2\text{O}$, preparation and characterization, **119**, 203
 $M\text{YbTa}_6\text{Br}_{18}$ and $M_2\text{YbTa}_6\text{Br}_{18}$ ($M = \text{K}, \text{Rb}, \text{Cs}$), crystal structure, **118**, 274
 $M_2\text{YbTa}_6\text{Br}_{15}\text{O}_3$ ($M =$ monovalent cation), synthesis and crystal structure, **120**, 43
 $\text{YbTi}_2\text{Al}_{20}$, with $\text{CeCr}_2\text{Al}_{20}$ -type structure, **114**, 337
 $\alpha\text{-YbZr}_3\text{F}_{15}$ series, cationic distribution, **118**, 389
- Yttrium**
 $\text{Ba}_{5-y}\text{Sr}_y\text{Y}_{2-x}\text{Al}_2\text{Zr}_{1+x}\text{O}_{13+x/2}$, structural study, **118**, 180
 BaY_2S_4 , structure and properties, **117**, 363
 $\text{Bi}_3\text{Y}_5\text{O}_{12}$, related phases, synthesis and characterization, **116**, 68
 $(\text{Ca}_{0.9}\text{Y}_{0.1})\text{MnO}_3$, electrical transport properties and high-temperature thermoelectric performance, **120**, 105
 CaY_2S_4 , structure and properties, **117**, 363
 $\text{Ca}_5\text{Y}_4\text{S}_{11}$, NaCl-type structure, Rietveld refinement, **119**, 45
 $(1-x)\text{CeO}_2 \cdot x\text{YO}_{1.5}$, microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 $\text{CeO}_2\text{-}\delta\text{YO}_{21.5}$, single crystal X-ray study, **115**, 23
 Slater functions, formulation by distance between subspaces, **116**, 275
 SrY_2S_4 , structure and properties, **117**, 363
 substitution for La in LaSrFeO_4 , effects on structure and electrical properties, **115**, 456
 $\text{Y}_6\text{T}_4\text{Al}_{43}$ ($T = \text{Ti}, \text{V}, \text{Nb}, \text{Ta}$), with $\text{Ho}_6\text{Mo}_4\text{Al}_{43}$ -type structure, **116**, 131
 YAgSb_2
 with HfCuSi_2 -type structure, preparation, **115**, 305
 magnetism and crystal structure, **115**, 441
 $\text{YBaCoCu}_{1-x}\text{Fe}_x\text{O}_5$, magnetic behavior, **115**, 514
 $\text{Y}_2\text{Ba}_3\text{Cu}_3\text{Co}_2\text{O}_{12}$, synthesis by solid state reaction, **115**, 407
 YBaCuFeO_5 , crystal and magnetic structure, **114**, 24
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$, films, perovskites as substrates for, synthesis and characterization, **116**, 193
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$, sulfur-doped pellets, copper whisker growth from inside, **117**, 151
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-y}$, FT-IR skeletal study, **119**, 36
 $\text{Y}_2\text{BaCuO}_5\text{-YBa}_2\text{Cu}_3\text{O}_{6+x}$, quantitative X-ray, **116**, 136
 $\text{YBa}_2\text{Cu}_3\text{O}_y$, oxygen nonstoichiometry in, vapor pressure scanning, **119**, 62
 $\text{YCa}_2\text{SbFe}_4\text{O}_{12}$, magnetic ordering, **115**, 435
 YCuAs_2 , with HfCuSi_2 -type structure, preparation, **115**, 305
 YCuO_2 phase in $\text{Y}_2\text{O}_3\text{-Cu-CuO}$ system, analysis by oxygen coulometry, **114**, 420
 $\text{Y}_2\text{Cu}_2\text{O}_5$
 phase in $\text{Y}_2\text{O}_3\text{-Cu-CuO}$ system, analysis by oxygen coulometry, **114**, 420
 structural characterization by neutron diffraction, **115**, 324
 $\text{Y}_{1-x}\text{A}_x\text{MnO}_3$ ($A = \text{Ca}, \text{Sr}, \text{Ba}, \text{Pb}$), magnetoresistance and related properties, effect of internal pressure, letter to editor, **120**, 204
 YNbO_4 , relationship between covalence and displacive phase transition temperature, **116**, 28
 Y_2O_3
 cation array structure, **119**, 131
 cubic form, vibrational spectroscopy, **118**, 163
 $\text{Y}_2\text{O}_3\text{-Cu-Cu-CuO}$, analysis by oxygen coulometry, **114**, 420
 $\text{Y}_{1-x}\text{Pr}_x\text{Sr}_2\text{Cu}_{2.85}\text{Re}_{0.15}\text{O}_7$, retarded $\text{Pr } f$ hybridization and T_c suppression, **118**, 215

$Y_{1/2}Sb_{3/2}(PO_4)_3$, preparation and crystal structure, **118**, 104
 $M'-YTaO_4$, synthesis and characterization, letter to editor, **118**, 419
 Y_3TaO_7 EXAFS analysis and reinvestigation of structure, **114**, 79
 α - YZr_3F_{15} series, cationic distribution, **118**, 389
 $Y_2(Zr_yTi_{1-y})_2O_7$, neutron Rietveld analysis of disorder from Zr substitution, **117**, 108

Z

Zeolites

HEU-type, Ni ions in, location and reducibility, **114**, 108
 related pillared metal(IV) phosphate material, preparation, **120**, 381

Zinc

$BaFe_{12-2x}Ir_xZn_xO_{19}$ ($x \sim 0.50$), magnetic properties, cationic distribution in relation to, **120**, 17
 $Ba_2ZnM'F_7Cl$ ($M' = Mn^{2+}, Fe^{2+}, Co^{2+}, Ni^{2+}, Zn^{2+}$), synthesis, magnetic behavior, and structural study, **115**, 98
 $Ba_2Zn_2F_7Cl$, synthesis, magnetic behavior, and structural study, **115**, 98
 Ba_2ZnN_2 , synthesis and crystal structure, **119**, 375
 Cu-Zn coprecipitate, effect of incorporation of Al^{+3} on structure, **115**, 204
 $Cu_xZn_{1-x}Nb_2O_6$, structural relations, **115**, 476
 $Ga_2O_3(ZnO)_m$ ($m = 7, 8, 9, 16$), in $In_2O_3-ZnGa_2O_4-ZnO$ system, synthesis and single-crystal data, **116**, 170
 $InGaO_3(ZnO)_3$, in $In_2O_3-ZnGa_2O_4-ZnO$ system, synthesis and single-crystal data, **116**, 170
 $In_2O_3(ZnO)_m$ ($m = 3, 4, 5$), in $In_2O_3-ZnGa_2O_4-ZnO$ system, synthesis and single-crystal data, **116**, 170
 La_2ZnIrO_6 , structure and magnetic properties, **116**, 199
 $LiZnPO_4$, structure determination by *ab initio* methods, **114**, 249
 δ_1 - $LiZnPO_4$, preparation, structure determination, and thermal transformation, **117**, 39
 $LiZnPO_4 \cdot H_2O$, light-atom positions in, location by powder neutron diffraction, **114**, 249
 $(Mg, Na, Al)_2(Al, Zn)_3$, crystal structure, **115**, 270
 MnB_2X_4 ($B = Li, Na; X = Cl, Br$), nonceramic preparation techniques, **117**, 34
 $(Mn_xZn_{1-x})(OH)(NO_3)H_2O$ ($x = 0.53, 1.00$), synthesis and characterization, **118**, 28
 $Sr_2Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xTe_{0.2}Sb_{0.8}O_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 $Sr_2Zn_{0.2}Ga_{0.8-x}Mn(Cr)_xW_{0.2}Ta_{0.8}O_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 Sr_3ZnIrO_6 , structure and magnetic properties, **117**, 300
 $Sr_2Zn_{1-x}Mn_xTe_{1-x}Sb_xO_6$, mixed valent oxide ceramic, superconducting properties, **116**, 355
 Sr_2ZnN_2 , synthesis and crystal structure, **119**, 375
 $TiZn_{16}$, preparation, properties, and crystal structure, **118**, 219
 Ti_3Zn_{22} , preparation, properties, and crystal structure, **118**, 219
 Zn-Al layered double hydroxides, preparation by surface modification of layered compound, **117**, 337

$[Zn_2Cr(OH)_6]X \cdot nH_2O$, where $X^- = 1/2 mal^{2-}$, *cis*- $[Cr(mal)_2(H_2O)_2]^-$, and $1/3[Cr(mal)_3]^{3-}$ (*mal* = malonate), malonate intercalation into, **119**, 331
 $ZnCr_2S_4$, lattice dynamics, **118**, 43
 $ZnCr_2Se_4$, lattice dynamics, **118**, 43
 $(Zn_xCu_{1-x})(OH)_{2-y}(NO_3)_y \cdot zH_2O$, cation distribution and coordination chemistry, structural and spectroscopic study, **118**, 303
 $Zn_{1-x}MnzGa_2Se_4$, energy gap values and $T(z)$ diagram, **115**, 416
 ZnO-based glasses, OH-containing, applications to MOS devices, mechanism, **120**, 54
 $ZnO-B_2O_3-SiO_2-P_2O_5$, fluoride-containing glasses, MOS capacitors passivated by, OH-related capacitance-voltage recovery effect in, **118**, 212
 $Zn_6(M^{3+})_2(OH)_{16}CO_3 \cdot 4H_2O$ ($M^{3+} = Cr$), characterization, **119**, 246
 $Zn_2(OH)PO_4$, structure-directing effect of organic additives, **114**, 151
 $Zn_2P_2O_7$, phase transformations, analysis, **119**, 219
 $Zn(ReO_4)_2 \cdot 4H_2O$, preparation and crystal structure determination, **115**, 255
 Zn_2SiO_4 , Fe-doped single crystals, luminescence, **117**, 16
 $Zn_3V_4(PO_4)_6$, structure determination, **115**, 140

Zintl phases
 bonding, analysis by ^{119}Sn Mössbauer spectroscopy, **118**, 397

Zirconium
 $Ag_4Zr_3S_8$, superionic conductor, crystal structure and conductivity, **116**, 409
 $Ba_{5-y}Sr_yR_{2-x}Al_2Zr_{1+x}O_{13+x/2}$ ($R = Gd-Lu, Y, Sc$), structural study, **118**, 180
 $Ca_3ZrSi_2O_9$, structure determination from powder diffraction, **115**, 464
 Cs_2ZrCl_6 , green-to-blue up-conversion emission from U^{4+} ion in, effect of temperature, **116**, 113
 $Li_3Zr_4F_{19}$ and $Li_4Zr_4F_8$, crystal structures, in reanalysis of $LiF-ZrF_4$ phase diagram, **120**, 187
 $Na_2Cu_2ZrS_4$, synthesis and crystal structure, **117**, 30
 $NaM^{IV}_x(Ti, Zr)_{2-x}(PO_4)_3$ ($M = Nb, Mo; 0 \leq x \leq 1$), crystal, magnetic, and electrical properties, **114**, 224
 $PbO-ZrO_2$, solution derived powders, homogeneity problems in, **117**, 343
 Slater functions, formulation by distance between subspaces, **116**, 275 and titanium phosphates, zeolite-like, preparation, **120**, 381
 $WTh_8Zr_{18}F_{40}O_{53}$, superstructure, associating anion-excess and anion-deficient blocks, **115**, 283
 $Y_2(Zr_yTi_{1-y})_2O_7$, neutron Rietveld analysis of disorder from Zr substitution, **117**, 108
 α - MZr_3F_{15} series ($M = Y, In, Lu, Yb, Gd, Eu, Pr, Tl$), cationic distribution, **118**, 389
 $(1-x)ZrO_2 \cdot xRO_{1.5}$ ($R = Ho, Dy, Tb, Gd$), microdomains, solid solutions, and defect fluorite to C-type sesquioxide transition in, analysis, **120**, 290
 $Zr(O_3PC_6H_5)_x(HPO_4)_{2-x}$, synthesis and stability, **117**, 275
 $Zr_2(WO_4)(PO_4)_2$, structure determination by powder X-ray diffraction, **120**, 101