

## Cumulative Subject Index for Volumes 121–127<sup>1</sup>

### A

- Absorption  
  recoiless, nitrosylpentacyanoferrates, **123**, 39
- Acetate  
  Bi<sub>2</sub>O<sub>3</sub>, precursors for incorporation of bismuth in, analysis, **126**, 152
- Acid-base reaction  
  in SiO<sub>2</sub>–Ca(OH)<sub>2</sub> system under moderate mechanochemical stressing, **122**, 74
- AFM, *see* Atomic force microscopy
- Alkali halides  
  polycrystalline, mechanical doping with Pb<sup>2+</sup> ions, **122**, 22
- Alloying  
  mechanical, induced solid state reactions, mechanism, crystallographic contribution, **122**, 273
- Alloys  
  pentaerythritol and tris(hydroxymethyl)aminomethane, molecular alloys, analysis of molecular interactions and packing, **124**, 29
- Aluminophosphates  
  chiral, *trans*-Co(dien)<sub>2</sub>·Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O, synthesis and characterization, **125**, 228
- Aluminum  
  AlXO<sub>4</sub> (X = P,As), packing distortions, temperature effects, and pressure effects, **123**, 1  
  [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, synthesis and structure, **127**, 145  
  M<sub>9</sub>Al<sub>8</sub>Si<sub>7</sub>O<sub>72</sub>·nH<sub>2</sub>O (M = Na,K,Rb,Cs), exchange in heulandite single-crystals, **123**, 140  
  Ba<sub>0.75</sub>Al<sub>11</sub>O<sub>17.25</sub>, crystal/defect structures and phase stability, **121**, 278  
  Ba<sub>2.33</sub>Al<sub>21.33</sub>O<sub>34.33</sub>, crystal/defect structures and phase stability, **121**, 278  
  Bi<sub>3</sub>(AlSb<sub>2</sub>)O<sub>11</sub>, structure and surface properties, **127**, 178  
  0.2B<sub>2</sub>O<sub>3</sub>·1.0Al<sub>2</sub>O<sub>3</sub>·0.6HCl·5.7H<sub>2</sub>O, synthesis and characterization, **122**, 200  
  CeAlSi<sub>2</sub>, crystal structure, **127**, 308  
  Ce<sub>3</sub>Al<sub>4</sub>Si<sub>6</sub>, crystal structure, **127**, 308  
  CH<sub>3</sub>NH<sub>3</sub>[VO(Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200  
  *trans*-Co(dien)<sub>2</sub>·Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O, with chiral layers, synthesis and characterization, **125**, 228  
  Cs[VO(Al(PO<sub>4</sub>)<sub>2</sub>)]·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200  
  CuO-ZnO-Al<sub>2</sub>O<sub>3</sub> ternary catalysts, creation of defect Cu<sup>+</sup> sites, **125**, 108  
  Cu-Zn-Co-Al-containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372  
  Cu-Zn-Co-Al-Cr hydroxycarbonates and mixed oxides, characterization, **122**, 324  
  Fe<sub>2</sub>Al<sub>5</sub> compound polyhedron coordination, analysis, **124**, 65  
  LiAlSi<sub>3</sub>O<sub>8</sub>, crystal structure, determination by single crystal X-ray diffraction, **121**, 12  
  LiCr<sub>1-x</sub>Al<sub>x</sub>TiO<sub>4</sub> (0 ≤ x ≤ 0.4), preparation and magnetic properties, **125**, 211
- MnAl<sub>6</sub>, compound polyhedron coordination, analysis, **124**, 65  
Mn<sub>2</sub>AlSbO<sub>6</sub>, high pressure synthesis and polymorphism, **124**, 333  
Na<sub>3</sub>AlP<sub>3</sub>O<sub>9</sub>N, and related compounds, preparation and characterization, **121**, 418  
Na<sub>6</sub>Ca[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2</sub><sup>2-</sup> and Se<sub>2</sub><sup>-</sup> in, spectroscopic properties, **126**, 50  
Na<sup>+</sup>/La<sup>3+</sup>- $\beta''$ -Al<sub>2</sub>O<sub>3</sub> crystals, X-ray and <sup>23</sup>Na NMR analysis, **122**, 315  
Na<sup>+</sup>/Pr<sup>3+</sup>- $\beta''$ -Al<sub>2</sub>O<sub>3</sub>, compositional dependence of Pr<sup>3+</sup> distributions, **124**, 169  
Na<sup>+</sup>-Pr<sup>3+</sup>- $\beta''$ -Al<sub>2</sub>O<sub>3</sub> crystals, ion conductivity, **127**, 161  
NdPd<sub>2</sub>Al<sub>3</sub>, antiferromagnetic structure, magnetic properties, sample dependence and determination, **127**, 169  
(Nd<sub>x</sub>, Sm<sub>1-x</sub>)AlO<sub>3</sub>, structure change from orthorhombic to trigonal system, **126**, 221  
(NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200  
RbAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O, infrared and polarized spectra, **122**, 333  
Rb[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200  
Sr<sub>2</sub>MgAl<sub>22</sub>O<sub>36</sub>, crystal structure, **122**, 46  
Sr<sub>1-x</sub>Ln<sub>x</sub>MnAl<sub>11</sub>O<sub>19-x</sub> (Ln = Pr,Nd,Sm,Gd), changes of crystalline phase and catalytic properties, **121**, 190  
TeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> oxide glasses, local geometries around, determination by XANES and EXAFS, **126**, 143  
2-Amino-5-nitropyridinium dihydrogenphosphate monophosphoric acid crystal structure: effect of polyanion charge on formation of centrosymmetric structure, **124**, 8
- Ammonium  
  [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, synthesis and structure, **127**, 145
- BaNH<sub>4</sub>(PO<sub>3</sub>)<sub>3</sub>, synthesis in melt and characterization, **125**, 43  
BiNH<sub>4</sub>P<sub>4</sub>O<sub>12</sub>, synthesis in melt and characterization, **125**, 43  
[NH<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>]<sub>6</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·~4H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83  
NH<sub>4</sub>LnCl<sub>4</sub>·4H<sub>2</sub>O (Ln = La-Sm), crystal structure, **126**, 44  
NH<sub>4</sub>Sm(SO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, vibrational spectra, **121**, 408  
NH<sub>4</sub>Ln(SO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O [Ln = Yb,Tm], vibrational spectra, **121**, 408  
(NH<sub>4</sub>)<sub>2</sub>V<sup>IV</sup>O(V<sub>2-x</sub>P<sub>x</sub>O<sub>7</sub>), synthesis and structure, **122**, 139  
Ti(NH<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>13</sub>, synthesis in melt and characterization, **125**, 43
- Amorphization  
  Ca(OH)<sub>2</sub>, pressure-induced, **126**, 300
- Annealing  
  Ex situ, Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> precursor films in synthesis of superconducting thin films, **121**, 262
- Announcements, **122**, 452
- Antiferromagnetism  
  NaNiO<sub>2</sub>, letter to editor, **127**, 126  
  NdNiO<sub>3</sub>, letter to editor, **127**, 126  
  NdPd<sub>2</sub>Al<sub>3</sub> structure, magnetic properties, sample dependence and determination, **127**, 169
- Rb<sub>2</sub>MnF<sub>5</sub> structure, **124**, 338  
Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, structure, **124**, 338

<sup>1</sup> Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

## Antimony

$M_2\text{AgSbS}_4$  ( $M = \text{K}, \text{Rb}$ ), supercritical ammonia synthesis and characterization, **123**, 277  
 $M\text{Ag}_2\text{SbS}_4$  ( $M = \text{K}, \text{Rb}$ ), supercritical ammonia synthesis and characterization, **123**, 277

$\text{Bi}_3(M\text{Sb}_2\text{O})_{11}$  ( $M = \text{Al}, \text{Ga}$ ), structure and surface properties, **127**, 178  
 $\text{K}_9\text{In}_9\text{GeSb}_{22}$ , crystal and electronic structure, **122**, 239

$\text{Mn}_2\text{SbS}_6$  ( $B = \text{Fe}, \text{V}, \text{Cr}, \text{Ga}, \text{Al}$ ), high pressure synthesis and polymorphism, **124**, 333

$\text{NaCa}_2\text{Sb}_2\text{FeGa}_2\text{O}_{12}$ , cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118

$RE_6\text{MSb}_{15}$  ( $RE = \text{La}, \text{Ce}; M = \text{Mn}, \text{Cu}, \text{Zn}$ ), crystal structure and magnetism, **122**, 266

$\text{Sb}^{\text{II}}\text{Sb}_x^{\text{V}}A_{n-x}\text{TiO}_{4n+2}$  ( $A = \text{Ta}, \text{Nb}; n = 1, 2, 3$ ), synthesis and structural characterization, **125**, 19

$\text{YCa}_2\text{SbFe}_{4-x}\text{Ga}_x\text{O}_{12}$ , cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118

$\text{Y}_{3-2x}\text{Ca}_{2x}\text{Sb}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118

## Argon

argon, pure stream, synthesis of  $\text{LaMnO}_{3+\delta}$  by firing gels in, **121**, 495

## Arsenic

$\beta\text{-Ag}_3\text{AsSe}_3$ , thermal stability and optical absorption, **127**, 186  
 $MA\text{S}_4$  ( $M = \text{Al}, \text{Ga}, \text{Fe}$ ), packing distortions, temperature effects, and pressure effects, **123**, 1

$AC\text{uAs}_2\text{O}_7$  ( $A = \text{Ca}, \text{Sr}, \text{Ba}$ ), synthesis and crystal structure, **121**, 350

( $Et_4\text{N}$ ) $[\text{HgAsSe}_3]$ , hydrothermal synthesis and characterization, **123**, 115

$Hg_4\text{As}_2\text{Br}_3$ , crystal structure, **126**, 324

$Hg_7\text{As}_4\text{Cl}_6$ , crystal structure, **126**, 324

$K_5\text{Ag}_2\text{As}_3\text{Se}_9$ , thermal stability and optical absorption, **127**, 186

( $Me_3\text{NH}$ ) $[\text{Ag}_3\text{As}_2\text{Se}_5]$ , thermal stability and optical absorption, **127**, 186  
 $(Me_3\text{N})[\text{HgAsSe}_3]$ , hydrothermal synthesis and characterization, **123**, 115

( $\text{Ph}_4\text{P}_2$ ) $[\text{Hg}_2\text{As}_4\text{Se}_{11}]$ , hydrothermal synthesis and characterization, **123**, 115

$Rb\text{Mn}_4(\text{AsO}_4)_3$ , synthesis, structure, and magnetic properties, **125**, 255  
 $\beta\text{-Sr}(\text{VOAsO}_4)_2$ , synthesis, crystal structure, and magnetic susceptibility, **122**, 36

## Ascorbic acid

effect on  $\text{YBa}_2\text{Cu}_4\text{O}_8$  superconductors prepared by sol-gel method, **121**, 356

## Atomic force microscopy

$\text{Fe}_3\text{O}_4$  ultrafine powders, **121**, 492

$\alpha\text{-MoO}_3(010)$ , **124**, 104

$\eta\text{-Mo}_4\text{O}_{11}(100)$ , **124**, 104

$\text{Mo}_8\text{O}_{23}(010)$ , **124**, 104

$\text{Mo}_{18}\text{O}_{52}(100)$ , **124**, 104

## Aurivillius phases

$(\text{Bi}_2\text{O}_2)_2\text{V}_2\text{O}_{4y+2}$  ( $1 \leq y \leq 4$ ), in  $\text{Bi}_2\text{O}_3\text{-VO}_2$  system, continuous structural evolution, **125**, 54

**B**

## Ball milling

induction of combustion in powder mixtures with Ti, Zr, and Hf, **125**, 75

## Band gap

iron complex oxide semiconductors, photocatalysis, **126**, 227

## Band structure

$\text{NiTe}_2$ , theoretical and experimental, **121**, 87

## Barium

$\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}$ , crystal/defect structures and phase stability, **121**, 278

$\text{Ba}_{2.33}\text{Al}_{21.33}\text{O}_{34.33}$ , crystal/defect structures and phase stability, **121**, 278

$\text{BaBi}_2\text{Nb}_2\text{O}_9$ , structure from refinement of powder neutron diffraction data, **126**, 135

$\text{BaB}_4\text{O}_7$  matrix, electron transfer between  $\text{Eu}^{3+}$  and  $\text{Tb}^{3+}$  in, **122**, 436

$\text{BaB}_2\text{O}_4\text{-BaF}_2\text{-2NaF-Na}_2\text{B}_2\text{O}_4$  reciprocal system, thermodynamic analysis, **126**, 80

$\text{Ba}_2\text{Ca}(\text{B}_3\text{O}_6)_2$ ,  $\text{Eu}^{2+}$  luminescence in, **122**, 432

$\text{BaCeO}_3$ , and solid solutions with  $\text{BaZrO}_3$  and  $\text{BaSnO}_3$ , EPR spectra of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{BaCoS}_{2-\delta}$  polymorphism and superstructure, **127**, 211

$\text{BaCuAs}_2\text{O}_7$ , synthesis and crystal structure, **121**, 350

$\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$  grown in  $\text{Ba(OH)}_2\text{-KCl}$  flux, synthesis and properties, **124**, 319

$\text{Ba}_{2+\delta}\text{Cu}_3\text{O}_6$ , low-temperature synthesis, structure, and stability, **122**, 176

$\text{Ba}_3\text{Fe}_{3-x}^{\text{III}}\text{M}_x^{\text{II}}\text{F}_{19-x}$  ( $M = \text{Fe}, \text{Cu}$ ), Mössbauer spectroscopy and magnetic properties, **125**, 159

$\text{Ba}_3\text{Fe}_4\text{NiO}_{13.5}$ , ten-layer, preparation and crystal structure, **121**, 133

$\text{Ba}_4\text{Fe}_4\text{Ti}_3\text{O}_{16}$ , structural features, characterization by HREM, letter to editor, **125**, 281

$\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , structural features, characterization by HREM, letter to editor, **125**, 281

$\text{Ba}_2\text{Mg}(\text{B}_3\text{O}_6)_2$ ,  $\text{Eu}^{2+}$  luminescence in, **122**, 432

$A_{0.7}\text{Ba}'_{0.3}\text{MnO}_3$  ( $A = \text{La}, \text{Pr}$ ), perovskite, structural phase diagram, letter to editor, **122**, 444

$\text{Ba}_3\text{Mo}_2\text{O}_2(\text{PO}_4)_4$ , with chain-like structure, synthesis, **125**, 147

$\text{BaMo}_2\text{O}_5(\text{SeO}_3)_2$ , single-crystal structures, hydrothermal analysis, **125**, 234

$\text{BaMoO}_3\text{SeO}_3$ , single-crystal structures, hydrothermal analysis, **125**, 234

$\text{Ba}_3\text{Nb}_6\text{Te}_8$ , preparation and transport properties, **121**, 332

$\text{BaNH}_4(\text{PO}_3)_3$ , synthesis in melt and characterization, **125**, 43

$\text{BaO}-\text{Fe}_2\text{O}_3\text{-TiO}_2$ , ternary phase diagram, **121**, 38

$\text{Ba}_3(\text{PO}_4)_2$ ,  $\text{Eu}^{2+}$  luminescence in, **122**, 432

$\text{BaSnO}_3$ , and solid solutions with  $\text{BaCeO}_3$  and  $\text{BaZrO}_3$ , EPR of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{Ba}_8\text{Ta}_6\text{NiO}_{24}$ , synthesis and crystal structure, **125**, 102

$\text{BaRETaO}_6$  ( $RE = \text{Pr}, \text{Nd}, \text{Eu}, \text{Dy}$ ), synthesis, suitability as substrates for  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  films, **126**, 202

$\text{BaTiO}_3$

cerium in, solid solubility, **123**, 30

texture and structure, relationship to tetragonal  $\rightarrow$  cubic transition enthalpy, **123**, 301

$\text{BaTiS}_y$  ( $y = 2.70\text{-}2.93$ ), composite crystals, **121**, 451

$\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), solid solution, tetrahedral  $\text{Ti}^{4+}$  in, analysis, **126**, 105

$\text{BaV}_3\text{O}_8$ , space group, analysis, **122**, 245

$\text{Ba}_2\text{V}_3\text{O}_9$ , crystal structure and characterization, **126**, 328

$\text{BaZrO}_3$ , and solid solutions with  $\text{BaCeO}_3$  and  $\text{BaSnO}_3$ , EPR spectra of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{Eu}_{1+y}\text{Ba}_{2-y}\text{Cu}_3\text{O}_{7-x}$ , and related phases in  $\text{Eu}_2\text{O}_3\text{-CuO-BaO}$  system, Gibbs free energy of formation, **126**, 38

$\text{HgBa}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_{2n+2+\delta}$  ( $n = 1, 2, 3, 4$ ) superconductors, crystal chemistry, **122**, 221

$\text{Hg}_{1-y}\text{V}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{O}_{7-\delta}\text{CO}_3$  ( $0.28 \leq x \leq 0.40; 0 \leq y \leq 2.65$ ), flexible shearing phenomenon in, relationship to nanostructural transitions, **126**, 271

$\text{K}_{0.8}\text{Ba}_{0.6}\text{Fe}_{10.5}\text{Co}_{0.25}\text{O}_{17}$ , synthesis and magnetic properties, **122**, 68

$\text{K}_4\text{Ba}_{1-x}\text{NbO}_3$ , electron microscopy, **123**, 236

$\text{K}_{7-x-y}\text{Ba}_y\text{Nb}_{14}\text{P}_9\text{O}_{60}$  ( $x = 0.27(5); y = 0.63(3)$ ), synthesis, structure, and physical properties, **125**, 192

$\text{La}_{0.5}\text{Ba}_{0.5}\text{Co}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$ , oxygen-deficient perovskites, magnetic properties, **121**, 158

$\text{NdBa}_2\text{Cu}_3\text{O}_{6.88}$ , superconductor with tetragonal unit cell, single-crystal structure, **121**, 415

$\text{B}_{10}\text{O}_{15+x}$  ( $B = \text{V}, \text{Cr}; x = 0, \sim 1$ ), **122**, 416

- Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, superconducting thin films, synthesis by *ex situ* annealing, **121**, 262
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>, Ca-doped and oxygen deficient, neutron diffraction analysis, **127**, 56
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, synthesis of Ba<sub>RE</sub>TaO<sub>6</sub> (*RE* = Pr,Nd,Eu,Dy) as substrates for, **126**, 202
- YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub>, superconductors prepared by sol-gel method, effect of complexing agents, **121**, 356
- Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, structure, effect of stacking faults and temperature, **127**, 31
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>, single crystals, structural analysis, **122**, 371
- Bismuth
- Bi<sub>2</sub>AuO<sub>5</sub>, synthesis and structure, **122**, 364
  - Bi<sub>4</sub>Au<sub>2</sub>O<sub>9</sub>, synthesis and structure, **122**, 364
  - Bi<sub>2</sub>CdO<sub>2</sub>[GeO<sub>4</sub>], structures and phase transition, **123**, 371
  - Bi<sub>2</sub>Ir<sub>2</sub>O<sub>7-y</sub>, oxygen vacancies in, analysis by powder neutron diffraction, **123**, 14
  - Bi<sub>2</sub>La<sub>4</sub>O<sub>9</sub>, synthesis and structure determination, **124**, 300
  - Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, magnetic and electric properties, **121**, 138
  - Bi<sub>26</sub>Mo<sub>10</sub>O<sub>8</sub>, solid solution type in Bi<sub>2</sub>O<sub>3</sub>-MoO<sub>3</sub>-V<sub>2</sub>O<sub>5</sub> ternary diagram, **122**, 394
  - ABi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> (*A* = Sr,Ba), structure from refinement of powder neutron diffraction data, **126**, 135
  - BiNH<sub>4</sub>P<sub>4</sub>O<sub>12</sub>, synthesis in melt and characterization, **125**, 43
  - Bi<sub>2</sub>O<sub>3</sub>, incorporation of bismuth using Bi(III) carboxylates as precursors, **126**, 152
  - β-Bi<sub>2</sub>O<sub>3</sub>, stabilization by CeO<sub>2</sub>, letter to editor, **127**, 128
  - Bi<sub>2</sub>O<sub>3</sub>, structural disorder and ionic conduction, **122**, 439
  - Bi<sub>7</sub>O<sub>5</sub>F<sub>11</sub>, relationship with Bi<sub>2</sub>Te<sub>2</sub>W<sub>3</sub>O<sub>16</sub> crystal structure, **127**, 248
  - Bi<sub>2</sub>O<sub>3</sub>-MoO<sub>3</sub>-V<sub>2</sub>O<sub>5</sub> ternary diagram, Bi<sub>26</sub>Mo<sub>10</sub>O<sub>8</sub> solid solution type in, **122**, 394
  - Bi<sub>2</sub>O<sub>3</sub>-Ln<sub>2</sub>O<sub>3</sub> (*Ln* = Dy,Ho,Er,Y), pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287
  - BiO<sub>3/2</sub>-PrO<sub>11/6</sub>-CuO, subsolidus phase relations, **125**, 85
  - (Bi<sub>2</sub>O<sub>2</sub>)<sub>2</sub>V<sub>2</sub>yO<sub>4y+2</sub> (1 ≤ *y* ≤ 4), Aurivillius phases in Bi<sub>2</sub>O<sub>3</sub>-VO<sub>2</sub> system, continuous structural evolution, **125**, 54
  - 6 Bi<sub>2</sub>O<sub>3</sub>-V<sub>2</sub>O<sub>5</sub>, cation distribution in, X-ray study, **122**, 358
  - (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> superconductors, synthesis by sol-gel technique, **126**, 55
  - Bi<sub>3</sub>(MSb<sub>2</sub>)O<sub>11</sub> (*M* = Al,Ga), structure and surface properties, **127**, 178
  - Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> high temperature superconductor, low temperature thermal expansion, calculation, **123**, 267
  - Bi<sub>2</sub>Te<sub>2</sub>W<sub>3</sub>O<sub>16</sub>, crystal structure, relationship with Bi<sub>7</sub>O<sub>5</sub>F<sub>11</sub>, **127**, 248
  - LiBiO<sub>3</sub>, preparation and crystal structure, **126**, 121
  - Pr<sub>1.1(1-x)</sub>Bi<sub>0.8x</sub>Sr<sub>0.9+0.3x</sub>O<sub>2.932+0.094x</sub>, preparation and characterization, **124**, 176
  - Tb<sub>1-x</sub>Bi<sub>x</sub>SrO<sub>3</sub>-type solid solutions, synthesis and crystallochemical characterization, **122**, 321
- Bonding
- copper-to-copper, in NaH[Cu<sub>2</sub>(O<sub>2</sub>C<sub>2</sub>H<sub>3</sub>)<sub>6</sub>], **121**, 61
  - Hf<sub>5.08</sub>Mo<sub>0.92</sub>P<sub>3</sub>, **121**, 362
- Bonding topology
- in layered quaternary lanthanide nickel borocarbide and boronitride superconductors, **124**, 329
- Boron
- BaB<sub>4</sub>O<sub>7</sub> matrix, electron transfer between Eu<sup>3+</sup> and Tb<sup>3+</sup> in, **122**, 436
  - Ba<sub>2</sub>B<sub>4</sub>O<sub>7</sub>-BaF<sub>2</sub>-2NaF-Na<sub>2</sub>B<sub>2</sub>O<sub>4</sub> reciprocal system, thermodynamic analysis, **126**, 80
  - Ba<sub>2</sub>Ca(B<sub>3</sub>O<sub>6</sub>)<sub>2</sub>, Eu<sup>2+</sup> luminescence in, **122**, 432
  - Ba<sub>2</sub>Mg(B<sub>3</sub>O<sub>6</sub>)<sub>2</sub>, Eu<sup>2+</sup> luminescence in, **122**, 432
  - BN, hexagonal system, chemical reactions, **123**, 215
  - 0.2B<sub>2</sub>O<sub>3</sub>:1.0Al<sub>2</sub>O<sub>3</sub>:0.6HCl:5.7H<sub>2</sub>O, synthesis and characterization, **122**, 200
- La<sub>26</sub>(BO<sub>3</sub>)<sub>8</sub>O<sub>27</sub> structure, distorted fluorite type arrangement of atoms, **126**, 287
- LaMg<sub>5</sub>B<sub>8</sub>O<sub>10</sub>, glasses of base composition, Ce<sup>3+</sup>, Tb<sup>3+</sup>, and Mn<sup>2+</sup> photoluminescence, **123**, 398
- lanthanide nickel borocarbides and boronitrides, layered superconductors, chemical bonding topology, **124**, 329
- TiBO<sub>3</sub>, boron incorporation in rutile-phase equilibria and structure considerations, **127**, 240
- Bright field imaging
- Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, **126**, 177
- Bromine
- Cr<sub>4</sub>(Si<sub>2</sub>O<sub>7</sub>)Br<sub>2</sub>, preparation and crystal structure, **127**, 331
  - Hg<sub>4</sub>As<sub>2</sub>Br<sub>3</sub>, crystal structure, **126**, 324
  - Hg<sub>2</sub>SnS<sub>2</sub>Br<sub>2</sub>, synthesis and structure, **126**, 95
  - KBr and KCl<sub>0.5</sub>Br<sub>0.5</sub>, polycrystalline, mechanical doping with Pb<sup>2+</sup> ions, **122**, 22
  - Li<sub>2</sub>FeBr<sub>4</sub>, structural phase transitions and pseudomerohedrally twinning, **124**, 292
  - MoTe<sub>4</sub>Br, with Te<sub>4</sub><sup>2+</sup> ligand attachment, synthesis and crystal structure, **125**, 165
  - MoTe<sub>6</sub>Br<sub>3</sub>, with Te<sub>4</sub><sup>2+</sup> ligand attachment, synthesis and crystal structure, **125**, 165
  - Pb{O(H,D)}Br, crystal structure determination, **124**, 155
- Bronze
- tungsten, tetragonal structure, in K<sub>4</sub>Ce<sub>2</sub>M<sub>10</sub>O<sub>30</sub> (*M* = Nb,Ta), joint X-ray and HREM study, **122**, 7
- Butane
- oxidation, (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> catalyst for, extended defects in, modeling, **122**, 259
- C**
- Cadmium
- Bi<sub>2</sub>CdO<sub>2</sub>[GeO<sub>4</sub>], structures and phase transition, **123**, 371
  - Cd<sup>2+</sup>Ag-HgI<sub>4</sub>-Cu<sub>2</sub>HgI<sub>4</sub> systems doped with, ion conduction in, **122**, 349
  - CdMo<sub>2</sub>P<sub>2</sub>O<sub>4</sub>, synthesis and crystal structure, **122**, 343
  - Cd<sub>5</sub>M<sub>2</sub><sup>III</sup>(P<sub>2</sub>O<sub>7</sub>)<sub>4</sub> (*M* = V,Fe), cationic distribution, **121**, 291
  - CdV<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, structure and magnetism, **127**, 325
  - [(CH<sub>3</sub>)<sub>4</sub>N]<sub>2</sub>CdGe<sub>4</sub>S<sub>10</sub>, structure refinement by Rietveld method, **121**, 473
  - ions, sorption on calcium hydroxyapatite, incidence of cationic vacancies, determination with crystallographic study, **126**, 195
  - (Pb<sub>0.5</sub>Cd<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O<sub>y</sub>, synthesis and crystal structure, **123**, 313
  - RbCdCl<sub>3</sub>, structure, determination by X-ray diffraction, **124**, 39
- Calcination
- temperature during, effects on lattic parameters and particle size of R<sub>2</sub>CuO<sub>4</sub> (*R* = Gd,Nd) prepared by sol-gel method, **122**, 25
- Calcium
- Ba<sub>2</sub>Ca(B<sub>3</sub>O<sub>6</sub>)<sub>2</sub>, Eu<sup>2+</sup> luminescence in, **122**, 432
  - Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, magnetic and electric properties, **121**, 138
  - (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> superconductors, synthesis by sol-gel technique, **126**, 55
  - Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> high temperature superconductor, low temperature thermal expansion, calculation, **123**, 267
  - Ca<sub>3</sub>Co<sub>2</sub>O<sub>6</sub>, 1D, crystal structure and possible charge ordering, **124**, 190
  - Ca<sub>3</sub>Co(SeO<sub>3</sub>)<sub>4</sub>, Co<sup>2+</sup> ions in, polarized electronic absorption spectra, characterization, **124**, 143
  - CaCuAs<sub>2</sub>O<sub>7</sub>, synthesis and crystal structure, **121**, 350
  - Ca<sub>4</sub>Ln<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), synthesis and structure characterization, **127**, 315
  - [Ca<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121**, 56
  - Ca<sub>9</sub>FeH<sub>0.9</sub>(PO<sub>4</sub>)<sub>7</sub>, crystal structure and characterization, **122**, 15
  - Ca<sub>9</sub>Fe(PO<sub>4</sub>)<sub>7</sub>, crystal structure and characterization, **122**, 15

- CaFeTi<sub>2</sub>O<sub>6</sub> perovskite, convergent beam electron diffraction and high-resolution electron microscopy, **123**, 73
- Ca<sub>(1-x)</sub>Gd<sub>(x)</sub>TiO<sub>3</sub>, charge compensation, **124**, 77
- A<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub> (*A* = La,Pr), perovskite, structural phase diagram, letter to editor, **122**, 444
- Ca<sub>x</sub>Nb<sub>6</sub>Te<sub>8</sub>, preparation and transport properties, **121**, 332
- Ca(OH)<sub>2</sub>, high-pressure phase and pressure-induced amorphization, **126**, 300
- Ca(OH)<sub>2</sub>, incipient chemical reaction with SiO<sub>2</sub> under moderate mechanical stressing  
radical mechanism, EPR study, **122**, 291
- solid-state acid-base reaction and charge transfer due to complex formation, **122**, 74
- Ca<sub>3</sub>OSiO<sub>4</sub>, lattice-energy conformational analysis, **121**, 111
- CaO-ZrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub>, fluorite and perovskite related phases in, analysis, **127**, 82
- Ca<sub>M</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O (*M* = K,Tl,Rb), structural characterization, **126**, 308
- CaMSi<sub>2</sub>O<sub>6</sub> (*M* = Co,Ni), synthesis, structure, and magnetic properties, **124**, 374
- Ca<sub>4+x</sub>Si<sub>6</sub>O<sub>14+2x</sub>(OH)<sub>4-2x</sub>(H<sub>2</sub>O)<sub>2</sub> (0 ≤ *x* ≤ 1), molecular dynamics simulation, **127**, 92
- (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372; *erratum*, **122**, 451
- CaTiO<sub>3</sub>, single crystal, oxygen tracer diffusion in, **124**, 195
- CaV<sub>2</sub>O<sub>5</sub>, crystal structure and spin gap state, letter to editor, **127**, 358
- CaV<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, structure and magnetism, **127**, 325
- Ca-Zr-O-N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153
- Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, sintered polycrystals, analysis by TEM, **126**, 177
- CuCa(HCOO)<sub>4</sub>, thermal decomposition, **123**, 291
- Ga<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> superconductor, structural disorders, **123**, 378
- HgBa<sub>2</sub>Ca<sub>*n*-1</sub>Cu<sub>*n*</sub>O<sub>2*n*+2+δ</sub> (*n* = 1,2,3,4) superconductors, crystal chemistry, **122**, 221
- La<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>3-δ</sub>, structural, magnetic, and thermal properties, **121**, 202
- (La,Ca)CrO<sub>3</sub>-YSZ interface, reactions at, **122**, 407
- La<sub>8-x</sub>Ca<sub>x</sub>Cu<sub>8-y</sub>Ni<sub>y</sub>O<sub>20</sub>, 8-8-20 structure type in, stabilization, **121**, 319
- (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, relationship of crystal structure and electrical properties of Ca-rich region, **124**, 360
- (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> (0 ≤ *x* ≤ 0.9), metal-insulator transition in, role of tetravalent ion, **126**, 235
- Na<sub>6</sub>Ca[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2-</sub> and Se<sub>2</sub><sup>-</sup> in, spectroscopic properties, **126**, 50
- NaCa<sub>2</sub>Sb<sub>2</sub>FeGa<sub>2</sub>O<sub>12</sub>, cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- (Nd<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>3</sub> (*x* = 0–0.5), hole-doped, Mn valence determination by XANES and magnetic behavior, letter to editor, **125**, 112
- Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, size effect in, role in low temperature orthorhombic-monoclinic transition, letter to editor, **127**, 131
- Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+δ</sub>, superconductor, substitution of Cr for univalent Cu, **127**, 64
- SiO<sub>2</sub>-Na<sub>2</sub>O-CaO glasses, sulfate inclusions in, Raman spectroscopic analysis, **123**, 183
- Sr<sub>1-x</sub>Ca<sub>x</sub>TiO<sub>3</sub> (0 ≤ *x* ≤ 1), vibrational spectroscopy and X-ray diffraction, **124**, 353
- substitution in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>, neutron diffraction analysis, **127**, 56
- Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, superconducting thin films, synthesis by *ex situ* annealing, **121**, 262
- YCa<sub>2</sub>SbFe<sub>4-x</sub>Ga<sub>x</sub>O<sub>12</sub>, cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- Y<sub>3-2x</sub>Ca<sub>x</sub>Sb<sub>2</sub>Fe<sub>5-x</sub>O<sub>12</sub> (*x* = 1.25,1.5), cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- Y<sub>3-x</sub>Ca<sub>x</sub>Sn<sub>5-x</sub>O<sub>12</sub> (*x* = 1.25,1.5), cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- Zr<sub>0.85</sub>Ca<sub>0.15</sub>O<sub>1.85</sub>, calcium-stabilized, diffuse X-ray scattering, measurement of 3D data set, **126**, 33
- Calcium hydroxyapatite  
cadmium sorption, incidence of cationic vacancies, determination with crystallographic study, **126**, 195
- Calcium silicate hydrates  
Ca<sub>4+x</sub>Si<sub>6</sub>O<sub>14+2x</sub>(OH)<sub>4-2x</sub>(H<sub>2</sub>O)<sub>2</sub> (0 ≤ *x* ≤ 1), molecular dynamics simulation, **127**, 92
- Calzirtite  
Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, sintered polycrystals, analysis by TEM, **126**, 177
- Carbon  
[AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, synthesis and structure, **127**, 145
- Ce(C<sub>2</sub>O<sub>4</sub>)(HCO<sub>2</sub>), synthesis and structure, **127**, 256
- [Ce(H<sub>2</sub>O)]<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, synthesis and structure, **127**, 256
- CeOHCO<sub>3</sub>, hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74
- (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, infrared and polarized Raman spectra, **127**, 51
- [(CH<sub>3</sub>)<sub>4</sub>N]<sub>2</sub>MGe<sub>4</sub>S<sub>10</sub> (*M* = Fe,Cd), structure refinement by Rietveld method, **121**, 473
- CH<sub>3</sub>NH<sub>3</sub>[VOAl(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200
- C<sub>5</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>2</sub>PO<sub>4</sub><sup>-</sup>·H<sub>3</sub>PO<sub>4</sub>, crystal structure: effect of polyanion charge on centrosymmetric structure formation, **124**, 8
- [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, structure, thermal behavior, and infrared analysis, **127**, 9
- CuCa(HCOO)<sub>4</sub>, thermal decomposition, **123**, 291
- Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- (Et<sub>3</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115
- Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> (0.28 ≤ *x* ≤ 0.40; 0 ≤ *y* ≤ 2.65), flexible shearing phenomenon in, relationship to nanostructural transitions, **126**, 271
- [H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Fe(OH)(PO<sub>4</sub>)], hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)], hydrothermal synthesis and crystal structure, **125**, 270
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)·0.5H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **125**, 270
- [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, **126**, 292
- lanthanide nickel borocarbides, layered superconductors, chemical bonding topology, **124**, 329
- LiCD<sub>3</sub>COO·2D<sub>2</sub>O, room- and low-temperature phase, crystal structure and methyl group dynamics, **126**, 184
- (Me<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115
- Na<sub>6</sub>Ca[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2-</sub> and Se<sub>2</sub><sup>-</sup> in, spectroscopic properties, **126**, 50
- NaH[Cu<sub>2</sub>(O<sub>2</sub>C<sub>2</sub>H<sub>3</sub>)<sub>6</sub>], isolation of compound containing copper-to-copper bonding, **121**, 61
- [N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·2H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83
- N<sub>2</sub>C<sub>4</sub>H<sub>14</sub>, (VO)<sub>3</sub>, hydrothermal synthesis and structure determination, **124**, 151
- (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200

- [NH<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>]H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·~4H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83
- Ln<sub>2</sub>O<sub>2</sub>CN<sub>2</sub> (*Ln* = Ce,Pr,Nd,Sm,Eu,Gd), synthesis and crystal structure, **125**, 37
- [M{O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NHCH<sub>2</sub>PO<sub>3</sub>}]<sub>n</sub>·H<sub>2</sub>O (*M* = Mn,Co), 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408
- (PhP)<sub>2</sub>[Hg<sub>2</sub>As<sub>4</sub>Se<sub>11</sub>], hydrothermal synthesis and characterization, **123**, 115
- [Sn(HO<sub>3</sub>PCH<sub>2</sub>PO<sub>3</sub>H)]·H<sub>2</sub>O, solid phases, synthesis and structural characterization, **125**, 182
- [Sn<sub>2</sub>{O<sub>3</sub>PC(OH)(CH<sub>3</sub>)PO<sub>3</sub>}], solid phases, synthesis and structural characterization, **125**, 182
- Sr[Fe(CN)<sub>5</sub>NO]·4H<sub>2</sub>O, single crystals, neutron diffraction study, **123**, 48
- U(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, structure, and characterization, **121**, 181
- [Zn<sub>7</sub>Cr<sub>4</sub>(OH)<sub>22</sub>](CO<sub>3</sub>)<sub>2</sub>·5H<sub>2</sub>O, insertion of dinuclear dihydroxy-bridged Cr(III) aquo complex, **122**, 214
- [Zn<sub>4</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>3</sub>]NH(CH<sub>3</sub>)<sub>3</sub>, 3D tetrahedral framework with infinite Zn—O—Zn chains, **125**, 243
- Carbon dioxide  
photocatalytic reduction on iron complex semiconductors, **126**, 227
- Cation distribution  
6 Bi<sub>2</sub>O<sub>3</sub>—V<sub>2</sub>O<sub>5</sub>, analysis, **122**, 358  
Cu<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (0 ≤ *x* ≤ 0.5), **126**, 7
- Cationic vacancies  
incidences in cadmium sorption on calcium hydroxyapatites, determination by crystallographic study, **126**, 195
- Cerium  
BaCeO<sub>3</sub>, and solid solutions with BaZrO<sub>3</sub> and BaSnO<sub>3</sub>, EPR spectra of Pr<sup>4+</sup> in, **122**, 384  
in BaTiO<sub>3</sub>, solid solubility, **123**, 30  
Ce<sup>3+</sup>, photoluminescence in LaMgB<sub>5</sub>O<sub>10</sub> glasses of base composition, **123**, 398
- CeAlSi<sub>2</sub>, crystal structure, **127**, 308
- Ce<sub>3</sub>Al<sub>4</sub>Si<sub>6</sub>, crystal structure, **127**, 308
- ACeCl<sub>4</sub>·4H<sub>2</sub>O (*A* = NH<sub>4</sub>,K,Rb,Cs), crystal structure, **126**, 44
- Ce(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(HCO<sub>3</sub>), synthesis and structure, **127**, 256
- Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, crystal structure and elementary physical properties, **121**, 51
- [Ce(H<sub>2</sub>O)<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, synthesis and structure, **127**, 256
- Ce<sub>12</sub>I<sub>7</sub>Mn<sub>2</sub>, crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249
- CeO<sub>2</sub>, effect on β-Bi<sub>2</sub>O<sub>3</sub> stability, letter to editor, **127**, 128
- CeO<sub>2</sub>, hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74
- Ce<sub>2</sub>O<sub>2</sub>CN<sub>2</sub>, synthesis and crystal structure, **125**, 37
- Ce(OH)<sub>3</sub>, hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74
- CeOHCO<sub>3</sub>, hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74
- CePdIn<sub>2</sub>, structural, magnetic, and electrical properties, **122**, 143
- Ce<sup>IV</sup>Rb<sub>2</sub>(NO<sub>3</sub>)<sub>6</sub>, thermal behavior and crystal structure, **122**, 59
- Ce<sub>2</sub><sup>II</sup>Rb<sub>3</sub>(NO<sub>3</sub>)<sub>9</sub>, thermal behavior and crystal structure, **122**, 59
- Ce<sub>6</sub>MSb<sub>15</sub> (*M* = Mn,Cu,Zn), crystal structure and magnetism, **122**, 266
- CeSi<sub>2</sub>P<sub>6</sub>, preparation and crystal structure, **124**, 346
- Ce<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub>, preparation and crystal structure, **122**, 81
- (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, infrared and polarized Raman spectra, **127**, 51
- K<sub>4</sub>Ce<sub>2</sub>M<sub>10</sub>O<sub>30</sub> (*M* = Nb,Ta), TTB structure, synthesis, crystal growth, and joint X-ray and HRTEM study, **122**, 7
- (Pb<sub>0.5</sub>M<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O, (*M* = Pb,Cd), synthesis and crystal structure, **123**, 313
- Cesium  
Cs<sub>8</sub>Al<sub>9</sub>Si<sub>27</sub>O<sub>72</sub>·*n*H<sub>2</sub>O, exchange in heulandite single-crystals, **123**, 140
- CsLnCl<sub>4</sub>·4H<sub>2</sub>O (*Ln* = La—Sm), crystal structure, **126**, 44
- Cs<sub>2</sub>FeFeS<sub>2</sub>, synthesis, crystal structure, and electronic structure, **122**, 31
- CsCu<sub>2</sub>MTe<sub>4</sub> (*M* = Nb,Ta), synthesis, structure, and characterization, **121**, 225
- CsLaCl<sub>4</sub>·3H<sub>2</sub>O, crystal structure, **126**, 44
- Cs[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200
- Charge, *see* Polyanion charge
- Charge transfer  
in SiO<sub>2</sub>—Ca(OH)<sub>2</sub> system due to complex formation under moderate mechanochemical stressing, **122**, 74
- Chemical bath technique  
for thin film co-deposition of PbS—CuS, **123**, 296
- Chemical extraction  
lithium from layered LiCoO<sub>2</sub>, **121**, 483
- Chemical reactivity  
Tl<sub>x</sub>Cr<sub>5</sub>Se<sub>8</sub> (0 ≤ *x* ≤ 1), **127**, 40
- Chlorine  
Ba<sub>2</sub>Cu<sub>3</sub>Cl<sub>2</sub>O<sub>4</sub> grown in Ba(OH)<sub>2</sub>—KCl flux, synthesis and properties, **124**, 319
- Ca<sub>4</sub>Ln<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), synthesis and structure characterization, **127**, 315
- ALnCl<sub>4</sub>·4H<sub>2</sub>O (*A* = NH<sub>4</sub>,K,Rb,Cs; *Ln* = La—Sm), crystal structure, **126**, 44
- Cr<sub>4</sub>(Si<sub>2</sub>O<sub>7</sub>)Cl<sub>2</sub>, preparation and crystal structure, **127**, 331
- CsLaCl<sub>4</sub>·3H<sub>2</sub>O, crystal structure, **126**, 44
- Hg<sub>7.4</sub>As<sub>4</sub>Cl<sub>6</sub>, crystal structure, **126**, 324
- KCl  
KCl<sub>0.5</sub>Br<sub>0.5</sub>, polycrystalline, mechanical doping with Pb<sup>2+</sup> ions, **122**, 22
- K<sub>2</sub>Mn[Nb<sub>6</sub>Cl<sub>18</sub>], synthesis and structure, **122**, 428
- Li<sub>6</sub>M<sup>II</sup>Cl<sub>8</sub> (M<sup>II</sup> = Fe,Co,Ni), Suzuki-type, lattice dynamics, **124**, 162
- PbCl<sub>2</sub>, mechanical doping of polycrystalline alkali halides, **122**, 22
- Pb{O(H,D)}Cl, crystal structure determination, **124**, 155
- RbCdCl<sub>3</sub>, structure, determination by X-ray diffraction, **124**, 39
- RbY<sub>2</sub>Cl<sub>7</sub>·U<sup>3+</sup>, synthesis, spectroscopic, and magnetic properties, **121**, 312
- Ln<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub> (*Ln* = La,Ce,Pr,Nd), preparation and crystal structure, **122**, 81
- Chloroanthraquinone  
substitution pattern, effect on formation of complex salts with Ag, **126**, 99
- Chromium  
copper–zinc–cobalt–aluminum–chromium, characterization, **122**, 324
- Cr<sub>1-x</sub>Mn<sub>x</sub>P<sub>4</sub> (*x* = 0.3–0.7), crystal structure, correspondence to 4-MnP<sub>4</sub>, **122**, 206
- ACr<sub>10</sub>O<sub>15+x</sub> (*A* = Sr,Ba; *x* = 0,~1), **122**, 416
- Cr<sub>2</sub>P, crystal structure, determination by neutron diffraction data, **123**, 306
- Cr(III)(Se<sub>2</sub>O<sub>5</sub>)<sub>3</sub>, synthesis, crystal structure, and magnetic measurements, **122**, 130
- Cr<sub>4</sub>(Si<sub>2</sub>O<sub>7</sub>)X<sub>2</sub> (*X* = Cl, Br), preparation and crystal structure, **127**, 331
- CuCrO<sub>2</sub>, trigonal and hexagonal, preparation and phase transition studies, **122**, 247
- Cu layered double hydroxides pillared with polyoxyvanadates: V<sub>2</sub>O<sub>7</sub><sup>4-</sup>, V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, and V<sub>10</sub>O<sub>28</sub><sup>4-</sup>, **126**, 314
- Fe–Cr oxide pillared α-zirconium phosphate materials, synthesis and characterization, **122**, 231
- M<sup>1</sup>GaP<sub>3</sub>O<sub>9</sub> (*M* = Na,K), preparation and characterization, **121**, 418
- K<sub>2</sub>Cr<sub>8</sub>O<sub>16</sub>, crystal structure, **126**, 1
- La<sub>1-x</sub>Cr<sub>x</sub>CrO<sub>3-δ</sub>, structural, magnetic, and thermal properties, **121**, 202
- (La,Ca)CrO<sub>3</sub>—YSZ interface, reactions at, **122**, 407
- LiCr<sub>1-x</sub>Al<sub>x</sub>TiO<sub>4</sub> (0 ≤ *x* ≤ 0.4), preparation and magnetic properties, **125**, 211
- Li<sub>3-x</sub>Ni<sub>2-x</sub>Cr<sub>x</sub>NbO<sub>6</sub>, continuous order–disorder transition, **124**, 214

- LnMn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub>* (*Ln* = La,Pr,Nd,Gd), magnetic and electrical properties, letter to editor, **127**, 354
- Mn<sub>2</sub>CrSbO<sub>6</sub>, high pressure synthesis and polymorphism, **124**, 333
- Nd(Cr<sub>1-x</sub>Co<sub>x</sub>)O<sub>3</sub>, cobalt ion in, spin state, **122**, 297
- Rb<sub>0.73</sub>Cr<sub>5</sub>Te<sub>8</sub>, synthesis and crystal structure, **122**, 41
- Sm<sub>2/3</sub>Cr<sub>2</sub>S<sub>4</sub>, lillianite-type, incommensurate structure, **127**, 295
- soaps, spectroscopic and thermal behavior, **122**, 100
- substitution for univalent Cu in Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+δ</sub> superconductor, substitution of Cr for univalent Cu, **127**, 64
- ThCr<sub>2</sub>Si<sub>2</sub>, crystallization in KCo<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> (0.5 ≤ *x* ≤ 1.5) and ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), **127**, 151
- Tl<sub>x</sub>Cr<sub>5</sub>Se<sub>8</sub> (0 ≤ *x* ≤ 1), chemical reactivity, microhomogeneity, and crystal structure, **127**, 40
- U<sub>4</sub>Cr<sub>6</sub>Si<sub>2</sub>, laves-type phases, crystal structure and magnetic behavior, **121**, 479
- [Zn<sub>7</sub>Cr<sub>4</sub>(OH)<sub>22</sub>](CO<sub>3</sub>)<sub>2</sub>·5H<sub>2</sub>O, insertion of dinuclear dihydroxy-bridged Cr(III) aquo complex, **122**, 214
- Citrate gel  
synthesis of yttrium iron garnet nanoparticles, **126**, 161
- Citric acid  
effect on YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> superconductors prepared by sol-gel method, **121**, 356
- Cluster  
extended, Ti<sub>4</sub>O(Te<sub>2</sub>)<sub>4</sub>TeI<sub>4</sub>, **123**, 273
- CMR, *see* Colossal magnetoresistance
- Cobalt  
BaCoS<sub>2-δ</sub>, polymorphism and superstructure, **127**, 211
- Ca<sub>3</sub>Co<sub>2</sub>O<sub>6</sub>, 1D, crystal structure and possible charge ordering, **124**, 190
- Ca<sub>3</sub>Co(SeO<sub>3</sub>)<sub>4</sub>, Co<sup>2+</sup> ions in, polarized electronic absorption spectra, characterization, **124**, 143
- CaCoSi<sub>2</sub>O<sub>6</sub>, synthesis, structure, and magnetic properties, **124**, 374
- ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), synthesis, electrical and magnetic properties, **127**, 151
- trans*-Co(dien)<sub>2</sub>Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O, with chiral layers, synthesis and characterization, **125**, 228
- [Co(O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NHCH<sub>2</sub>PO<sub>3</sub>}]·H<sub>2</sub>O, 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408
- Co<sup>2+</sup><sub>12</sub>(*X*)<sub>2</sub>(SeO<sub>3</sub>)<sub>8</sub>(OH)<sub>6</sub> (*X* = OH<sup>-</sup>), synthesis and crystal structure, **126**, 169
- CoSi<sub>3</sub>P<sub>3</sub>, synthesis, crystal structure, Raman spectroscopy, and physical characterization, **124**, 366
- Co<sub>2+x</sub>Sn<sub>2</sub>, B8-type solid solutions, interstitial transition metal ordering in, electron diffraction analysis, **127**, 222
- Cu-Zn-Co-Al-containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372
- Cu-Zn-Co-Al-Cr hydroxycarbonates and mixed oxides, characterization, **122**, 324
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)], hydrothermal synthesis and crystal structure, **125**, 270
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)]-0.5H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **125**, 270
- K<sub>0.8</sub>Ba<sub>0.6</sub>Fe<sub>10.5</sub>Co<sub>0.25</sub>O<sub>17</sub>, synthesis and magnetic properties, **122**, 68
- KCo<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> (0.5 ≤ *x* ≤ 1.5), synthesis, electrical and magnetic properties, **127**, 151
- La<sub>0.5</sub>Ba<sub>0.5</sub>Co<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub>, oxygen-deficient perovskites, magnetic properties, **121**, 158
- La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3</sub>  
crystal structure and metal-insulator transition, **121**, 423  
oxygen diffusion in, **124**, 230
- Li<sub>6</sub>CoCl<sub>8</sub>, Suzuki-type, lattice dynamics, **124**, 162
- LiCoO<sub>2</sub>, layered, chemical extraction of Li, **121**, 483
- metal-spinel composites with, synthesis by iron disproportionation, effect of Co/Fe ratio, **123**, 109
- Mn<sub>x</sub>CoFe<sub>2-x</sub>O<sub>4</sub> spinel ferrites, trivalent Mn ions in, cationic distribution and oxidation mechanism, **125**, 67
- Na<sub>2</sub>Co<sub>2</sub>P<sub>3</sub>O<sub>9</sub>N, preparation and characterization, **121**, 418
- Na<sub>4</sub>Co<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, with 3D system of intersecting tunnels, **123**, 129
- Na<sub>3</sub>Ni<sub>0.6</sub>Co<sub>0.4</sub>O<sub>2</sub>, physical and electrochemical studies, **122**, 111
- Nd(Cr<sub>1-x</sub>Co<sub>x</sub>)O<sub>3</sub>, cobalt ion in, spin state, **122**, 297
- SrFe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub> synthesized under high pressure, ferromagnetic properties, **121**, 174
- Colossal magnetoresistance  
Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, size effect in, role in low temperature orthorhombic-monoclinic transition, letter to editor, **127**, 131
- Tl<sub>2</sub>Mn<sub>2</sub>O<sub>7</sub> pyrochlore, absence of Mn<sup>3+</sup>/Mn<sup>4+</sup> double exchange in, analysis by X-ray absorption near-edge spectroscopy, letter to editor, **125**, 278
- Combustion  
in powder mixtures with Ti, Zr, and Hf, induction by ball milling, **125**, 75
- Computational analysis  
GeO<sub>2</sub> phase transition from α-quartz to rutile structure, **127**, 137
- Conductivity  
alternate current, in ytterbium nitrate crystal, analysis of temperature and frequency dependence, **121**, 74
- Copper  
Ba<sub>2</sub>Cu<sub>3</sub>Cl<sub>2</sub>O<sub>4</sub> grown in Ba(OH)<sub>2</sub>-KCl flux, synthesis and properties, **124**, 319
- Ba<sub>2+y</sub>Cu<sub>3</sub>O<sub>6</sub>, low-temperature synthesis, structure, and stability, **122**, 176
- Ba<sub>3</sub>Fe<sub>3-x</sub><sup>III</sup>Cu<sub>x</sub><sup>II</sup>F<sub>19-x</sub>, Mössbauer spectroscopy and magnetic properties, **125**, 159
- BiO<sub>3/2</sub>-PrO<sub>11/6</sub>-CuO, subsolidus phase relations, **125**, 85
- (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> superconductors, synthesis by sol-gel technique, **126**, 55
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> high temperature superconductor, low temperature thermal expansion, calculation, **123**, 267
- Ca<sub>4</sub>Ln<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), synthesis and structure characterization, **127**, 315
- Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, crystal structure and elementary physical properties, **121**, 51
- ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), synthesis, electrical and magnetic properties, **127**, 151
- Cr layered double hydroxides pillared with polyoxyvanadates: V<sub>2</sub>O<sub>4</sub><sup>+</sup>, V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, and V<sub>10</sub>O<sub>28</sub><sup>6-</sup>, **126**, 314
- CsCuFeS<sub>2</sub>, synthesis, crystal structure, and electronic structure, **122**, 31
- CsCu<sub>2</sub>MTe<sub>4</sub> (*M* = Nb,Ta), synthesis, structure, and characterization, **121**, 225
- ACuAs<sub>2</sub>O<sub>7</sub> (*A* = Ca,Sr,Ba), synthesis and crystal structure, **121**, 350
- CuCa(HCOO)<sub>4</sub>, thermal decomposition, **123**, 291
- Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- CuCrO<sub>2</sub>, trigonal and hexagonal, preparation and phase transition studies, **122**, 247
- Cu<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (0 ≤ *x* ≤ 0.5), thermal behavior and cation distribution, **126**, 7
- Cu<sub>2</sub>HgI<sub>4</sub>-Ag<sub>2</sub>HgI<sub>4</sub>, doped with Cd<sup>2+</sup>, K<sup>+</sup>, and Na, ion conduction in, **122**, 349
- Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251
- R<sub>2</sub>CuO<sub>4</sub> (*R* = Gd,Nd) prepared by sol-gel method, particle size and lattice parameters, effect of calcination temperature, **122**, 25
- Cu<sub>2</sub>R<sub>2</sub>O<sub>5</sub> (*R* = Tb-Lu), thermodynamic stability and Gibbs energy of formation of Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125**, 13
- Cu<sub>4</sub>O<sub>3</sub>, synthesis, **121**, 33
- CuO-SiO<sub>2</sub>, xerogel-glass transition, **123**, 93

- $\text{CuO-ZnO-Al}_2\text{O}_3$  ternary catalysts, creation of defect  $\text{Cu}^+$  sites, **125**, 108
- $\text{Cu}_{0.5}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti,Zr}$ ), Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341
- $\text{Cu}^1\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti,Zr}$ ), Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341
- $RE_6\text{CuSb}_{15}$  ( $RE = \text{La,Ce}$ ), crystal structure and magnetism, **122**, 266
- $\text{Cu}_2\text{U}_3\text{S}_7$ , crystal structure and magnetic properties, **123**, 331
- $\text{Cu}_2\text{U}_3\text{Se}_7$ , crystal structure and magnetic properties, **123**, 331
- $\text{CuV}_2\text{O}_6$ ,  $\text{Nd}_2\text{Ti}_2\text{O}_7$ – $\text{SrTiO}_3$  phase formation at  $1350^\circ\text{C}$  in presence of, **121**, 324
- $\text{CuYb}_2\text{Ge}_4\text{O}_{12}$ , bidimensionally tunneled structure, **124**, 17
- $\text{Cu-Zn-Co-Al}$ -containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372
- $\text{Cu-Zn-Co-Al-Cr}$  hydroxycarbonates and mixed oxides, characterization, **122**, 324
- $\text{Eu}_{1+y}\text{Ba}_{2-y}\text{Cu}_3\text{O}_{7-x}$ , and related phases in  $\text{Eu}_2\text{O}_3$ – $\text{CuO}$ – $\text{BaO}$  system, Gibbs free energy of formation, **126**, 38
- $\text{GaSr}_2\text{Ca}_3\text{Cu}_4\text{O}_y$  superconductor, structural disorders, **123**, 378
- $\text{H}_{0.5}\text{Cu}_{0.5}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti,Zr}$ ), Nasicon-type copper phosphates, Raman and Infrared spectra, **127**, 341
- $\text{HgBa}_2\text{Ca}_{n-1}\text{Cu}_n\text{O}_{2n+2+\delta}$  ( $n = 1,2,3,4$ ) superconductors, crystal chemistry, **122**, 221
- $\text{Hg}_{1-x}\text{V}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{O}_{7-\delta}\text{CO}_3$  ( $0.28 \leq x \leq 0.40$ ;  $0 \leq y \leq 2.65$ ), flexible shearing phenomenon in, relationship to nanostructural transitions, **126**, 271
- $\text{La}_{8-x}\text{Ca}_x\text{Cu}_{8-y}\text{Ni}_y\text{O}_{20}$ , 8–8-20 structure type in, stabilization, **121**, 319
- $\text{La}_2\text{Cu}_{10}\text{P}_{12}$ , crystal structure and elementary physical properties, **121**, 51
- $\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$  ( $x = 0.6,0.7,1.2,1.5$ ), pressure-induced structural transition, **126**, 88
- $\text{La}_{1-x}\text{Sr}_x\text{CuO}_{2.5}$ , doped spin-ladder compound, **123**, 223
- mechanically induced solid state reduction by Fe, mechanism, crystallographic contribution, **122**, 273
- mixed oxides, superconducting, effect of pressure, **121**, 24
- $\text{NaH}[\text{Cu}_2(\text{O}_2\text{C}_2\text{H}_3)_6]$ , isolation of compound containing copper-to-copper bonding, **121**, 61
- $\text{NdBa}_2\text{Cu}_3\text{O}_{6.88}$ , superconductor with tetragonal unit cell, single-crystal structure, **121**, 415
- $\text{Nd}_2\text{CuO}_4$  ( $T'$ )-type structure, tolerance factor for, **125**, 63
- $\text{PbS-CuS}$  thin films, co-deposition by chemical bath technique, **123**, 296
- $\text{Pb}_2\text{Sr}_2(\text{Ca,Y})\text{Cu}_3\text{O}_{8+\delta}$ , superconductor, substitution of Cr for univalent Cu, **127**, 64
- $(\text{Pb}_{0.5}\text{M}_{0.5})(\text{Sr}_{0.9}\text{Ho}_{0.1})_2(\text{Ho}_{0.7}\text{Ce}_{0.3})_2\text{Cu}_2\text{O}_y$  ( $M = \text{Pb,Cd}$ ), synthesis and crystal structure, **123**, 313
- $\text{SrCuO}_{2.5}$ , perovskite, synthesis and structure, **121**, 498
- $\text{SrCuO}_2$ ,  $\text{Nd}_2\text{Ti}_2\text{O}_7$ – $\text{SrTiO}_3$  phase formation at  $1350^\circ\text{C}$  in presence of, **121**, 324
- $(\text{RE}_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{20}$  ( $RE = \text{Pr,Nd}$ ), synthesis under  $P_{\text{O}_2} = 20$  MPa, **125**, 117
- $\text{Tl}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$ , superconducting thin films, synthesis by *ex situ* annealing, **121**, 262
- $\text{Tl}_2\text{CuF}_4$ , 2D ferromagnetic fluoride, structural and magnetic phase transitions, **122**, 87
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , Ca-doped and oxygen deficient, neutron diffraction analysis, **127**, 56
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  films, synthesis of  $\text{BaRETaO}_6$  ( $RE = \text{Pr,Nd,Eu,Dy}$ ) as substrates for, **126**, 202
- $\text{YBa}_2\text{Cu}_4\text{O}_8$ , superconductors prepared by sol–gel method, effect of complexing agents, **121**, 356
- $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ , structure, effect of stacking faults and temperature, **127**, 31
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ , single crystals, structural analysis, **122**, 371
- Corundum structure
- $\text{Fe}_2\text{O}_3$  with, real structure and reactivity, effect of mechanical activation, **123**, 191
- Covalent exchange
- $\text{NaNiO}_2$ , relationship to superexchange, letter to editor, **127**, 126
  - $\text{NdNiO}_3$ , relationship to superexchange, letter to editor, **127**, 126
- Crystal field
- multipole moments, Thomas–Fermi screening, **124**, 182
- Crystal field calculation
- $\text{LiYO}_2$ ,  $\text{Eu}^{3+}$ - and  $\text{Tb}^{3+}$ -doped, **121**, 457
- Crystal growth
- $\text{K}_4\text{Ce}_2\text{M}_{10}\text{O}_{30}$  ( $M = \text{Nb,Ta}$ ), with TTB structure, **122**, 7
  - $\text{Na}_{2+x}\text{P}_4\text{Nb}_6\text{O}_{26}$ , **121**, 273
- Crystal habit
- morphological diagram of spinels, **121**, 388
- Crystal potential
- homogeneous potential surface for  $\text{Ti}_x\text{O}_y^{-n}$  effect on  $\text{Ti}_x\text{O}_y^{-n}$  clusters, **121**, 301
- Crystals
- composite,  $\text{BaTiS}_y$  ( $y = 2.70$ – $2.93$ ), **121**, 451
- Crystal structure
- ab initio,  $\text{PbPt}_2\text{O}_4$ , **124**, 309
  - $\beta\text{-Ag}_3\text{AsSe}_3$ , **127**, 186
  - $\text{AgLnMo}_2\text{O}_8$  ( $Ln = \text{Eu,Gd,Tb}$ ), **121**, 236
  - $\text{M}_2\text{AgSbS}_4$  ( $M = \text{K,Rb}$ ), **123**, 277
  - $\text{MAG}_2\text{SbS}_4$  ( $M = \text{K,Rb}$ ), **123**, 277
  - $\text{AgS}_{1-x}\text{Te}_3$ , **123**, 391
  - $\text{AgVO}_3$  relationship to  $\text{Ag}_2\text{V}_4\text{O}_{11}$  and  $\delta\text{Ag}_x\text{V}_2\text{O}_5$ , **122**, 303
  - $[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , **127**, 145
  - $M_x^{\pm}\text{Al}_2\text{Si}_{27}\text{O}_{72}\cdot n\text{H}_2\text{O}$  ( $M = \text{Na,K,Rb,Cs}$ ), **123**, 140
  - Au–Sn phase, **124**, 132
  - $\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}$ , **121**, 278
  - $\text{Ba}_{2.33}\text{Al}_{21.33}\text{O}_{34.33}$ , **121**, 278
  - $\text{BaCoS}_{2-\delta}$ , **127**, 211
  - $\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$ , **124**, 319
  - $\text{Ba}_{2+x}\text{Cu}_3\text{O}_6$ , **122**, 176
  - $\text{Ba}_5\text{Fe}_{3-x}^{\text{III}}\text{M}_x^{\text{II}}\text{F}_{19-x}$  ( $M = \text{Fe,Cu}$ ), **125**, 159
  - $\text{Ba}_3\text{Fe}_4\text{NiO}_{13.5}$ , ten-layer, **121**, 133
  - $\text{Ba}_4\text{Fe}_2\text{Ti}_3\text{O}_{16}$ , letter to editor, **125**, 281
  - $\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , letter to editor, **125**, 281
  - $\text{Ba}_3\text{Mo}_2\text{O}_2(\text{PO}_4)_4$ , **125**, 147
  - $\text{BaMo}_2\text{O}_5(\text{SeO}_3)_2$ , **125**, 234
  - $\text{BaMoO}_3\text{SeO}_3$ , **125**, 234
  - $\text{BaNH}_4(\text{PO}_3)_3$ , **125**, 43
  - $\text{Ba}_8\text{Ta}_6\text{NiO}_{24}$ , **125**, 102
  - $\text{BaRETaO}_6$  ( $RE = \text{Pr,Nd,Eu,Dy}$ ), **126**, 202
  - $\text{BaTiO}_3$ , relationship to tetragonal→cubic transition enthalpy, **123**, 301
  - $\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), **126**, 105
  - $\text{BaV}_3\text{O}_8$ , **122**, 245
  - $\text{Ba}_2\text{V}_3\text{O}_9$ , **126**, 328
  - $\text{Bi}_2\text{AuO}_5$ , **122**, 364
  - $\text{Bi}_4\text{Au}_2\text{O}_9$ , **122**, 364
  - $\text{Bi}_2\text{CdO}_2[\text{GeO}_4]$ , **123**, 371
  - $\text{Bi}_2\text{Ir}_2\text{O}_{7-y}$ , oxygen vacancies in, **123**, 14
  - $\text{Bi}_2\text{La}_4\text{O}_9$ , **124**, 300
  - $\text{AB}_2\text{Nb}_2\text{O}_9$  ( $A = \text{Sr,Ba}$ ), **126**, 135
  - $\text{BiNH}_4\text{P}_4\text{O}_{12}$ , **125**, 43
  - $(\text{Bi}_2\text{O}_2)_2\text{V}_{2y}\text{O}_{4y+2}$  ( $1 \leq y \leq 4$ ), **125**, 54
  - $6\text{Bi}_2\text{O}_3\cdot\text{V}_2\text{O}_5$ , **122**, 358
  - $\text{Bi}_3(\text{MSb}_2\text{O})_{11}$  ( $M = \text{Al,Ga}$ ), **127**, 178
  - $\text{Bi}_2\text{Te}_4\text{O}_{11}$ , **121**, 251
  - $\text{Bi}_2\text{Te}_2\text{W}_3\text{O}_{16}$ , **127**, 248
  - $0.2\text{Bi}_2\text{O}_3\cdot 1.0\text{Al}_2\text{O}_3\cdot 0.6\text{HCl}\cdot 5.7\text{H}_2\text{O}$ , **122**, 200
  - $\text{Ca}_3\text{Co}_2\text{O}_6$ , **124**, 190

- Ca<sub>3</sub>Co(SeO<sub>3</sub>)<sub>4</sub>, **124**, 143  
 Ca<sub>x</sub>Ln<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), **127**, 315  
 [Ca<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, **121**, 56  
 Ca<sub>9</sub>FeH<sub>0.9</sub>(PO<sub>4</sub>)<sub>7</sub>, **122**, 15  
 Ca<sub>9</sub>Fe(PO<sub>4</sub>)<sub>7</sub>, **122**, 15  
 Ca<sub>(1-x)</sub>Gd<sub>(x)</sub>TiO<sub>3</sub>, **124**, 77  
 calcium hydroxyapatites, **126**, 195  
 Ca(OH)<sub>2</sub>, **126**, 300  
 Ca<sub>2</sub>M<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O (*M* = K,Tl,Rb), **126**, 308  
 CaMSi<sub>2</sub>O<sub>6</sub>, **124**, 374  
 Ca<sub>4+x</sub>Si<sub>6</sub>O<sub>14+2x</sub>(OH)<sub>4-2x</sub>(H<sub>2</sub>O)<sub>2</sub> (0 ≤ *x* ≤ 1), **127**, 92  
 CaV<sub>2</sub>O<sub>5</sub>, letter to editor, **127**, 358  
 Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, **126**, 177  
 CdMoO<sub>2</sub>PO<sub>4</sub>, **122**, 343  
 Cd<sub>5</sub>M<sup>III</sup><sub>2</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>4</sub> (*M* = V,Fe), **121**, 291  
 CeAlSi<sub>2</sub>, **127**, 308  
 Ce<sub>3</sub>Al<sub>4</sub>Si<sub>6</sub>, **127**, 308  
 Ce(C<sub>2</sub>O<sub>4</sub>)(HCO<sub>2</sub>), **127**, 256  
 Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51  
 [Ce(H<sub>2</sub>O)]<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, **127**, 256  
 Ce<sub>12</sub>I<sub>17</sub>Mn<sub>2</sub>, **125**, 249  
 CeO<sub>2</sub>, **126**, 74  
 Ce(OH)<sub>3</sub>, **126**, 74  
 CeOHCO<sub>3</sub>, **126**, 74  
 CePdIn<sub>2</sub>, **122**, 143  
 Ce<sup>IV</sup>Rb<sub>2</sub>(NO<sub>3</sub>)<sub>6</sub>, **122**, 59  
 Ce<sup>III</sup>Rb<sub>3</sub>(NO<sub>3</sub>)<sub>9</sub>, **122**, 59  
 [(CH<sub>3</sub>)<sub>4</sub>N]<sub>2</sub>MGe<sub>5</sub>S<sub>10</sub> (*M* = Fe,Cd), Rietveld refinement, **121**, 473  
 (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, **127**, 51  
 CH<sub>3</sub>NH<sub>3</sub>[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], **125**, 200  
 C<sub>5</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>2</sub>PO<sub>4</sub>·H<sub>3</sub>PO<sub>4</sub>: effect of polyanion charge on centrosymmetric structure formation, **124**, 8  
 [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, **127**, 9  
 ALnCl<sub>4</sub>·4H<sub>2</sub>O (*A* = NH<sub>4</sub>,K,Rb,Cs; *Ln* = La-Sm), **126**, 44  
 trans-Co(dien)<sub>2</sub>·Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O with chiral layers, **125**, 228  
 ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), **127**, 151  
 CoSi<sub>3</sub>P<sub>3</sub>, **124**, 366  
 Cr<sub>1-x</sub>Mn<sub>x</sub>P<sub>4</sub> (*x* = 0.3–0.7), **122**, 206  
 Cr<sub>2</sub>P, **123**, 306  
 Cr<sub>4</sub>(Si<sub>2</sub>O<sub>7</sub>)<sub>2</sub> (*X* = Cl, Br), **127**, 331  
 CsCuFeS<sub>2</sub>, **122**, 31  
 CsCu<sub>2</sub>MTe<sub>4</sub> (*M* = Nb,Ta), **121**, 225  
 CsLaCl<sub>4</sub>·3H<sub>2</sub>O, **126**, 44  
 Cs[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, **125**, 200  
 ACuAs<sub>2</sub>O<sub>7</sub> (*A* = Ca,Sr,Ba), **121**, 350  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], **122**, 251  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], **122**, 251  
 Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], **122**, 251  
 Cu<sub>2</sub>U<sub>3</sub>S<sub>7</sub>, **123**, 331  
 Cu<sub>2</sub>U<sub>3</sub>Se<sub>7</sub>, **123**, 331  
 CuYb<sub>2</sub>Ge<sub>4</sub>O<sub>12</sub>, **124**, 17  
 Cu-Zn-Co-Al-containing hydroxycarbonates, oxycarbonates, oxides, reaction products, **121**, 372  
 α-M(DPO<sub>4</sub>)<sub>2</sub>·D<sub>2</sub>O (*M* = Ti,Zr,Pb), **125**, 261  
 (Et<sub>4</sub>N)[HgAsSe<sub>3</sub>], **123**, 115  
 Eu<sub>2</sub>RhH<sub>5</sub>, **121**, 56  
 EuTa<sub>3</sub>O<sub>9</sub>, **124**, 272  
 FeO, **124**, 52  
 FeVO<sub>4</sub>·II, **123**, 54  
 Hf<sub>0.08</sub>Mo<sub>0.92</sub>P<sub>3</sub>, **121**, 362  
 Hf<sub>0.75</sub>Sn<sub>2.5</sub>O<sub>2</sub>, structure, dielectric properties, and thermal expansion, **121**, 437  
 Hg<sub>4</sub>As<sub>2</sub>Br<sub>3</sub>, **126**, 324  
 Hg<sub>7.4</sub>As<sub>4</sub>Cl<sub>6</sub>, **126**, 324
- HgBa<sub>2</sub>Ca<sub>*n*-1</sub>Cu<sub>*n*</sub>O<sub>2*n*+2+δ</sub> (*n* = 1,2,3,4), **122**, 221  
 Hg<sub>0.3</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, **124**, 1  
 Hg<sub>2</sub>SnS<sub>2</sub>Br<sub>2</sub>, **126**, 95  
 HgVO<sub>3</sub>, **125**, 140  
 Hg<sub>2</sub>VO<sub>4</sub>, **125**, 140  
 Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> (0.28 ≤ *x* ≤ 0.40; 0 ≤ *y* ≤ 2.65), **126**, 271  
 [H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Fe(OH)(PO<sub>4</sub>)], **125**, 186  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)], **125**, 270  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)·0.5H<sub>2</sub>O, **125**, 270  
 [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, **126**, 292  
 HLnTiO<sub>4</sub> (*Ln* = La,Nd,Sm,Gd), **127**, 119  
 H<sub>x</sub>(V<sub>x</sub>Mo<sub>1-x</sub>O<sub>3</sub>)·0.3H<sub>2</sub>O, **121**, 339  
 H<sub>0.27</sub>(V<sub>0.27</sub>W<sub>0.73</sub>)O<sub>3</sub>·1/3H<sub>2</sub>O, **121**, 339  
 [Zn<sub>4</sub>(PO<sub>4</sub>)<sub>3</sub>]H<sub>2</sub>O, **125**, 243  
 γ-In<sub>2</sub>Se<sub>3</sub>, **124**, 305  
 K<sub>7-x-y</sub>Ba<sub>y</sub>Nb<sub>14</sub>P<sub>9</sub>O<sub>60</sub> (*x* = 0.27(5); *y* = 0.63(3)), **125**, 192  
 K<sub>2</sub>Cr<sub>8</sub>O<sub>16</sub>, **126**, 1  
 KHF<sub>2</sub>, stability of *I*4/*mcm* structure to 50 GPa, **125**, 171  
 K<sub>9</sub>In<sub>9</sub>GeSb<sub>22</sub>, **122**, 239  
 KIn(OH)PO<sub>4</sub>, **123**, 243  
 K<sub>2</sub>Mn[Nb<sub>6</sub>Cl<sub>18</sub>], **122**, 428  
 K<sub>6.6</sub>Mo<sub>2.36</sub>W<sub>3.64</sub>O<sub>15</sub>(PO<sub>4</sub>)<sub>4</sub>, **127**, 1  
 K<sub>3</sub>Nb<sub>6</sub>VO<sub>19</sub>, **124**, 244  
 K<sub>3</sub>MO<sub>3</sub>F<sub>3</sub>–*A*<sub>3</sub>MO<sub>3</sub>F<sub>3</sub> (*A* = Na,Rb; *M* = Mo,W), **124**, 123  
 KTaSi<sub>2</sub>O<sub>7</sub>, **123**, 123  
 KTiPS<sub>5</sub>, **125**, 30  
 K<sub>2</sub>[(VO)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)]·H<sub>2</sub>O, **126**, 292  
 K<sub>2</sub>YNb<sub>5</sub>O<sub>15-δ</sub>, **123**, 285  
 La<sub>26</sub>(BO<sub>3</sub>)<sub>8</sub>O<sub>27</sub>, **126**, 287  
 (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, **124**, 360  
 (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> (0 ≤ *x* ≤ 0.9), **126**, 235  
 La<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51  
 LaD<sub>2.50</sub>, **122**, 151  
 La<sub>12</sub>I<sub>17</sub>Fe<sub>2</sub>, **125**, 249  
 La<sub>2/3-x</sub>Li<sub>3x</sub>□<sub>1/3-2x</sub>TiO<sub>3</sub>, **127**, 283  
 La<sub>1-x</sub>MnO<sub>3+δ</sub>, **124**, 43  
 LaNb<sub>7</sub>O<sub>12</sub>, **123**, 21  
 La<sub>2</sub>NiO<sub>4+δ</sub>, **125**, 133  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> (0 ≤ *x* ≤ 0.25), **125**, 47  
 La(No<sub>3</sub>)<sub>3</sub>·4H<sub>2</sub>O, **126**, 127  
 La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3</sub>, **121**, 423  
 LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10-δ</sub>, **122**, 390  
 La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub> (0.15 ≤ *y* ≤ 0.33), **125**, 125  
 LiAlSi<sub>3</sub>O<sub>8</sub>, **121**, 12  
 LiBiO<sub>3</sub>, **126**, 121  
 LiCD<sub>3</sub>COO·2D<sub>2</sub>O, **126**, 184  
 Li<sub>2</sub>FeBr<sub>4</sub>, **124**, 292  
 Li<sub>16</sub>Nb<sub>2</sub>N<sub>8</sub>O, **127**, 19  
 LiNH<sub>3</sub>OH<sub>2</sub>SO<sub>4</sub>, **127**, 72  
 Li<sub>1-x</sub>Ni<sub>1+x</sub>O<sub>2</sub> (0 ≤ *x* ≤ 0.08), **127**, 109  
 (Me<sub>4</sub>N)[HgAsSe<sub>3</sub>], **123**, 115  
 Mg(HSeO<sub>3</sub>)<sub>2</sub>·4H<sub>2</sub>O, **122**, 338  
 (Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> (0.0 ≤ *x* ≤ 0.3), **124**, 220  
 Mn<sub>x</sub>Nb<sub>8</sub>S<sub>2</sub> (0.19 ≤ *x* ≤ 0.52), **125**, 178  
 γ-MnO<sub>2</sub>, fully H-inserted, **123**, 150  
 Mn<sub>2</sub>BSbO<sub>6</sub> (*B* = Fe,V,Cr,Ga,Al), **124**, 333  
 Mn<sub>2</sub>V<sub>2</sub>O<sub>7</sub>, **121**, 214  
 α-MoO<sub>3</sub>(010), **124**, 104  
 η-Mo<sub>4</sub>O<sub>11</sub>(100), **124**, 104  
 Mo<sub>8</sub>O<sub>23</sub>(010), **124**, 104  
 Mo<sub>18</sub>O<sub>52</sub>(100), **124**, 104  
 MoTe<sub>4</sub>Br, with Te<sub>4</sub><sup>2+</sup> ligand attachment, **125**, 165  
 MoTe<sub>6</sub>Br<sub>3</sub>, with Te<sub>4</sub><sup>2+</sup> ligand attachment, **125**, 165

- $\text{Na}_3\text{AlP}_3\text{O}_9\text{N}$ , related compounds, preparation and characterization, **121**, 418
- $\text{Na}_6\text{Ca}[\text{Al}_6\text{Si}_6\text{O}_{24}]\text{CO}_3\cdot\text{H}_2\text{O}$ , **126**, 50
- $\text{Na}^+/\text{La}^{3+}-\beta''-\text{Al}_2\text{O}_3$ , X-ray and  $^{23}\text{Na}$  NMR analysis, **122**, 315
- $\text{NaMoOP}_2\text{O}_7$ , **124**, 24
- $\text{Na}_{1+x}(\text{Mo},\text{W})_2\text{O}_5\text{PO}_4$ , **124**, 224
- $\text{Na}^+/\text{Pr}^{3+}-\beta''-\text{Al}_2\text{O}_3$ , **124**, 169
- $\text{Na}^+-\text{Pr}^{3+}-\beta''-\text{Al}_2\text{O}_3$ , **127**, 161
- NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197
- $\text{NaLnTiO}_4$  ( $\text{Ln}$  = La,Nd,Sm,Gd), **121**, 430
- $\text{NaTi}_2(\text{PS}_4)_3$ , **121**, 230
- LT- $\text{Na}_2\text{TiSiO}_5$ , **123**, 324
- $\tau\text{-Na}_x\text{V}_2\text{O}_5$  ( $x = 0.64$ ), **122**, 1
- $\text{Nb}_5\text{N}_{6-\delta}\text{O}_y$ , **127**, 267
- $[\text{N}(\text{CH}_3)_4]_6\text{H}_2\text{W}_{12}\text{O}_{40}\cdot 2\text{H}_2\text{O}$ , **123**, 83
- $\text{N}_2\text{C}_4\text{H}_{14}$ ,  $(\text{VO}_3)_2$ , **124**, 151
- $\text{NdBa}_2\text{Cu}_3\text{O}_{6.88}$  superconductor with tetragonal unit cell, **121**, 415
- $\text{Nd}_2\text{CuO}_4$ , **125**, 63
- $\text{NdPd}_2\text{Al}_3$ , **127**, 169
- $(\text{Nd}_x, \text{Sm}_{1-x})\text{AlO}_3$ , **126**, 221
- $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_2)[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , **125**, 200
- $[\text{NH}_2(\text{CH}_3)_2]_6\text{H}_2\text{W}_{12}\text{O}_{40}\cdot \sim 4\text{H}_2\text{O}$ , **123**, 83
- $(\text{NH}_3\text{OH})_2\text{SO}_4$ , **127**, 72
- $(\text{NH}_4)_2\text{V}^{IV}\text{O}(\text{V}_{2-x}^Y\text{P}_x\text{O}_7)$ , **122**, 139
- $\text{NiTe}_2$ , **121**, 87
- $\text{AB}_{10}\text{O}_{15+x}$  ( $A = \text{Sr}, \text{Ba}; B = \text{V}, \text{Cr}; x = 0, \sim 1$ ), **122**, 416
- $\text{Ln}_2\text{O}_2\text{CN}_2$  ( $\text{Ln}$  = Ce,Pr,Nd,Sm,Eu,Gd), **125**, 37
- $\text{Pb}_2\text{Ir}_2\text{O}_{6.5}$ , oxygen vacancies in, **123**, 14
- $\text{Pb}\{\text{O}(\text{H,D})\}X$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ), **124**, 155
- $(\text{Pb}_{0.5}\text{M}_0.5)(\text{Sr}_{0.9}\text{Ho}_{0.1})_2(\text{Ho}_{0.7}\text{Ce}_{0.3})_2\text{Cu}_2\text{O}_y$  ( $M = \text{Pb}, \text{Cd}$ ), **123**, 313
- $\text{Pb}_{1.5}\text{Ta}_2\text{O}_{6.5}-\text{Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$  with pyrochlore-related structures, stoichiometry, defects, and ordering, **126**, 253
- $\text{Pb}_{2.31}\text{Ta}_2\text{O}_{7.31}-\text{Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$ , **126**, 253
- $\text{PbV}_6\text{O}_{11}$ , **125**, 91
- $\text{Pb}_{1.32}\text{V}_{8.35}\text{O}_{16.7}$ , **125**, 91
- $(\text{Ph}_4\text{P})_2[\text{Hg}_2\text{As}_8\text{Se}_{11}]$ , **123**, 115
- $\text{o-P}_2\text{O}_5$ , **127**, 350
- $(\text{PO}_2)_4(\text{WO}_3)_{14}$ , **127**, 302
- $\text{Pr}_{1.1(1-x)}\text{Bi}_{0.8x}\text{Sr}_{0.9+0.3x}\text{O}_{2.932+0.094x}$ , **124**, 176
- $\text{Pr}_{12}\text{O}_{22}$ , Rietveld analysis, **122**, 53
- $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ , **127**, 276
- $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , **124**, 381
- $\text{P}_4\text{W}_{14}\text{O}_{50}$ , **122**, 281
- $\text{RbCdCl}_3$ , **124**, 39
- $\text{Rb}_{0.73}\text{Cr}_5\text{Te}_8$ , **122**, 41
- $\text{RbMn}_4(\text{AsO}_4)_3$ , **125**, 255
- $\text{Rb}_2\text{MnF}_5$ , **124**, 338
- $\text{Rb}_2\text{MnF}_5\cdot\text{H}_2\text{O}$ , **124**, 338
- $\text{RbTiPS}_5$ , **125**, 30
- $\text{Rb}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot\text{H}_2\text{O}$ , **125**, 200
- $\text{Ln}_2\text{Ru}_2\text{O}_7$  ( $\text{Ln}$  = Pr,Nd,Tb,Yb), **126**, 261
- $\text{RuP}_3\text{SiO}_{11}$ , **121**, 247
- $RE_6MSb_{15}$  ( $RE = \text{La}, \text{Ce}; M = \text{Mn}, \text{Cu}, \text{Zn}$ ), **122**, 266
- $\text{Sb}_n^{III}\text{Sb}_b^{V}\text{A}_{n-x}\text{TiO}_{4n+2}$  ( $A = \text{Ta}, \text{Nb}; n = 1, 2, 3$ ), **125**, 19
- $M(\text{Se}_2\text{O}_5)_3$  ( $M = \text{Fe}(\text{III}), \text{Cr}(\text{III})$ ), **122**, 130
- $M_{12}(X)_2(\text{SeO}_3)_8(\text{OH})_6$  ( $M = \text{Co}^{2+}, \text{Ni}^{2+}; X = \text{OH}^-$ ), **126**, 169
- $\text{LnSi}_2\text{P}_6$  ( $\text{Ln}$  = La,Ce,Pr,Nd), **124**, 346
- $\text{Sm}_{2/3}\text{Cr}_2\text{S}_4$ , **127**, 295
- $\text{Sm}_3\text{ReO}_7$ , **125**, 1
- $[\text{Sn}(\text{HO}_3\text{PCH}_2\text{PO}_3\text{H})]\cdot\text{H}_2\text{O}$ , **125**, 182
- $[\text{Sn}_2(\text{O}_3\text{PC}(\text{OH})(\text{CH}_3)\text{PO}_3)]$ , **125**, 182
- $\text{SnO}_2-\text{V}_2\text{O}_5$ , **127**, 98
- $\text{TiO}_2-\text{V}_2\text{O}_5$ , **127**, 98
- $\text{SrCuO}_{2.5}$ , **121**, 498
- $(RE_{1-x}\text{Sr}_x)\text{Cu}_8\text{O}_{20}$  ( $RE = \text{Pr}, \text{Nd}$ ) prepared under  $P_{\text{O}_2} = 20$  MPa, **125**, 117
- $[\text{Sr}_{2-x}\text{Eu}_x]\text{IrH}_5$ , **121**, 56
- $[\text{Sr}_{2-x}\text{Eu}_x]\text{RhH}_5$ , **121**, 56
- $\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}]\cdot 4\text{H}_2\text{O}$ , **123**, 48
- $\text{Sr}_2\text{MgAl}_2\text{O}_6$ , **122**, 46
- $\text{Sr}_9\text{Ni}_{6.64}\text{O}_{21}$ , **126**, 27
- $\text{Sr}_2\text{RhO}_4$ , temperature effects, letter to editor, **123**, 186
- $\beta\text{-Sr}(\text{VOAsO}_4)_2$ , **122**, 36
- $\text{Sr}_3\text{ZnIrO}_6$ , **127**, 25
- $\text{Ta}_5\text{N}_{6-\delta}\text{O}_y$ , iron-promoted synthesis, **127**, 267
- $\text{Ta}_2\text{O}_5-\text{WO}_3$ , **126**, 208
- $\text{Tb}_{1-x}\text{Bi}_x\text{SrO}_3$ -type solid solutions, **122**, 321
- $\text{TbTa}_3\text{O}_9$ , **124**, 272
- $\text{TeO}_2-\text{Al}_2\text{O}_3$ , **126**, 143
- $\text{Te}_2\text{O}_3\text{F}_2$ , **123**, 68
- $\text{TeO}_2-\text{Nb}_2\text{O}_5$ , **126**, 143
- $\text{ThCr}_2\text{Si}_2$ , **127**, 151
- $\text{Ti}(\text{NH}_4)_2\text{P}_4\text{O}_{13}$ , **125**, 43
- $\text{TiO}_2-\text{SnO}_2$ , **127**, 98
- $\text{TiPO}_4$ , **126**, 15
- $\text{Ti}_x\text{Cr}_5\text{Se}_8$  ( $0 \leq x \leq 1$ ), **127**, 40
- $\text{Ti}_2\text{CuF}_4$ , **122**, 87
- $\text{U}_4\text{Cr}_6\text{Si}_2$ , **121**, 479
- $\text{U}_4\text{Mo}_5\text{Si}_3$ , **121**, 479
- $\text{U}(\text{O}_3\text{PC}_6\text{H}_5)_2$ , synthesis, structure, and characterization, **121**, 181
- $\text{UP}_2\text{O}_7$ , synthesis, structure, and characterization, **121**, 181
- $\beta\text{USe}_2$ , **126**, 22
- $\text{USe}_{2-x}\text{Te}_x$  ( $x = 0.24$  and  $0.72$ ), **126**, 22
- $\text{UTe}_2$ , **127**, 202
- $\text{V}_2\text{O}_5$ , product of  $\text{Mg}^{2+}$  insertion, **123**, 317
- $\text{Ln}_3\text{VO}_4\text{Cl}_6$  ( $\text{Ln}$  = La,Ce,Pr,Nd), **122**, 81
- $\text{AV}_2\text{O}(\text{PO}_4)_2$  ( $A = \text{Cd}, \text{Ca}, \text{Sr}$ ), **127**, 325
- $\text{VPO}_4$ , **126**, 15
- $\text{VSe}_{2-x}$ , **123**, 337
- $\text{V}_2\text{Se}_9$ , **123**, 337
- $\text{V}_3\text{Se}_4$ , **123**, 337
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , **127**, 56
- $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ , **127**, 31
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ , **122**, 371
- yttrium iron garnet nanoparticles, **126**, 161
- $[\text{Zn}_4(\text{H}_2\text{O})(\text{PO}_4)_3]\text{NH}(\text{CH}_3)_3$ , **125**, 243
- $\text{ZnO}$ , **122**, 148
- $\sigma\text{-Zn}_{0.25}\text{V}_2\text{O}_5\cdot\text{H}_2\text{O}$ , **126**, 65
- $\text{ZrZn}_{22}$ , **121**, 95
- $\text{Zr}_5\text{Zn}_{39}$ , **121**, 95
- Cyclohexaphosphates
- $\text{Ca}_2\text{M}_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$  ( $M = \text{K}, \text{Ti}, \text{Rb}$ ), structural characterization, **126**, 308

**D**

- Dark field imaging
- $\text{Ca}_2\text{Zr}_5\text{Ti}_2\text{O}_{16}$ , **126**, 177
- Defect chemistry
- $\text{LiNbO}_3$ , magnesium-doped, comments, **123**, 208
- Defect structure
- $\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}$ , **121**, 278
- $\text{Ba}_{2.33}\text{Al}_{21.33}\text{O}_{34.33}$ , **121**, 278
- $\alpha\text{-Fe}_2\text{O}_3$  with corundum-type structure, effect of mechanical activation, **123**, 191
- $\text{Pb}_{1.5}\text{Ta}_2\text{O}_{6.5}-\text{Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$  with pyrochlore-related structures, **126**, 253
- $\text{UO}_2-\text{WO}_3$ , analysis by HREM and X-ray powder diffraction, **121**, 167
- Derivative thermogravimetry
- $\text{Cu}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 \leq x \leq 0.5$ ), **126**, 7

- Deuterium  
 $\alpha$ -M(DPO<sub>4</sub>)<sub>2</sub>·D<sub>2</sub>O ( $M = \text{Ti}, \text{Zr}, \text{Pb}$ ), structural features of reactive sites, **125**, 261
- LaD<sub>2.5</sub>, structure, characterization by neutron powder diffraction, **122**, 151
- LiCd<sub>3</sub>COO·2D<sub>2</sub>O, room- and low-temperature phase, crystal structure and methyl group dynamics, **126**, 184
- PbODX ( $X = \text{Cl}, \text{Br}, \text{I}$ ), crystal structure determination, **124**, 155
- 1,4-Diaminobutane metavanadate  
 hydrothermal synthesis and structure determination, **124**, 151
- Dielectric properties  
 Hf<sub>0.75</sub>Sn<sub>2.5</sub>O<sub>2</sub>, structure, dielectric properties, and thermal expansion, **121**, 437
- K<sub>3</sub>MO<sub>3</sub>F<sub>3</sub>–A<sub>3</sub>MO<sub>3</sub>F<sub>3</sub> ( $A = \text{Na}, \text{Rb}; M = \text{Mo}, \text{W}$ ), **124**, 123
- Differential scanning calorimetry  
 BaTiO<sub>3</sub>, **123**, 301
- CuCa(HCOO)<sub>4</sub>, thermal decomposition, **123**, 291
- Differential thermal analysis  
 $\beta$ -Ag<sub>3</sub>AsSe<sub>3</sub>, **127**, 186
- [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, **127**, 145
- BaB<sub>2</sub>O<sub>4</sub>–BaF<sub>2</sub>–2NaF–Na<sub>2</sub>B<sub>2</sub>O<sub>4</sub> reciprocal system, **126**, 80
- CuO–ZnO–Al<sub>2</sub>O<sub>3</sub>, **125**, 108
- KA<sub>3</sub>As<sub>2</sub>S<sub>5</sub>, **127**, 186
- K<sub>5</sub>Ag<sub>2</sub>As<sub>3</sub>Se<sub>9</sub>, **127**, 186
- K<sub>3</sub>MO<sub>3</sub>F<sub>3</sub>–A<sub>3</sub>MO<sub>3</sub>F<sub>3</sub> ( $A = \text{Na}, \text{Rb}; M = \text{Mo}, \text{W}$ ), **124**, 123
- Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> electrodes for Li batteries, **125**, 274
- (Me<sub>3</sub>NH)[Ag<sub>3</sub>As<sub>2</sub>Se<sub>5</sub>], **127**, 186
- NiMnO<sub>3</sub>, **124**, 205
- NiMn<sub>2</sub>O<sub>4</sub>, **124**, 205
- SnO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub>, **127**, 98
- TiO<sub>2</sub>–SnO<sub>2</sub>, **127**, 98
- TiO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub>, **127**, 98
- Diffusion  
 manganese–zinc ferrites, **121**, 143
- oxygen in LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskite-type oxides, **124**, 230
- oxygen tracer in single-crystal CaTiO<sub>3</sub>, **124**, 195
- Diffusion coefficient  
 chemical, La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3±δ</sub> ( $x = 0.05–0.20$ ), **123**, 382
- Dimensionality  
 effect on giant magnetoresistance in (La,Sr)<sub>n+1</sub>Mn<sub>n</sub>O<sub>3n+1</sub>, letter to editor, **122**, 448
- Dioxymonocyanamides  
 Ln<sub>2</sub>O<sub>2</sub>CN<sub>2</sub> ( $Ln = \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$ ), synthesis and crystal structure, **125**, 37
- Disorder  
 continuous order-disorder transition in undoped and Cr-doped Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub> rock salt structures, **124**, 214
- structural  
 in Bi<sub>2</sub>O<sub>3</sub>, analysis, **122**, 439
- in GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> superconductor, analysis by SAED and HRTEM, **123**, 378
- Zr<sub>0.85</sub>Ca<sub>0.15</sub>O<sub>1.85</sub>, calcium-stabilized, diffuse X-ray scattering, measurement of 3D data set, **126**, 33
- Disproportionation  
 iron, application in synthesis of Co-containing metal–spinel composites, effect of Co/Fe ratio, **123**, 109
- Distortion, *see* Jahn–Teller distortion
- Doping, *see* Hole doping; Mechanical doping
- DSC, *see* Differential scanning calorimetry
- Dysprosium  
 BaDyTaO<sub>6</sub>, synthesis, suitability as substrates for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, **126**, 202
- Bi<sub>2</sub>O<sub>3</sub>–Dy<sub>2</sub>O<sub>3</sub>, pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287
- Cu<sub>2</sub>Dy<sub>2</sub>O<sub>5</sub>, thermodynamic stability and Gibbs energy of formation of Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125**, 13
- E**
- Electrical conductivity  
 La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3±δ</sub> ( $x = 0.05–0.20$ ), **123**, 382
- Zr<sub>5</sub>Zn<sub>39</sub>, **121**, 95
- Electrical properties  
 Ba<sub>2</sub>Cu<sub>3</sub>Cl<sub>2</sub>O<sub>4</sub>, **124**, 319
- Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, **121**, 138
- ACoCuS<sub>2</sub> ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), **127**, 151
- KCo<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> ( $0.5 \leq x \leq 1.5$ ), **127**, 151
- (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, **124**, 360
- (La<sub>0.1-x</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> ( $0 \leq x \leq 0.9$ ), **126**, 235
- La<sub>y</sub>A<sub>x</sub>Mn<sub>w</sub>O<sub>3</sub> ( $A = \text{Na}, \text{K}, \text{Rb}, \text{Sr}$ ), **124**, 250
- Mg<sub>2-x</sub>Ti<sub>1+x</sub>O<sub>4</sub> ( $0 \leq x \leq 1$ ), **125**, 216
- Ln*Mn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub> ( $Ln = \text{La}, \text{Pr}, \text{Nd}, \text{Gd}$ ), letter to editor, **127**, 354
- Na<sub>2+x</sub>P<sub>4</sub>Nb<sub>6</sub>O<sub>26</sub>, **121**, 273
- (RE<sub>1-x</sub>Sr<sub>x</sub>)<sub>8</sub>Cu<sub>8</sub>O<sub>20</sub> ( $RE = \text{Pr}, \text{Nd}$ ) prepared under  $P_{\text{O}_2} = 20$  MPa, **125**, 117
- Sr<sub>1+x</sub>Nd<sub>1-x</sub>FeO<sub>4-y</sub>, **123**, 161
- vanadium oxynitrides, **122**, 376
- Electrical resistivity  
 BaRETaO<sub>6</sub> ( $RE = \text{Pr}, \text{Nd}, \text{Eu}, \text{Dy}$ ), **126**, 202
- Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51
- CePdIn<sub>2</sub>, **122**, 143
- La<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51
- LaNb<sub>7</sub>O<sub>12</sub>, **123**, 21
- SrV<sub>2</sub>S<sub>5</sub>, **126**, 189
- Electric charge  
 Ca<sub>3</sub>Co<sub>2</sub>O<sub>6</sub>, ordering, **124**, 190
- compensation, Ca<sub>(1-x)</sub>Gd<sub>(x)</sub>TiO<sub>3</sub>, **124**, 77
- Electrochemistry  
 Li<sup>+</sup> and Na<sup>+</sup> ions, solid state intercalation in polyparaphenylene, **127**, 123
- lithium intercalation into vanadium oxynitrides, **122**, 376
- Na<sub>x</sub>Ni<sub>0.6</sub>Co<sub>0.4</sub>O<sub>2</sub>, **122**, 111
- Electroforming  
 and switching, in transition metals oxides, **122**, 95
- Electron density  
 ZnO, analysis, **122**, 148
- Electron diffraction  
 BaCoS<sub>2-δ</sub>, **127**, 211
- Ba<sub>8</sub>Ta<sub>6</sub>NiO<sub>24</sub>, **125**, 102
- convergent beam  
 Au–Sn metastable phase, structural analysis, **124**, 132
- CaFeTi<sub>2</sub>O<sub>6</sub> perovskite, **123**, 73
- Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> ( $0.28 \leq x \leq 0.40; 0 \leq y \leq 2.65$ ), **126**, 271
- (PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>14</sub>, **127**, 302
- Sb<sub>n</sub><sup>III</sup>Sb<sub>x</sub><sup>V</sup>A<sub>n-x</sub>TiO<sub>4n+2</sub> ( $A = \text{Ta}, \text{Nb}; n = 1, 2, 3$ ), **125**, 19
- T<sub>2+</sub>, Sn<sub>2</sub> ( $T = \text{Co}, \text{Ni}$ ), **127**, 222
- (RE<sub>1-x</sub>Sr<sub>x</sub>)<sub>8</sub>Cu<sub>8</sub>O<sub>20</sub> ( $RE = \text{Pr}, \text{Nd}$ ) prepared under  $P_{\text{O}_2} = 20$  MPa, **125**, 117
- SrV<sub>2</sub>S<sub>5</sub>, **126**, 189
- Ta<sub>2</sub>O<sub>5</sub>–WO<sub>3</sub>, **126**, 208
- Electronic absorption spectra  
 RbY<sub>2</sub>Cl<sub>7</sub>:U<sup>3+</sup>, **121**, 312
- Electronic properties  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> ( $0 \leq x \leq 0.25$ ), **125**, 47
- TeO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub>, **126**, 143
- TeO<sub>2</sub>–Nb<sub>2</sub>O<sub>5</sub>, **126**, 143
- Electronic structure  
 CsCuFeS<sub>2</sub>, **122**, 31

- K<sub>9</sub>In<sub>9</sub>GeSb<sub>22</sub>, 122, 239**
- Ti<sub>x</sub>O<sub>ny</sub> clusters, effect of rest of crystal, **121, 301**
- Electron microscopy  
K<sub>x</sub>Ba<sub>1-x</sub>NbO<sub>3</sub>, electron microscopy, **123, 236**  
Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, **127, 31**
- Electron paramagnetic resonance  
in analysis of radical mechanism of incipient chemical reaction of Ca(OH)<sub>2</sub> and SiO<sub>2</sub> under moderate mechanical stressing, **122, 291**  
CaV<sub>2</sub>O<sub>5</sub>, letter to editor, **127, 358**  
CuO-ZnO-Al<sub>2</sub>O<sub>3</sub>, **125, 108**  
Pr<sup>4+</sup> in BaCeO<sub>3</sub>, BaZrO<sub>3</sub> and BaSnO<sub>3</sub> individually and in solid solutions, **122, 384**  
for structural study of PZG glass through recrystallization, evaluation, **121, 149**  
V<sub>2</sub>O<sub>5</sub>-TiO<sub>2</sub>, **124, 69**
- Electron spin resonance  
effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126, 99**
- Electron transfer  
Eu<sup>3+</sup>, and Tb<sup>3+</sup> in BaB<sub>4</sub>O<sub>7</sub> matrix, **122, 436**
- Electron transport  
LaMn<sub>1-δ</sub>O<sub>3</sub>, cation-deficient compositions, **127, 87**  
La<sub>1-δ</sub>MnO<sub>3</sub> cation-deficient compositions, **127, 87**
- Endohedral cages  
Na<sub>172</sub>In<sub>197</sub>Z<sub>2</sub> (Z = Ni,Pd,Pt): indium phase with three stuffed and condensed fullerene-like cages, **123, 344**
- Energy-dispersive X-ray analysis  
Bi<sub>3</sub>(MSb<sub>2</sub>)O<sub>11</sub> (M = Al,Ga), **127, 178**
- Energy-dispersive X-ray diffraction  
La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> (*x* = 0.6,0.7,1.2,1.5), **126, 88**
- Energy positions  
iron complex oxide semiconductors, photocatalysis, **126, 227**
- Enthalpy  
tetragonal → cubic transition for BaTiO<sub>3</sub>, relationship to texture and structure, **123, 301**
- EPR, *see* Electron paramagnetic resonance
- Equation of state  
KHF<sub>2</sub> to 12.3 GPa, **125, 171**
- Erbium  
Bi<sub>2</sub>O<sub>3</sub>-Er<sub>2</sub>O<sub>3</sub>, pseudo-fcc subcell in, preparation of triclinic phase based on, **124, 287**  
Cu<sub>2</sub>Er<sub>2</sub>O<sub>5</sub>, thermodynamic stability and Gibbs energy of formation of Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125, 13**  
Er<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>-Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, lanthanide-containing zirconotitanate solid solutions, **127, 231**  
Nd<sub>1.2</sub>Er<sub>0.8</sub>Ti<sub>2</sub>O<sub>7</sub>-Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, lanthanide-containing zirconotitanate solid solutions, **127, 231**
- ESR, *see* Electron paramagnetic resonance
- 1,2-Ethanediol  
effect on YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> superconductors prepared by sol-gel method, **121, 356**
- Europium  
AgEuMo<sub>2</sub>O<sub>8</sub>, structure and luminescent properties, **121, 236**  
BaEuTaO<sub>6</sub>, synthesis, suitability as substrates for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, **126, 202**  
[Ca<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121, 56**  
Eu<sup>2+</sup>, luminescence in host lattices with three alkaline earth ions in a row, **122, 432**  
Eu<sup>3+</sup>, and Tb<sup>3+</sup>, electron transfer in BaB<sub>4</sub>O<sub>7</sub> matrix, **122, 436**  
Eu<sub>1+y</sub>Ba<sub>2-y</sub>Cu<sub>3</sub>O<sub>7-x</sub>, and related phases in Eu<sub>2</sub>O<sub>3</sub>-CuO-BaO system, Gibbs free energy of formation, **126, 38**  
Eu<sup>3+</sup>-doped LiYO<sub>2</sub>, optical and crystallographic study, **121, 457**  
Eu<sub>2</sub>O<sub>2</sub>CN<sub>2</sub>, synthesis and crystal structure, **125, 37**  
Eu<sub>2</sub>RhH<sub>5</sub>, synthesis and crystal structure, **121, 56**
- EuTa<sub>3</sub>O<sub>9</sub>, crystal structure and continuous solid solution characterization, **124, 272**  
[Sr<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121, 56**  
[Sr<sub>2-x</sub>Eu<sub>x</sub>]RhH<sub>5</sub>, synthesis and crystal structure, **121, 56**
- EXAFS, *see* Extended absorption fine structure
- Extended absorption fine structure  
Cu-Zn-Co-Al-containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, **121, 372**  
TeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> oxide glasses, local geometries around, **126, 143**  
TeO<sub>2</sub>-Nb<sub>2</sub>O<sub>5</sub> oxide glasses, local geometries around, **126, 143**  
V<sub>2</sub>O<sub>7</sub><sup>4-</sup>, **126, 314**  
V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, **126, 314**  
V<sub>10</sub>O<sub>28</sub><sup>6-</sup>, **126, 314**
- Extraction, *see* Chemical extraction

**F**

- Ferric oxide  
hematite, autocatalytic reduction with hydrogen under conditions of surface control: vacancy-based mechanism, **123, 249**
- Ferrites  
Hg<sub>0.3</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub> with 0201-1201 structure, **124, 1**  
manganese-zinc, vaporization and diffusion, **121, 143**  
Mn-Zn, magnetic properties, analysis with and without Nb<sub>2</sub>O<sub>5</sub> doping, **121, 117**
- Ferromagnetism  
La<sub>1-δ</sub>Mn<sub>1-δ</sub>O<sub>3</sub>, magnetic structure and giant magnetoresistance, letter to editor, **126, 337**  
LiMn<sub>2</sub>O<sub>4</sub>-Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>-Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> system, spinel materials in, **123, 255**  
SrFe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub> synthesized under high pressure, **121, 174**  
Tl<sub>2</sub>CuF<sub>4</sub>, **122, 87**
- Films  
thin  
Ag<sub>5-x</sub>Te<sub>3</sub>, preparation and confirmation of crystal structure, **123, 391**  
PbS-CuS, co-deposition by chemical bath technique, **123, 296**  
thallium cuprate, improvement by optimization of doping holes densities, analysis by X-ray absorption spectroscopy, **125, 5**  
Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, superconducting, synthesis by *ex situ* annealing, **121, 262**  
W/Ti oxide, structural study, **121, 379**  
YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>, synthesis of BaRETaO<sub>6</sub> (RE = Pr,Nd,Eu,Dy) as substrates for, **126, 202**
- Flame generation  
(VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> precursors, **124, 95**
- Fluorine  
BaB<sub>2</sub>O<sub>4</sub>-BaF<sub>2</sub>-2NaF-Na<sub>2</sub>B<sub>2</sub>O<sub>4</sub> reciprocal system, thermodynamic analysis, **126, 80**  
Ba<sub>5</sub>Fe<sub>3-x</sub>M<sub>x</sub>F<sub>19-x</sub> (M = Fe,Cu), Mössbauer spectroscopy and magnetic properties, **125, 159**  
Bi<sub>2</sub>O<sub>5</sub>F<sub>11</sub>, relationship with Bi<sub>2</sub>Te<sub>2</sub>W<sub>3</sub>O<sub>16</sub> crystal structure, **127, 248**  
M<sub>12</sub>(F)<sub>2</sub>(SeO<sub>3</sub>)<sub>8</sub>(OH)<sub>6</sub> (M = Co<sup>2+</sup>,Ni<sup>2+</sup>), synthesis and crystal structure, **126, 169**  
[H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, **126, 292**  
KHF<sub>2</sub>, equation of state to 12.3 GPa and stability of I4/mcm structure to 50 GPa, **125, 171**  
K<sub>3</sub>MO<sub>3</sub>F<sub>3</sub>-A<sub>3</sub>MO<sub>3</sub>F<sub>3</sub> (A = Na,Rb; M = Mo,W), phase transitions, analysis, **124, 123**  
K<sub>2</sub>[(VO)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)]·H<sub>2</sub>O, hydrothermal synthesis and structure, **126, 292**  
PbF<sub>2</sub>-ZnF<sub>2</sub>-GaF<sub>3</sub> system, structural analysis by EPR through recrystallization, **121, 149**  
Rb<sub>2</sub>MnF<sub>5</sub>, 1D-antiferromagnetic fluoride, magnetic structure, **124, 338**

- Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338
- Te<sub>2</sub>O<sub>3</sub>F<sub>2</sub>, crystal structure, **123**, 68
- Tl<sub>2</sub>CuF<sub>4</sub>, 2D ferromagnetic fluoride, structural and magnetic phase transitions, **122**, 87
- Fourier-transform infrared spectroscopy  
Ca<sub>3</sub>Co(SeO<sub>3</sub>)<sub>4</sub>, Co<sup>2+</sup> ions in, **124**, 143
- Cu<sub>x</sub>Fe<sub>3-x</sub>O<sub>4</sub> (0 ≤ x ≤ 0.5), **126**, 7
- CuO-ZnO-Al<sub>2</sub>O<sub>3</sub>, **125**, 108
- (FeO(OH)<sub>1-x</sub>(NO<sub>3</sub>)<sub>x</sub>)<sub>x</sub> (0.2 ≤ x ≤ 0.3), **126**, 336
- Li<sub>6</sub>M<sup>II</sup>Cl<sub>8</sub> (M<sup>II</sup> = Fe,Co,Ni), Suzuki-type, **124**, 162
- Mn<sub>x</sub>CoFe<sub>2-x</sub>O<sub>4</sub>, **125**, 67
- Sr<sub>1-x</sub>M<sub>x</sub>TiO<sub>3</sub> (M = Ca,Mg; 0 ≤ x ≤ 1), **124**, 353
- V<sub>2</sub>O<sub>7</sub><sup>4-</sup>, **126**, 314
- V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, **126**, 314
- V<sub>10</sub>O<sub>28</sub><sup>6-</sup>, **126**, 314
- (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> precursors, **124**, 95
- Fourier-transform Raman spectroscopy  
V<sub>2</sub>O<sub>5</sub>-TiO<sub>2</sub>, **124**, 69
- Frequency dependence  
in ac conductivity in Yb(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O single crystal, **121**, 74
- G**
- Gadolinium  
AgGdMo<sub>2</sub>O<sub>8</sub>, structure and luminescent properties, **121**, 236
- Ca<sub>4</sub>Gd<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub>, synthesis and structure characterization, **127**, 315
- Ca<sub>(1-x)</sub>Gd<sub>(x)</sub>TiO<sub>3</sub>, charge compensation, **124**, 77
- Gd<sub>2</sub>CuO<sub>4</sub> prepared by sol-gel method, particle size and lattice parameters, effect of calcination temperature, **122**, 25
- GdMn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub>, magnetic and electrical properties, letter to editor, **127**, 354
- Gd<sub>2</sub>O<sub>2</sub>CN<sub>2</sub>, synthesis and crystal structure, **125**, 37
- HGdTiO<sub>4</sub>, protonated oxides, **127**, 119
- NaGdT<sub>2</sub>O<sub>4</sub>, structure and ionic conductivity, comparison with Na<sub>2</sub>Gd<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, **121**, 430
- Na<sub>2</sub>Gd<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, comparison with NaGdT<sub>2</sub>O<sub>4</sub> structure and ionic conductivity, **121**, 430
- Sr<sub>1-x</sub>Gd<sub>x</sub>MnAl<sub>11</sub>O<sub>19-x</sub>, changes of crystalline phase and catalytic properties, **121**, 190
- Gallium  
Bi<sub>3</sub>(GaSb<sub>2</sub>)O<sub>11</sub>, structure and surface properties, **127**, 178
- GaXO<sub>4</sub> (X = P,As), packing distortions, temperature effects, and pressure effects, **123**, 1
- M<sup>I</sup>GaP<sub>3</sub>O<sub>9</sub> (M = Na,K), preparation and characterization, **121**, 418
- Ga<sub>2</sub>S<sub>3</sub>-GeS<sub>2</sub> glasses, short and medium range order in, analysis by X-ray absorption, **123**, 60
- GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> superconductor, structural disorders, **123**, 378
- LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10-δ</sub>, synthesis, structure, and properties, **122**, 390
- Mn<sub>2</sub>GaSbO<sub>6</sub>, high pressure synthesis and polymorphism, **124**, 333
- NaCa<sub>2</sub>Sb<sub>2</sub>FeGa<sub>2</sub>O<sub>12</sub>, cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- PbF<sub>2</sub>-ZnF<sub>2</sub>-GaF<sub>3</sub> system, analysis by EPR through recrystallization, **121**, 149
- YCa<sub>2</sub>SbFe<sub>4-x</sub>Ga<sub>x</sub>O<sub>12</sub>, cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- Garnets  
YCa<sub>2</sub>SbFe<sub>4-x</sub>Ga<sub>x</sub>O<sub>12</sub>, cation distribution and magnetic interactions, characterization by <sup>57</sup>Fe Mössbauer spectroscopy, **122**, 118
- yttrium iron garnet nanoparticles, synthesis and characterization, **126**, 161
- Geometric frustration  
*AB*<sub>10</sub>O<sub>15+x</sub> (A = Sr,Ba; B = V,Cr; x = 0,1), **122**, 416
- Geometries  
around TeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> oxide glasses, determination by XANES and EXAFS, **126**, 143
- around TeO<sub>2</sub>-Nb<sub>2</sub>O<sub>5</sub> oxide glasses, determination by XANES and EXAFS, **126**, 143
- Germanium  
Bi<sub>2</sub>CdO<sub>2</sub>[GeO<sub>4</sub>], structures and phase transition, **123**, 371
- [ $(\text{CH}_3)_4\text{N}]_2M\text{Ge}_4\text{S}_{10}$  (M = Fe,Cd), structure refinement by Rietveld method, **121**, 473
- CuYb<sub>2</sub>Ge<sub>4</sub>O<sub>12</sub>, bidimensionally tunneled structure, **124**, 17
- Ga<sub>2</sub>S<sub>3</sub>-GeS<sub>2</sub> glasses, short and medium range order in, analysis by X-ray absorption, **123**, 60
- GeO<sub>2</sub>  
packing distortions, temperature effects, and pressure effects, **123**, 1  
phase transition from  $\alpha$ -quartz to rutile structure, computational analysis, **127**, 137
- K<sub>0</sub>In<sub>9</sub>GeSb<sub>22</sub>, crystal and electronic structure, **122**, 239
- Giant magnetoresistance  
LaMn<sub>1-δ</sub>O<sub>3</sub>, cation-deficient compositions, **127**, 87
- La<sub>1-δ</sub>Mn<sub>1-δ</sub>O<sub>3</sub>, ferromagnetic, letter to editor, **126**, 337
- La<sub>1-δ</sub>MnO<sub>3</sub> cation-deficient compositions, **127**, 87
- in (La,Sr)<sub>n+1</sub>Mn<sub>n</sub>O<sub>3n+1</sub>, effect of dimensionality, letter to editor, **122**, 448
- Sr<sub>0.56</sub>Sr<sub>0.44</sub>MnO<sub>3</sub>, ratio increase up to 10<sup>6</sup> by iron doping, letter to editor, **124**, 385
- Gibbs energy of formation  
Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125**, 13
- Eu<sub>1+y</sub>Ba<sub>2-y</sub>Cu<sub>3</sub>O<sub>7-x</sub> and related phases in Eu<sub>2</sub>O<sub>3</sub>-CuO-BaO system, **126**, 38
- Glasses  
Ga<sub>2</sub>S<sub>3</sub>-GeS<sub>2</sub>, short and medium range order in, analysis by X-ray absorption, **123**, 60
- LaMgB<sub>5</sub>O<sub>10</sub> of base composition, Ce<sup>3+</sup>, Tb<sup>3+</sup>, and Mn<sup>2+</sup> photoluminescence, **123**, 398
- NASICON-type phosphates, <sup>31</sup>P MAS NMR analysis, **121**, 197
- PbF<sub>2</sub>-ZnF<sub>2</sub>-GaF<sub>3</sub> system, structural analysis by EPR through recrystallization, **121**, 149
- sodium calcium silicate, Raman spectroscopic analysis, **123**, 183
- TeO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> oxide, local geometries around, determination by XANES and EXAFS, **126**, 143
- TeO<sub>2</sub>-Nb<sub>2</sub>O<sub>5</sub>, local geometries around, determination by XANES and EXAFS, **126**, 143
- xerogel transition, CuO-SiO<sub>2</sub>, analysis, **123**, 93
- GMR, see Giant magnetoresistance
- Gold  
Au-Ni-Sn ternary system, phase relations, **123**, 203
- Au-Sn metastable phase, structure, determination by convergent beam electron diffraction, **124**, 132
- Bi<sub>2</sub>AuO<sub>5</sub>, synthesis and structure, **122**, 364
- Bi<sub>4</sub>Au<sub>2</sub>O<sub>9</sub>, synthesis and structure, **122**, 364
- Grinding  
effects in SnO<sub>2</sub>-V<sub>2</sub>O<sub>5</sub> binary mixtures, **127**, 98
- effects in TiO<sub>2</sub>-SnO<sub>2</sub> binary mixtures, **127**, 98
- effects in TiO<sub>2</sub>-V<sub>2</sub>O<sub>5</sub> binary mixtures, **127**, 98
- Grüneisen parameters  
Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> high temperature superconductor, low temperature thermal expansion, calculation, **123**, 267
- H**
- Hafnium  
Hf powder mixtures, ball milling-induced combustion, **125**, 75
- Hf<sub>5.08</sub>Mo<sub>0.92</sub>P<sub>3</sub>, structure, bonding, and site preferences, **121**, 362

- Hf<sub>0.75</sub>Sn<sub>2.5</sub>O<sub>2</sub>, structure, dielectric properties, and thermal expansion, **121**, 437  
 oxides, electroforming and switching, **122**, 95
- Halides  
 metal, and halogenoacetates, solid-state substitution reactions, **121**, 129
- Halogenoacetates  
 and metal halides, solid-state substitution reactions, **121**, 129
- Hematite, *see* Ferric oxide, hematite
- High-resolution electron microscopy  
 Ag<sub>5-x</sub>Te<sub>3</sub>, **123**, 391  
 Ba<sub>4</sub>Fe<sub>4</sub>Ti<sub>3</sub>O<sub>16</sub>, letter to editor, **125**, 281  
 Ba<sub>26</sub>Fe<sub>20</sub>Ti<sub>21</sub>O<sub>98</sub>, letter to editor, **125**, 281  
 Ba<sub>3</sub>Ta<sub>6</sub>NiO<sub>24</sub>, **125**, 102  
 Ca<sub>4</sub>L<sub>n</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), **127**, 315  
 convergent beam, CaFeTi<sub>2</sub>O<sub>6</sub> perovskite, **123**, 73  
 Hg<sub>0.3</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, mercury-based ferrite with 0201–1201 structure, **124**, 1  
 Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> (0.28 ≤ *x* ≤ 0.40; 0 ≤ *y* ≤ 2.65), **126**, 271  
 K<sub>4</sub>Ce<sub>2</sub>M<sub>10</sub>O<sub>30</sub> (*M* = Nb,Ta), with TTB structure, synthesis, crystal growth, **122**, 7  
 La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub>, (0 ≤ *y* ≤ 0.10), **124**, 278  
 La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub> (0.15 ≤ *y* ≤ 0.33), **125**, 125  
 Nb<sub>12</sub>O<sub>29</sub>, **124**, 116  
 Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+δ</sub>, **127**, 64  
 (PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>14</sub>, **127**, 302  
 Ta<sub>2</sub>O<sub>5</sub>–WO<sub>3</sub>, **126**, 208  
 UO<sub>2</sub>–WO<sub>3</sub>, ordered and defect structures, **121**, 167  
 yttrium iron garnet nanoparticles, **126**, 161
- High-resolution transmission electron microscopy  
 GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub>, **123**, 378  
 La<sub>2</sub>NiO<sub>4+δ</sub>, **125**, 133  
 Ta<sub>3</sub>W<sub>9</sub>O<sub>47</sub>, **124**, 58
- High-temperature powder X-ray diffraction in pyrrhotite, **126**, 108
- Hole doping  
 densities, optimization, improvement of thallium cuprate thin films by, analysis by X-ray absorption spectroscopy, **125**, 5  
 La<sub>1-x</sub>Sr<sub>x</sub>CuO<sub>2.5</sub> spin-ladder system, **123**, 223
- Holmium  
 Bi<sub>2</sub>O<sub>3</sub>–Ho<sub>2</sub>O<sub>3</sub>, pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287  
 Cu<sub>2</sub>Ho<sub>2</sub>O<sub>5</sub>, thermodynamic stability and Gibbs energy of formation of Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125**, 13  
 (Pb<sub>0.5</sub>M<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O<sub>y</sub>, (*M* = Pb,Cd), synthesis and crystal structure, **123**, 313
- HREM, *see* High-resolution electron microscopy
- HRTEM, *see* High-resolution transmission electron microscopy
- Hydrogen  
 [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, synthesis and structure, **127**, 145  
 autocatalytic reduction of hematite with, under conditions of surface control: vacancy-based mechanism, **123**, 249
- [Ca<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 Ca<sub>9</sub>FeH<sub>0.9</sub>(PO<sub>4</sub>)<sub>7</sub>, crystal structure and characterization, **122**, 15  
 Ca(OH)<sub>2</sub>, high-pressure phase and pressure-induced amorphization, **126**, 300  
 Ce(C<sub>2</sub>O<sub>4</sub>)(HCO<sub>2</sub>), synthesis and structure, **127**, 256  
 [Ce(H<sub>2</sub>O)]<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, synthesis and structure, **127**, 256  
 (CH<sub>3</sub>)<sub>4</sub>N<sub>2</sub>[(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O], infrared and polarized Raman spectra, **127**, 51  
 C<sub>5</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>3</sub>PO<sub>4</sub>·H<sub>3</sub>PO<sub>4</sub>, crystal structure: effect of polyanion charge on centrosymmetric structure formation, **124**, 8  
 [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, structure, thermal behavior, and infrared analysis, **127**, 9
- CuCa(HCOO)<sub>4</sub>, thermal decomposition, **123**, 291  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 (Et<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115  
 Eu<sub>2</sub>RhH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 H<sub>0.5</sub>Cu<sub>1.5</sub>M<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> (*M* = Ti,Zr), Nasicon-type copper phosphates, Raman and Infrared spectra, **127**, 341  
 [H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Fe(OH)(PO<sub>4</sub>)], hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)], hydrothermal synthesis and crystal structure, **125**, 270  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)]·0.5H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **125**, 270  
 [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, **126**, 292  
 HL<sub>n</sub>TiO<sub>4</sub> (*Ln* = La,Nd,Sm,Gd), protonated oxides, **127**, 119  
 H<sub>x</sub>(V<sub>x</sub>Mo<sub>1-x</sub>)O<sub>3</sub>·0.3H<sub>2</sub>O, synthesis and characterization, **121**, 339  
 H<sub>0.27</sub>(V<sub>0.27</sub>W<sub>0.73</sub>)O<sub>3</sub>·1/3H<sub>2</sub>O, synthesis and characterization, **121**, 339  
 H[Zn<sub>4</sub>(PO<sub>4</sub>)<sub>3</sub>]H<sub>2</sub>O, 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243  
 KHF<sub>2</sub>, equation of state to 12.3 GPa and stability of *I4/mcm* structure to 50 GPa, **125**, 171  
 K<sub>2</sub>[(VO)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)]·H<sub>2</sub>O, hydrothermal synthesis and structure, **126**, 292  
 LiNH<sub>3</sub>OSO<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72  
 (Me<sub>3</sub>NH)[Ag<sub>3</sub>As<sub>2</sub>Se<sub>5</sub>], thermal stability and optical absorption, **127**, 186  
 (Me<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115  
 Mg(HSeO<sub>3</sub>)<sub>2</sub>·4H<sub>2</sub>O, crystal structure and infrared absorption spectra, **122**, 338  
 γ-MnO<sub>2</sub>, fully H-inserted, structure, **123**, 150  
 NaH[Cu<sub>2</sub>(O<sub>2</sub>C<sub>2</sub>H<sub>3</sub>)<sub>6</sub>], isolation of compound containing copper-to-copper bonding, **121**, 61  
 [N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·2H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83  
 N<sub>2</sub>C<sub>4</sub>H<sub>14</sub>, (VO<sub>3</sub>)<sub>2</sub>, hydrothermal synthesis and structure determination, **124**, 151  
 (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200  
 [NH<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>]<sub>2</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·~4H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83  
 (NH<sub>3</sub>OH)<sub>2</sub>SO<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72  
 [M<sub>3</sub>O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NHCH<sub>2</sub>PO<sub>3</sub>]<sub>2</sub>·H<sub>2</sub>O (*M* = Mn,Co), 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408  
 (Ph<sub>4</sub>P)<sub>2</sub>[Hg<sub>2</sub>As<sub>4</sub>Se<sub>11</sub>], hydrothermal synthesis and characterization, **123**, 115  
 [Sn(HO<sub>3</sub>PCH<sub>2</sub>PO<sub>3</sub>H)]·H<sub>2</sub>O, solid phases, synthesis and structural characterization, **125**, 182  
 [Sn<sub>2</sub>{O<sub>3</sub>PC(OH)(CH<sub>3</sub>)PO<sub>3</sub>}]<sub>2</sub>, solid phases, synthesis and structural characterization, **125**, 182  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]RhH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 U(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, structure, and characterization, **121**, 181  
 Hydrotalcite  
 Mn(III)- and Ni(II)-containing compounds resembling, synthesis and characterization, **124**, 205

## Hydrothermal reactions

- $\text{Cu}(\text{C}_{10}\text{H}_8\text{N}_2)[\text{V}_2\text{O}_6]$  synthesis, **122**, 251  
 $\text{Cu}(\text{C}_{10}\text{H}_8\text{N}_2)_2[\text{V}_2\text{O}_6]$  synthesis, **122**, 251  
 $\text{Cu}(\text{H}_2\text{N}(\text{CH}_2)_2\text{NH}_2)[\text{V}_2\text{O}_6]$  synthesis, **122**, 251  
 $[\text{N}(\text{CH}_3)_4]_6\text{H}_2\text{W}_{12}\text{O}_{40}\cdot 2\text{H}_2\text{O}$ , Keggin cluster formation by, **123**, 83

## Hydrothermal synthesis

- $\text{BaMoO}_3\text{SeO}_3$ , **125**, 234  
 $\text{BaMo}_2\text{O}_5(\text{SeO}_3)_2$ , **125**, 234  
 $\text{CeO}_2$ , **126**, 74  
 $\text{Ce}(\text{OH})_3$ , **126**, 74  
 $\text{CeOHCO}_3$ , **126**, 74  
 $\text{CH}_3\text{NH}_3[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , **125**, 200  
 $\text{Cs}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot \text{H}_2\text{O}$ , **125**, 200  
 $\text{Cu}(\text{C}_{10}\text{H}_8\text{N}_2)[\text{V}_2\text{O}_6]$ , **122**, 251  
 $\text{Cu}(\text{C}_{10}\text{H}_8\text{N}_2)_2[\text{V}_2\text{O}_6]$ , **122**, 251  
 $\text{Cu}(\text{H}_2\text{N}(\text{CH}_2)_2\text{NH}_2)[\text{V}_2\text{O}_6]$ , **122**, 251  
 $(\text{Et}_4\text{N})[\text{HgAsSe}_3]$ , **123**, 115  
 $\text{FeVO}_4\text{II}$ , **123**, 54  
 $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})(\text{PO}_4)]$ , **125**, 186  
 $[\text{H}_3\text{N}(\text{CH}_2)_4\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)]$ , **125**, 270  
 $[\text{H}_3\text{N}(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)]\cdot 0.5\text{H}_2\text{O}$ , **125**, 270  
 $[\text{H}_3\text{N}(\text{C}_2\text{H}_4)_2\text{NH}_2]_{0.5}[(\text{VO})_4\text{V}(\text{HPO}_4)_2(\text{PO}_4)_2\text{F}_2(\text{H}_2\text{O})_4]\cdot 2\text{H}_2\text{O}$ , **126**, 292  
 $\text{K}_2[(\text{VO})_3(\text{PO}_4)_2\text{F}_2(\text{H}_2\text{O})]\cdot \text{H}_2\text{O}$ , **126**, 292  
 $(\text{Me}_4\text{N})[\text{HgAsSe}_3]$ , **123**, 115  
 $\text{N}_2\text{C}_4\text{H}_{14}$ ,  $(\text{VO}_3)_2$ , **124**, 151  
 $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_2)[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , **125**, 200  
 $(\text{Ph}_4\text{P})_2[\text{Hg}_2\text{As}_3\text{Se}_{11}]$ , **123**, 115  
 $\text{Rb}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot \text{H}_2\text{O}$ , **125**, 200

## Hydroxide

- $\text{Ca}(\text{OH})_2$ , incipient chemical reaction with  $\text{SiO}_2$  under moderate mechanical stressing  
radical mechanism, EPR study, **122**, 291  
solid-state acid-base reaction and charge transfer due to complex formation, **122**, 74  
 $\text{Ca}_{4+x}\text{Si}_6\text{O}_{14+2x}(\text{OH})_{4-2x}(\text{H}_2\text{O})_2$  ( $0 \leq x \leq 1$ ), molecular dynamics simulation, **127**, 92  
 $\text{Ce}(\text{OH})_3$ , hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74  
 $\text{CeOHCO}_3$ , hydrothermal system, analysis of structural stability and valence characteristics, **126**, 74  
 $\text{Fe}(\text{OH})_2$  disproportionation, synthesis of metal-spinel composites by, effect of Co/Fe ratio, **123**, 109  
 $(\text{FeO}(\text{OH})_{1-x}(\text{NO}_3))_x$  ( $0.2 \leq x \leq 0.3$ ), synthesis, **126**, 336  
 $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})(\text{PO}_4)]$ , hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186  
 $\text{KIn}(\text{OH})\text{PO}_4$ , synthesis and structure, **123**, 243  
 $\text{LiNH}_3\text{OSO}_4$  single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72  
 $(\text{NH}_3\text{OH})_2\text{SO}_4$  single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72

- $M_{12}(\text{OH}^-)_2(\text{SeO}_3)_8(\text{OH})_6$  ( $M = \text{Co}^{2+}, \text{Ni}^{2+}$ ), synthesis and crystal structure, **126**, 169  
 $\text{PbOHX}$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ), crystal structure determination, **124**, 155  
 $M_{12}(\text{X})_2(\text{SeO}_3)_8(\text{OH})_6$  ( $M = \text{Co}^{2+}, \text{Ni}^{2+}; X = \text{OH}^-$ ), synthesis and crystal structure, **126**, 169  
 $[\text{Zn}_7\text{Cr}_4(\text{OH})_{22}](\text{CO}_3)_2\cdot 5\text{H}_2\text{O}$ , insertion of dinuclear dihydroxy-bridged Cr(III) aquo complex, **122**, 214

Hydroxyapatite, *see* Calcium hydroxyapatite; Strontium hydroxyapatite  
Hydroxycarbonates

- Cu-Zn-Co-Al-containing, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372  
Cu-Zn-Co-Al-Cr hydroxycarbonates and mixed oxides, characterization, **122**, 324

hydrotalcite-like, containing Ni(II) and Mn(III), synthesis and characterization, **124**, 205

## I

## Ilmenite

- $\text{NiMnO}_3$ , hydrotalcite-like, synthesis and characterization, **124**, 205

## Impedance spectroscopy

- $\text{Na}^+-\text{Pr}^{3+}-\beta''-\text{Al}_2\text{O}_3$ , **127**, 161

## Incommensuration

- in pyrrhotite, high-temperature X-ray powder diffraction and thermomagnetic study, **126**, 108

## Indium

- $\text{CePdIn}_2$ , structural, magnetic, and electrical properties, **122**, 143  
doped  $\text{ZnO}$ , electrical conductivity  $^{111}\text{In}$ -TDPAC studies, **122**, 166  
 $M^{\text{I}}\text{InP}_3\text{O}_9$  ( $M = \text{Na}, \text{K}$ ), preparation and characterization, **121**, 418  
 $\gamma\text{-In}_2\text{Se}_3$ , crystal structure, redetermination by twin crystal X-ray method, **124**, 305

- $\text{K}_3\text{In}_9\text{GeSb}_{22}$ , crystal and electronic structure, **122**, 239

- $\text{KIn}(\text{OH})\text{PO}_4$ , synthesis and structure, **123**, 243

- $\text{Na}_{172}\text{In}_{197}\text{Z}_2$  ( $Z = \text{Ni}, \text{Pd}, \text{Pt}$ ): indium phase with three stuffed and condensed fullerene-like cages, **123**, 344

## Inductively coupled plasma analysis

- $[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , **127**, 145

## Infrared spectroscopy

- $[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , **127**, 145

- $\text{Ce}(\text{C}_2\text{O}_4)(\text{HCO}_2)$ , **127**, 256

- $[\text{Ce}(\text{H}_2\text{O})_2(\text{C}_2\text{O}_4)_2(\text{CO}_3)\cdot 2.5\text{H}_2\text{O}$ , **127**, 256

- $(\text{CH}_3)_4\text{NCe}(\text{SO}_4)_2\cdot 3\text{H}_2\text{O}$ , **127**, 51

- chromium soaps, **122**, 100

- $\text{Cu}^{\text{I}}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti}, \text{Zr}$ ), **127**, 341

- $\text{Cu}_{0.5}^{\text{II}}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti}, \text{Zr}$ ), **127**, 341

- effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126**, 99

- $\alpha\text{-Fe}_2\text{O}_3$  with corundum-type structures, real structure and reactivity, effect of mechanical activation, **123**, 191

- $\text{LiNH}_3\text{OSO}_4$ , **127**, 72

- $\text{Mg}(\text{HSeO}_3)_2\cdot 4\text{H}_2\text{O}$ , **122**, 338

- $(\text{NH}_3\text{OH})_2\text{SO}_4$ , **127**, 72

- $\text{RbAl}(\text{SO}_4)_2\cdot 12\text{H}_2\text{O}$ , **122**, 333

- $\text{RbY}_2\text{Cl}_7\text{U}^{3+}$ , **121**, 312

## Insulator-metal transitions

- $\text{LaMn}_{1-\delta}\text{O}_3$ , cation-deficient compositions, **127**, 87

- $\text{La}_{1-\delta}\text{MnO}_3$  cation-deficient compositions, **127**, 87

## Intercalation

- sodium into  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$  misfit layer compound, **124**, 238

## Iodine

- $\text{Ag}_2\text{HgI}_4-\text{Cu}_2\text{HgI}_4$ , doped with  $\text{Cd}^{2+}$ ,  $\text{K}^+$ , and  $\text{Na}$ , ion conduction in,

- 122**, 349

- $\text{Ce}_{12}\text{I}_{17}\text{Mn}_2$ , crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249

- $\text{Cu}_2\text{HgI}_4-\text{Ag}_2\text{HgI}_4$ , doped with  $\text{Cd}^{2+}$ ,  $\text{K}^+$ , and  $\text{Na}$ , ion conduction in, **122**, 349

- KI, polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22

- $\text{La}_{12}\text{I}_{17}\text{Fe}_2$ , crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249

- $\text{Ti}_4\text{O}(\text{Te}_2)_4\text{TeI}_4$ , extended cluster, synthesis, **123**, 273

## Ion conduction

- in  $\text{Ag}_2\text{HgI}_4-\text{Cu}_2\text{HgI}_4$ , doped with  $\text{Cd}^{2+}$ ,  $\text{K}^+$ , and  $\text{Na}$ , **122**, 349

- in  $\text{Bi}_2\text{O}_3$ , analysis, **122**, 439

- in  $\text{Cu}_2\text{HgI}_4-\text{Ag}_2\text{HgI}_4$  systems doped with  $\text{Cd}^{2+}$ ,  $\text{K}^+$ , and  $\text{Na}$ , **122**, 349

- $\text{Na}^+-\text{Pr}^{3+}-\beta''-\text{Al}_2\text{O}_3$  crystals, **127**, 161

- $\text{NaLnTiO}_4$  ( $Ln = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ), **121**, 430

## Iridium

- $\text{Bi}_2\text{Ir}_2\text{O}_{7-y}$ , oxygen vacancies in, analysis by powder neutron diffraction, **123**, 14  
 $[\text{Ca}_{2-x}\text{Eu}_x]\text{IrH}_5$ , synthesis and crystal structure, **121**, 56  
 $\text{Pb}_2\text{Ir}_2\text{O}_{6.5}$ , oxygen vacancies in, analysis by powder neutron diffraction, **123**, 14  
 $[\text{Sr}_{2-x}\text{Eu}_x]\text{IrH}_5$ , synthesis and crystal structure, **121**, 56  
 $\text{Sr}_3\text{ZnIrO}_6$ , crystal structure and magnetic properties, **127**, 25

## Iron

- $\text{Ba}_3\text{Fe}^{III}_{3-x}M_x^{\text{II}}\text{F}_{19-x}$  ( $M = \text{Fe}, \text{Cu}$ ), Mössbauer spectroscopy and magnetic properties, **125**, 159  
 $\text{Ba}_3\text{Fe}_4\text{NiO}_{13.5}$ , ten-layer, preparation and crystal structure, **121**, 133  
 $\text{Ba}_3\text{Fe}_4\text{Ti}_3\text{O}_{16}$ , structural features, characterization by HREM, letter to editor, **125**, 281  
 $\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , structural features, characterization by HREM, letter to editor, **125**, 281  
 $\text{BaO}-\text{Fe}_2\text{O}_3-\text{TiO}_2$ , ternary phase diagram, **121**, 38  
 $\text{Ca}_2\text{FeH}_{0.9}(\text{PO}_4)_7$ , crystal structure and characterization, **122**, 15  
 $\text{Ca}_2\text{Fe}(\text{PO}_4)_7$ , crystal structure and characterization, **122**, 15  
 $\text{CaFeTi}_2\text{O}_6$  perovskite, convergent beam electron diffraction and high-resolution electron microscopy, **123**, 73  
 $\text{Cd}_5\text{Fe}^{III}_2(\text{P}_2\text{O}_7)_4$ , cationic distribution, **121**, 291  
 $[(\text{CH}_3)_4\text{N}]_2\text{FeGe}_4\text{S}_{10}$ , structure refinement by Rietveld method, **121**, 473  
 $\text{CsCuFeS}_2$ , synthesis, crystal structure, and electronic structure, **122**, 31  
 $\text{Cu}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 \leq x \leq 0.5$ ), thermal behavior and cation distribution, **126**, 7  
doping of  $\text{Sr}_{0.56}\text{Sr}_{0.44}\text{MnO}_3$ , resulting increase of GMR ratios up to  $10^6$ , letter to editor, **124**, 385  
 $\text{FeXO}_4$  ( $X = \text{P}, \text{As}$ ), packing distortions, temperature effects, and pressure effects, **123**, 1  
 $\text{Fe}_2\text{Al}_5$  compound polyhedron coordination, analysis, **124**, 65  
 $\text{Fe-Cr}$  oxide pillared  $\alpha$ -zirconium phosphate materials, synthesis and characterization, **122**, 231  
 $\text{FeO}$ , nearly stoichiometric, crystallographic and magnetic structure, **124**, 52  
 $\text{Fe}_2\text{O}_3$ , hematite, autocatalytic reduction with hydrogen under conditions of surface control: vacancy-based mechanism, **123**, 249  
 $\alpha\text{-Fe}_2\text{O}_3$  with corundum structures, real structure and reactivity, effect of mechanical activation, **123**, 191  
 $\text{Fe}_3\text{O}_4$ , ultrafine powders, AFM characterization, **121**, 492  
 $\text{Fe(OH)}_2$  disproportionation, synthesis of metal-spinel composites by, effect of Co/Fe ratio, **123**, 109  
 $(\text{FeO}(\text{OH})_{1-x}(\text{NO}_3))_x$  ( $0.2 \leq x \leq 0.3$ ), synthesis, **126**, 336  
 $\text{Fe}_2\text{O}_3/\text{ZrO}_2$ , reduction behavior, analysis by TPR with *in situ* Mössbauer spectroscopy, **121**, 240  
 $M^{\text{I}}\text{FeP}_3\text{O}_9$  ( $M = \text{Na}, \text{K}$ ), preparation and characterization, **121**, 418  
 $\text{Fe}_7\text{S}_8$ , ordering, incommensuration, and phase transition, TEM analysis, **124**, 264  
 $\text{Fe(III)}(\text{Se}_2\text{O}_5)_3$ , synthesis, crystal structure, and magnetic measurements, **122**, 130  
 $\text{Fe}_{3-x}\text{Sn}_x\text{O}_4$  ( $x = 0.1, 0.2$ ), analysis of high-temperature properties, **122**, 353  
 $\text{FeVO}_4\text{-II}$ , hydrothermal synthesis, crystal structure, and magnetic properties, **123**, 54  
 $\text{Hg}_{0.5}\text{Pr}_{0.6}\text{Sr}_4\text{Fe}_2\text{O}_9$ , mercury-based ferrite with 0201–1201 structure, **124**, 1  
 $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})(\text{PO}_4)]$ , hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186  
 $\text{K}_{0.8}\text{Ba}_{0.6}\text{Fe}_{10.5}\text{Co}_{0.25}\text{O}_{17}$ , synthesis and magnetic properties, **122**, 68  
 $\text{La}_{0.5}\text{Ba}_{0.5}\text{Co}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$ , oxygen-deficient perovskites, magnetic properties, **121**, 158  
 $\text{La}_{12}\text{I}_{17}\text{Fe}_2$ , crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249  
 $\text{LaSr}_3\text{Fe}_{3-x}\text{Ga}_x\text{O}_{10-\delta}$ , synthesis, structure, and properties, **122**, 390

- $\text{La}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-y}$ , ( $0 \leq y \leq 0.10$ ), analysis by HREM, **124**, 278  
 $\text{La}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-y}$  ( $0.15 \leq y \leq 0.33$ ), high-resolution electron microscopy, **125**, 125  
 $\text{Li}_2\text{FeBr}_4$ , structural phase transitions and pseudomerohedrally twinning, **124**, 292  
 $\text{Li}_6\text{FeCl}_3$ , Suzuki-type, lattice dynamics, **124**, 162  
 $\text{Li}-\text{Fe}-\text{O}$  systems, topotactic reactions, application to Li intercalation, **124**, 83  
 $\text{Mn}_x\text{CoFe}_{2-x}\text{O}_4$  spinel ferrites, trivalent Mn ions in, cationic distribution and oxidation mechanism, **125**, 67  
 $\text{Mn}_2\text{FeSbO}_6$ , high pressure synthesis and polymorphism, **124**, 333  
in  $\text{Mn-Zn}$  ferrites with and without  $\text{Nb}_2\text{O}_5$  doping, loss from core, mechanism, **121**, 117  
 $\text{NaCa}_2\text{Sb}_2\text{FeGa}_2\text{O}_{12}$ , cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 $\text{Na}_2\text{Fe}_2\text{P}_3\text{O}_9\text{N}$ , preparation and characterization, **121**, 418  
oxides, electroforming and switching, **122**, 95  
reduction of  $\text{CuO}$  via mechanically induced solid state reaction, mechanism, crystallographic contribution, **122**, 273  
 $\text{Sr}[\text{Fe}(\text{CN})_5\text{NO}] \cdot 4\text{H}_2\text{O}$ , single crystals, neutron diffraction study, **123**, 48  
 $\text{SrFe}_{1-x}\text{Co}_x\text{O}_3$  synthesized under high pressure, ferromagnetic properties, **121**, 174  
 $\text{Sr}_{1+x}\text{Nd}_{1-x}\text{FeO}_{4-y}$ , nonstoichiometry and physical properties, **123**, 161  
 $\text{YCa}_2\text{SbFe}_{4-x}\text{Ga}_x\text{O}_{12}$ , cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 $\text{Y}_{3-2x}\text{Ca}_{2x}\text{Sb}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 $\text{Y}_{3-x}\text{Ca}_x\text{Sn}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
yttrium iron garnet nanoparticles, synthesis and characterization, **126**, 161  
zinc ferrite, mechanically-activated, structure-reactivity study, **123**, 100  
 $\text{ZnO}$  doped with, unusual iron site in, **125**, 224

## Iron oxide

- semiconductors, energy positions, photocatalysis, **126**, 227

## Isomer shift

- nitrosylpentacyanoferrates, **123**, 39

**J**

## Jahn-Teller distortion

- $\text{LiMn}_2\text{O}_4-\text{Li}_2\text{Mn}_4\text{O}_9-\text{Li}_4\text{Mn}_5\text{O}_{12}$  system, spinel materials in, chemical and magnetic characterization, **123**, 255

**K**

## Keggin clusters

- formation by hydrothermal reaction  
 $[\text{N}(\text{CH}_3)_4]_2\text{H}_2\text{W}_{12}\text{O}_{40} \cdot 2\text{H}_2\text{O}$ , **123**, 83  
 $[\text{NH}_2(\text{CH}_3)_2]_2\text{H}_2\text{W}_{12}\text{O}_{40} \sim 4\text{H}_2\text{O}$ , **123**, 83

## Kinetics

- $\text{Li}_{1-x}\text{Mn}_2\text{O}_4$  spinel phase, Li insertion in, **122**, 195  
 $\text{NbC}$  synthesis from  $\text{B-Nb}_2\text{O}_5$ , **123**, 168

**L**

## Lactate

- $\text{Bi}_2\text{O}_3$ , precursors for incorporation of bismuth in, analysis, **126**, 152  
 $\text{La}_{12}\text{I}_{17}\text{Fe}_2$ , crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249  
 $\text{LaSr}_3\text{Fe}_{3-x}\text{Ga}_x\text{O}_{10-\delta}$ , synthesis, structure, and properties, **122**, 390

- $\text{Bi}_2\text{La}_4\text{O}_9$ , synthesis and structure determination, **124**, 300  
 $\text{Bi}(\text{La})\text{Sr}(\text{Ca})\text{Mn}_2\text{O}_6$ , magnetic and electric properties, **121**, 138  
 $\text{CsLaCl}_4 \cdot 3\text{H}_2\text{O}$ , crystal structure, **126**, 44

- HLaTiO<sub>4</sub>, protonated oxides, **127**, 119
- La<sub>0.5</sub>Ba<sub>0.5</sub>Co<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub>, oxygen-deficient perovskites, magnetic properties, **121**, 158
- La<sub>26</sub>(BO<sub>3</sub>)<sub>8</sub>O<sub>27</sub> structure, distorted fluorite type arrangement of atoms, **126**, 287
- La<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>3-δ</sub>, structural, magnetic, and thermal properties, **121**, 202
- (La,Ca)CrO<sub>3</sub>–YSZ interface, reactions at, **122**, 407
- La<sub>8-x</sub>Ca<sub>x</sub>Cu<sub>8-y</sub>Ni<sub>y</sub>O<sub>20</sub>, 8–8-20 structure type in, stabilization, **121**, 319
- (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, relationship of crystal structure and electrical properties of Ca-rich region, **124**, 360
- (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> ( $0 \leq x \leq 0.9$ ), metal–insulator transition in, role of tetravalent ion, **126**, 235
- ALaCl<sub>4</sub>·4H<sub>2</sub>O ( $A = \text{NH}_4, \text{K}, \text{Rb}, \text{Cs}$ ), crystal structure, **126**, 44
- La<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, crystal structure and elementary physical properties, **121**, 51
- LaD<sub>2.50</sub>, structure, characterization by neutron powder diffraction, **122**, 151
- La<sub>12</sub>I<sub>1</sub>Fe<sub>2</sub>, crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249
- La<sub>2/3-x</sub>Li<sub>3x</sub>□<sub>1/3-2x</sub>TiO<sub>3</sub>, structural and microstructural analysis, **127**, 283
- LaMgB<sub>5</sub>O<sub>10</sub>, glasses of base composition, Ce<sup>3+</sup>, Tb<sup>3+</sup>, and Mn<sup>2+</sup> photoluminescence, **123**, 398
- LaMn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub>, magnetic and electrical properties, letter to editor, **127**, 354
- LaMn<sub>1-δ</sub>O<sub>3</sub>, cation-deficient compositions, insulator–metal transitions and giant magnetoresistance, **127**, 87
- La<sub>1-δ</sub>Mn<sub>1-δ</sub>O<sub>3</sub>, ferromagnetic, magnetic structure and giant magnetoresistance, letter to editor, **126**, 337
- La<sub>0.7</sub>A'<sub>0.3</sub>MnO<sub>3</sub> ( $A' = \text{Ca}, \text{Sr}, \text{Ba}$ ), perovskite, structural phase diagram, letter to editor, **122**, 444
- La<sub>1-δ</sub>MnO<sub>3</sub>, cation-deficient compositions, insulator–metal transitions and giant magnetoresistance, **127**, 87
- La<sub>1-δ</sub>MnO<sub>3+δ</sub>, effect of nonstoichiometry properties, **124**, 43
- LaMnO<sub>3+δ</sub>, synthesis by firing gels with polyacrylic acid in pure argon stream, **121**, 495
- La<sub>x</sub>A<sub>x</sub>Mn<sub>w</sub>O<sub>3</sub> ( $A = \text{Na}, \text{K}, \text{Rb}, \text{Sr}$ ) with perovskite-type structure, magnetic and electrical properties, **124**, 250
- LaNb<sub>5</sub>O<sub>12</sub>, synthesis, crystal structure, and physical properties, **123**, 21
- La<sub>x</sub>Nb<sub>6</sub>Te<sub>8</sub>, preparation and transport properties, **121**, 332
- La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> ( $x = 0.6, 0.7, 1.2, 1.5$ ), pressure-induced structural transition, **126**, 88
- (La $X$ )<sub>n</sub>(Ni<sub>2</sub>B<sub>2</sub>) ( $X = \text{C}, \text{N}$ ) layered superconductors, chemical bonding topology, **124**, 329
- La<sub>2</sub>NiO<sub>4+δ</sub> ( $0 \leq \delta \leq 0.25$ ), magnetic and transport properties, **124**, 199
- oxygen excess, analysis by high-resolution transmission electron microscopy, **125**, 133
- LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> ( $0 \leq x \leq 0.25$ ), synthesis, structural characterization, and electronic properties, **125**, 47
- La(NO<sub>3</sub>)<sub>3</sub>·4H<sub>2</sub>O, polymorphic phases, structure determination from X-ray powder diffraction, **126**, 127
- La<sub>x</sub>MSb<sub>15</sub> ( $M = \text{Mn}, \text{Cu}, \text{Zn}$ ), crystal structure and magnetism, **122**, 266
- LaSi<sub>2</sub>P<sub>6</sub>, preparation and crystal structure, **124**, 346
- La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3</sub>
- crystal structure and metal–insulator transition, **121**, 423
  - oxygen diffusion in, **124**, 230
- La<sub>1-x</sub>Sr<sub>x</sub>CuO<sub>2.5</sub>, doped spin-ladder compound, **123**, 223
- LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10-δ</sub>, synthesis, structure, and properties, **122**, 390
- La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub> ( $0 \leq y \leq 0.10$ ), analysis by HREM, **124**, 278
- La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub> ( $0.15 \leq y \leq 0.33$ ), high-resolution electron microscopy, **125**, 125
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3±δ</sub> ( $x = 0.05–0.20$ ), electrical conductivity and diffusion coefficient, **123**, 382
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, oxygen diffusion in, **124**, 230
- (La,Sr) <sub>$n+1$</sub> Mn <sub>$n$</sub> O<sub>3 $n+1$</sub> , giant magnetoresistance, effect of dimensionality, letter to editor, **122**, 448
- La<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub>, preparation and crystal structure, **122**, 81
- Na<sup>+</sup>/La<sup>3+</sup>-β"-Al<sub>2</sub>O<sub>3</sub> crystals, X-ray and <sup>23</sup>Na NMR analysis, **122**, 315
- Na<sub>2</sub>La<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, comparison with NaGdTlO<sub>4</sub> structure and ionic conductivity, **121**, 430
- NaLaTiO<sub>4</sub>, and Na<sub>2</sub>La<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, structure and ionic conductivity, comparison, **121**, 430
- Lattice dynamics
- Ca<sub>3</sub>OSiO<sub>4</sub>, conformational analysis, **121**, 111
  - instability in Li(Li<sub>x</sub>Mn<sub>2-x</sub>)O<sub>4</sub>, **122**, 160
  - Li<sub>6</sub>M<sup>II</sup>Cl<sub>8</sub> ( $M^{\text{II}} = \text{Fe}, \text{Co}, \text{Ni}$ ), Suzuki-type, **124**, 162
- Lattice parameters
- $R_2\text{CuO}_4$  ( $R = \text{Gd}, \text{Nd}$ ) prepared by sol–gel method, effect of calcination temperature, **122**, 25
- Laves-type phases
- U<sub>4</sub>Cr<sub>6</sub>Si<sub>2</sub>, **121**, 479
  - U<sub>4</sub>Mo<sub>5</sub>Si<sub>3</sub>, **121**, 479
- Lead
- (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> superconductors, synthesis by sol–gel technique, **126**, 55
  - Pb $X$  ( $X = \text{Cl}, \text{O}$ ), mechanical doping of polycrystalline alkali halides, **122**, 22
  - α-Pb(DPO<sub>4</sub>)<sub>2</sub>·D<sub>2</sub>O, structural features of reactive sites, **125**, 261
  - PbF<sub>2</sub>–ZnF<sub>2</sub>–GaF<sub>3</sub> system, structural analysis by EPR through recrystallization, **121**, 149
  - Pb<sub>2</sub>Ir<sub>2</sub>O<sub>6.5</sub>, oxygen vacancies in, analysis by powder neutron diffraction, **123**, 14
  - Pb $\{O(\text{H}, \text{D})\}X$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ), crystal structure determination, **124**, 155
  - PbPt<sub>2</sub>O<sub>4</sub>, synthesis and ab initio structure determination, **124**, 309
  - PbS–CuS thin films, co-deposition by chemical bath technique, **123**, 296
  - Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+δ</sub>, superconductor, substitution of Cr for univalent Cu, **127**, 64
  - (Pb<sub>0.5</sub>M<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O<sub>y</sub> ( $M = \text{Pb}, \text{Cd}$ ), synthesis and crystal structure, **123**, 313
  - (PbS)<sub>1.18</sub>(TiS<sub>2</sub>) misfit layer compound, Na intercalation, **124**, 238
  - Pb<sub>1.5</sub>Ta<sub>2</sub>O<sub>6.5</sub>–Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, stoichiometry, defects, and ordering, **126**, 253
  - Pb<sub>2.31</sub>Ta<sub>2</sub>O<sub>7.31</sub>–Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, stoichiometry, defects and ordering, **126**, 253
  - PbV<sub>6</sub>O<sub>11</sub>, synthesis and crystal structure, **125**, 91
  - Pb<sub>1.32</sub>V<sub>8.35</sub>O<sub>16.7</sub>, synthesis and crystal structure, **125**, 91
- Lithium
- electrochemical intercalation into vanadium oxynitrides, **122**, 376
  - La<sub>2/3-x</sub>Li<sub>3x</sub>□<sub>1/3-2x</sub>TiO<sub>3</sub>, structural and microstructural analysis, **127**, 283
  - Li<sup>+</sup>, and Na<sup>+</sup> ions, solid state electrochemical intercalation in polyparaphenylene, **127**, 123
  - LiAlSi<sub>3</sub>O<sub>8</sub>, crystal structure, determination by single crystal X-ray diffraction, **121**, 12
  - LiBiO<sub>3</sub>, preparation and crystal structure, **126**, 121
  - LiCD<sub>3</sub>COO·2D<sub>2</sub>O, room- and low-temperature phase, crystal structure and methyl group dynamics, **126**, 184
  - Li<sub>6</sub>M<sup>II</sup>Cl<sub>8</sub> ( $M^{\text{II}} = \text{Fe}, \text{Co}, \text{Ni}$ ), Suzuki-type, lattice dynamics, **124**, 162
  - LiCoO<sub>2</sub>, layered, chemical extraction of Li, **121**, 483
  - LiCr<sub>1-x</sub>Al<sub>x</sub>TiO<sub>4</sub> ( $0 \leq x \leq 0.4$ ), preparation and magnetic properties, **125**, 211
  - Li<sub>2</sub>FeBr<sub>4</sub>, structural phase transitions and pseudomerohedrally twinning, **124**, 292
  - Li(Li<sub>x</sub>Mn<sub>2-x</sub>)O<sub>4</sub>, lattice instability, **122**, 160
  - Li<sub>1-x</sub>Mn<sub>2</sub>O<sub>4</sub> spinel phase, Li insertion in, thermodynamic and kinetic investigation, **122**, 195
  - Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub>, thermal stability and structural changes under oxygen and nitrogen atmospheres, **121**, 79
  - Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> electrodes for Li batteries, thermal stability, **125**, 274

- L**
- LiMn<sub>2</sub>O<sub>4</sub>–Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>–Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> system, spinel materials in, chemical and magnetic characterization, **123**, 255
  - LiMo<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, mixed-valence monophosphate with 3D framework, **124**, 322
  - Li<sub>x</sub>Mo<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> with tunnel structure, synthesis, **122**, 107
  - Li<sub>16</sub>Nb<sub>2</sub>N<sub>8</sub>O, crystal structure, **127**, 19
  - LiNbO<sub>3</sub>, magnesium-doped, comments on defect chemistry, **123**, 208
  - LiNb<sub>3</sub>OH<sub>8</sub>O<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72
  - Li<sub>3-x</sub>Ni<sub>2-x</sub>Cr<sub>x</sub>Nb<sub>6</sub>O<sub>6</sub> ( $0 < x < 0.18$ ), continuous order–disorder transition, **124**, 214
  - Li<sub>3</sub>Ni<sub>2</sub>Nb<sub>6</sub>O<sub>6</sub> rock salt structures, continuous order–disorder transition, **124**, 214
  - Li<sub>1-x</sub>Ni<sub>1+x</sub>O<sub>2</sub> ( $0 \leq x \leq 0.08$ ), magnetic properties, **127**, 109
  - Li–M–O systems ( $M = \text{Mn,Ti,V,Fe}$ ), topotactic reactions, application to Li intercalation, **124**, 83
  - LiYO<sub>2</sub>, Eu<sup>3+</sup>- and Tb<sup>3+</sup>-doped, optical and crystallographic study, **121**, 457
  - (Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> ( $0.0 \leq x \leq 0.3$ ), crystal structure and magnetic properties, **124**, 220
  - Luminescence
    - Ag<sub>x</sub>LnMo<sub>2</sub>O<sub>8</sub> ( $Ln = \text{Eu,Gd,Tb}$ ), **121**, 236
    - Eu<sup>2+</sup>, in host lattices with three alkaline earth ions in a row, **122**, 432
  - Luminescence efficiency
    - LiYO<sub>2</sub>, Eu<sup>3+</sup>- and Tb<sup>3+</sup>- doped, **121**, 457
  - Lutetium
    - Cu<sub>2</sub>Lu<sub>2</sub>O<sub>5</sub>, thermodynamic stability and Gibbs energy of formation of Cu<sub>2</sub>Yb<sub>2</sub>O<sub>5</sub>, **125**, 13
    - (Lu $X$ )<sub>n</sub>(Ni<sub>2</sub>B<sub>2</sub>) ( $X = \text{C,N}$ ) layered superconductors, chemical bonding topology, **124**, 329
- M**
- Magnesium
- Ba<sub>2</sub>Mg(B<sub>3</sub>O<sub>6</sub>)<sub>2</sub>, Eu<sup>2+</sup> luminescence in, **122**, 432
  - LaMg<sub>5</sub>B<sub>10</sub>: glasses of base composition, Ce<sup>3+</sup>, Tb<sup>3+</sup>, and Mn<sup>2+</sup> photoluminescence, **123**, 398
  - LiNbO<sub>3</sub> doped with, defect chemistry, comments, **123**, 208
  - Mg(HSeO<sub>3</sub>)<sub>2</sub>·4H<sub>2</sub>O, crystal structure and infrared absorption spectra, **122**, 338
  - Mg<sup>2+</sup> insertion into V<sub>2</sub>O<sub>5</sub> single crystals, product crystal structure, **123**, 317
  - (Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> ( $0.0 \leq x \leq 0.3$ ), crystal structure and magnetic properties, **124**, 220
  - Mg<sub>2-x</sub>Ti<sub>1+x</sub>O<sub>4</sub> ( $0 \leq x \leq 1$ ), spinel solid solutions, electrical and magnetic properties, **125**, 216
  - Mg–Zr–O–N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153
  - Na<sub>2</sub>Mg<sub>2</sub>P<sub>3</sub>O<sub>9</sub>N, and related compounds, preparation and characterization, **121**, 418
  - Sr<sub>2</sub>MgAl<sub>22</sub>O<sub>36</sub>, crystal structure, **122**, 46
  - Sr<sub>1-x</sub>Mg<sub>x</sub>TiO<sub>3</sub> ( $0 \leq x \leq 1$ ), vibrational spectroscopy and X-ray diffraction, **124**, 353
  - Magnetic dielectric oxides
    - BaO–Fe<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub>, ternary phase diagram, **121**, 38
  - Magnetic ordering
    - FeO, **124**, 52
    - La<sub>1-x</sub>MnO<sub>3+δ</sub>, effect of nonstoichiometry properties, **124**, 43
  - Magnetic properties
    - Ba<sub>3</sub>Fe<sub>3-x</sub>M<sub>x</sub><sup>II</sup>F<sub>19-x</sub> ( $M = \text{Fe,Cu}$ ), **125**, 159
    - Ba<sub>2</sub>V<sub>3</sub>O<sub>9</sub>, **126**, 328
    - Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, **121**, 138
    - CaMSi<sub>2</sub>O<sub>6</sub>, **124**, 374
    - ACoCuS<sub>2</sub> ( $A = \text{K,Rb,Cs}$ ), **127**, 151
- Cu<sub>2</sub>U<sub>3</sub>S<sub>7</sub>, **123**, 331
- Cu<sub>2</sub>U<sub>3</sub>Se<sub>7</sub>, **123**, 331
- FeVO<sub>4</sub>–II, **123**, 54
- [H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Fe(OH)(PO<sub>4</sub>)], **125**, 186
- K<sub>0.8</sub>Ba<sub>0.6</sub>Fe<sub>10.5</sub>Co<sub>0.25</sub>O<sub>17</sub> nonstoichiometric hexaferrites, **122**, 68
- K<sub>7-x-y</sub>Ba<sub>y</sub>Nb<sub>14</sub>P<sub>9</sub>O<sub>60</sub> ( $x = 0.27(5)$ ;  $y = 0.63(3)$ ), **125**, 192
- KCo<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> ( $0.5 \leq x \leq 1.5$ ), **127**, 151
- La<sub>0.5</sub>Ba<sub>0.5</sub>Co<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub>, oxygen-deficient perovskites, **121**, 158
- La<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>3-δ</sub>, **121**, 202
- La<sub>A</sub>Mn<sub>w</sub>O<sub>3</sub> ( $A = \text{Na,K,Rb,Sr}$ ), **124**, 250
- La<sub>2</sub>NiO<sub>4+δ</sub> ( $0 \leq \delta \leq 0.25$ ), **124**, 199
- LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10-δ</sub>, **122**, 390
- LiCr<sub>1-x</sub>Al<sub>x</sub>TiO<sub>4</sub> ( $0 \leq x \leq 0.4$ ), **125**, 211
- Li<sub>1-x</sub>Ni<sub>1+x</sub>O<sub>2</sub> ( $0 \leq x \leq 0.08$ ), **127**, 109
- (Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> ( $0.0 \leq x \leq 0.3$ ), **124**, 220
- Mg<sub>2-x</sub>Ti<sub>1+x</sub>O<sub>4</sub> ( $0 \leq x \leq 1$ ), **125**, 216
- Ln*Mn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub> (*Ln* = La,Pr,Nd,Gd), letter to editor, **127**, 354
- Mn<sub>x</sub>Nb<sub>2</sub>S<sub>2</sub> ( $0.19 \leq x \leq 0.52$ ), **125**, 178
- Mn<sub>2</sub>BSb<sub>6</sub>O<sub>6</sub> ( $B = \text{Fe,V,Cr,Ga,Al}$ ), **124**, 333
- Mn<sub>2</sub>V<sub>2</sub>O<sub>7</sub>, **121**, 214
- Mn–Zn ferrites, analysis with and without Nb<sub>2</sub>O<sub>5</sub> doping, **121**, 117
- MoTe<sub>4</sub>Br, with Te<sub>4</sub><sup>2+</sup> ligand attachment, **125**, 165
- MoTe<sub>6</sub>Br<sub>3</sub>, with Te<sub>4</sub><sup>2+</sup> ligand attachment, **125**, 165
- Na<sub>2+x</sub>P<sub>4</sub>Nb<sub>6</sub>O<sub>26</sub>, **121**, 273
- (Nd<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>3</sub> ( $x = 0\text{--}0.5$ ), hole-doped system, letter to editor, **125**, 112
- NdPd<sub>2</sub>Al<sub>3</sub>, **127**, 169
- Nd<sub>1-x</sub>TiO<sub>3</sub>, for  $x = 0, 0.05$ , and 0.10, **121**, 443
- Pr<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub>, **127**, 276
- in pyrrhotite, **126**, 108
- RbMn<sub>4</sub>(AsO<sub>4</sub>)<sub>3</sub>, **125**, 255
- RbY<sub>2</sub>Cl<sub>7</sub>U<sup>3+</sup>, **121**, 312
- Sm<sub>3</sub>ReO<sub>7</sub>, **125**, 1
- (RE<sub>1-x</sub>Sr<sub>x</sub>)Cu<sub>8</sub>O<sub>20</sub> ( $RE = \text{Pr,Nd}$ ) prepared under  $P_{O_2} = 20$  MPa, **125**, 117
- Sr<sub>1+x</sub>Nd<sub>1-x</sub>FeO<sub>4-y</sub>, **123**, 161
- Sr<sub>3</sub>ZnIrO<sub>6</sub>, **127**, 25
- U<sub>4</sub>Cr<sub>6</sub>Si<sub>2</sub>, **121**, 479
- U<sub>4</sub>Mo<sub>5</sub>Si<sub>3</sub>, **121**, 479
- β USe<sub>2</sub>, **126**, 22
- USe<sub>2-x</sub>Te<sub>x</sub> ( $x = 0.24$  and 0.72), **126**, 22
- vanadium oxynitrides, **122**, 376
- Magnetic resistance, *see* Colossal magnetic resistance
- Magnetic structure
  - FeO, **124**, 52
  - La<sub>1-x</sub>Mn<sub>1-x</sub>O<sub>3</sub>, ferromagnetic, letter to editor, **126**, 337
  - Rb<sub>2</sub>MnF<sub>5</sub>, **124**, 338
  - Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, **124**, 338
  - TiPO<sub>4</sub> CrVO<sub>4</sub>-type phosphate, **126**, 15
  - VPO<sub>4</sub>, CrVO<sub>4</sub>-type phosphate, **126**, 15
- Magnetic susceptibility
  - Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51
  - CePdIn<sub>2</sub>, **122**, 143
  - CuYb<sub>2</sub>Ge<sub>4</sub>O<sub>12</sub>, **124**, 17
  - Cu–Zn–Co–Al-containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, **121**, 372
  - (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> ( $0 \leq x \leq 0.9$ ), **126**, 235
  - La<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51
  - LaNb<sub>7</sub>O<sub>12</sub>, **123**, 21
  - LiMn<sub>2</sub>O<sub>4</sub>–Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>–Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> system, spinel materials in, **123**, 255
  - M*(Se<sub>2</sub>O<sub>5</sub>)<sub>3</sub> ( $M = \text{Fe(III),Cr(III)}$ ), **122**, 130
  - β-Sr(VOAsO<sub>4</sub>)<sub>2</sub>, **122**, 36
  - ZrZn<sub>22</sub>, **121**, 95
  - Zr<sub>5</sub>Zn<sub>39</sub>, **121**, 95

## Magnetism

- CaV<sub>2</sub>O<sub>5</sub>, letter to editor, **127**, 358  
*Ln*Mn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub> (*Ln* = La,Pr,Nd,Gd), letter to editor, **127**, 354  
*AB*<sub>10</sub>O<sub>15+x</sub> (*A* = Sr,Ba; *B* = V,Cr; *x* = 0,~1), **122**, 416  
*RE*<sub>6</sub>MnSb<sub>15</sub> (*RE* = La,Ce; *M* = Mn,Cu,Zn), **122**, 266  
*AV*<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub> (*A* = Cd,Ca,Sr), **127**, 325
- Magnetoresistance, *see also* Colossal magnetoresistance; Giant magnetoresistance  
*Ln*Mn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub> (*Ln* = La,Pr,Nd,Gd), letter to editor, **127**, 354
- Manganese  
Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, magnetic and electric properties, **121**, 138  
Ce<sub>12</sub>I<sub>17</sub>Mn<sub>2</sub>, crystal structure, characterization by single-crystal X-ray diffraction, **125**, 249  
Cr<sub>1-x</sub>Mn<sub>x</sub>P<sub>4</sub> (*x* = 0.3–0.7), crystal structure, correspondence to 4-MnP<sub>4</sub>, **122**, 206  
K<sub>2</sub>Mn[Nb<sub>6</sub>Cl<sub>18</sub>], synthesis and structure, **122**, 428  
(La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, relationship of crystal structure and electrical properties of Ca-rich region, **124**, 360  
(La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> (0 ≤ *x* ≤ 0.9), metal–insulator transition in, role of tetravalent ion, **126**, 235  
LaMn<sub>1-δ</sub>O<sub>3</sub>, cation-deficient compositions, insulator–metal transitions and giant magnetoresistance, **127**, 87  
La<sub>1-δ</sub>Mn<sub>1-δ</sub>O<sub>3</sub>, ferromagnetic, magnetic structure and giant magnetoresistance, letter to editor, **126**, 337  
La<sub>1-δ</sub>MnO<sub>3</sub>, cation-deficient compositions, insulator–metal transitions and giant magnetoresistance, **127**, 87  
La<sub>1-δ</sub>MnO<sub>3+δ</sub>, effect of nonstoichiometry properties, **124**, 43  
LaMnO<sub>3+δ</sub>, synthesis by firing gels with polyacrylic acid in pure argon stream, **121**, 495  
La<sub>y</sub>A<sub>x</sub>Mn<sub>w</sub>O<sub>3</sub> (*A* = Na,K,Rb,Sr) with perovskite-type structure, magnetic and electrical properties, **124**, 250  
La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, oxygen diffusion in, **124**, 230  
La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3±δ</sub> (*x* = 0.05–0.20), electrical conductivity and diffusion coefficient, **123**, 382  
(La,Sr)<sub>*n*+1</sub>Mn<sub>*n*</sub>O<sub>3*n*+1</sub>, giant magnetoresistance, effect of dimensionality, letter to editor, **122**, 448  
Li(Li<sub>x</sub>Mn<sub>2-x</sub>)O<sub>4</sub>, lattice instability, **122**, 160  
Li<sub>1-x</sub>Mn<sub>2</sub>O<sub>4</sub> spinel phase, Li insertion in, thermodynamic and kinetic investigation, **122**, 195  
Li–Mn–O systems, topotactic reactions, application to Li intercalation, **124**, 83  
Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub>, thermal stability and structural changes under oxygen and nitrogen atmospheres, **121**, 79  
Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> electrodes for Li batteries, thermal stability, **125**, 274  
LiMn<sub>2</sub>O<sub>4</sub>–Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>–Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> system, spinel materials in, chemical and magnetic characterization, **123**, 255  
(Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> (0.0 ≤ *x* ≤ 0.3), crystal structure and magnetic properties, **124**, 220  
Mn<sup>2+</sup>, photoluminescence in LaMgB<sub>5</sub>O<sub>10</sub> glasses of base composition, **123**, 398  
MnAl<sub>6</sub>, compound polyhedron coordination, analysis, **124**, 65  
Mn<sub>x</sub>CoFe<sub>2-x</sub>O<sub>4</sub> spinel ferrites, trivalent Mn ions in, cationic distribution and oxidation mechanism, **125**, 67  
*Ln*Mn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub> (*Ln* = La,Pr,Nd,Gd), magnetic and electrical properties, letter to editor, **127**, 354  
Mn<sub>x</sub>NbS<sub>2</sub> (0.19 ≤ *x* ≤ 0.52), synthesis and physical properties, **125**, 178  
γ-MnO<sub>2</sub>, fully H-inserted, structure, **123**, 150  
A<sub>0.7</sub>A'<sub>0.3</sub>MnO<sub>3</sub> (*A* = La,Pr; A' = Ca,Sr,Ba), perovskite, structural phase diagram, letter to editor, **122**, 444  
[Mn{O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)NHCH<sub>2</sub>PO<sub>3</sub>}]<sub>*n*</sub>·H<sub>2</sub>O, 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408  
M<sup>I</sup>MnP<sub>3</sub>O<sub>9</sub> (*M* = Na,K), preparation and characterization, **121**, 418  
*RE*<sub>6</sub>MnSb<sub>15</sub> (*RE* = La,Ce), crystal structure and magnetism, **122**, 266

- Mn<sub>2</sub>BSbO<sub>6</sub> (*B* = Fe,V,Cr,Ga,Al), high pressure synthesis and polymorphism, **124**, 333  
Mn<sub>2</sub>V<sub>2</sub>O<sub>7</sub>, synthesis, structures, magnetic properties, and phase transition, **121**, 214  
Na<sub>2</sub>Mn<sub>2</sub>P<sub>3</sub>O<sub>9</sub>, preparation and characterization, **121**, 418  
(Nd<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>3</sub> (*x* = 0–0.5), hole-doped, Mn valence determination by XANES and magnetic behavior, letter to editor, **125**, 112  
Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, size effect in, role in low temperature orthorhombic–monoclinic transition, letter to editor, **127**, 131  
NiMnO<sub>3</sub>, hydrotalcite-like, synthesis and characterization, **124**, 205  
NiMn<sub>2</sub>O<sub>4</sub>, hydrotalcite-like, synthesis and characterization, **124**, 205  
Pr<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub>, monoclinic perovskite allotype in, analysis, **127**, 276  
Pr<sub>1/2</sub>Sr<sub>1/2</sub>MnO<sub>3</sub>, increase of *T<sub>N</sub>* up to 190 K, letter to editor, **123**, 413  
room temperature crystal structure determination, **124**, 381  
RbMn<sub>4</sub>(AsO<sub>4</sub>)<sub>3</sub>, synthesis, structure, and magnetic properties, **125**, 255  
Rb<sub>2</sub>MnF<sub>5</sub>, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338  
Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338  
Sr<sub>0.56</sub>Sr<sub>0.44</sub>MnO<sub>3</sub>, increase of GMR ratios up to 10<sup>6</sup> by iron doping, letter to editor, **124**, 385  
Sr<sub>1-x</sub>Ln<sub>x</sub>MnAl<sub>11</sub>O<sub>19-α</sub> (*Ln* = Pr,Nd,Sm,Gd), changes of crystalline phase and catalytic properties, **121**, 190  
T<sub>2</sub>Mn<sub>2</sub>O<sub>7</sub>, CMR pyrochlore, absence of Mn<sup>3+</sup>/Mn<sup>4+</sup> double exchange in, analysis by X-ray absorption near-edge spectroscopy, letter to editor, **125**, 278  
–zinc ferrite, vaporization and diffusion, **121**, 143  
–zinc ferrites, magnetic properties, analysis with and without Nb<sub>2</sub>O<sub>5</sub> doping, **121**, 117
- Manganite  
colossal magnetoresistance, Pr<sub>1/2</sub>Sr<sub>1/2</sub>MnO<sub>3</sub>, increase of *T<sub>N</sub>* up to 190 K, letter to editor, **123**, 413
- Mechanical activation  
α-Fe<sub>2</sub>O<sub>3</sub> with corundum-type structure, real structure and reactivity, effect, **123**, 191
- Mechanical doping  
polycrystalline alkali halides with Pb<sup>2+</sup> ions, **122**, 22
- Mechanical stressing  
chemical reaction of Ca(OH)<sub>2</sub> and SiO<sub>2</sub> under radical mechanism, EPR study, **122**, 291  
solid-state acid–base reaction and charge transfer due to complex formation, **122**, 74
- Mechanochemical reactions  
gradual and combustive, in Sn–Zn–S system, **121**, 394
- Mercury  
Ag<sub>2</sub>HgI<sub>4</sub>–Cu<sub>2</sub>HgI<sub>4</sub>, doped with Cd<sup>2+</sup>, K<sup>+</sup>, and Na, ion conduction in, **122**, 349  
Cu<sub>2</sub>HgI<sub>4</sub>–Ag<sub>2</sub>HgI<sub>4</sub>, doped with Cd<sup>2+</sup>, K<sup>+</sup>, and Na, ion conduction in, **122**, 349  
(Et<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115  
Hg<sub>4</sub>As<sub>2</sub>Br<sub>3</sub>, crystal structure, **126**, 324  
Hg<sub>7.4</sub>As<sub>4</sub>Cl<sub>6</sub>, crystal structure, **126**, 324  
HgBa<sub>2</sub>Ca<sub>*n*-1</sub>Cu<sub>*n*</sub>O<sub>2*n*+2+δ</sub> (*n* = 1,2,3,4) superconductors, crystal chemistry, **122**, 221  
[HgO<sub>2</sub>]<sup>2-</sup>, replacement in Hg-1201 superconductor by tetrahedral sulfate anion [SO<sub>4</sub>]<sup>2-</sup>, **121**, 66  
Hg<sub>0.3</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, mercury-based ferrite with 0201–1201 structure, **124**, 1  
Hg<sub>2</sub>SnS<sub>2</sub>Br<sub>2</sub>, synthesis and structure, **126**, 95  
HgVO<sub>3</sub>, preparation and crystal structure, **125**, 140  
Hg<sub>2</sub>VO<sub>4</sub>, preparation and crystal structure, **125**, 140  
Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> (0.28 ≤ *x* ≤ 0.40; 0 ≤ *y* ≤ 2.65), flexible

- shearing phenomenon in, relationship to nanostructural transitions, **126**, 271  
 $(\text{Me}_3\text{N})[\text{HgAsSe}_3]$ , hydrothermal synthesis and characterization, **123**, 115  
 $(\text{Ph}_4\text{P})_2[\text{Hg}_2\text{As}_4\text{Se}_{11}]$ , hydrothermal synthesis and characterization, **123**, 115
- Mercury arsenides  
 $\text{Hg}_4\text{As}_2\text{Br}_3$ , crystal structure, **126**, 324  
 $\text{Hg}_{7.4}\text{As}_4\text{Cl}_6$ , crystal structure, **126**, 324
- Metal-insulator transition  
 $(\text{La}_{0.1}\text{Ca}_{0.9})(\text{Mn}_{1-x}\text{Ti}_x)\text{O}_3$  ( $0 \leq x \leq 0.9$ ), role of tetravalent ion, **126**, 235  
 $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ , **121**, 423
- Methane  
oxidation on near-stoichiometric strontium hydroxyapatites, analysis, **126**, 242
- Methyl groups  
dynamics, in room- and low-temperature phases of  $\text{LiCD}_3\text{COO} \cdot 2\text{D}_2\text{O}$ , **126**, 184
- Microhomogeneity  
 $\text{Tl}_x\text{Cr}_5\text{Se}_8$  ( $0 \leq x \leq 1$ ), **127**, 40
- Mixed oxides  
copper, superconducting, effect of pressure, **121**, 24
- Molecular dynamics  
oxygen diffusion in  $\text{LaCoO}_3$  and  $\text{LaMnO}_3$  perovskite-type oxides, **124**, 230  
simulation of  $\text{Ca}_{4+x}\text{Si}_6\text{O}_{14+2x}(\text{OH})_{4-2x}(\text{H}_2\text{O})_2$  ( $0 \leq x \leq 1$ ), **127**, 92
- Molybdenum phosphate  
 $\text{Na}_{1+x}(\text{Mo},\text{W})_2\text{O}_5\text{PO}_4$ , synthesis and characterization, **124**, 224
- Molybdenum  
 $\text{AgLnMo}_2\text{O}_8$  ( $\text{Ln} = \text{Eu}, \text{Gd}, \text{Tb}$ ), structure and luminescent properties, **121**, 236  
 $\text{Ba}_3\text{Mo}_2\text{O}_7(\text{PO}_4)_4$ , with chain-like structure, synthesis, **125**, 147  
 $\text{BaMo}_3\text{SeO}_3$ , single-crystal structures, hydrothermal analysis, **125**, 234  
 $\text{BaMo}_2\text{O}_5(\text{SeO}_3)_2$ , single-crystal structures, hydrothermal analysis, **125**, 234  
 $\text{Bi}_{26}\text{Mo}_{10}\text{O}_8$ , solid solution type in  $\text{Bi}_2\text{O}_3\text{--MoO}_3\text{--V}_2\text{O}_5$  ternary diagram, **122**, 394  
 $\text{Bi}_2\text{O}_3\text{--MoO}_3\text{--V}_2\text{O}_5$  ternary diagram,  $\text{Bi}_{26}\text{Mo}_{10}\text{O}_8$  solid solution type in, **122**, 394  
 $\text{CdMoO}_2\text{PO}_4$ , synthesis and crystal structure, **122**, 343  
 $\text{Hf}_{0.08}\text{Mo}_{0.92}\text{P}_3$ , structure, bonding, and site preferences, **121**, 362  
 $\text{H}_x(\text{V}_x\text{Mo}_{1-x})\text{O}_3 \cdot 0.3\text{H}_2\text{O}$ , synthesis and characterization, **121**, 339  
 $\text{K}_3\text{Mo}_3\text{F}_3\text{--A}_3\text{MoO}_3\text{F}_3$  ( $\text{A} = \text{Na}, \text{Rb}$ ), phase transitions, analysis, **124**, 123  
 $\text{K}_{6.6}\text{Mo}_{2.36}\text{W}_{3.64}\text{O}_{15}(\text{PO}_4)_4$ , molybdenum phosphate with opened structure, **127**, 1  
 $\text{LiMo}_2\text{O}_3(\text{PO}_4)_2$ , mixed-valence monophosphate with 3D framework, **124**, 322  
 $\text{Li}_x\text{Mo}_2\text{O}_3(\text{PO}_4)_2$  with tunnel structure, synthesis, **122**, 107  
 $\alpha\text{-MoO}_3(010)$ , scanning probe microscopy, **124**, 104  
 $\eta\text{-Mo}_4\text{O}_{11}(100)$ , scanning probe microscopy, **124**, 104  
 $\text{Mo}_8\text{O}_{23}(010)$ , scanning tunneling microscopy, **124**, 104  
 $\text{Mo}_{18}\text{O}_{52}(100)$ , scanning probe microscopy, **124**, 104  
 $\text{MoTe}_4\text{Br}$ , with  $\text{Te}_4^{2+}$  ligand attachment, synthesis and crystal structure, **125**, 165  
 $\text{MoTe}_6\text{Br}_3$ , with  $\text{Te}_4^{2+}$  ligand attachment, synthesis and crystal structure, **125**, 165  
 $\text{NaMoOP}_2\text{O}_7$ , molybdenum V diphosphate with structure  $\text{KMOP}_2\text{O}_7$ , **124**, 24  
 $\text{Na}_{1+x}(\text{Mo},\text{W})_2\text{O}_5\text{PO}_4$ , synthesis and characterization, **124**, 224  
oxides, electroforming and switching, **122**, 95  
 $\text{U}_4\text{Mo}_5\text{Si}_3$ , laves-type phases, crystal structure and magnetic behavior, **121**, 479
- Morphology  
diagram, in analysis of spinels, **121**, 388
- Mössbauer spectroscopy  
 $\text{Ba}_3\text{Fe}_{3-x}^{\text{III}}\text{M}_x^{\text{II}}\text{F}_{19-x}$  ( $M = \text{Fe}, \text{Cu}$ ), **125**, 159  
 $^{57}\text{Fe}$ , substituted iron-containing garnets, cation distribution and magnetic interactions, **122**, 118  
 $(\text{FeO}(\text{OH}))_{1-x}(\text{NO}_3)_x$  ( $0.2 \leq x \leq 0.3$ ), **126**, 336  
 $\text{Fe}_2\text{O}_3/\text{ZrO}_2$  reduction behavior, **121**, 240  
 $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})(\text{PO}_4)]$ , **125**, 186  
nitrosylpentacyanoferrates, **123**, 39  
 $^{119}\text{Sn}$ , tin-doped  $\text{Fe}_3\text{O}_4$ , **122**, 353  
 $\text{SnO}_2\text{--V}_2\text{O}_5$ , **127**, 98  
 $\text{TiO}_2\text{--SnO}_2$ , **127**, 98  
 $\text{TiO}_2\text{--V}_2\text{O}_5$ , **127**, 98  
 $\text{ZnO}$  doped with iron, unusual iron site in, **125**, 224
- Multipole moments  
crystal field, Thomas–Fermi screening, **124**, 182
- Myristate  
chromium soap, spectroscopic and thermal behavior, **122**, 100

**N**

- Nanostructure  
transitions, relationship to flexible shearing phenomenon in  $\text{Hg}_{1-x}\text{V}_x\text{Sr}_{4-y}\text{Ba}_y\text{Cu}_2\text{O}_{7-\delta}\text{CO}_3$  ( $0.28 \leq x \leq 0.40$ ;  $0 \leq y \leq 2.65$ ), flexible shearing phenomenon relationship, **126**, 271
- Neodymium  
 $\text{BaNdTaO}_6$ , synthesis, suitability as substrates for  $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  films, **126**, 202  
 $\text{Er}_2\text{Ti}_2\text{O}_7\text{--Nd}_2\text{Zr}_2\text{O}_7$ , lanthanide-containing zirconotitanate solid solutions, **127**, 231  
 $\text{HNdTiO}_4$ , protonated oxides, **127**, 119  
 $\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$  ( $x = 0.6, 0.7, 1.2, 1.5$ ), pressure-induced structural transition, **126**, 88  
 $\text{NaLaTiO}_4$ , structure and ionic conductivity, comparison with  $\text{Na}_2\text{Nd}_{2-x}\text{Ti}_{10}$ , **121**, 430  
 $\text{Na}_2\text{Nd}_2\text{Ti}_3\text{O}_{10}$ , comparison with  $\text{NaGdTIO}_4$  structure and ionic conductivity, **121**, 430  
 $\text{NdBa}_2\text{Cu}_3\text{O}_{6.88}$ , superconductor with tetragonal unit cell, single-crystal structure, **121**, 415  
 $(\text{Nd}_{1-x}\text{Ca}_x)\text{MnO}_3$  ( $x = 0-0.5$ ), hole-doped, Mn valence determination by XANES and magnetic behavior, letter to editor, **125**, 112  
 $\text{Nd}_{0.7}\text{Ca}_{0.3-x}\text{Sr}_x\text{MnO}_3$ , size effect in, role in low temperature orthorhombic–monoclinic transition, letter to editor, **127**, 131  
 $\text{ANdCl}_4 \cdot 4\text{H}_2\text{O}$  ( $\text{A} = \text{NH}_4, \text{K}, \text{Rb}, \text{Cs}$ ), crystal structure, **126**, 44  
 $\text{Nd}(\text{Cr}_{1-x}\text{Co}_x)\text{O}_3$ , cobalt ion in, spin state, **122**, 297  
 $\text{Nd}_2\text{CuO}_4$  prepared by sol–gel method, particle size and lattice parameters, effect of calcination temperature, **122**, 25  
 $\text{Nd}_2\text{CuO}_4$  ( $T'$ )-type structure, tolerance factor for, **125**, 63  
 $\text{Nd}_{1.2}\text{Er}_{0.8}\text{Ti}_2\text{O}_7\text{--Nd}_2\text{Zr}_2\text{O}_7$ , lanthanide-containing zirconotitanate solid solutions, **127**, 231  
 $\text{NdMn}_{1-x}\text{Cr}_x\text{O}_3$ , magnetic and electrical properties, letter to editor, **127**, 354  
 $\text{Nd}_x\text{Nb}_6\text{Te}_8$ , preparation and transport properties, **121**, 332  
 $\text{NdNiO}_3$ , covalent exchange versus superexchange, letter to editor, **127**, 126  
 $\text{Nd}_2\text{O}_2\text{CN}_2$ , synthesis and crystal structure, **125**, 37  
 $\text{NdPd}_2\text{Al}_3$ , antiferromagnetic structure, magnetic properties, sample dependence and determination, **127**, 169  
 $\text{Nd}_2\text{Ru}_2\text{O}_7$ , structural and bonding trends, **126**, 261  
 $\text{NdSi}_2\text{P}_6$ , preparation and crystal structure, **124**, 346  
 $(\text{Nd}_x, \text{Sm}_{1-x})\text{AlO}_3$ , structure change from orthorhombic to trigonal system, **126**, 221  
 $(\text{Nd}_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{20}$ , synthesis under  $P_{\text{O}_2} = 20$  MPa, **125**, 117  
 $\text{Nd}_{1-x}\text{TiO}_3$ , structural and magnetic properties for  $x = 0, 0.05$ , and 0.10, **121**, 443

- Nd<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub>, preparation and crystal structure, **122**, 81  
 Nd<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>–SrTiO<sub>3</sub> system, phase formation at 1350°C in presence of V<sub>2</sub>O<sub>5</sub>, CuV<sub>2</sub>O<sub>6</sub>, or SrCuO<sub>2</sub>, **121**, 324  
 Sr<sub>1+x</sub>Nd<sub>1-x</sub>FeO<sub>4-y</sub>, nonstoichiometry and physical properties, **123**, 161  
 Sr<sub>1-x</sub>Nd<sub>x</sub>MnAl<sub>1</sub>O<sub>19- $\alpha$</sub> , changes of crystalline phase and catalytic properties, **121**, 190  
 Neutron diffraction, *see also* Powder neutron diffraction  
 Cr<sub>2</sub>P crystal structure, **123**, 306  
 Li<sub>1-x</sub>Ni<sub>1+x</sub>O<sub>2</sub> (0 ≤  $x$  ≤ 0.08), **127**, 109  
 Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, **127**, 131  
 Sr[Fe(CN)<sub>5</sub>NO]·4H<sub>2</sub>O single crystals, **123**, 48
- Nickel  
 Au–Ni–Sn ternary system, phase relations, **123**, 203  
 Ba<sub>2</sub>Fe<sub>4</sub>NiO<sub>13.5</sub>, ten-layer, preparation and crystal structure, **121**, 133  
 Ba<sub>8</sub>Ta<sub>6</sub>NiO<sub>24</sub>, synthesis and crystal structure, **125**, 102  
 CaNiSi<sub>2</sub>O<sub>6</sub>, synthesis, structure, and magnetic properties, **124**, 374  
 La<sub>8-x</sub>Ca<sub>x</sub>Cu<sub>8-y</sub>Ni<sub>y</sub>O<sub>20</sub>, 8–8-20 structure type in, stabilization, **121**, 319  
 La<sub>2</sub>NiO<sub>4+ $\delta$</sub>  (0 ≤  $\delta$  ≤ 0.25), magnetic and transport properties, **124**, 199  
 oxygen excess, analysis by high-resolution transmission electron microscopy, **125**, 133  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> (0 ≤  $x$  ≤ 0.25), synthesis, structural characterization, and electronic properties, **125**, 47  
 lanthanide nickel borocarbides and boronitrides, layered superconductors, chemical bonding topology, **124**, 329  
 Li<sub>6</sub>NiCl<sub>8</sub>, Suzuki-type, lattice dynamics, **124**, 162  
 Li<sub>3-x</sub>Ni<sub>2-x</sub>Cr<sub>x</sub>NbO<sub>6</sub> (0 <  $x$  < 0.18), continuous order–disorder transition, **124**, 214  
 Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub> rock salt structures, continuous order–disorder transition, **124**, 214  
 Li<sub>1-x</sub>Ni<sub>1+x</sub>O<sub>2</sub> (0 ≤  $x$  ≤ 0.08), magnetic properties, **127**, 109  
 Na<sub>172</sub>In<sub>197</sub>Ni<sub>2</sub>: indium phase with three stuffed and condensed fullerene-like cages, **123**, 344  
 Na<sub>x</sub>Ni<sub>0.6</sub>Co<sub>0.4</sub>O<sub>2</sub>, physical and electrochemical studies, **122**, 111  
 NaNiO<sub>2</sub>, covalent exchange versus superexchange, letter to editor, **127**, 126  
 NdNiO<sub>3</sub>, covalent exchange versus superexchange, letter to editor, **127**, 126  
 NiMnO<sub>3</sub>, hydrotalcite-like, synthesis and characterization, **124**, 205  
 NiMn<sub>2</sub>O<sub>4</sub>, hydrotalcite-like, synthesis and characterization, **124**, 205  
 Ni<sub>7+x</sub>S<sub>6</sub>, stability and structural properties, **121**, 400  
 Ni<sub>12</sub><sup>2+</sup>(X)<sub>2</sub>(SeO<sub>3</sub>)<sub>8</sub>(OH)<sub>6</sub> ( $X$  = OH<sup>-</sup>), synthesis and crystal structure, **126**, 169  
 Co<sub>2-x</sub>Sn<sub>2</sub>, B8-type solid solutions, interstitial transition metal ordering in, electron diffraction analysis, **127**, 222  
 NiTe<sub>2</sub>, crystal structure, and experimental and theoretical band structure, **121**, 87  
 Sr<sub>9</sub>Ni<sub>6.64</sub>O<sub>21</sub>, synthesis and crystal structure, **126**, 27
- Niobium  
 AB<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> ( $A$  = Sr,Ba), structure from refinement of powder neutron diffraction data, **126**, 135  
 CsCu<sub>2</sub>NbTe<sub>4</sub>, synthesis, structure, and characterization, **121**, 225  
 K<sub>x</sub>Ba<sub>1-x</sub>NbO<sub>3</sub>, electron microscopy, **123**, 236  
 K<sub>7-x/y</sub>Ba<sub>y</sub>Nb<sub>14</sub>P<sub>9</sub>O<sub>60</sub> ( $x$  = 0.27(5);  $y$  = 0.63(3)), synthesis, structure, and physical properties, **125**, 192  
 K<sub>4</sub>Ce<sub>2</sub>Nb<sub>10</sub>O<sub>30</sub>, TTB structure, synthesis, crystal growth, and joint X-ray and HREM study, **122**, 7  
 K<sub>2</sub>Mn[Nb<sub>6</sub>Cl<sub>18</sub>], synthesis and structure, **122**, 428  
 K<sub>3</sub>Nb<sub>6</sub>VO<sub>19</sub>, synthesis and crystal structure, **124**, 244  
 K<sub>2</sub>YNb<sub>5</sub>O<sub>15- $\delta$</sub> , preparation and crystal structure, **123**, 285  
 LaNb<sub>7</sub>O<sub>12</sub>, synthesis, crystal structure, and physical properties, **123**, 21  
 Li<sub>16</sub>Nb<sub>2</sub>N<sub>8</sub>O, crystal structure, **127**, 19  
 LiNbO<sub>3</sub>, magnesium-doped, comments on defect chemistry, **123**, 208  
 Li<sub>3-x</sub>Ni<sub>2-x</sub>Cr<sub>x</sub>NbO<sub>6</sub> (0 <  $x$  < 0.18), continuous order–disorder transition, **124**, 214  
 Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub> rock salt structures, continuous order–disorder transition, **124**, 214  
 Mn<sub>x</sub>NbS<sub>2</sub> (0.19 ≤  $x$  ≤ 0.52), synthesis and physical properties, **125**, 178  
 Na<sub>2+x</sub>P<sub>4</sub>Nb<sub>6</sub>O<sub>26</sub>, crystal growth and electrical and magnetic properties, **121**, 273  
 NbC synthesis from B-Nb<sub>2</sub>O<sub>5</sub>, **123**, 168  
 Nb<sub>N</sub><sub>6- $\delta$</sub> O<sub>y</sub>, iron-promoted synthesis, **127**, 267  
 Nb<sub>2</sub>O<sub>5</sub>-doped Mn–Zn ferrites, analysis, **121**, 117  
 Nb<sub>12</sub>O<sub>29</sub>, *in situ* chemical reaction in high resolution gas reaction cell microscope, **124**, 116  
 A<sub>x</sub>Nb<sub>6</sub>Te<sub>8</sub> ( $A$  = Ti,Ca,Sr,Ba,La,Nd), preparation and transport properties, **121**, 332  
 oxides, electroforming and switching, **122**, 95  
 Sb<sub>n</sub><sup>III</sup>Sb<sub>x</sub><sup>V</sup>Nb<sub>n-x</sub>TiO<sub>4n+2</sub> ( $n$  = 1,2,3), synthesis and structural characterization, **125**, 19  
 TeO<sub>2</sub>–Nb<sub>2</sub>O<sub>5</sub> oxide glasses, local geometries around, determination by XANES and EXAFS, **126**, 143
- Nitrogen  
 [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, synthesis and structure, **127**, 145  
 atmosphere, Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> thermal stability and structural changes under, **121**, 79  
 BN, hexagonal system, chemical reactions, **123**, 215  
 (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372; *erratum*, **122**, 451  
 Ca–Zr–O–N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
 Ce<sup>IV</sup>Rb<sub>2</sub>(NO<sub>3</sub>)<sub>6</sub>, thermal behavior and crystal structure, **122**, 59  
 Ce<sup>III</sup>Rb<sub>3</sub>(NO<sub>3</sub>)<sub>9</sub>, thermal behavior and crystal structure, **122**, 59  
 (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, infrared and polarized Raman spectra, **127**, 51  
 [(CH<sub>3</sub>)<sub>4</sub>N]<sub>2</sub>MGe<sub>4</sub>S<sub>10</sub> ( $M$  = Fe,Cd), structure refinement by Rietveld method, **121**, 473  
 CH<sub>3</sub>NH<sub>3</sub>[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200  
 C<sub>3</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>2</sub>PO<sub>4</sub><sup>-</sup>·H<sub>3</sub>PO<sub>4</sub>, crystal structure: effect of polyanion charge on centrosymmetric structure formation, **124**, 8  
 [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>4</sub>O<sub>18</sub>·6H<sub>2</sub>O, structure, thermal behavior, and infrared analysis, **127**, 9  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, **122**, 251  
 (Et<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115  
 (FeO(OH)<sub>1-x</sub>(NO<sub>3</sub>)<sub>x</sub> (0.2 ≤  $x$  ≤ 0.3), synthesis, **126**, 336  
 [H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sub>0.5</sub>[Fe(OH)(PO<sub>4</sub>)], hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)], hydrothermal synthesis and crystal structure, **125**, 270  
 [H<sub>3</sub>N(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)]·0.5H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **125**, 270  
 [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, **126**, 292  
 La(NO<sub>3</sub>)<sub>3</sub>·4H<sub>2</sub>O, polymorphic phases, structure determination from X-ray powder diffraction, **126**, 127  
 lanthanide nickel boronitrides, layered superconductors, chemical bonding topology, **124**, 329  
 Li<sub>16</sub>Nb<sub>2</sub>N<sub>8</sub>O, crystal structure, **127**, 19  
 LiNH<sub>3</sub>OHSO<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72

- (Me<sub>3</sub>NH)[Ag<sub>3</sub>As<sub>2</sub>Se<sub>5</sub>], thermal stability and optical absorption, **127**, 186  
 (Me<sub>3</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115  
 Mg–Zr–O–N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
 Na<sub>3</sub>AlP<sub>3</sub>O<sub>9</sub>N, crystal structure determination, **121**, 418  
 Na<sub>2</sub>Mg<sub>2</sub>P<sub>3</sub>O<sub>9</sub>N, and related compounds, preparation and characterization, **121**, 418  
 Nb<sub>5</sub>N<sub>6-x</sub>O<sub>y</sub>, iron-promoted synthesis, **127**, 267  
 [N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·2H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83  
 N<sub>2</sub>C<sub>4</sub>H<sub>14</sub>, (VO<sub>3</sub>)<sub>2</sub>, hydrothermal synthesis and structure determination, **124**, 151  
 (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **125**, 200  
 (NH<sub>3</sub>OH)<sub>2</sub>SO<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72  
 Ln<sub>2</sub>O<sub>2</sub>CN<sub>2</sub> (Ln = Ce, Pr, Nd, Sm, Eu, Gd), synthesis and crystal structure, **125**, 37  
 [M{O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NHCH<sub>2</sub>PO<sub>3</sub>}]<sub>n</sub>·H<sub>2</sub>O (M = Mn, Co), 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408  
 Sr[Fe(CN)<sub>5</sub>NO]·4H<sub>2</sub>O, single crystals, neutron diffraction study, **123**, 48  
 Ta<sub>5</sub>N<sub>6-x</sub>O<sub>y</sub>, iron-promoted synthesis, **127**, 267  
 vanadium oxynitrides, synthesis, crystal structure, electrical, magnetic, and electrical lithium intercalation properties, **122**, 376  
 Yb(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O crystal, ac conductivity in, temperature and frequency dependence, **121**, 74  
 Y–Zr–O–N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
 [Zn<sub>4</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>3</sub>]NH(CH<sub>3</sub>)<sub>3</sub>, 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243  
 Nitrosylpentacyanoferrates  
 Mössbauer parameters, determination, **123**, 39  
 Nonstoichiometry  
 La<sub>1-x</sub>MnO<sub>3+δ</sub>, **124**, 43  
 Nuclear magnetic resonance  
 Ca<sub>4+x</sub>Si<sub>6</sub>O<sub>14+2x</sub>(OH)<sub>4-2x</sub>(H<sub>2</sub>O)<sub>2</sub> (0 ≤ x ≤ 1), molecular dynamics simulation, **127**, 92  
 effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126**, 99  
<sup>23</sup>Na, Na<sup>+</sup>/La<sup>3+</sup>–β"-Al<sub>2</sub>O<sub>3</sub> crystals, **122**, 315  
<sup>31</sup>P, MAS, crystalline and glassy NASICON-type phosphates, **121**, 197  
 SrV<sub>2</sub>S<sub>5</sub>, Knight shift, **126**, 189  
 Nuclear structure  
 TiPO<sub>4</sub>, CrVO<sub>4</sub>-type phosphate, **126**, 15  
 VPO<sub>4</sub>, CrVO<sub>4</sub>-type phosphate, **126**, 15
- O**
- Obituary  
 Alexander F. "Jumbo" Wells, **121**, 1
- Optical analysis  
 LiYO<sub>2</sub>, Eu<sup>3+</sup>- and Tb<sup>3+</sup>-doped, **121**, 457
- Order-disorder transition  
 continuous, in undoped and Cr-doped Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub> rock salt structures, **124**, 214
- Ordering  
 Ca<sub>3</sub>Co<sub>2</sub>O<sub>6</sub>, **124**, 190  
 Fe<sub>x</sub>S<sub>8</sub>, TEM analysis, **124**, 264  
 Pb<sub>1.5</sub>Ta<sub>2</sub>O<sub>6.5</sub>–Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, **126**, 253  
 in pyrrhotite, high-temperature X-ray powder diffraction and thermodynamic study, **126**, 108  
 UO<sub>2</sub>–WO<sub>3</sub>, analysis by HREM and X-ray powder diffraction, **121**, 167  
 vacancies in ZrO<sub>2</sub>-rich part of Ca–Zr–O–N, Mg–Zr–O–N, and Y–Zr–O–N systems, **125**, 153
- Orthorhombic–monoclinic transition  
 low temperature, role of size effect in Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, letter to editor, **127**, 131
- Oxalate  
 Bi<sub>2</sub>O<sub>3</sub>, precursors for incorporation of bismuth in, analysis, **126**, 152
- Oxidation  
 butane, (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> catalyst for, extended defects in, modeling, **122**, 259  
 methane, on near-stoichiometric strontium hydroxyapatites, analysis, **126**, 242
- Oxidation mechanism  
 trivalent Mn ions in Mn<sub>x</sub>CoFe<sub>2-x</sub>O<sub>4</sub> spinel ferrites, **125**, 67
- Oxides  
 copper–zinc–cobalt–aluminum–chromium, characterization, **122**, 324  
 Cu–Zn–Co–Al-containing, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372
- Oxoacetate  
 Bi<sub>2</sub>O<sub>3</sub>, precursors for incorporation of bismuth in, analysis, **126**, 152
- Oxycarbonates  
 Cu–Zn–Co–Al-containing, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372
- Oxygen  
 atmosphere, Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub> thermal stability and structural changes under, **121**, 79  
 deficiency in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub>, neutron diffraction analysis, **127**, 56  
 diffusion in LaMnO<sub>3</sub> and LaCoO<sub>3</sub> perovskite-type oxides, **124**, 230  
 excess, accommodation in La<sub>2</sub>NiO<sub>4+δ</sub>, analysis by high-resolution electron transmission microscopy, **125**, 133  
<sup>18</sup>O tracer diffusion in single-crystal CaTiO<sub>3</sub>, **124**, 195
- Oxygen vacancies  
 in Bi<sub>2</sub>Ir<sub>2</sub>O<sub>7-y</sub>, analysis by powder neutron diffraction, **123**, 14  
 in Pb<sub>2</sub>Ir<sub>2</sub>O<sub>6.5</sub>, analysis by powder neutron diffraction, **123**, 14
- P**
- Packing distortions  
 in quartz and quartz-like materials, general survey, **123**, 1
- Palladium  
 CePdIn<sub>2</sub>, structural, magnetic, and electrical properties, **122**, 143  
 Na<sub>172</sub>In<sub>197</sub>Pd<sub>2</sub>: indium phase with three stuffed and condensed fullerene-like cages, **123**, 344  
 NdPd<sub>2</sub>Al<sub>3</sub>, antiferromagnetic structure, magnetic properties, sample dependence and determination, **127**, 169
- Paramelaconite  
 Cu<sub>4</sub>O<sub>3</sub>, synthesis, **121**, 33
- Pentaerythritol  
 and tris(hydroxymethyl)aminomethane, molecular alloys, analysis of molecular interactions and packing, **124**, 29
- Perovskites  
 Ba<sub>8</sub>Ta<sub>6</sub>NiO<sub>24</sub>, synthesis and crystal structure, **125**, 102  
 Ba<sub>RE</sub>TaO<sub>6</sub> (RE = Pr, Nd, Eu, Dy), synthesis, suitability as substrates for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, **126**, 202  
 CaFeTi<sub>2</sub>O<sub>6</sub>, convergent beam electron diffraction and high-resolution electron microscopy, **123**, 73  
 Ca<sub>(1-x)</sub>Gd<sub>(x)</sub>TiO<sub>3</sub>, charge compensation, **124**, 77  
 CaO–ZrO<sub>2</sub>–Ta<sub>2</sub>O<sub>5</sub>, **127**, 82  
 La<sub>0.5</sub>Ba<sub>0.5</sub>Co<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub>, magnetic properties, **121**, 158  
 La<sub>8-x</sub>Ca<sub>x</sub>Cu<sub>8-y</sub>Ni<sub>y</sub>O<sub>20</sub>, 8–8–20 structure type in, stabilization, **121**, 319  
 (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, relationship of crystal structure and electrical properties of Ca-rich region, **124**, 360  
 La<sub>A</sub>xMn<sub>w</sub>O<sub>3</sub> (A = Na, K, Rb, Sr), magnetic and electrical properties, **124**, 250  
 La<sub>2</sub>NiO<sub>4+δ</sub>, **125**, 133  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> (0 ≤ x ≤ 0.25), synthesis, structural characterization, and electronic properties, **125**, 47

- $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ , oxygen diffusion in, **124**, 230  
 $\text{La}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-y}$  ( $0.15 \leq y \leq 0.33$ ), high-resolution electron microscopy, **125**, 125  
 $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ , oxygen diffusion in, **124**, 230  
 $A_{0.7}A'_{0.3}\text{MnO}_3$  ( $A = \text{La}, \text{Pr}; A' = \text{Ca}, \text{Sr}, \text{Ba}$ ), perovskite, structural phase diagram, letter to editor, **122**, 444  
 $\text{Mn}_2\text{B}_{\text{Sb}}\text{O}_6$  ( $B = \text{Fe}, \text{V}, \text{Cr}, \text{Ga}, \text{Al}$ ), **124**, 333  
 $\text{Nd}_{0.7}\text{Ca}_{0.3-x}\text{Sr}_x\text{MnO}_3$ , size effect in, role in low temperature orthorhomtic–monoclinic transition, letter to editor, **127**, 131  
 $A_{3n+3}A'_nB_{3+n}\text{O}_{9+6n}$  family related to,  $\text{Sr}_9\text{Ni}_{6.64}\text{O}_{21}$  member of, synthesis and crystal structure, **126**, 27  
 $\text{Pr}_{1/2}\text{Sr}_{1/2}\text{MnO}_3$ , increase of  $T_N$  up to 190 K, letter to editor, **123**, 413  
 $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ , monoclinic allotype in, analysis, **127**, 276  
 $\text{SrCuO}_{2.5}$ , **121**, 498  
 $\text{Sr}_{1-x}\text{M}_x\text{TiO}_3$  ( $M = \text{Ca}, \text{Mg}; 0 \leq x \leq 1$ ), vibrational spectroscopy and X-ray diffraction, **124**, 353  
Phase composition  
  Au–Sn structure, determination by convergent beam electron diffraction, **124**, 132  
Phase diagrams  
   $\text{Ba}_2\text{B}_4\text{O}_4\text{--BaF}_2\text{--2NaF--Na}_2\text{B}_2\text{O}_4$  reciprocal system, **126**, 80  
  B–N–O ternary system, **123**, 215  
   $A_{0.7}A'_{0.3}\text{MnO}_3$  ( $A = \text{La}, \text{Pr}; A' = \text{Ca}, \text{Sr}, \text{Ba}$ ), perovskite, letter to editor, **122**, 444  
  pentaerythritol and tris(hydroxymethyl)aminomethane, in analysis of molecular interactions and packing in molecular alloys of nonisomorphic plastic phases, **124**, 29  
Phase equilibria  
   $\text{Bi}_2\text{O}_3\text{--Ln}_2\text{O}_3$  ( $\text{Ln} = \text{Dy}, \text{Ho}, \text{Er}, \text{Y}$ ), pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287  
   $\text{TiBO}_3$ , boron incorporation, **127**, 240  
Phase formation  
   $\text{Nd}_2\text{Ti}_2\text{O}_7\text{--SrTiO}_3$  system at 1350°C in presence of  $\text{V}_2\text{O}_5$ ,  $\text{CuV}_2\text{O}_6$ , or  $\text{SrCuO}_2$ , **121**, 324  
Phase relations  
  in Au–Ni–Sn ternary system, **123**, 203  
   $\text{BaO--Fe}_2\text{O}_3\text{--TiO}_2$  ternary system, **121**, 38  
  subsolidus in  $\text{BiO}_{3/2}\text{--PrO}_{11/6}\text{--CuO}$ , **125**, 85  
Phase stability  
   $\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}$ , **121**, 278  
   $\text{Ba}_{2.33}\text{Al}_{21.33}\text{O}_{34.33}$ , **121**, 278  
   $\text{Ca}(\text{OH})_2$ , analysis with *in situ* high-pressure Raman spectroscopy, **126**, 300  
Phase transitions  
   $\text{Bi}_2\text{CdO}_2[\text{GeO}_4]$ , **123**, 371  
   $\text{CuCrO}_2$ , **122**, 247  
   $\text{Fe}_7\text{S}_8$ , TEM analysis, **124**, 264  
   $\text{GeO}_2$ , from  $\alpha$ -quartz to rutile structure, computational analysis, **127**, 137  
   $\text{K}_3\text{MO}_3\text{F}_3\text{--A}_3\text{MO}_3\text{F}_3$  ( $A = \text{Na}, \text{Rb}; M = \text{Mo}, \text{W}$ ), analysis, **124**, 123  
   $\text{LiCD}_3\text{COO}\cdot 2\text{D}_2\text{O}$ , room- and low-temperature, crystal structure and methyl group dynamics, **126**, 184  
   $\text{Li}_2\text{FeBr}_4$ , **124**, 292  
   $\text{LiYO}_2$ , Eu<sup>3+</sup>- and Tb<sup>3+</sup>-doped, optical and crystallographic study, **121**, 457  
   $\text{Mn}_2\text{B}_{\text{Sb}}\text{O}_6$  ( $B = \text{Fe}, \text{V}, \text{Cr}, \text{Ga}, \text{Al}$ ), **124**, 333  
   $\text{Mn}_2\text{V}_2\text{O}_7$ , **121**, 214  
  in pyrrhotite, high-temperature X-ray powder diffraction and thermomagnetic study, **126**, 108  
   $\text{Tl}_2\text{CuF}_4$ , magnetic and structural, **122**, 87  
Phosphates  
  U(IV)-containing, chemistry, reexamination, **121**, 467  
Phosphides  
   $\text{LnSi}_2\text{P}_6$  ( $\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}$ ), preparation and crystal structure, **124**, 346  
Phosphorus  
   $[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , synthesis and structure, **127**, 145  
   $\text{Ba}_3\text{Mo}_2\text{O}_2(\text{PO}_4)_4$ , with chain-like structure, synthesis, **125**, 147  
   $\text{BaNH}_4(\text{PO}_3)_3$ , synthesis in melt and characterization, **125**, 43  
   $\text{Ba}_3(\text{PO}_4)_2$ , Eu<sup>2+</sup> luminescence in, **122**, 432  
   $\text{BiNH}_4\text{P}_4\text{O}_{12}$ , synthesis in melt and characterization, **125**, 43  
   $\text{Ca}_9\text{FeH}_{0.9}(\text{PO}_4)_7$ , crystal structure and characterization, **122**, 15  
   $\text{Ca}_6\text{Fe}(\text{PO}_4)_7$ , crystal structure and characterization, **122**, 15  
   $\text{Ca}_2\text{M}_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$  ( $M = \text{K}, \text{Ti}, \text{Rb}$ ), structural characterization, **126**, 308  
   $\text{CdMoO}_2\text{PO}_4$ , synthesis and crystal structure, **122**, 343  
   $\text{Cd}_5\text{M}_2^{\text{III}}(\text{P}_2\text{O}_7)_4$  ( $M = \text{V}, \text{Fe}$ ), cationic distribution, **121**, 291  
   $\text{Ce}_5\text{Cu}_{19}\text{P}_{12}$ , crystal structure and elementary physical properties, **121**, 51  
   $\text{CH}_3\text{NH}_3[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , hydrothermal synthesis and structure, **125**, 200  
   $\text{C}_5\text{H}_6\text{N}_3\text{O}_2^{+}\cdot \text{H}_2\text{PO}_4^{-}\cdot \text{H}_3\text{PO}_4$ , crystal structure: effect of polyanion charge on centrosymmetric structure formation, **124**, 8  
   $[\text{C}_6\text{H}_{18}\text{N}_3]_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$ , structure, thermal behavior, and infrared analysis, **127**, 9  
   $\text{trans-Co(dien)}_2\cdot \text{Al}_3\text{P}_4\text{O}_{16}\cdot 3\text{H}_2\text{O}$ , with chiral layers, synthesis and characterization, **125**, 228  
   $\text{CoSi}_3\text{P}_3$ , synthesis, crystal structure, Raman spectroscopy, and physical characterization, **124**, 366  
   $\text{Cr}_{1-x}\text{Mn}_x\text{P}_4$  ( $x = 0.3\text{--}0.7$ ), crystal structure, correspondence to 4-MnP<sub>4</sub>, **122**, 206  
   $\text{Cr}_2\text{P}$ , crystal structure, determination by neutron diffraction data, **123**, 306  
   $\text{Cs}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot \text{H}_2\text{O}$ , hydrothermal synthesis and structure, **125**, 200  
   $\text{Cu}_{0.5}^{\text{II}}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti}, \text{Zr}$ ), Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
   $\text{Cu}^{\text{I}}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti}, \text{Zr}$ ), Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
   $\alpha\text{-M}(\text{DPO}_4)_2\cdot \text{D}_2\text{O}$  ( $M = \text{Ti}, \text{Zr}, \text{Pb}$ ), structural features of reactive sites, **125**, 261  
   $\text{H}_{0.5}\text{Cu}_{0.5}^{\text{I}}\text{M}_2(\text{PO}_4)_3$  ( $M = \text{Ti}, \text{Zr}$ ), Nasicon-type copper phosphates, Raman and Infrared spectra, **127**, 341  
   $\text{Hf}_{5.08}\text{Mo}_{0.92}\text{P}_3$ , structure, bonding, and site preferences, **121**, 362  
   $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})(\text{PO}_4)]$ , hydrothermal synthesis, structure, magnetic properties, and Mössbauer spectroscopy, **125**, 186  
   $[\text{H}_3\text{N}(\text{CH}_2)_4\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)]$ , hydrothermal synthesis and crystal structure, **125**, 270  
   $[\text{H}_3\text{N}(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)]\cdot 0.5\text{H}_2\text{O}$ , hydrothermal synthesis and crystal structure, **125**, 270  
   $[\text{H}_2\text{N}(\text{C}_2\text{H}_4)_2\text{NH}_2]_{0.5}[(\text{VO})_4\text{V}(\text{HPO}_4)_2(\text{PO}_4)_2\text{F}_2(\text{H}_2\text{O})_4]\cdot 2\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **126**, 292  
   $\text{H}[\text{Zn}_4(\text{PO}_4)_3]\text{H}_2\text{O}$ , 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243  
   $\text{K}_{7-x-y}\text{Ba}_x\text{Nb}_{14}\text{P}_9\text{O}_{60}$  ( $x = 0.27(5); y = 0.63(3)$ ), synthesis, structure, and physical properties, **125**, 192  
   $\text{KIn(OH)}\text{PO}_4$ , synthesis and structure, **123**, 243  
   $\text{K}_{6.6}\text{Mo}_{2.36}\text{W}_{3.64}\text{O}_{15}(\text{PO}_4)_4$ , molybdenotungsten monophosphate with opened structure, **127**, 1  
   $\text{KTiPS}_5$ , synthesis and structure, **125**, 30  
   $\text{K}_2[(\text{VO})_3(\text{PO}_4)_2\text{F}_2(\text{H}_2\text{O})]\cdot \text{H}_2\text{O}$ , hydrothermal synthesis and structure, **126**, 292  
   $\text{La}_5\text{Cu}_{19}\text{P}_{12}$ , crystal structure and elementary physical properties, **121**, 51  
   $\text{LiMo}_2\text{O}_3(\text{PO}_4)_2$ , mixed-valence monophosphate with 3D framework, **124**, 322  
   $\text{Li}_x\text{Mo}_2\text{O}_3(\text{PO}_4)_2$  with tunnel structure, synthesis, **122**, 107  
   $\text{Na}_3\text{AlP}_3\text{O}_9\text{N}$ , and related compounds, preparation and characterization, **121**, 418  
   $\text{Na}_4\text{Co}_3(\text{PO}_4)_2\text{P}_2\text{O}_7$ , with 3D system of intersecting tunnels, **123**, 129

- $\text{Na}_2\text{Mg}_2\text{P}_3\text{O}_9\text{N}$ , and related compounds, preparation and characterization, **121**, 418
- $\text{NaMoOP}_2\text{O}_7$ , molybdenum V diphosphate with structure  $\text{KMnOP}_2\text{O}_7$ , **124**, 24
- $\text{Na}_{1+x}(\text{Mo,W})_x\text{O}_2\text{PO}_4$ , synthesis and characterization, **124**, 224
- $\text{Na}_{2+x}\text{P}_4\text{Nb}_6\text{O}_{26}$ , crystal growth and electrical and magnetic properties, **121**, 273
- $\text{NaM}_2(\text{PO}_4)_3$  ( $M = \text{Zr,Ti}$ ), NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197
- $\text{Na}_3M(\text{PO}_4)_3$  ( $M = \text{Zr,Ti}$ ), NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197
- $\text{NaTi}_2(\text{PS}_4)_3$ , interlocked structure, **121**, 230
- $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_2)[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , hydrothermal synthesis and structure, **125**, 200
- $(\text{NH}_4)_2\text{V}^{\text{IV}}\text{O}(\text{V}_{2-x}\text{P}_x\text{O}_7)$ , synthesis and structure, **122**, 139
- $[\text{M}(\text{O}_3\text{PCH}_2\text{NH}(\text{C}_2\text{H}_4)_2\text{NHCH}_2\text{PO}_3)]\cdot\text{H}_2\text{O}$  ( $M = \text{Mn,Co}$ ), 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408
- $(\text{Ph}_4\text{P})_2[\text{Hg}_2\text{As}_8\text{Se}_{11}]$ , hydrothermal synthesis and characterization, **123**, 115
- $\text{MPO}_4$  ( $M = \text{Al,Ga,Fe}$ ), packing distortions, temperature effects, and pressure effects, **123**, 1
- $\text{o-P}_2\text{O}_5$ , refinement and crystal structure, **127**, 350
- $(\text{PO}_2)_4(\text{WO}_3)_{14}$ , single crystals, HREM analysis, **127**, 302
- $\text{P}_4\text{W}_{14}\text{O}_{50}$ , structural study, **122**, 281
- $\text{RbTiPS}_5$ , synthesis and structure, **125**, 30
- $\text{Rb}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **125**, 200
- $\text{RuP}_3\text{SiO}_{11}$ , synthesis and crystal structure, **121**, 247
- $\text{LnSi}_2\text{P}_6$  ( $Ln = \text{La,Ce,Pr,Nd}$ ), preparation and crystal structure, **124**, 346
- $[\text{Sn}(\text{HO}_3\text{PCH}_2\text{PO}_3\text{H})]\cdot\text{H}_2\text{O}$ , solid phases, synthesis and structural characterization, **125**, 182
- $[\text{Sn}_2(\text{O}_3\text{PC(OH)(CH}_3\text{)}\text{PO}_3)]$ , solid phases, synthesis and structural characterization, **125**, 182
- $\text{Sr}_2\text{P}_2\text{O}_7$ , **126**, 242
- $\text{Sr}_3(\text{PO}_4)_2$
- $\text{Eu}^{2+}$  luminescence in, **122**, 432
  - stoichiometric and nonstoichiometric, surface and bulk properties, oxidation of methane on, analysis, **126**, 242
- $\text{Ti}(\text{NH}_4)_2\text{P}_4\text{O}_{13}$ , synthesis in melt and characterization, **125**, 43
- $\text{TiPO}_4$ ,  $\text{CrVO}_4$ -type phosphate, nuclear and magnetic structure, **126**, 15
- $\text{U}(\text{O}_3\text{PC}_6\text{H}_5)_2$ , synthesis, structure, and characterization, **121**, 181
- $\text{UP}_2\text{O}_7$ , synthesis, structure, and characterization, **121**, 181
- $\text{U}(\text{UO}_2)(\text{PO}_4)_2$ , synthesis, **121**, 467
- $\text{AV}_2\text{O}(\text{PO}_4)_2$  ( $A = \text{Cd,Ca,Sr}$ ), structure and magnetism, **127**, 325
- $(\text{VO})_2\text{P}_2\text{O}_7$ , for butane oxidation, extended defects in, modeling, **122**, 259
- $(\text{VO})_2\text{P}_2\text{O}_7$  precursors, flame generation, **124**, 95
- $\text{VPO}_4$ ,  $\text{CrVO}_4$ -type phosphate, nuclear and magnetic structure, **126**, 15
- $[\text{Zn}_4(\text{H}_2\text{O})(\text{PO}_4)_3]\text{NH}(\text{CH}_3)_3$ , 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243
- $\text{ZrP}_2\text{O}_7$ , flexibility, **121**, 2
- Photocatalysis
- reduction on iron complex semiconductors, **126**, 227
- Photoluminescence
- $\text{Ce}^{3+}$ ,  $\text{Tb}^{3+}$ , and  $\text{Mn}^{2+}$  in  $\text{LaMgB}_5\text{O}_{10}$  glasses of base composition, **123**, 398
- Piracetam
- polymorphs,  $p,T$  diagram and stability, **122**, 186
- Plastics
- nonisomorphous phases, molecular alloys of, analysis of molecular interactions and packing, **124**, 29
- Platinum
- $\text{Na}_{172}\text{In}_{19}\text{Pt}_2$ : indium phase with three stuffed and condensed fullerene-like cages, **123**, 344
- $\text{PbPt}_2\text{O}_4$ , synthesis and ab initio structure determination, **124**, 309
- $\text{Pt/TiO}_2$  sol–gel catalyst, synthesis and characterization, **122**, 309
- Polarized light microscopy
- $\text{K}_3\text{MO}_3\text{F}_3\text{--A}_3\text{MO}_3\text{F}_3$  ( $A = \text{Na,Rb}; M = \text{Mo,W}$ ), **124**, 123
- Polyacrylic acid
- firing gels for synthesis of  $\text{LaMnO}_{3+\delta}$  in pure argon stream, **121**, 495
- Polyanion charge
- effect on centrosymmetric structure formation: analysis of crystal structure of  $\text{C}_5\text{H}_6\text{N}_3\text{O}_2^+\cdot\text{H}_2\text{PO}_4^-\cdot\text{H}_3\text{PO}_4$ , **124**, 8
- Polycrystals
- $\text{Ca}_2\text{Zr}_5\text{Ti}_2\text{O}_{16}$ , sintered, analysis by TEM, **126**, 177
- Polyhedrons
- $\text{Fe}_2\text{Al}_5$  and  $\text{MnAl}_6$  compound coordination, **124**, 65
- Polymorphism
- $\text{BaCoS}_{2-\delta}$ , **127**, 211
  - phenomenology:  $p,T$  diagram and stability of Piracetam polymorphs, **122**, 186
- Polyparaphenylenes
- $\text{Li}^+$  and  $\text{Na}^+$  ions, solid state electrochemical intercalation, **127**, 123
- Polyvinyl alcohol
- effect on  $\text{YBa}_2\text{Cu}_4\text{O}_8$  superconductors prepared by sol–gel method, **121**, 356
- Potassium
- $\text{Ag}_2\text{HgI}_4\text{--Cu}_2\text{HgI}_4$  systems doped with, ion conduction in, **122**, 349
  - $\text{Ca}_2\text{K}_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$ , structural characterization, **126**, 308
  - $\text{KAg}_3\text{As}_2\text{S}_5$ , thermal stability and optical absorption, **127**, 186
  - $\text{K}_5\text{Ag}_2\text{As}_5\text{Se}_9$ , thermal stability and optical absorption, **127**, 186
  - $\text{KAg}_3\text{Sb}_4$ , supercritical ammonia synthesis and characterization, **123**, 277
  - $\text{K}_2\text{AgSb}_4$ , supercritical ammonia synthesis and characterization, **123**, 277
  - $\text{K}_5\text{Al}_9\text{Si}_{27}\text{O}_{72}\cdot n\text{H}_2\text{O}$ , exchange in heulandite single-crystals, **123**, 140
  - $\text{K}_{0.8}\text{Ba}_{0.6}\text{Fe}_{10.5}\text{Co}_{0.25}\text{O}_{17}$ , synthesis and magnetic properties, **122**, 68
  - $\text{K}_x\text{Ba}_{1-x}\text{Nb}_3\text{O}_3$ , electron microscopy, **123**, 236
  - $\text{K}_{7-x-y}\text{Ba}_x\text{Nb}_{14}\text{P}_9\text{O}_{60}$  ( $x = 0.27(5); y = 0.63(3)$ ), synthesis, structure, and physical properties, **125**, 192
  - $\text{KBr}$ , polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22
  - $\text{K}_4\text{Ce}_2\text{M}_{10}\text{O}_{30}$  ( $M = \text{Nb,Ta}$ ), TTB structure, synthesis, crystal growth, and joint X-ray and HREM study, **122**, 7
  - $\text{KCl}$ , polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22
  - $\text{KCl}_{0.5}\text{Br}_{0.5}$ , polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22
  - $\text{KLnCl}_4\cdot 4\text{H}_2\text{O}$  ( $Ln = \text{La-Sm}$ ), crystal structure, **126**, 44
  - $\text{KCo}_{2-x}\text{Cu}_x\text{S}_2$  ( $0.5 \leq x \leq 1.5$ ), synthesis, electrical and magnetic properties, **127**, 151
  - $\text{K}_2\text{Cr}_8\text{O}_{16}$ , crystal structure, **126**, 1
  - $\text{KHF}_2$ , equation of state to 12.3 GPa and stability of  $I4/mcm$  structure to 50 GPa, **125**, 171
  - $\text{KI}$ , polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22
  - $\text{K}_3\text{In}_2\text{GeSb}_{22}$ , crystal and electronic structure, **122**, 239
  - $\text{KIn(OH)}\text{PO}_4$ , synthesis and structure, **123**, 243
  - $\text{K}_2\text{Mn}[\text{Nb}_6\text{Cl}_{18}]$ , synthesis and structure, **122**, 428
  - $\text{K}_{6.6}\text{Mo}_{2.36}\text{W}_{3.64}\text{O}_{15}(\text{PO}_4)_4$ , molybdenotungsten monophosphate with opened structure, **127**, 1
  - $\text{K}_3\text{Nb}_5\text{VO}_{19}$ , synthesis and crystal structure, **124**, 244
  - $\text{K}_3\text{MO}_3\text{F}_3\text{--A}_3\text{MO}_3\text{F}_3$  ( $A = \text{Na,Rb}; M = \text{Mo,W}$ ), phase transitions, analysis, **124**, 123
  - $\text{K}_3\text{M}^{\text{III}}\text{P}_3\text{O}_9$  ( $M = \text{Al,Ga,In,Ti,V,Cr,Mn,Fe}$ ), preparation and characterization, **121**, 418
  - $\text{KTaSi}_2\text{O}_7$ , crystal structure, **123**, 123
  - $\text{KTiPS}_5$ , synthesis and structure, **125**, 30
  - $\text{K}_2[(\text{VO})_3(\text{PO}_4)_2\text{F}_2(\text{H}_2\text{O})]\cdot\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **126**, 292
  - $\text{K}_2\text{YNb}_5\text{O}_{15-\delta}$ , preparation and crystal structure, **123**, 285

- $\text{La}_y\text{K}_x\text{Mn}_w\text{O}_3$  with perovskite-type structure, magnetic and electrical properties, **124**, 250
- Povidone  
protective mechanism of ultrafine silver powder synthesis by chemical reduction processes, **121**, 105
- Powder neutron diffraction  
 $\text{Bi}_2\text{Ir}_2\text{O}_{7-y}$ , analysis of oxygen vacancies, **123**, 14  
 $\text{ABi}_2\text{Nb}_2\text{O}_9$  ( $A = \text{Sr}, \text{Ba}$ ), **126**, 135  
 $\text{Bi}_3(M\text{Sb}_2)\text{O}_{11}$  ( $M = \text{Al}, \text{Ga}$ ), **127**, 178  
 $\text{Ca}_3\text{Co}_2\text{O}_6$ , **124**, 190  
 $\text{CaMSi}_2\text{O}_6$ , **124**, 374  
 $\alpha\text{-}M(\text{DPO}_4)_2\text{-D}_2\text{O}$  ( $M = \text{Ti}, \text{Zr}, \text{Pb}$ ), **125**, 261  
 $\text{FeO}$ , **124**, 52  
 $\text{LaD}_{2.50}$ , **122**, 151  
 $\text{La}_{1-x}\text{MnO}_{3+\delta}$ , effect of nonstoichiometry properties, **124**, 43  
 $\text{LiCD}_3\text{COO}\cdot 2\text{D}_2\text{O}$ , **126**, 184  
 $\text{LiCr}_{1-x}\text{Al}_x\text{TiO}_4$  ( $0 \leq x \leq 0.4$ ), **125**, 211  
 $\text{Li}_2\text{FeBr}_4$ , **124**, 292  
 $\text{Pb}_2\text{Ir}_2\text{O}_{6.5}$ , analysis of, **123**, 14  
 $\text{Pb}\{\text{O}(\text{H,D})\}X$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ), **124**, 155  
 $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , **124**, 381  
 $\text{Pr}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ , **127**, 276  
 $\text{Rb}_2\text{MnF}_5$ , **124**, 338  
 $\text{Rb}_2\text{MnF}_5\cdot \text{H}_2\text{O}$ , **124**, 338  
 $\text{Ln}_2\text{Ru}_2\text{O}_7$  ( $\text{Ln} = \text{Pr}, \text{Nd}, \text{Tb}, \text{Yb}$ ), **126**, 261  
 $\text{TiPO}_4$ , **126**, 15  
 $\text{VPO}_4$ , **126**, 15  
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , **127**, 56  
 $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ , **127**, 31
- Powder X-ray diffraction, *see also* High-temperature powder X-ray diffraction  
 $\beta\text{-Ag}_3\text{AsSe}_3$ , **127**, 186  
 $[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , **127**, 145  
 $\text{Au-Ni-Sn}$  ternary system, phase relations, **123**, 203  
 $\text{BaCoS}_{2-\delta}$ , **127**, 211  
 $\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$ , **124**, 319  
 $\text{Ba}_3\text{Fe}^{\text{III}}_{3-x}M^{\text{II}}_x\text{F}_{19-x}$  ( $M = \text{Fe}, \text{Cu}$ ), **125**, 159  
 $\text{Ba}_4\text{Fe}_4\text{Ti}_3\text{O}_{16}$ , letter to editor, **125**, 281  
 $\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , letter to editor, **125**, 281  
 $\text{Ba}_3\text{Mo}_2\text{O}_2(\text{PO}_4)_4$ , **125**, 147  
 $\text{BaMo}_2\text{O}_5(\text{SeO}_3)_2$ , **125**, 234  
 $\text{BaMoO}_3\text{SeO}_3$ , **125**, 234  
 $\text{BaNH}_4(\text{PO}_3)_3$ , **125**, 43  
 $\text{Ba}_2\text{Ta}_6\text{NiO}_{24}$ , **125**, 102  
 $\text{BaRETaO}_6$  ( $RE = \text{Pr}, \text{Nd}, \text{Eu}, \text{Dy}$ ), **126**, 202  
 $\text{BaTiO}_3$ , **123**, 301  
 $\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), **126**, 105  
 $\text{Bi}_2\text{La}_4\text{O}_9$ , **124**, 300  
 $\text{BiNH}_4\text{P}_4\text{O}_{12}$ , **125**, 43  
 $\beta\text{-Bi}_2\text{O}_3$ , letter to editor, **127**, 128  
 $\text{Bi}_2\text{O}_3\text{-}L_n\text{O}_3$  ( $\text{Ln} = \text{Dy}, \text{Ho}, \text{Er}, \text{Y}$ ), pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287  
 $\text{BiO}_{3/2}\text{-PrO}_{11/6}\text{-CuO}$ , subsolidus phase relations, **125**, 85  
 $(\text{Bi}_2\text{O}_2)_2\text{V}_2\text{O}_{4y+2}$  ( $1 \leq y \leq 4$ ), **125**, 54  
 $\text{Bi}_3(M\text{Sb}_2)\text{O}_{11}$  ( $M = \text{Al}, \text{Ga}$ ), **127**, 178  
 $\text{Bi}_2\text{Te}_2\text{W}_3\text{O}_{16}$ , **127**, 248  
 $\text{Ca}_3\text{Co}_2\text{O}_6$ , **124**, 190  
 $\text{Ca}_4\text{L}_n\text{Cu}_3\text{O}_8\text{Cl}_4$  ( $\text{Ln} = \text{Gd}, \text{Sm}$ ), **127**, 315  
 $\text{CaO-ZrO}_2\text{-Ta}_2\text{O}_5$ , **127**, 82  
 $\text{Ca-Zr-O-N}$ , **125**, 153  
 $\text{CeAlSi}_2$ , **127**, 308  
 $\text{Ce}_3\text{Al}_4\text{Si}_6$ , **127**, 308  
 $\text{CeO}_2$ , **126**, 74  
 $\text{CeO}_2$ , letter to editor, **127**, 128
- $\text{Ce}(\text{OH})_3$ , **126**, 74  
 $\text{CeOHCO}_3$ , **126**, 74  
 $\text{CH}_3\text{NH}_3[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , **125**, 200  
 $\text{Cr}_2\text{P}$ , **123**, 306  
 $\text{Cs}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot \text{H}_2\text{O}$ , **125**, 200  
 $\text{CuCa}(\text{HCOO})_4$ , thermal decomposition, **123**, 291  
 $\text{Cu}_2\text{U}_3\text{S}_7$ , **123**, 331  
 $\text{Cu}_2\text{U}_3\text{Se}_7$ , **123**, 331  
 $\text{Cu-Zn-Co-Al}$ -containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, **121**, 372  
 $\alpha\text{-}M(\text{DPO}_4)_2\cdot \text{D}_2\text{O}$  ( $M = \text{Ti}, \text{Zr}, \text{Pb}$ ), **125**, 261  
 $\text{EuTa}_3\text{O}_9$ , **124**, 272  
 $\text{Hg}_{0.3}\text{Pr}_{0.6}\text{Sr}_4\text{Fe}_2\text{O}_9$ , mercury-based ferrite with 0201–1201 structure, **124**, 1  
 $\text{HLnTiO}_4$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ), **127**, 119  
 $\text{H}[\text{Zn}_4(\text{PO}_4)_3]\text{H}_2\text{O}$ , **125**, 243  
 $\text{KAg}_3\text{As}_2\text{S}_5$ , **127**, 186  
 $\text{K}_5\text{Ag}_2\text{As}_5\text{Se}_6$ , **127**, 186  
 $\text{KHF}_2$  under high pressure, **125**, 171  
 $\text{KIn}(\text{OH})\text{PO}_4$ , **123**, 243  
 $\text{La}_{26}(\text{BO}_3)_8\text{O}_{27}$ , **126**, 287  
 $(\text{La}_{0.1}\text{Ca}_{0.9})(\text{Mn}_{1-x}\text{Ti}_x)\text{O}_3$  ( $0 \leq x \leq 0.9$ ), **126**, 235  
 $\text{La}_{2/3-x}\text{Li}_{3x}\square_{1/3-2x}\text{TiO}_3$ , **127**, 283  
 $\text{La}_{1-\delta}\text{MnO}_3$ , **127**, 87  
 $\text{LaMn}_{1-\delta}\text{O}_3$ , **127**, 87  
 $\text{La}_y\text{A}_x\text{Mn}_w\text{O}_3$  ( $A = \text{Na}, \text{K}, \text{Rb}, \text{Sr}$ ), **124**, 250  
 $\text{La}(\text{NO}_3)_3\cdot 4\text{H}_2\text{O}$ , **126**, 127  
 $\text{La}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-y}$  ( $0.15 \leq y \leq 0.33$ ), **125**, 125  
 $\text{LiCr}_{1-x}\text{Al}_x\text{TiO}_4$  ( $0 \leq x \leq 0.4$ ), **125**, 211  
 $\text{Li}_2\text{FeBr}_4$ , **124**, 292  
 $\text{Li}_{16}\text{Nb}_2\text{N}_8\text{O}$ , **127**, 19  
 $(\text{Me}_3\text{NH})[\text{Ag}_3\text{As}_5\text{Se}_5]$ , **127**, 186  
 $\text{Mg}_{2-x}\text{Ti}_{1+x}\text{O}_4$  ( $0 \leq x \leq 1$ ), **125**, 216  
 $\text{Mg-Zr-O-N}$ , **125**, 153  
 $\text{Mn}_x\text{NbS}_2$  ( $0.19 \leq x \leq 0.52$ ), **125**, 178  
 $\text{Mn}_2\text{BSbO}_6$  ( $B = \text{Fe}, \text{V}, \text{Cr}, \text{Ga}, \text{Al}$ ), **124**, 333  
 $\text{Nb}_5\text{N}_{6-\delta}\text{O}_y$ , **127**, 267  
 $(\text{Nd}_3, \text{Sm}_{1-x})\text{AlO}_3$ , **126**, 221  
 $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_2)[(\text{VO})\text{Al}(\text{PO}_4)_2]$ , **125**, 200  
 $\text{NiMnO}_3$ , **124**, 205  
 $\text{NiMn}_2\text{O}_4$ , **124**, 205  
 $\text{Ln}_2\text{O}_2\text{CN}_2$  ( $\text{Ln} = \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$ ), **125**, 37  
 $\text{PbPt}_2\text{O}_4$ , **124**, 309  
 $\text{Pb}_2\text{Sr}_2(\text{Ca}, \text{Y})\text{Cu}_3\text{O}_{8+\delta}$ , **127**, 64  
 $(\text{Pb}_{0.5}M_{0.5})(\text{Sr}_{0.9}\text{Ho}_{0.1})_2(\text{Ho}_{0.7}\text{Ce}_{0.3})_2\text{Cu}_2\text{O}_y$  ( $M = \text{Pb}, \text{Cd}$ ), **123**, 313  
 $(\text{PbS})_{1.18}(\text{TiS}_2)_2$  misfit layer compound, Na intercalation, **124**, 238  
 $\text{Pb}_{1.5}\text{Ta}_2\text{O}_{6.5-\delta}\text{Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$ , **126**, 253  
 $\text{Pb}_{2.31}\text{Ta}_2\text{O}_{7.31-\delta}\text{Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$ , **126**, 253  
pentaerythritol-tris(hydroxymethyl)aminomethane phase diagram: molecular interactions and packing, **124**, 29
- $\text{Pr}_{1.1(1-x)}\text{Bi}_{0.8x}\text{Sr}_{0.9+0.3x}\text{O}_{2.932+0.094x}$  solid solutions, **124**, 176  
 $\text{Rb}[(\text{VO})\text{Al}(\text{PO}_4)_2]\cdot \text{H}_2\text{O}$ , **125**, 200  
 $\text{Sb}_n^{\text{III}}\text{Sb}_A^{\text{V}}\text{A}_{n+1-\delta}\text{TiO}_{4n+2}$  ( $A = \text{Ta}, \text{Nb}; n = 1, 2, 3$ ), **125**, 19  
 $M_{12}(X_2)(\text{SeO}_3)_8(\text{OH})_6$  ( $M = \text{Co}^{2+}, \text{Ni}^{2+}; X = \text{OH}^-$ ), **126**, 169  
 $T_{2+x}\text{Sn}_2$  ( $T = \text{Co}, \text{Ni}$ ), **127**, 222  
 $\text{SnO}_2\text{-V}_2\text{O}_5$ , **127**, 98  
 $(RE_{1-x}\text{Sr}_x)_8\text{Cu}_8\text{O}_{20}$  ( $RE = \text{Pr}, \text{Nd}$ ) prepared under  $P_{\text{O}_2} = 20$  MPa, **125**, 117  
 $\text{Sr}_2\text{P}_2\text{O}_7$ , **126**, 242  
 $\text{Sr}_3(\text{PO}_4)_2$ , **126**, 242  
 $\text{SrV}_2\text{S}_5$ , **126**, 189  
 $\text{Sr}_3\text{ZnIrO}_6$ , **127**, 25  
 $\text{Ta}_5\text{N}_{6-\delta}\text{O}_y$ , **127**, 267  
 $\text{Ta}_2\text{O}_5\text{-WO}_3$ , **126**, 208

- Ta<sub>3</sub>W<sub>9</sub>O<sub>47</sub>, **124**, 58  
 TbTa<sub>3</sub>O<sub>9</sub>, **124**, 272  
 TiBO<sub>3</sub>, **127**, 240  
 Ti(NH<sub>4</sub>)<sub>2</sub>P<sub>4</sub>O<sub>13</sub>, **125**, 43  
 TiO<sub>2</sub>–SnO<sub>2</sub>, **127**, 98  
 TiO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub>, **127**, 98  
 UO<sub>2</sub>–WO<sub>3</sub>, ordered and defect structures, **121**, 167  
 V<sub>2</sub>O<sub>4</sub><sup>+</sup>, **126**, 314  
 V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, **126**, 314  
 V<sub>10</sub>O<sub>28</sub><sup>6-</sup>, **126**, 314  
 (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> precursors, **124**, 95  
 Y–Zr–O–N, **125**, 153  
 [Zn<sub>4</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>3</sub>]NH(CH<sub>3</sub>)<sub>3</sub>, **125**, 243  
 ZnO doped with iron, unusual iron site in, **125**, 224  
 $\sigma$ -Zn<sub>0.25</sub>V<sub>2</sub>O<sub>5</sub>·H<sub>2</sub>O, **126**, 65
- Praseodymium**  
 BaPrTaO<sub>6</sub>, synthesis, suitability as substrates for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, **126**, 202  
 Bi<sub>3/2</sub>–PrO<sub>11/6</sub>–CuO, subsolidus phase relations, **125**, 85  
 Hg<sub>0.5</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, mercury-based ferrite with 0201–1201 structure, **124**, 1  
 Na<sup>+</sup>/Pr<sup>3+</sup>– $\beta''$ Al<sub>2</sub>O<sub>3</sub>, compositional dependence of Pr<sup>3+</sup> distributions, **124**, 169  
 Na<sup>+</sup>–Pr<sup>3+</sup>– $\beta''$ –Al<sub>2</sub>O<sub>3</sub> crystals, ion conductivity, **127**, 161  
 Pr<sup>4+</sup>, in BaCeO<sub>3</sub>, BaZrO<sub>3</sub>, and BaSnO<sub>3</sub> individually and in solid solutions, **122**, 384  
 Pr<sub>1.1(1-x)</sub>Bi<sub>0.8x</sub>Sr<sub>0.9+0.3x</sub>O<sub>2.932+0.094x</sub>, preparation and characterization, **124**, 176  
 APrCl<sub>4</sub>·4H<sub>2</sub>O (*A* = NH<sub>4</sub>, K, Rb, Cs), crystal structure, **126**, 44  
 PrMn<sub>1-x</sub>Cr<sub>x</sub>O<sub>3</sub>, magnetic and electrical properties, letter to editor, **127**, 354  
 Pr<sub>0.7</sub>A'<sub>0.3</sub>MnO<sub>3</sub> (*A'* = Ca, Sr, Ba), perovskite, structural phase diagram, letter to editor, **122**, 444  
 Pr<sub>12</sub>O<sub>22</sub>, crystal structure, determination with Rietveld analysis, **122**, 53  
 Pr<sub>2</sub>O<sub>2</sub>CN<sub>2</sub>, synthesis and crystal structure, **125**, 37  
 Pr<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub>, structural and bonding trends, **126**, 261  
 PrSi<sub>2</sub>P<sub>6</sub>, preparation and crystal structure, **124**, 346  
 (Pr<sub>1-x</sub>Sr<sub>x</sub>)<sub>8</sub>Cu<sub>3</sub>O<sub>20</sub>, synthesis under *P*<sub>O<sub>2</sub> = 20 MPa, **125**, 117  
 Pr<sub>1/2</sub>Sr<sub>1/2</sub>MnO<sub>3</sub>  
     increase of *T<sub>N</sub>* up to 190 K, letter to editor, **123**, 413  
     room temperature crystal structure determination, **124**, 381  
 Pr<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub>, monoclinic perovskite allotrope in, analysis, **127**, 276  
 PrSrO<sub>3</sub>, related phase, existence and Bi/Pr-substituted solid solution, **124**, 176  
 Pr<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub>, preparation and crystal structure, **122**, 81  
 Sr<sub>1-x</sub>Pr<sub>x</sub>MnAl<sub>11</sub>O<sub>19-x</sub>, changes of crystalline phase and catalytic properties, **121**, 190</sub>
- Pressure**  
 effects on quartz and quartz-like materials, general survey, **123**, 1  
 high, effect on superconducting copper mixed oxides, **121**, 24  
 high, SrFe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub> synthesized under, ferromagnetic properties, **121**, 174
- Promethium**  
 APmCl<sub>4</sub>·4H<sub>2</sub>O (*A* = NH<sub>4</sub>, K, Rb, Cs), crystal structure, **126**, 44
- PVP**, *see* Povidone
- Pyrochlores**  
 Ln<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> (*Ln* = Pr, Nd, Tb, Yb), structural and bonding trends, **126**, 261  
 Tl<sub>2</sub>Mn<sub>2</sub>O<sub>7</sub>, CMR, absence of Mn<sup>3+</sup>/Mn<sup>4+</sup> double exchange in, analysis by X-ray absorption near-edge spectroscopy, letter to editor, **125**, 278
- Pyrrhotite**  
 ordering, incommensuration, and phase transitions  
     high-temperature X-ray powder diffraction and thermomagnetic study, **126**, 108  
 TEM analysis, **124**, 264
- Q**
- Quadrupole splittings  
 nitrosylpentacyanoferates, **123**, 39
- Quartz  
     packing distortions, temperature effects, and pressure effects, **123**, 1
- R**
- Raman diffusion  
     effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126**, 99
- Raman scattering  
 Sr<sub>1-x</sub>M<sub>x</sub>TiO<sub>3</sub> (*M* = Ca, Mg; 0 ≤ *x* ≤ 1), **124**, 353
- Raman spectroscopy  
     in analysis of mechanism of mechanically induced solid state reaction, **122**, 273  
 Ca(OH)<sub>2</sub>, **126**, 300  
 (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, **127**, 51  
 CoSi<sub>3</sub>P<sub>3</sub>, **124**, 366  
 Cu<sup>II</sup><sub>0.5</sub>M<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> (*M* = Ti, Zr), **127**, 341  
 Cu<sup>II</sup>M<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> (*M* = Ti, Zr), **127**, 341  
 LiNH<sub>3</sub>HSO<sub>4</sub>, **127**, 72  
 Na<sub>6</sub>Ca[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2</sub><sup>+</sup> and Se<sub>2</sub><sup>-</sup> in, **126**, 50  
 NaSO<sub>4</sub>, **123**, 184  
 (NH<sub>3</sub>OH)<sub>2</sub>SO<sub>4</sub>, **127**, 72  
 RbAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O, **122**, 333  
 RbY<sub>2</sub>Cl<sub>7</sub>U<sup>3+</sup>, **121**, 312
- Reactivity  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> with corundum-type structure, effect of mechanical activation, **123**, 191
- Recrystallization  
 PbF<sub>2</sub>–ZnF<sub>2</sub>–GaF<sub>3</sub> glass system, analysis by EPR, **121**, 149
- Reduction  
     autocatalytic, hematite with hydrogen under conditions of surface control: vacancy-based mechanism, **123**, 249  
     CuO via mechanically induced solid state reaction, mechanism, crystallographic contribution, **122**, 273
- Rhenium**  
 Sm<sub>3</sub>ReO<sub>7</sub>, crystal structure and magnetic properties, **125**, 1
- Rhodium**  
 Eu<sub>2</sub>RhH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]RhH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 Sr<sub>2</sub>RhO<sub>4</sub>, temperature dependent structural behavior, letter to editor, **123**, 186
- Rietveld analysis  
 Bi<sub>2</sub>La<sub>4</sub>O<sub>9</sub>, **124**, 300  
 ABi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> (*A* = Sr, Ba), **126**, 135  
 Bi<sub>3</sub>(MSb<sub>2</sub>)O<sub>11</sub> (*M* = Al, Ga), **127**, 178  
 CeAlSi<sub>2</sub>, **127**, 308  
 Ce<sub>3</sub>Al<sub>4</sub>Si<sub>6</sub>, **127**, 308  
 $\alpha$ -*M*(DPO<sub>4</sub>)<sub>2</sub>·D<sub>2</sub>O (*M* = Ti, Zr, Pb), **125**, 261  
 (La<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>2.97</sub>, **124**, 360  
 (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3</sub> (0 ≤ *x* ≤ 0.9), **126**, 235  
 La<sub>2/3-x</sub>Li<sub>3x</sub>□<sub>1/3-2x</sub>TiO<sub>3</sub>, **127**, 283  
 La<sub>x</sub>A<sub>y</sub>Mn<sub>w</sub>O<sub>3</sub> (*A* = Na, K, Rb, Sr), **124**, 250  
 (Mg<sub>6-x</sub>Li<sub>x</sub>)MnO<sub>8</sub> (0.0 ≤ *x* ≤ 0.3), **124**, 220  
 Nb<sub>2</sub>N<sub>6-δ</sub>O<sub>y</sub>, **127**, 267  
 Ln<sub>2</sub>O<sub>2</sub>CN<sub>2</sub> (*Ln* = Ce, Pr, Nd, Sm, Eu, Gd), **125**, 37  
 PbPt<sub>2</sub>O<sub>4</sub>, **124**, 309  
 Pb<sub>2</sub>Sr<sub>2</sub>(Ca, Y)Cu<sub>3</sub>O<sub>8+δ</sub>, **127**, 64  
 Pr<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub>, **127**, 276  
 Ln<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> (*Ln* = Pr, Nd, Tb, Yb), structural and bonding trends, **126**, 261

- ( $RE_{1-x}Sr_x$ )<sub>8</sub>Cu<sub>8</sub>O<sub>20</sub> ( $RE = \text{Pr}, \text{Nd}$ ) prepared under  $P_{\text{O}_2} = 20$  MPa, **125**, 117
- Sr<sub>3</sub>ZnIrO<sub>6</sub>, **127**, 25
- Ta<sub>5</sub>N<sub>6- $\delta$</sub> O <sub>$\gamma$</sub> , **127**, 267
- YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7- $\delta$</sub> , **127**, 56
- Rietveld refinement
- BaTiO<sub>3</sub> X-ray powder diffraction, **123**, 301
  - [ $(\text{CH}_3)_4\text{N}]_2M\text{Ge}_4\text{S}_{10}$  ( $M = \text{Fe}, \text{Cd}$ ), **121**, 473
  - Pb(O,H,D)<sub>2</sub>X ( $X = \text{Cl}, \text{Br}, \text{I}$ ), **124**, 155
  - Pr<sub>12</sub>O<sub>22</sub> crystal structure, **122**, 53
  - UTe<sub>2</sub>, **127**, 202
  - vanadium oxynitrides, **122**, 376
- Rock salt
- (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372; *erratum*, **122**, 451
  - Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub>, undoped and Cr-doped, continuous order-disorder transition, **124**, 214
- Rubidium
- Ca<sub>2</sub>Rb<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, structural characterization, **126**, 308
  - Ce<sup>IV</sup>Rb<sub>2</sub>(NO<sub>3</sub>)<sub>6</sub>, thermal behavior and crystal structure, **122**, 59
  - Ce<sup>III</sup>Rb<sub>3</sub>(NO<sub>3</sub>)<sub>9</sub>, thermal behavior and crystal structure, **122**, 59
  - K<sub>3</sub>MO<sub>3</sub>F<sub>3</sub>·Rb<sub>3</sub>MO<sub>3</sub>F<sub>3</sub> ( $M = \text{Mo}, \text{W}$ ), phase transitions, analysis, **124**, 123
  - La<sub>y</sub>Rb<sub>x</sub>Mn<sub>w</sub>O<sub>3</sub> with perovskite-type structure, magnetic and electrical properties, **124**, 250
  - RbAg<sub>2</sub>SbS<sub>4</sub>, supercritical ammonia synthesis and characterization, **123**, 277
  - Rb<sub>2</sub>AgSbS<sub>4</sub>, supercritical ammonia synthesis and characterization, **123**, 277
  - Rb<sub>9</sub>Al<sub>9</sub>Si<sub>27</sub>O<sub>72</sub>· $n$ H<sub>2</sub>O, exchange in heulandite single-crystals, **123**, 140
  - RbAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O, infrared and polarized spectra, **122**, 333
  - RbCdCl<sub>3</sub>, structure, determination by X-ray diffraction, **124**, 39
  - RbLnCl<sub>4</sub>·4H<sub>2</sub>O ( $Ln = \text{La-Sm}$ ), crystal structure, **126**, 44
  - Rb<sub>0.73</sub>Cr<sub>5</sub>Te<sub>8</sub>, synthesis and crystal structure, **122**, 41
  - RbMn<sub>4</sub>(AsO<sub>4</sub>)<sub>3</sub>, synthesis, structure, and magnetic properties, **125**, 255
  - Rb<sub>2</sub>MnF<sub>5</sub>, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338
  - Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338
  - RbTiPS<sub>5</sub>, synthesis and structure, **125**, 30
  - Rb[VO]Al(PO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200
  - RbY<sub>2</sub>Cl<sub>7</sub>U<sup>3+</sup>, synthesis, spectroscopic, and magnetic properties, **121**, 312
- Ruthenium
- Ln<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> ( $Ln = \text{Pr}, \text{Nd}, \text{Tb}, \text{Yb}$ ), structural and bonding trends, **126**, 261
  - RuP<sub>3</sub>SiO<sub>11</sub>, synthesis and crystal structure, **121**, 247
- S**
- SAED, *see* Selected area diffraction
- Samarium
- Ca<sub>4</sub>Sm<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub>, synthesis and structure characterization, **127**, 315
  - HSmTiO<sub>4</sub>, protonated oxides, **127**, 119
  - NaSmTiO<sub>4</sub>, structure and ionic conductivity, comparison with Na<sub>2</sub>Sm<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, **121**, 430
  - Na<sub>2</sub>Sm<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub>, comparison with NaGdTiO<sub>4</sub> structure and ionic conductivity, **121**, 430
  - (Nd<sub>x</sub>, Sm<sub>1-x</sub>)AlO<sub>3</sub>, structure change from orthorhombic to trigonal system, **126**, 221
  - NH<sub>4</sub>Sm(SO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, vibrational spectra, **121**, 408
  - ASmCl<sub>4</sub>·4H<sub>2</sub>O ( $A = \text{NH}_4, \text{K}, \text{Rb}, \text{Cs}$ ), crystal structure, **126**, 44
  - Sm<sub>2/3</sub>Cr<sub>2</sub>S<sub>4</sub>, lillianite-type, incommensurate structure, **127**, 295
  - Sm<sub>2</sub>O<sub>2</sub>CN<sub>2</sub>, synthesis and crystal structure, **125**, 37
  - Sm<sub>3</sub>ReO<sub>7</sub>, crystal structure and magnetic properties, **125**, 1
- Sr<sub>1-x</sub>Sm<sub>x</sub>MnAl<sub>11</sub>O<sub>19- $\alpha$</sub> , changes of crystalline phase and catalytic properties, **121**, 190
- Sr<sub>0.56</sub>Sm<sub>0.44</sub>MnO<sub>3</sub>, increase of GMR ratios up to 10<sup>6</sup> by iron doping, letter to editor, **124**, 385
- Scanning electron microscopy
- [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, **127**, 145
  - BaCoS<sub>2- $\delta$</sub> , **127**, 211
  - (Bi<sub>2</sub>O<sub>2</sub>)<sub>2</sub>V<sub>y</sub>O<sub>4+y+2</sub> ( $1 \leq y \leq 4$ ), **125**, 54
  - Bi<sub>3</sub>(MSb<sub>2</sub>)O<sub>11</sub> ( $M = \text{Al}, \text{Ga}$ ), **127**, 178
  - KTiPS<sub>5</sub>, **125**, 30
  - Mn<sub>x</sub>CoFe<sub>2-x</sub>O<sub>4</sub>, **125**, 67
  - RbTiPS<sub>5</sub>, **125**, 30
  - V<sub>2</sub>O<sub>5</sub>, **123**, 317
  - $\sigma$ -Zn<sub>0.25</sub>V<sub>2</sub>O<sub>5</sub>·H<sub>2</sub>O, **126**, 65
- Scanning probe microscopy
- $\alpha$ -MoO<sub>3</sub>(010), **124**, 104
  - $\eta$ -Mo<sub>4</sub>O<sub>11</sub>(100), **124**, 104
  - Mo<sub>8</sub>O<sub>23</sub>(010), **124**, 104
  - Mo<sub>18</sub>O<sub>52</sub>(100), **124**, 104
- Scanning tunneling microscopy
- $\alpha$ -MoO<sub>3</sub>(010), **124**, 104
  - $\eta$ -Mo<sub>4</sub>O<sub>11</sub>(100), **124**, 104
  - Mo<sub>8</sub>O<sub>23</sub>(010), **124**, 104
  - Mo<sub>18</sub>O<sub>52</sub>(100), **124**, 104
- Secondary ion mass spectroscopy
- $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> with corundum-type structures, real structure and reactivity, effect of mechanical activation, **123**, 191
- Seebeck coefficient
- La<sub>A</sub>xMn<sub>w</sub>O<sub>3</sub> ( $A = \text{Na}, \text{K}, \text{Rb}, \text{Sr}$ ), **124**, 250
- Selected area diffraction
- Ag<sub>5-x</sub>Te<sub>3</sub>, **123**, 391
  - Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, **126**, 177
  - GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub>, **123**, 378
- Selected-area diffraction patterns
- Pb<sub>2.31</sub>Ta<sub>2</sub>O<sub>7.31</sub>–Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub>, **126**, 253
- Selected-area electron diffraction
- Ba<sub>4</sub>Fe<sub>4</sub>Ti<sub>3</sub>O<sub>16</sub>, letter to editor, **125**, 281
  - Ba<sub>26</sub>Fe<sub>20</sub>Ti<sub>21</sub>O<sub>98</sub>, letter to editor, **125**, 281
  - La<sub>2</sub>NiO<sub>4+x</sub>, **125**, 133
  - La<sub>1/3</sub>Sm<sub>2/3</sub>FeO<sub>3-y</sub> ( $0.15 \leq y \leq 0.33$ ), **125**, 125
  - La<sub>1/3</sub>Sm<sub>2/3</sub>FeO<sub>3-y</sub> ( $0 \leq y \leq 0.10$ ), **124**, 278
- Selenium
- $\beta$ -Ag<sub>3</sub>AsSe<sub>3</sub>, thermal stability and optical absorption, **127**, 186
  - BaMo<sub>3</sub>SeO<sub>3</sub>, single-crystal structures, hydrothermal analysis, **125**, 234
  - BaMo<sub>2</sub>O<sub>5</sub>(SeO<sub>3</sub>)<sub>2</sub>, single-crystal structures, hydrothermal analysis, **125**, 234
  - Ca<sub>3</sub>Co(SeO<sub>3</sub>)<sub>4</sub>, Co<sup>2+</sup> ions in, polarized electronic absorption spectra, characterization, **124**, 143
  - Cu<sub>2</sub>U<sub>3</sub>Se<sub>7</sub>, crystal structure and magnetic properties, **123**, 331
  - (Et<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115
  - $\gamma$ -In<sub>2</sub>Se<sub>3</sub>, crystal structure, redetermination by twin crystal X-ray method, **124**, 305
  - K<sub>5</sub>Ag<sub>2</sub>As<sub>5</sub>Se<sub>9</sub>, thermal stability and optical absorption, **127**, 186
  - Mg(HSeO<sub>3</sub>)<sub>2</sub>·4H<sub>2</sub>O, crystal structure and infrared absorption spectra, **122**, 338
  - (Me<sub>3</sub>NH)[Ag<sub>3</sub>As<sub>2</sub>Se<sub>5</sub>], thermal stability and optical absorption, **127**, 186
  - (Me<sub>4</sub>N)[HgAsSe<sub>3</sub>], hydrothermal synthesis and characterization, **123**, 115
  - (Ph<sub>4</sub>P)<sub>2</sub>[Hg<sub>2</sub>As<sub>4</sub>Se<sub>11</sub>], hydrothermal synthesis and characterization, **123**, 115
  - Se<sub>2</sub><sup>2-</sup> and Se<sub>2</sub><sup>-</sup> in cancrinite, spectroscopic properties, **126**, 50
  - M(Se<sub>2</sub>O<sub>5</sub>)<sub>3</sub> ( $M = \text{Fe(III)}, \text{Cr(III)}$ ), synthesis, crystal structure, and magnetic measurements, **122**, 130

- $M_{12}(X)_2(\text{SeO}_3)_8(\text{OH})_6$  ( $M = \text{Co}^{2+}, \text{Ni}^{2+}$ ;  $X = \text{OH}^-$ ), synthesis and crystal structure, **126**, 169
- $\text{Ti}_x\text{Cr}_5\text{Se}_8$  ( $0 \leq x \leq 1$ ), chemical reactivity, microhomogeneity, and crystal structure, **127**, 40
- $\beta \text{USe}_2$ , crystal structure and magnetic properties, **126**, 22
- $\text{USe}_{2-x}\text{Te}_x$  ( $x = 0.24$  and  $0.72$ ), crystal structure and magnetic properties, **126**, 22
- $\text{VSe}_{2-x}$ , low temperature synthesis with superlattice reactants, **123**, 337
- $\text{V}_2\text{Se}_9$ , low temperature synthesis with superlattice reactants, **123**, 337
- $\text{V}_5\text{Se}_4$ , low temperature synthesis with superlattice reactants, **123**, 337
- Semiconductors
- iron oxide, energy positions, photocatalysis, **126**, 227
  - $\text{Ln}_2\text{Ru}_2\text{O}_7$  ( $\text{Ln} = \text{Pr}, \text{Nd}, \text{Tb}, \text{Yb}$ ), structural and bonding trends, **126**, 261
- Shearing
- flexible, relationship to nanostructural transitions in  $\text{Hg}_{1-x}\text{V}_x\text{Sr}_{4-y}\text{Ba}_2\text{Cu}_2\text{O}_{7-\delta}\text{CO}_3$  ( $0.28 \leq x \leq 0.40$ ;  $0 \leq y \leq 2.65$ ), **126**, 271
- Silicon
- $M_{\frac{3}{2}}\text{Al}_5\text{Si}_2\text{O}_{72} \cdot n\text{H}_2\text{O}$  ( $M = \text{Na}, \text{K}, \text{Rb}, \text{Cs}$ ), exchange in heulandite single-crystals, **123**, 140
  - $\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), solid solution, tetrahedral  $\text{Ti}^{4+}$  in, analysis, **126**, 105
  - $\text{Ca}_3\text{OSiO}_4$ , lattice-energy conformational analysis, **121**, 111
  - $\text{CaMSi}_2\text{O}_6$  ( $M = \text{Co}, \text{Ni}$ ), synthesis, structure, and magnetic properties, **124**, 374
  - $\text{Ca}_{4+x}\text{Si}_6\text{O}_{14+2x}(\text{OH})_{4-2x}(\text{H}_2\text{O})_2$  ( $0 \leq x \leq 1$ ), molecular dynamics simulation, **127**, 92
  - $\text{CeAlSi}_2$ , crystal structure, **127**, 308
  - $\text{Ce}_3\text{Al}_4\text{Si}_6$ , crystal structure, **127**, 308
  - $\text{CoSi}_3\text{P}_3$ , synthesis, crystal structure, Raman spectroscopy, and physical characterization, **124**, 366
  - $\text{Cr}_4(\text{Si}_2\text{O}_7)X_2$  ( $X = \text{Cl}, \text{Br}$ ), preparation and crystal structure, **127**, 331
  - $\text{CuO}-\text{SiO}_2$ , xerogel–glass transition, analysis, **123**, 93
  - $\text{KTaSi}_2\text{O}_7$ , crystal structure, **123**, 123
  - $\text{LiAlSi}_3\text{O}_8$ , crystal structure, determination by single crystal X-ray diffraction, **121**, 12
  - $\text{Na}_6\text{Ca}[\text{Al}_6\text{Si}_6\text{O}_{24}]\text{CO}_3 \cdot \text{H}_2\text{O}$ ,  $\text{Se}_2^-$  and  $\text{Se}_2^-$  in, spectroscopic properties, **126**, 50
  - $\text{Na}_2\text{TiSiO}_5$ , crystal structure of orthorhombic LT-form, relationship to tetragonal HT-form, **123**, 324
  - $\text{RuP}_3\text{SiO}_{11}$ , synthesis and crystal structure, **121**, 247
  - $\text{SiO}_2$ , packing distortions, temperature effects, and pressure effects, **123**, 1
  - $\text{SiO}_2$ , incipient chemical reaction with  $\text{Ca}(\text{OH})_2$  under moderate mechanical stressing
    - radical mechanism, EPR study, **122**, 291
    - solid-state acid–base reaction and charge transfer due to complex formation, **122**, 74  - $\text{SiO}_2-\text{Na}_2\text{O}-\text{CaO}$  glasses, sulfate inclusions in, Raman spectroscopic analysis, **123**, 183
  - $\text{LnSi}_2\text{P}_6$  ( $\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}$ ), preparation and crystal structure, **124**, 346
  - $\text{ThCr}_2\text{Si}_2$ , crystallization in  $\text{KCo}_{2-x}\text{Cu}_x\text{S}_2$  ( $0.5 \leq x \leq 1.5$ ) and  $\text{ACoCuS}_2$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), **127**, 151
  - $\text{U}_4\text{Cr}_6\text{Si}_2$ , laves-type phases, crystal structure and magnetic behavior, **121**, 479
  - $\text{U}_4\text{Mo}_5\text{Si}_3$ , laves-type phases, crystal structure and magnetic behavior, **121**, 479
- Silver
- $\text{Ag}$ , ultrafine powder synthesis by chemical reduction processes, PVP protective mechanism, **121**, 105
  - $\beta\text{-Ag}_3\text{AsSe}_3$ , thermal stability and optical absorption, **127**, 186
  - $\text{Ag}_2\text{HgI}_4-\text{Cu}_2\text{HgI}_4$ , doped with  $\text{Cd}^{2+}$ ,  $\text{K}^+$ , and  $\text{Na}$ , ion conduction in, **122**, 349
  - $\text{AgLnMo}_2\text{O}_8$  ( $\text{Ln} = \text{Eu}, \text{Gd}, \text{Tb}$ ), structure and luminescent properties, **121**, 236
- $M_2\text{AgSbS}_4$  ( $M = \text{K}, \text{Rb}$ ), supercritical ammonia synthesis and characterization, **123**, 277
- $M\text{Ag}_2\text{SbS}_4$  ( $M = \text{K}, \text{Rb}$ ), supercritical ammonia synthesis and characterization, **123**, 277
- $\text{Ag}_{3-x}\text{Te}_3$  thin films, preparation and confirmation of crystal structure by HREM, **123**, 391
- $\beta \text{AgVO}_3$ , crystal structure, relationships with  $\text{Ag}_2\text{V}_4\text{O}_{11}$  and  $\delta \text{Ag}_x\text{V}_2\text{O}_5$ , **122**, 303
- $\delta \text{Ag}_x\text{V}_2\text{O}_5$ , relationship with  $\beta \text{AgVO}_3$  crystal structure, **122**, 303
- $\text{Ag}_2\text{V}_4\text{O}_{11}$ , relationship with  $\beta \text{AgVO}_3$  crystal structure, **122**, 303
- complex salts with chloroanthraquinone, formation, effect of substitution pattern of chloroanthraquinone, **126**, 99
- $\text{KAg}_3\text{As}_2\text{S}_5$ , thermal stability and optical absorption, **127**, 186
- $\text{K}_5\text{Ag}_2\text{As}_5\text{Se}_9$ , thermal stability and optical absorption, **127**, 186
- $(\text{Me}_3\text{NH})[\text{Ag}_3\text{As}_2\text{Se}_5]$ , thermal stability and optical absorption, **127**, 186
- Single-crystal neutron diffraction
- $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , **124**, 381
- Single-crystal X-ray diffraction
- $\text{BaCoS}_{2-\delta}$ , **127**, 211
  - $\text{Ba}_3\text{Mo}_2\text{O}_2(\text{PO}_4)_4$ , **125**, 147
  - $\text{Ba}_2\text{V}_3\text{O}_9$ , **126**, 328
  - $\text{Bi}_2\text{Te}_2\text{W}_3\text{O}_{16}$ , **127**, 248
  - $\text{Ca}_3\text{Co}(\text{SeO}_3)_4$ , **124**, 143
  - $\text{Ce}_{12}\text{I}_{17}\text{Mn}_2$ , **125**, 249
  - $\text{C}_5\text{H}_6\text{N}_3\text{O}_2^- \cdot \text{H}_2\text{PO}_4^- \cdot \text{H}_3\text{PO}_4$ , preparation and structure, **124**, 8
  - $ALn\text{Cl}_4 \cdot 4\text{H}_2\text{O}$  ( $A = \text{NH}_4, \text{K}, \text{Rb}, \text{Cs}$ ;  $\text{Ln} = \text{La-Sm}$ ), **126**, 44
  - $trans\text{-Co(dien)}_2\text{Al}_3\text{P}_4\text{O}_{16} \cdot 3\text{H}_2\text{O}$  with chiral layers, **125**, 228
  - $\text{CoSi}_3\text{P}_3$ , **124**, 366
  - $\text{Cr}_4(\text{Si}_2\text{O}_7)X_2$  ( $X = \text{Cl}, \text{Br}$ ), **127**, 331
  - $\text{CsLaCl}_4 \cdot 3\text{H}_2\text{O}$ , **126**, 44
  - $\text{CuYb}_2\text{Ge}_4\text{O}_{12}$ , **124**, 17
  - $\text{Hg}_4\text{As}_2\text{Br}_3$ , **126**, 324
  - $\text{Hg}_{7.4}\text{As}_4\text{Cl}_6$ , **126**, 324
  - $\text{Hg}_2\text{SnS}_2\text{Br}_2$ , **126**, 95
  - $[\text{H}_3\text{N}(\text{CH}_2)_4\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)]$ , **125**, 270
  - $[\text{H}_3\text{N}(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{Co}(\text{PO}_4)] \cdot 0.5\text{H}_2\text{O}$ , **125**, 270
  - $\text{K}_{7-x}\text{Ba}_x\text{Nb}_{14}\text{P}_9\text{O}_{60}$  ( $x = 0.27(5)$ ;  $y = 0.63(3)$ ), **125**, 192
  - $\text{K}_2\text{Cr}_8\text{O}_{16}$ , **126**, 1
  - $\text{KTiPS}_5$ , **125**, 30
  - $\text{La}_{12}\text{I}_{17}\text{Fe}_2$ , **125**, 249
  - $\text{Na}^+/\text{Pr}^{3+}-\beta''\text{Al}_2\text{O}_3$ , compositional dependence of  $\text{Pr}^{3+}$  distributions, **124**, 169
  - $\text{N}_2\text{C}_4\text{H}_{14}, (\text{VO}_3)_2$ , **124**, 151
  - $\text{Pb}\{\text{O}(\text{H}, \text{D})\}X$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ), **124**, 155
  - $\text{PbV}_6\text{O}_{11}$ , **125**, 91
  - $\text{Pb}_{1.32}\text{V}_{8.35}\text{O}_{16.7}$ , **125**, 91
  - $\text{RbMn}_4(\text{AsO}_4)_3$ , **125**, 255
  - $\text{RbTiPS}_5$ , **125**, 30
  - $\text{LnSi}_2\text{P}_6$  ( $\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}$ ), **124**, 346
  - $\text{Sm}_{2/3}\text{Cr}_2\text{S}_4$ , **127**, 295
  - $\text{Sm}_3\text{ReO}_7$ , **125**, 1
  - $[\text{Sn}(\text{HO}_3\text{PCH}_2\text{PO}_3\text{H})] \cdot \text{H}_2\text{O}$ , **125**, 182
  - $[\text{Sn}_2\{\text{O}_3\text{PC}(\text{OH})(\text{CH}_3)\text{PO}_3\}]$ , **125**, 182
  - $\text{Sr}_9\text{Ni}_{6.64}\text{O}_{21}$ , **126**, 27
  - $\text{UTe}_2$ , **127**, 202
  - $\text{AV}_2\text{O}(\text{PO}_4)_2$  ( $A = \text{Cd}, \text{Ca}, \text{Sr}$ ), **127**, 325
  - $\sigma\text{-Zn}_{0.25}\text{V}_2\text{O}_5 \cdot \text{H}_2\text{O}$ , **126**, 65
- Sinterability
- $\text{BaRETaO}_6$  ( $\text{RE} = \text{Pr}, \text{Nd}, \text{Eu}, \text{Dy}$ ), **126**, 202
  - $\text{Ca}_{(1-x)}\text{Gd}_{(x)}\text{TiO}_3$ , charge compensation, **124**, 77
- Sintering
- in  $\text{B}-\text{N}-\text{O}$  ternary system, **123**, 215
  - $\text{Ca}_2\text{Zr}_5\text{Ti}_2\text{O}_{16}$  polycrystals, analysis by TEM, **126**, 177

## Soaps

chromium, spectroscopic and thermal behavior, **122**, 100

## Sodium

$\text{Ag}_2\text{HgI}_4\text{-Cu}_2\text{HgI}_4$  systems doped with, ion conduction in, **122**, 349  
 $\text{BaB}_2\text{O}_4\text{-BaF}_2\text{-}2\text{NaF}\text{-Na}_2\text{B}_2\text{O}_4$  reciprocal system, thermodynamic analysis, **126**, 80

intercalation into  $(\text{PbS})_{1.18}(\text{TiS}_2)_2$  misfit layer compound, **124**, 238

$\text{K}_3\text{MnO}_3\text{F}_3\text{-Na}_3\text{MnO}_3\text{F}_3$  ( $M = \text{Mo}, \text{W}$ ), phase transitions, analysis, **124**, 123

$\text{La}_x\text{Na}_x\text{Mn}_w\text{O}_3$  with perovskite-type structure, magnetic and electrical properties, **124**, 250

$\text{Na}^+$  and  $\text{Li}^+$  ions, solid state electrochemical intercalation in polyparaphenylene, **127**, 123

$\text{Na}_3\text{AlP}_3\text{O}_9\text{N}$ , and related compounds, preparation and characterization, **121**, 418

$\text{Na}_9\text{Al}_9\text{Si}_{27}\text{O}_{72}\cdot n\text{H}_2\text{O}$ , exchange in heulandite single-crystals, **123**, 140  
 $\text{Na}_6\text{Ca}[\text{Al}_6\text{Si}_6\text{O}_{24}]\text{CO}_3\cdot\text{H}_2\text{O}$ ,  $\text{Se}_2^-$  and  $\text{Se}_2^-$  in, spectroscopic properties, **126**, 50

$\text{NaCl}$ , polycrystalline, mechanical doping with  $\text{Pb}^{2+}$  ions, **122**, 22

$\text{Na}_4\text{Co}_3(\text{PO}_4)_2\text{P}_2\text{O}_7$ , with 3D system of intersecting tunnels, **123**, 129

$\text{NaH}[\text{Cu}_2(\text{O}_2\text{C}_2\text{H}_3)_6]$ , isolation of compound containing copper-to-copper bonding, **121**, 61

$\text{Na}_{172}\text{In}_{197}\text{Z}_2$  ( $Z = \text{Ni}, \text{Pd}, \text{Pt}$ ): indium phase with three stuffed and condensed fullerene-like cages, **123**, 344

$\text{Na}^+/\text{La}^{3+}\text{-}\beta''\text{-Al}_2\text{O}_3$  crystals, X-ray and  $^{23}\text{Na}$  NMR analysis, **122**, 315

$\text{Na}_2\text{Mg}_2\text{P}_3\text{O}_9\text{N}$ , and related compounds, preparation and characterization, **121**, 418

$\text{NaMoOP}_2\text{O}_7$ , molybdenum V diphosphate with structure  $\text{KMnOP}_2\text{O}_7$ , **124**, 24

$\text{Na}_{1+x}(\text{Mo}, \text{W})_2\text{O}_5\text{PO}_4$ , synthesis and characterization, **124**, 224

$\text{Na}_x\text{Ni}_{0.6}\text{Co}_{0.4}\text{O}_2$ , physical and electrochemical studies, **122**, 111

$\text{NaNiO}_2$ , covalent exchange versus superexchange, letter to editor, **127**, 126

$\text{Na}_{2+x}\text{P}_4\text{Nb}_6\text{O}_{26}$ , crystal growth and electrical and magnetic properties, **121**, 273

$\text{NaM}_2(\text{PO}_4)_3$  ( $M = \text{Zr}, \text{Ti}$ ), NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197

$\text{Na}_5\text{M}(\text{PO}_4)_3$  ( $M = \text{Zr}, \text{Ti}$ ), NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197

$\text{Na}^+/\text{Pr}^{3+}\text{-}\beta''\text{-Al}_2\text{O}_3$ , compositional dependence of  $\text{Pr}^{3+}$  distributions, **124**, 169

$\text{Na}^+\text{-Pr}^{3+}\text{-}\beta''\text{-Al}_2\text{O}_3$  crystals, ion conductivity, **127**, 161

$\text{Na}_2\text{SO}_4$  inclusions in sodium calcium silicate glasses, Raman spectroscopic analysis, **123**, 183

$\text{NaLnTiO}_4$  ( $Ln = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ) structure and ionic conductivity, comparison with  $\text{Na}_2\text{Ln}_2\text{Ti}_3\text{O}_{10}$ , **121**, 430

$\text{Na}_2\text{Ln}_2\text{Ti}_3\text{O}_{10}$  ( $Ln = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ), comparison with  $\text{NaGdTiO}_4$  structure and ionic conductivity, **121**, 430

$\text{NaTi}_2(\text{PS}_4)_3$ , interlocked structure, **121**, 230

$\text{Na}_2\text{TiSiO}_5$ , crystal structure of orthorhombic LT-form, relationship to tetragonal HT-form, **123**, 324

$\tau\text{-Na}_x\text{V}_2\text{O}_5$  ( $x = 0.64$ ), synthesis and crystal structure, **122**, 1

$\text{SiO}_2\text{-Na}_2\text{O}\text{-CaO}$  glasses, sulfate inclusions in, Raman spectroscopic analysis, **123**, 183

## Sol-gel method

$(\text{BiPb})_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_y$  superconductor synthesis, **126**, 55

$R_2\text{CuO}_4$  ( $R = \text{Gd}, \text{Nd}$ ) prepared by, particle size and lattice parameters, effect of calcination temperature, **122**, 25

$\text{YBa}_2\text{Cu}_4\text{O}_8$  superconductors prepared by, effect of complexing agents, **121**, 356

## Sol-gels

$\text{Pt/TiO}_2$  catalyst, synthesis and characterization, **122**, 309

## Solid solutions

$\text{BaCeO}_3$ , and  $\text{BaZrO}_3$  and  $\text{BaSnO}_3$ , EPR spectra of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{Ba}_5\text{Fe}_{3-x}^{\text{III}}\text{M}_x^{\text{II}}\text{F}_{19-x}$  ( $M = \text{Fe}, \text{Cu}$ ), Mössbauer spectroscopy and magnetic properties, **125**, 159

$\text{BaSnO}_3$  and  $\text{BaCeO}_3$  and  $\text{BaZrO}_3$ , EPR of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), tetrahedral  $\text{Ti}^{4+}$  in, analysis, **126**, 105

$\text{BaZrO}_3$  and  $\text{BaCeO}_3$  and  $\text{BaSnO}_3$ , EPR spectra of  $\text{Pr}^{4+}$  in, **122**, 384

$\text{Bi}_{26}\text{Mo}_{10}\text{O}_{6}$ -type, in  $\text{Bi}_2\text{O}_3\text{-MoO}_3\text{-V}_2\text{O}_5$  ternary diagram, **122**, 394

$\text{CaNiSi}_2\text{O}_4$ , synthesis, structure, and magnetic properties, **124**, 374

$\text{Cr}_{1-x}\text{Mn}_x\text{P}_4$  ( $x = 0.3\text{-}0.7$ ), crystal structure, correspondence to  $4\text{-MnP}_4$ , **122**, 206

$\text{Er}_2\text{Ti}_2\text{O}_7\text{-Nd}_2\text{Zr}_2\text{O}_7$ , **127**, 231

$\text{EuTa}_3\text{O}_9$ , **124**, 272

$\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$  ( $x = 0.6, 0.7, 1.2, 1.5$ ), pressure-induced structural transition, **126**, 88

$\text{LiCr}_{1-x}\text{Al}_x\text{TiO}_4$  ( $0 \leq x \leq 0.4$ ), preparation and magnetic properties, **125**, 211

$\text{Mg}_{2-x}\text{Ti}_{1+x}\text{O}_4$  ( $0 \leq x \leq 1$ ), spinels, electrical and magnetic properties, **125**, 216

$\text{Nd}_{1.2}\text{Er}_{0.8}\text{Ti}_2\text{O}_7\text{-Nd}_2\text{Zr}_2\text{O}_7$ , **127**, 231

$(\text{Nd}_x, \text{Sm}_{1-x})\text{AlO}_3$ , **126**, 221

$\text{Pr}_{1.1(1-x)}\text{Bi}_{0.8x}\text{Sr}_{0.9+0.3x}\text{O}_{2.932+0.094x}$ , preparation and characterization, **124**, 176

$\text{ Tb}_{1-x}\text{Bi}_x\text{SrO}_3$ -type, synthesis and crystallochemical characterization, **122**, 321

$\text{ TbTa}_3\text{O}_9$ , **124**, 272

## Solid state reactions

$\text{Li}^+$  and  $\text{Na}^+$  ions, electrochemical intercalation in polyparaphenylene, **127**, 123

mechanically induced, mechanism, crystallographic contribution, **122**, 273

$\text{Nb}_2\text{C}$  synthesis from  $\text{B-Nb}_2\text{O}_5$ , mechanism, **123**, 168

$\text{Nb}_{12}\text{O}_{29}$ , *in situ*, in high resolution gas reaction cell microscope, **124**, 116

## Solubility

$\text{Ce}$  in  $\text{BaTiO}_3$ , solid solubility, **123**, 30

## Space group

$\text{BaV}_3\text{O}_8$ , analysis, **122**, 245

## Spectrophotometry

chromium soaps, **122**, 100

## Spinels

$\text{Cu}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 \leq x \leq 0.5$ ), thermal behavior and cation distribution, **126**, 7

$\text{Li}(\text{Li}_x\text{Mn}_{2-x})\text{O}_4$ , lattice instability, **122**, 160

$\text{Li}_{1-x}\text{Mn}_2\text{O}_4$ , Li insertion in, thermodynamic and kinetic investigation, **122**, 195

$\text{Li}_4\text{Mn}_5\text{O}_{12}$  electrodes for Li batteries, thermal stability, **125**, 274

$\text{LiMn}_2\text{O}_4\text{-Li}_2\text{Mn}_4\text{O}_9\text{-Li}_4\text{Mn}_5\text{O}_{12}$  system, chemical and magnetic characterization, **123**, 255

-metal composites, Co-containing, iron disproportionation, effect of Co/Fe ratio, **123**, 109

$\text{Mg}_{2-x}\text{Ti}_{1+x}\text{O}_4$  ( $0 \leq x \leq 1$ ), solid solutions, electrical and magnetic properties, **125**, 216

$\text{Mn}_x\text{CoFe}_{2-x}\text{O}_4$  ferrites, trivalent Mn ions in, cationic distribution and

oxidation mechanism, **125**, 67

morphological diagram, analysis, **121**, 388

$\text{NiMn}_2\text{O}_4$ , hydrotalcite-like, synthesis and characterization, **124**, 205

## Spin states

$\text{Nd}(\text{Cr}_{1-x}\text{Co}_x)\text{O}_3$ , cobalt ion in, **122**, 297

Stability, *see also* Thermal stability; Thermodynamic stability

$\beta\text{-Bi}_2\text{O}_3$ , effect of  $\text{CeO}_2$ , letter to editor, **127**, 128

$\text{CeO}_2$

effect on  $\beta\text{-Bi}_2\text{O}_3$ , letter to editor, **127**, 128

hydrothermal system, analysis, **126**, 74

$\text{Ce}(\text{OH})_3$ , hydrothermal system, analysis, **126**, 74

$\text{CeOHCO}_3$ , hydrothermal system, analysis, **126**, 74

$\text{KHF}_2$ ,  $14/mcm$  structure to 50 GPa, **125**, 171

- Nd<sub>2</sub>CuO<sub>4</sub> ( $T'$ )-type structure, **125**, 63  
 Ni<sub>7+x</sub>S<sub>6</sub>, **121**, 400  
 Stacking faults  
 Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15- $\delta$</sub> , **127**, 31  
 Stearate  
 chromium soap, spectroscopic and thermal behavior, **122**, 100  
 Stoichiometry  
 Pb<sub>1.5</sub>Ta<sub>2</sub>O<sub>6.5</sub>-Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, **126**, 253  
 Strontium  
 Bi(La)Sr(Ca)Mn<sub>2</sub>O<sub>6</sub>, magnetic and electric properties, **121**, 138  
 (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> superconductors, synthesis by sol-gel technique, **126**, 55  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> high temperature superconductor, low temperature thermal expansion, calculation, **123**, 267  
 (Ca,Th)(N,O) and (Sr,Th)(N,O) phases, synthesis and characterization, **120**, 372; *erratum*, **122**, 451  
 GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> superconductor, structural disorders, **123**, 378  
 Hg<sub>0.5</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, mercury-based ferrite with 0201-1201 structure, **124**, 1  
 Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7- $\delta$</sub> CO<sub>3</sub> (0.28 ≤  $x$  ≤ 0.40; 0 ≤  $y$  ≤ 2.65), flexible shearing phenomenon in, relationship to nanostructural transitions, **126**, 271  
 La<sub>1-x</sub>Sr<sub>x</sub>Co<sub>3</sub>  
 crystal structure and metal-insulator transition, **121**, 423  
 oxygen diffusion in, **124**, 230  
 La<sub>1-x</sub>Sr<sub>x</sub>CuO<sub>2.5</sub>, doped spin-ladder compound, **123**, 223  
 LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10- $\delta$</sub> , synthesis, structure, and properties, **122**, 390  
 La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub> (0.15 ≤  $y$  ≤ 0.33), high-resolution electron microscopy, **125**, 125  
 La<sub>1/3</sub>Sr<sub>2/3</sub>FeO<sub>3-y</sub>, (0 ≤  $y$  ≤ 0.10), analysis by HREM, **124**, 278  
 La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3- $\delta$</sub>  ( $x$  = 0.05–0.20), electrical conductivity and diffusion coefficient, **123**, 382  
 La<sub>x</sub>Sr<sub>x</sub>Mn<sub>w</sub>O<sub>3</sub> with perovskite-type structure, magnetic and electrical properties, **124**, 250  
 (La,Sr)<sub>n+1</sub>Mn<sub>n</sub>O<sub>3n+1</sub>, giant magnetoresistance, effect of dimensionality, letter to editor, **122**, 448  
 Nd<sub>0.7</sub>Ca<sub>0.3-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>, size effect in, role in low temperature orthorhombic–monoclinic transition, letter to editor, **127**, 131  
 Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+ $\delta$</sub> , superconductor, substitution of Cr for univalent Cu, **127**, 64  
 (Pb<sub>0.5</sub>M<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O<sub>y</sub> ( $M$  = Pb,Cd), synthesis and crystal structure, **123**, 313  
 Pr<sub>1.1(x)</sub>Bi<sub>0.8x</sub>Sr<sub>0.9+0.3x</sub>O<sub>2.932+0.094x</sub>, preparation and characterization, **124**, 176  
 Pr<sub>1/2</sub>Sr<sub>1/2</sub>MnO<sub>3</sub>  
 increase of  $T_N$  up to 190 K, letter to editor, **123**, 413  
 room temperature crystal structure determination, **124**, 381  
 Pr<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub>, monoclinic perovskite allotype in, analysis, **127**, 276  
 PrSrO<sub>3</sub>, related phase, existence and Bi/Pr-substituted solid solution, **124**, 176  
 SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub>, structure from refinement of powder neutron diffraction data, **126**, 135  
 SrCuAs<sub>2</sub>O<sub>7</sub>, synthesis and crystal structure, **121**, 350  
 SrCuO<sub>2</sub>, Nd<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>-SrTiO<sub>3</sub> phase formation at 1350°C in presence of, **121**, 324  
 SrCuO<sub>2.5</sub>, perovskite, synthesis and structure, **121**, 498  
 (RE<sub>1-x</sub>Sr<sub>x</sub>)<sub>8</sub>Cu<sub>8</sub>O<sub>20</sub> ( $RE$  = Pr,Nd), synthesis under  $P_{O_2}$  = 20 MPa, **125**, 117  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]RhH<sub>5</sub>, synthesis and crystal structure, **121**, 56  
 Sr[Fe(CN)<sub>5</sub>NO]·4H<sub>2</sub>O, single crystals, neutron diffraction study, **123**, 48  
 SrFe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub> synthesized under high pressure, ferromagnetic properties, **121**, 174  
 Sr<sub>2</sub>MgAl<sub>22</sub>O<sub>36</sub>, crystal structure, **122**, 46  
 Sr<sub>1-x</sub>Ln<sub>x</sub>MnAl<sub>11</sub>O<sub>19- $\alpha$</sub>  ( $Ln$  = Pr,Nd,Sm,Gd), changes of crystalline phase and catalytic properties, **121**, 190  
 A<sub>0.7</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> ( $A$  = La,Pr), perovskite, structural phase diagram, letter to editor, **122**, 444  
 Sr<sub>x</sub>Nb<sub>6</sub>Te<sub>8</sub>, preparation and transport properties, **121**, 332  
 Sr<sub>1+x</sub>Nd<sub>1-x</sub>FeO<sub>4-y</sub>, nonstoichiometry and physical properties, **123**, 161  
 Sr<sub>9</sub>Ni<sub>6.64</sub>O<sub>21</sub>, synthesis and crystal structure, **126**, 27  
 SrB<sub>10</sub>O<sub>15+x</sub> ( $B$  = V,Cr;  $x$  = 0,~1), **122**, 416  
 Sr<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, **126**, 242  
 Sr<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>  
 Eu<sup>2+</sup> luminescence in, **122**, 432  
 stoichiometric and nonstoichiometric, surface and bulk properties, oxidation of methane on, analysis, **126**, 242  
 Sr<sub>2</sub>RhO<sub>4</sub>, temperature-dependent structural behavior, letter to editor, **123**, 186  
 Sr<sub>0.56</sub>Sr<sub>0.44</sub>MnO<sub>3</sub>, increase of GMR ratios up to 10<sup>6</sup> by iron doping, letter to editor, **124**, 385  
 Sr<sub>1-x</sub>M<sub>x</sub>TiO<sub>3</sub> ( $M$  = Ca,Mg; 0 ≤  $x$  ≤ 1), vibrational spectroscopy and X-ray diffraction, **124**, 353  
 SrTiO<sub>3</sub>-Nd<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> system, phase formation at 1350°C in presence of V<sub>2</sub>O<sub>5</sub>, CuV<sub>2</sub>O<sub>6</sub>, or SrCuO<sub>2</sub>, **121**, 324  
 β-Sr(VOAsO<sub>4</sub>)<sub>2</sub>, synthesis, crystal structure, and magnetic susceptibility, **122**, 36  
 SrV<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, structure and magnetism, **127**, 325  
 SrV<sub>2</sub>S<sub>5</sub>, synthesis with solid state reactions, **126**, 189  
 Sr<sub>3</sub>ZnIrO<sub>6</sub>, crystal structure and magnetic properties, **127**, 25  
 Tb<sub>1-x</sub>Bi<sub>x</sub>SrO<sub>3</sub>-type solid solutions, synthesis and crystallochemical characterization, **122**, 321  
 Strontium hydroxyapatites  
 stoichiometric and nonstoichiometric, surface and bulk properties, oxidation of methane on, analysis, **126**, 242  
 Structure, *see also* Crystal structure; Nanostructure; Superstructure band, NiTe<sub>2</sub>, theoretical and experimental, **121**, 87  
 Bi<sub>2</sub>O<sub>3</sub> disorder, analysis, **122**, 439  
 centrosymmetric, formation, effect of polyanion charge: analysis of crystal structure of C<sub>5</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>2</sub>PO<sub>4</sub><sup>-</sup>·H<sub>3</sub>PO<sub>4</sub>, **124**, 8  
 GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub> superconductor, disorder in, analysis by SAED and HRTEM, **123**, 378  
 La<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>3- $\delta$</sub> , **121**, 202  
 La<sub>8-x</sub>Ca<sub>x</sub>Cu<sub>8-y</sub>Ni<sub>y</sub>O<sub>20</sub>, 8–8–20, stabilization, **121**, 319  
 La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> ( $x$  = 0.6,0.7,1.2,1.5), pressure-induced transition, **126**, 88  
 Li<sub>4</sub>Mn<sub>5</sub>O<sub>12</sub>, effects of oxygen and nitrogen atmospheres, **121**, 79  
 LiMo<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, mixed-valence monophosphate with 3D framework, **124**, 322  
 Nd<sub>1-x</sub>TiO<sub>3</sub>, for  $x$  = 0, 0.05, and 0.10, **121**, 443  
 network, flexibility, **121**, 2  
 Ni<sub>7±x</sub>S<sub>6</sub>, **121**, 400  
 PZG glass through recrystallization, EPR study, **121**, 149  
 Ta<sub>8</sub>W<sub>9</sub>O<sub>47</sub>, **124**, 58  
 tetragonal tungsten bronze in K<sub>4</sub>Ce<sub>2</sub>M<sub>10</sub>O<sub>30</sub> ( $M$  = Nb,Ta), joint X-ray and HREM study, **122**, 7  
 thin films, W/Ti oxide, **121**, 379  
 Ti<sub>4</sub>O(Te<sub>2</sub>)<sub>4</sub>TeI<sub>4</sub> extended cluster, **123**, 273  
 ( $T'$ )-type Nd<sub>2</sub>CuO<sub>4</sub>, tolerance factor, **125**, 63  
 zinc ferrite, mechanically activated, analysis, **123**, 100  
 Substitution reactions  
 solid-state, between halogenoacetates and metal halides, **121**, 129  
 Succinic acid  
 effect on YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> superconductors prepared by sol-gel method, **121**, 356  
 Sulfur  
 M<sub>2</sub>AgSbS<sub>4</sub> ( $M$  = K,Rb), supercritical ammonia synthesis and characterization, **123**, 277

- MAg<sub>2</sub>SbS<sub>4</sub>* (*M* = K,Rb), supercritical ammonia synthesis and characterization, **123**, 277
- BaCoS<sub>2-δ</sub>, polymorphism and superstructure, **127**, 211
- BaTiS<sub>y</sub> ( $y = 2.70\text{--}2.93$ ), composite crystals, **121**, 451
- [ $(\text{CH}_3)_4\text{N}$ ]<sub>2</sub>MGe<sub>4</sub>S<sub>10</sub> (*M* = Fe,Cd), structure refinement by Rietveld method, **121**, 473
- ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), synthesis, electrical and magnetic properties, **127**, 151
- CsCuFeS<sub>2</sub>, synthesis, crystal structure, and electronic structure, **122**, 31
- Cu<sub>2</sub>U<sub>3</sub>S<sub>7</sub>, crystal structure and magnetic properties, **123**, 331
- Fe<sub>7</sub>S<sub>8</sub>, ordering, incommensuration, and phase transition, TEM analysis, **124**, 264
- Ga<sub>2</sub>S<sub>3</sub>–GeS<sub>2</sub> glasses, short and medium range order in, analysis by X-ray absorption, **123**, 60
- Hg<sub>2</sub>SnS<sub>2</sub>Br<sub>2</sub>, synthesis and structure, **126**, 95
- KAg<sub>3</sub>As<sub>2</sub>S<sub>5</sub>, thermal stability and optical absorption, **127**, 186
- KCo<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> ( $0.5 \leq x \leq 1.5$ ), synthesis, electrical and magnetic properties, **127**, 151
- KTiPS<sub>5</sub>, synthesis and structure, **125**, 30
- LiNH<sub>3</sub>OH<sub>2</sub>O single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72
- Mn<sub>x</sub>NbS<sub>2</sub> ( $0.19 \leq x \leq 0.52$ ), synthesis and physical properties, **125**, 178
- Na<sub>2</sub>SO<sub>4</sub> inclusions in sodium calcium silicate glasses, Raman spectroscopic analysis, **123**, 183
- NaTi<sub>2</sub>(PS<sub>4</sub>)<sub>3</sub>, interlocked structure, **121**, 230
- (NH<sub>3</sub>OH)<sub>2</sub>SO<sub>4</sub> single crystals and deuterated analogs, infrared and Raman spectra, **127**, 72
- NH<sub>4</sub>Sm(SO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, vibrational spectra, **121**, 408
- NH<sub>4</sub>Ln(SO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O [*Ln* = Yb,Tm], vibrational spectra, **121**, 408
- Ni<sub>7+x</sub>S<sub>6</sub>, stability and structural properties, **121**, 400
- PbS–CuS thin films, co-deposition by chemical bath technique, **123**, 296
- (PbS)<sub>1.18</sub>(TiS<sub>2</sub>)<sub>2</sub> misfit layer compound, Na intercalation, **124**, 238
- RbAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O, infrared and polarized spectra, **122**, 333
- RbTiPS<sub>5</sub>, synthesis and structure, **125**, 30
- Sm<sub>2/3</sub>Cr<sub>2</sub>S<sub>4</sub>, lillianite-type, incommensurate structure, **127**, 295
- Sn–Zn–S system, gradual and combustive mechanochemical reactions, **121**, 394
- [SO<sub>4</sub>]<sup>2-</sup> tetrahedral sulfate anion, replacement of [HgO<sub>2</sub>]<sup>2-</sup> in Hg-1201 superconductor, **121**, 66
- SrV<sub>2</sub>S<sub>5</sub>, synthesis with solid state reactions, **126**, 189
- Superconductors
- (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub>, synthesis by sol–gel technique, **126**, 55
  - Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, high temperature, low temperature thermal expansion, calculation, **123**, 267
  - copper mixed oxides, effect of pressure, **121**, 24
  - Eu<sub>1+y</sub>Ba<sub>2-y</sub>Cu<sub>3</sub>O<sub>7-x</sub>, and related phases in Eu<sub>2</sub>O<sub>3</sub>–CuO–BaO system, Gibbs free energy of formation, **126**, 38
  - GaSr<sub>2</sub>Ca<sub>3</sub>Cu<sub>4</sub>O<sub>y</sub>, structural disorders, **123**, 378
  - Hg-1201, [HgO<sub>2</sub>]<sup>2-</sup> in, replacement by tetrahedral sulfate anion [SO<sub>4</sub>]<sup>2-</sup>, **121**, 66
  - HgBa<sub>2</sub>Ca<sub>n-1</sub>Cu<sub>n</sub>O<sub>2n+2+δ</sub> ( $n = 1,2,3,4$ ), crystal chemistry, **122**, 221
  - Hg<sub>1-x</sub>V<sub>x</sub>Sr<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-s</sub>CO<sub>3</sub> ( $0.28 \leq x \leq 0.40$ ;  $0 \leq y \leq 2.65$ ), flexible shearing phenomenon in, relationship to nanostructural transitions, **126**, 271
  - layered quaternary lanthanide nickel borocarbides and boronitrides, chemical bonding topology, **124**, 329
  - NdBa<sub>2</sub>Cu<sub>3</sub>O<sub>6.88</sub> with tetragonal unit cell, single-crystal structure, **121**, 415
  - Pb<sub>2</sub>Sr<sub>2</sub>(Ca,Y)Cu<sub>3</sub>O<sub>8+δ</sub>, substitution of Cr for univalent Cu, **127**, 64
  - Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, synthesis by *ex situ* annealing, **121**, 262
  - YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub>, preparation by sol–gel method, effect of complexing agents, **121**, 356
- Superexchange
- NaNiO<sub>2</sub>, relationship to covalent exchange, letter to editor, **127**, 126
- NdNiO<sub>3</sub>, relationship to covalent exchange, letter to editor, **127**, 126
- Superstructure
- Bi<sub>2</sub>La<sub>4</sub>O<sub>9</sub>, **124**, 300
  - Li<sub>3</sub>Ni<sub>2</sub>NbO<sub>6</sub>, continuous order–disorder transition in Cr-doped and undoped rock salt structures, **124**, 214
- Switching effect
- and electroforming, in transition metals oxides, **122**, 95
- Synthesis
- Ag, ultrafine powder, PVP protective mechanism, **121**, 105
  - β-Ag<sub>3</sub>AsSe<sub>3</sub>, **127**, 186
  - M<sub>2</sub>AgSbS<sub>4</sub> (*M* = K,Rb), **123**, 277
  - M<sub>2</sub>Ag<sub>2</sub>SbS<sub>4</sub> (*M* = K,Rb), **123**, 277
  - [AlP<sub>2</sub>O<sub>8</sub>]<sup>3-</sup>[NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>]<sup>2+</sup>[NH<sub>4</sub>]<sup>+</sup>, **127**, 145
  - Ba<sub>2</sub>Cu<sub>3</sub>Cl<sub>2</sub>O<sub>4</sub>, **124**, 319
  - Ba<sub>2+x</sub>Cu<sub>3</sub>O<sub>6</sub> at low temperature, **122**, 176
  - Ba<sub>3</sub>Fe<sub>3-x</sub>M<sub>x</sub>F<sub>19-x</sub> (*M* = Fe,Cu), **125**, 159
  - Ba<sub>4</sub>Mo<sub>2</sub>O<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub> with chain-like structure, **125**, 147
  - Ba<sub>8</sub>Ta<sub>6</sub>NiO<sub>24</sub>, **125**, 102
  - BaRETaO<sub>6</sub> (*RE* = Pr,Nd,Eu,Dy), **126**, 202
  - Bi<sub>2</sub>AuO<sub>5</sub>, **122**, 364
  - Bi<sub>4</sub>Au<sub>2</sub>O<sub>9</sub>, **122**, 364
  - Bi<sub>2</sub>La<sub>4</sub>O<sub>9</sub>, **124**, 300
  - BiNH<sub>4</sub>P<sub>4</sub>O<sub>12</sub>, **125**, 43
  - (BiPb)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> superconductors, **126**, 55
  - Bi<sub>2</sub>Te<sub>4</sub>O<sub>11</sub>, **121**, 251
  - BN hexagonal system, **123**, 215
  - 0.2B<sub>2</sub>O<sub>3</sub>·1.0Al<sub>2</sub>O<sub>3</sub>·0.6HCl·5.7H<sub>2</sub>O, **122**, 200
  - Ca<sub>x</sub>Ln<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>Cl<sub>4</sub> (*Ln* = Gd,Sm), **127**, 315
  - [Ca<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, **121**, 56
  - Ca<sub>2</sub>M<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O (*M* = K,Tl,Rb), **126**, 308
  - CaMSi<sub>2</sub>O<sub>6</sub>, **124**, 374
  - (Ca,Th)(N,O) and (Sr,Th)(N,O) rocksalt phases, **120**, 372; *erratum*, **122**, 451
  - CdMoO<sub>2</sub>PO<sub>4</sub>, **122**, 343
  - Ce(C<sub>2</sub>O<sub>4</sub>)(HCO<sub>2</sub>), **127**, 256
  - Ce<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51
  - [Ce(H<sub>2</sub>O)]<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, **127**, 256
  - Ce<sub>12</sub>Al<sub>2</sub>Mn<sub>2</sub>, **125**, 249
  - C<sub>5</sub>H<sub>6</sub>N<sub>3</sub>O<sub>2</sub><sup>+</sup>·H<sub>2</sub>PO<sub>4</sub><sup>-</sup>·H<sub>3</sub>PO<sub>4</sub>, **124**, 8
  - ACoCuS<sub>2</sub> (*A* = K,Rb,Cs), **127**, 151
  - trans*-Co(dien)<sub>2</sub>·Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O with chiral layers, **125**, 228
  - CoSi<sub>3</sub>P<sub>3</sub>, **124**, 366
  - Cr<sub>2</sub>P, **123**, 306
  - CsCuFeS<sub>2</sub>, **122**, 31
  - CsCu<sub>2</sub>MTe<sub>4</sub> (*M* = Nb,Ta), **121**, 225
  - ACuAs<sub>2</sub>O<sub>7</sub> (*A* = Ca,Sr,Ba), **121**, 350
  - Cu<sub>4</sub>O<sub>3</sub>, **121**, 33
  - Cu<sub>2</sub>U<sub>3</sub>S<sub>7</sub>, **123**, 331
  - Cu<sub>2</sub>U<sub>3</sub>Se<sub>7</sub>, **123**, 331
  - Er<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>–Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, **127**, 231
  - Eu<sub>2</sub>RhH<sub>5</sub>, **121**, 56
  - Fe–Cr oxide pillared α-zirconium phosphate materials, **122**, 231
  - (FeO(OH)<sub>1-x</sub>(NO<sub>3</sub>)<sub>x</sub>)<sub>0.2</sub> ( $0.2 \leq x \leq 0.3$ ), **126**, 336
  - Fe<sub>7</sub>S<sub>8</sub>, **124**, 264
  - Hg<sub>4</sub>As<sub>2</sub>Br<sub>3</sub>, **126**, 324
  - Hg<sub>7.4</sub>As<sub>4</sub>Cl<sub>6</sub>, **126**, 324
  - Hg<sub>0.3</sub>Pr<sub>0.6</sub>Sr<sub>4</sub>Fe<sub>2</sub>O<sub>9</sub>, **124**, 1
  - Hg<sub>2</sub>SnS<sub>2</sub>Br<sub>2</sub>, **126**, 95
  - HLnTiO<sub>4</sub> (*Ln* = La,Nd,Sm,Gd), **127**, 119
  - H<sub>x</sub>(V<sub>x</sub>Mo<sub>1-x</sub>)O<sub>3</sub>·0.3H<sub>2</sub>O, **121**, 339
  - H<sub>0.27</sub>(V<sub>0.73</sub>)O<sub>3</sub>·1·3H<sub>2</sub>O, **121**, 339
  - H[Zn<sub>4</sub>(PO<sub>4</sub>)<sub>3</sub>]H<sub>2</sub>O, **125**, 243
  - KAg<sub>3</sub>As<sub>2</sub>S<sub>5</sub>, **127**, 186
  - K<sub>5</sub>Ag<sub>2</sub>As<sub>3</sub>Se<sub>9</sub>, **127**, 186

- K<sub>0.8</sub>Ba<sub>0.6</sub>Fe<sub>10.5</sub>Co<sub>0.25</sub>O<sub>17</sub> nonstoichiometric hexaferrites, **122**, 68  
 K<sub>7-x-y</sub>Ba<sub>x</sub>Nb<sub>14</sub>P<sub>9</sub>O<sub>60</sub> ( $x = 0.27(5)$ ;  $y = 0.63(3)$ ), **125**, 192  
 K<sub>4</sub>Ce<sub>2</sub>M<sub>10</sub>O<sub>30</sub> ( $M = \text{Nb,Ta}$ ), with TTB structure, **122**, 7  
 KC<sub>2-x</sub>Cu<sub>x</sub>S<sub>2</sub> ( $0.5 \leq x \leq 1.5$ ), **127**, 151  
 K<sub>2</sub>Cr<sub>8</sub>O<sub>16</sub>, **126**, 1  
 KIn(OH)PO<sub>4</sub>, **123**, 243  
 K<sub>2</sub>Mn[Nb<sub>6</sub>Cl<sub>18</sub>], **122**, 428  
 K<sub>6.6</sub>Mo<sub>2.36</sub>W<sub>3.64</sub>O<sub>15</sub>(PO<sub>4</sub>)<sub>4</sub>, **127**, 1  
 K<sub>3</sub>Nb<sub>6</sub>VO<sub>19</sub>, **124**, 244  
 KTiPS<sub>5</sub>, **125**, 30  
 La<sub>5</sub>Cu<sub>19</sub>P<sub>12</sub>, **121**, 51  
 La<sub>12</sub>I<sub>17</sub>Fe<sub>2</sub>, **125**, 249  
 LaMnO<sub>3+δ</sub>, **121**, 495  
 LaNb<sub>7</sub>O<sub>12</sub>, **123**, 21  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> ( $0 \leq x \leq 0.25$ ), **125**, 47  
 La<sub>1-x</sub>Sr<sub>x</sub>CuO<sub>2.5</sub>, **123**, 223  
 LaSr<sub>3</sub>Fe<sub>3-x</sub>Ga<sub>x</sub>O<sub>10-δ</sub>, **122**, 390  
 LiBiO<sub>3</sub>, **126**, 121  
 Li<sub>x</sub>Mo<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> with tunnel structure, **122**, 107  
 Li<sub>16</sub>Nb<sub>2</sub>N<sub>8</sub>O, **127**, 19  
 in melt and characterization of BaNH<sub>4</sub>(PO<sub>3</sub>)<sub>3</sub>, **125**, 43  
 (Me<sub>5</sub>NH)[Ag<sub>3</sub>As<sub>2</sub>Se<sub>5</sub>], **127**, 186  
 Mn<sub>x</sub>NbS<sub>2</sub> ( $0.19 \leq x \leq 0.52$ ), **125**, 178  
 Mn<sub>2</sub>BSbO<sub>6</sub> ( $B = \text{Fe,V,Cr,Ga,Al}$ ), **124**, 333  
 Mn<sub>2</sub>V<sub>2</sub>O<sub>7</sub>, **121**, 214  
 MoTe<sub>4</sub>Br, with Te<sub>4</sub><sup>2+</sup> ligand attachment, **125**, 165  
 MoTe<sub>6</sub>Br<sub>3</sub>, with Te<sub>2</sub><sup>2+</sup> ligand attachment, **125**, 165  
 NaMoOP<sub>2</sub>O<sub>7</sub>, **124**, 24  
 Na<sub>1+x</sub>(Mo,W)<sub>2</sub>O<sub>5</sub>PO<sub>4</sub>, **124**, 224  
 Na<sup>+</sup>-Pr<sup>3+</sup>-β''-Al<sub>2</sub>O<sub>3</sub>, **127**, 161  
 τ-Na<sub>x</sub>V<sub>2</sub>O<sub>5</sub> ( $x = 0.64$ ), **122**, 1  
 NbC from B-Nb<sub>2</sub>O<sub>5</sub>, **123**, 168  
 Nb<sub>5</sub>N<sub>6-δ</sub>O<sub>y</sub>, **127**, 267  
 Nd<sub>1.2</sub>Er<sub>0.8</sub>Ti<sub>2</sub>O<sub>7</sub>-Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, **127**, 231  
 (Nd<sub>x</sub>, Sm<sub>1-x</sub>)AlO<sub>3</sub>, **126**, 221  
 (NH<sub>4</sub>)<sub>2</sub>V<sup>IV</sup>O(V<sub>2-x</sub>P<sub>x</sub>O<sub>7</sub>), **122**, 139  
 NiMnO<sub>3</sub>, **124**, 205  
 NiMn<sub>2</sub>O<sub>4</sub>, **124**, 205  
 Ln<sub>2</sub>O<sub>2</sub>CN<sub>2</sub> ( $Ln = \text{Ce,Pr,Nd,Sm,Eu,Gd}$ ), **125**, 37  
 PbPt<sub>2</sub>O<sub>4</sub>, **124**, 309  
 (Pb<sub>0.5</sub>M<sub>0.5</sub>)(Sr<sub>0.9</sub>Ho<sub>0.1</sub>)<sub>2</sub>(Ho<sub>0.7</sub>Ce<sub>0.3</sub>)<sub>2</sub>Cu<sub>2</sub>O<sub>y</sub> ( $M = \text{Pb,Cd}$ ), **123**, 313  
 Pb<sub>1.5</sub>Ta<sub>2</sub>O<sub>6.5</sub>-Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, stoichiometry, defects, and ordering, **126**, 253  
 Pb<sub>2.31</sub>Ta<sub>2</sub>O<sub>7.31</sub>-Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub>, **126**, 253  
 PbV<sub>6</sub>O<sub>11</sub>, **125**, 91  
 Pb<sub>1.32</sub>V<sub>8.35</sub>O<sub>16.7</sub>, **125**, 91  
 Pt/TiO<sub>2</sub> sol-gel catalyst, **122**, 309  
 Rb<sub>0.73</sub>Cr<sub>5</sub>Te<sub>8</sub>, **122**, 41  
 RbMn<sub>4</sub>(AsO<sub>4</sub>)<sub>3</sub>, **125**, 255  
 RbTiPS<sub>5</sub>, synthesis and structure, **125**, 30  
 RbY<sub>2</sub>Cl<sub>7</sub>U<sup>3+</sup>, **121**, 312  
 RuP<sub>3</sub>SiO<sub>11</sub>, **121**, 247  
 Sb<sub>n</sub><sup>III</sup>Sb<sub>x</sub><sup>V</sup>A<sub>n-x</sub>TiO<sub>4n+2</sub> ( $A = \text{Ta,Nb}; n = 1,2,3$ ), **125**, 19  
 M(Se<sub>2</sub>O<sub>5</sub>)<sub>3</sub> ( $M = \text{Fe(III),Cr(III)}$ ), **122**, 130  
 M<sub>12</sub>(X)<sub>2</sub>(SeO<sub>3</sub>)<sub>8</sub>(OH)<sub>6</sub> ( $M = \text{Co}^{2+}, \text{Ni}^{2+}; X = \text{OH}^-$ ), **126**, 169  
 Sm<sub>2/3</sub>Cr<sub>2</sub>S<sub>4</sub>, **127**, 295  
 Sm<sub>3</sub>ReO<sub>7</sub>, **125**, 1  
 [Sn(HO<sub>3</sub>PC<sub>2</sub>H<sub>2</sub>O<sub>3</sub>H)]·H<sub>2</sub>O, **125**, 182  
 [Sn<sub>2</sub>(O<sub>3</sub>PC(OH)(CH<sub>3</sub>)PO<sub>3</sub>)], **125**, 182  
 SrCuO<sub>2.5</sub>, **121**, 498  
 (RE<sub>1-x</sub>Sr<sub>x</sub>)<sub>8</sub>Cu<sub>8</sub>O<sub>20</sub> ( $RE = \text{Pr,Nd}$ ), under  $P_{O_2} = 20$  MPa, **125**, 117  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]IrH<sub>5</sub>, **121**, 56  
 [Sr<sub>2-x</sub>Eu<sub>x</sub>]RhH<sub>5</sub>, **121**, 56  
 SrFe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, ferromagnetic properties after preparation under high pressure, **121**, 174  
 Sr<sub>9</sub>Ni<sub>6.64</sub>O<sub>21</sub>, **126**, 27  
 Sr<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, **126**, 242  
 Sr<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, **126**, 242  
 β-Sr(VOAsO<sub>4</sub>)<sub>2</sub>, **122**, 36  
 SrV<sub>2</sub>S<sub>5</sub>, **126**, 189  
 Sr<sub>3</sub>ZnIrO<sub>6</sub>, **127**, 25  
 Tb<sub>1-x</sub>Bi<sub>x</sub>Sr<sub>3</sub>O<sub>3</sub>-type solid solutions, **122**, 321  
 Ti(NH<sub>4</sub>)<sub>2</sub>P<sub>4</sub>O<sub>13</sub>, **125**, 43  
 Ti<sub>4</sub>O(Te<sub>2</sub>)<sub>4</sub>Tel<sub>4</sub>, **123**, 273  
 Tl<sub>2</sub>Ba<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, **121**, 262  
 U(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, structure, and characterization, **121**, 181  
 UP<sub>2</sub>O<sub>7</sub>, synthesis, structure, and characterization, **121**, 181  
 U(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>, **121**, 467  
 vanadium oxynitrides, **122**, 376  
 V<sub>2</sub>O<sub>5</sub>, **123**, 317  
 V<sub>2</sub>O<sub>7</sub><sup>4-</sup>, **126**, 314  
 V<sub>4</sub>O<sub>12</sub><sup>4-</sup>, **126**, 314  
 Ln<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub> ( $Ln = \text{La,Ce,Pr,Nd}$ ), **122**, 81  
 AV<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub> ( $A = \text{Cd,Ca,Sr}$ ), **127**, 325  
 VSe<sub>2-x</sub>, low temperature, **123**, 337  
 V<sub>2</sub>Se<sub>9</sub>, low temperature, **123**, 337  
 V<sub>5</sub>Se<sub>4</sub>, low temperature, **123**, 337  
 yttrium iron garnet nanoparticles, **126**, 161  
 [Zn<sub>4</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>3</sub>]NH(CH<sub>3</sub>)<sub>3</sub>, **125**, 243  
 σ-Zn<sub>0.25</sub>V<sub>2</sub>O<sub>5</sub>·H<sub>2</sub>O, **126**, 65
- T**
- Tantalum  
 Ba<sub>8</sub>Ta<sub>6</sub>NiO<sub>24</sub>, synthesis and crystal structure, **125**, 102  
 BaRETaO<sub>6</sub> ( $RE = \text{Pr,Nd,Eu,Dy}$ ), synthesis, suitability as substrates for YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> films, **126**, 202  
 CaO-ZrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub>, fluorite and perovskite related phases in, analysis, **127**, 82  
 CsCu<sub>2</sub>TaTe<sub>4</sub>, synthesis, structure, and characterization, **121**, 225  
 EuTa<sub>3</sub>O<sub>9</sub>, crystal structure and continuous solid solution characterization, **124**, 272  
 K<sub>4</sub>Ce<sub>2</sub>Ta<sub>10</sub>O<sub>30</sub>, TTB structure, synthesis, crystal growth, and joint X-ray and HREM study, **122**, 7  
 KTaSi<sub>2</sub>O<sub>7</sub>, crystal structure, **123**, 123  
 oxides, electroforming and switching, **122**, 95  
 Pb<sub>1.5</sub>Ta<sub>2</sub>O<sub>6.5</sub>-Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, stoichiometry, defects, and ordering, **126**, 253  
 Pb<sub>2.31</sub>Ta<sub>2</sub>O<sub>7.31</sub>-Pb<sub>2.44</sub>Ta<sub>2</sub>O<sub>7.44</sub> with pyrochlore-related structures, stoichiometry, defects and ordering, **126**, 253  
 Sb<sub>n</sub><sup>III</sup>Sb<sub>x</sub><sup>V</sup>Ta<sub>n-x</sub>TiO<sub>4n+2</sub> ( $n = 1,2,3$ ), synthesis and structural characterization, **125**, 19  
 Ta<sub>5</sub>N<sub>6-δ</sub>O<sub>y</sub>, iron-promoted synthesis, **127**, 267  
 L-Ta<sub>2</sub>O<sub>5</sub>-type phases, incommensurate structures in Ta<sub>2</sub>O<sub>5</sub>-WO<sub>3</sub> system, analysis, **126**, 208  
 Ta<sub>2</sub>O<sub>5</sub>-WO<sub>3</sub> system, L-Ta<sub>2</sub>O<sub>5</sub>-type phases incommensurate structures in, analysis, **126**, 208  
 Ta<sub>8</sub>W<sub>9</sub>O<sub>47</sub>, structure, **124**, 58  
 TbTa<sub>3</sub>O<sub>9</sub>, crystal structure and continuous solid solution characterization, **124**, 272  
 Tartaric acid  
 effect on YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> superconductors prepared by sol-gel method, **121**, 356  
 TDPAC  
<sup>111</sup>In, analysis of nonstoichiometric and In-doped ZnO, **122**, 166

## Tellurium

$\text{Ag}_{5-x}\text{Te}_3$  thin films, preparation and confirmation of crystal structure by HREM, **123**, 391

$\text{Bi}_2\text{Te}_4\text{O}_{11}$ , analysis, **121**, 251

$\text{Bi}_2\text{Te}_2\text{W}_3\text{O}_{16}$ , crystal structure, relationship with  $\text{Bi}_7\text{O}_5\text{F}_{11}$ , **127**, 248

$\text{CsCu}_2\text{MTe}_4$  ( $M = \text{Nb}, \text{Ta}$ ), synthesis, structure, and characterization, **121**, 225

$\text{MoTe}_4\text{Br}$ , with  $\text{Te}_4^{2+}$  ligand attachment, synthesis and crystal structure, **125**, 165

$\text{MoTe}_6\text{Br}_3$ , with  $\text{Te}_4^{2+}$  ligand attachment, synthesis and crystal structure, **125**, 165

$A_x\text{Nb}_6\text{Te}_8$  ( $A = \text{Ti}, \text{Ca}, \text{Sr}, \text{Ba}, \text{La}, \text{Nd}$ ), preparation and transport properties, **121**, 332

$\text{NiTe}_2$ , crystal structure, and experimental and theoretical band structure, **121**, 87

$\text{Rb}_{0.73}\text{Cr}_5\text{Te}_8$ , synthesis and crystal structure, **122**, 41

$\text{TeO}_2\text{--Al}_2\text{O}_3$  oxide glasses, local geometries around, determination by XANES and EXAFS, **126**, 143

$\text{Te}_2\text{O}_3\text{F}_2$ , crystal structure, **123**, 68

$\text{TeO}_2\text{--Nb}_2\text{O}_5$  oxide glasses, local geometries around, determination by XANES and EXAFS, **126**, 143

$\text{Ti}_4\text{O}(\text{Te}_2)_4\text{TeI}_4$ , extended cluster, synthesis, **123**, 273

$\text{USe}_{2-x}\text{Te}_x$  ( $x = 0.24$  and  $0.72$ ), crystal structure and magnetic properties, **126**, 22

$\text{UTe}_2$ , temperature-dependent structural analysis, **127**, 202

## Temperature effects

ac conductivity in  $\text{Yb}(\text{NO}_3)_3\cdot 6\text{H}_2\text{O}$  single crystal, **121**, 74

calcination, on lattice parameters and particle size of  $R_2\text{CuO}_4$  ( $R = \text{Gd}, \text{Nd}$ ) prepared by sol-gel method, **122**, 25

on quartz and quartz-like materials, general survey, **123**, 1

$\text{Sr}_2\text{RhO}_4$ , structure behavior, letter to editor, **123**, 186

$\text{VSe}_{2-x}$ , synthesis with superlattice reactants, **123**, 337

$\text{V}_2\text{Se}_9$ , synthesis with superlattice reactants, **123**, 337

$\text{V}_5\text{Se}_4$ , synthesis with superlattice reactants, **123**, 337

## Temperature-programmed reduction

$\text{Fe}_2\text{O}_3/\text{ZrO}_2$  reduction behavior, **121**, 240

## Terbium

$\text{AgTbMo}_2\text{O}_8$ , structure and luminescent properties, **121**, 236

$\text{Cu}_2\text{Tb}_2\text{O}_5$ , thermodynamic stability and Gibbs energy of formation of  $\text{Cu}_2\text{Yb}_2\text{O}_5$ , **125**, 13

$\text{Tb}^{3+}$

and  $\text{Eu}^{3+}$ , electron transfer in  $\text{BaB}_4\text{O}_7$  matrix, **122**, 436

$\text{LiYO}_2$  doped with, optical and crystallographic study, **121**, 457

photoluminescence in  $\text{LaMgB}_5\text{O}_{10}$  glasses of base composition, **123**, 398

$\text{Tb}_{1-x}\text{Bi}_x\text{SrO}_3$ -type solid solutions, synthesis and crystallochemical characterization, **122**, 321

$\text{Tb}_2\text{Ru}_2\text{O}_7$ , structural and bonding trends, **126**, 261

$\text{TbTa}_3\text{O}_9$ , crystal structure and continuous solid solution characterization, **124**, 272

## TGA, see Thermogravimetric analysis

## Thallium

$\text{Ca}_2\text{Tl}_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$ , structural characterization, **126**, 308

$\text{Tl}_2\text{Ba}_2\text{CaCu}_2\text{O}_8$ , superconducting thin films, synthesis by *ex situ* annealing, **121**, 262

$\text{Tl}_x\text{Cr}_5\text{Se}_8$  ( $0 \leq x \leq 1$ ), chemical reactivity, microhomogeneity, and crystal structure, **127**, 40

$\text{Tl}_2\text{CuF}_4$ , 2D ferrimagnetic fluoride, structural and magnetic phase transitions, **122**, 87

$\text{Tl}_2\text{Mn}_2\text{O}_7$ , CMR pyrochlore, absence of  $\text{Mn}^{3+}/\text{Mn}^{4+}$  double exchange in, analysis by X-ray absorption near-edge spectroscopy, letter to editor, **125**, 278

$\text{Tl}_x\text{Nb}_6\text{Te}_8$ , preparation and transport properties, **121**, 332

## Thallium cuprate

thin films, improvement by optimization of doping holes densities, analysis by X-ray absorption spectroscopy, **125**, 5

## Thermal analysis

$\text{BaNH}_4(\text{PO}_3)_3$ , **125**, 43

$\text{BiNH}_4\text{P}_4\text{O}_{12}$ , **125**, 43

$\text{Ca}_2\text{M}_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$  ( $M = \text{K}, \text{Ti}, \text{Rb}$ ), **126**, 308

$\text{LiMn}_2\text{O}_4\text{--Li}_2\text{Mn}_4\text{O}_9\text{--Li}_4\text{Mn}_5\text{O}_{12}$  system, spinel materials in, **123**, 255 pentaerythritol-tris(hydroxymethyl)aminomethane phase diagram: molecular interactions and packing, **124**, 29

$\text{Ti}(\text{NH}_4)_2\text{P}_4\text{O}_{13}$ , **125**, 43

## Thermal behavior

$\text{Ce}^{\text{IV}}\text{Rb}_2(\text{NO}_3)_6$ , **122**, 59

$\text{Ce}^{\text{III}}\text{Rb}_3(\text{NO}_3)_9$ , **122**, 59

chromium soaps, **122**, 100

$\text{Cu}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 \leq x \leq 0.5$ ), **126**, 7

$\text{K}_2\text{YNb}_5\text{O}_{15-\delta}$ , preparation and crystal structure, **123**, 285

## Thermal decomposition

$\text{CuCa}(\text{HCOO})_4$ , analysis by DSC, TGA, and X-ray powder diffraction, **123**, 291

## Thermal expansion

$\text{Hf}_{0.75}\text{Sn}_{2.5}\text{O}_2$ , structure, dielectric properties, and thermal expansion, **121**, 437

## Thermal properties

$\text{La}_{1-t}\text{Ca}_t\text{CrO}_{3-\delta}$ , **121**, 202

## Thermal stability

$\text{LiBiO}_3$ , **126**, 121

$\text{Li}_4\text{Mn}_5\text{O}_{12}$

effects of oxygen and nitrogen atmospheres, **121**, 79

electrodes for Li batteries, **125**, 274

$\text{Sr}_3(\text{PO}_4)_2$ , **126**, 242

## Thermodynamics

$\text{BaB}_2\text{O}_4\text{--BaF}_2\text{--2NaF}\text{--Na}_2\text{B}_2\text{O}_4$  reciprocal system, **126**, 80

$\text{Li}_{1-x}\text{Mn}_2\text{O}_4$  spinel phase, Li insertion in, **122**, 195

## Thermodynamic stability

$\text{Cu}_2\text{R}_2\text{O}_5$  ( $R = \text{Tb--Lu}$ ), and Gibbs energy of formation of  $\text{Cu}_2\text{Yb}_2\text{O}_5$ , **125**, 13

## Thermogravimetric analysis

$\beta\text{-Ag}_3\text{AsSe}_3$ , **127**, 186

$[\text{AlP}_2\text{O}_8]^{3-}[\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3]^{2+}[\text{NH}_4]^+$ , **127**, 145

$\text{Ce}(\text{C}_2\text{O}_4)(\text{HCO}_2)$ , **127**, 256

$[\text{Ce}(\text{H}_2\text{O})_2](\text{C}_2\text{O}_4)_2(\text{CO}_3)\cdot 2.5\text{ H}_2\text{O}$ , **127**, 256

$[\text{C}_6\text{H}_{18}\text{N}_3]_2\text{P}_6\text{O}_{18}\cdot 6\text{H}_2\text{O}$ , **127**, 9

$\text{CuCa}(\text{HCOO})_4$ , thermal decomposition, **123**, 291

$\text{HLnTiO}_4$  ( $Ln = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ), **127**, 119

$\text{KAg}_3\text{As}_2\text{S}_5$ , **127**, 186

$\text{K}_3\text{Ag}_2\text{As}_3\text{Se}_9$ , **127**, 186

$\text{Li}_4\text{Mn}_5\text{O}_{12}$  electrodes for Li batteries, **125**, 274

$(\text{Me}_3\text{NH})[\text{Ag}_3\text{As}_2\text{Se}_5]$ , **127**, 186

$\text{NiMnO}_3$ , **124**, 205

$\text{NiMn}_2\text{O}_4$ , **124**, 205

$\text{V}_2\text{O}_7^{4-}$ , **126**, 314

$\text{V}_4\text{O}_1^{12-}$ , **126**, 314

$\text{V}_{10}\text{O}_{28}^6$ , **126**, 314

$\text{Y}_2\text{Ba}_4\text{Cu}_3\text{O}_{15-\delta}$ , **127**, 31

## Thomas–Fermi screening

crystal field multipole moments, **124**, 182

## Thorium

$(\text{Ca}, \text{Th})(\text{N}, \text{O})$  and  $(\text{Sr}, \text{Th})(\text{N}, \text{O})$  phases, synthesis and characterization, **120**, 372; *erratum*, **122**, 451

$\text{ThCr}_2\text{Si}_2$ , crystallization in  $\text{KCo}_{2-x}\text{Cu}_x\text{S}_2$  ( $0.5 \leq x \leq 1.5$ ) and  $\text{ACoCuS}_2$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), **127**, 151

## Thulium

$\text{NH}_4\text{Tm}(\text{SO}_4)_2\cdot 2\text{H}_2\text{O}$ , vibrational spectra, **121**, 408

## Tin

- Au–Ni–Sn ternary system, phase relations, **123**, 203  
 Au–Sn metastable phase, structure, determination by convergent beam electron diffraction, **124**, 132  
 $\text{BaSn}_3$ , and solid solutions with  $\text{BaCeO}_3$  and  $\text{BaZrO}_3$ , EPR of  $\text{Pr}^{4+}$  in, **122**, 384  
 $\text{Fe}_{3-x}\text{Sn}_x\text{O}_4$  ( $x = 0.1, 0.2$ ), analysis of high-temperature properties, **122**, 353  
 $\text{Hf}_{0.75}\text{Sn}_{2.5}\text{O}_2$ , structure, dielectric properties, and thermal expansion, **121**, 437  
 $\text{Hg}_2\text{SnS}_2\text{Br}_2$ , synthesis and structure, **126**, 95  
 $T_{2+x}\text{Sn}_2$  ( $T = \text{Co}, \text{Ni}$ ),  $B8$ -type solid solutions, interstitial transition metal ordering in, electron diffraction analysis, **127**, 222  
 $[\text{Sn}(\text{HO}_3\text{PCH}_2\text{PO}_3\text{H})]\cdot\text{H}_2\text{O}$ , solid phases, synthesis and structural characterization, **125**, 182  
 $[\text{Sn}_2(\text{O}_3\text{PC(OH)(CH}_3\text{)PO}_3)]$ , solid phases, synthesis and structural characterization, **125**, 182  
 $\text{SnO}_2\text{--V}_2\text{O}_5$ , binary mixtures, grinding effects in, analysis, **127**, 98  
 $\text{Sn-Zn-S}$  system, gradual and combustive mechanochemical reactions, **121**, 394  
 $\text{TiO}_2\text{--SnO}_2$ , binary mixtures, grinding effects in, analysis, **127**, 98  
 $\text{Y}_{3-x}\text{Ca}_x\text{Sn}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118

## Titanium

- $\text{Ba}_4\text{Fe}_4\text{Ti}_3\text{O}_{16}$ , structural features, characterization by HREM, letter to editor, **125**, 281  
 $\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , structural features, characterization by HREM, letter to editor, **125**, 281  
 $\text{BaO}\text{--Fe}_2\text{O}_3\text{--TiO}_2$ , ternary phase diagram, **121**, 38  
 $\text{BaTiO}_3$   
 cerium in, solid solubility, **123**, 30  
 texture and structure, relationship with tetragonal  $\rightarrow$  cubic transition enthalpy, **123**, 301  
 $\text{BaTiS}_y$  ( $y = 2.70\text{--}2.93$ ), composite crystals, **121**, 451  
 $\text{Ba}_2\text{Ti}_{1+x}\text{Si}_{2-x}\text{O}_8$  ( $0 \leq x \leq 0.14$ ), solid solution, tetrahedral  $\text{Ti}^{4+}$  in, analysis, **126**, 105  
 $\text{CaFeTi}_2\text{O}_6$  perovskite, convergent beam electron diffraction and high-resolution electron microscopy, **123**, 73  
 $\text{Ca}_{(1-x)}\text{Gd}_{(x)}\text{TiO}_3$ , charge compensation, **124**, 77  
 $\text{CaTiO}_3$ , single crystal, oxygen tracer diffusion in, **124**, 195  
 $\text{Ca}_2\text{Zr}_5\text{Ti}_2\text{O}_{16}$ , sintered polycrystals, analysis by TEM, **126**, 177  
 $\text{Cu}_{0.5}\text{Ti}_2(\text{PO}_4)_3$ , Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
 $\text{Cu}^{\text{I}}\text{Ti}_2(\text{PO}_4)_3$ , Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
 $\text{Er}_2\text{Ti}_2\text{O}_7\text{--Nd}_2\text{Zr}_2\text{O}_7$ , lanthanide-containing zirconotitanate solid solutions, **127**, 231  
 $\text{H}_{0.5}\text{Cu}_{0.5}\text{Ti}_2(\text{PO}_4)_3$ , Nasicon-type copper phosphates, Raman and Infrared spectra, **127**, 341  
 $\text{HLnTiO}_4$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ), protonated oxides, **127**, 119  
 $\text{KTiPS}_5$ , synthesis and structure, **125**, 30  
 $(\text{La}_{0.1}\text{Ca}_{0.9})(\text{Mn}_{1-x}\text{Ti}_x)\text{O}_3$  ( $0 \leq x \leq 0.9$ ), metal–insulator transition in, role of tetravalent ion, **126**, 235  
 $\text{La}_{2/3-x}\text{Li}_{3x}\square_{1/3-2x}\text{TiO}_3$ , structural and microstructural analysis, **127**, 283  
 $\text{LiCr}_{1-x}\text{Al}_x\text{TiO}_4$  ( $0 \leq x \leq 0.4$ ), preparation and magnetic properties, **125**, 211  
 $\text{Li-Ti-O}$  systems, topotactic reactions, application to Li intercalation, **124**, 83  
 $\text{Mg}_{2-x}\text{Ti}_{1+x}\text{O}_4$  ( $0 \leq x \leq 1$ ), spinel solid solutions, electrical and magnetic properties, **125**, 216  
 $\text{NaLnTiO}_4$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}, \text{Gd}$ ) structure and ionic conductivity, comparison with  $\text{Na}_2\text{Ln}_2\text{Ti}_3\text{O}_{10}$ , **121**, 430

- $\text{Na}_2\text{Ln}_2\text{Ti}_3\text{O}_{10}$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}$ , and  $\text{Gd}$ ), comparison with  $\text{NaGdTiO}_4$  structure and ionic conductivity, **121**, 430  
 $\text{NaTi}_2(\text{PO}_4)_3$ , NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197  
 $\text{Na}_5\text{Ti}(\text{PO}_4)_3$ , NASICON-type phosphates,  $^{31}\text{P}$  MAS NMR analysis, **121**, 197  
 $\text{NaTi}_2(\text{PS}_4)_3$ , interlocked structure, **121**, 230  
 $\text{Na}_2\text{TiSiO}_5$ , crystal structure of orthorhombic LT-form, relationship to tetragonal HT-form, **123**, 324  
 $\text{Nd}_{1.2}\text{Er}_{0.8}\text{Ti}_2\text{O}_7\text{--Nd}_2\text{Zr}_2\text{O}_7$ , lanthanide-containing zirconotitanate solid solutions, **127**, 231  
 $\text{Nd}_{1-x}\text{TiO}_3$ , structural and magnetic properties for  $x = 0, 0.05$ , and  $0.10$ , **121**, 443  
 $\text{Nd}_2\text{Ti}_2\text{O}_7\text{--SrTiO}_3$  system, phase formation at  $1350^\circ\text{C}$  in presence of  $\text{V}_2\text{O}_5$ ,  $\text{CuV}_2\text{O}_6$ , or  $\text{SrCuO}_2$ , **121**, 324  
 oxides, electroforming and switching, **122**, 95  
 $(\text{PbS})_{1.18}(\text{TiS}_2)_2$  misfit layer compound, Na intercalation, **124**, 238  
 $\text{Pt/TiO}_2$  sol–gel catalyst, synthesis and characterization, **122**, 309  
 $\text{RbTiPS}_5$ , synthesis and structure, **125**, 30  
 $\text{Sb}^{III}\text{Sb}^V_x\text{A}_{n-x}\text{TiO}_{4n+2}$  ( $A = \text{Ta}, \text{Nb}$ ;  $n = 1, 2, 3$ ), synthesis and structural characterization, **125**, 19  
 $\text{Sr}_{1-x}\text{M}_x\text{TiO}_3$  ( $M = \text{Ca}, \text{Mg}$ ;  $0 \leq x \leq 1$ ), vibrational spectroscopy and X-ray diffraction, **124**, 353  
 $\text{SrTiO}_3\text{--Nd}_2\text{Ti}_2\text{O}_7$  system, phase formation at  $1350^\circ\text{C}$  in presence of  $\text{V}_2\text{O}_5$ ,  $\text{CuV}_2\text{O}_6$ , or  $\text{SrCuO}_2$ , **121**, 324  
 $\text{Ti}$  powder mixtures, ball milling-induced combustion, **125**, 75  
 $\text{TIBO}_3$ , boron incorporation in rutile-phase equilibria and structure considerations, **127**, 240  
 $\alpha\text{-Ti}(\text{DPO}_4)_2\cdot\text{D}_2\text{O}$ , structural features of reactive sites, **125**, 261  
 $\text{Ti}(\text{NH}_4)_2\text{P}_4\text{O}_{13}$ , synthesis in melt and characterization, **125**, 43  
 $\text{Ti}_x\text{O}_y^n$  clusters, electronic structure, effect of rest of crystal, **121**, 301  
 $\text{TiO}_2$ ,  $\text{GeO}_2$  phase transition from  $\alpha$ -quartz, **127**, 137  
 $\text{TiO}_2\text{--SnO}_2$ , binary mixtures, grinding effects in, analysis, **127**, 98  
 $\text{Ti}_4\text{O}(\text{Te}_2)_4\text{TeI}_4$ , extended cluster, synthesis, **123**, 273  
 $\text{TiO}_2\text{--V}_2\text{O}_5$ , binary mixtures, grinding effects in, analysis, **127**, 98  
 $\text{TiPO}_4$ ,  $\text{CrVO}_4$ -type phosphate, nuclear and magnetic structure, **126**, 15  
 $M^{\text{I}}\text{TiP}_3\text{O}_9$  ( $M = \text{Na}, \text{K}$ ), preparation and characterization, **121**, 418  
 $\text{V}_2\text{O}_5\text{--TiO}_2$ , preparation and characterization, **124**, 69  
 $\text{W/Ti}$  oxide thin films, structural study, **121**, 379

## Tolerance factor

- $\text{Nd}_2\text{CuO}_4$  ( $T'$ )-type structure, **125**, 63

## Topotactic reactions

- $\text{Li}-M\text{-O}$  systems ( $M = \text{Mn}, \text{Ti}, \text{V}, \text{Fe}$ ), application to Li intercalation, **124**, 83

## TPR, see Temperature-programmed reduction

## Transition metals

- oxides, electroforming and switching, **122**, 95

## Transmission electron microscopy

- $\text{Ba}_4\text{Fe}_4\text{Ti}_3\text{O}_{16}$ , letter to editor, **125**, 281  
 $\text{Ba}_{26}\text{Fe}_{20}\text{Ti}_{21}\text{O}_{98}$ , letter to editor, **125**, 281  
 $\text{Ba}_8\text{Ta}_6\text{NiO}_{24}$ , **125**, 102  
 $\text{Bi}_2\text{La}_4\text{O}_9$ , **124**, 300  
 $(\text{Bi}_2\text{O}_3)_2\text{V}_{2y}\text{O}_{4y+2}$  ( $1 \leq y \leq 4$ ), **125**, 54  
 $\text{Ca}_{(1-x)}\text{Gd}_{(x)}\text{TiO}_3$ , **124**, 77  
 $\text{CaO}\text{--ZrO}_2\text{--Ta}_2\text{O}_5$ , **127**, 82  
 $\text{Ca}_2\text{Zr}_5\text{Ti}_2\text{O}_{16}$ , **126**, 177  
 $\text{Fe}_7\text{S}_8$ , **124**, 264  
 $\text{La}_{2/3-x}\text{Li}_{3x}\square_{1/3-2x}\text{TiO}_3$ , **127**, 283  
 $\text{La}_{1-\delta}\text{MnO}_3$ , **127**, 87  
 $\text{LaMn}_{1-\delta}\text{O}_3$ , **127**, 87  
 $\text{NiMnO}_3$ , **124**, 205  
 $\text{NiMn}_2\text{O}_4$ , **124**, 205  
 $\text{Pb}_{1.5}\text{Ta}_2\text{O}_{6.5}\text{--Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$ , **126**, 253  
 $\text{Pb}_{2.31}\text{Ta}_2\text{O}_{7.31}\text{--Pb}_{2.44}\text{Ta}_2\text{O}_{7.44}$ , **126**, 253

- TiBO<sub>3</sub>, 127, 240  
 yttrium iron garnet nanoparticles, 126, 161
- Transport properties  
 La<sub>2</sub>NiO<sub>4+δ</sub> (0 ≤ δ ≤ 0.25), 124, 199  
 A<sub>x</sub>Nb<sub>6</sub>Te<sub>8</sub> (A = Ti,Ca,Sr,Ba,La,Nd), 121, 332
- Tris(hydroxymethyl)aminomethane  
 and pentaerythritol, molecular alloys, analysis of molecular interactions and packing, 124, 29
- TTB, Tetragonal tungsten bronze structure
- Tungsten  
 Bi<sub>2</sub>Te<sub>2</sub>W<sub>3</sub>O<sub>16</sub>, crystal structure, relationship with Bi<sub>7</sub>O<sub>5</sub>F<sub>11</sub>, 127, 248  
 H<sub>0.27</sub>(V<sub>0.27</sub>W<sub>0.73</sub>)O<sub>3</sub>·1/3H<sub>2</sub>O, synthesis and characterization, 121, 339  
 K<sub>6.6</sub>Mo<sub>2.36</sub>W<sub>3.64</sub>O<sub>15</sub>(PO<sub>4</sub>)<sub>4</sub>, molybdenotungsten monophosphate with opened structure, 127, 1  
 K<sub>3</sub>WO<sub>3</sub>F<sub>3</sub>–A<sub>3</sub>WO<sub>3</sub>F<sub>3</sub> (A = Na,Rb), phase transitions, analysis, 124, 123  
 LaNi<sub>1-x</sub>W<sub>x</sub>O<sub>3</sub> (0 ≤ x ≤ 0.25), synthesis, structural characterization, and electronic properties, 125, 47  
 Na<sub>1+x</sub>(Mo,W)<sub>2</sub>O<sub>5</sub>PO<sub>4</sub>, synthesis and characterization, 124, 224  
 [N(CH<sub>3</sub>)<sub>4</sub>]<sub>4</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·2H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, 123, 83  
 [NH<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>]<sub>6</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·~4H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, 123, 83  
 oxides, electroforming and switching, 122, 95  
 (PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>14</sub>, single crystals, HREM analysis, 127, 302  
 P<sub>4</sub>W<sub>14</sub>O<sub>50</sub>, structural study, 122, 281  
 Ta<sub>2</sub>O<sub>5</sub>–WO<sub>3</sub> system, L-Ta<sub>2</sub>O<sub>5</sub>-type phases incommensurate structures in, analysis, 126, 208  
 Ta<sub>8</sub>W<sub>9</sub>O<sub>47</sub>, structure, 124, 58  
 UO<sub>2</sub>–WO<sub>3</sub>, ordered and defect structures, analysis by HREM and X-ray powder diffraction, 121, 167  
 W/Ti oxide thin films, structural study, 121, 379
- Tunnel structure  
 CuYb<sub>2</sub>Ge<sub>4</sub>O<sub>12</sub>, 124, 17  
 K<sub>2</sub>Cr<sub>8</sub>O<sub>16</sub>, hollandite-type full cationic occupation, 126, 1  
 Li<sub>x</sub>Mo<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> with, synthesis, 122, 107  
 Na<sub>4</sub>Co<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, large intersecting tunnels in 3D system, 123, 129  
 β-Sr(VOAsO<sub>4</sub>)<sub>2</sub> with, synthesis, crystal structure, and magnetic susceptibility, 122, 36
- Twinning  
 pseudomerohedral, Li<sub>2</sub>FeBr<sub>4</sub>, 124, 292

## U

- Ultraviolet/visible spectroscopy  
 Na<sub>6</sub>Ca[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2</sub><sup>+</sup> and Se<sub>2</sub><sup>2-</sup> in, 126, 50
- Uranium  
 Cu<sub>2</sub>U<sub>3</sub>S<sub>7</sub>, crystal structure and magnetic properties, 123, 331  
 Cu<sub>2</sub>U<sub>3</sub>Se<sub>7</sub>, crystal structure and magnetic properties, 123, 331  
 RbY<sub>2</sub>Cl<sub>7</sub>U<sup>3+</sup>, synthesis, spectroscopic, and magnetic properties, 121, 312  
 U(IV), phosphates, reexamination, 121, 467  
 U<sub>4</sub>Cr<sub>6</sub>Si<sub>2</sub>, laves-type phases, crystal structure and magnetic behavior, 121, 479  
 U<sub>4</sub>Mo<sub>5</sub>Si<sub>3</sub>, laves-type phases, crystal structure and magnetic behavior, 121, 479  
 U(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, structure, and characterization, 121, 181  
 UO<sub>2</sub>–WO<sub>3</sub>, ordered and defect structures, analysis by HREM and X-ray powder diffraction, 121, 167  
 UP<sub>2</sub>O<sub>7</sub>, synthesis, structure, and characterization, 121, 181  
 β USe<sub>2</sub>, crystal structure and magnetic properties, 126, 22  
 US<sub>2-x</sub>Te<sub>x</sub> (x = 0.24 and 0.72), crystal structure and magnetic properties, 126, 22  
 UT<sub>2</sub>, temperature-dependent structural analysis, 127, 202  
 U(UO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>, synthesis, 121, 467

## V

- Valence  
 CeO<sub>2</sub>, hydrothermal system, analysis, 126, 74  
 Ce(OH)<sub>3</sub>, hydrothermal system, analysis, 126, 74  
 CeOHCO<sub>3</sub>, hydrothermal system, analysis, 126, 74
- Vanadium  
 β AgVO<sub>3</sub>, crystal structure, relationships with Ag<sub>2</sub>V<sub>4</sub>O<sub>11</sub> and δ Ag<sub>x</sub>V<sub>2</sub>O<sub>5</sub>, 122, 303  
 δ Ag<sub>x</sub>V<sub>2</sub>O<sub>5</sub>, relationship with β AgVO<sub>3</sub> crystal structure, 122, 303  
 Ag<sub>2</sub>V<sub>4</sub>O<sub>11</sub>, relationship with β AgVO<sub>3</sub> crystal structure, 122, 303  
 BaV<sub>3</sub>O<sub>8</sub>, space group, analysis, 122, 245  
 Ba<sub>2</sub>V<sub>3</sub>O<sub>8</sub>, crystal structure and characterization, 126, 328  
 Bi<sub>2</sub>O<sub>3</sub>–MoO<sub>3</sub>–V<sub>2</sub>O<sub>5</sub> ternary diagram, Bi<sub>26</sub>Mo<sub>10</sub>O<sub>8</sub> solid solution type in, 122, 394  
 (Bi<sub>2</sub>O<sub>2</sub>)<sub>2</sub>V<sub>y</sub>O<sub>4+y+2</sub> (1 ≤ y ≤ 4), Aurivillius phases in Bi<sub>2</sub>O<sub>3</sub>–VO<sub>2</sub> system, continuous structural evolution, 125, 54  
 6 Bi<sub>2</sub>O<sub>3</sub>–V<sub>2</sub>O<sub>5</sub>, cation distribution in, X-ray study, 122, 358  
 CaV<sub>2</sub>O<sub>5</sub>, crystal structure and spin gap state, letter to editor, 127, 358  
 Cd<sub>5</sub>V<sub>2</sub><sup>III</sup>(P<sub>2</sub>O<sub>7</sub>)<sub>4</sub>, cationic distribution, 121, 291  
 CH<sub>3</sub>NH<sub>3</sub>[VOAl(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, 125, 200  
 Cs[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, 125, 200  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, 122, 251  
 Cu(C<sub>10</sub>H<sub>8</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, 122, 251  
 Cu(H<sub>2</sub>N(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)[V<sub>2</sub>O<sub>6</sub>], hydrothermal synthesis and characterization, 122, 251  
 CuV<sub>2</sub>O<sub>6</sub>, Nd<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>–SrTiO<sub>3</sub> phase formation at 1350°C in presence of, 121, 324  
 FeVO<sub>4</sub>-II, hydrothermal synthesis, crystal structure, and magnetic properties, 123, 54  
 HgVO<sub>3</sub>, preparation and crystal structure, 125, 140  
 Hg<sub>2</sub>VO<sub>4</sub>, preparation and crystal structure, 125, 140  
 Hg<sub>1-x</sub>V<sub>x</sub>S<sub>4-y</sub>Ba<sub>y</sub>Cu<sub>2</sub>O<sub>7-δ</sub>CO<sub>3</sub> (0.28 ≤ x ≤ 0.40; 0 ≤ y ≤ 2.65), flexible shearing phenomenon in, relationship to nanostructural transitions, 126, 271  
 [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, 126, 292  
 H<sub>x</sub>(V<sub>x</sub>Mo<sub>1-x</sub>)O<sub>3</sub>·0.3H<sub>2</sub>O, synthesis and characterization, 121, 339  
 H<sub>0.27</sub>(V<sub>0.27</sub>W<sub>0.73</sub>)O<sub>3</sub>·1/3H<sub>2</sub>O, synthesis and characterization, 121, 339  
 K<sub>3</sub>Nb<sub>6</sub>VO<sub>19</sub>, synthesis and crystal structure, 124, 244  
 K<sub>2</sub>[(VO)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>]F<sub>2</sub>(H<sub>2</sub>O), hydrothermal synthesis and structure, 126, 292  
 Li–V–O systems, topotactic reactions, application to Li intercalation, 124, 83  
 Mn<sub>2</sub>V<sub>2</sub>O<sub>7</sub>, synthesis, structures, magnetic properties, and phase transition, 121, 214  
 Mn<sub>2</sub>V<sub>2</sub>O<sub>6</sub>, high pressure synthesis and polymorphism, 124, 333  
 τ-Na<sub>x</sub>V<sub>2</sub>O<sub>5</sub> (x = 0.64), synthesis and crystal structure, 122, 1  
 N<sub>2</sub>C<sub>4</sub>H<sub>14</sub>, (VO<sub>3</sub>)<sub>2</sub>, hydrothermal synthesis and structure determination, 124, 151  
 (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)[(VO)Al(PO<sub>4</sub>)<sub>2</sub>], hydrothermal synthesis and structure, 125, 200  
 (NH<sub>4</sub>)<sub>2</sub>V<sup>IV</sup>O(V<sub>2-x</sub>P<sub>x</sub>O<sub>7</sub>), synthesis and structure, 122, 139  
 oxides, electroforming and switching, 122, 95  
 PbV<sub>6</sub>O<sub>11</sub>, synthesis and crystal structure, 125, 91  
 Pb<sub>1.32</sub>V<sub>8.35</sub>O<sub>16.7</sub>, synthesis and crystal structure, 125, 91  
 Rb[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, 125, 200  
 SnO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub>, binary mixtures, grinding effects in, analysis, 127, 98

- $\beta$ -Sr(VOAsO<sub>4</sub>)<sub>2</sub>, synthesis, crystal structure, and magnetic susceptibility, **122**, 36
- SrV<sub>2</sub>S<sub>5</sub>, synthesis with solid state reactions, **126**, 189
- TiO<sub>2</sub>–V<sub>2</sub>O<sub>5</sub>, binary mixtures, grinding effects in, analysis, **127**, 98  
vanadium oxynitrides, synthesis, crystal structure, electrical, magnetic, and electrical lithium intercalation properties, **122**, 376
- V<sub>2</sub>O<sub>5</sub>  
Nd<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>–SrTiO<sub>3</sub> phase formation at 1350°C in presence of, **121**, 324  
single crystals, product of Mg<sup>2+</sup> insertion, crystal structure, **123**, 317
- V<sub>2</sub>O<sub>4</sub><sup>+</sup>, Cu–Cr layered double hydroxides pillared with polyoxovanadates, **126**, 314
- V<sub>4</sub>O<sub>12</sub>, Cu–Cr layered double hydroxides pillared with polyoxyvanadates, **126**, 314
- AV<sub>10</sub>O<sub>15+x</sub> ( $A = \text{Sr,Ba}; x = 0, \sim 1$ ), **122**, 416
- V<sub>10</sub>O<sub>28</sub><sup>−</sup>, Cu–Cr layered double hydroxides pillared with polyoxyvanadates, **126**, 314
- Ln<sub>3</sub>VO<sub>4</sub>Cl<sub>6</sub> ( $Ln = \text{La,Ce,Pr,Nd}$ ), preparation and crystal structure, **122**, 81
- AV<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub> ( $A = \text{Cd,Ca,Sr}$ ), structure and magnetism, **127**, 325
- (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, for butane oxidation, extended defects in, modeling, **122**, 259
- (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> precursors, flame generation, **124**, 95
- V<sub>2</sub>O<sub>5</sub>–TiO<sub>2</sub>, preparation and characterization, **124**, 69
- VPO<sub>4</sub>, CrVO<sub>4</sub>-type phosphate, nuclear and magnetic structure, **126**, 15
- M<sup>IV</sup>P<sub>3</sub>O<sub>9</sub> ( $M = \text{Na,K}$ ), preparation and characterization, **121**, 418
- VSe<sub>2-x</sub>, low temperature synthesis with superlattice reactants, **123**, 337
- V<sub>2</sub>Se<sub>9</sub>, low temperature synthesis with superlattice reactants, **123**, 337
- V<sub>5</sub>Se<sub>4</sub>, low temperature synthesis with superlattice reactants, **123**, 337
- $\sigma$ -Zn<sub>0.25</sub>V<sub>2</sub>O<sub>5</sub>·H<sub>2</sub>O, synthesis and crystal structure, **126**, 65
- Vaporization  
manganese–zinc ferrites, **121**, 143
- Vibrational spectra  
NH<sub>4</sub>Sm(SO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, **121**, 408  
NH<sub>4</sub>Ln(SO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O [ $Ln = \text{Yb,Tm}$ ], **121**, 408
- Vibrational spectroscopy  
Sr<sub>1-x</sub>M<sub>x</sub>TiO<sub>3</sub> ( $M = \text{Ca,Mg}; 0 \leq x \leq 1$ ), **124**, 353
- Vis-ultraviolet diffuse reflectance  
V<sub>2</sub>O<sub>5</sub>–TiO<sub>2</sub>, **124**, 69
- W**
- Water  
 $M_9\text{Al}_9\text{Si}_{27}\text{O}_{72} \cdot n\text{H}_2\text{O}$  ( $M = \text{Na,K,Rb,Cs}$ ), exchange in heulandite single-crystals, **123**, 140
- Ca<sub>2</sub>M<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O ( $M = \text{K,Tl,Rb}$ ), structural characterization, **126**, 308
- Ca<sub>4+x</sub>Si<sub>6</sub>O<sub>14+2x</sub>(OH)<sub>4-2x</sub>(H<sub>2</sub>O)<sub>2</sub> ( $0 \leq x \leq 1$ ), molecular dynamics simulation, **127**, 92
- [Ce(H<sub>2</sub>O)]<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>(CO<sub>3</sub>)·2.5 H<sub>2</sub>O, synthesis and structure, **127**, 256
- (CH<sub>3</sub>)<sub>4</sub>NCe(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, infrared and polarized Raman spectra, **127**, 51
- [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, structure, thermal behavior, and infrared analysis, **127**, 9
- ALnCl<sub>4</sub>·4H<sub>2</sub>O ( $A = \text{NH}_4,\text{K,Rb,Cs}; Ln = \text{La-Sm}$ ), crystal structure, **126**, 44
- trans*-Co(dien)<sub>2</sub>·Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>·3H<sub>2</sub>O, with chiral layers, synthesis and characterization, **125**, 228
- CsLaCl<sub>4</sub>·3H<sub>2</sub>O, crystal structure, **126**, 44
- Cs[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>]<sub>0.5</sub>[Co(PO<sub>4</sub>)]·0.5H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **125**, 270
- [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, hydrothermal synthesis and structure, **126**, 292
- H<sub>x</sub>(Mo<sub>1-x</sub>)O<sub>3</sub>·0.3H<sub>2</sub>O, synthesis and characterization, **121**, 339
- H<sub>0.27</sub>(V<sub>0.27</sub>W<sub>0.73</sub>)O<sub>3</sub>·1/3H<sub>2</sub>O, synthesis and characterization, **121**, 339
- H[Zn<sub>4</sub>(PO<sub>4</sub>)<sub>3</sub>]H<sub>2</sub>O, 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243
- La(NO<sub>3</sub>)<sub>3</sub>·4H<sub>2</sub>O, polymorphic phases, structure determination from X-ray powder diffraction, **126**, 127
- Mg(HSeO<sub>3</sub>)<sub>2</sub>·4H<sub>2</sub>O, crystal structure and infrared absorption spectra, **122**, 338
- Na<sub>6</sub>[Al<sub>6</sub>Si<sub>6</sub>O<sub>24</sub>]CO<sub>3</sub>·H<sub>2</sub>O, Se<sub>2</sub><sup>−</sup> and Se<sub>2</sub><sup>−</sup> in, spectroscopic properties, **126**, 50
- [N(CH<sub>3</sub>)<sub>4</sub>]<sub>6</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·2H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83
- [NH<sub>2</sub>(CH<sub>3</sub>)<sub>2</sub>]<sub>6</sub>H<sub>2</sub>W<sub>12</sub>O<sub>40</sub>·~4H<sub>2</sub>O, Keggin cluster formation by hydrothermal reaction and crystal structure, **123**, 83
- NH<sub>4</sub>Sm(SO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, vibrational spectra, **121**, 408
- NH<sub>4</sub>Ln(SO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O [ $Ln = \text{Yb,Tm}$ ], vibrational spectra, **121**, 408
- [M(O<sub>3</sub>PCH<sub>2</sub>NH(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NHCH<sub>2</sub>PO<sub>3</sub>)]·H<sub>2</sub>O ( $M = \text{Mn,Co}$ ), 3D phases with large ellipsoidal cavities defined by 44-member rings, **123**, 408
- RbAl(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O, infrared and polarized spectra, **122**, 333
- Rb<sub>2</sub>MnF<sub>5</sub>·H<sub>2</sub>O, 1D-antiferromagnetic fluoride, magnetic structure, **124**, 338
- Rb[(VO)Al(PO<sub>4</sub>)<sub>2</sub>]·H<sub>2</sub>O, hydrothermal synthesis and structure, **125**, 200
- [Sn(HO<sub>3</sub>PCH<sub>2</sub>PO<sub>3</sub>H)]·H<sub>2</sub>O, solid phases, synthesis and structural characterization, **125**, 182
- Sr[Fe(CN)<sub>5</sub>NO]·4H<sub>2</sub>O, single crystals, neutron diffraction study, **123**, 48
- Yb(NO<sub>3</sub>)<sub>3</sub>·6H<sub>2</sub>O crystal, ac conductivity in, temperature and frequency dependence, **121**, 74
- [Zn<sub>7</sub>Cr<sub>4</sub>(OH)<sub>22</sub>](CO<sub>3</sub>)<sub>2</sub>·5H<sub>2</sub>O, insertion of dinuclear dihydroxy-bridged Cr(III) aquo complex, **122**, 214
- [Zn<sub>4</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>3</sub>]NH(CH<sub>3</sub>)<sub>3</sub>, 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243
- $\sigma$ -Zn<sub>0.25</sub>V<sub>2</sub>O<sub>5</sub>·H<sub>2</sub>O, synthesis and crystal structure, **126**, 65
- X**
- XANES, *see* X-ray absorption near-edge structure
- Xerogel  
—glass transition, CuO–SiO<sub>2</sub>, analysis, **123**, 93
- X-ray absorption  
Ga<sub>2</sub>S<sub>3</sub>–GeS<sub>2</sub> glasses, short and medium range order in, **123**, 60
- X-ray adsorption near-edge structure  
(Nd<sub>1-x</sub>Ca<sub>x</sub>)MnO<sub>3</sub> ( $x = 0-0.5$ ), letter to editor, **125**, 112
- TeO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub> oxide glasses, local geometries around, **126**, 143
- TeO<sub>2</sub>–Nb<sub>2</sub>O<sub>5</sub> oxide glasses, local geometries around, **126**, 143
- Tl<sub>2</sub>Mn<sub>2</sub>O<sub>7</sub>, CMR pyrochlore, absence of Mn<sup>3+</sup>/Mn<sup>4+</sup> double exchange in, letter to editor, **125**, 278
- X-ray absorption spectroscopy  
improvement of thallium cuprate thin films with optimization of doping holes densities, **125**, 5
- X-ray analysis  
(CH<sub>3</sub>)<sub>4</sub>NCE(SO<sub>4</sub>)<sub>2</sub>·3H<sub>2</sub>O, **127**, 51
- [H<sub>2</sub>N(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>0.5</sub>[(VO)<sub>4</sub>V(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·2H<sub>2</sub>O, **126**, 292
- K<sub>2</sub>[(VO)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>F<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]·H<sub>2</sub>O, **126**, 292
- twin crystal,  $\gamma$ -In<sub>2</sub>Se<sub>3</sub> crystal structure, **124**, 305
- X-ray diffraction, *see also* Energy dispersive x-ray diffraction  
 $M_9\text{Al}_9\text{Si}_{27}\text{O}_{72} \cdot n\text{H}_2\text{O}$  ( $M = \text{Na,K,Rb,Cs}$ ), **123**, 140  
in analysis of mechanism of mechanically induced solid state reaction, **122**, 273
- BaB<sub>2</sub>O<sub>4</sub>–BaF<sub>2</sub>–2NaF–Na<sub>2</sub>B<sub>2</sub>O<sub>4</sub> reciprocal system, **126**, 80
- 6 Bi<sub>2</sub>O<sub>3</sub>–V<sub>2</sub>O<sub>5</sub>, **122**, 358
- cadmium sorption on calcium hydroxyapatites: incidence of cation vacancies, **126**, 195
- Ca<sub>2</sub>M<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O ( $M = \text{K,Tl,Rb}$ ), **126**, 308
- [C<sub>6</sub>H<sub>18</sub>N<sub>3</sub>]<sub>2</sub>P<sub>6</sub>O<sub>18</sub>·6H<sub>2</sub>O, **127**, 9

- chromium soaps, **122**, 100  
 effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126**, 99  
 $\text{Er}_2\text{Ti}_2\text{O}_7\text{-Nd}_2\text{Zr}_2\text{O}_7$ , **127**, 231  
 $\alpha\text{-Fe}_2\text{O}_3$  with corundum-type structures, real structure and reactivity, effect of mechanical activation, **123**, 191  
 $(\text{FeO}(\text{OH})_{1-x}(\text{NO}_3)_x)$  ( $0.2 \leq x \leq 0.3$ ), **126**, 336  
 improvement of thallium cuprate thin films with optimization of doping holes densities, **125**, 5  
 $\text{K}_4\text{Ce}_2\text{M}_{10}\text{O}_{30}$  ( $M = \text{Nb}, \text{Ta}$ ), with TTB structure, synthesis, crystal growth, **122**, 7  
 $\text{K}_3\text{MO}_3\text{F}_3\text{-}A_3\text{MO}_3\text{F}_3$  ( $A = \text{Na}, \text{Rb}; M = \text{Mo}, \text{W}$ ), **124**, 123  
 $\text{KTaSi}_2\text{O}_7$ , crystal structure, **123**, 123  
 $\text{Li}_4\text{Mn}_5\text{O}_{12}$  electrodes for Li batteries, **125**, 274  
 $\text{LiMn}_2\text{O}_4\text{-Li}_2\text{Mn}_4\text{O}_9\text{-Li}_4\text{Mn}_5\text{O}_{12}$  system, spinel materials in, **123**, 255  
 $\text{Li}_{1-x}\text{Ni}_{1+x}\text{O}_2$  ( $0 \leq x \leq 0.08$ ), **127**, 109  
 $\text{Na}^+/\text{La}^{3+}\text{-}\beta''\text{-Al}_2\text{O}_3$  crystals, **122**, 315  
 $\text{Nd}_{1.2}\text{Er}_{0.8}\text{Ti}_2\text{O}_7\text{-Nd}_2\text{Zr}_2\text{O}_7$ , **127**, 231  
 $\text{NdPd}_2\text{Al}_3$ , **127**, 169  
 $\text{PbS-CuS}$  thin films, **123**, 296  
 powder, *see* Powder X-ray diffraction  
 $\text{RbCdCl}_3$ , **124**, 39  
 single crystal, *see* Single-crystal X-ray diffraction  
 $\text{Sr}_{1-x}\text{M}_x\text{TiO}_3$  ( $M = \text{Ca}, \text{Mg}; 0 \leq x \leq 1$ ), **124**, 353  
 $\text{W/Ti}$  oxide thin films, **121**, 379  
 yttrium iron garnet nanoparticles, **126**, 161
- X-ray diffractometry  
 $\text{Bi}_2\text{O}_3$ , **126**, 152
- X-ray fluorescence  
 $\text{PbS-CuS}$  thin films, **123**, 296
- X-ray four-circle diffraction  
 $\text{CaV}_2\text{O}_5$ , letter to editor, **127**, 358
- X-ray microanalysis  
 $\text{Ca}_{(1-x)}\text{Gd}_{(x)}\text{TiO}_3$ , **124**, 77
- X-ray photoelectron spectroscopy  
 $\text{Bi}_2\text{O}_3$ , **126**, 152  
 $\text{CeO}_2$ , **126**, 74  
 $\text{Ce(OH)}_3$ , **126**, 74  
 $\text{CeOHCO}_3$ , **126**, 74  
 $\text{Cu}_x\text{Fe}_{3-x}\text{O}_4$  ( $0 \leq x \leq 0.5$ ), **126**, 7  
 effect of substitution pattern of chloroanthraquinone on formation of complex salts with Ag, **126**, 99  
 $(\text{Mg}_{6-x}\text{Li}_x)\text{MnO}_8$  ( $0.0 \leq x \leq 0.3$ ), **124**, 220  
 $\text{V}_2\text{O}_5\text{-TiO}_2$ , **124**, 69
- X-ray photoemission spectroscopy  
 $\text{W/Ti}$  oxide thin films, **121**, 379
- X-ray scattering  
 diffuse,  $\text{Zr}_{0.85}\text{Ca}_{0.15}\text{O}_{1.85}$ , measurement of 3D data set, **126**, 33
- Y**
- Ytterbium  
 $\text{CuY}_2\text{Ge}_4\text{O}_{12}$ , bidimensionally tunneled structure, **124**, 17  
 $\text{Cu}_2\text{Yb}_2\text{O}_5$ , thermodynamic stability and Gibbs energy of formation, **125**, 13  
 $\text{NH}_4\text{Yb}(\text{SO}_4)_2\cdot 2\text{H}_2\text{O}$ , vibrational spectra, **121**, 408  
 $\text{Yb}(\text{NO}_3)_3\cdot 6\text{H}_2\text{O}$  crystal, ac conductivity in, temperature and frequency dependence, **121**, 74  
 $\text{Yb}_2\text{Ru}_2\text{O}_7$ , structural and bonding trends, **126**, 261
- Yttrium  
 $\text{Bi}_2\text{O}_3\text{-Y}_2\text{O}_3$ , pseudo-fcc subcell in, preparation of triclinic phase based on, **124**, 287  
 $\text{K}_2\text{YNb}_5\text{O}_{15-\delta}$ , preparation and crystal structure, **123**, 285  
 $(\text{La}, \text{Ca})\text{CrO}_3\text{-YSZ}$  interface, reactions at, **122**, 407
- Li $\text{YO}_2$ , Eu $^{3+}$ - and Tb $^{3+}$ -doped, optical and crystallographic study, **121**, 457  
 $\text{Pb}_2\text{Sr}_2(\text{Ca}, \text{Y})\text{Cu}_3\text{O}_{8+\delta}$ , superconductor, substitution of Cr for univalent Cu, **127**, 64  
 $\text{RbY}_2\text{Cl}_7\text{:U}^{3+}$ , synthesis, spectroscopic, and magnetic properties, **121**, 312  
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ , Ca-doped and oxygen deficient, neutron diffraction analysis, **127**, 56  
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$  films, synthesis of  $\text{BaRETaO}_6$  ( $RE = \text{Pr}, \text{Nd}, \text{Eu}, \text{Dy}$ ) as substrates for, **126**, 202  
 $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ , single crystals, structural analysis, **122**, 371  
 $\text{YBa}_2\text{Cu}_4\text{O}_8$ , superconductors prepared by sol-gel method, effect of complexing agents, **121**, 356  
 $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ , structure, effect of stacking faults and temperature, **127**, 31  
 $\text{YCa}_2\text{SbFe}_{4-x}\text{Ga}_x\text{O}_{12}$  ( $x = 0\text{-}3$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 $\text{Y}_{3-2x}\text{Ca}_{2x}\text{Sb}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 $\text{Y}_{3-x}\text{Ca}_x\text{Sn}_x\text{Fe}_{5-x}\text{O}_{12}$  ( $x = 1.25, 1.5$ ), cation distribution and magnetic interactions, characterization by  $^{57}\text{Fe}$  Mössbauer spectroscopy, **122**, 118  
 yttrium iron garnet nanoparticles, synthesis and characterization, **126**, 161  
 $\text{Y-Zr-O-N}$  system, vacancy ordering in  $\text{ZrO}_2$ -rich part, **125**, 153
- Z**
- Zeolites  
 $M^+_2\text{Al}_9\text{Si}_{27}\text{O}_{72}\cdot n\text{H}_2\text{O}$  ( $M = \text{Na}, \text{K}, \text{Rb}, \text{Cs}$ ), exchange in heulandite single-crystals, **123**, 140  
 network structures, flexibility, **121**, 2
- Zinc  
 $\text{CuO-ZnO-Al}_2\text{O}_3$  ternary catalysts, creation of defect  $\text{Cu}^+$  sites, **125**, 108  
 $\text{Cu-Zn-Co-Al}$ -containing hydroxycarbonates, oxycarbonates, oxides, and reaction products, EXAFS, X-ray powder diffraction, and magnetic susceptibility studies, **121**, 372  
 $\text{Cu-Zn-Co-Al-Cr}$  hydroxycarbonates and mixed oxides, characterization, **122**, 324  
 $\text{H}[\text{Zn}_4(\text{PO}_4)_3]\text{H}_2\text{O}$ , 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243  
 $\text{-Mn}$  ferrites  
 magnetic properties, analysis with and without  $\text{Nb}_2\text{O}_5$  doping, **121**, 117  
 vaporization and diffusion, **121**, 143  
 $\text{PbF}_2\text{-ZnF}_2\text{-GaF}_3$  system, analysis by EPR through recrystallization, **121**, 149  
 $\text{Sn-Zn-S}$  system, gradual and combustive mechanochemical reactions, **121**, 394  
 $\text{Sr}_3\text{ZnIrO}_6$ , crystal structure and magnetic properties, **127**, 25  
 $[\text{Zn}_7\text{Cr}_4(\text{OH})_{22}](\text{CO}_3)_2\cdot 5\text{H}_2\text{O}$ , insertion of dinuclear dihydroxy-bridged Cr(III) aquo complex, **122**, 214  
 $[\text{Zn}_4(\text{H}_2\text{O})(\text{PO}_4)_3]\text{NH}(\text{CH}_3)_3$ , 3D tetrahedral framework with infinite Zn–O–Zn chains, **125**, 243  
 $\text{ZnO}$   
 electron density residual study, **122**, 148  
 iron-doped, unusual iron site in, **125**, 224  
 nonstoichiometric and In-doped, electrical conductivity and  $^{111}\text{In}$ -TDPAC studies, **122**, 166  
 $\text{RE}_6\text{ZnSb}_{15}$  ( $RE = \text{La}, \text{Ce}$ ), crystal structure and magnetism, **122**, 266  
 $\sigma\text{-Zn}_{0.25}\text{V}_2\text{O}_5\cdot \text{H}_2\text{O}$ , synthesis and crystal structure, **126**, 65  
 $\text{ZrZn}_{22}$ , crystal structure, properties, and preparation, **121**, 95

- Zr<sub>5</sub>Zn<sub>39</sub>, crystal structure, properties, and preparation, **121**, 95  
Zinc ferrite  
mechanically activated, structure-reactivity study, **123**, 100  
Zirconium  
BaZrO<sub>3</sub>, and solid solutions with BaCeO<sub>3</sub> and BaSnO<sub>3</sub>, EPR spectra of Pr<sup>4+</sup> in, **122**, 384  
CaO-ZrO<sub>2</sub>-Ta<sub>2</sub>O<sub>5</sub>, fluorite and perovskite related phases in, analysis, **127**, 82  
Ca-Zr-O-N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
Ca<sub>2</sub>Zr<sub>5</sub>Ti<sub>2</sub>O<sub>16</sub>, sintered polycrystals, analysis by TEM, **126**, 177  
Cu<sub>0.5</sub>Ti<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
Cu<sup>I</sup>Zr<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, Nasicon-type copper phosphates, Raman and infrared spectroscopy, **127**, 341  
Er<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>-Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, lanthanide-containing zirconotitanate solid solutions, **127**, 231  
Fe<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub>, reduction behavior, analysis by TPR with *in situ* Mössbauer spectroscopy, **121**, 240  
H<sub>0.5</sub>Cu<sub>0.5</sub>Zr<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, Nasicon-type copper phosphates, Raman and Infrared spectra, **127**, 341  
(La,Ca)CrO<sub>3</sub>-YSZ interface, reactions at, **122**, 407  
Mg-Zr-O-N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
NaZr<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, NASICON-type phosphates, <sup>31</sup>P MAS NMR analysis, **121**, 197  
Na<sub>3</sub>Zr(PO<sub>4</sub>)<sub>3</sub>, NASICON-type phosphates, <sup>31</sup>P MAS NMR analysis, **121**, 197  
Nd<sub>1.2</sub>Er<sub>0.8</sub>Ti<sub>2</sub>O<sub>7</sub>-Nd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, lanthanide-containing zirconotitanate solid solutions, **127**, 231  
oxides, electroforming and switching, **122**, 95  
Y-Zr-O-N system, vacancy ordering in ZrO<sub>2</sub>-rich part, **125**, 153  
Zr powder mixtures, ball milling-induced combustion, **125**, 75  
Zr<sub>0.85</sub>Ca<sub>0.15</sub>O<sub>1.85</sub>, calcium-stabilized, diffuse X-ray scattering, measurement of 3D data set, **126**, 33  
 $\alpha$ -Zr(DPO<sub>4</sub>)<sub>2</sub>·D<sub>2</sub>O, structural features of reactive sites, **125**, 261  
 $\alpha$ -Zr phosphate materials, Cr-Fe oxide pillared, synthesis and characterization, **122**, 231  
ZrP<sub>2</sub>O<sub>7</sub>, flexibility, **121**, 2  
ZrZn<sub>22</sub>, crystal structure, properties, and preparation, **121**, 95  
Zr<sub>5</sub>Zn<sub>39</sub>, crystal structure, properties, and preparation, **121**, 95