

Cumulative Subject Index for Volumes 128–134¹

A

- Absorption spectroscopy
magnesium phthalocyanine thin films prepared by vacuum evaporation, **128**, 27
 β -rhombohedral boron, **133**, 129
- Aciculate ultrafine particles
 α -Fe₂O₃, kinetics of reduction to Fe₃O₄ particles, **134**, 248
- Acidity
Mg–Fe catalyst surface prepared from hydrotalcite-like precursors, microcalorimetric study, **128**, 73
- Acoustic emission
during metal–insulator phase transition in V₂O₃, **133**, 430
- Adsorption
by LaNi₅ particles, **134**, 67
- Aerosols
pyrolysis, in synthesis of iron zircon pigments, **128**, 102
- Alkaline earth elements
Ln_{0.5}A_{0.5}MnO₃ (Ln = rare earth; A = alkaline earth), charge ordering in, dependence on size of A-site cation, letter to editor, **129**, 363
- n*-Alkylamines
intercalation into hydrated hydrogen insertion compound derived from blue potassium molybdenum bronze, **128**, 256
- Alloys
fcc-based, ordering in, similarity to cation ordering in [(Ti,M)O] layers of 1201-based cuprate, **132**, 113
- Alluaudite
garnet–alluaudite polymorphism in NaCa₂M₂²⁺(AsO₄)₃ (M²⁺ = Mg, Ni,Co), cationic substitution effects, **131**, 290
related structure
NaCaCdMg₂(AsO₄)₃, **131**, 298
Na₃In₂(AsO₄)₃ with, **134**, 31
synthetic modifications, **131**, 131
- Aluminum
Al₁₂ and Al₁₃, bonding in, **133**, 302, 310
AlN, microwave synthesis, **130**, 266
AlLnO₃ (Ln = La,Ce,Pr,Nd,Sm,Ho), cation arrays in perovskite-type compounds, **128**, 69
Al₂O₃, xerogel doped with La and Ce, X-ray diffraction, FTIR, and NMR studies, **128**, 161
M- β' -Al₂O₃ (*M* = Na⁺,K⁺,Ca²⁺,Sr²⁺,Ag⁺,Zn²⁺) ionic conductors, electrochemical doping with, **128**, 93
Al₅Ln₃O₁₂ (Ln = Gd–Lu), cations arrays in garnet-type compounds, **128**, 69
AlOOH, cation arrays, **131**, 358
Al–Pd–Re quasicrystals
modulated photocurrent measurements, **133**, 224
photocurrent observations, **133**, 302
Al_{9–2x}Pd_xRe₈-type quasicrystals, electronic properties, **133**, 160
[Al₃P₄O₁₆]³⁻·3[CH₃CH₂NH₃]⁺, nonaqueous synthesis and characterization, **129**, 37
AlSr₂YCu₂O₇, structural order/disorder in, **133**, 434
aluminum titanate, high-temperature phase formation in sol-gel synthesis, FTIR study, **131**, 181
- BaO–Al₂O₃–AlN system, phase relations, **129**, 66
BaTiO₃–LaAlO₃ and BaTiO₃–LaAlO₃–LaTi_{3/4}O₃ systems, chemical reactions and dielectric properties, **129**, 223
B–C–Al compounds with boron carbide structure, IR active phonon spectra, **133**, 254
Ca₈[Al₁₂O₂₄](MoO₄)₂, structure and high-temperature phase transitions, **129**, 130
Ca₃(Cr,Al)₂Si₃O₁₂ garnets, electron density study, **132**, 432
[C₁₀N₂H₉][Al(PO₄)(PO₂(OH)₂)], synthesis and characterization, **128**, 318
CuAl₂, structural relationship to SiF₄, **132**, 151; *erratum*, **134**, 431
ErAlB₁₄, icosahedral solids, electronic properties, **133**, 160
flux, LaB₆ preparation from, thermodynamic analysis, **237**
icosahedral cluster solids in Al-based compounds, **133**, 302
KAl(HPO₄)₂·H₂O, X-ray diffraction, neutron scattering, and solid-state NMR, **132**, 47
LaCaAlO₄, K₂NiF₄-type aluminate single crystals, decomposition processes in, X-ray diffraction study, **134**, 132
lanthanum magnesium hexaaluminate, defect energetics and non-stoichiometry, **130**, 199
Li₃AlN₂, microwave synthesis, **130**, 266
(Mo_xCr_{1-x})AlB and (Mo_xW_{1-x})AlB, single crystal growth by metal Al solutions and crystal properties, **133**, 36
Na₃Al(OH)(HPO₄)(PO₄), synthesis and chain structure, **128**, 21
NaAlO₂–NaAlSiO₄ system, cristobalite-related phases in, XRD and electron diffraction study, **131**, 24
Y₃X₂Al₃O₁₂ garnets (*X* = Al and (Al,Cr)), electron density study, **134**, 182
- Americium
Am³⁺, in LiYF₄, spectroscopic studies and crystal-field analysis, **129**, 189
Am₂T₂X (*T* = Co,Ir,Ni,Pd,Pt,Rh; *X* = In,Sn), synthesis, crystal chemistry, and physical properties, **134**, 138
- Aminoboranes
as BN source for coatings, matrix, and Si₃N₄–BN composite ceramics, **133**, 164
- 2-Amino-2-methyl-1,3-propanediol
and 1,1,1-tris(hydroxymethyl)propane, orientationally disordered phases, crystallography and thermodynamics, **133**, 536
- 2-Amino-5-nitropyridinium chloride
crystal growth, **129**, 22
- Ammonium
(ND₄)₂PdCl₆, antifluorite, phase analysis, **131**, 221
NH₄Br·Me²⁺Br₂·6H₂O (Me²⁺ = Co,Ni), crystallization and structure, **129**, 200
 β -(NH₄)₂FeF₅, hydrogen bonding-induced NH₄⁺ ordering at low temperature, structural and spectroscopic evidence, **131**, 189
[NH₄]⁺[(Sn₃O)₂(PO₄)₃]⁻, synthesis and structure, **134**, 207
(NH₄)₂[(Ti₃O)₂(HPO₄)₂(PO₄)₂], synthesis and X-ray powder structure, **132**, 213
- Ammonium vanadate phosphates
NH₄VOPO₄, crystal structure, and analysis of hydrothermal vanadium phosphate systems at 473 K, **134**, 286

¹ Bold numbers indicate volume; lightface numbers indicate pagination.

- (NH₄)₃V₂O₃(VO)(PO₄)₂(HPO₄), crystal structure, and analysis of hydrothermal vanadium phosphate systems at 473 K, **134**, 286
- Ammonolysis
Cr₂S₃, TiS₂, and VS₂: synthesis of CrN, TiN, and VN, **134**, 120
- Anatase
formation by transformation of ultrafine rutile particles at negatively charged colloid surfaces, letter to editor, **132**, 447
TiO₂ nanopowders, Ru complex sensitizers of, crystal structure, **132**, 60
- Annealing
effects on quaternary borocarbides, **133**, 169
TiB₂-CrB₂-WB₂ supersaturated solid solutions, phase formation during, **133**, 25
- Announcements
Notice to individuals engaged in research in the solid state chemistry and materials area, **129**, 369
Second International Conference on Mechanochemistry and Mechanical Activation, Academgorodok, Novosibirsk, Russia, August 1997, **128**, 330
- Antiferrodistortive order
in CrZr_{0.75}Nb_{0.25}F₆ solid solution, **131**, 231
- Antiferromagnetic coupling
in [Cu(II)(μ-3,5-dimethylpyrazolate)(μ-OH)] and [Cu(II)(μ-pyrazolate)(μ-OH)], **132**, 24
- Antiferromagnetic ordering
Bi₂Sr₂CuO₆, **133**, 372
RNi₂B₂C (*R* = Tm,Er), *T_N*, effects of Pd, Pt, and Co dopants, **133**, 5
Sr₂Cu₂MO₂S₂ (*M* = Mn,Zn), **130**, 319
- Antifluorites
(ND₄)₂PdCl₆, phase analysis, **131**, 221
- Antimony
Ba₂(RSb)O₆ (*R* = Y,Ho), ordered perovskites suitable as substrates for superconducting films, characterization, **128**, 247
BaTi_{0.5}Sb_{0.5}O₃, ordered perovskite, structural analysis, letter to editor, **128**, 323
Cs₃Sb₂I₉, reconstructive phase transformation and kinetics by means of Rietveld analysis of X-ray diffraction and ¹²⁷I NQR, **134**, 319
CuSb₂O₆, dimorphism, solid state and EPR study, **131**, 263
GaSb, zinc blende crystals, linear electro-optic coefficient, **130**, 54
InSb, zinc blende crystals, linear electro-optic coefficient, **130**, 54
Li₃Cu₂SbO₆ with partially ordered rock salt structure, synthesis, **131**, 115
Mn₇Sb₄(μ₅-O)₂(μ₄-O)₂(μ₃-OEt)₂(μ-OEt)₁₆(HOEt)₂, synthesis and structural analysis, **134**, 312
Na₂Ti₂Sb₂O layered tetragonal compound, phase transition and spin gap behavior in, **134**, 423
SbCrSe₃ 1D ferromagnet, structure determination by HREM image analysis, **132**, 257
Sb₂S₃-As₂S₃-Ti₂S glasses, ¹²¹Sb Mössbauer spectroscopy, **133**, 458
Sb₂Te_{3-x}Se_x crystals, point defects in, **129**, 92
Sb_{0.16}WO₃ intergrowth tungsten bronze, X-ray diffraction and electron diffraction study, **134**, 344
Sb-(W,V)-O system, Aurivillius-related phases in, structure and properties, **128**, 30
Zn(Mg)_{1-x}Cu_xSb₂O₆, trirutile-type compounds, Cu²⁺ polyhedra in, geometry and electronic structure, **131**, 263
ZrSi_{0.7}Sb_{1.3}, ZrSn_{0.4}Sb_{1.6}, and ZrGeSb: family containing ZrSiS-type and β-ZrSb₂-type compounds, **134**, 388
- Arcaine sulfate
FT-IR, Raman, and SERS spectra, **133**, 423
- Arsenic
Cd₈As₇Cl: novel pnictidohalide with new structure type, **134**, 282
GaAs, zinc blende crystals, linear electro-optic coefficient, **130**, 54
InAs, zinc blende crystals, linear electro-optic coefficient, **130**, 54
K₅In₅Ge₅As₁₄ and K₈In₈Ge₅As₁₇, layered materials, synthesis and crystal structure, **130**, 234
LiMnAsO₄(OD) (*X* = P,As), magnetic structure, **132**, 202
(Mg,Ni)₂(OH)(AsO₄), structural and spectroscopic studies, **132**, 107
NaCa₂M₂⁺(AsO₄)₃ (*M*²⁺ = Mg,Ni,Co), cationic substitution effects on garnet-alluaudite polymorphism, **131**, 290
NaCaCdMg₂(AsO₄)₃, alluaudite-like structure, **131**, 298
Na₃In₂(AsO₄)₃
alluaudite-like structure, **134**, 31
hydrothermal synthesis and structure, **131**, 131
NaMoO₂AsO₄, preparation and crystal structure, **133**, 386
NiAs-Ni₂In, related structures in Mn-Sn system, **129**, 231
Rb₂Cr₂O(AsO₄)₂, preparation and crystal structure, **134**, 22
Sb₂S₃-As₂S₃-Ti₂S glasses, ¹²¹Sb Mössbauer spectroscopy, **133**, 458
W₅As_{2.5}P_{1.5} with one-dimensional vertex-linked W₆ cluster, **131**, 310
- A-site cations
size, effect on charge ordering in rare earth manganates, letter to editor, **129**, 363
- Atomic size
in zinc blende crystals, linear electro-optic coefficient dependence on, **130**, 54
- Aurivillius-related phases
in Sb-(W,V)-O system, structure and properties, **128**, 30
- B**
- Ball milling
high-energy, in direct synthesis of lanthanum molybdates with La:Mo ratio of 1:1, letter to editor, **132**, 443
- Barium
BaB₆, electronic structure calculations, **133**, 51
BaCoO_{2.94} hexagonal related perovskites, ordering of anionic vacancies in, **128**, 130
Ba(CoPO₄)₂·H₂O, lamellar hydrated phosphate with two-dimensional array of Co-O-Co network, **131**, 387
BaCuB₂O₅, noncentrosymmetric pyroborate, synthesis, structure, and properties, **129**, 184
Ba₂Cu₃Cl₂O₄, synthesis and properties, **124**, 319; comment, **130**, 161
Ba-Cu-C-O system, structural equivalence of CO₃ and CuO_x groups, **129**, 165
Ba₆Cu₁₂Fe₁₃S₂₇, synthesis and crystal structure, **128**, 62
RBa₂Cu₄O₈ (*R* = Gd,Ho), superconductors, Sr substitution in, **128**, 310
Ba₄CuMO₄Cl₄ (*M* = Li,Na), Cu(III) oxy-chlorides, synthesis, structure, and electrical and magnetic properties, letter to editor, **129**, 360
Ba₂Cu_xZn_{1-x}WO₆ mixed crystals, cooperative Jahn-Teller effect in Raman spectra, **129**, 117
Ba₂MM'F₇Cl (*M, M'* = Mn,Fe,Co,Ni,Zn), magnetic properties and neutron diffraction study, **131**, 198
BaFe₂O₄ and BaFe₁₂O₁₉ particles, synthesis with combustion method, **134**, 227
BaGe₂, synthesis, structure, and properties, **133**, 501
Ba₂In₂O₅, Brownmillerite-structured, computer simulation study, **128**, 137
Ba₆Mn₂₄O₄₈ with composite tunnel structure, synthesis and HREM study, **132**, 239
BaMo₂O₇(s), molar Gibbs energy of formation using solid oxide galvanic cell method, **134**, 416
BaNbSe₃, quasi-one-dimensional selenide, phase transitions, **132**, 188
BaNb₂Se₅, superconductivity, **132**, 188
Ba₈₈Ni₈₇O₁₅₆(CO₃)₁₉, synthesis and structure, **128**, 220
Ba₅M₄O₁₅ (*M* = Ta⁵⁺, Nb⁵⁺), luminescence, **134**, 187
BaO-Al₂O₃-AlN system, phase relations, **129**, 66
Ba₁₁Pd₁₁O₂₀(CO₃)₂, synthesis and structure, **128**, 220
BaRuO₃, prepared at ambient pressure and possessing four-layer hexagonal structure, crystal structure refinement, **128**, 251
Ba₅Ru_{1.6}W_{0.4}Cl₂O₉, 10-layer perovskite-related oxyhalide, crystal structure, **132**, 407

- $\text{Ba}_2(\text{RSb})\text{O}_6$ ($R = \text{Y, Ho}$), ordered perovskites suitable as substrates for superconducting films, characterization, **128**, 247
- Ba_2SnO_4 , Pr^{4+} doped in, EPR spectra, **130**, 250
- $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0, 1, 2$), development and dielectric properties, **133**, 522
- $\text{Ba}_{5-x}\text{Sr}_x\text{Nb}_4\text{O}_{15}$, microwave dielectric ceramic resonators, vibrational analysis, **131**, 2
- $(\text{Ba, Sr})_{1+y}\text{UO}_{3+x}$, perovskite-related phases, structure and thermodynamics, **131**, 341
- BaTiO_3 , thin film preparation using glycolate precursor, **131**, 43
- $\text{BaTiO}_3\text{-LaAlO}_3$ and $\text{BaTiO}_3\text{-LaAlO}_3\text{-LaTi}_{3/4}\text{O}_3$ systems, chemical reactions and dielectric properties, **129**, 223
- $\text{BaTi}_{0.5}\text{Sb}_{0.5}\text{O}_3$, ordered perovskite, structural analysis, letter to editor, **128**, 323
- $\text{Ba}_{1+y}\text{UO}_{3+x}$, perovskite-related phases, structure and thermodynamics, **131**, 341
- $\text{Ba}_3(\text{VO}_4)_2$, high-pressure behavior, **132**, 156
- LnCuBaO_5 ($\text{Ln} = \text{Yb, Tm, Er, Ho, Dy, Gd}$), Gibbs free energy of formation, determination by EMF method, **134**, 85
- $\text{Hg}_2\text{Ba}_2\text{LnCu}_2\text{O}_{8-\delta}$ ($\text{Ln} = \text{Nd-Gd, Dy-Lu}$), synthesis and structural and magnetic characterization, **132**, 163
- $\text{In}_2\text{Ba}_2\text{CuO}_{6-\delta}$, layered cuprate, synthesis and characterization, **131**, 177
- $(\text{R}_{1-x}\text{Pr}_x)\text{Ba}_4\text{Cu}_7\text{O}_{14+\delta}$ ($R = \text{Nd, Eu, Tm}$), high-pressure synthesis and characterization, **132**, 73
- $\text{Sr}_{3-x}\text{Ba}_x\text{Fe}_2\text{O}_7$ ($x \leq 0.4$), electronic state, magnetism, and electrical transport behavior, **130**, 129
- $\text{Sr}_{1-x}\text{Ba}_x\text{ZrSe}_3$ series, structural evolutions in, **130**, 20
- $\text{TeO}_2\text{-BaO-TiO}_2$ glasses, structural and nonlinear optical characterizations, **132**, 411
- $\text{Ti}_5\text{Ba}_3\text{Sr}_5\text{Cu}_3\text{O}_{19}$, 1201 shear like phase, **128**, 150
- $(\text{Ti}_{1.5}\text{Hg}_{0.5})\text{Sr}_{3-x}\text{Ba}_x\text{Fe}_2\text{O}_{9-\delta}$ ($0 \leq x \leq 2$) with TI-2212-type structure, preparation and characterization, **132**, 308
- $\text{YBa}_2\text{Cu}_3\text{O}_y$, electrochemical doping with $M\text{-}\beta''\text{-Al}_2\text{O}_3$ ionic conductors, **128**, 93
- single crystal, structure and electron density, effects of oxygen introduction, **130**, 42
- $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$, orthorhombic, dependence of lattice parameters on oxygen content, **134**, 356
- $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$, substrates $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0, 1, 2$) for, development and dielectric properties, **133**, 522
- $(\text{YBa}_2\text{Cu}_3\text{O}_{7-0.25})_4$, superconductive mechanism, **129**, 174
- Basicity**
- Mg-Fe catalyst surface prepared from hydrotalcite-like precursors, microcalorimetric study, **128**, 73
- Batteries**
- lead acid, production, $(3\text{PbO} \cdot \text{PbSO}_4 \cdot \text{H}_2\text{O})$ formed in, crystal structure, **132**, 173
- Beryllium**
- Be-B-bearing materials, parallel electron energy-loss spectroscopy, **133**, 347
- UBe_{13} , heavy fermion superconductors, chemical bonding topology, **131**, 394
- Bismuth**
- $\text{BiLa}_2\text{O}_{4.5+\delta}$, structural transformations, **131**, 64
- $\text{Bi}_{13}\text{Mo}_4\text{VO}_{34}\text{E}_{13}$, $[\text{Bi}_{12}\text{O}_{14}\text{E}_{12}]_n$ columns and lone pairs E in, **131**, 236
- $\text{Bi}_{1-x}\text{Ln}_x\text{O}_{1.5}$ ($\text{Ln} = \text{Sm-Dy}$), ion-ordered phases, stability, thermal behavior, and crystal structure, **129**, 98
- $\delta\text{-Bi}_2\text{O}_3$ fluorite-type structure, Bi-Ln-V-O anionic conductors with ($\text{Ln} = \text{Y, Sm, Eu, Gd, Tb, Dy, Er, Yb}$), **134**, 219
- $\text{Bi}_2\text{O}_3\text{-MoO}_3\text{-V}_2\text{O}_5$ system, synthesis, crystal structure, and chemistry, **131**, 236
- $\text{Bi}_{2-x}\text{Pb}_x\text{Sr}_{1.5}\text{Ca}_{1.5}\text{Mn}_2\text{O}_{9-\delta}$ with 2212 structure, synthesis and crystal chemistry, **132**, 420
- $\text{Bi}_{0.267}\text{Pr}_{0.733}\text{SrO}_{3-\delta}$, crystal structure and magnetic properties, neutron diffraction studies, **132**, 182
- $\text{Bi}_2\text{Ru}_2\text{O}_{7-y}$ pyrochlores, metallic and nonmetallic properties, structural and electronic factors in, letter to editor, **131**, 405
- $\text{Bi}_2\text{Sn}_2\text{O}_7$, Y-doped, bonding and structural variations in, **131**, 317
- $\text{Bi}_2\text{Sr}_2\text{CuO}_6$, antiferromagnetic order, **133**, 372
- $\text{Bi}_{12}\text{Sr}_{18}\text{Fe}_{10}\text{O}_{52}$, HREM study: collapsed structure related to 2212 structure, **129**, 214
- $\text{Bi}_{1-x}\text{Sr}_x\text{MnO}_3$, magnetic and electrical properties, **132**, 139
- Bi-Ln-V-O anionic conductors with $\delta\text{-Bi}_2\text{O}_3$ fluorite-type structure ($\text{Ln} = \text{Y, Sm, Eu, Gd, Tb, Dy, Er, Yb}$), **134**, 219
- CaBiO_2Cl , disordered variant of Sillen X1 structure, **128**, 115
- Hf_8Bi_6 , **134**, 26
- $\text{Pb}_2\text{BiO}_2\text{PO}_4$, crystal structure, **133**, 516
- $\text{Sr}_{10-n/2}\text{Bi}_n\text{Fe}_{20}\text{O}_m$ ($n = 4, 6, 8, 10$), with high oxygen permeability, synthesis, **130**, 316
- SrBiO_2Cl , disordered variant of Sillen X1 structure, **128**, 115
- Ti_4TBi_2 ($T = \text{Cr, Mn, Fe, Co, Ni}$), preparation and properties, **133**, 400
- Ti_8Bi_6 , preparation and crystal structure, **134**, 26
- Bond-charge calculation**
- electro-optic coefficients of diatomic crystals, **128**, 17
- Bonding**
- in CaFe_2P_2 and CaNi_2P_2 , first-principles study, **129**, 147
- heavy fermion superconductors, chemical bonding topology, **131**, 394
- icosahedral boron solids, **133**, 215
- icosahedral clusters of group III elements, **133**, 310
- icosahedral cluster solids in Al- and B-based compounds, **133**, 302
- metal-to-metal, in transition metal monocarbides and mononitrides, **128**, 121
- small boron carbon chains stabilized in rare earth metallic frameworks, **133**, 190
- in $\text{Ln}_2\text{Sn}_2\text{O}_7$ ($\text{Ln} = \text{Y, La, Pr, Nd, Sm-Lu}$) pyrochlores, **130**, 58
- in Y-doped $\text{Bi}_2\text{Sn}_2\text{O}_7$, **131**, 317
- Boron**
- AgI-Ag₂O-B₂O₃-SiO₂ system, reversible color changes in ion-conducting glasses prepared by microwave melting: structural implications, **131**, 173
- amorphous
- fundamental structure, **133**, 211
- modulated photocurrent measurements, **133**, 224
- p-type materials, thermoelectric properties, **133**, 314
- transient photocurrent studies, **133**, 201
- atoms in amorphous metallic matrix, impedance spectroscopy and XPS studies, **133**, 273
- B_n ($n = 12, 16, 22, 32, 42, 46$), clusters with convex and spherical structures, **133**, 182
- B_9X_9 ($X = \text{Cl, Br, I}$), syntheses, crystal structures, and electronic structure, **133**, 59
- B_{12}
- bonding in, **133**, 302, 310
- cluster in β -rhombohedral boron, ground and excited states of icosahedral $\text{B}_{12}\text{H}_{12}$ cluster simulating, **133**, 178
- icosahedron, simulation of amorphous boron with, **133**, 178
- B_{13} , bonding in, **133**, 302, 310
- BaB_6 , electronic structure calculations, **133**, 51
- BaCuB_2O_5 , noncentrosymmetric pyroborate, synthesis, structure, and properties, **129**, 184
- B_4C
- electronic structure calculations, **133**, 51
- lattice vibrations, **133**, 44
- $\text{B}_{4.23}\text{C}$, interband critical transition points, **133**, 132
- $\text{B}_{4.3}\text{C}$ and $^{10}\text{B}_{4.3}\text{C}$, interband critical transition points, **133**, 132
- $\text{B}_{4.51}\text{C}$, interband critical transition points, **133**, 132

- $B_{6,28}C$, interband critical transition points, **133**, 132
- $B_{6,3}C$, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- $B_{7,91}C$, dielectric function, description based on superposition of Drude type and hopping type transport, **133**, 335
- $B_{8,52}C$, interband critical transition points, **133**, 132
- B_9C , lattice vibrations, **133**, 44
- $B_{10,37}C$
interaction of optically excited carriers with intraicosahedral phonons, **133**, 125
interband critical transition points, **133**, 132
- $B_{13}C_2$, lattice vibrations, **133**, 44, 93
- B–C–Al compounds with boron carbide structure, IR active phonon spectra, **133**, 254
- B_4C –C, injection molded ceramics, mechanical properties, **133**, 68
- B–C–N–O system, syntheses at high pressure and temperature in electron energy-loss spectroscopy, **133**, 365
materials prepared by, **133**, 356
- Be–B-bearing materials, parallel electron energy-loss spectroscopy, **133**, 347
- $B_{12}H_{12}$, icosahedral cluster simulating B_{12} cluster in β -rhombohedral boron, ground and excited states, **133**, 178
- BN
for coatings, matrix, and Si_3N_4 –BN composite ceramics, amino-boranes as source for, **133**, 164
cubic, structure and properties, effect of chemically active media, **133**, 292
- B_6N_{1-x} , synthesis at high pressure and temperature, **133**, 356
- B_6N , synthesized at high pressure and temperature, electron energy-loss spectroscopy, **133**, 365
- B_6O_{1-x} , high-strength compounds, structure and bulk modulus, **133**, 88
- B_6O , FTIR and FT Raman spectra, **133**, 260
- B_6O – B_4C solid solutions, synthesis at high pressure and temperature
electron energy-loss spectroscopy, **133**, 365
preparation and characterization, **133**, 356
- borosilicate glasses containing fluoride, OH absorption bands due to pyrohydrolysis in, removal, **130**, 330
- BP
CVD wafers, thermoelectric properties, **133**, 314
films obtained by gas source molecular beam deposition, preparation and electrical properties, **133**, 269
- $B_{12}P_2$
epitaxial growth of rhombohedral single crystalline films by chemical vapor deposition, **133**, 104
Si-doped, interband transitions and phonon spectra, **133**, 140
- $B_{12}S_{2-x}$, high-strength compounds, structure and bulk modulus, **133**, 88
- CaB_6 , electronic structure calculations, **133**, 51
- $Ca(PO_3)_2$ – CaB_4O_7 – $Na_2B_4O_7$ – Nb_2O_5 , borophosphate glasses, synthesis and second-harmonic generation after poling treatment, **133**, 529
- carbon fiber/BN matrix microcomposite, preparation, aminoboranes as BN source for, **133**, 164
- CeB_6
electronic structure calculations, **133**, 51
polar and reticular microhardness anisotropy, **133**, 296
in thin film technology, **133**, 279
- $Ce_5B_2C_6$, $Ce_5B_4C_5$, and $Ce_{10}B_9C_{12}$, bonding analysis, **133**, 190
- $CeOs_3B_2$, heavy fermion superconductors, chemical bonding topology, **131**, 394
- $CeRu_3B_2$, heavy fermion superconductors, chemical bonding topology, **131**, 394
- CoB_4 , reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- crystals rich in, rotation-induced relaxation mechanism for strains, **133**, 322
- doped $LiCoO_2$, structure and electrochemical properties, **134**, 265
- DyB_4 , polar and reticular microhardness anisotropy, **133**, 296
- DyB_6 , incongruently melting, single crystal growth and properties, **133**, 198
- $ErAlB_{14}$, icosahedral solids, electronic properties, **133**, 160
- EuB_6 , polar and reticular microhardness anisotropy, **133**, 296
- $EuB_{6-x}C_x$ ($X \approx 0.1$), FT Raman spectroscopy, **133**, 264
- $FeB_{2,9}$, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- films obtained by gas source molecular beam deposition, preparation and electrical properties, **133**, 269
- GdB_4 , polar and reticular microhardness anisotropy, **133**, 296
- HoB_4 , polar and reticular microhardness anisotropy, **133**, 296
- HoB_6 , incongruently melting, single crystal growth and properties, **133**, 198
- icosahedral cluster solids in B-based compounds, **133**, 302
- icosahedral solids rich in, lattice dynamics, central and noncentral forces on, **133**, 215
- KB_6 , electronic structure calculations, **133**, 51
- LaB_6
crystal preparation from Al flux using compound precursors, thermodynamic analysis, **133**, 237
electronic structure calculations, **133**, 51
FT Raman spectroscopy, **133**, 264
in thin film technology, **133**, 279
- $La_{15}B_{14}C_{19}$, bonding analysis, **133**, 190
- Li_2Pd_3B and Li_2Pt_3B , with boron in octahedral position, **133**, 21
- LuB_4 , polar and reticular microhardness anisotropy, **133**, 296
- $LuNi_2B_2C$ superconductor, comparison with nonsuperconducting $SrRh_2P_2$, **130**, 254
- $(Mo_xCr_{1-x})AlB$ and $(Mo_xW_{1-x})AlB$, single crystal growth by metal Al solutions and crystal properties, **133**, 36
- NdB_6 , polar and reticular microhardness anisotropy, **133**, 296
- RNi_2B_2C systems
chemical and physical properties, **133**, 169
superconducting and magnetic ordering temperatures for $R = Tm$ or Er , effects of Pd, Pt, and Co dopants, **133**, 5
- Ni–6 mass% B–58.6 mass% Mo–10 mass% X ($X = V, Fe, Co, Ti, Mn, Zr, Nb, W$) high-strength boride base hard materials, **133**, 243
- $Ln_7O_6(BO_3)(PO_4)_2$ ($Ln = La, Nd, Gd, Dy$), X-ray powder diffraction and vibrational spectra studies, **129**, 45
- PrB_6 , polar and reticular microhardness anisotropy, **133**, 296
- preface to 12th International Symposium on Boron, Borides, and Related Compounds, **133**, 3
- p -type materials, thermoelectric properties, **133**, 314
- rare earth transition metal borides and their hydrides, low-temperature synthesis, **133**, 145
- R – Rh – B and R – Rh – B – C systems ($R =$ rare earth), single crystal growth from molten copper flux, **133**, 82
- RRh_2B_2C ($R =$ rare earth), synthesis and characterization, **133**, 77
- α -rhombohedral, electronic structure, electron energy-loss spectroscopic study, **133**, 156
- β -rhombohedral
 B_{12} cluster in, icosahedral $B_{12}H_{12}$ cluster simulating, ground and excited states, **133**, 178
complete optical spectrum, **133**, 129
Fe-doped, Mössbauer spectroscopy and electrical conductivity, **133**, 342
Fe- and V-doped icosahedral solids, electronic properties, **133**, 160
interaction of optically excited carriers with intraicosahedral phonons, **133**, 125

- interband critical transition points, **133**, 132
- Li- and V-doped, electronic structure, electron energy-loss spectroscopic study, **133**, 152
- metal dopant effects, **133**, 302
- modulated photocurrent measurements, **133**, 224
- superposition of Drude type and hopping type transport, **133**, 335
- transient photoconduction, analysis under conditions allowing carrier injection from electrode, **133**, 97
- transient photocurrent studies, **133**, 201
- Sc₂BC₂, bonding analysis, **133**, 190
- Si₃N₄-BN composite ceramic, preparation, aminoboranes as BN source for, **133**, 164
- SrB₄, polar and reticular microhardness anisotropy, **133**, 296
- SrB₆
- compounds based on, magnetic excitation spectrum, effect of mixed-valences state, **133**, 230
- FT Raman spectroscopy, **133**, 264
- polar and reticular microhardness anisotropy, **133**, 296
- in thin film technology, **133**, 279
- SrB₆, electronic structure calculations, **133**, 51
- Sr₄Mn₃(B_{1-x}Mn_x)O₁₀, related to cubic perovskite structure, synthesis and characterization, **134**, 395
- TbB₄, polar and reticular microhardness anisotropy, **133**, 296
- TbB₆, incongruently melting, single crystal growth and properties, **133**, 198
- ThB₄, polar and reticular microhardness anisotropy, **133**, 296
- ThB₆, polar and reticular microhardness anisotropy, **133**, 296
- thin films, preparation and properties, **133**, 100
- TiB₂
- nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
- PVD coatings, structure and properties, **133**, 117
- in thin film technology, **133**, 279
- Ti-B-C system including sections TiC_y-TiB₂ and B₄C_y-TiB₂, **133**, 205
- TiB₂-CrB₂-WB₂ supersaturated solid solutions, annealing, phase formation during, **133**, 25
- TiN/TiB₂ nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
- TiB₃O₅, crystal structure, **131**, 370
- TmB₄, polar and reticular microhardness anisotropy, **133**, 296
- UB₄, polar and reticular microhardness anisotropy, **133**, 296
- VB₂, Czochralski-grown single crystals, microhardness, **133**, 113
- VB₃₂, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- YB₆
- electronic structure calculations, **133**, 51
- incongruently melting, single crystal growth and properties, **133**, 198
- in thin film technology, **133**, 279
- YB₂₅, powder X-ray diffraction and electron diffraction studies, **133**, 122
- YB₅₆ and YB₆₂ with YB₆₆-type structure, structural refinement, **133**, 16
- YB₆₆
- (100) surface structure and chemistry, **133**, 31
- interband critical transition points, **133**, 132
- modulated photoconductivity, **133**, 195
- reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- YbB₆, polar and reticular microhardness anisotropy, **133**, 296
- YBO₃, structure, **128**, 261
- Y_{17.33}(BO₃)₄(B₂O₅)₂O₁₆, structure and luminescence, **134**, 158
- YB₄₁Si_{1.2}, crystal structure, **133**, 11
- YB₄₄Si_{1.0}, single crystal growth, **133**, 55
- Y-Pd-B-C system, chemical and physical properties, **133**, 169
- ZrB₂, in thin film technology, **133**, 279
- ZrB₁₂, in thin film technology, **133**, 279
- Bromine
- B₉Br₉, synthesis, crystal structure, and electronic structure, **133**, 59
- Me⁺Br·Me²⁺Br₂·6H₂O (Me⁺ = K, NH₄, Rb; Me²⁺ = Co, Ni), crystallization and structure, **129**, 200
- UBrPO₄·2H₂O, structure determination from powder X-ray diffraction data, **132**, 315
- Bronzes
- blue potassium molybdenum, soft chemical modification, **128**, 256
- hydrated potassium molybdenum, preparation and thermal decomposition, **132**, 330
- Na_{0.10}WO₃, with distorted perovskite structure, X-ray and electron diffraction study, **133**, 479
- Pb_{0.26}WO₃, X-ray and electron diffraction study, **130**, 176
- MPd₃S₄ (M = La, Nd, Eu), crystal structure and electrical conductivity, **129**, 1
- Sb_{0.16}WO₃ intergrowth tungsten bronze, X-ray diffraction and electron diffraction study, **134**, 344
- Brownmillerite structure
- Ba₂In₂O₅, computer simulation study, **128**, 137
- Brushite
- protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
- Bulk modulus
- high-strength boron compounds, **133**, 88
- C
- Cadmium
- Cd₈As₇Cl: novel pnictidohalide with new structure type, **134**, 282
- Cd₃[(Fe^{III}/Co^{III})(CN)₆]₂·14H₂O, X-ray diffraction and spectral studies, **129**, 17
- doping of ZnO thin films, **128**, 176
- La_{2-x}Cd_xRu₂O_{7-δ}, pyrochlore oxides, synthesis and characterization, **129**, 308
- NaCaCdMg₂(AsO₄)₃, alluaudite-like structure, **131**, 298
- Nd_{0.6}(Ca_{0.4-x}Cd_x)MnO₃ perovskites, charge order-disorder transition, **134**, 215
- Calcium
- Bi_{2-x}Pb_xSr_{1.5}Ca_{1.5}Mn₂O_{9-δ} with 2212 structure, synthesis and crystal chemistry, **132**, 420
- Ca²⁺, electrochemical doping of oxide ceramics with Ca-β"-Al₂O₃ ionic conductors, **128**, 93
- Ca₈[Al₁₂O₂₄](MoO₄)₂, structure and high-temperature phase transitions, **129**, 130
- CaB₆, electronic structure calculations, **133**, 51
- CaBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
- Ca₃(Cr,Al)₂Si₃O₁₂ garnets, electron density study, **132**, 432
- Ca_{1-x}Eu_xMnO₃ (0 ≤ x ≤ 1) perovskites, magnetic study, **131**, 144
- CaFe₂P₂, electronic structure and chemical bonding, first-principles study, **129**, 147
- CaH₂, self-propagating mechanochemical reaction with hexachlorobenzene, **129**, 263
- CaHPO₄ and CaHPO₄·2H₂O, protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
- Ca_{1-x}La_xS (x = 0-0.3), structural and luminescence properties, **131**, 101
- Ca₄Mo₁₈O₃₂, with Mo_n (n = 2,4,6) cluster chains, anomalous metal-insulator transitions in, **134**, 45
- Ca₃N₂, solid solutions with LaN, formation of defect rock salt nitrides La_{1-x}Ca_xN_{1-x/3}, **129**, 144
- CaNi₂P₂, electronic structure and chemical bonding, first-principles study, **129**, 147
- Ca(OD)₂ II prepared at high pressure, structure from powder neutron diffraction, relationship to ZrO₂ and EuI₂ structures, **132**, 267
- Ca(OH)₂, incipient reaction with SiO₂ under moderate mechanical stressing, mechanisms: changes in short-range ordering, **130**, 284

- Ca₃(P₅O₁₄)₂, characterization, **129**, 196
- Ca(PO₃)₂-CaB₄O₇-Na₂B₄O₇-Nb₂O₅, borophosphate glasses, synthesis and second-harmonic generation after poling treatment, **133**, 529
- Ca₃ReO₆, crystal structure, **131**, 305
- Ca_{1-x}Sm_xMnO₃, electron-doped, CMR effect in, **134**, 198
- δ-Ca_{0.25}V₂O₅·H₂O, crystal structure, **132**, 323
- CaV₂O₅, crystal structure and spin gap state, letter to editor, **127**, 359; addendum, **129**, 367
- Ca-Zr-O-N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
- CuCa₂(HCOO)₆, thermal decomposition, **132**, 235
- LaCaAlO₄, K₂NiF₄-type aluminate single crystals, decomposition processes in, X-ray diffraction study, **134**, 132
- La_{1-x}Ca_xN_{1-x/3} (0 < x < 0.7), defect rock salt nitrides prepared from LaN and Ca₃N₂, **129**, 144
- NaCa₂M₂²⁺(AsO₄)₃ (M²⁺ = Mg, Ni, Co), cationic substitution effects on garnet-alluaudite polymorphism, **131**, 290
- NaCaCdMg₂(AsO₄)₃, alluaudite-like structure, **131**, 298
- Nd_{0.6}(Ca_{0.4-x}Cd_x)MnO₃ perovskites, charge order-disorder transition, **134**, 215
- Pt_{0.5}Ca_{0.5}MnO₃, insulator-metal transition induced by Cr and Co doping, letter to editor, **130**, 162
- (Sr,Ca)₄Cu₆O₁₀, three-leg-ladder compound, X-ray single-crystal structure analysis, **134**, 427
- SrO-CaO-CuO system under high pressure, compounds and phase relations, **132**, 274
- zirconolite-4M substituted with Nd, analysis and structure, **129**, 346
- Calorimetry
thermodynamics of K₂U₄O₁₂ and K₂U₄O₁₃, **132**, 342
- η-Carbide structure
unique, synthesis of Fe₄W₂N with, **134**, 302
- Carbon
[Al₃P₄O₁₆]³⁻·3[CH₃CH₂NH₃]⁺, nonaqueous synthesis and characterization, **129**, 37
- anhydrous ethylenediamine trimolybdate, hydrothermal synthesis and crystal structure, letter to editor, **132**, 224
- Ba-Cu-C-O system, structural equivalence of CO₃ and CuO_x groups, **129**, 165
- Ba₈₈Ni₈₇O₁₅₆(CO₃)₁₉, synthesis and structure, **128**, 220
- Ba₁₁Pd₁₁O₂₀(CO₃)₂, synthesis and structure, **128**, 220
- B₄C
electronic structure calculations, **133**, 51
lattice vibrations, **133**, 44
- B_{4.23}C, interband critical transition points, **133**, 132
- B_{4.3}C and ¹⁰B_{4.3}C, interband critical transition points, **133**, 132
- B_{4.51}C, interband critical transition points, **133**, 132
- B_{6.28}C, interband critical transition points, **133**, 132
- B_{6.3}C, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- B_{7.91}C, dielectric function, description based on superposition of Drude type and hopping type transport, **133**, 335
- B_{8.52}C, interband critical transition points, **133**, 132
- B₉C, lattice vibrations, **133**, 44
- B_{10.37}C
interaction of optically excited carriers with intracubic phonons, **133**, 125
interband critical transition points, **133**, 132
- B₁₃C₂, lattice vibrations, **133**, 44, 93
- B-C-Al compounds with boron carbide structure, IR active phonon spectra, **133**, 254
- B₄C-C, injection molded ceramics, mechanical properties, **133**, 68
- B-C-N-O system, syntheses at high pressure and temperature in electron energy-loss spectroscopy, **133**, 365
- materials prepared by, **133**, 356
- B₆O-B₄C solid solutions, synthesis at high pressure and temperature electron energy-loss spectroscopy, **133**, 365
preparation and characterization, **133**, 356
- R₄C₅ (R = Y, Gd, Tb, Dy, Ho), crystal structure, **132**, 294
- carbon black, as sintering aid for B₄C, **133**, 68
- carbon fiber/BN matrix microcomposite, preparation, aminoboranes as BN source for, **133**, 164
- C₆Cl₆, self-propagating mechanochemical reaction with CaH₂, **129**, 263
- Cd₃[Fe^{III}/Co^{III}](CN)₆]₂·14H₂O, X-ray diffraction and spectral studies, **129**, 17
- Ce₅B₂C₆, Ce₅B₄C₅, and Ce₁₀B₉C₁₂, bonding analysis, **133**, 190
- (CH₃NH₃)₂M(II)(SO₄)₂·6H₂O (M(II) = Cu, Zn, Ni), IR and Raman spectra, **133**, 407
- C₂₉H₃₀N₅O₄S₂Ru, crystal structure, **132**, 60
- [C₁₀N₂H₉][Al(PO₄)(PO₂(OH))₂], synthesis and characterization, **128**, 318
- Cs[(VO)₂(OH)(O₃PCH₂CH₂PO₃)], two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
- CuCa₂(HCOO)₆, thermal decomposition, **132**, 235
- [Cu(II)(μ-3,5-dimethylpyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
- Cu₂Fe(CN)₆, interaction with silver ions in solution, **132**, 399
- [Cu(II)(6-mercaptopurinolate²⁻)_n], magnetic study, **132**, 78
- Cu_xMn_{1-x}(HCOO)₂·2H₂O mixed crystals, thermal decomposition to copper-manganese oxides, **133**, 416
- Cu₂(OH)₃(CH₃COO)·H₂O, preparation, characterization, and *ab initio* X-ray powder diffraction, **131**, 252
- [Cu(II)(μ-pyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
- EuB_{6-x}C_x (X ≈ 0.1), FT Raman spectroscopy, **133**, 264
- [Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
- Ga(CN)₃, disordered crystal structure, **134**, 164
- graphite, BN coating on, preparation, aminoboranes as BN source for, **133**, 164
- KNa(C₄H₄O₆)·4H₂O, structure, **131**, 350
- K/V/P/N(C₂H₅)₃/H₂O hydrothermal system, analysis at 473 K, **134**, 286
- La₁₅B₁₄C₁₉, bonding analysis, **133**, 190
- LiKCO₃, crystal structure, neutron powder diffraction study, **128**, 156
- LuNi₂B₂C superconductor, comparison with nonsuperconducting SrRh₂P₂, **130**, 254
- 4-methylbenzeneamine, solid-solid reactions with CuCl₂·2H₂O, CoCl₂·6H₂O, and NiCl₂·6H₂O, **132**, 291
- [Mg_{0.174}Ga_{0.256}(OH)₂](CO₃)_{0.134}·mH₂O, synthesis, characterization, and ¹H and ⁷¹Ga MAS NMR, **131**, 78
- Na₃Eu(CO₃)₃, structural and optical studies, **132**, 33
- NaO_{0.44}C_{5.84}, graphite intercalation compound with sodium and peroxide, **131**, 282
- N(CH₃)₄·Zn(H₂PO₄)₃, molecular cluster, synthesis and crystal structure, **131**, 363
- N(CH₃)₄·Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, synthesis and crystal structure, **131**, 363
- NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376
- [NH₃(CH₂)₄NH₃]²⁺[Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, synthesis and characterization, **132**, 229
- RNi₂B₂C systems
chemical and physical properties, **133**, 169
superconducting and magnetic ordering temperatures for R = Tm or Er, effects of Pd, Pt, and Co dopants, **133**, 5
- Ln₅Os₃C_{4-x} (Ln = La-Nd, Sm), preparation and crystal structure, **131**, 49

- [$\text{PMo}_{4.27}\text{W}_{7.73}\text{O}_{40}^{6-}$][$\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3^+$] $_3$, hydrothermal synthesis and structure, **129**, 257
- (Pr/La)Co(CN) $_6 \cdot 5\text{H}_2\text{O}$, mixed cationic systems, synthesis and crystal structure, **129**, 12
- $\text{RRh}_2\text{B}_2\text{C}$ (R = rare earth)
single crystal growth from molten copper flux, **133**, 82
synthesis and characterization, **133**, 77
- Sc_2BC_2 , bonding analysis, **133**, 190
- $\text{Sn}(\text{O}_3\text{PCH}_2\text{CH}_3)$ layered phase, room-temperature synthesis and structural characterization, **132**, 438
- Ti–B–C system including sections TiC_y – TiB_2 and B_4C_y – TiB_2 , **133**, 205
- U_2PtC_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
- VC, metal-to-metal bonding in, **128**, 121
- Y–Pd–B–C system, chemical and physical properties, **133**, 169
- $\text{Zn}(\text{CN})_2$, disordered crystal structure, **134**, 164
- Carbonates
 LiClO_4 -carbonates electrolytes, electrochemical intercalation of Li ions into polyparaphenylene in, **132**, 434
- Cation ordering
in [(Ti,M)O] layers of 1201-based cuprate, similarity to ordering in fcc-based alloys, **132**, 113
- Cation sublattices
in ABO_4 structures, **129**, 82
- Cell parameter
elementary, of synthetic oxides–garnets, empirical formula for calculation of, **134**, 338
- Ceramics
 $\text{Ba}_{5-x}\text{Sr}_x\text{Nb}_4\text{O}_{15}$ microwave dielectric resonators, vibrational analysis, **131**, 2
fluoridated PZT, for powder transducers, **130**, 103
injection molded, B_4C –C, mechanical properties, **133**, 68
oxides, electrochemical doping with M - β'' - Al_2O_3 ionic conductors, **128**, 93
 $\text{Si}_3\text{N}_4/\text{BN}$ composite, preparation, aminoboranes as BN source for, **133**, 164
- Cerium
 $\text{Ag}_2\text{Ce}(\text{H}_2\text{O})(\text{NO}_3)_5$, structure and thermal decomposition, temperature-dependent X-ray powder diffraction study, **132**, 361
 AlCeO_3 , cation arrays in perovskite-type compounds, **128**, 69
 CeB_6
electronic structure calculations, **133**, 51
polar and reticular microhardness anisotropy, **133**, 296
in thin film technology, **133**, 279
 $\text{Ce}_5\text{B}_2\text{C}_6$, $\text{Ce}_5\text{B}_4\text{C}_5$, and $\text{Ce}_{10}\text{B}_9\text{C}_{12}$, bonding analysis, **133**, 190
 $\text{Ce}_3\text{Cu}_4\text{P}_4\text{O}_2$, synthesis, crystal structure, and properties, **129**, 250
 CeCu_2Si_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 CeOs_3B_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 $\text{Ce}_5\text{Os}_3\text{C}_{4-x}$, preparation and crystal structure, **131**, 49
 $\text{CeO}_2/\text{SiO}_2$ systems, spreading and phase transformations in, **131**, 121
 $\text{CeRh}_2\text{B}_2\text{C}$, synthesis and characterization, **133**, 77
 CeRu_3B_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 CeRu_3Si_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 CeRu_4Sn_6 , crystal structure, specific heat, and ^{119}Sn Mössbauer spectroscopy, **134**, 326
 γ - Ce_2S_3 , doped and undoped, band electronic structure study through LMTO-TB calculations, **128**, 197
 $\text{CeTh}_2\text{F}_{11}$, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
 $\text{Cu}_x(\text{CeS})_{1+y}(\text{NbS}_2)_2$, phase transition, **134**, 99
- $50\text{Na}_2\text{O}-49\text{P}_2\text{O}_5-0.5\text{Eu}_2\text{O}_3-0.5\text{CeO}_2$: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362
- $(\text{Nd}_{2-0.125}\text{Ce}_{0.125}\text{CuO}_{4-0.625})_{2 \times 4}$, superconductive mechanism, **129**, 174
- $\text{Pd}/\text{CeO}_2/\text{SiO}_2$ systems, spreading and phase transformations in, **131**, 121
- $(\text{R}_{1.5-x}\text{Pr}_x\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{NbO}_{10-\delta}$ (R = Nd,Sm,Eu), structural properties and oxygen stoichiometry, **133**, 445
- $(\text{Pr}_{1.5}\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$, structural properties and oxygen stoichiometry, **133**, 445
- sol-gel alumina doped with, X-ray diffraction, FTIR, and NMR studies, **128**, 161
- $(\text{YO}_{1.5})_{0.2}(\text{CeO}_2)_{0.8}$, reaction at interface with yttria-stabilized zirconia, TEM study, **129**, 74
- Cermets
high-strength boride base hard materials, effects of alloying elements, **133**, 243
- Cesium
 $\text{CsIn}(\text{MoO}_4)_2$ and $\text{CsIn}(\text{WO}_4)_2$, vibrational characteristics, **129**, 287
 $\text{Cs}_2\text{KEuCl}_6$, crystal structure by powder x-ray diffraction, **132**, 1
 $\text{Cs}_2\text{KTbCl}_6$, crystal structure by powder x-ray diffraction, **132**, 1
 $\text{CsMo}_6\text{O}_{10}(\text{Mo}_2\text{O}_7)(\text{PO}_4)_4$, synthesis, crystal structure, and magnetic properties, **128**, 233
 $\text{Cs}_3\text{Sb}_2\text{I}_9$, reconstructive phase transformation and kinetics by means of Rietveld analysis of X-ray diffraction and ^{127}I NQR, **134**, 319
 $\text{Cs}_4\text{Te}_x\text{Se}_{16-x}$ ($x = 1,4$) and $\text{Cs}_4\text{Te}_{9.74}\text{Se}_{13.26}$, with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
 $\text{CsTiSi}_2\text{O}_{6.5}$
crystal structure, neutron and X-ray diffraction study, **130**, 97
EXAFS and XANES studies, **129**, 206
 $\text{Cs}_2\text{TiSi}_6\text{O}_{15}$, crystal structure, **131**, 38
 $\text{Cs}_2\text{V}_4\text{O}_{11}$ with unusual V–O coordinations, crystal structure, **134**, 52
 $\text{Cs}[(\text{VO})_2(\text{OH})(\text{O}_3\text{PCH}_2\text{CH}_2\text{PO}_3)]$, two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
- Chain structure
 $\text{Na}_3\text{M}(\text{OH})(\text{HPO}_4)(\text{PO}_4)$ ($M = \text{Al,Ga}$), **128**, 21
- Chalcogen rings
heteronuclear, $\text{Cs}_4\text{Te}_x\text{Se}_{16-x}$ ($x = 1,4$) and $\text{Cs}_4\text{Te}_{9.74}\text{Se}_{13.26}$ with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
- Charge–discharge process
in LiMn_2O_4 , *in situ* XAFS study, letter to editor, **133**, 586
- Charge ordering
in $\text{Nd}_{0.6}(\text{Ca}_{0.4-x}\text{Cd}_x)\text{MnO}_3$ perovskites: charge order–disorder transition, **134**, 215
in rare earth manganates, dependence on size of A-site cations, letter to editor, **129**, 363
- Charge transfer
geminal, in superconductivity, **129**, 174
- Chemical diffusion coefficient
 $\text{Ag}_{1.92}\text{Te}$ at 160°C , **130**, 140
- Chemical lithium insertion
 $\text{In}_{16}\text{Fe}_8\text{S}_{32}$ spinel, structure and local environment following, **134**, 238
- Chemical vapor deposition
epitaxial growth of rhombohedral B_{12}P_2 single crystalline films by, **133**, 104
preparation of boron thin films, **133**, 100
- Chimie douce reactions
changes in magnetic coupling after, analysis: magnetic structures of $\text{LiMnXO}_4(\text{OD})$ ($X = \text{P,As}$), **132**, 202
 $(\text{H}_3\text{O})\text{Yb}_3\text{F}_{10} \cdot \text{H}_2\text{O}$ synthesis, **128**, 42
- Chlorine
 $\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$, synthesis and properties, **124**, 319; comment, **130**, 161

- Ba₄CuMO₄Cl₄ (*M* = Li,Na), Cu(III) oxy-chlorides, synthesis, structure, and electrical and magnetic properties, letter to editor, **129**, 360
- Ba₂MM'F₇Cl (*M, M'* = Mn,Fe,Co,Ni,Zn), magnetic properties and neutron diffraction study, **131**, 198
- Ba₅Ru_{1.6}W_{0.4}Cl₂O₉, 10-layer perovskite-related oxyhalide, crystal structure, **132**, 407
- B₉Cl₆, synthesis, crystal structure, and electronic structure, **133**, 59
- CaBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
- C₆Cl₆, self-propagating mechanochemical reaction with CaH₂, **129**, 263
- Cd₈As₇Cl: novel pnictidohalide with new structure type, **134**, 282
- CoCl₂·6H₂O, solid–solid reactions with 4-methylbenzeneamine, **132**, 291
- Cs₂KEuCl₆, crystal structure by powder x-ray diffraction, **132**, 1
- Cs₂KTbCl₆, crystal structure by powder x-ray diffraction, **132**, 1
- CuCl₂·2H₂O, solid–solid reactions with 4-methylbenzeneamine, **132**, 291
- LiClO₄-carbonates electrolytes, electrochemical intercalation of Li ions into polyparaphenylene in, **132**, 434
- Li₄NCl, preparation and crystal structure, **128**, 241
- Li₅NCl₂, ordered and disordered phases, preparation and crystal structure, **130**, 90
- (ND₄)₂PdCl₆, antiferroite, phase analysis, **131**, 221
- NiCl₂·6H₂O, solid–solid reactions with 4-methylbenzeneamine, **132**, 291
- Pb₂Sr₂Cu₂TaO₈Cl, layered cuprate with hematophanite structure, synthesis and characterization, **130**, 154
- SrBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
- UClPO₄·2H₂O, structure determination from powder X-ray diffraction data, **132**, 315
- Chromium**
- Ca₃(Cr,Al)₂Si₃O₁₂ garnets, electron density study, **132**, 432
- CrN, synthesis from ammonolysis of Cr₂S₃, **134**, 120
- Cr₂O₃ microcrystal surface, chemical behavior of Sn dopant atoms on, Mössbauer study, **132**, 284
- Cr₂S₃, ammonolysis: synthesis of CrN, **134**, 120
- CrWN₂, chemical synthesis and crystal structure, **128**, 185
- CrZr_{0.75}Nb_{0.25}F₆, antiferrodistortive order in solid solution, **131**, 231
- doping of Pr_{0.5}Ca_{0.5}MnO₃, induction of insulator–metal transition, letter to editor, **130**, 162
- LiCr_yMn_{2-y}O₄ (0 ≤ *y* ≤ 1), structure modifications induced by electrochemical Li deintercalation, Rietveld analysis, **132**, 372
- (Mo_xCr_{1-x})AlB, single crystal growth by metal Al solutions and crystal properties, **133**, 36
- Nd(Cr_{1-x}Fe_x)O₃, relationship of crystal structure and electrical properties, **131**, 108
- Nd(Cr_{1-x}Ni_x)O₃, electrical properties, effect of spin state of Ni³⁺ ions, **134**, 382
- NiCr₂S₄, structure and magnetism, powder neutron diffraction study, **134**, 110
- Rb₂Cr₂O(AsO₄)₂, preparation and crystal structure, **134**, 22
- Rb_{0.62}Cr₅Te₈ pseudo-hollandite, synthesis, crystal structure, and electronic band structures of Rb_xCr₅Te₈ phases, **131**, 326
- SbCrSe₃ 1D ferromagnet, structure determination by HREM image analysis, **132**, 257
- Sr₂CuCrO₃S, crystal structure, **134**, 128
- tetrahedral oxo and hydroxo Cr(IV) clusters, valence stabilization, mixed crystal chemistry, and electronic transitions, **128**, 1
- ThCr₂Si₂-type transition metal compounds, LMTO band structure calculations, **130**, 254
- TiB₂–CrB₂–WB₂ supersaturated solid solutions, annealing, phase formation during, **133**, 25
- Ti₄CrBi₂, preparation and properties, **133**, 400
- Y₃(Al,Cr)₂Al₃O₁₂ garnets, electron density study, **134**, 182
- [Zn–Cr–SO₄] lamellar double hydroxides, selective synthesis, **130**, 66
- Citric acid
- in synthesis of LaMnO_{3+δ} by firing gels, **129**, 60
- Cluster model
- for cubic plastic phase of ethanol, letter to editor, **130**, 167
- Cluster phases
- rare-earth metal iodides with transition metal interstitials, **129**, 277
- CMR effect
- in electron-doped Ca_{1-x}Sm_xMnO₃, **134**, 198
- Cobalt**
- Ba₂CoM'F₇Cl (*M'* = Mn,Fe,Co,Ni), magnetic properties and neutron diffraction study, **131**, 198
- BaCoO_{2.94} hexagonal related perovskites, ordering of anionic vacancies in, **128**, 130
- Ba(CoPO₄)₂·H₂O, lamellar hydrated phosphate with two-dimensional array of Co–O–Co network, **131**, 387
- Me⁺Br·CoBr₂·6H₂O (*Me*⁺ = K,NH₄,Rb), crystallization and structure, **129**, 200
- Cd^{II}[Fe^{III}/Co^{III}](CN)₆]₂·14H₂O, X-ray diffraction and spectral studies, **129**, 17
- An₂Co₂X (*An* = Pu,Am; *X* = In,Sn), synthesis, crystal chemistry, and physical properties, **134**, 138
- CoB₄₉, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- CoCl₂·6H₂O, solid–solid reactions with 4-methylbenzeneamine, **132**, 291
- Co₃Fe₂(SeO₃)₆·2H₂O, synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
- Co(II) α-hydroxide, hydrotalcite-like phases, **128**, 38
- (Co,Mg)_{10n-2}Ge_{3n+1}O_{16m} structure, **130**, 9
- doping of Pr_{0.5}Ca_{0.5}MnO₃, induction of insulator–metal transition, letter to editor, **130**, 162
- effect on superconducting and magnetic ordering temperatures in RNi₂B₂C (*R* = Tm,Er), **133**, 5
- Hf₂CoP, structure and characterization, **131**, 379
- La₂ICo₂, condensed cluster phase, **129**, 277
- La₂O₃–Co–Co₂O₃ system, thermogravimetric study at 1100 and 1150°C, **131**, 18
- La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3-δ} (*y* = 0–0.6), thermodynamic quantities and defect structure, high-temperature coulometric titration studies, **130**, 302
- La_{1-x}Sr_xCoO_{3-δ}, Coulometric titration at high temperature: electronic band structure effect on nonstoichiometry behavior, **133**, 555
- LiCoO₂, boron-doped, structure and electrochemical properties, **134**, 265
- NaCa₂Co₂²⁺(AsO₄)₃, cationic substitution effects on garnet–alluaudite polymorphism, **131**, 290
- NaCoPO₄
- polymorph with edge-sharing Co²⁺ octahedral chains, synthesis and characterization, **131**, 160
- with trigonal bipyramidal Co²⁺ and tunnel structure, **129**, 328
- Na₂CoSi₄O₁₀, magnetic behavior, **131**, 335
- Ni–6 mass% B–58.6 mass% Mo–10 mass% Co, high-strength boride base hard materials, **133**, 243
- (Pr/La)Co(CN)₆·5H₂O, mixed cationic systems, synthesis and crystal structure, **129**, 12
- Ti₄CoBi₂, preparation and properties, **133**, 400
- YCoO₃, structure from neutron diffraction, **130**, 192
- Zr₂CoP, structure and characterization, **131**, 379
- Columbite**
- MgNb₂O₆, crystal structure refinement from neutron powder diffraction data, **134**, 76
- Combustion method**
- synthesis of fine ferrite particles, **134**, 227

- Complex structures
description from stackings of UGP, **128**, 52
- Computer simulation
Ba₂In₂O₅ with Brownmillerite structure, **128**, 137
lanthanum magnesium hexaaluminate defect energetics and crystal chemistry, **130**, 199
- Conductors
Bi–Ln–V–O anionic conductors with δ -Bi₂O₃ fluorite-type structure ($Ln = Y, Sm, Eu, Gd, Tb, Dy, Er, Yb$), **134**, 219
two-dimensional, TeMo₅O₁₆, synthesis and crystal structure, **129**, 303
- Coordination polyhedra
in ABO₄ structures, **129**, 82
- Copper
AlSr₂YCu₂O₇, structural order/disorder in, **133**, 434
BaCuB₂O₅, noncentrosymmetric pyroborate, synthesis, structure, and properties, **129**, 184
Ba₂Cu₃Cl₂O₄, synthesis and properties, **124**, 319; comment, **130**, 161
Ba–Cu–O system, structural equivalence of CO₃ and CuO_x groups, **129**, 165
Ba₆Cu₁₂Fe₁₃S₂₇, synthesis and crystal structure, **128**, 62
RBa₂Cu₄O₈ ($R = Gd, Ho$), superconductors, Sr substitution in, **128**, 310
Ba₄CuMO₄Cl₄ ($M = Li, Na$), Cu(III) oxy-chlorides, synthesis, structure, and electrical and magnetic properties, letter to editor, **129**, 360
Ba₂Cu₂Zn_{1-x}WO₆ mixed crystals, cooperative Jahn–Teller effect in Raman spectra, **129**, 117
Bi₂Sr₂CuO₆, antiferromagnetic order, **133**, 372
CeCu₂Si₂, heavy fermion superconductors, chemical bonding topology, **131**, 394
(CH₃NH₃)₂Cu(II)(SO₄)₂·6H₂O, IR and Raman spectra, **133**, 407
CuX₄ ($X = O, S, Se$), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
CuAl₂, structural relationship to SiF₄, **132**, 151; *erratum*, **134**, 431
LnCuBaO₅ ($Ln = Yb, Tm, Er, Ho, Dy, Gd$), Gibbs free energy of formation, determination by EMF method, **134**, 85
CuCa₂(HCOO)₆, thermal decomposition, **132**, 235
CuCl₂·2H₂O, solid–solid reactions with 4-methylbenzeneamine, **132**, 291
[Cu(II)(μ -3,5-dimethylpyrazolate)(μ -OH)], antiferromagnetic coupling, **132**, 24
Cu₂Fe(CN)₆, interaction with silver ions in solution, **132**, 399
[Cu(II)(6-mercaptopurinolate²⁻)_n], magnetic study, **132**, 78
Cu_xMn_{1-x}(HCOO)₂·2H₂O mixed crystals, thermal decomposition to copper–manganese oxides, **133**, 416
CuMoO₄, p – T phase diagram, **132**, 88
CuNbOF₅·4H₂O, infrared spectroscopy, **133**, 576
Cu₂(OH)₃(CH₃COO)·H₂O, preparation, characterization, and *ab initio* X-ray powder diffraction, **131**, 252
Ln₃Cu₄P₄O₂ ($Ln = La, Ce, Nd$), synthesis, crystal structure, and properties, **129**, 250
[Cu(II)(μ -pyrazolate)(μ -OH)], antiferromagnetic coupling, **132**, 24
ACu_{7-x}S₄ ($A = Tl, K, Rb$), electrical resistivity anomalies and superlattice modulations, role of vacancy ordering, **134**, 5
CuSb₂O₆, dimorphism, solid state and EPR study, **131**, 263
Cu_x(MS)_{1+y}(NbS₂)₂ ($M = Ce, Sm$), phase transition, **134**, 99
doping of ZnO thin films, **128**, 176
Hg₂Ba₂LnCu₂O_{8- δ} ($Ln = Nd–Gd, Dy–Lu$), synthesis and structural and magnetic characterization, **132**, 163
In₂Ba₂CuO_{6- δ} , layered cuprate, synthesis and characterization, **131**, 177
LaCuO_{3-y} ($0 \leq y \leq 0.5$), copper valence and properties, control by oxygen content adjustment, **130**, 213
La₂CuO_{4+ δ} , electrochemically oxidized particles prepared by sol–gel method, structural characterization, **131**, 246
La₂Cu(SeO₃)₄, synthesis and crystal structure, **133**, 572
La_{2-x}Sr_xCuO_{4- δ} , defect chemistry: oxygen nonstoichiometry and thermodynamic stability, **131**, 150
La_{2-x}Sr_{2x}Cu_{1-x}M_xO₄ ($M = Ti, Mn, Fe, Ru$), linear Cu–O– M electronic interaction in two dimensions, **128**, 169
Li₃Cu₂SbO₆ with partially ordered rock salt structure, synthesis, **131**, 115
molten flux, single crystal growth in R –Rh–B and R –Rh–B–C ($R =$ rare earth) systems from, **133**, 82
Na₂Cu(SO₄)₂·2H₂O, IR and Raman spectra, **133**, 407
(Nd_{2-0.125}Ce_{0.125}CuO_{4-0.625})₂×₄, superconductive mechanism, **129**, 174
Pb₂Sr₂Cu₂TaO₈Cl, layered cuprate with hematophanite structure, synthesis and characterization, **130**, 154
(R_{1-x}Pr_x)Ba₄Cu₇O_{14+ δ} ($R = Nd, Eu, Tm$), high-pressure synthesis and characterization, **132**, 73
(R_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10- δ} ($R = Nd, Sm, Eu$), structural properties and oxygen stoichiometry, **133**, 445
(Pr_{1.5}Ce_{0.5})Sr₂Cu₂TaO_{10- δ} , structural properties and oxygen stoichiometry, **133**, 445
(Sr,Ca)₄Cu₆O₁₀ three-leg-ladder compound, X-ray single-crystal structure analysis, **134**, 427
Sr₃Cu₂Fe₂O₅S₂, crystal structure, **134**, 128
Sr₂CuMO₃S ($M = Cr, Fe, In$), crystal structure, **134**, 128
Sr₂Cu₂MO₅S₂ ($M = Mn, Zn$), synthesis and properties, **130**, 319
SrO–CaO–CuO system under high pressure, compounds and phase relations, **132**, 274
Tl₅Ba₃Sr₅Cu₃O₁₉, 1201 shear like phase, **128**, 150
Tl_{1-x}Sr_xCu_{1-y}M_{x+y}O_{5- δ} ($M = Nb, Ta, W$), 1201-based cuprate, cation ordering in, **132**, 113
ultrafine powder, oxidation resistance, improvement by phosphating treatment, **130**, 157
YBa₂Cu₃O_y
electrochemical doping with M - β'' -Al₂O₃ ionic conductors, **128**, 93
single crystal, structure and electron density, effects of oxygen introduction, **130**, 42
YBa₂Cu₃O_{6+x}, orthorhombic, dependence of lattice parameters on oxygen content, **134**, 356
YBa₂Cu₃O_{7- δ} , substrates Ba_{2-x}Sr_xDyTaO₆ ($x = 0, 1, 2$) for, development and dielectric properties, **133**, 522
(YBa₂Cu₃O_{7-0.25})₄, superconductive mechanism, **129**, 174
Zn(Mg)_{1-x}Cu_xSb₂O₆, trirutile-type compounds, Cu²⁺ polyhedra in, geometry and electronic structure, **131**, 263
- Coulometric titration
La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3- δ} ($y = 0–0.6$) at high temperature, **130**, 302
La_{1-x}Sr_xCoO_{3- δ} at high temperature, **133**, 555
- Cristobalite
related phases in NaAlO₂–NaAlSiO₄ system, XRD and electron diffraction study, **131**, 24
- Crystal chemistry
An₂T₂X ($An = Pu, Am$; $T = Co, Ir, Ni, Pd, Pt, Rh$; $X = In, Sn$), **134**, 138
Bi₂O₃–MoO₃–V₂O₅ system, **131**, 236
Bi_{2-x}Pb_xSr_{1.5}Ca_{1.5}Mn₂O_{9- δ} with 2212 structure, **132**, 420
lanthanum magnesium hexaaluminate, **130**, 199
mixed, in tetrahedral oxo and hydroxo Cr(IV), Mn(V), and Fe(VI) clusters, theoretical study, **128**, 1
Na₃(MoO)₂(PO₄)₃ with intersecting tunnel structure, **132**, 249
RRh₂B₂C ($R =$ rare earth), **133**, 77
W₅As_{2.5}P_{1.5} with one-dimensional vertex-linked W₆ cluster, **131**, 310
- Crystal-field analysis
Am³⁺ in LiYF₄, **129**, 189
- Crystal growth
2-amino-5-nitropyridinium chloride, **129**, 22
incongruently melting TbB₆, DyB₆, HoB₆, and YB₆ single crystals, **133**, 198

- ($\text{Mo}_x\text{Cr}_{1-x}$)AlB and ($\text{Mo}_x\text{W}_{1-x}$)AlB single crystals, **133**, 36
 R -Rh-B and R -Rh-B-C (R = rare earth) single crystals from molten copper flux, **133**, 82
 rhombohedral B_{12}P_2 single crystalline films, epitaxial growth by chemical vapor deposition, **133**, 104
 VB_2 single crystals grown by Czochralski technique, microhardness, **133**, 113
 $\text{YB}_{44}\text{Si}_{1.0}$ single crystal, **133**, 55
 Crystallography
 orientationally disordered phases in two-component systems, **133**, 536
 Crystals
 diatomic, bond-charge calculation of electro-optic coefficients, **128**, 17
 Crystal structure, *see also* Structure
 $\text{Ag}_2\text{Ce}(\text{H}_2\text{O})(\text{NO}_3)_5$, temperature-dependent X-ray powder diffraction study, **132**, 361
 $\text{Ag}_4(2,2\text{-dimethylglutarate})_2$, **134**, 332
 AgTaS_3 , **132**, 389
 Ag_2TiO_3 , **134**, 17
 $\text{Ag}_{1.2}\text{V}_3\text{O}_8$: relationship to $\text{Ag}_2\text{V}_4\text{O}_{11-y}$ and interpretation of physical properties, **134**, 294
 $\text{Ag}_2\text{VP}_2\text{O}_8$, **130**, 28
 AlLnO_3 (Ln = La,Ce,Pr,Nd,Sm,Ho), perovskite-type compounds, analysis on basis of cationic array, **128**, 69
 $\text{Al}_5\text{Ln}_3\text{O}_{12}$ (Ln = Gd-Lu), garnet-type compounds, analysis on basis of cationic array, **128**, 69
 $[\text{Al}_3\text{P}_4\text{O}_{16}]^{3-} \cdot 3[\text{CH}_3\text{CH}_2\text{NH}_3]^+$, **129**, 37
 anhydrous ethylenediamine trimolybdate, letter to editor, **132**, 224
 Aurivillius-related phases in Sb-(W,V)-O system, **128**, 30
 B_9X_9 (X = Cl,Br,I), **133**, 59
 $\text{Ba}(\text{CoPO}_4)_2 \cdot \text{H}_2\text{O}$, lamellar hydrated phosphate with two-dimensional array of Co-O-Co network, **131**, 387
 BaCuB_2O_5 , noncentrosymmetric pyroborate, **129**, 184
 $\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$, **124**, 319; comment, **130**, 161
 $\text{Ba}_6\text{Cu}_{12}\text{Fe}_{13}\text{S}_{27}$, **128**, 62
 BaGe_2 , **133**, 501
 $\text{Ba}_2\text{In}_2\text{O}_5$, Brownmillerite-structured, computer simulation study, **128**, 137
 BaRuO_3 prepared at ambient pressure and possessing four-layer hexagonal structure, refinement, **128**, 251
 $\text{Ba}_5\text{Ru}_{1.6}\text{W}_{0.4}\text{Cl}_2\text{O}_9$ 10-layer perovskite-related oxyhalide, **132**, 407
 $\text{Ba}_2(\text{RSb})\text{O}_6$ (R = Y,Ho) ordered perovskites suitable as substrates for superconducting films, **128**, 247
 $\text{BaTi}_{0.5}\text{Sb}_{0.5}\text{O}_3$ ordered perovskite, letter to editor, **128**, 323
 $\text{BiLa}_2\text{O}_{4.5+\delta}$, transformations, **131**, 64
 $\text{Bi}_{1-x}\text{Ln}_x\text{O}_{1.5}$ (Ln = Sm-Dy), ion-ordered phases, **129**, 98
 Bi_2O_3 - MoO_3 - V_2O_5 system, **131**, 236
 $\text{Bi}_{2-x}\text{Pb}_x\text{Sr}_{1.5}\text{Ca}_{1.5}\text{Mn}_2\text{O}_{9-\delta}$, 2212 structure, **132**, 420
 $\text{Bi}_{0.267}\text{Pr}_{0.733}\text{SrO}_{3-\delta}$, neutron diffraction study, **132**, 182
 $\text{Bi}_2\text{Sn}_2\text{O}_7$ doped with Y, variations, **131**, 317
 $\text{Bi}_{12}\text{Sr}_{18}\text{Fe}_{10}\text{O}_{52}$, HREM study, **129**, 214
 boron-doped LiCoO_2 , **134**, 265
 boron thin films, **133**, 100
 $\text{Me}^+\text{Br} \cdot \text{Me}^{2+}\text{Br}_2 \cdot 6\text{H}_2\text{O}$ (Me^+ = K,NH₄,Rb; Me^{2+} = Co,Ni), **129**, 200
 R_4C_5 (R = Y,Gd,Tb,Dy,Ho), **132**, 294
 $\text{Ca}_8[\text{Al}_{12}\text{O}_{24}](\text{MoO}_4)_2$, **129**, 130
 CaBiO_2Cl , disordered variant of Sillen X1 structure, **128**, 115
 $\text{Ca}_{1-x}\text{Eu}_x\text{MnO}_3$ ($0 \leq x \leq 1$) perovskites, **131**, 144
 $\text{Ca}(\text{OD})_2$ II prepared at high pressure, relationship to ZrO_2 and EuI_2 structures, powder neutron diffraction study, **132**, 267
 Ca_3ReO_6 , **131**, 305
 CaV_2O_5 , letter to editor, **127**, 359; addendum, **129**, 367
 $\text{Cd}_8\text{As}_7\text{Cl}$: pnictidohalide with new structure type, **134**, 282
 CeRu_4Sn_6 : condensed distorted RuSn_6 octahedra, **134**, 326
 $[\text{C}_{10}\text{N}_2\text{H}_9][\text{Al}(\text{PO}_4)(\text{PO}_2(\text{OH})_2)]$, **128**, 318
 CrWN_2 , **128**, 185
 $\text{CrZr}_{0.75}\text{Nb}_{0.25}\text{F}_6$, antiferrodistortive order in solid solution, **131**, 231
 $\text{Cs}_2\text{KEuCl}_6$, powder x-ray diffraction study, **132**, 1
 $\text{Cs}_2\text{KTbCl}_6$, powder x-ray diffraction study, **132**, 1
 $\text{CsMo}_6\text{O}_{10}(\text{Mo}_2\text{O}_7)(\text{PO}_4)_4$, **128**, 233
 $\text{Cs}_4\text{Te}_x\text{Se}_{16-x}$ (x = 1,4) and $\text{Cs}_4\text{Te}_{9.74}\text{Se}_{13.26}$, **134**, 364
 $\text{CsTiSi}_2\text{O}_{6.5}$, neutron and X-ray diffraction study, **130**, 97
 $\text{Cs}_2\text{TiSi}_6\text{O}_{15}$, **131**, 38
 $\text{Cs}_2\text{V}_4\text{O}_{11}$ with unusual V-O coordinations, **134**, 52
 $\text{Cs}[(\text{VO})_2(\text{OH})(\text{O}_3\text{PCH}_2\text{CH}_2\text{PO}_3)]$ two-dimensional solid with pillared layers, **132**, 144
 CuMoO_4 phases, **132**, 88
 $\text{CuNbOF}_5 \cdot 4\text{H}_2\text{O}$, disorder in, **133**, 576
 $\text{Ln}_3\text{Cu}_4\text{P}_4\text{O}_2$ (Ln = La,Ce,Nd), **129**, 250
 EuI_2 , relationship to $\text{Ca}(\text{OD})_2$ II prepared at high pressure, powder neutron diffraction study, **132**, 267
 α - Fe_2O_3 doped with Sn and Ti and prepared by hydrothermal methods, **130**, 272
 $[\text{Fe}_3(\text{PO}_4)_3\text{F}_2, (\text{CH}_3\text{NH}_3)_2, \text{H}_2\text{O}]$, **134**, 349
 $\text{M}_3\text{Fe}_2(\text{SeO}_3)_6 \cdot 2\text{H}_2\text{O}$ (M = Mg,Co,Ni), **131**, 54
 $\text{Fe}_4\text{W}_2\text{N}$ with unique η -carbide structure, **134**, 302
 $(\text{Fe}_{0.8}\text{W}_{0.2})\text{WN}_2$, **131**, 374
 $\text{Ga}(\text{CN})_3$, disordered structure, **134**, 164
 $\text{M}_{10n-2}\text{Ge}_{3n+1}\text{O}_{16n}$ with M = (Co,Mg) or (Ni,Mg), **130**, 9
 Hf_6Bi_9 , **134**, 26
 $\text{Hg}_2\text{Ba}_2\text{LnCu}_2\text{O}_{8-\delta}$ (Ln = Nd-Gd,Dy-Lu), **132**, 163
 $\text{Hg}_2\text{Mo}_5\text{O}_{16}$, **128**, 205
 $\text{H}_x\text{V}_2\text{Zr}_2\text{O}_9 \cdot \text{H}_2\text{O}$ (x = 0.43), **128**, 313
 $\text{In}_2\text{Ba}_2\text{CuO}_{6-\delta}$ layered cuprate, **131**, 177
 $\text{KAl}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$, **132**, 47
 $\text{K}_5\text{In}_5\text{Ge}_5\text{As}_{14}$ layered materials, **130**, 234
 $\text{K}_8\text{In}_8\text{Ge}_8\text{As}_{17}$ layered materials, **130**, 234
 K_2ZnGeO_4 , α and β forms, **134**, 59
 $\text{La}_2\text{CuO}_{4+\delta}$, electrochemically oxidized particles prepared by sol-gel method, **131**, 246
 $\text{La}_2\text{Cu}(\text{SeO}_3)_4$, **133**, 572
 $\text{LaFe}_x\text{Ni}_{1-x}\text{O}_3$ solid solutions, **133**, 379
 La_2IZ_2 (Z = Fe,Co,Ru,Os) condensed cluster phases, **129**, 277
 $\text{La}_6\text{MgGe}_2\text{S}_{14}$, **131**, 399
 $\text{La}_6\text{MgSi}_2\text{S}_{14}$, **131**, 399
 La_3MoO_7 , **129**, 320
 leucophosphate, **133**, 508
 LiKCO_3 , neutron powder diffraction study, **128**, 156
 $\text{Li}_4\text{Mn}_5\text{O}_{12}$, refinement with neutron and X-ray powder diffraction data, **130**, 74
 LiMnVO_4 , ambient and high-pressure phases, **128**, 267
 $\text{Li}_3\text{Mo}_3\text{O}_5(\text{PO}_4)_3$ with bidimensional connection of MoO_6 octahedra, **133**, 391
 $\text{Li}_2\text{Na}(\text{MoO})_2(\text{PO}_4)_3$, **129**, 298
 Li_4NCl , **128**, 241
 Li_5NCl_2 , ordered and disordered phases, **130**, 90
 $\text{Li}_2\text{Pd}_3\text{B}$ and $\text{Li}_2\text{Pt}_3\text{B}$ with boron in octahedral position, **133**, 21
 $\text{LiSn}_2(\text{PO}_4)_3$, low-temperature triclinic distortion in, letter to editor, **130**, 322
 $\text{Li}_3\text{Sr}_2\text{Mn}_4$ (M = Nb,Ta), **130**, 1
 $\text{Li}_{0.74}\text{Ti}_3\text{O}_6$, **129**, 7
 Mg_3N_2 , **132**, 56
 MgNb_2O_6 columbite, refinement from neutron powder diffraction data, **134**, 76
 $(\text{Mg,Ni})_2(\text{OH})(\text{AsO}_4)$, **132**, 107
 $\text{Mg}_3(\text{PO}_4)_2$, high-temperature and high-pressure phase, **129**, 341
 $\text{A}_{1-x}\text{MnO}_{3+y}$ (A = La,Eu), **130**, 171
 RMn_2O_5 (R = La,Pr,Nd,Sm,Eu), refinement, **129**, 105
 α - MnOOH and γ - MnOOH , **133**, 486

- Mn–Sn system: NiAs–Ni₂In-related structures, **129**, 231
 MoWO₃(PO₄)₂, **128**, 191
 NaCoPO₄
 polymorph with edge-sharing Co²⁺ octahedral chains, **131**, 160
 with trigonal bipyramidal Co²⁺ and tunnel structure, **129**, 328
 Na₃Eu(CO₃)₃, **132**, 33
 Na₃In₂(AsO₄)₃ and Na₃In₂(PO₄)₃, **131**, 131
 NaMoO₂AsO₄, **133**, 386
 Na₃M(OH)(HPO₄)(PO₄) (*M* = Al, Ga), **128**, 21
 Na_xTa₃N₅ (0 ≤ *x* ≤ 1.4), **132**, 394
 Na₄[(TiO)₄(SiO₄)₃]·6H₂O: rhombohedrally distorted titanosilicate pharmacosiderite, **134**, 409
 Na_{0.10}WO₃ bronze: distorted perovskite structure, **133**, 479
 N(CH₃)₄·Zn(H₂PO₄)₃, molecular cluster, **131**, 363
 N(CH₃)₄·Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, **131**, 363
 Nd(Cr_{1-x}Fe_x)O₃, relationship to electrical properties, **131**, 108
 [NH₃(CH₂)₄NH₃]²⁺[Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, **132**, 229
 β-(NH₄)₂FeF₅, hydrogen bonding-induced NH₄⁺ ordering at low temperature, **131**, 189
 [NH₄]⁺[(Sn₃O)₂(PO₄)₃]⁻, **134**, 207
 (NH₄)₂[(Ti₃O₂)(HPO₄)₂(PO₄)₂], **132**, 213
 (NH₄)₃V₂O₃(VO)(PO₄)₂(HPO₄) and NH₄VOPO₄, **134**, 286
 NiCr₂S₄, powder neutron diffraction study, **134**, 110
 Ni_{1+x}Fe_{2-2x/3}O₄ (*x* = 0.30), **129**, 123
 Ln₅Os₃C_{4-x} (*Ln* = La–Nd, Sm), **131**, 49
 oxynitrides in ZrO₂-rich part of Ca–Zr–O–N and Mg–Zr–O–N systems, **128**, 282
 M₂M'P (*M* = Zr, Hf; *M'* = Co, Ni), **131**, 379
 Pb₂Bi₂PO₄, **133**, 516
 PbFe_xV_{6-x}O₁₁ (1 ≤ *x* ≤ 1.75), *R*-type frustrated system, effects of Fe substitution, **130**, 223
 (3PbO·PbSO₄·H₂O), **132**, 173
 MPd₃S₄ bronzes (*M* = La, Nd, Eu), **129**, 1
 [PMo_{4.27}W_{7.73}O₄₀]⁶⁻[H₃N(CH₂)₆NH₃²⁺]₃, **129**, 257
 Pr₂Ni₂, Pr₄I₃Ni, and Pr₃I₃Os condensed cluster phases, **129**, 277
 (Pr/La)Co(CN)₆·5H₂O mixed cationic systems, **129**, 12
 PtSi₂P₂ and PtSi₃P₂, **133**, 473
 Rb₂Cr₂O(AsO₄)₂, **134**, 22
 Rb_{0.62}Cr₅Te₈ pseudo-hollandite, **131**, 326
 Rb₃VONb₁₄O₃₈, **134**, 10
 Rb₄YbI₆, **128**, 66
 RbZn₂(HPO₄)₂(H₂PO₄)·2H₂O and RbZn(HPO₄)(H₂PO₄)·H₂O, **134**, 148
 RRh₂B₂C (*R* = rare earth), **133**, 77
 Rochelle salt, **131**, 350
 RS-camphor at low temperature, **134**, 211
 Ru complex sensitizers of TiO₂ anatase nanopowders, **132**, 60
 SbCrSe₃ 1D ferromagnet, HREM image analysis, **132**, 257
 Sb_{0.16}WO₃ intergrowth tungsten bronze, **134**, 344
 R_{6+x/3}Si₁₁N_{20+x}O_{1-x} (*R* = Y and Gd–Lu), **129**, 312
 Sm₂ReO₅, **132**, 196
 SmTh₂F₁₁, **130**, 277
 Ln₂Sn₂O₇ (*Ln* = Y, La, Pr, Nd, Sm–Lu) pyrochlores, **130**, 58
 Sn(O₃PCH₂CH₃) layered phase at room temperature, **132**, 438
 Sr_{1-x}Ba_xZrSe₃ series, **130**, 20
 SrBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
 (Sr,Ca)₄Cu₆O₁₀ three-leg-ladder compound, single-crystal X-ray diffraction studies, **134**, 427
 Sr₃Cu₂Fe₂O₅S₂, **134**, 128
 Sr₂CuMO₃S (*M* = Cr, Fe, In), **134**, 128
 Sr₂Cu₂MO₂S₂ (*M* = Mn, Zn), **130**, 319
 Sr₃MgMO₆ (*M* = Pt, Ir, Rh), **130**, 35
 Sr₄Mn₃(B_{1-x}Mn_x)O₁₀ related to cubic perovskite structure, **134**, 395
 SrPrO₃ perovskite, **132**, 337
 TeMo₅O₁₆ two-dimensional conductor, **129**, 303
 Ti₄TBi₂ (*T* = Mn, Fe, Co, Ni), **133**, 400
 Ti₈Bi₉, **134**, 26
 [Ti₂O(PO₄)₂(H₂O)₂], **132**, 213
 [Ti₃(PO₄)₄(H₂O)₂]·NH₃, **132**, 213
 Ti₅Ba₃Sr₅Cu₃O₁₉, 1201 shear like phase, **128**, 150
 TiB₃O₅, **131**, 370
 U₃Ga₂Ge₃, neutron powder diffraction study, **131**, 72
 UGe, **129**, 113
 UXPO₄·2H₂O (*X* = Cl, Br), powder X-ray diffraction study, **132**, 315
 δ-M_{0.25}V₂O₅·H₂O (*M* = Ca, Ni), **132**, 323
 W₅As_{2.5}P_{1.5} with one-dimensional vertex-linked W₆ cluster, **131**, 310
 WO₃ at high pressures, single-crystal diffraction studies, **132**, 123
 ε-WO₃ with ferroelectric properties, **131**, 9
 YB₂₅, **133**, 122
 YB₅₆ and YB₆₂ with YB₆₆-type structure, refinement, **133**, 16
 YBa₂Cu₃O_x, single crystal, effect of oxygen introduction, **130**, 42
 YBO₃, **128**, 261
 Y_{17.33}(BO₃)₄(B₂O₅)₂O₁₆, **134**, 158
 YB₄Si_{1.2}, **133**, 11
 YCoO₃, neutron diffraction study, **130**, 192
 YFe₂D_{3.5}, distortion in, **133**, 568
 zirconolite-4M substituted with Nd, **129**, 346
 Zn(CN)₂, disordered structure, **134**, 164
 ZnO thin films, modification by Ni, Cu, and Cd doping, **128**, 176
 Zn₃O₂, **132**, 56
 Zr₂Ni₂In, **128**, 289
 Zr₂Ni₂Sn, **128**, 289
 ZrO₂, relationship to Ca(OD)₂ II prepared at high pressure, powder neutron diffraction study, **132**, 267
 β-Zr(OH)₂(NO₃)₂·H₂O, **128**, 295
 α-Zr(OH)₂(NO₃)₂·1.65H₂O, **128**, 295
 ZrV₂O₇ from –263 to 470°C, **132**, 355
- Zochralski technique
 single VB₂ crystals grown by, microhardness, **133**, 113

D

- 1,10-Decanedicarboxylic acid
 urea inclusion compound with, temperature-dependent structural properties, **128**, 273
- Decomposition
 in single crystals of K₂NiF₄-type aluminate LaCaAlO₄, X-ray diffraction study, **134**, 132
 thermal, *see* Thermal decomposition
- Defect chemistry
 La_{2-x}Sr_xCuO_{4-δ}, oxygen nonstoichiometry and thermodynamic stability, **131**, 150
- Defect energetics
 Ba₂In₂O₅ with Brownmillerite structure, computer simulation study, **128**, 137
 lanthanum magnesium hexaaluminate, **130**, 199
- Defect structure
 Ca_{1-x}La_xS (*x* = 0–0.3), **131**, 101
 La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3-δ} (*y* = 0–0.6), high-temperature coulometric titration studies, **130**, 302
- Deuterium
 Ca(OD)₂ II prepared at high pressure, structure from powder neutron diffraction, relationship to ZrO₂ and EuI₂ structures, **132**, 267
 LiMnXO₄(OD) (*X* = P, As), magnetic structure, **132**, 202
 (ND₄)₂PdCl₆, antifluorite, phase analysis, **131**, 221
 YFe₂D_{3.5}, X-ray and neutron powder diffraction studies, **133**, 568

- Diamond
related stacking of octahedral units of antiprism, $(\text{H}_3\text{O})\text{Yb}_3\text{F}_{10} \cdot \text{H}_2\text{O}$
prepared by chimie douce synthesis, **128**, 42
- Diatomic crystals
electro-optic coefficients, bond-charge calculation, **128**, 17
- Dielectric function
boron-rich solids in FIR range, analysis on basis of optical reflectivity
spectra, **133**, 335
icosahedral boron-rich solids and icosahedral quasicrystals, **133**, 160
Li- and V-doped β -rhombohedral boron, **133**, 152
 α -rhombohedral boron, **133**, 156
 β -rhombohedral boron, **133**, 129
- Dielectric properties
 $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0,1,2$), **133**, 522
 BaTiO_3 - LaAlO_3 and BaTiO_3 - LaAlO_3 - $\text{LaTi}_{3/4}\text{O}_3$ systems, **129**, 223
 GaPO_4 thin films, **134**, 91
 $(\text{LaMn}_{1-x}\text{Ti}_x)_{1-y}\text{O}_3$ ($x \leq 0.05$), **133**, 466
- Dielectric resonators
 $\text{Ba}_{5-x}\text{Sr}_x\text{Nb}_4\text{O}_{15}$ ceramics, vibrational analysis, **131**, 2
- 1,4-Diethynylbenzene
preferential formation of $\text{C}\equiv\text{C}-\text{H} \cdots \pi(\text{C}\equiv\text{C})$ interactions in solid state,
134, 203
- Diffuse reflectance spectroscopy
 $(\text{Mg,Ni})_2(\text{OH})(\text{AsO}_4)$, **132**, 107
- Disorder
cationic and anionic, metastable $\text{LnTh}_2\text{F}_{11}$ series with, synthesis and
characterization, **130**, 277
or order, in $A(B'B'')\text{O}_3$ perovskite compounds, simple method for judg-
ing, **134**, 420
translational, generated by oriented defects in Magneli phases, **131**, 215
- Dispersion capacity
 Mo^{6+} on α - Fe_2O_3 surface, **129**, 30
- Doping
electrochemical, with M - β'' - Al_2O_3 ionic conductors, **128**, 93
 LiCoO_2 with boron: structure and electrochemical properties study, **134**,
265
- Double salts
 $\text{Me}^+\text{Br} \cdot \text{Me}^{2+}\text{Br}_2 \cdot 6\text{H}_2\text{O}$ ($\text{Me}^+ = \text{K}, \text{NH}_4, \text{Rb}$; $\text{Me}^{2+} = \text{Co}, \text{Ni}$), crystal-
lization and structure, **129**, 200
- Drude type transport
and hopping type transport, superposition in boron-rich solids, **133**, 335
- Dysprosium
 $\text{Al}_5\text{Dy}_3\text{O}_{12}$, cations arrays in garnet-type compounds, **128**, 69
 $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0,1,2$), development and dielectric properties,
133, 522
 $\text{Bi}_{1-x}\text{Dy}_x\text{O}_{1.5}$, ion-ordered phases, stability, thermal behavior, and crys-
tal structure, **129**, 98
Bi-Dy-V-O anionic conductors with δ - Bi_2O_3 fluorite-type structure,
134, 219
 DyB_4 , polar and reticular microhardness anisotropy, **133**, 296
 DyB_6 , incongruently melting, single crystal growth and properties, **133**,
198
 Dy_4C_5 , crystal structure, **132**, 294
 DyCuBaO_5 , Gibbs free energy of formation, determination by EMF
method, **134**, 85
 $\text{Dy}_7\text{O}_6(\text{BO}_3)(\text{PO}_4)_2$, X-ray powder diffraction and vibrational spectra
studies, **129**, 45
 DyRh_3B_2 , single crystal growth from molten copper flux, **133**, 82
 DyRh_4B_4 , single crystal growth from molten copper flux, **133**, 82
 $\text{DyRh}_2\text{B}_2\text{C}$, synthesis and characterization, **133**, 77
 $\text{Dy}_{6+x/3}\text{Si}_{11}\text{N}_{20+x}\text{O}_{1-x}$, preparation and crystal structure, **129**, 312
 $\text{Dy}_2\text{Sn}_2\text{O}_7$, structural and bonding trends, **130**, 58
 $\text{DyTh}_2\text{F}_{11}$, metastable series with cationic and anionic disorder, syn-
thesis and characterization, **130**, 277
- $\text{Hg}_2\text{Ba}_2\text{DyCu}_2\text{O}_{8-\delta}$, synthesis and structural and magnetic character-
ization, **132**, 163
- ## E
- Editorial
editorial appointment of Mercuri G. Kanatzidis and journal changes,
131, 1
- Elastic constants
higher order, titanium, **129**, 53
- Elastic waves
propagating in different directions in Ti, generalized Gruneisen para-
meters for, **129**, 53
- Electrical conductivity
 AgTaS_3 , **132**, 389
boron and boron phosphide CVD wafers, **133**, 314
Fe-doped β -rhombohedral boron, **133**, 342
 $(\text{Fe}_{0.8}\text{W}_{0.2})\text{WN}_2$, **131**, 374
 $\text{La}_{2-x}\text{Cd}_x\text{Ru}_2\text{O}_{7-\delta}$ pyrochlore oxides, **129**, 308
 $(\text{LaMn}_{1-x}\text{Ti}_x)_{1-y}\text{O}_3$ ($x \leq 0.05$), **133**, 466
 $\text{La}_2\text{NiO}_{4+\delta}$, **131**, 275
magnesium phthalocyanine thin films prepared by vacuum evaporation,
128, 27
 $\text{NaO}_{0.44}\text{C}_{5.84}$ graphite intercalation compound with sodium and perox-
ide, **131**, 282
 MPd_3S_4 bronzes ($M = \text{La}, \text{Nd}, \text{Eu}$), **129**, 1
 $\text{Sr}_{3-x}\text{A}_x\text{Fe}_2\text{O}_7$ ($x \leq 0.4$; $A = \text{Ba}, \text{La}$), **130**, 129
 Ti_4TBi_2 ($T = \text{Fe}, \text{Co}, \text{Ni}$), **133**, 400
 $\text{Zn}_{2-x}\text{Sn}_{1-x}\text{In}_{2x}\text{O}_{4-\delta}$ spinel, **134**, 192
- Electrical properties
Aurivillius-related phases in Sb-(W,V)-O system, **128**, 30
 $\text{Ba}_2\text{Cu}_3\text{Cl}_2\text{O}_4$, **124**, 319; comment, **130**, 161
 $\text{Ba}_4\text{CuMO}_4\text{Cl}_4$ ($M = \text{Li}, \text{Na}$), Cu(III) oxy-chlorides, letter to editor, **129**,
360
 $\text{Bi}_{1-x}\text{Sr}_x\text{MnO}_3$, **132**, 139
boron and boron phosphide films obtained by gas source molecular
beam deposition, **133**, 269
boron thin films, **133**, 100
 LiMn_2O_4 - and Li_2MnO_3 -type oxides, **131**, 94
 $\text{A}_4\text{Mo}_{18}\text{O}_{32}$ ($A = \text{Ca}, \text{Y}, \text{Gd}-\text{Yb}$) with Mo_n ($n = 2,4,6$) cluster chains, **134**, 45
 $\text{Nd}(\text{Cr}_{1-x}\text{Fe}_x)\text{O}_3$, relationship to crystal structure, **131**, 108
 $\text{Nd}(\text{Cr}_{1-x}\text{Ni}_x)\text{O}_3$, effect of spin state of Ni^{3+} ions, **134**, 382
 $\text{PbFe}_x\text{V}_{6-x}\text{O}_{11}$ ($1 \leq x \leq 1.75$), R -type frustrated system, effects of Fe
substitution, **130**, 223
 $\text{Pr}_{2-x}\text{M}_x\text{O}_{4+\delta}$ ($M = \text{La}, \text{Sr}$), **131**, 167
 ϵ - WO_3 , **131**, 9
 ZnO thin films, modification by Ni, Cu, and Cd doping, **128**, 176
 $\text{Zr}_2\text{Ni}_2\text{In}$ and $\text{Zr}_2\text{Ni}_2\text{Sn}$, **128**, 289
- Electrical resistivity
 BaGe_2 , **133**, 501
 $\text{Ln}_3\text{Cu}_4\text{P}_4\text{O}_2$ ($\text{Ln} = \text{La}, \text{Ce}, \text{Nd}$), **129**, 250
 $\text{ACu}_{7-x}\text{S}_4$ ($A = \text{Tl}, \text{K}, \text{Rb}$), anomalies, role of vacancy ordering, **134**, 5
 FeNbO_4 , **134**, 253
 $\text{In}_2\text{Ba}_2\text{CuO}_{6-\delta}$ layered cuprate, **131**, 177
 $(\text{Mo}_x\text{Cr}_{1-x})\text{AlB}$ and $(\text{Mo}_x\text{W}_{1-x})\text{AlB}$, **133**, 36
nanocrystalline borides and related compounds, **133**, 249
 $\text{Na}_2\text{Ti}_2\text{Sb}_2\text{O}$ layered tetragonal compound, **134**, 422
 NbS_2 - IrS_2 system, **129**, 242
 $\text{Nd}(\text{Cr}_{1-x}\text{Ni}_x)\text{O}_3$, **134**, 382
 $\text{NH}_2\text{CH}=\text{NH}_2\text{SnI}_3$ cubic perovskite and related systems, **134**, 376
 PtSi_3P_2 , **133**, 473
 $\text{Pu}_2\text{T}_2\text{X}$ ($T = \text{Co}, \text{Ir}, \text{Ni}, \text{Pd}, \text{Pt}, \text{Rh}$; $X = \text{In}, \text{Sn}$), **134**, 138
- Electrochemical deintercalation
lithium in $\text{LiCr}_y\text{Mn}_{2-y}\text{O}_4$ ($0 \leq y \leq 1$), structure modifications induced
by, Rietveld analysis, **132**, 372

- Electrochemical doping
with M - β'' - Al_2O_3 ionic conductors, **128**, 93
- Electrochemical intercalation
Li ions into polyparaphenylene in LiClO_4 -carbonates electrolytes, **132**, 434
- Electrochemical properties
 $\text{Ag}_{1.2}\text{V}_3\text{O}_8$, **134**, 294
boron-doped LiCoO_2 , **134**, 265
- Electrolysis
doped rare earth manganate perovskite crystal synthesis with, letter to editor, **130**, 327
- Electrolytes
 LiClO_4 -carbonates, electrochemical intercalation of Li ions into polyparaphenylene in, **132**, 434
- Electromechanical properties
PZT-type power ceramics, effect of fluoride introduction into anionic sublattice, **130**, 103
- Electromotive force measurements
Gibbs free energy of formation of LnCuBaO_5 ($\text{Ln} = \text{Yb}, \text{Tm}, \text{Er}, \text{Ho}, \text{Dy}, \text{Gd}$), **134**, 85
thermodynamics of $\text{K}_2\text{U}_4\text{O}_{12}$ and $\text{K}_2\text{U}_4\text{O}_{13}$, **132**, 342
- Electron density
 $\text{Ag}_{1.2}\text{V}_3\text{O}_8$, **134**, 294
 $\text{Ca}_3(\text{Cr}, \text{Al})_2\text{Si}_3\text{O}_{12}$ garnets, **132**, 432
 $\text{Z}_3\text{Ga}_5\text{O}_{12}$ garnets ($\text{Z} = \text{Nd}, \text{Sm}, \text{Gd}, \text{Tb}$), **132**, 300
 $\text{Y}_3\text{X}_2\text{Al}_3\text{O}_{12}$ garnets ($\text{X} = \text{Al}$ and (Al, Cr)), **134**, 182
 $\text{YBa}_2\text{Cu}_3\text{O}_y$, single crystal, effect of oxygen introduction, **130**, 42
- Electron diffraction
cristobalite-related phases in NaAlO_2 - NaAlSiO_4 system, **131**, 24
 $\text{Na}_{0.10}\text{WO}_3$ bronze with distorted perovskite structure, **133**, 479
 $\text{Pb}_{0.26}\text{WO}_3$, **130**, 176
 $\text{Sb}_{0.16}\text{WO}_3$ intergrowth tungsten bronze, single-crystal studies, **134**, 344
 YB_{25} , **133**, 122
- Electron doping
 $\text{Ca}_{1-x}\text{Sm}_x\text{MnO}_3$, analysis of CMR effect, **134**, 198
- Electron energy-loss spectroscopy
electronic structure studies
Li- and V-doped β -rhombohedral boron, **133**, 152
 α -rhombohedral boron, **133**, 156
parallel EELS, Be-B-bearing materials, **133**, 347
syntheses at high pressure and temperature in B-C-N-O system, **133**, 365
- Electronic band structure
 $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$, effect on nonstoichiometry behavior, **133**, 555
 $\text{Rb}_x\text{Cr}_5\text{Te}_8$ phases in $\text{Rb}_{0.62}\text{Cr}_5\text{Te}_8$ pseudo-hollandite, **131**, 326
 $\text{A}_2\text{Ru}_2\text{O}_{7-y}$ ($\text{A} = \text{Bi}, \text{Pb}, \text{Tl}, \text{rare earth}$) pyrochlores, role in metallic and nonmetallic properties, letter to editor, **131**, 405
 γ - Ln_2S_3 ($\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}$), doped and undoped, LMTO-TB calculations, **128**, 197
 ThCr_2Si_2 -type transition metal compounds, LMTO band structure calculations, **130**, 254
transition metal compounds of edge-sharing square planar units MX_4 , analysis, **128**, 181
- Electronic conductivity
 $\text{Ag}_{1.92}\text{Te}$ at 160°C , **130**, 140
- Electronic properties
icosahedral boron-rich solids and icosahedral quasicrystals, **133**, 160
 La_3MoO_7 , **129**, 320
 $\text{M}_2\text{M}'\text{P}$ ($\text{M} = \text{Zr}, \text{Hf}$; $\text{M}' = \text{Co}, \text{Ni}$), **131**, 379
 $(\text{Pr}_{1.5}\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$ and $(\text{R}_{1.5-x}\text{Pr}_x\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{NbO}_{10-\delta}$ ($\text{R} = \text{Nd}, \text{Sm}, \text{Eu}$), **133**, 445
- Electronic state
 $\text{LaMnO}_{3+\delta}$, **130**, 117
 $\text{Sr}_{3-x}\text{A}_x\text{Fe}_2\text{O}_7$ ($x \leq 0.4$; $\text{A} = \text{Ba}, \text{La}$), **130**, 129
- Electronic structure
 Am^{3+} in LiYF_4 , **129**, 189
 B_9X_9 ($\text{X} = \text{Cl}, \text{Br}, \text{I}$), **133**, 59
boron carbide and hexaborides, **133**, 51
 CaFe_2P_2 and CaNi_2P_2 , first-principles study, **129**, 147
 Cu^{2+} polyhedra in trirutile-type compounds, **131**, 263
force constant determination from, **133**, 327
 $\text{KCu}_{7-x}\text{S}_4$, role of vacancy ordering, **134**, 5
 $\text{M}_2\text{M}'\text{P}$ ($\text{M} = \text{Zr}, \text{Hf}$; $\text{M}' = \text{Co}, \text{Ni}$), **131**, 379
 α -rhombohedral boron, electron energy-loss spectroscopic study, **133**, 156
 β -rhombohedral boron doped with Li and V, electron energy-loss spectroscopic study, **133**, 152
 $\text{Zr}_2\text{Ni}_2\text{In}$ and $\text{Zr}_2\text{Ni}_2\text{Sn}$, **128**, 289
- Electronic transitions
in tetrahedral oxo and hydroxo Cr(IV), Mn(V), and Fe(VI) clusters, theoretical study, **128**, 1
- Electron paramagnetic resonance
cubic BN, effect of chemically active media, **133**, 292
 CuSb_2O_6 trirutile-type compounds, **131**, 263
 LiMn_2O_4 and Li_2MnO_3 coexisting phases, stoichiometry, **128**, 80
 Li_8PrO_6 and Li_8TbO_6 , **128**, 228
 $(\text{Mg}, \text{Ni})_2(\text{OH})(\text{AsO}_4)$, **132**, 107
 Pr^{4+} doped in Sr_2SnO_4 and Ba_2SnO_4 , **130**, 250
 $\text{Zn}(\text{Mg})_{1-x}\text{Cu}_x\text{Sb}_2\text{O}_6$ trirutile-type compounds, **131**, 263
- Electrons
optically excited, interaction with intricosahedral phonons, **133**, 125
- Electro-optic coefficients
diatomic crystals, bond-charge calculation, **128**, 17
- Energy characteristics
superionics Li_4SiO_4 and Li_4GeO_4 , **134**, 232
- Enthalpy of formation
 $\text{BaMo}_2\text{O}_7(\text{s})$, **134**, 416
binary compounds in Ru-Si, Ru-Ge, and Ru-Sn systems, **133**, 439
 NaMgF_3 perovskites, **132**, 131
- EPR, *see* Electron paramagnetic resonance
- Erbium
 $\text{Al}_5\text{Er}_3\text{O}_{12}$, cations arrays in garnet-type compounds, **128**, 69
Bi-Er-V-O anionic conductors with δ - Bi_2O_3 fluorite-type structure, **134**, 219
 ErAlB_{14} , icosahedral solids, electronic properties, **133**, 160
 ErCuBaO_5 , Gibbs free energy of formation, determination by EMF method, **134**, 85
 $\text{ErNi}_2\text{B}_2\text{C}$, superconducting and magnetic ordering temperatures, effects of Pd, Pt, and Co dopants, **133**, 5
 ErOOH , cation arrays, **131**, 358
Er-Rh-B system, single crystal growth from molten copper flux, **133**, 82
 $\text{ErRh}_2\text{B}_2\text{C}$
single crystal growth from molten copper flux, **133**, 82
synthesis and characterization, **133**, 77
 $\text{Er}_{6+x/3}\text{Si}_{11}\text{N}_{20+x}\text{O}_{1-x}$, preparation and crystal structure, **129**, 312
 $\text{Er}_2\text{Sn}_2\text{O}_7$, structural and bonding trends, **130**, 58
 $\text{ErTh}_2\text{F}_{11}$, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
 $\text{Hg}_2\text{Ba}_2\text{ErCu}_2\text{O}_{8-\delta}$, synthesis and structural and magnetic characterization, **132**, 163
- ESR, *see* Electron paramagnetic resonance
- Ethanol
cubic plastic phase, cluster model for, letter to editor, **130**, 167
nanocrystalline $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$ sensitivity to, effect of Sr content, **130**, 152
- Ethoxide
 $\text{Mn}_7\text{Sb}_4(\mu_5\text{-O})_2(\mu_4\text{-O})_2(\mu_3\text{-OEt})_2(\mu\text{-OEt})_{16}(\text{HOEt})_2$, synthesis and structural analysis, **134**, 312

- Ethylenediamine trimolybdate
anhydrous, hydrothermal synthesis and crystal structure, letter to editor, **132**, 224
- Europium
Bi_{1-x}Eu_xO_{1.5}, ion-ordered phases, stability, thermal behavior, and crystal structure, **129**, 98
Bi-Eu-V-O anionic conductors with δ -Bi₂O₃ fluorite-type structure, **134**, 219
Ca_{1-x}Eu_xMnO₃ ($0 \leq x \leq 1$) perovskites, magnetic study, **131**, 144
Cs₂KEuCl₆, crystal structure by powder x-ray diffraction, **132**, 1
EuB₆, polar and reticular microhardness anisotropy, **133**, 296
Eu₂Ba₄Cu₇O_{14+ δ} , Pr-doped, high-pressure synthesis and characterization, **132**, 73
EuB_{6-x}C_x ($X \approx 0.1$), FT Raman spectroscopy, **133**, 264
EuI₂, structure, relationship to structure of Ca(OD)₂ II prepared at high pressure, powder neutron diffraction study, **132**, 267
Eu_{1-x}MnO_{3+y}, orthomanganites with perovskite structure, magnetic study, **130**, 171
EuMn₂O₅, high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
EuPd₃S₄ bronze, crystal structure and electrical conductivity, **129**, 1
(Eu_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10- δ} , structural properties and oxygen stoichiometry, **133**, 445
Eu₂Sn₂O₇, structural and bonding trends, **130**, 58
EuTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
Hg₂Ba₂EuCu₂O_{8- δ} , synthesis and structural and magnetic characterization, **132**, 163
Na₃Eu(CO₃)₃, structural and optical studies, **132**, 33
50Na₂O-49P₂O₅-0.5Eu₂O₃-0.5CeO₂: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362
- Evaporation
under vacuum, magnesium phthalocyanine thin films prepared by, electrical and optical characterization, **128**, 27
- EXAFS, *see* Extended X-ray absorption fine structure
- Excitation spectroscopy
laser selective, Am³⁺ in LiYF₄, **129**, 189
- Excitons
doping, in superconductivity, **129**, 174
- Extended X-ray absorption fine structure
charge-discharge process in LiMn₂O₄, *in situ* study, letter to editor, **133**, 586
CsTiSi₂O_{6.5}, **129**, 206
- F
- Ferroelectricity
 ϵ -WO₃, **131**, 9
- Ferromagnetism
Pr_{1-x}K_xMnO₃ perovskites ($x = 0-0.15$), **132**, 98
- Ferromagnets
one-dimensional, SbCrSe₃, structure determination by HREM image analysis, **132**, 257
- Films, *see also* Thin films
boron and boron phosphide, obtained by gas source molecular beam deposition, preparation and electrical properties, **133**, 269
B₁₂P₂, rhombohedral single crystalline films, epitaxial growth by chemical vapor deposition, **133**, 104
- Firing gels
in synthesis of LaMnO_{3+ δ} using citric acid, **129**, 60
- Flexural strength
B₄C-C injection molded ceramics, **133**, 68
- Fluorescence spectroscopy
Am³⁺ in LiYF₄, **129**, 189
Fluorescent photosensitive glass
synthesis and characterization: material useful for optical memory and fluorescence holography, **134**, 362
- Fluoride
introduction into anionic sublattice of PZT-type power ceramics and effects on electromechanical properties, **130**, 103
- Fluorine
Ba₂MM'F₇Cl ($M, M' = \text{Mn, Fe, Co, Ni, Zn}$), magnetic properties and neutron diffraction study, **131**, 198
borosilicate glasses containing fluoride, OH absorption bands due to pyrohydrolysis in, removal, **130**, 330
CrZr_{0.75}Nb_{0.25}F₆, antiferrodistortive order in solid solution, **131**, 231
CuNbOF₅·4H₂O, infrared spectroscopy, **133**, 576
[Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
(H₃O)Yb₃F₁₀·H₂O, chimie douce synthesis and ab initio structure determination, **128**, 42
LiYF₄, Am³⁺ in, spectroscopic studies and crystal-field analysis, **129**, 189
NaMgF₃ perovskites, thermochemistry, **132**, 131
 β -(NH₄)₂FeF₅, hydrogen bonding-induced NH₄⁺ ordering at low temperature, structural and spectroscopic evidence, **131**, 189
SiF₄, structural relationship to CuAl₂, **132**, 151; *erratum*, **134**, 431
LnTh₂F₁₁ ($L_n = \text{La-Lu, Y}$), metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Fluorite-type structure
 δ -Bi₂O₃, Bi-Ln-V-O anionic conductors with ($L_n = \text{Y, Sm, Eu, Gd, Tb, Dy, Er, Yb}$), **134**, 219
- Force constants
determination by electronic structure, **133**, 327
- Formamidinium
based cubic perovskite NH₂CH=NH₂SnI₃, and related systems, synthesis, resistivity, and thermal properties, **134**, 376
- Formate
CuCa₂(HCOO)₆, thermal decomposition, **132**, 235
- Fourier transform infrared spectroscopy
araine sulfate, **133**, 423
B₆O, **133**, 260
boron-rich solids, FIR reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
Cd₃[(Fe^{III}/Co^{III})(CN)₆]₂·14H₂O, **129**, 17
Cu₂(OH)₃(CH₃COO)·H₂O, **131**, 252
high-temperature phase formation in sol-gel aluminum titanate, **131**, 181
MIn(MoO₄)₂ and MIn(WO₄)₂ ($M = \text{Li, Na, K, Cs}$), **129**, 287
protonic mobility in brushite and monetite, **132**, 6
sol-gel alumina doped with La and Ce, **128**, 161
- Fracture toughness
B₄C-C injection molded ceramics, **133**, 68
- FTIR, *see* Fourier transform infrared spectroscopy
- Fused salt electrolysis
doped rare earth manganate perovskite crystal synthesis with, letter to editor, **130**, 327
- G
- Gadolinium
Al₅Gd₃O₁₂, cations arrays in garnet-type compounds, **128**, 69
Bi_{1-x}Gd_xO_{1.5}, ion-ordered phases, stability, thermal behavior, and crystal structure, **129**, 98
Bi-Gd-V-O anionic conductors with δ -Bi₂O₃ fluorite-type structure, **134**, 219
GdB₄, polar and reticular microhardness anisotropy, **133**, 296
GdBa₂Cu₄O₈ superconductor, Sr substitution in, **128**, 310
Gd₄C₅, crystal structure, **132**, 294

- GdCuBaO₅, Gibbs free energy of formation, determination by EMF method, **134**, 85
- Gd₃Ga₅O₁₂ garnet, electron density study, **132**, 300
- Gd₇O₆(BO₃)(PO₄)₂, X-ray powder diffraction and vibrational spectra studies, **129**, 45
- GdRh₃B, single crystal growth from molten copper flux, **133**, 82
- GdRh₃B₂, single crystal growth from molten copper flux, **133**, 82
- GdRh₂B₂C
single crystal growth from molten copper flux, **133**, 82
synthesis and characterization, **133**, 77
- Gd_{6+x/3}Si₁₁N_{20+x}O_{1-x}, preparation and crystal structure, **129**, 312
- Gd₂Sn₂O₇, structural and bonding trends, **130**, 58
- GdTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- (Gd–Yb)₄Mo₁₈O₃₂, with Mo_{*n*} (*n* = 2,4,6) cluster chains, anomalous metal–insulator transitions in, **134**, 45
- Hg₂Ba₂GdYb₂O_{8-δ}, synthesis and structural and magnetic characterization, **132**, 163
- HGdTiO₄ and HGdTiO₄·*x*H₂O, structure and Raman spectra, **130**, 110
- NaGdTiO₄ and Na₂Gd₂Ti₃O₁₀, structure and Raman spectra, **130**, 110
- Gallium
- Ga(CN)₃, disordered crystal structure, **134**, 164
- Z₃Ga₅O₁₂ garnets (*Z* = Nd,Sm,Gd,Tb), electron density study, **132**, 300
- GaOOH, cation arrays, **131**, 358
- GaPO₄ thin films, synthesis and dielectric properties, **134**, 91
- [Mg_{0.174}Ga_{0.256}(OH)₂](CO₃)_{0.134}·*m*H₂O, synthesis, characterization, and ¹H and ⁷¹Ga MAS NMR, **131**, 78
- Na₃Ga(OH)(HPO₄)(PO₄), synthesis and chain structure, **128**, 21
- U₃Ga₂Ge₃, nuclear and magnetic structure, neutron powder diffraction study, **131**, 72
- zinc blende crystals, atomic sizes in, linear electro-optic coefficient dependence on, **130**, 54
- Garnets
- Al₅Ln₃O₁₂ (*Ln* = Gd–Lu), cations arrays in, **128**, 69
- Ca₃(Cr,Al)₂Si₃O₁₂, electron density study, **132**, 432
- Z₃Ga₅O₁₂ (*Z* = Nd,Sm,Gd,Tb), electron density study, **132**, 300
- garnet–alluaudite polymorphism in NaCa₂M₂⁺(AsO₄)₃ (*M*²⁺ = Mg,Ni,Co), cationic substitution effects, **131**, 290
- synthetic, calculation of elementary cell parameter of, empirical formula for, **134**, 338
- Y₃X₂Al₃O₁₂ (*X* = Al and (Al,Cr)), electron density study, **134**, 182
- Gas source molecular beam deposition
preparation of boron and boron phosphide films by, **133**, 269
- Geminals
chemical charge transfer in superconductivity, **129**, 174
- Geometrical unit of polyhedra
UGP, stacking, in description of complex structures, **128**, 52
- Germanium
- BaGe₂, synthesis, structure, and properties, **133**, 501
- M_{10*n*-2}Ge_{3*n*+1}O_{16*n*} with *M* = (Co,Mg) or (Ni,Mg), structure, **130**, 9
- K₅In₅Ge₅As₁₄ and K₈In₈Ge₅As₁₇, layered materials, synthesis and crystal structure, **130**, 234
- K₂ZnGeO₄, α and β forms, crystal structures, **134**, 59
- La₆MgGe₂S₁₄, synthesis and structure, **131**, 399
- Li₄GeO₄, superionic, vibrational spectra and energy characteristics, **134**, 232
- Ru–Ge systems, binary compounds in, heat capacity and heat content measurements, **133**, 439
- U₃Ga₂Ge₃, nuclear and magnetic structure, neutron powder diffraction study, **131**, 72
- UGe, crystal structure and magnetic behavior, **129**, 113
- ZrGeSb, and ZrSi_{0.7}Sb_{1.3} and ZrSn_{0.4}Sb_{1.6}: family containing ZrSiS-type and β-ZrSb₂-type compounds, **134**, 388
- Gibbs energy of formation
molar, BaMo₂O₇(s), using solid oxide galvanic cell method, **134**, 416
- Gibbs free energy
LnCuBaO₅ (*Ln* = Yb,Tm,Er,Ho,Dy,Gd), determination by EMF method, **134**, 85
- Glass
borophosphate, electrically poled, second-harmonic generation, effects of introduction of niobium or sodium oxides, **133**, 529
- fluorescent photosensitive, synthesis and characterization: material useful for optical memory and fluorescence holography, **134**, 362
- fluoride-containing borosilicates, OH absorption bands due to pyrohydrolysis in, removal, **130**, 330
- ion-conducting, prepared by microwave melting, reversible color changes: structural implications, **131**, 173
- phosphate glasse with NASICON-type chemistry, synthesis using high microwave susceptibility of NaH₂PO₄·2H₂O, **132**, 349
- Sb₂S₃–As₂S₃–Ti₂S, ¹²¹Sb Mössbauer spectroscopy, **133**, 458
- TeO₂–BaO–TiO₂, structural and nonlinear optical characterizations, **132**, 411
- Glycolates
precursor for preparation of BaTiO₃ thin films, **131**, 43
- Gold
AuX₄ (*X* = O,S,Se), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
- Graphite
NaO_{0.44}C_{5.84} intercalation compound with sodium and peroxide, **131**, 282
- Groutite
hydrogen bonding and Jahn–Teller distortion in, **133**, 486
- Gruneisen parameters
generalized, for elastic waves propagating in different directions in Ti, **129**, 53
- H
- Hafnium
- Hf₆Bi₆, **134**, 26
- Hf₂CoP, structure and characterization, **131**, 379
- Hf₂NiP, structure and characterization, **131**, 379
- HfW₂O₈, negative thermal expansion at high temperature, symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
- Hardness
B₄C–C injection molded ceramics, Knoop's hardness, **133**, 68
- (Mo_{*x*}Cr_{1-*x*})AlB and (Mo_{*x*}W_{1-*x*})AlB, Vickers microhardness, **133**, 36
- nanocrystalline borides and related compounds, **133**, 249
- tetra- and hexaborides of lanthanides and actinides, polar and reticular microhardness anisotropy, **133**, 296
- TiB₂ PVD coatings, microhardness, **133**, 117
- VB₂, microhardness of Czochralski-grown single crystals, **133**, 113
- Heat capacity
binary compounds in Ru–Si, Ru–Ge, and Ru–Sn systems, **133**, 439
- NaMgF₃ perovskites, **132**, 131
- Heat content
binary compounds in Ru–Si, Ru–Ge, and Ru–Sn systems, **133**, 439
- Heavy fermion superconductors
chemical bonding topology, **131**, 394
- Hexachlorobenzene
self-propagating mechanochemical reaction with CaH₂, **129**, 263
- High-resolution electron microscopy
Ba₆Mn₂₄O₄₈, **132**, 239
- Bi₁₂Sr₁₈Fe₁₀O₅₂: collapsed structure related to 2212 structure, **129**, 214
- In₅Mo₁₈O₂₈, **130**, 290
- SbCrSe₃ 1D ferromagnet, image analysis, **132**, 257

- Hole-doping effect
ferromagnetic perovskite BiMnO₃, **132**, 139
- Holmium
AlHoO₃, cation arrays in perovskite-type compounds, **128**, 69
Al₅Ho₃O₁₂, cations arrays in garnet-type compounds, **128**, 69
Ba₂(HoSb)O₆, ordered perovskites suitable as substrates for superconducting films, characterization, **128**, 247
Hg₂Ba₂HoCu₂O_{8-δ}, synthesis and structural and magnetic characterization, **132**, 163
HoB₄, polar and reticular microhardness anisotropy, **133**, 296
HoB₆, incongruently melting, single crystal growth and properties, **133**, 198
HoBa₂Cu₄O₈ superconductor, Sr substitution in, **128**, 310
Ho₄C₅, crystal structure, **132**, 294
HoCuBaO₅, Gibbs free energy of formation, determination by EMF method, **134**, 85
HoMnO₃, with metastable perovskite-type structure, synthesis, **129**, 334
HoOOH, cation arrays, **131**, 358
HoRh₂B₂C, synthesis and characterization, **133**, 77
Ho_{6+x/3}Si₁₁N_{20+x}O_{1-x}, preparation and crystal structure, **129**, 312
Ho₂Sn₂O₇, structural and bonding trends, **130**, 58
HoTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Holography
fluorescence, synthesis and characterization of fluorescent photosensitive glass useful for, **134**, 362
- Hopping type transport
and Drude type transport, superposition in boron-rich solids, **133**, 335
- HREM, *see* High-resolution electron microscopy
- Humidity
sensing characteristics of spinel zinc stannate thin films, **128**, 305
- Hydrogen
[Al₃P₄O₁₆]³⁻ · 3[CH₃CH₂NH₃]⁺, nonaqueous synthesis and characterization, **129**, 37
anhydrous ethylenediamine trimolybdate, hydrothermal synthesis and crystal structure, letter to editor, **132**, 224
B₁₂H₁₂, icosahedral cluster simulating B₁₂ cluster in β-rhombohedral boron, ground and excited states, **133**, 178
CaH₂, self-propagating mechanochemical reaction with hexachlorobenzene, **129**, 263
CaHPO₄ and CaHPO₄ · 2H₂O, protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
(CH₃NH₃)₂M(II)(SO₄)₂ · 6H₂O (M(II) = Cu, Zn, Ni), IR and Raman spectra, **133**, 407
C₂₉H₃₀N₅O₄S₂Ru, crystal structure, **132**, 60
[C₁₀N₂H₉][Al(PO₄)(PO₂(OH))₂], synthesis and characterization, **128**, 318
Cs[(VO)₂(OH)(O₃PCH₂CH₂PO₃)], two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
CuCa₂(HCOO)₆, thermal decomposition, **132**, 235
[Cu(II)(μ-3,5-dimethylpyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
[Cu(II)(6-mercaptapurinate²⁻)_n], magnetic study, **132**, 78
Cu_xMn_{1-x}(HCOO)₂ · 2H₂O mixed crystals, thermal decomposition to copper-manganese oxides, **133**, 416
Cu₂(OH)₃(CH₃COO) · H₂O, preparation, characterization, and *ab initio* X-ray powder diffraction, **131**, 252
[Cu(II)(μ-pyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
[Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
(H₃O)Yb₃F₁₀ · H₂O, chimie douce synthesis and *ab initio* structure determination, **128**, 42
HLnTiO₄ and HLnTiO₄ · xH₂O (Ln = La, Nd, Sm, Gd), structure and Raman spectra, **130**, 110
H_xV₂Zr₂O₉ · H₂O (x = 0.43), hydrothermal synthesis and characterization, **128**, 313
H₂WO₄ · nH₂O surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
hydrides of rare earth transition metal borides, low-temperature synthesis, **133**, 145
insertion into blue potassium molybdenum bronze, **128**, 256
KAl(HPO₄)₂ · H₂O, X-ray diffraction, neutron scattering, and solid-state NMR, **132**, 47
KNa(C₄H₄O₆) · 4H₂O, structure, **131**, 350
K/V/P/N(C₂H₅)₃/H₂O and NH₄/V/P/H₂O hydrothermal systems, analysis at 473 K, **134**, 286
4-methylbenzeneamine, solid-solid reactions with CuCl₂ · 2H₂O, CoCl₂ · 6H₂O, and NiCl₂ · 6H₂O, **132**, 291
α-MnOOH and γ-MnOOH, hydrogen bonding and Jahn-Teller distortion in, **133**, 486
Mn₇Sb₄(μ₃-O)₂(μ₄-O)₂(μ₃-OEt)₂(μ-OEt)₁₆(HOEt)₂, synthesis and structural analysis, **134**, 312
NaH₂PO₄ · 2H₂O, high microwave susceptibility: synthesis of crystalline and glassy phosphates with NASICON-type chemistry, **132**, 349
Na₃M(OH)(HPO₄)(PO₄) (M = Al, Ga), synthesis and chain structure, **128**, 21
N(CH₃)₄ · Zn(H₂PO₄)₃, molecular cluster, synthesis and crystal structure, **131**, 363
N(CH₃)₄ · Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, synthesis and crystal structure, **131**, 363
NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376
[NH₃(CH₂)₄NH₃]²⁺ [Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, synthesis and characterization, **132**, 229
(NH₄)₂[(Ti₃O₂)(HPO₄)₂(PO₄)₂], synthesis and X-ray powder structure, **132**, 213
NH₄/V/P/H₂O and K/V/P/N(C₂H₅)₃/H₂O hydrothermal vanadium phosphate systems, analysis at 473 K, and crystal structures of NH₄VOPO₄ and (NH₄)₃V₂O₃(VO)(PO₄)₂(HPO₄), **134**, 286
[PMo_{4.27}W_{7.73}O₄₀][H₃N(CH₂)₆NH₃⁺]₃, hydrothermal synthesis and structure, **129**, 257
RbZn₂(HPO₄)₂(H₂PO₄) · 2H₂O and RbZn(HPO₄)(H₂PO₄) · H₂O, syntheses and crystal structures, **134**, 148
Sn(O₃PCH₂CH₃) layered phase, room-temperature synthesis and structural characterization, **132**, 438
[Ti₃(PO₄)₄(H₂O)₂] · NH₃, synthesis and X-ray powder structure, **132**, 213
α-Zr(HPO₄)₂ · H₂O large crystals, thermoanalytical study, phase transitions, and dimensional changes, **132**, 17
- Hydrogen bonding
in groutite and manganite, **133**, 486
induced NH₄⁺ ordering in β-(NH₄)₂FeF₅ at low temperature, structural and spectroscopic evidence, **131**, 189
in KAl(HPO₄)₂ · H₂O, **132**, 47
in leucophosphate, **133**, 508
preferential formation of C≡C-H · · π(C≡C) interactions in solid state, **134**, 203
- Hydrogen sulfide
effects on chemical behavior of Sn dopant atoms on surface of Cr₂O₃ microcrystals upon exposure to ambient atmosphere, **132**, 284
- Hydrolysis
pyrohydrolysis in fluoride-containing borosilicate glasses, OH absorption bands due to, removal, **130**, 330
- Hydrotalcite
related compounds, Mg-Fe catalysts prepared from, surface acid/base properties, microcalorimetric studies, **128**, 73
related phase, existence in absence of trivalent cations, **128**, 38

Hydrothermal synthesis

- anhydrous ethylenediamine trimolybdate, letter to editor, **132**, 224
 Ba(CoPO₄)₂ · H₂O, lamellar hydrated phosphate with two-dimensional array of Co–O–Co network, **131**, 387
 [Fe₃(PO₄)₃F₂ · (CH₃NH₂)₂ · H₂O], **134**, 349
 H_xV₂Zr₂O₉ · H₂O (*x* = 0.43), **128**, 313
 Na₃In₂(AsO₄)₃ and Na₃In₂(PO₄)₃, **131**, 131
 Na₄[(TiO)₄(SiO₄)₃] · 6H₂O: rhombohedrally distorted titanosilicate pharmacosiderite, **134**, 409
 [PMo_{4.27}W_{7.73}O₄₀]⁹⁻[H₃N(CH₂)₆NH₃⁺]₃, **129**, 257
 Sn- and Ti-doped α-Fe₂O₃ prepared by, structural characterization, **130**, 272

Hydrothermal vanadium phosphate systems

- NH₄/V/P/H₂O and K/V/P/N(C₂H₅)₃/H₂O, analysis at 473 K, and crystal structures of NH₄VOPO₄ and (NH₄)₃V₂O₃(VO)(PO₄)₂(HPO₄), **134**, 286

Hydroxide

- absorption bands due to pyrohydrolysis in fluoride-containing borosilicate glasses, removal, **130**, 330
 Ca(OD)₂ II prepared at high pressure, structure from powder neutron diffraction, relationship to ZrO₂ and EuI₂ structures, **132**, 267
 Ca(OH)₂, incipient reaction with SiO₂ under moderate mechanical stressing, mechanisms: changes in short-range ordering, **130**, 284
 [C₁₀N₂H₉][Al(PO₄)(PO₂(OH))₂], synthesis and characterization, **128**, 318
 Co(II) α-hydroxide, hydrotalcite-like phase, **128**, 38
 Cs[(VO)₂(OH)(O₃PCH₂CH₂PO₃)], two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
 [Cu(II)(μ-3,5-dimethylpyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
 Cu₂(OH)₃(CH₃COO) · H₂O, preparation, characterization, and *ab initio* X-ray powder diffraction, **131**, 252
 [Cu(II)(μ-pyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
 K[Fe₂(PO₄)₂(OH)(H₂O)] · H₂O, hydrogen bonding and structural relationships, **133**, 508
 [Mg_{0.174}Ga_{0.256}(OH)₂](CO₃)_{0.134} · *m*H₂O, synthesis, characterization, and ¹H and ⁷¹Ga MAS NMR, **131**, 78
 (Mg,Ni)₂(OH)(AsO₄), structural and spectroscopic studies, **132**, 107
 Na₃M(OH)(HPO₄)(PO₄) (*M* = Al,Ga), synthesis and chain structure, **128**, 21
 [NH₃(CH₂)₄NH₃]²⁺[Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, synthesis and characterization, **132**, 229
 Ni(II) α-hydroxide, hydrotalcite-like phase, **128**, 38
 [Zn–Cr–SO₄] lamellar double hydroxides, selective synthesis, **130**, 66
 β-Zr(OH)₂(NO₃)₂ · H₂O, structural analysis by X-ray powder diffraction, **128**, 295
 α-Zr(OH)₂(NO₃)₂ · 1.65H₂O, structural analysis by X-ray powder diffraction, **128**, 295

I

Image analysis

- HREM of SbCrSe₃ 1D ferromagnet, **132**, 257

Impedance spectroscopy

- state of boron atoms in amorphous metallic matrix, **133**, 273

Inclusion compounds

- 1,10-decanedicarboxylic acid/urea, temperature-dependent structural properties, **128**, 273

Incorporation model

- dispersion capacity and coordination environment of Mo⁶⁺ on α-Fe₂O₃ surface, **129**, 30

Indium

- Ba₂In₂O₅, Brownmillerite-structured, computer simulation study, **128**, 137

An₂T₂In (*An* = Pu,Am; *T* = Co,Ir,Ni,Pd,Pt,Rh), synthesis, crystal chemistry, and physical properties, **134**, 138

In₂Ba₂CuO_{6-δ}, layered cuprate, synthesis and characterization, **131**, 177

In₁₆Fe₈S₃₂ spinel, chemically lithiated, structural and local environment modifications, **134**, 238

MIn(MoO₄)₂ and MIn(WO₄)₂ (*M* = Li,Na,K,Cs), vibrational characteristics, **129**, 287

In₅Mo₁₈O₂₈, HREM studies on real structure, **130**, 290

InOOH, cation arrays, **131**, 358

K₅In₅Ge₅As₁₄ and K₆In₈Ge₅As₁₇, layered materials, synthesis and crystal structure, **130**, 234

Na₃In₂(AsO₄)₃
 alluaudite-like structure, **134**, 31

hydrothermal synthesis and structures, **131**, 131

Na₃In₂(PO₄)₃, hydrothermal synthesis and structures, **131**, 131

NiAs–Ni₂In, related structures in Mn–Sn system, **129**, 231

Sr₂CuInO₃S, crystal structure, **134**, 128

zinc blende crystals, atomic sizes in, linear electro-optic coefficient dependence on, **130**, 54

Zn_{2-x}Sn_{1-x}In_{2x}O_{4-δ} spinel, transparent conducting properties, **134**, 192

Zr₂Ni₂In, structure and properties, **128**, 289

Infrared spectroscopy, *see also* Fourier transform infrared spectroscopy
 active phonon spectra of B–C–Al compounds with boron carbide structure, **133**, 254

Ba_{5-x}Sr_xNb₄O₁₅ microwave dielectric ceramic resonators, **131**, 2

Ca₃(P₅O₁₄)₂, **129**, 196

(CH₃NH₂)₂M(II)(SO₄)₂ · 6H₂O (*M*(II) = Cu,Zn,Ni), **133**, 407

CuNbOF₅ · 4H₂O, **133**, 576

M₃Fe₂(SeO₃)₆ · 2H₂O (*M* = Mg,Co,Ni), **131**, 54

(Mg,Ni)₂(OH)(AsO₄), **132**, 107

Na₂Cu(SO₄)₂ · 2H₂O, **133**, 407

Ln₇O₆(BO₃)(PO₄)₂ (*Ln* = La,Nd,Gd,Dy), **129**, 45

OH absorption bands due to pyrohydrolysis in fluoride-containing borosilicate glasses, removal, **130**, 330

TeO₂–BaO–TiO₂ glasses, **132**, 411

Insulator–metal transition

Pr_{0.5}Ca_{0.5}MnO₃, induction by Cr and Co doping, letter to editor, **130**, 162

Sr_{3-x}A_xFe₂O₇ (*x* ≤ 0.4; *A* = Ba,La), **130**, 129

Interband transitions

B₁₂P₂ doped with Si, **133**, 140

icosahedral boron-rich solids, critical points in, **133**, 132

Internal friction

B₄C, B₉C, and B₁₃C₂, **133**, 44

Iodine

AgI–Ag₂O–B₂O₃–SiO₂ system, reversible color changes in ion-conducting glasses prepared by microwave melting: structural implications, **131**, 173

B₉I₉, synthesis, crystal structure, and electronic structure, **133**, 59

Cs₃Sb₂I₉, reconstructive phase transformation and kinetics by means of Rietveld analysis of X-ray diffraction and ¹²⁷I NQR, **134**, 319

EuI₂, structure, relationship to structure of Ca(OD)₂ II prepared at high pressure, powder neutron diffraction study, **132**, 267

La₂I_Z₂ (*Z* = Fe,Co,Ru,Os), Pr₄I₅Ni, Pr₃I₃Os, and Pr₂INi₂, condensed cluster phases, **129**, 277

NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376

Rb₄YbI₆, synthesis and crystal structure, **128**, 66

Ion-conducting glasses

prepared by microwave melting, reversible color changes: structural implications, **131**, 173

Ion exchange

Ni_{1+x}Fe_{2-2x/3}O₄ preparation from α-NaFeO₂, **129**, 123

- Ionic conductivity
 Ag_{1.92}Te at 160°C, **130**, 140
 Ag₂VP₂O₈, **130**, 28
- Iridium
 An₂Ir₂X (An = Pu,Am; X = In,Sn), synthesis, crystal chemistry, and physical properties, **134**, 138
 IrSi₃P₃, Raman study, **128**, 142
 NbS₂–IrS₂ system, 1T structure stability, **129**, 242
 Sr₃MgIrO₆, synthesis, crystal structure, and magnetic properties, **130**, 35
- Iron
 Ba₆Cu₁₂Fe₁₃S₂₇, synthesis and crystal structure, **128**, 62
 Ba₂FeM'F₇Cl (M' = Mn,Fe,Co,Ni), magnetic properties and neutron diffraction study, **131**, 198
 BaFe₂O₄ and BaFe₁₂O₁₉ particles, synthesis with combustion method, **134**, 227
 Bi₁₂Sr₁₈Fe₁₀O₅₂, HREM study: collapsed structure related to 2212 structure, **129**, 214
 CaFe₂P₂, electronic structure and chemical bonding, first-principles study, **129**, 147
 Cd₃[(Fe^{III}/Co^{III})(CN)₆]₂ · 14H₂O, X-ray diffraction and spectral studies, **129**, 17
 Cu₂Fe(CN)₆, interaction with silver ions in solution, **132**, 399
 FeB₂₉, reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
 FeNbO₄, electrical resistivity, thermopower, and ⁵⁷Fe Mössbauer study, **134**, 253
 α-Fe₂O₃
 aciculate ultrafine particles, kinetics of reduction to Fe₃O₄ particles, **134**, 248
 interaction with MoO₃, **129**, 30
 Sn- and Ti-doped, hydrothermally prepared, structural characterization, **130**, 272
 Fe₃O₄
 kinetics of reduction of α-Fe₂O₃ aciculate ultrafine particles to, **134**, 248
 thin film synthesis via sol–gel method, characterization, and magnetic properties, **128**, 87
 [Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
 M₃Fe₂(SeO₃)₆ · 2H₂O (M = Mg,Co,Ni), synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
 Fe₄W₂N, with unique η-carbide structure, synthesis, **134**, 302
 (Fe_{0.8}W_{0.2})WN₂, synthesis and characterization, **131**, 374
 In₁₆Fe₈S₃₂ spinel, chemically lithiated, structural and local environment modifications, **134**, 238
 iron zircon pigments, synthesis by pyrolysis of aerosols, **128**, 102
 K[Fe₂(PO₄)₂(OH)(H₂O)] · H₂O, hydrogen bonding and structural relationships, **133**, 508
 LaFe_xNi_{1-x}O₃ solid solutions, crystal structure refinement and stability, **133**, 379
 La₂IFe₂, condensed cluster phase, **129**, 277
 La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3-δ} (y = 0–0.6), thermodynamic quantities and defect structure, high-temperature coulometric titration studies, **130**, 302
 La_{2-x}Sr_{2x}Cu_{1-x}Fe_xO₄, linear Cu–O–Fe electronic interaction in two dimensions, **128**, 169
 La_{1-x}Sr_xFeO₃, nanocrystalline material sensitivity to ethanol, effect of Sr content, **130**, 152
 Li₂Fe₂(MoO₄)₃, weak ferromagnetic ground state structure, **130**, 147
 Li₃FeN₂, microwave synthesis, **130**, 266
 Li₂O–TiO₂–Fe₂O₃ ordered spinels, cation distribution, **134**, 170
 Mg–Fe catalysts prepared from hydrotalcite-like precursors, surface acid/base properties, microcalorimetric studies, **128**, 73
 α-NaFeO₂, Ni_{1+x}Fe_{2-2x/3}O₄ obtained from, crystal and magnetic structures, **129**, 123
 Na_{0.875}Fe_{0.875}Ti_{1.125}O₄, topotactic oxidation of quadruple-rutile-type chain structure, **130**, 184
 Nd(Cr_{1-x}Fe_x)O₃, relationship of crystal structure and electrical properties, **131**, 108
 β-(NH₄)₂FeF₅, hydrogen bonding-induced NH₄⁺ ordering at low temperature, structural and spectroscopic evidence, **131**, 189
 Ni–6 mass% B–58.6 mass% Mo–10 mass% Fe, high-strength boride base hard materials, **133**, 243
 Ni_{1+x}Fe_{2-2x/3}O₄ (x = 0.30), obtained by ionic exchange from α-NaFeO₂, crystal and magnetic structures, **129**, 123
 PbFe_xV_{6-x}O₁₁ (1 ≤ x ≤ 1.75), R-type frustrated system, Fe substitution effects on structural, electric, and magnetic properties, **130**, 223
 β-rhombohedral boron doped with
 electronic properties of icosahedral solids, **133**, 160
 Mössbauer spectroscopy and electrical conductivity, **133**, 342
 Sr_{10-n/2}Bi_nFe₂₀O_m (n = 4,6,8,10), with high oxygen permeability, synthesis, **130**, 316
 Sr₂CuFeO₃S, crystal structure, **134**, 128
 Sr₃Cu₂Fe₂O₅S₂, crystal structure, **134**, 128
 Sr_{3-x}A_xFe₂O₇ (x ≤ 0.4; A = Ba,La), electronic state, magnetism, and electrical transport behavior, **130**, 129
 tetrahedral oxo and hydroxo Fe(VI) clusters, valence stabilization, mixed crystal chemistry, and electronic transitions, **128**, 1
 Ti₄FeBi₂, preparation and properties, **133**, 400
 (Ti_{1.5}Hg_{0.5})Sr_{3-x}Ba_xFe₂O_{9-δ} (0 ≤ x ≤ 2) with Tl-2212-type structure, preparation and characterization, **132**, 308
 YFe₂D_{3.5}, X-ray and neutron powder diffraction studies, **133**, 568
- J
- Jahn–Teller effect
 contribution to negative force constants, **133**, 327
 cooperative
 induction of antiferrodistortive order in CrZr_{0.75}Nb_{0.25}F₆ solid solution, **131**, 231
 in Raman spectra of Ba₂Cu_xZn_{1-x}WO₆ mixed crystals, **129**, 117
 CuNbOF₅ · 4H₂O, first- and second-order, **133**, 576
 distortion in groutite and manganite, **133**, 486
 involving geminals and for degenerate vibronic states, **129**, 174
 LiMnXO₄(OD) (X = P,As) after chimie douce reactions, **132**, 202
 role in electrical transport in semiconducting (LaMn_{1-x}Ti_x)_{1-γ}O₃ (x ≤ 0.05), **133**, 466
 vibronic coupling in trirutile-type compounds, **131**, 263
- K
- Kinetics
 Cs₃Sb₂I₉ reconstructive phase transformation: Rietveld analysis of X-ray diffraction and ¹²⁷I NQR, **134**, 319
 reduction of α-Fe₂O₃ aciculate ultrafine particles to Fe₃O₄, **134**, 248
- L
- Ladder compound
 (Sr,Ca)₄Cu₆O₁₀, X-ray single-crystal structure analysis, **134**, 427
- Lanthanum
 AllLaO₃, cation arrays in perovskite-type compounds, **128**, 69
 BaTiO₃–LaAlO₃ and BaTiO₃–LaAlO₃–LaTi_{3/4}O₃ systems, chemical reactions and dielectric properties, **129**, 223
 BiLa₂O_{4.5+δ}, structural transformations, **131**, 64
 Ca_{1-x}La_xS (x = 0–0.3), structural and luminescence properties, **131**, 101
 HLaTiO₄ and HLaTiO₄ · xH₂O, structure and Raman spectra, **130**, 110
 LaB₆
 crystal preparation from Al flux using compound precursors, thermodynamic analysis, **133**, 237
 electronic structure calculations, **133**, 51

- FT Raman spectroscopy, **133**, 264
in thin film technology, **133**, 279
- La₁₅B₁₄C₁₉, bonding analysis, **133**, 190
- LaCaAlO₄, K₂NiF₄-type aluminate single crystals, decomposition processes in, X-ray diffraction study, **134**, 132
- La_{1-x}Ca_xN_{1-x/3} (0 < x < 0.7), defect rock salt nitrides prepared from LaN and Ca₃N₂, **129**, 144
- La_{2-x}Cd_xRu₂O_{7-δ}, pyrochlore oxides, synthesis and characterization, **129**, 308
- LaCuO_{3-y} (0 ≤ y ≤ 0.5), copper valence and properties, control by oxygen content adjustment, **130**, 213
- La₂CuO_{4+δ}, electrochemically oxidized particles prepared by sol-gel method, structural characterization, **131**, 246
- La₃Cu₄P₄O₂, synthesis, crystal structure, and properties, **129**, 250
- La₂Cu(SeO₃)₄, synthesis and crystal structure, **133**, 572
- LaFe_xNi_{1-x}O₃ solid solutions, crystal structure refinement and stability, **133**, 379
- La₂IZ₂ (Z = Fe, Co, Ru, Os), condensed cluster phases, **129**, 277
- La₆MgGe₂S₁₄, synthesis and structure, **131**, 399
- La₆MgSi₂S₁₄, synthesis and structure, **131**, 399
- La_{1-x}MnO_{3+y}, orthomanganites with perovskite structure, magnetic study, **130**, 171
- LaMnO_{3+δ}
synthesis by firing gels using citric acid, **129**, 60
transition from polaronic to itinerant behavior of Mn *e* electrons, **130**, 117
- LaMn₂O₅, high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
- (LaMn_{1-x}Ti_x)_{1-γ}O₃ (x ≤ 0.05), electrical transport in, **133**, 466
- La₃MoO₇, structure and electronic and thermal properties, **129**, 320
- LaN, solid solutions with Ca₃N₂, formation of defect rock salt nitrides La_{1-x}Ca_xN_{1-x/3}, **129**, 144
- LaNi₅ particles, adsorption characteristics, **134**, 67
- La₂NiO_{4+δ}, metal-semiconductor transition, **131**, 275
- LaNi_{1-x}W_xO₃ (0 ≤ x ≤ 0.25) perovskites, magnetic properties, **134**, 274
- lanthanum magnesium hexaaluminate, defect energetics and nonstoichiometry, **130**, 199
- lanthanum molybdates with La:Mo ratio of 1:1, direct synthesis by high-energy ball milling, letter to editor, **132**, 443
- La₇O₆(BO₃)(PO₄)₂, X-ray powder diffraction and vibrational spectra studies, **129**, 45
- La₂O₃-Co-Co₂O₃ system, thermogravimetric study at 1100 and 1150°C, **131**, 18
- LaOOH, cation arrays, **131**, 358
- La₅Os₃C_{4-x}, preparation and crystal structure, **131**, 49
- LaPd₃S₄ bronze, crystal structure and electrical conductivity, **129**, 1
- LaRh₂B₂C, synthesis and characterization, **133**, 77
- γ-La₂S₃, doped and undoped, band electronic structure study through LMTO-TB calculations, **128**, 197
- La_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1), magnetic and structural studies, letter to editor, **133**, 583
- La₂Sn₂O₇, structural and bonding trends, **130**, 58
- La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3-δ} (y = 0–0.6), thermodynamic quantities and defect structure, high-temperature coulometric titration studies, **130**, 302
- La_{1-x}Sr_xCoO_{3-δ}, Coulometric titration at high temperature: electronic band structure effect on nonstoichiometry behavior, **133**, 555
- La_{2-x}Sr_xCuO_{4-δ}, defect chemistry: oxygen nonstoichiometry and thermodynamic stability, **131**, 150
- La_{2-x}Sr_{2x}Cu_{1-x}M_xO₄ (M = Ti, Mn, Fe, Ru), linear Cu–O–M electronic interaction in two dimensions, **128**, 169
- La_{1-x}Sr_xFeO₃, nanocrystalline material sensitivity to ethanol, effect of Sr content, **130**, 152
- La–Sr–Mn–O system, phase equilibria, **134**, 38
- LaTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- NaLaTiO₄ and Na₂La₂Ti₃O₁₀, structure and Raman spectra, **130**, 110
- (Pr/La)Co(CN)₆·5H₂O, mixed cationic systems, synthesis and crystal structure, **129**, 12
- Pr_{2-x}La_xNiO_{4+δ}, oxygenation and electrical properties, **131**, 167
- sol-gel alumina doped with, X-ray diffraction, FTIR, and NMR studies, **128**, 161
- Sr_{3-x}La_xFe₂O₇ (x ≤ 0.4), electronic state, magnetism, and electrical transport behavior, **130**, 129
- Lattice constant
synthetic oxides-garnets, empirical formula for calculation of, **134**, 338
- Lattice dynamics
boron-rich crystals, rotation-induced relaxation mechanism for strains, **133**, 322
boron-rich solids, central and noncentral forces on, **133**, 215
negative force constants and determination of force constants by electronic structure, **133**, 327
- Lattice energy
BaGe₂, **133**, 501
- Lattice parameters
YBa₂Cu₃O_{6+x}, orthorhombic, dependence on oxygen content, **134**, 356
- Lattice vibrations
B₄C and B₅C, **133**, 44
B₁₃C₂, **133**, 44, 93
- Laves phase
KAg₂, high-pressure synthesis, **130**, 311
- Lead
Bi_{2-x}Pb_xSr_{1.5}Ca_{1.5}Mn₂O_{9-δ} with 2212 structure, synthesis and crystal chemistry, **132**, 420
Pb₂BiO₂PO₄, crystal structure, **133**, 516
PbFe_xV_{6-x}O₁₁ (1 ≤ x ≤ 1.75), R-type frustrated system, Fe substitution effects on structural, electric, and magnetic properties, **130**, 223
(3PbO·PbSO₄·H₂O), crystal structure, **132**, 173
Pb₂Ru₂O_{7-y} pyrochlores, metallic and nonmetallic properties, structural and electronic factors in, letter to editor, **131**, 405
Pb₂Sr₂Cu₂TaO₈Cl, layered cuprate with hematophanite structure, synthesis and characterization, **130**, 154
Pb_{0.26}WO₃ bronze, X-ray and electron diffraction study, **130**, 176
Pb₂(M_{1.5}W_{0.5})O_{6.5} (M = Ti, Sn), defect pyrochlores, surface segregation and oxygen vacancy ordering, **130**, 81
- Leucophosphite
hydrogen bonding and structural relationships, **133**, 508
- Linear electro-optic coefficient
zinc blende crystals, dependence on difference in atomic sizes, **130**, 54
- Lithium
Ba₄CuLiO₄Cl₄, Cu(III) oxy-chloride, synthesis, structure, and electrical and magnetic properties, letter to editor, **129**, 360
Li₃AlN₂, microwave synthesis, **130**, 266
LiClO₄-carbonates electrolytes, electrochemical intercalation of Li ions into polyparaphenylene in, **132**, 434
LiCoO₂, boron-doped, structure and electrochemical properties, **134**, 265
LiCr_yMn_{2-y}O₄ (0 ≤ y ≤ 1), structure modifications induced by electrochemical Li deintercalation, Rietveld analysis, **132**, 372
Li₃Cu₂SbO₆ with partially ordered rock salt structure, synthesis, **131**, 115
Li₂Fe₂(MoO₄)₃, weak ferromagnetic ground state structure, **130**, 147
Li₃FeN₂, microwave synthesis, **130**, 266
Li₄GeO₄ and Li₄SiO₄ superionics, vibrational spectra and energy characteristics, **134**, 232
LiIn(MoO₄)₂ and LiIn(WO₄)₂, vibrational characteristics, **129**, 287
LiKCO₃, crystal structure, neutron powder diffraction study, **128**, 156

- LiMnO₂, orthorhombic crystals, long-range and short-range magnetic order, **128**, 209
- LiMn₂O₄, spinel-type oxides
charge–discharge process, *in situ* XAFS study, letter to editor, **133**, 586
electric and magnetic properties, **131**, 94
and Li₂MnO₃, stoichiometry of coexisting phases, XRD and EPR studies, **128**, 80
proton-exchanged, surface structure and Li⁺ sieve properties, **131**, 84
Verwey-type transition and magnetic properties, **131**, 138
X-ray absorption studies, letter to editor, **128**, 326
- Li_{1+y}Mn_{2-y}O₄, electric and magnetic properties, **131**, 94
- Li₂MnO₃
electric and magnetic properties, **131**, 94
and LiMn₂O₄, stoichiometry of coexisting phases, XRD and EPR studies, **128**, 80
- Li₄Mn₅O₁₂, structure refinement with neutron and X-ray powder diffraction data, **130**, 74
- LiMnXO₄(OD) (*X* = P,As), magnetic structure, **132**, 202
- LiMnVO₄, ambient and high-pressure structures and Mn³⁺/Mn²⁺ redox energy, **128**, 267
- Li₃Mo₃O₅(PO₄)₃, with bidimensional connection of MoO₆ octahedra, isolation and magnetic properties, **133**, 391
- Li(Mo,W)₂O₃(PO₄)₂, synthesis and intersecting tunnel structure, **128**, 215
- Li₂Na(MoO)₂(PO₄)₃, synthesis and crystal structure, **129**, 298
- Li₄NCl, preparation and crystal structure, **128**, 241
- Li₅NCl₂, ordered and disordered phases, preparation and crystal structure, **130**, 90
- Li_{0.5-3x}Nd_{0.5+x}TiO₃ perovskites, microstructural study, **128**, 97
- LiNi_{0.8}Mn_{0.2}O₂, neutron diffraction study, **134**, 1
- Li₂O–TiO₂–Fe₂O₃ ordered spinels, cation distribution, **134**, 170
- Li₂Pd₃B, with boron in octahedral position, **133**, 21
- Li₈PrO₆, magnetic susceptibility and EPR spectra, **128**, 228
- Li₂Pt₃B, with boron in octahedral position, **133**, 21
- Li₄SiO₄ and Li₄GeO₄ superionics, vibrational spectra and energy characteristics, **134**, 232
- LiSn₂(PO₄)₃, low-temperature triclinic distortion in, letter to editor, **130**, 322
- Li₃Sr₂MN₄ (*M* = Nb,Ta), synthesis and structure, **130**, 1
- Li₈TbO₆, magnetic susceptibility and EPR spectra, **128**, 228
- Li₅TiN₃, microwave synthesis, **130**, 266
- Li_{0.74}Ti₃O₆, intergrowth phase of rutile and ramsdellite structure, synthesis and characterization, **129**, 7
- LiTi₂O₄, transformation from spinel to ramsdellite upon heating, **132**, 382
- LiYF₄, Am³⁺ in, spectroscopic studies and crystal-field analysis, **129**, 189
β-rhombohedral boron doped with, electronic structure, electron energy-loss spectroscopic study, **133**, 152
- LMTO band structure calculations
ThCr₂Si₂-type transition metal compounds, **130**, 254
in tight-binding representation, doped and undoped γ -Ln₂S₃ (*Ln* = La, Ce,Pr,Nd), **128**, 197
- Local environment
chemically lithiated iron thiospinel, **134**, 238
- Luminescence
Ba₅M₄O₁₅ (*M* = Ta⁵⁺,Nb⁵⁺), **134**, 187
Ca_{1-x}La_xS (*x* = 0–0.3), **131**, 101
Y_{17.33}(BO₃)₄(B₂O₅)₂O₁₆, **134**, 158
- Lutetium
Al₅Lu₃O₁₂, cations arrays in garnet-type compounds, **128**, 69
Hg₂Ba₂LuYb₂O_{8-δ}, synthesis and structural and magnetic characterization, **132**, 163
LuB₄, polar and reticular microhardness anisotropy, **133**, 296
LuNi₂B₂C superconductor, comparison with nonsuperconducting SrRh₂P₂, **130**, 254
LuOOH, cation arrays, **131**, 358
Lu₂PdO_{4-δ}, orthorhombic *T'*-type, lutetium and oxygen displacements in, letter to editor, **131**, 185
LuRh₃B₂, single crystal growth from molten copper flux, **133**, 82
Lu_{6+x/3}Si₁₁N_{20+x}O_{1-x}, preparation and crystal structure, **129**, 312
Lu₂Sn₂O₇, structural and bonding trends, **130**, 58
LuTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277

M

- Magneli phases
translational disorder generated by oriented defects in, **131**, 215
- Magnesium
(Co,Mg)_{10n-2}Ge_{3n+1}O_{16m} structure, **130**, 9
La₆MgGe₂S₁₄, synthesis and structure, **131**, 399
La₆MgSi₂S₁₄, synthesis and structure, **131**, 399
lanthanum magnesium hexaaluminate, defect energetics and non-stoichiometry, **130**, 199
Mg–Fe catalysts prepared from hydrotalcite-like precursors, surface acid/base properties, microcalorimetric studies, **128**, 73
Mg₃Fe₂(SeO₃)₆·2H₂O, synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
[Mg_{0.174}Ga_{0.256}(OH)₂](CO₃)_{0.134}·mH₂O, synthesis, characterization, and ¹H and ⁷¹Ga MAS NMR, **131**, 78
Mg₃N₂, crystal structure, **132**, 56
MgNb₂O₆ columbite, crystal structure refinement from neutron powder diffraction data, **134**, 76
(Mg,Ni)₂(OH)(AsO₄), structural and spectroscopic studies, **132**, 107
MgO–Nb₂O₅–NbO₃, phase diagram and formation of reduced pseudobrookite Mg_{5-x}Nb_{4+x}O_{15-δ} (1.14 ≤ *x* ≤ 1.60) phases, **134**, 76
Mg₃(PO₄)₂, high-temperature and high-pressure phase, crystal structure, **129**, 341
Mg–Zr–O–N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
NaCaCdMg₂(AsO₄)₃, alluaudite-like structure, **131**, 298
NaCa₂Mg²⁺(AsO₄)₃, cationic substitution effects on garnet–alluaudite polymorphism, **131**, 290
NaMgF₃ perovskites, thermochemistry, **132**, 131
(Ni,Mg)_{10n-2}Ge_{3n+1}O_{16m} structure, **130**, 9
Sr₃MgMO₆ (*M* = Pt,Ir,Rh), synthesis, crystal structure, and magnetic properties, **130**, 35
Zn(Mg)_{1-x}Cu_xSb₂O₆, trirutile-type compounds, Cu²⁺ polyhedra in, geometry and electronic structure, **131**, 263
- Magnesium phthalocyanine
thin films prepared by vacuum evaporation, electrical and optical characterization, **128**, 27
- Magnetic coupling
changes after chimie douce reactions: magnetic structures of LiMnXO₄(OD) (*X* = P,As), **132**, 202
- Magnetic excitation spectrum
SmB₆-based compounds, effect of mixed-valences state, **133**, 230
- Magnetic moment
BaCuB₂O₅, noncentrosymmetric pyroborate, **129**, 184
- Magnetic properties
Ba₄CuMO₄Cl₄ (*M* = Li,Na), Cu(III) oxy-chlorides, letter to editor, **129**, 360
Ba₂MM'F₇Cl (*M*,*M'* = Mn,Fe,Co,Ni,Zn), **131**, 198
Bi_{0.267}Pr_{0.733}SrO_{3-δ}, **132**, 182
Bi_{1-x}Sr_xMnO₃, **132**, 139
BN, cubic powders, effect of chemically active media, **133**, 292
Ca_{1-x}Eu_xMnO₃ (0 ≤ *x* ≤ 1) perovskites, **131**, 144
CsMo₆O₁₀(Mo₂O₇)(PO₄)₄, **128**, 233

- [Cu(II)(μ -3,5-dimethylpyrazolate)(μ -OH)], **132**, 24
 [Cu(II)(6-mercaptopyridinolate²⁻)_n], **132**, 78
 [Cu(II)(μ -pyrazolate)(μ -OH)], **132**, 24
 Fe₃O₄ thin films prepared via sol-gel method, **128**, 87
 [Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], **134**, 349
 La_{2-x}Cd_xRu₂O_{7- δ} pyrochlore oxides, **129**, 308
 LaMnO_{3+ δ} , **130**, 117
 LaNi_{1-x}W_xO₃ (0 ≤ x ≤ 0.25) perovskites, **134**, 274
 La_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1), letter to editor, **133**, 583
 LiMnO₂ orthorhombic crystals, long-range and short-range magnetic order, **128**, 209
 LiMn₂O₄- and Li₂MnO₃-type oxides, **131**, 94
 LiMn₂O₄ spinels, **131**, 138
 Li₃Mo₃O₅(PO₄)₃ with bidimensional connection of MoO₆ octahedra, **133**, 391
 A_{1-x}MnO_{3+y} (A = La, Eu) orthomanganites with perovskite structure, **130**, 171
 A₄Mo₁₈O₃₂ (A = Ca, Y, Gd-Yb) with Mo_n (n = 2,4,6) cluster chains, **134**, 45
 NaCoPO₄
 polymorph with edge-sharing Co²⁺ octahedral chains, **131**, 160
 with trigonal bipyramidal Co²⁺ and tunnel structure, **129**, 328
 Na₂MSi₄O₁₀ (M = Co, Ni), **131**, 335
 Nd(Cr_{1-x}Ni_x)O₃, **134**, 382
 PbFe_xV_{6-x}O₁₁ (1 ≤ x ≤ 1.75), R-type frustrated system, effects of Fe substitution, **130**, 223
 (Pr_{1.5}Ce_{0.5})Sr₂Cu₂TaO_{10- δ} and (R_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10- δ} (R = Nd, Sm, Eu), **133**, 445
 Pr_{1-x}K_xMnO₃ perovskites (x = 0–0.15), **132**, 98
 Sm₂ReO₅, **132**, 196
 Sr₃MgMO₆ (M = Pt, Ir, Rh), **130**, 35
 Sr₄Mn₃(B_{1-x}Mn_x)O₁₀ related to cubic perovskite structure, **134**, 395
 SrPrO₃ perovskite, **132**, 337
 (Ti_{1.5}Hg_{0.5})Sr_{3-x}Ba_xFe₂O_{9- δ} (0 ≤ x ≤ 2) with TI-2212-type structure, **132**, 308
 UGe, **129**, 113
 Zr₂Ni₂In and Zr₂Ni₂Sn, **128**, 289
- Magnetic ribbons
 amorphous, state of boron atoms in, impedance spectroscopy and XPS studies, **133**, 273
- Magnetic structure
 LiMnXO₄(OD) (X = P, As), **132**, 202
 Ni_{1+x}Fe_{2-2x/3}O₄ (x = 0.30), **129**, 123
 ordered cubic Pd₃Mn, **128**, 109
 U₃Ga₂Ge₃, neutron powder diffraction study, **131**, 72
- Magnetic susceptibility
 Ag₂VP₂O₈, **130**, 28
 BaGe₂, **133**, 501
 Ba₂(RSb)O₆ (R = Y, Ho) ordered perovskites suitable as substrates for superconducting films, **128**, 247
 Cu₂(OH)₃(CH₃COO)·H₂O, **131**, 252
 Ln₃Cu₄P₄O₂ (Ln = La, Ce, Nd), **129**, 250
 Hg₂Ba₂LnCu₂O_{8- δ} (Ln = Nd-Gd, Dy-Lu), **132**, 163
 K₂(VO)₂P₄O₁₃ with tunnel structure, **132**, 41
 LaCuO_{3-y} (0 ≤ y ≤ 0.5), control by oxygen content adjustment, **130**, 213
 Li₈PrO₆ and Li₈TbO₆, **128**, 228
 Na_xTa₃N₅ (0 ≤ x ≤ 1.4), **132**, 394
 Na₂Ti₂Sb₂O layered tetragonal compound, **134**, 422
 NbS₂-IrS₂ system, **129**, 242
 Pu₂T₂X (T = Co, Ir, Ni, Pd, Pt, Rh; X = In, Sn), **134**, 138
 Ti₄TBi₂ (T = Cr, Mn, Fe, Co, Ni), **133**, 400
- Magnetism
 Li₂Fe₂(MoO₄)₃, **130**, 147
 NiCr₂S₄, powder neutron diffraction study, **134**, 110
 quaternary borocarbides, **133**, 169
 Sr_{3-x}A_xFe₂O₇ (x ≤ 0.4; A = Ba, La), **130**, 129
- Magnetoresistance
 CMR effect in electron-doped Ca_{1-x}Sm_xMnO₃, **134**, 198
- Manganese
 Ba₂MnM'F₇Cl (M' = Mn, Fe, Co, Ni), magnetic properties and neutron diffraction study, **131**, 198
 Ba₆Mn₂₄O₄₈ with composite tunnel structure, synthesis and HREM study, **132**, 239
 Bi_{2-x}Pb_xSr_{1.5}Ca_{1.5}Mn₂O_{9- δ} with 2212 structure, synthesis and crystal chemistry, **132**, 420
 Bi_{1-x}Sr_xMnO₃, magnetic and electrical properties, **132**, 139
 Ca_{1-x}Eu_xMnO₃ (0 ≤ x ≤ 1) perovskites, magnetic study, **131**, 144
 Ca_{1-x}Sm_xMnO₃, electron-doped, CMR effect in, **134**, 198
 Cu_xMn_{1-x}(HCOO)₂·2H₂O mixed crystals, thermal decomposition to copper-manganese oxides, **133**, 416
 HoMnO₃, with metastable perovskite-type structure, synthesis, **129**, 334
 LaMnO_{3+ δ}
 synthesis by firing gels using citric acid, **129**, 60
 transition from polaronic to itinerant behavior of Mn e electrons, **130**, 117
 (LaMn_{1-x}Ti_x)_{1-y}O₃ (x ≤ 0.05), electrical transport in, **133**, 466
 La_{2-x}Sr_{2x}Cu_{1-x}Mn_xO₄, linear Cu-O-Mn electronic interaction in two dimensions, **128**, 169
 La-Sr-Mn-O system, phase equilibria, **134**, 38
 LiCr_yMn_{2-y}O₄ (0 ≤ y ≤ 1), structure modifications induced by electrochemical Li deintercalation, Rietveld analysis, **132**, 372
 LiMnO₂, orthorhombic crystals, long-range and short-range magnetic order, **128**, 209
 LiMnXO₄(OD) (X = P, As), magnetic structure, **132**, 202
 LiMn₂O₄, spinel-type oxides
 charge-discharge process, *in situ* XAFS study, letter to editor, **133**, 586
 electric and magnetic properties, **131**, 94
 and Li₂MnO₃, stoichiometry of coexisting phases, XRD and EPR studies, **128**, 80
 proton-exchanged, surface structure and Li⁺ sieve properties, **131**, 84
 Verwey-type transition and magnetic properties, **131**, 138
 X-ray absorption studies, letter to editor, **128**, 326
 Li_{1+y}Mn_{2-y}O₄, electric and magnetic properties, **131**, 94
 Li₂MnO₃
 electric and magnetic properties, **131**, 94
 and LiMn₂O₄, stoichiometry of coexisting phases, XRD and EPR studies, **128**, 80
 Li₄Mn₅O₁₂, structure refinement with neutron and X-ray powder diffraction data, **130**, 74
 LiMnVO₄, ambient and high-pressure structures and Mn³⁺/Mn²⁺ redox energy, **128**, 267
 LiNi_{0.8}Mn_{0.2}O₂, neutron diffraction study, **134**, 1
 Mn_{1-x-y}Ag_yΦV_{2-2x-y}Mo_{2x+y}O₆, solid solutions, synthesis and study, **133**, 545
 MnO₂, ramsdellite and pyrolusite, relationship to groutite and manganite: hydrogen bonding and Jahn-Teller distortion, **133**, 486
 Ln_{0.5}A_{0.5}MnO₃ (Ln = rare earth; A = alkaline earth), charge ordering in, dependence on size of A-site cation, letter to editor, **129**, 363
 A_{1-x}MnO_{3+y} (A = La, Eu), orthomanganites with perovskite structure, magnetic study, **130**, 171
 RMn₂O₅ (R = La, Pr, Nd, Sm, Eu), high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
- MnOOH
 cation arrays, **131**, 358
 groutite and manganite, hydrogen bonding and Jahn-Teller distortion in, **133**, 486

- Mn₇Sb₄(μ₅-O)₂(μ₄-O)₂(μ₃-OEt)₂(μ-OEt)₁₆(HOEt)₂, synthesis and structural analysis, **134**, 312
- Mn-Sn system, NiAs-Ni₂In-related structures in, **129**, 231
- Nd_{0.6}(Ca_{0.4-x}Cd_x)MnO₃ perovskites, charge order-disorder transition, **134**, 215
- Ni-6 mass% B-58.6 mass% Mo-10 mass% Mn, high-strength boride base hard materials, **133**, 243
- NiMn₂□_{3δ/4}O_{4+δ}, nonstoichiometric spinels, wide-angle X-ray scattering study, **129**, 271
- Pd₃Mn, ordered cubic type, magnetic structure, **128**, 109
- Pr_{0.5}Ca_{0.5}MnO₃, insulator-metal transition induced by Cr and Co doping, letter to editor, **130**, 162
- Pr_{1-x}K_xMnO₃ perovskites ($x = 0-0.15$), structure and properties, **132**, 98
- Sr₂Cu₂MnO₂S₂, synthesis and properties, **130**, 319
- Sr₄Mn₃(B_{1-x}Mn_x)O₁₀, related to cubic perovskite structure, synthesis and characterization, **134**, 395
- tetrahedral oxo and hydroxo Mn(V) clusters, valence stabilization, mixed crystal chemistry, and electronic transitions, **128**, 1
- Ti₄MnBi₂, preparation and properties, **133**, 400
- YMnO₃, with metastable perovskite-type structure, synthesis, **129**, 334
- Manganite
hydrogen bonding and Jahn-Teller distortion in, **133**, 486
- Mechanical properties
injection molded B₄C-C ceramics, **133**, 68
Ni-6 mass% B-58.6 mass% Mo-10 mass% *X* ($X = V, Fe, Co, Ti, Mn, Zr, Nb, W$) high-strength boride base hard materials, **133**, 243
TiB₂ PVD coatings, **133**, 117
- Mechanical stress
moderate, incipient reaction of Ca(OH)₂ and SiO₂ under, mechanisms: changes in short-range ordering, **130**, 284
- Mechanochemical reactions
self-propagating, between hexachlorobenzene and calcium hydride, **129**, 263
- Melting
in microwave oven, ion-conducting glasses prepared by, reversible color changes: structural implications, **131**, 173
- Mercury
Hg₂Ba₂LnCu₂O_{8-δ} ($Ln = Nd-Gd, Dy-Lu$), synthesis and structural and magnetic characterization, **132**, 163
Hg₂Mo₅O₁₆, preparation and crystal structure, **128**, 205
(Ti_{1.5}Hg_{0.5})Sr_{3-x}Ba_xFe₂O_{9-δ} ($0 \leq x \leq 2$) with TI-2212-type structure, preparation and characterization, **132**, 308
- Metal-insulator transition
doped rare earth manganate perovskites crystals prepared by fused salt electrolysis, letter to editor, **130**, 327
*A*₄Mo₁₈O₃₂ ($A = Ca, Y, Gd-Yb$) with Mo_{*n*} ($n = 2, 4, 6$) cluster chains, **134**, 45
V₂O₃, acoustic emission during, **133**, 430
- Metal-semiconductor behavior
*A*₂Ru₂O_{7-y} ($A = Bi, Pb, Tl, rare\ earth$) pyrochlores, letter to editor, **131**, 405
- Metal-semiconductor transition
La₂NiO_{4+δ}, mechanism, **131**, 275
- Metal-to-metal bonding
in transition metal monocarbides and mononitrides, **128**, 121
- Methanolothermal synthesis
Cs₄Te_xSe_{16-x} ($x = 1, 4$) and Cs₄Te_{9.74}Se_{13.26} with ordered Se/Te rings and chains, **134**, 364
- 4-Methylbenzeneamine
solid-solid reactions with CuCl₂·2H₂O, CoCl₂·6H₂O, and NiCl₂·6H₂O, **132**, 291
- Microcalorimetric studies
surface acid/base properties of Mg-Fe catalysts prepared from hydrotalcite-like precursors, **128**, 73
- Microwave dielectric resonators
Ba_{5-x}Sr_xNb₄O₁₅ ceramics, vibrational analysis, **131**, 2
- Microwave melting
ion-conducting glasses prepared by, reversible color changes: structural implications, **131**, 173
- Microwave susceptibility
NaH₂PO₄·2H₂O, **132**, 349
- Microwave synthesis techniques
for crystalline and glassy phosphates with NASICON-type chemistry, **132**, 349
for ternary nitride materials, **130**, 266
- Molecular beam deposition
gas source MBD, preparation of boron and boron phosphide films by, **133**, 269
- Molybdenum
anhydrous ethylenediamine trimolybdate, hydrothermal synthesis and crystal structure, letter to editor, **132**, 224
BaMo₂O₇(s), molar Gibbs energy of formation using solid oxide galvanic cell method, **134**, 416
Bi₁₃Mo₄VO₃₄E₁₃, [Bi₁₂O₁₄E₁₂]_{*n*} columns and lone pairs *E* in, **131**, 236
Bi₂O₃-MoO₃-V₂O₅ system, synthesis, crystal structure, and chemistry, **131**, 236
Ca₈[Al₁₂O₂₄](MoO₄)₂, structure and high-temperature phase transitions, **129**, 130
CsMo₆O₁₀(Mo₂O₇)(PO₄)₄, synthesis, crystal structure, and magnetic properties, **128**, 233
CuMoO₄, *p*-*T* phase diagram, **132**, 88
Hg₂Mo₅O₁₆, preparation and crystal structure, **128**, 205
MIn(MoO₄)₂ ($M = Li, Na, K, Cs$), vibrational characteristics, **129**, 287
In₅Mo₁₈O₂₈, HREM studies on real structure, **130**, 290
K_{0.23}(H₂O)_{0.27}MoO_{3.00}, K_{0.23}(H₂O)_{0.43}MoO_{3.00}, and K_{0.23}(H₂O)_{0.65}MoO_{3.00} bronzes, preparation and thermal decomposition, **132**, 330
K_{0.28}MoO₃ bronze, soft chemical modification, **128**, 256
La₃MoO₇, structure and electronic and thermal properties, **129**, 320
lanthanum molybdates with La:Mo ratio of 1:1, direct synthesis by high-energy ball milling, letter to editor, **132**, 443
Li₂Fe₂(MoO₄)₃, weak ferromagnetic ground state structure, **130**, 147
Li₃Mo₃O₅(PO₄)₃, with bidimensional connection of MoO₆ octahedra, isolation and magnetic properties, **133**, 391
Li(Mo,W)₂O₃(PO₄)₂, synthesis and intersecting tunnel structure, **128**, 215
Li₂Na(MoO)₂(PO₄)₃, synthesis and crystal structure, **129**, 298
Mn_{1-x-y}Ag_yΦV_{2-2x-y}Mo_{2x+y}O₆, solid solutions, synthesis and study, **133**, 545
(Mo_{*x*}Cr_{1-x})AlB, single crystal growth by metal Al solutions and crystal properties, **133**, 36
MoO₃
interaction with α-Fe₂O₃, **129**, 30
surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
AMo₃O₁₂, negative thermal expansion, letter to editor, **133**, 580
*A*₄Mo₁₈O₃₂ ($A = Ca, Y, Gd-Yb$), with Mo_{*n*} ($n = 2, 4, 6$) cluster chains, anomalous metal-insulator transitions in, **134**, 45
(Mo_{*x*}W_{1-x})AlB, single crystal growth by metal Al solutions and crystal properties, **133**, 36
MoWO₃(PO₄)₂, crystal structure, **128**, 191
NaMoO₂AsO₄, preparation and crystal structure, **133**, 386
Na₃(MoO)₂(PO₄)₃ with intersecting tunnel structure, synthesis and crystal chemistry, **132**, 249
Ni-6 mass% B-58.6 mass% Mo-10 mass% *X* ($X = V, Fe, Co, Ti, Mn, Zr, Nb, W$) high-strength boride base hard materials, **133**, 243
[PMo_{4.27}W_{7.73}O₄₀⁶⁻][H₃N(CH₂)₆NH₃²⁺]₃, hydrothermal synthesis and structure, **129**, 257

- Rb₂Mo₂WO₅(PO₄)₃, interconnected tunnel structure, **130**, 48
 TeMo₅O₁₆, two-dimensional conductor, synthesis and crystal structure, **129**, 303
- Monetite
 protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
- Mössbauer spectroscopy
 CeRu₄Sn₆, ¹¹⁹Sn study, **134**, 326
 chemical behavior of Sn dopant atoms on surface of Cr₂O₃ microcrystals, **132**, 284
 Fe-doped β-rhombohedral boron, **133**, 342
 FeNbO₄, ⁵⁷Fe study, **134**, 253
 [Fe₃(PO₄)₃F₂·(CH₃NH₃)₂·H₂O], **134**, 349
 M₃Fe₂(SeO₃)₆·2H₂O (M = Mg, Co, Ni), **131**, 54
 Sb₂S₃-As₂S₃-Ti₂S glasses, ¹²¹Sb study, **133**, 458
- N
- Nanocrystals
 borides and related compounds, hardness, elastic modulus, and electrical resistivity, **133**, 249
- Nanopowders
 TiO₂ anatase, Ru complex sensitizers of, crystal structure, **132**, 60
- NASICON-type chemistry
 crysalline and glassy phosphates with, synthesis using high microwave susceptibility of NaH₂PO₄·2H₂O, **132**, 349
- Negative force constants
 analysis and determination of force constants by electronic structure, **133**, 327
- Neodymium
 AlNdO₃, cation arrays in perovskite-type compounds, **128**, 69
 Hg₂Ba₂NdCu₂O_{8-δ}, synthesis and structural and magnetic characterization, **132**, 163
 HNdTiO₄ and HNdTiO₄·xH₂O, structure and Raman spectra, **130**, 110
 Li_{0.5-3x}Nd_{0.5+x}TiO₃ perovskites, microstructural study, **128**, 97
 NaNdTiO₄ and Na₂Nd₂Ti₃O₁₀, structure and Raman spectra, **130**, 110
 NdB₆, polar and reticular microhardness anisotropy, **133**, 296
 Nd₂Ba₄Cu₇O_{14+δ}, Pr-doped, high-pressure synthesis and characterization, **132**, 73
 Nd_{0.6}(Ca_{0.4-x}Cd_x)MnO₃ perovskites, charge order-disorder transition, **134**, 215
 (Nd_{2-0.125}Ce_{0.125}CuO_{4-0.625})₂×₄, superconductive mechanism, **129**, 174
 Nd(Cr_{1-x}Fe_x)O₃, relationship of crystal structure and electrical properties, **131**, 108
 Nd(Cr_{1-x}Ni_x)O₃, electrical properties, effect of spin state of Ni³⁺ ions, **134**, 382
 Nd₃Cu₄P₄O₂, synthesis, crystal structure, and properties, **129**, 250
 Nd₃Ga₅O₁₂ garnet, electron density study, **132**, 300
 NdMn₂O₅, high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
 Nd₇O₆(BO₃)(PO₄)₂, X-ray powder diffraction and vibrational spectra studies, **129**, 45
 Nd₅Os₃C_{4-x}, preparation and crystal structure, **131**, 49
 NdPd₃S₄ bronze, crystal structure and electrical conductivity, **129**, 1
 (Nd_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10-δ}, structural properties and oxygen stoichiometry, **133**, 445
 NdRh₂B₂C, synthesis and characterization, **133**, 77
 γ-Nd₂S₃, doped and undoped, band electronic structure study through LMTO-TB calculations, **128**, 197
 Nd₂Sn₂O₇, structural and bonding trends, **130**, 58
 NdTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
 zirconolite-4M substituted with, analysis and structure, **129**, 346
- Neutron diffraction, *see* Powder neutron diffraction
- Neutron scattering
 KAl(HPO₄)₂·H₂O, **132**, 47
 protonic mobility in brushite and monetite, **132**, 6
- Nickel
 Ba₂NiM'F₇Cl (M' = Mn, Fe, Co, Ni), magnetic properties and neutron diffraction study, **131**, 198
 Ba₈₈Ni₈₇O₁₅₆(CO₃)₁₉, synthesis and structure, **128**, 220
 Me⁺Br·NiBr₂·6H₂O (Me⁺ = K, NH₄, Rb), crystallization and structure, **129**, 200
 CaNi₂P₂, electronic structure and chemical bonding, first-principles study, **129**, 147
 (CH₃NH₃)₂Ni(II)(SO₄)₂·6H₂O, IR and Raman spectra, **133**, 407
 doping of ZnO thin films, **128**, 176
 Hf₂NiP, structure and characterization, **131**, 379
 LaFe_xNi_{1-x}O₃ solid solutions, crystal structure refinement and stability, **133**, 379
 LaNi₅ particles, adsorption characteristics, **134**, 67
 La₂NiO_{4+δ}, metal-semiconductor transition, **131**, 275
 LaNi_{1-x}W_xO₃ (0 ≤ x ≤ 0.25) perovskites, magnetic properties, **134**, 274
 LiNi_{0.8}Mn_{0.2}O₂, neutron diffraction study, **134**, 1
 LuNi₂B₂C superconductor, comparison with nonsuperconducting SrRh₂P₂, **130**, 254
 (Mg, Ni)₂(OH)(AsO₄), structural and spectroscopic studies, **132**, 107
 NaCa₂Ni₂⁺(AsO₄)₃, cationic substitution effects on garnet-alluaudite polymorphism, **131**, 290
 Na₂NiSi₄O₁₀, magnetic behavior, **131**, 335
 Nd(Cr_{1-x}Ni_x)O₃, electrical properties, effect of spin state of Ni³⁺ ions, **134**, 382
 NiX₄ (X = O, S, Se), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
 An₂Ni₂X (An = Pu, Am; X = In, Sn), synthesis, crystal chemistry, and physical properties, **134**, 138
 NiAs-Ni₂In, related structures in Mn-Sn system, **129**, 231
 RNi₂B₂C systems
 chemical and physical properties, **133**, 169
 superconducting and magnetic ordering temperatures for R = Tm or Er, effects of Pd, Pt, and Co dopants, **133**, 5
 Ni-6 mass% B-58.6 mass% Mo-10 mass% X (X = V, Fe, Co, Ti, Mn, Zr, Nb, W) high-strength boride base hard materials, **133**, 243
 NiCl₂·6H₂O, solid-solid reactions with 4-methylbenzylamine, **132**, 291
 NiCr₂S₄, structure and magnetism, powder neutron diffraction study, **134**, 110
 Ni_{1+x}Fe_{2-2x/3}O₄ (x = 0.30), obtained by ionic exchange from α-NaFeO₂, crystal and magnetic structures, **129**, 123
 Ni₃Fe₂(SeO₃)₆·2H₂O, synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
 Ni(II) α-hydroxide, hydrotalcite-like phases, **128**, 38
 (Ni, Mg)_{10n-2}Ge_{3n+1}O_{16n}, structure, **130**, 9
 NiMn₂□_{3δ/4}O_{4+δ}, nonstoichiometric spinels, wide-angle X-ray scattering study, **129**, 271
 δ-Ni_{0.25}V₂O₅·H₂O, crystal structure, **132**, 323
 Pr₂INi₂ and Pr₄I₅Ni, condensed cluster phases, **129**, 277
 Pr₂NiO_{4+δ}, La- and Sr-substituted, oxygenation and electrical properties, **131**, 167
 Ti₄NiBi₂, preparation and properties, **133**, 400
 Zr₂Ni₂In, structure and properties, **128**, 289
 Zr₂NiP, structure and characterization, **131**, 379
 Zr₂Ni₂Sn, structure and properties, **128**, 289
- Niobium
 Ba₅Nb₄O₁₅, luminescence, **134**, 187
 BaNbSe₃, quasi-one-dimensional selenide, phase transitions, **132**, 188

- BaNb₂Se₅, superconductivity, **132**, 188
- Ba_{5-x}Sr_xNb₄O₁₅, microwave dielectric ceramic resonators, vibrational analysis, **131**, 2
- Ca(PO₃)₂-CaB₄O₇-Na₂B₄O₇-Nb₂O₅, borophosphate glasses, synthesis and second-harmonic generation after poling treatment, **133**, 529
- CrZr_{0.75}Nb_{0.25}F₆, antiferrodistortive order in solid solution, **131**, 231
- CuNbOF₅·4H₂O, infrared spectroscopy, **133**, 576
- Cu_x(MS)_{1+y}(NbS₂)₂ (M = Ce,Sm), phase transition, **134**, 99
- FeNbO₄, electrical resistivity, thermopower, and ⁵⁷Fe Mössbauer study, **134**, 253
- Li₃Sr₂NbN₄, synthesis and structure, **130**, 1
- MgNb₂O₆ columbite, crystal structure refinement from neutron powder diffraction data, **134**, 76
- MgO-Nb₂O₅-NbO, phase diagram and formation of reduced pseudobrookite Mg_{5-x}Nb_{4+x}O_{15-δ} (1.14 ≤ x ≤ 1.60) phases, **134**, 76
- NbS₂-IrS₂ system, 1T structure stability, **129**, 242
- Ni-6 mass% B-58.6 mass% Mo-10 mass% Nb, high-strength boride base hard materials, **133**, 243
- (R_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10-δ} (R = Nd,Sm,Eu), structural properties and oxygen stoichiometry, **133**, 445
- Rb₅VONb₁₄O₃₈, synthesis and crystal structure, **134**, 10
- Tl_{1-x}Sr₂Cu_{1-y}Nb_{x+y}O_{5-δ}, 1201-based cuprate, cation ordering in, **132**, 113
- Nitrogen, *see also* Ammonium
- Ag₂Ce(H₂O)(NO₃)₅, structure and thermal decomposition, temperature-dependent X-ray powder diffraction study, **132**, 361
- AlN, microwave synthesis, **130**, 266
- [Al₃P₄O₁₆]³⁻·3[CH₃CH₂NH₃]⁺, nonaqueous synthesis and characterization, **129**, 37
- anhydrous ethylenediamine trimolybdate, hydrothermal synthesis and crystal structure, letter to editor, **132**, 224
- BaO-Al₂O₃-AlN system, phase relations, **129**, 66
- B-C-N-O system, syntheses at high pressure and temperature in electron energy-loss spectroscopy, **133**, 365
- materials prepared by, **133**, 356
- BN
- for coatings, matrix, and Si₃N₄-BN composite ceramics, aminoboranes as source for, **133**, 164
- cubic, structure and properties, effect of chemically active media, **133**, 292
- B₆N_{1-x}, synthesis at high pressure and temperature, **133**, 356
- B₆N, synthesized at high pressure and temperature, electron energy-loss spectroscopy, **133**, 365
- Ca₃N₂, solid solutions with LaN, formation of defect rock salt nitrides La_{1-x}Ca_xN_{1-x/3}, **129**, 144
- carbon fiber/BN matrix microcomposite, preparation, aminoboranes as BN source for, **133**, 164
- Ca-Zr-O-N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
- Cd^{II}[(Fe^{III}/Co^{III})(CN)₆]₂·14H₂O, X-ray diffraction and spectral studies, **129**, 17
- (CH₃NH₃)₂M(II)(SO₄)₂·6H₂O (M(II) = Cu,Zn,Ni), IR and Raman spectra, **133**, 407
- C₂₉H₃₀N₅O₄S₂Ru, crystal structure, **132**, 60
- [C₁₀N₂H₉][Al(PO₄)(PO₂(OH)₂)], synthesis and characterization, **128**, 318
- CrN, synthesis from ammonolysis of Cr₂S₃, **134**, 120
- CrWN₂, chemical synthesis and crystal structure, **128**, 185
- [Cu(II)(μ-3,5-dimethylpyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
- Cu₂Fe(CN)₆, interaction with silver ions in solution, **132**, 399
- [Cu(II)(6-mercaptapurinolate²⁻)_n], magnetic study, **132**, 78
- [Cu(II)(μ-pyrazolate)(μ-OH)], antiferromagnetic coupling, **132**, 24
- [Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
- Fe₄W₂N, with unique η-carbide structure, synthesis, **134**, 302
- (Fe_{0.8}W_{0.2})WN₂, synthesis and characterization, **131**, 374
- Ga(CN)₃, disordered crystal structure, **134**, 164
- K/V/P/N(C₂H₅)₃/H₂O and NH₄/V/P/H₂O hydrothermal systems, analysis at 473 K, **134**, 286
- La_{1-x}Ca_xN_{1-x/3} (0 < x < 0.7), defect rock salt nitrides prepared from LaN and Ca₃N₂, **129**, 144
- LaN, solid solutions with Ca₃N₂, formation of defect rock salt nitrides La_{1-x}Ca_xN_{1-x/3}, **129**, 144
- Li₃AlN₂, microwave synthesis, **130**, 266
- Li₃FeN₂, microwave synthesis, **130**, 266
- Li₄NCl, preparation and crystal structure, **128**, 241
- Li₅NCl₂, ordered and disordered phases, preparation and crystal structure, **130**, 90
- Li₃Sr₂MN₄ (M = Nb,Ta), synthesis and structure, **130**, 1
- Li₅TiN₃, microwave synthesis, **130**, 266
- 4-methylbenzeneamine, solid-solid reactions with CuCl₂·2H₂O, CoCl₂·6H₂O, and NiCl₂·6H₂O, **132**, 291
- Mg₃N₂, crystal structure, **132**, 56
- Mg-Zr-O-N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
- Na_xTa₃N₅ (0 ≤ x ≤ 1.4), synthesis and partial characterization, **132**, 394
- N(CH₃)₄·Zn(H₂PO₄)₃, molecular cluster, synthesis and crystal structure, **131**, 363
- N(CH₃)₄·Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, synthesis and crystal structure, **131**, 363
- NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376
- [NH₃(CH₂)₄NH₃]²⁺[Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, synthesis and characterization, **132**, 229
- NH₄/V/P/H₂O and K/V/P/N(C₂H₅)₃/H₂O hydrothermal vanadium phosphate systems, analysis at 473 K, and crystal structures of NH₄VOPO₄ and (NH₄)₃V₂O₃(VO)(PO₄)₂(HPO₄), **134**, 286
- [PMo_{4.27}W_{7.73}O₄₀][H₃N(CH₂)₆NH₃⁺]₃, hydrothermal synthesis and structure, **129**, 257
- (Pr/La)Co(CN)₆·5H₂O, mixed cationic systems, synthesis and crystal structure, **129**, 12
- Si₃N₄-BN composite ceramic, preparation, aminoboranes as BN source for, **133**, 164
- R_{6+x/3}Si₁₁N_{20+x}O_{1-x} (R = Y and Gd-Lu), preparation and crystal structures, **129**, 312
- TiN
- microwave synthesis, **130**, 266
- nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
- synthesis from ammonolysis of TiS₂, **134**, 120
- TiN/TiB₂ nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
- [Ti₃(PO₄)₄(H₂O)₂]·NH₃, synthesis and X-ray powder structure, **132**, 213
- VN
- metal-to-metal bonding in, **128**, 121
- microwave synthesis, **130**, 266
- synthesis from ammonolysis of VS₂, **134**, 120
- Zn(CN)₂, disordered crystal structure, **134**, 164
- β-Zr(OH)₂(NO₃)₂·H₂O, structural analysis by X-ray powder diffraction, **128**, 295
- α-Zr(OH)₂(NO₃)₂·1.65H₂O, structural analysis by X-ray powder diffraction, **128**, 295
- Nonlinear optical materials
- 2-amino-5-nitropyridinium chloride, crystal growth, **129**, 22

- NQR spectroscopy
 ^{127}I , in kinetic study of $\text{Cs}_3\text{Sb}_2\text{I}_9$ reconstructive phase transformation, **134**, 319
- Nuclear magnetic resonance
 $\text{KAl}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$, **132**, 47
 $[\text{Mg}_{0.174}\text{Ga}_{0.256}(\text{OH})_2](\text{CO}_3)_{0.134} \cdot m\text{H}_2\text{O}$, **131**, 78
 $\text{NaO}_{0.44}\text{C}_{5.84}$ graphite intercalation compound with sodium and peroxide, **131**, 282
sol-gel alumina doped with La and Ce, **128**, 161
- Nuclear structure
 $\text{U}_3\text{Ga}_2\text{Ge}_3$, neutron powder diffraction study, **131**, 72

O

- Obituary
Hans Nowotny, **133**, 1
- Octahedral unit of antiprisms
diamond-type stacking, $(\text{H}_3\text{O})\text{Yb}_3\text{F}_{10} \cdot \text{H}_2\text{O}$ prepared by chimie douce synthesis, **128**, 42
stackings of UGP in description of complex structures, **128**, 52
- Open-framework phosphates
 $[\text{Fe}_3(\text{PO}_4)_3\text{F}_2, (\text{CH}_3\text{NH}_3)_2, \text{H}_2\text{O}]$, hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
- Optical memory
fluorescent photosensitive glass useful for, synthesis and characterization, **134**, 362
- Optical properties
magnesium phthalocyanine thin films prepared by vacuum evaporation, **128**, 27
 $\text{Na}_3\text{Eu}(\text{CO}_3)_3$, **132**, 33
 $\text{Zn}_{2-x}\text{Sn}_{1-x}\text{In}_{2x}\text{O}_{4-\delta}$ spinel, **134**, 192
- Optical spectrum
 β -rhombohedral boron, complete spectrum, **133**, 129
- Ordering
anionic vacancies in $\text{BaCoO}_{2.94}$ hexagonal related perovskites, **128**, 130
antiferromagnetic, *see* Antiferromagnetic ordering
in fcc-based alloys, similarity to cation ordering in $[(\text{Ti},\text{M})\text{O}]$ layers of 1201-based cuprate, **132**, 113
hydrogen bonding-induced NH_4^+ ordering in β - $(\text{NH}_4)_2\text{FeF}_5$ at low temperature, structural and spectroscopic evidence, **131**, 189
or disordering, in $A(B'B')\text{O}_3$ perovskite compounds, simple method for judging, **134**, 420
short-range, mechanically induced precursor in amorphous state between $\text{Ca}(\text{OH})_2$ and SiO_2 , **130**, 284
vacancy, *see* Vacancy ordering
- Osmium
 CeOs_3B_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 La_2IOs_2 and $\text{Pr}_3\text{I}_3\text{Os}$, condensed cluster phases, **129**, 277
 $\text{Ln}_5\text{Os}_3\text{C}_{4-x}$ ($\text{Ln} = \text{La-Nd,Sm}$), preparation and crystal structure, **131**, 49
- Oxidation
 $(\text{Mo}_x\text{Cr}_{1-x})\text{AIB}$ and $(\text{Mo}_x\text{W}_{1-x})\text{AIB}$ resistance to, **133**, 36
topotactic, quadruple-rutile-type chain structure $\text{Na}_{0.875}\text{Fe}_{0.875}\text{Ti}_{1.125}\text{O}_4$, **130**, 184
ultrafine copper powder resistance to, improvement by phosphating treatment, **130**, 157
- Oxide conductors
Bi-Ln-V-O anionic conductors with δ - Bi_2O_3 fluorite-type structure ($\text{Ln} = \text{Y,Sm,Eu,Gd,Tb,Dy,Er,Yb}$), **134**, 219
- Oxides-garnets
synthetic, calculation of elementary cell parameter of, empirical formula for, **134**, 338
- Oxoethoxide
 $\text{Mn}_7\text{Sb}_4(\mu_5\text{-O})_2(\mu_4\text{-O})_2(\mu_3\text{-OEt})_2(\mu\text{-OEt})_{16}(\text{HOEt})_2$, synthesis and structural analysis, **134**, 312

- Oxygen
Ca-Zr-O-N and Mg-Zr-O-N systems, oxynitride synthesis in ZrO_2 -rich part and characterization, **128**, 282
Co-free oxides with high permeability to, synthesis, **130**, 316
content in orthorhombic $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$, dependence of lattice parameters on, **134**, 356
displacement in orthorhombic T' -type $\text{Lu}_2\text{PdO}_{4-\delta}$, letter to editor, **131**, 185
introduction in $\text{YBa}_2\text{Cu}_3\text{O}_y$ single crystal, effects on structure and electron density, **130**, 42
in LaCuO_{3-y} ($0 \leq y \leq 0.5$), content adjustment, effect on copper valence and properties, **130**, 213
 α - MnOOH and γ - MnOOH , hydrogen bonding and Jahn-Teller distortion in, **133**, 486
nonstoichiometry in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-\delta}$, **131**, 150
pressure, effect on $\text{La}_2\text{NiO}_{4+\delta}$ excess oxygen concentration and electrical conductivity, **131**, 275
stoichiometry in $(\text{Pr}_{1.5}\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$ and $(\text{R}_{1.5-x}\text{Pr}_x\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{NbO}_{10-\delta}$ ($\text{R} = \text{Nd,Sm,Eu}$), **133**, 445
two-coordinate bridges, symmetric stretching vibrations in negative thermal expansion of $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$ and AW_2O_8 ($\text{A} = \text{Zr,Hf}$) at high temperature, letter to editor, **129**, 160
vacancy ordering in $\text{Pb}_2(\text{M}_{1.5}\text{W}_{0.5})\text{O}_{6.5}$ ($\text{M} = \text{Ti,Sn}$) defect pyrochlores, **130**, 81
- Oxygenation
 $\text{Pr}_{2-x}\text{M}_x\text{O}_{4+\delta}$ ($\text{M} = \text{La,Sr}$), **131**, 167
- Oxyhydroxides
trivalent metal, cation array of, **131**, 358
- Oxynitrides
synthesis in ZrO_2 -rich part of Ca-Zr-O-N and Mg-Zr-O-N systems and characterization, **128**, 282

P

- Palladium
Al-Pd-Re quasicrystals
modulated photocurrent measurements, **133**, 224
photocurrent observations, **133**, 302
 $\text{Al}_{92-x}\text{Pd}_x\text{Re}_8$ -type quasicrystals, electronic properties, **133**, 160
 $\text{Ba}_{11}\text{Pd}_{11}\text{O}_{20}(\text{CO}_3)_2$, synthesis and structure, **128**, 220
effect on superconducting and magnetic ordering temperatures in $\text{RNi}_2\text{B}_2\text{C}$ ($\text{R} = \text{Tm,Er}$), **133**, 5
 $\text{Li}_2\text{Pd}_3\text{B}$, with boron in octahedral position, **133**, 21
 $\text{Lu}_2\text{PdO}_{4-\delta}$, orthorhombic T' -type, lutetium and oxygen displacements in, letter to editor, **131**, 185
 $(\text{ND}_4)_2\text{PdCl}_6$, antiferroite, phase analysis, **131**, 221
 PdX_4 ($\text{X} = \text{O,S,Se}$), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
 $\text{An}_2\text{Pd}_2\text{X}$ ($\text{An} = \text{Pu,Am}$; $\text{X} = \text{In,Sn}$), synthesis, crystal chemistry, and physical properties, **134**, 138
 $\text{Pd/CeO}_2/\text{SiO}_2$ systems, spreading and phase transformations in, **131**, 121
 Pd_3Mn , ordered cubic type, magnetic structure, **128**, 109
 MPd_3S_4 bronzes ($\text{M} = \text{La,Nd,Eu}$), crystal structure and electrical conductivity, **129**, 1
Y-Pd-B-C system, chemical and physical properties, **133**, 169
- Parallel electron energy-loss spectroscopy
Be-B-bearing materials, **133**, 347
- Permeability
to oxygen, Co-free oxides with, synthesis, **130**, 316
- Perovskites
 AlLnO_3 ($\text{Ln} = \text{La,Ce,Pr,Nd,Sm,Ho}$), cation arrays in, **128**, 69
 $\text{BaCoO}_{2.94}$, hexagonal related, ordering of anionic vacancies in, **128**, 130

- Ba₂(RSb)O₆ (*R* = Y, Ho), suitable as substrates for superconducting films, characterization, **128**, 247
- Ba_{2-x}Sr_xDyTaO₆ (*x* = 0,1,2), development and dielectric properties, **133**, 522
- (Ba,Sr)_{1+y}UO_{3+x}, structure and thermodynamics, **131**, 341
- BaTi_{0.5}Sb_{0.5}O₃, structural analysis, letter to editor, **128**, 323
- Ba_{1+y}UO_{3+x}, structure and thermodynamics, **131**, 341
- BiMnO₃, ferromagnetic, effect of hole-doping, **132**, 139
- Ca_{1-x}Eu_xMnO₃ (0 ≤ *x* ≤ 1), magnetic study, **131**, 144
- doped rare earth manganate crystals, synthesis using fused salt electrolysis, letter to editor, **130**, 327
- HoMnO₃ and YMnO₃, with metastable structures, synthesis, **129**, 334
- LaFe_xNi_{1-x}O₃, crystal structure refinement and stability, **133**, 379
- LaNi_{1-x}W_xO₃ (0 ≤ *x* ≤ 0.25), magnetic properties, **134**, 274
- La_{1-x}Sr_xCoO_{3-δ}, Coulometric titration at high temperature: electronic band structure effect on nonstoichiometry behavior, **133**, 555
- Li_{0.5-3x}Nd_{0.5+x}TiO₃, microstructural study, **128**, 97
- A_{1-x}MnO_{3+y} (*A* = La, Eu) orthomanganites, magnetic study, **130**, 171
- NaMgF₃, thermochemistry, **132**, 131
- Nd_{0.6}(Ca_{0.4-x}Cd_x)MnO₃, charge order-disorder transition, **134**, 215
- Nd(Cr_{1-x}Ni_x)O₃, orthorhombic, electrical properties, effect of spin state of Ni³⁺ ions, **134**, 382
- NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376
- A(B'B'')O₃ compounds, simple method for judging ordering or disordering in, **134**, 420
- Pr_{1-x}K_xMnO₃ (*x* = 0–0.15), structure and properties, **132**, 98
- related 10-layer oxyhalide Ba₅Ru_{1.6}W_{0.4}Cl₂O₉, crystal structure, **132**, 407
- SrPrO₃, structure and magnetic properties, **132**, 337
- structure, closely related Sr₄Mn₃(B_{1-x}Mn_x)O₁₀, synthesis, **134**, 395
- Peroxide
and sodium, intercalation into graphite, **131**, 282
- Pharmacosiderite
rhombohedrally distorted, Na₄[(TiO)₄(SiO₄)₃]·6H₂O, synthesis and crystal structure, **134**, 409
- Phase diagram
BaO–Al₂O₃–AlN system, **129**, 66
- La₂O₃–Co–Co₂O₃ system at 1100 and 1150°C, **131**, 18
- La–Sr–Mn–O system, **134**, 38
- MgO–Nb₂O₅–NbO, **134**, 76
- MnV₂O₆–AgVMoO₆–MoO₃ system, **133**, 545
- NbS₂–IrS₂ system, **129**, 242
- orientationally disordered crystals of 2-amino-2-methyl-1,3-propanediol and 1,1,1-tris(hydroxymethyl)propane, **133**, 536
- perovskite A(B'B'')O₃ compounds: simple method for judging ordering or disordering, **134**, 420
- p*–*T* phase diagram of CuMoO₄, **132**, 88
- Ti–B–C system including sections TiC_{*y*}–TiB₂ and B₄C_{*y*}–TiB₂, **133**, 205
- Phase relations
SrO–CaO–CuO system under high pressure, **132**, 274
- Zn_{2-x}Sn_{1-x}In_{2x}O_{4-δ} spinel, **134**, 192
- Phase transformations
BiLa₂O_{4.5+δ}, **131**, 64
- in highly dispersed CeO₂/SiO₂ and Pd/CeO₂/SiO₂ systems, **131**, 121
- ABO₄ structures, **129**, 82
- reconstructive, Cs₃Sb₂I₆: Rietveld analysis of X-ray diffraction and ¹²⁷I NQR, **134**, 319
- in sol–gel aluminum titanate at high temperature, FTIR study, **131**, 181
- Phase transitions
BaNbSe₃ quasi-one-dimensional selenide, **132**, 188
- Ba₃(VO₄)₂ at high pressure, **132**, 156
- Ca₈[Al₁₂O₂₄](MoO₄)₂ at high temperature, **129**, 130
- in Cu-intercalated misfit-layer compounds, **134**, 99
- 1,10-decanedicarboxylic acid/urea inclusion compound, **128**, 273
- garnet–alluaudite polymorphism in NaCa₂M₂⁺(AsO₄)₃ (*M*²⁺ = Mg, Ni, Co), cationic substitution effects, **131**, 290
- LiTi₂O₄ spinel to ramsdellite upon heating, **132**, 382
- metal–insulator, in V₂O₃, acoustic emission during, **133**, 430
- NaMgF₃ perovskites, **132**, 131
- Na₂Ti₂Sb₂O layered tetragonal compound, **134**, 422
- (ND₄)₂PdCl₆ antiferroite, **131**, 221
- rutile to anatase by transformation of ultrafine particles at negatively charged colloid surfaces, letter to editor, **132**, 447
- Sr₃(VO₄)₂ at high pressure, **132**, 156
- Verwey-type, LiMn₂O₄ spinels, **131**, 138
- Zn(Mg)_{1-x}Cu_xSb₂O₆ trirutile-type compounds, **131**, 263
- α-Zr(HPO₄)₂·H₂O large crystals, **132**, 17
- Phonons
intraicosahedral, interaction with optically excited carriers, **133**, 125
- Phonon spectra
B–C–Al compounds with boron carbide structure, **133**, 254
- B₆O, **133**, 260
- B₁₂P₂ doped with Si, **133**, 140
- metal hexaborides, **133**, 264
- Phosphate glasses
with NASICON-type chemistry, synthesis using high microwave susceptibility of NaH₂PO₄·2H₂O, **132**, 349
- Phosphating treatment
effect on oxidation resistance of ultrafine copper powder, **130**, 157
- Phosphorus
Ag₂VP₂O₈, structure and ionic conductivity, **130**, 28
- [Al₃P₄O₁₆]³⁻·3[CH₃CH₂NH₃]⁺, nonaqueous synthesis and characterization, **129**, 37
- Ba(CoPO₄)₂·H₂O, lamellar hydrated phosphate with two-dimensional array of Co–O–Co network, **131**, 387
- BP
CVD wafers, thermoelectric properties, **133**, 314
- films obtained by gas source molecular beam deposition, preparation and electrical properties, **133**, 269
- B₁₂P₂
epitaxial growth of rhombohedral single crystalline films by chemical vapor deposition, **133**, 104
- Si-doped, interband transitions and phonon spectra, **133**, 140
- CaFe₂P₂ and CaNi₂P₂, electronic structure and chemical bonding, first-principles study, **129**, 147
- CaHPO₄ and CaHPO₄·2H₂O, protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
- Ca₃(P₅O₁₄)₂, characterization, **129**, 196
- Ca(PO₃)₂–CaB₄O₇–Na₂B₄O₇–Nb₂O₅, borophosphate glasses, synthesis and second-harmonic generation after poling treatment, **133**, 529
- [C₁₀N₂H₉][Al(PO₄)(PO₂(OH))₂], synthesis and characterization, **128**, 318
- CsMo₆O₁₀(Mo₂O₇)(PO₄)₄, synthesis, crystal structure, and magnetic properties, **128**, 233
- Cs[(VO)₂(OH)(O₃PCH₂CH₂PO₃)], two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
- Ln₃Cu₄P₄O₂ (*Ln* = La, Ce, Nd), synthesis, crystal structure, and properties, **129**, 250
- [Fe₃(PO₄)₃F₂, (CH₃NH₃)₂, H₂O], hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
- GaP, zinc blende crystals, linear electro-optic coefficient, **130**, 54
- GaPO₄ thin films, synthesis and dielectric properties, **134**, 91
- InP, zinc blende crystals, linear electro-optic coefficient, **130**, 54
- IrSi₃P₃, Raman study, **128**, 142
- KAl(HPO₄)₂·H₂O, X-ray diffraction, neutron scattering, and solid-state NMR, **132**, 47
- K[Fe₂(PO₄)₂(OH)(H₂O)]·H₂O, hydrogen bonding and structural relationships, **133**, 508

- $K_2(\text{VO})_2\text{P}_4\text{O}_{13}$, with tunnel structure, synthesis and properties, **132**, 41
- $\text{LiMnPO}_4(\text{OD})$ ($X = \text{P,As}$), magnetic structure, **132**, 202
- $\text{Li}_3\text{Mo}_3\text{O}_5(\text{PO}_4)_3$, with bidimensional connection of MoO_6 octahedra, isolation and magnetic properties, **133**, 391
- $\text{Li}(\text{Mo,W})_2\text{O}_3(\text{PO}_4)_2$, synthesis and intersecting tunnel structure, **128**, 215
- $\text{Li}_2\text{Na}(\text{MoO})_2(\text{PO}_4)_3$, synthesis and crystal structure, **129**, 298
- $\text{LiSn}_2(\text{PO}_4)_3$, low-temperature triclinic distortion in, letter to editor, **130**, 322
- $\text{Mg}_3(\text{PO}_4)_2$, high-temperature and high-pressure phase, crystal structure, **129**, 341
- $\text{MoWO}_3(\text{PO}_4)_2$, crystal structure, **128**, 191
- NaCoPO_4
 polymorph with edge-sharing Co^{2+} octahedral chains, synthesis and characterization, **131**, 160
 with trigonal bipyramidal Co^{2+} and tunnel structure, **129**, 328
- $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$, high microwave susceptibility: synthesis of crystalline and glassy phosphates with NASICON-type chemistry, **132**, 349
- $\text{Na}_3\text{In}_2(\text{PO}_4)_3$, hydrothermal synthesis and structure, **131**, 131
- $\text{Na}_3(\text{MoO})_2(\text{PO}_4)_3$ with intersecting tunnel structure, synthesis and crystal chemistry, **132**, 249
- $\text{Na}_3M(\text{OH})(\text{HPO}_4)(\text{PO}_4)$ ($M = \text{Al,Ga}$), synthesis and chain structure, **128**, 21
- $50\text{Na}_2\text{O}-49\text{P}_2\text{O}_5-0.5\text{Eu}_2\text{O}_3-0.5\text{CeO}_2$: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362
- $\text{N}(\text{CH}_3)_4 \cdot \text{Zn}(\text{H}_2\text{PO}_4)_3$, molecular cluster, synthesis and crystal structure, **131**, 363
- $\text{N}(\text{CH}_3)_4 \cdot \text{Zn}(\text{HPO}_4)(\text{H}_2\text{PO}_4)$, open framework phase built up from low-density 12-ring topology, synthesis and crystal structure, **131**, 363
- $[\text{NH}_3(\text{CH}_2)_4\text{NH}_3]^{2+}[\text{Zn}_2\text{P}_3\text{O}_9(\text{OH})_3]^{2-}$ with alternating inorganic-organic layers, synthesis and characterization, **132**, 229
- $[\text{NH}_4]^+[\text{Sn}_3\text{O}_2(\text{PO}_4)_3]^-$, synthesis and structure, **134**, 207
- $(\text{NH}_4)_2[(\text{Ti}_3\text{O}_2)(\text{HPO}_4)_2(\text{PO}_4)_2]$, synthesis and X-ray powder structure, **132**, 213
- NH_4VOPO_4 and $(\text{NH}_4)_3\text{V}_2\text{O}_3(\text{VO})(\text{PO}_4)_2(\text{HPO}_4)$, crystal structure, and analysis of hydrothermal vanadium phosphate systems at 473 K, **134**, 286
- $\text{Ln}_7\text{O}_6(\text{BO}_3)(\text{PO}_4)_2$ ($\text{Ln} = \text{La,Nd,Gd,Dy}$), X-ray powder diffraction and vibrational spectra studies, **129**, 45
- $M_2M'P$ ($M = \text{Zr,Hf}$; $M' = \text{Co,Ni}$), structure and properties and relations to ZrNi and HfNi , **131**, 379
- $\text{Pb}_2\text{BiO}_2\text{PO}_4$, crystal structure, **133**, 516
- $[\text{PMo}_{4.27}\text{W}_{7.73}\text{O}_{40}]^6-[\text{H}_3\text{N}(\text{CH}_2)_6\text{NH}_3^+]_3$, hydrothermal synthesis and structure, **129**, 257
- $A_2\text{MP}_2\text{O}_{12}$, negative thermal expansion, letter to editor, **133**, 580
- PtSi_2P_2 , synthesis and crystal structure, **133**, 473
- PtSi_3P_2 , synthesis, crystal structure, and electrical resistivity, **133**, 473
- $\text{Rb}_2\text{Mo}_2\text{WO}_5(\text{PO}_4)_3$, interconnected tunnel structure, **130**, 48
- $\text{RbZn}_2(\text{HPO}_4)_2(\text{H}_2\text{PO}_4) \cdot 2\text{H}_2\text{O}$ and $\text{RbZn}(\text{HPO}_4)(\text{H}_2\text{PO}_4) \cdot \text{H}_2\text{O}$, syntheses and crystal structures, **134**, 148
- RhSi_3P_3 , Raman study, **128**, 142
- $\text{Sn}(\text{O}_3\text{PCH}_2\text{CH}_3)$ layered phase, room-temperature synthesis and structural characterization, **132**, 438
- $\text{Sn}_2\text{P}_2\text{S}_6$, synthesis at room temperature, **129**, 157
- SrRh_2P_2 , electronic structure, substitution effects, and comparison with superconducting $\text{LuNi}_5\text{B}_2\text{C}$, **130**, 254
- $[\text{Ti}_2\text{O}(\text{PO}_4)_2(\text{H}_2\text{O})_2]$, synthesis and X-ray powder structure, **132**, 213
- $[\text{Ti}_3(\text{PO}_4)_4(\text{H}_2\text{O})_2] \cdot \text{NH}_3$, synthesis and X-ray powder structure, **132**, 213
- $\text{UXPO}_4 \cdot 2\text{H}_2\text{O}$ ($X = \text{Cl,Br}$), structure determination from powder X-ray diffraction data, **132**, 315
- $\text{W}_5\text{As}_{2.5}\text{P}_{1.5}$ with one-dimensional vertex-linked W_6 cluster, **131**, 310
- $\alpha\text{-Zr}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$ large crystals, thermoanalytical study, phase transitions, and dimensional changes, **132**, 17
- $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$, negative thermal expansion at high temperature, symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
- Photocurrent
 amorphous and β -rhombohedral boron, transient studies, **133**, 201
 icosahedral cluster solids
 Al-Pd-Re quasicrystals, **133**, 302
 modulated photocurrent measurements, **133**, 224
 β -rhombohedral boron, analysis of transient photoconduction under conditions allowing carrier injection from electrode, **133**, 97
 YB_{66} , modulated photoconductivity measurement, **133**, 195
- Photosensitive glass
 fluorescent, synthesis and characterization: material useful for optical memory and fluorescence holography, **134**, 362
- Physical vapor deposition
 boride thin film coatings, **133**, 279
 TiB_2 coatings loaded by, structure and properties, **133**, 117
- Piezoresistance
 boron thin films, **133**, 100
- Pigments
 iron zircon, synthesis by pyrolysis of aerosols, **128**, 102
- Platinum
 effect on superconducting and magnetic ordering temperatures in $\text{RNi}_2\text{B}_2\text{C}$ ($R = \text{Tm,Er}$), **133**, 5
 $\text{Li}_2\text{Pt}_3\text{B}$, with boron in octahedral position, **133**, 21
 PtX_4 ($X = \text{O,S,Se}$), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
 $\text{An}_2\text{Pt}_2\text{X}$ ($\text{An} = \text{Pu,Am}$; $X = \text{In,Sn}$), synthesis, crystal chemistry, and physical properties, **134**, 138
 PtSi_2P_2 , synthesis and crystal structure, **133**, 473
 PtSi_3P_2 , synthesis, crystal structure, and electrical resistivity, **133**, 473
 $\text{Sr}_3\text{MgPtO}_6$, synthesis, crystal structure, and magnetic properties, **130**, 35
 UPt_3 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 U_2PtC_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
- Plutonium
 $\text{Pu}_2\text{T}_2\text{X}$ ($T = \text{Co,Ir,Ni,Pd,Pt,Rh}$; $X = \text{In,Sn}$), synthesis, crystal chemistry, and physical properties, **134**, 138
- Pnictidohalide
 $\text{Cd}_8\text{As}_7\text{Cl}$, with new structure type, **134**, 282
- Point defects
 in $\text{Sb}_2\text{Te}_{3-x}\text{Se}_x$ crystals, **129**, 92
- Polyparaphenylene
 electrochemical intercalation of Li ions in LiClO_4 -carbonates electrolytes, **132**, 434
- Polyselenides
 $\text{Cs}_4\text{Te}_x\text{Se}_{16-x}$ ($x = 1,4$) and $\text{Cs}_4\text{Te}_{9.74}\text{Se}_{13.26}$, with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
- Potassium
 $\text{Cs}_2\text{KEuCl}_6$, crystal structure by powder x-ray diffraction, **132**, 1
 $\text{Cs}_2\text{KTbCl}_6$, crystal structure by powder x-ray diffraction, **132**, 1
 K^+ , electrochemical doping of oxide ceramics with $\text{K}-\beta''\text{-Al}_2\text{O}_3$ ionic conductors, **128**, 93
 KAg_2 , Laves phase, high-pressure synthesis, **130**, 311
 $\text{KAl}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$, X-ray diffraction, neutron scattering, and solid-state NMR, **132**, 47
 KB_6 , electronic structure calculations, **133**, 51
 $\text{KBr} \cdot \text{Me}^{2+} \cdot \text{Br}_2 \cdot 6\text{H}_2\text{O}$ ($\text{Me}^{2+} = \text{Co,Ni}$), crystallization and structure, **129**, 200

- KCu_{7-x}S₄, electrical resistivity anomalies and superlattice modulations, role of vacancy ordering, **134**, 5
- K[Fe₂(PO₄)₂(OH)(H₂O)]·H₂O, hydrogen bonding and structural relationships, **133**, 508
- K_{0.23}(H₂O)_{0.27}MoO_{3.00}, K_{0.23}(H₂O)_{0.43}MoO_{3.00}, and K_{0.23}(H₂O)_{0.65}MoO_{3.00} bronzes, preparation and thermal decomposition, **132**, 330
- K₅In₅Ge₅As₁₄ and K₈In₈Ge₅As₁₇, layered materials, synthesis and crystal structure, **130**, 234
- KIn(MoO₄)₂ and KIn(WO₄)₂, vibrational characteristics, **129**, 287
- K_{0.28}MoO₃ bronze, soft chemical modification, **128**, 256
- KNa(C₄H₄O₆)·4H₂O, structure, **131**, 350
- K₂U₄O₁₂ and K₂U₄O₁₃, EMF and calorimetric measurements of thermodynamic properties, **132**, 342
- K₂(VO)₂P₄O₁₃, with tunnel structure, synthesis and properties, **132**, 41
- K/V/P/N(C₂H₅)₃/H₂O hydrothermal system, analysis at 473 K, **134**, 286
- K₂ZnGeO₄, α and β forms, crystal structures, **134**, 59
- LiKCO₃, crystal structure, neutron powder diffraction study, **128**, 156
- Pr_{1-x}K_xMnO₃ perovskites ($x = 0-0.15$), structure and properties, **132**, 98
- Powder neutron diffraction**
- Ba₂MM'F₇Cl ($M, M' = \text{Mn, Fe, Co, Ni, Zn}$), **131**, 198
- Bi_{0.267}Pr_{0.733}SrO_{3- δ} , **132**, 182
- Ca(OD)₂ II prepared at high pressure, **132**, 267
- CsTiSi₂O_{6.5}, **130**, 97
- KAl(HPO₄)₂·H₂O, **132**, 47
- LiKCO₃, **128**, 156
- Li₄Mn₅O₁₂, structure refinement, **130**, 74
- LiNi_{0.8}Mn_{0.2}O₂, **134**, 1
- MgNb₂O₆ columbite, crystal structure refinement, **134**, 76
- NiCr₂S₄, structure and magnetism, **134**, 110
- (3PbO·PbSO₄·H₂O), **132**, 173
- U₃Ga₂Ge₃, **131**, 72
- YCoO₃, **130**, 192
- YFe₂D_{3.5}, **133**, 568
- Powder X-ray diffraction**
- Ag₂Ce(H₂O)(NO₃)₅, temperature-dependent study of structure and thermal decomposition, **132**, 361
- Ba₂Cu₃Cl₂O₄, **124**, 319; comment, **130**, 161
- Ca₈[Al₁₂O₂₄](MoO₄)₂, **129**, 130
- Ca₃(P₅O₁₄)₂, **129**, 196
- Cd₃^{II}[(Fe^{III}/Co^{III})(CN)₆]₂·14H₂O, **129**, 17
- cristobalite-related phases in NaAlO₂-NaAlSiO₄ system, **131**, 24
- Cs₂KEuCl₆, **132**, 1
- Cs₂KTbCl₆, **132**, 1
- Cs₃Sb₂I₉: reconstructive phase transformation and kinetics, **134**, 319
- Cu₂(OH)₃(CH₃COO)·H₂O, *ab initio* study, **131**, 252
- (Fe_{0.8}W_{0.2})WN₂, **131**, 374
- Li₄Mn₅O₁₂, structure refinement, **130**, 74
- (NH₄)₂[(Ti₃O₂)(HPO₄)₂(PO₄)₂], **132**, 213
- Ln₇O₆(BO₃(PO₄)₂) ($Ln = \text{La, Nd, Gd, Dy}$), **129**, 45
- Pb_{0.26}WO₃, **130**, 176
- RS-camphor: low-temperature crystal structure, **134**, 211
- sol-gel alumina doped with La and Ce, **128**, 161
- [Ti₂O(PO₄)₂(H₂O)₂], **132**, 213
- [Ti₃(PO₄)₄(H₂O)₂]·NH₃, **132**, 213
- UXPO₄·2H₂O ($X = \text{Cl, Br}$), **132**, 315
- YB₂₅, **133**, 122
- β -Zr(OH)₂(NO₃)₂·H₂O, **128**, 295
- α -Zr(OH)₂(NO₃)₂·1.65H₂O, **128**, 295
- Power transducers**
- fluoridated PZT ceramics for, **130**, 103
- Praseodymium**
- AlPrO₃, cation arrays in perovskite-type compounds, **128**, 69
- Bi_{0.267}Pr_{0.733}SrO_{3- δ} , crystal structure and magnetic properties, neutron diffraction studies, **132**, 182
- Li₈PrO₆, magnetic susceptibility and EPR spectra, **128**, 228
- Pr⁴⁺, doped in Sr₂SnO₄ and Ba₂SnO₄, EPR spectra, **130**, 250
- PrB₆, polar and reticular microhardness anisotropy, **133**, 296
- (R_{1-x}Pr_x)Ba₄Cu₇O_{14+ δ} ($R = \text{Nd, Eu, Tm}$), high-pressure synthesis and characterization, **132**, 73
- Pr_{0.5}Ca_{0.5}MnO₃, insulator-metal transition induced by Cr and Co doping, letter to editor, **130**, 162
- (R_{1.5-x}Pr_xCe_{0.5})Sr₂Cu₂NbO_{10- δ} ($R = \text{Nd, Sm, Eu}$), structural properties and oxygen stoichiometry, **133**, 445
- (Pr_{1.5}Ce_{0.5})Sr₂Cu₂TaO_{10- δ} , structural properties and oxygen stoichiometry, **133**, 445
- Pr₂INi₂, Pr₄I₅Ni, and Pr₃I₃Os, condensed cluster phases, **129**, 277
- Pr_{1-x}K_xMnO₃ perovskites ($x = 0-0.15$), structure and properties, **132**, 98
- (Pr/La)Co(CN)₆·5H₂O, mixed cationic systems, synthesis and crystal structure, **129**, 12
- PrMn₂O₅, high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
- Pr₂NiO_{4+ δ} , La- and Sr-substituted, oxygenation and electrical properties, **131**, 167
- Pr₂Os₃C_{4-x}, preparation and crystal structure, **131**, 49
- PrRh₂B₂C, synthesis and characterization, **133**, 77
- γ -Pr₂S₃, doped and undoped, band electronic structure study through LMTO-TB calculations, **128**, 197
- Pr₂Sn₂O₇, structural and bonding trends, **130**, 58
- PrTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- SrPrO₃ perovskite, structure and magnetic properties, **132**, 337
- Pressure**
- oxygen, effect on La₂NiO_{4+ δ} excess oxygen concentration and electrical conductivity, **131**, 275
- Promethium**
- Hg₂Ba₂PmCu₂O_{8- δ} , synthesis and structural and magnetic characterization, **132**, 163
- Protonic mobility**
- in brushite and monetite, IR spectroscopic and neutron scattering studies, **132**, 6
- Pseudobrookite phases**
- reduced, Mg_{5-x}Nb_{4+x}O_{15- δ} ($1.14 \leq x \leq 1.60$), formation from MgO-Nb₂O₅-NbO, **134**, 76
- Pseudo-hollandites**
- Rb_{0.62}Cr₅Te₈, synthesis, crystal structure, and electronic band structures of Rb_xCr₅Te₈ phases, **131**, 326
- Pyrochlores**
- La_{2-x}Cd_xRu₂O_{7- δ} , synthesis and characterization, **129**, 308
- Pb₂(M_{1.5}W_{0.5})O_{6.5} ($M = \text{Ti, Sn}$), surface segregation and oxygen vacancy ordering, **130**, 81
- A₂Ru₂O_{7-y} ($A = \text{Bi, Pb, Tl, rare earth}$), metallic and nonmetallic properties, structural and electronic factors in, letter to editor, **131**, 405
- Ln₂Sn₂O₇ ($Ln = \text{Y, La, Pr, Nd, Sm-Lu}$), structural and bonding trends, **130**, 58
- Pyrohydrolysis**
- in fluoride-containing borosilicate glasses, OH absorption bands due to removal, **130**, 330
- Pyrolusite**
- relationship to groutite and manganite: hydrogen bonding and Jahn-Teller distortion, **133**, 486
- Pyrolysis**
- aerosols, in synthesis of iron zircon pigments, **128**, 102
- spray, preparation of spinel zinc stannate thin films, **128**, 305

Q

Quasicrystals

Al–Pd–Re

- modulated photocurrent measurements, **133**, 224
- photocurrent observations, **133**, 302
- icosahedral, electronic properties, **133**, 160

R

Radiospectroscopic properties

- cubic BN, effect of chemically active media, **133**, 292

Raman spectroscopy

arcanine sulfate, **133**, 423

- Ba₂Cu_xZn_{1-x}WO₆ mixed crystals, cooperative Jahn–Teller effect in, **129**, 117

- Ba_{5-x}Sr_xNb₄O₁₅ microwave dielectric ceramic resonators, **131**, 2

- Ba₃(VO₄)₂ at high pressure, **132**, 156

- B₆O, Fourier transform spectra, **133**, 260

- (CH₃NH₃)₂M(II)(SO₄)₂·6H₂O (*M*(II) = Cu,Zn,Ni), **133**, 407

- EuB_{6-x}C_x (*X* ≈ 0.1), Fourier transform spectra, **133**, 264

- HL*n*TiO₄ and HL*n*TiO₄·*x*H₂O (*Ln* = La,Nd,Sm,Gd), **130**, 110

- MIn(MoO₄)₂ and MIn(WO₄)₂ (*M* = Li,Na,K,Cs), **129**, 287

- IrSi₃P₃, **128**, 142

- LaB₆, Fourier transform spectra, **133**, 264

- Na₂Cu(SO₄)₂·2H₂O, **133**, 407

- Na*Ln*TiO₄ and Na₂*Ln*₂Ti₃O₁₀ (*Ln* = La,Nd,Sm,Gd), **130**, 110

- β-(NH₄)₂FeF₅, hydrogen bonding-induced NH₄⁺ ordering at low temperature, **131**, 189

- Ln*₇O₆(BO₃)(PO₄)₂ (*Ln* = La,Nd,Gd,Dy), **129**, 45

- RhSi₃P₃, **128**, 142

- SmB₆, Fourier transform spectra, **133**, 264

- Sr₃(VO₄)₂ at high pressure, **132**, 156

- TeO₂–BaO–TiO₂ glasses, **132**, 411

Ramsdellite

- LiTi₂O₄, formation by heating-induced transformation of spinel structure, **132**, 382

- relationship to groutite and manganite: hydrogen bonding and Jahn–Teller distortion, **133**, 486

- and rutile, Li_xTi₃O₆ intergrowth phase related to, synthesis and characterization, **129**, 7

Rare earth elements

- Bi–*Ln*–V–O anionic conductors with δ-Bi₂O₃ fluorite-type structure (*Ln* = Y,Sm,Eu,Gd,Tb,Dy,Er,Yb), **134**, 219

- Ln*_{0.5}*A*_{0.5}MnO₃ (*Ln* = rare earth; *A* = alkaline earth), charge ordering in, dependence on size of A-site cation, letter to editor, **129**, 363

- 50Na₂O–49P₂O₅–0.5Eu₂O₃–0.5CeO₂: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362

- rare earth transition metal borides and their hydrides, low-temperature synthesis, **133**, 145

Redox energy

- Mn³⁺/Mn²⁺, in ambient and high-pressure structures of LiMnVO₄, **128**, 267

Reduction

- α-Fe₂O₃ aciculate ultrafine particles to Fe₃O₄, kinetics, **134**, 248

Reflectivity

- β-rhombohedral boron, **133**, 129

Relaxation mechanisms

- rotation-induced, for external strains, application to boron-rich crystals, **133**, 322

Renner–Teller effect

- for cyclic crystals with geminal model, **129**, 174

Rhenium

Al–Pd–Re quasicrystals

- modulated photocurrent measurements, **133**, 224

- photocurrent observations, **133**, 302

- Al_{92-x}Pd_xRe₈-type quasicrystals, electronic properties, **133**, 160

- Ca₃ReO₆, crystal structure, **131**, 305

- Sm₂ReO₅, crystal structure and magnetic properties, **132**, 196

Rhodium

- An*₂Rh₂*X* (*An* = Pu,Am; *X* = In,Sn), synthesis, crystal chemistry, and physical properties, **134**, 138

- R*–Rh–B and *R*–Rh–B–C systems (*R* = rare earth), single crystal growth from molten copper flux, **133**, 82

- RRh₂B₂C (*R* = rare earth), synthesis and characterization, **133**, 77

- RhSi₃P₃, Raman study, **128**, 142

- Sr₃MgRhO₆, synthesis, crystal structure, and magnetic properties, **130**, 35

- SrRh₂P₂, electronic structure, substitution effects, and comparison with superconducting LuNi₂B₂C, **130**, 254

Rietveld analysis

- Cs₃Sb₂I₉ X-ray diffraction data: reconstructive phase transformation and kinetics, **134**, 319

- LiCr_yMn_{2-y}O₄ (0 ≤ *y* ≤ 1) structural modifications induced by electrochemical Li deintercalation, **132**, 372

Rochelle salt

- crystal structure, **131**, 350

Rock salt

- defect nitrides La_{1-x}Ca_xN_{1-x/3} (0 < *x* < 0.7) prepared from LaN and Ca₃N₂, **129**, 144

- Li₃Cu₂SbO₆ with partially ordered structure, synthesis, **131**, 115

- Li₂MnO₃, electric and magnetic properties, **131**, 94

Rotation-induced relaxation mechanism

- for external strains, application to boron-rich crystals, **133**, 322

RS-camphor

- low-temperature crystal structure, **134**, 211

Rubidium

- RbBr·*Me*²⁺Br₂·6H₂O (*Me*²⁺ = Co,Ni), crystallization and structure, **129**, 200

- Rb₂Cr₂O(AsO₄)₂, preparation and crystal structure, **134**, 22

- Rb_{0.62}Cr₅Te₈ pseudo-hollandite, synthesis, crystal structure, and electronic band structures of Rb_xCr₅Te₈ phases, **131**, 326

- RbCu_{7-x}S₄, electrical resistivity anomalies and superlattice modulations, role of vacancy ordering, **134**, 5

- Rb₂Mo₂WO₅(PO₄)₃, interconnected tunnel structure, **130**, 48

- Rb₅VONb₁₄O₃₈, synthesis and crystal structure, **134**, 10

- Rb₄YbI₆, synthesis and crystal structure, **128**, 66

- RbZn₂(HPO₄)₂(H₂PO₄)·2H₂O and RbZn(HPO₄)(H₂PO₄)·H₂O, syntheses and crystal structures, **134**, 148

Ruthenium

- BaRuO₃, prepared at ambient pressure and possessing four-layer hexagonal structure, crystal structure refinement, **128**, 251

- Ba₃Ru_{1.6}W_{0.4}Cl₂O₉, 10-layer perovskite-related oxyhalide, crystal structure, **132**, 407

- CeRu₃B₂, heavy fermion superconductors, chemical bonding topology, **131**, 394

- CeRu₃Si₂, heavy fermion superconductors, chemical bonding topology, **131**, 394

- CeRu₄Sn₆, crystal structure, specific heat, and ¹¹⁹Sn Mössbauer spectroscopy, **134**, 326

- La_{2-x}Cd_xRu₂O_{7-δ}, pyrochlore oxides, synthesis and characterization, **129**, 308

- La₂IRu₂, condensed cluster phase, **129**, 277

- La_{2-x}Sr_{2x}Cu_{1-x}Ru_xO₄, linear Cu–O–Ru electronic interaction in two dimensions, **128**, 169

- Ru complex sensitizers of TiO₂ anatase nanopowders, crystal structure, **132**, 60

- Ru–Ge, Ru–Si, and Ru–Sn systems, binary compounds in, heat capacity and heat content measurements, **133**, 439

- $A_2Ru_2O_{7-y}$ ($A = Bi, Pb, Tl, \text{rare earth}$) pyrochlores, metallic and non-metallic properties, structural and electronic factors in, letter to editor, **131**, 405
- URu_2Si_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
- Rutile**
 quadruple-rutile-type chain structure $Na_{0.875}Fe_{0.875}Ti_{1.125}O_4$, topotactic oxidation, **130**, 184
 and ramsdellite, $Li_xTi_3O_6$ intergrowth phase related to, synthesis and characterization, **129**, 7
 ultrafine particles, transformation to anatase at negatively charged colloid surfaces, letter to editor, **132**, 447
- S**
- Samarium**
 $AlSmO_3$, cation arrays in perovskite-type compounds, **128**, 69
 $Bi_{1-x}Sm_xO_{1.5}$, ion-ordered phases, stability, thermal behavior, and crystal structure, **129**, 98
 $Bi-Sm-V-O$ anionic conductors with $\delta-Bi_2O_3$ fluorite-type structure, **134**, 219
 $Ca_{1-x}Sm_xMnO_3$, electron-doped, CMR effect in, **134**, 198
 $Cu_x(SmS)_{1+y}(NbS_2)_2$, phase transition, **134**, 99
 $Hg_2Ba_2SmCu_2O_{8-\delta}$, synthesis and structural and magnetic characterization, **132**, 163
 $HSmTiO_4$ and $HSmTiO_4 \cdot xH_2O$, structure and Raman spectra, **130**, 110
 $La_{1-x}Sm_xTiO_3$ ($0 \leq x \leq 1$), magnetic and structural studies, letter to editor, **133**, 583
 $NaSmTiO_4$ and $Na_2Sm_2Ti_3O_{10}$, structure and Raman spectra, **130**, 110
 SmB_4 , polar and reticular microhardness anisotropy, **133**, 296
 SmB_6
 compounds based on, magnetic excitation spectrum, effect of mixed-valences state, **133**, 230
 FT Raman spectroscopy, **133**, 264
 polar and reticular microhardness anisotropy, **133**, 296
 in thin film technology, **133**, 279
 $Sm_3Ga_5O_{12}$ garnet, electron density study, **132**, 300
 $SmMn_2O_5$, high-oxygen-pressure preparation, structural refinement, and thermal behavior, **129**, 105
 $Sm_5Os_3C_{4-x}$, preparation and crystal structure, **131**, 49
 $(Sm_{1.5-x}Pr_xCe_{0.5})Sr_2Cu_2NbO_{10-\delta}$, structural properties and oxygen stoichiometry, **133**, 445
 Sm_2ReO_5 , crystal structure and magnetic properties, **132**, 196
 $SmRh_3B$, single crystal growth from molten copper flux, **133**, 82
 $SmRh_4B_4$, single crystal growth from molten copper flux, **133**, 82
 $SmRh_2B_2C$, synthesis and characterization, **133**, 77
 $Sm_2Sn_2O_7$, structural and bonding trends, **130**, 58
 $SmTh_2F_{11}$, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Scandium**
 Sc_2BC_2 , bonding analysis, **133**, 190
 $ScOOH$, cation arrays, **131**, 358
- Second-harmonic generation**
 electrically poled borophosphate glasses, effects of introduction of niobium or sodium oxides, **133**, 529
- Seebeck coefficient**
 $(LaMn_{1-x}Ti_x)_{1-y}O_3$ ($x \leq 0.05$), **133**, 466
 $Nd(Cr_{1-x}Ni_x)O_3$, **134**, 382
- Selenidotellurates**
 $Cs_4Te_xSe_{16-x}$ ($x = 1, 4$) and $Cs_4Te_{9.74}Se_{13.26}$, with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
- Selenium**
 $BaNbSe_3$, quasi-one-dimensional selenide, phase transitions, **132**, 188
 $BaNb_2Se_5$, superconductivity, **132**, 188
- $Cs_4Te_xSe_{16-x}$ ($x = 1, 4$) and $Cs_4Te_{9.74}Se_{13.26}$, with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
 $M_3Fe_2(SeO_3)_6 \cdot 2H_2O$ ($M = Mg, Co, Ni$), synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
 $La_2Cu(SeO_3)_4$, synthesis and crystal structure, **133**, 572
 $SbCrSe_3$ 1D ferromagnet, structure determination by HREM image analysis, **132**, 257
 $Sb_2Te_{3-x}Se_x$ crystals, point defects in, **129**, 92
 MSe_4 ($M = \text{group 10, group 11}$), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
 $Sr_{1-x}Ba_xZrSe_3$ series, structural evolutions in, **130**, 20
 $ZnSe$, zinc blende crystals, linear electro-optic coefficient, **130**, 54
- Semiconductors**
 $(LaMn_{1-x}Ti_x)_{1-y}O_3$ ($x \leq 0.05$), electrical transport in, **133**, 466
- SERS**, *see* Surface-enhanced Raman scattering
- Sieve properties**
 proton-exchanged $LiMn_2O_4$ spinels for Li^+ , **131**, 84
- Silicon**
 $AgI-Ag_2O-B_2O_3-SiO_2$ system, reversible color changes in ion-conducting glasses prepared by microwave melting: structural implications, **131**, 173
 borosilicate glasses containing fluoride, OH absorption bands due to pyrohydrolysis in, removal, **130**, 330
 $B_{12}P_2$ doped with, interband transitions and phonon spectra, **133**, 140
 $Ca_3(Cr, Al)_2Si_3O_{12}$ garnets, electron density study, **132**, 432
 $CeCu_2Si_2$, heavy fermion superconductors, chemical bonding topology, **131**, 394
 CeO_2/SiO_2 systems, spreading and phase transformations in, **131**, 121
 $CeRu_3Si_2$, heavy fermion superconductors, chemical bonding topology, **131**, 394
 $CsTiSi_2O_{6.5}$
 crystal structure, neutron and X-ray diffraction study, **130**, 97
 EXAFS and XANES studies, **129**, 206
 $Cs_2TiSi_6O_{15}$, crystal structure, **131**, 38
 $IrSi_3P_3$, Raman study, **128**, 142
 $La_6MgSi_2S_{14}$, synthesis and structure, **131**, 399
 Li_4SiO_4 , superionic, vibrational spectra and energy characteristics, **134**, 232
 $NaAlO_2-NaAlSiO_4$ system, cristobalite-related phases in, XRD and electron diffraction study, **131**, 24
 $Na_2MSi_4O_{10}$ ($M = Co, Ni$), magnetic behavior, **131**, 335
 $Na_4[(TiO_4)(SiO_4)_3] \cdot 6H_2O$, rhombohedrally distorted titanosilicate pharmacosiderite, synthesis and crystal structure, **134**, 409
 $Pd/CeO_2/SiO_2$ systems, spreading and phase transformations in, **131**, 121
 $PtSi_2P_2$, synthesis and crystal structure, **133**, 473
 $PtSi_3P_2$, synthesis, crystal structure, and electrical resistivity, **133**, 473
 $RhSi_3P_3$, Raman study, **128**, 142
 $Ru-Si$ systems, binary compounds in, heat capacity and heat content measurements, **133**, 439
 SiF_4 , structural relationship to $CuAl_2$, **132**, 151; *erratum*, **134**, 431
 Si_3N_4-BN composite ceramic, preparation, aminoboranes as BN source for, **133**, 164
 $R_{6+x/3}Si_{11}N_{20+x}O_{1-x}$ ($R = Y$ and $Gd-Lu$), preparation and crystal structures, **129**, 312
 SiO_2 , incipient reaction with $Ca(OH)_2$ under moderate mechanical stressing, mechanisms: changes in short-range ordering, **130**, 284
 $ThCr_2Si_2$ -type transition metal compounds, LMTO band structure calculations, **130**, 254
 URu_2Si_2 , heavy fermion superconductors, chemical bonding topology, **131**, 394
 $YB_{41}Si_{1.2}$, crystal structure, **133**, 11
 $YB_{44}Si_{1.0}$, single crystal growth, **133**, 55

- ZrSiO₄, iron-doped pigments, synthesis by pyrolysis of aerosols, **128**, 102
 ZrSi_{0.7}Sb_{1.3}, and ZrSn_{0.4}Sb_{1.6} and ZrGeSb: family containing ZrSiS-type and β-ZrSb₂-type compounds, **134**, 388
- Sillen
 X1 structure, CaBiO₂Cl and SrBiO₂Cl disordered variants of, synthesis, **128**, 115
- Silver
 Ag⁺, electrochemical doping of oxide ceramics with Ag-β"-Al₂O₃ ionic conductors, **128**, 93
 AgX₄ (X = O,S,Se), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
 Ag₂Ce(H₂O)(NO₃)₅, structure and thermal decomposition, temperature-dependent X-ray powder diffraction study, **132**, 361
 AgI–Ag₂O–B₂O₃–SiO₂ system, reversible color changes in ion-conducting glasses prepared by microwave melting: structural implications, **131**, 173
 AgTaS₃, structure and electrical conductivity, **132**, 389
 Ag_{1.92}Te, transport properties at 160°C, **130**, 140
 Ag₂TiO₃, synthesis and crystal structure, **134**, 17
 Ag_{1.2}V₃O₈, crystal structure: relationship to Ag₂V₄O_{11-y}, and interpretation of physical properties, **134**, 294
 Ag₂VP₂O₈, structure and ionic conductivity, **130**, 28
 ions in solution, interaction with Cu₂Fe(CN)₆, **132**, 399
 KAg₂, Laves phase, high-pressure synthesis, **130**, 311
 Mn_{1-x-y}Ag_yΦV_{2-2x-y}Mo_{2x+y}O₆, solid solutions, synthesis and study, **133**, 545
- Silver(I) 2,2-dimethylglutarate
 2-D framework built from tetranuclear Ag₄(2,2-dimethylglutarate)₂ oligomeric unit, **134**, 332
- Single crystal growth
 doped rare earth manganate perovskites, letter to editor, **130**, 327
- Sintering
 B₄C, carbon black as aid for, **133**, 68
- Sodium
 Ba₄CuNaO₄Cl₄, Cu(III) oxy-chloride, synthesis, structure, and electrical and magnetic properties, letter to editor, **129**, 360
 Ca(PO₃)₂–CaB₄O₇–Na₂B₄O₇–Nb₂O₅, borophosphate glasses, synthesis and second-harmonic generation after poling treatment, **133**, 529
 KNa(C₄H₄O₆)·4H₂O, structure, **131**, 350
 Li₂Na(MoO)₂(PO₄)₃, synthesis and crystal structure, **129**, 298
 Na⁺, electrochemical doping of oxide ceramics with Na-β"-Al₂O₃ ionic conductors, **128**, 93
 NaAlO₂–NaAlSiO₄ system, cristobalite-related phases in, XRD and electron diffraction study, **131**, 24
 NaCa₂M₂²⁺(AsO₄)₃ (M²⁺ = Mg,Ni,Co), cationic substitution effects on garnet–alluaudite polymorphism, **131**, 290
 NaCaCdMg₂(AsO₄)₃, alluaudite-like structure, **131**, 298
 NaCoPO₄
 polymorph with edge-sharing Co²⁺ octahedral chains, synthesis and characterization, **131**, 160
 with trigonal bipyramidal Co²⁺ and tunnel structure, **129**, 328
 Na₂Cu(SO₄)₂·2H₂O, IR and Raman spectra, **133**, 407
 Na₃Eu(CO₃)₃, structural and optical studies, **132**, 33
 α-NaFeO₂, Ni_{1+x}Fe_{2-2x/3}O₄ obtained from, crystal and magnetic structures, **129**, 123
 Na_{0.875}Fe_{0.875}Ti_{1.125}O₄, topotactic oxidation of quadruple-rutile-type chain structure, **130**, 184
 NaH₂PO₄·2H₂O, high microwave susceptibility: synthesis of crystalline and glassy phosphates with NASICON-type chemistry, **132**, 349
 Na₃In₂(AsO₄)₃
 alluaudite-like structure, **134**, 31
 hydrothermal synthesis and structure, **131**, 131
 NaIn(MoO₄)₂ and NaIn(WO₄)₂, vibrational characteristics, **129**, 287
 Na₃In₂(PO₄)₃, hydrothermal synthesis and structure, **131**, 131
 NaMgF₃ perovskites, thermochemistry, **132**, 131
 NaMoO₂AsO₄, preparation and crystal structure, **133**, 386
 Na₃(MoO)₂(PO₄)₃ with intersecting tunnel structure, synthesis and crystal chemistry, **132**, 249
 NaO_{0.44}C_{5.84}, graphite intercalation compound with sodium and peroxide, **131**, 282
 Na₃M(OH)(HPO₄)(PO₄) (M = Al,Ga), synthesis and chain structure, **128**, 21
 50Na₂O–49P₂O₅–0.5Eu₂O₃–0.5CeO₂: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362
 Na₂MSi₄O₁₀ (M = Co,Ni), magnetic behavior, **131**, 335
 Na_xTa₃N₅ (0 ≤ x ≤ 1.4), synthesis and partial characterization, **132**, 394
 NaLnTiO₄ and Na₂Ln₂Ti₃O₁₀ (Ln = La,Nd,Sm,Gd), structure and Raman spectra, **130**, 110
 Na₄[(TiO)₄(SiO₄)₃]·6H₂O, rhombohedrally distorted titanosilicate pharmacosiderite, synthesis and crystal structure, **134**, 409
 Na₂Ti₂Sb₂O layered tetragonal compound, phase transition and spin gap behavior in, **134**, 422
 Na_{0.10}WO₃ bronze with distorted perovskite structure, X-ray and electron diffraction study, **133**, 479
 γ-Ln₂S₃ (Ln = La,Ce,Pr,Nd) doped with, band electronic structure study through LMTO-TB calculations, **128**, 197
- Sol-gel synthesis
 alumina doped with La and Ce, **128**, 161
 aluminum titanate, high-temperature phase formation in, FTIR study, **131**, 181
 BaTiO₃ thin films using glycolate precursor, **131**, 43
 Fe₃O₄ thin films, **128**, 87
 La₂CuO_{4+x} electrochemically oxidized particles prepared by, structural characterization, **131**, 246
 Sn₂P₂S₆ at room temperature, **129**, 157
- Solid oxide galvanic cell
 determination of molar Gibbs energy of formation of BaMo₂O₇(s) using, **134**, 416
- Solid solutions
 in B₆O–B₄C system, synthesis at high pressure and temperature
 electron energy-loss spectroscopy, **133**, 365
 preparation and characterization, **133**, 356
 Ca₃N₂ and LaN, formation of defect rock salt nitrides La_{1-x}Ca_xN_{1-x/3}, **129**, 144
 CrZr_{0.75}Nb_{0.25}F₆, antiferrodistortive order in, **131**, 231
 LaFe_xNi_{1-x}O₃, crystal structure refinement and stability, **133**, 379
 Mn_{1-x-y}Ag_yΦV_{2-2x-y}Mo_{2x+y}O₆, synthesis and study, **133**, 545
 supersaturated, TiB₂–CrB₂–WB₂, phase formation during annealing of, **133**, 25
- Solventothermal synthesis
 Cs₄Te_xSe_{16-x} (x = 1,4) and Cs₄Te_{9.74}Se_{13.26} with ordered Se/Te rings and chains, **134**, 364
- Specific heat
 CeRu₄Sn₆, **134**, 326
- Spillover technique
 modification of blue potassium molybdenum bronze, **128**, 256
- Spinels
 In_{1.6}Fe₈S₃₂, chemically lithiated, structural and local environment modifications, **134**, 238
 LiCr_yMn_{2-y}O₄ (0 ≤ y ≤ 1), structure modifications induced by electrochemical Li deintercalation, Rietveld analysis, **132**, 372
 Li_xIn_{1.6}Fe₈S₃₂: structure and local environment after chemical lithium insertion, **134**, 238
 LiMn₂O₄
 charge–discharge process, *in situ* XAFS study, letter to editor, **133**, 586
 phases coexisting with Li₂MnO₃, stoichiometry, XRD and EPR studies, **128**, 80

- proton-exchanged, surface structure and Li^+ sieve properties, **131**, 84 and related Li-rich spinel, electric and magnetic properties, **131**, 94 Verwey-type transition and magnetic properties, **131**, 138 X-ray absorption studies, letter to editor, **128**, 326
- $\text{Li}_4\text{Mn}_5\text{O}_{12}$, structure refinement with neutron and X-ray powder diffraction data, **130**, 74
- $\text{Li}_2\text{O}-\text{TiO}_2-\text{Fe}_2\text{O}_3$, cation distribution, **134**, 170
- LiTi_2O_4 , transformation to ramsdellite upon heating, **132**, 382
- NiMn_2O_4 , nonstoichiometric, wide-angle X-ray scattering study, **129**, 271
- $\text{Zn}_{2-x}\text{Sn}_x\text{O}_4$, transparent conducting properties, **134**, 192
- Zn_2SnO_4 thin films, spray pyrolysis preparation and humidity sensing characteristics, **128**, 305
- Spin gap behavior
 $\text{Na}_2\text{Ti}_2\text{Sb}_2\text{O}$ layered tetragonal compound, **134**, 422
- Spin gap state
 CaV_2O_5 , letter to editor, **127**, 359; addendum, **129**, 367
- Spin state
 Ni^{3+} ions, effect on electrical properties of $\text{Nd}(\text{Cr}_{1-x}\text{Ni}_x)\text{O}_3$, **134**, 382
- Spray pyrolysis
preparation of spinel zinc stannate thin films, **128**, 305
- Stability
 $\text{Bi}_{1-x}\text{Ln}_x\text{O}_{1.5}$ ($\text{Ln} = \text{Sm}-\text{Dy}$), ion-ordered phases, **129**, 98
 $\text{K}_2(\text{VO})_2\text{P}_4\text{O}_{13}$ in oxygen atmosphere, **132**, 41
 $\text{LaFe}_x\text{Ni}_{1-x}\text{O}_3$ solid solutions, **133**, 379
 $\text{NbS}_2-\text{IrS}_2$ system 1T structure, **129**, 242
 $\text{RRh}_2\text{B}_2\text{C}$ ($R = \text{rare earth}$), **133**, 77
- Stacking
diamond-type, octahedral units of antiprism, $(\text{H}_3\text{O})\text{Yb}_3\text{F}_{10} \cdot \text{H}_2\text{O}$ prepared by chimie douce synthesis, **128**, 42
geometrical unit of polyhedra UGP, in description of complex structures, **128**, 52
- Stoichiometry
 LiMn_2O_4 and Li_2MnO_3 coexisting phases, XRD and EPR studies, **128**, 80
oxygen in $(\text{Pr}_{1.5}\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$ and $(\text{R}_{1.5-x}\text{Pr}_x\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{NbO}_{10-\delta}$ ($R = \text{Nd, Sm, Eu}$), **133**, 445
- Stretching vibrations
symmetric, two-coordinate oxygen bridges in negative thermal expansion of $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$ and AW_2O_8 ($A = \text{Zr, Hf}$) at high temperature, letter to editor, **129**, 160
- Strontium
 $\text{AlSr}_2\text{YCu}_2\text{O}_7$, structural order/disorder in, **133**, 434
 $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0, 1, 2$), development and dielectric properties, **133**, 522
 $\text{Ba}_{5-x}\text{Sr}_x\text{Nb}_4\text{O}_{15}$, microwave dielectric ceramic resonators, vibrational analysis, **131**, 2
 $(\text{Ba, Sr})_{1+y}\text{UO}_{3+x}$, perovskite-related phases, structure and thermodynamics, **131**, 341
 $\text{Bi}_{2-x}\text{Pb}_x\text{Sr}_{1.5}\text{Ca}_{1.5}\text{Mn}_2\text{O}_{9-\delta}$ with 2212 structure, synthesis and crystal chemistry, **132**, 420
 $\text{Bi}_{0.267}\text{Pr}_{0.733}\text{SrO}_{3-\delta}$, crystal structure and magnetic properties, neutron diffraction studies, **132**, 182
 $\text{Bi}_2\text{Sr}_2\text{CuO}_6$, antiferromagnetic order, **133**, 372
 $\text{Bi}_{12}\text{Sr}_{18}\text{Fe}_{10}\text{O}_{52}$, HREM study: collapsed structure related to 2212 structure, **129**, 214
 $\text{Bi}_{1-x}\text{Sr}_x\text{MnO}_3$, magnetic and electrical properties, **132**, 139
 $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ ($y = 0-0.6$), thermodynamic quantities and defect structure, high-temperature coulometric titration studies, **130**, 302
 $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$, Coulometric titration at high temperature: electronic band structure effect on nonstoichiometry behavior, **133**, 555
 $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-\delta}$, defect chemistry: oxygen nonstoichiometry and thermodynamic stability, **131**, 150
- $\text{La}_{2-x}\text{Sr}_x\text{Cu}_{1-x}M_x\text{O}_4$ ($M = \text{Ti, Mn, Fe, Ru}$), linear Cu-O-M electronic interaction in two dimensions, **128**, 169
- $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$, nanocrystalline material sensitivity to ethanol, effect of Sr content, **130**, 152
- La-Sr-Mn-O system, phase equilibria, **134**, 38
- $\text{Li}_3\text{Sr}_2\text{MN}_4$ ($M = \text{Nb, Ta}$), synthesis and structure, **130**, 1
- $\text{Pb}_2\text{Sr}_2\text{Cu}_2\text{TaO}_8\text{Cl}$, layered cuprate with hematophanite structure, synthesis and characterization, **130**, 154
- $(\text{R}_{1.5-x}\text{Pr}_x\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{NbO}_{10-\delta}$ ($R = \text{Nd, Sm, Eu}$), structural properties and oxygen stoichiometry, **133**, 445
- $(\text{Pr}_{1.5}\text{Ce}_{0.5})\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$, structural properties and oxygen stoichiometry, **133**, 445
- $\text{Pr}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$, oxygenation and electrical properties, **131**, 167
- Sr^{2+} , electrochemical doping of oxide ceramics with $\text{Sr}-\beta''-\text{Al}_2\text{O}_3$ ionic conductors, **128**, 93
- SrB_6 , electronic structure calculations, **133**, 51
- $\text{Sr}_{1-x}\text{Ba}_x\text{ZrSe}_3$ series, structural evolutions in, **130**, 20
- $\text{Sr}_{10-n/2}\text{Bi}_n\text{Fe}_{20}\text{O}_m$ ($n = 4, 6, 8, 10$), with high oxygen permeability, synthesis, **130**, 316
- SrBiO_2Cl , disordered variant of Sillen X1 structure, **128**, 115
- $(\text{Sr, Ca})_4\text{Cu}_6\text{O}_{10}$ three-leg-ladder compound, X-ray single-crystal structure analysis, **134**, 427
- $\text{Sr}_3\text{Cu}_2\text{Fe}_2\text{O}_5\text{S}_2$, crystal structure, **134**, 128
- $\text{Sr}_2\text{CuMO}_3\text{S}$ ($M = \text{Cr, Fe, In}$), crystal structure, **134**, 128
- $\text{Sr}_2\text{Cu}_2\text{MO}_2\text{S}_2$ ($M = \text{Mn, Zn}$), synthesis and properties, **130**, 319
- $\text{Sr}_{3-x}A_x\text{Fe}_2\text{O}_7$ ($x \leq 0.4$; $A = \text{Ba, La}$), electronic state, magnetism, and electrical transport behavior, **130**, 129
- Sr_3MgMO_6 ($M = \text{Pt, Ir, Rh}$), synthesis, crystal structure, and magnetic properties, **130**, 35
- $\text{Sr}_4\text{Mn}_3(\text{B}_{1-x}\text{Mn}_x)\text{O}_{10}$, related to cubic perovskite structure, synthesis and characterization, **134**, 395
- SrO-CaO-CuO system under high pressure, compounds and phase relations, **132**, 274
- SrPrO_3 perovskite, structure and magnetic properties, **132**, 337
- SrRh_2P_2 , electronic structure, substitution effects, and comparison with superconducting $\text{LuNi}_2\text{B}_2\text{C}$, **130**, 254
- Sr_2SnO_4 , Pr^{4+} doped in, EPR spectra, **130**, 250
- $\text{Sr}_3(\text{VO}_4)_2$, high-pressure behavior, **132**, 156
- substitution in superconducting $\text{RBa}_2\text{Cu}_4\text{O}_8$ ($R = \text{Gd, Ho}$), **128**, 310
- $\text{Tl}_5\text{Ba}_3\text{Sr}_5\text{Cu}_3\text{O}_{19}$, 1201 shear like phase, **128**, 150
- $(\text{Tl}_{1.5}\text{Hg}_{0.5})\text{Sr}_{3-x}\text{Ba}_x\text{Fe}_2\text{O}_{9-\delta}$ ($0 \leq x \leq 2$) with Tl-2212-type structure, preparation and characterization, **132**, 308
- $\text{Tl}_{1-x}\text{Sr}_2\text{Cu}_{1-y}M_{x+y}\text{O}_{5-\delta}$ ($M = \text{Nb, Ta, W}$), 1201-based cuprate, cation ordering in, **132**, 113
- Structure
alluaudite-like
 $\text{NaCaCdMg}_2(\text{AsO}_4)_3$, **131**, 298
 $\text{Na}_3\text{In}_2(\text{AsO}_4)_3$, **134**, 31
- $\text{AlSr}_2\text{YCu}_2\text{O}_7$ order/disorder, **133**, 434
- β -alumina, BaO-Al₂O₃-AlN system with, analysis, **129**, 66
- amorphous boron, **133**, 211
- Ba-Cu-C-O system, equivalence of CO₃ and CuO_x groups, **129**, 165
- $\text{Ba}_4\text{CuMO}_4\text{Cl}_4$ ($M = \text{Li, Na}$), Cu(III) oxy-chlorides, letter to editor, **129**, 360
- $\text{Ba}_{88}\text{Ni}_{87}\text{O}_{156}(\text{CO}_3)_{19}$, **128**, 220
- $\text{Ba}_{11}\text{Pd}_{11}\text{O}_{20}(\text{CO}_3)_2$, **128**, 220
- $(\text{Ba, Sr})_{1+y}\text{UO}_{3+x}$, perovskite-related phases, **131**, 341
- $\text{BaTiO}_3-\text{LaAlO}_3$ and $\text{BaTiO}_3-\text{LaAlO}_3-\text{LaTi}_{3/4}\text{O}_3$ systems, **129**, 223
- $\text{Ba}_{1+y}\text{UO}_{3+x}$, perovskite-related phases, **131**, 341
- $\text{Ba}_3(\text{VO}_4)_2$, changes at high pressure, **132**, 156
- B₄C-C injection molded ceramics, microstructure, **133**, 68
- BN, cubic, effect of chemically active media, **133**, 292
- B_6O_{1-x} high-strength compounds, **133**, 88

- boron carbide, B–C–Al compounds with, IR active phonon spectra, **133**, 254
- $B_{12}S_{2-x}$ high-strength compounds, **133**, 88
- $Ca_{1-x}La_xS$ ($x = 0-0.3$), **131**, 101
- collapsed, related to 2212 structure, $Bi_{12}Sr_{18}Fe_{10}O_{52}$, **129**, 214
- convex, bare boron clusters, **133**, 182
- crystal, *see* Crystal structure
- $CuAl_2$, relationship to SiF_4 , **132**, 151; *erratum*, **134**, 431
- 1,10-decanedicarboxylic acid/urea inclusion compound, temperature-dependent properties, **128**, 273
- electronic, *see* Electronic structure
- electronic band, *see* Electronic band structure
- hematophanite, $Pb_2Sr_2Cu_2TaO_8Cl$ layered cuprate, **130**, 154
- $(H_3O)Yb_3F_{10} \cdot H_2O$ prepared by chimie douce synthesis, ab initio determination, **128**, 42
- $HLnTiO_4$ and $HLnTiO_4 \cdot xH_2O$ ($Ln = La, Nd, Sm, Gd$), **130**, 110
- incommensurate, $L-Ta_2O_5$ -type phases in $Ta_2O_5-WO_3$ system, **126**, 208; *erratum*, **129**, 368
- $In_{16}Fe_8S_{32}$ spinel, chemically lithiated, **134**, 238
- $In_5Mo_{18}O_{28}$, HREM real-structure study, **130**, 290
- ion-conducting glasses prepared by microwave melting, implications of reversible color changes, **131**, 173
- $La_{2-x}Cd_xRu_2O_{7-\delta}$ pyrochlore oxides, **129**, 308
- $La_{1-x}Sm_xTiO_3$ ($0 \leq x \leq 1$), letter to editor, **133**, 583
- $LiCr_yMn_{2-y}O_4$ ($0 \leq y \leq 1$), modifications induced by electrochemical Li deintercalation, Rietveld analysis, **132**, 372
- $Li_2Fe_2(MoO_4)_3$, weak ferromagnetic ground state structure, **130**, 147
- $LiMn_2O_4$ surface of proton-exchanged spinel, **131**, 84
- $Li_{0.5-3x}Nd_{0.5+x}TiO_3$ perovskites, microstructural study, **128**, 97
- Magneli phases, translational disorder generated by oriented defects in, **131**, 215
- magnetic, *see* Magnetic structure
- $Mn_7Sb_4(\mu_5-O)_2(\mu_4-O)_2(\mu_3-OEt)_2(\mu-OEt)_{16}(HOEt)_2$, **134**, 312
- $NaO_{0.44}C_{5.84}$ graphite intercalation compound with sodium and peroxide, **131**, 282
- $NaNLnTiO_4$ and $Na_2Ln_2Ti_3O_{10}$ ($Ln = La, Nd, Sm, Gd$), **130**, 110
- NbS_2-IrS_2 system, 1T structure stability, **129**, 242
- $NiAs-Ni_2In$ -related, in Mn–Sn system, **129**, 231
- Ni–6 mass% B–58.6 mass% Mo–10 mass% X ($X = V, Fe, Co, Ti, Mn, Zr, Nb, W$), high-strength boride base hard material microstructure, **133**, 243
- nuclear, $U_3Ga_2Ge_3$, neutron powder diffraction study, **131**, 72
- ABO_4 , cation sublattice and coordination polyhedra in, **129**, 82
- oxyhydroxides of trivalent metals, cation array of, **131**, 358
- $(R_{1-x}Pr_x)Ba_4Cu_7O_{14+\delta}$ ($R = Nd, Eu, Tm$), **132**, 73
- $(R_{1.5-x}Pr_xCe_{0.5})Sr_2Cu_2NbO_{10-\delta}$ ($R = Nd, Sm, Eu$), **133**, 445
- $(Pr_{1.5-x}Ce_{0.5})Sr_2Cu_2TaO_{10-\delta}$, **133**, 445
- $Pr_{1-x}K_xMnO_3$ perovskites ($x = 0-0.15$), **132**, 98
- ramsdellite and rutile, $Li_xTi_3O_6$ intergrowth phase related to, synthesis and characterization, **129**, 7
- rock salt, partially ordered, $Li_3Cu_2SbO_6$ with, synthesis, **131**, 115
- SiF_4 , relationship to $CuAl_2$, **132**, 151; *erratum*, **134**, 431
- spherical, bare boron clusters, **133**, 182
- $Sr_3(VO_4)_2$, changes at high pressure, **132**, 156
- $TeO_2-BaO-TiO_2$ glasses, **132**, 411
- TiB_2 PVD coatings, **133**, 117
- $(Ti_{1.5}Hg_{0.5})Sr_{3-x}Ba_xFe_2O_{9-\delta}$ ($0 \leq x \leq 2$), TI-2212-type structure, **132**, 308
- transition metal compounds of edge-sharing square planar units MX_4 , square planar to rectangular distortion in, **128**, 181
- tunnel, *see* Tunnel structure
- $YB_{66}(100)$ surface, **133**, 31
- $ZrSi_{0.7}Sb_{1.3}$, $ZrSn_{0.4}Sb_{1.6}$, and $ZrGeSb$, **134**, 388
- Sulfur
- $AgTaS_3$, structure and electrical conductivity, **132**, 389
- $Ba_6Cu_{12}Fe_{13}S_{27}$, synthesis and crystal structure, **128**, 62
- $B_{12}S_{2-x}$, high-strength compounds, structure and bulk modulus, **133**, 88
- $Ca_{1-x}La_xS$ ($x = 0-0.3$), structural and luminescence properties, **131**, 101
- $(CH_3NH_3)_2M(II)(SO_4)_2 \cdot 6H_2O$ ($M(II) = Cu, Zn, Ni$), IR and Raman spectra, **133**, 407
- $C_{29}H_{30}N_5O_4S_2Ru$, crystal structure, **132**, 60
- Cr_2S_3 , ammonolysis: synthesis of CrN, **134**, 120
- $[Cu(II)(6-mercaptapurinate^{2-})]_n$, magnetic study, **132**, 78
- $ACu_{7-x}S_4$ ($A = Ti, K, Rb$), electrical resistivity anomalies and superlattice modulations, role of vacancy ordering, **134**, 5
- $Cu_x(MS)_{1+y}(NbS_2)_2$ ($M = Ce, Sm$), phase transition, **134**, 99
- $In_{16}Fe_8S_{32}$ spinel, chemically lithiated, structural and local environment modifications, **134**, 238
- $La_6MgGe_2S_{14}$, synthesis and structure, **131**, 399
- $La_6MgSi_2S_{14}$, synthesis and structure, **131**, 399
- $Na_2Cu(SO_4)_2 \cdot 2H_2O$, IR and Raman spectra, **133**, 407
- NbS_2-IrS_2 system, 1T structure stability, **129**, 242
- $NiCr_2S_4$, structure and magnetism, powder neutron diffraction study, **134**, 110
- $(3PbO \cdot PbSO_4 \cdot H_2O)$, crystal structure, **132**, 173
- MPd_3S_4 bronzes ($M = La, Nd, Eu$), crystal structure and electrical conductivity, **129**, 1
- $\gamma-Ln_2S_3$ ($Ln = La, Ce, Pr, Nd$), doped and undoped, band electronic structure study through LMT0-TB calculations, **128**, 197
- MS_4 ($M =$ group 10, group 11), edge-sharing square planar units, transition metal compounds with, square planar to rectangular distortion in, **128**, 181
- $Sb_2S_3-As_2S_3-Tl_2S$ glasses, ^{121}Sb Mössbauer spectroscopy, **133**, 458
- $Sn_2P_2S_6$, synthesis at room temperature, **129**, 157
- $Sr_3Cu_2Fe_2O_5S_2$, crystal structure, **134**, 128
- Sr_2CuMO_3S ($M = Cr, Fe, In$), crystal structure, **134**, 128
- $Sr_2Cu_2MO_5S_2$ ($M = Mn, Zn$), synthesis and properties, **130**, 319
- TiS_2 , ammonolysis: synthesis of TiN, **134**, 120
- VS_2 , ammonolysis: synthesis of VN, **134**, 120
- $[Zn-Cr-SO_4]$ lamellar double hydroxides, selective synthesis, **130**, 66
- ZnS, zinc blende crystals, linear electro-optic coefficient, **130**, 54
- Superconductivity
- $BaNb_2Se_5$, **132**, 188
- chemical geminal charge transfer, vibronic degeneracy effects, and doping excitons in, **129**, 174
- RNi_2B_2C ($R = Tm, Er$), T_C , effects of Pd, Pt, and Co dopants, **133**, 5
- $(R_{1-x}Pr_x)Ba_4Cu_7O_{14+\delta}$ ($R = Nd, Eu, Tm$), **132**, 73
- quaternary borocarbides, **133**, 169
- $ThCr_2Si_2$ -type transition metal compounds, **130**, 254
- Superconductors
- $RBa_2Cu_4O_8$ ($R = Gd, Ho$), Sr substitution in, **128**, 310
- heavy fermion, chemical bonding topology, **131**, 394
- thin film, barium rare-earth antimonates suitable as substrates for, characterization, **128**, 247
- $YBa_2Cu_3O_7$, electrochemical doping with $M-\beta''-Al_2O_3$ ionic conductors, **128**, 93
- $YBa_2Cu_3O_{7-\delta}$, substrates $Ba_{2-x}Sr_xDyTaO_6$ ($x = 0, 1, 2$) for, development and dielectric properties, **133**, 522
- Superionics
- Li_4SiO_4 and Li_4GeO_4 , vibrational spectra and energy characteristics, **134**, 232
- Superlattice reflections
- in $ACu_{7-x}S_4$ ($A = Ti, K, Rb$), role of vacancy ordering, **134**, 5
- Surface-enhanced Raman scattering
- arcanine sulfate, **133**, 423
- Surfaces
- Cr_2O_3 microcrystals, chemical behavior of Sn dopant atoms on, Mössbauer study, **132**, 284

- negatively charged colloid, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
- Pb₂(M_{1.5}W_{0.5})O_{6.5} (*M* = Ti,Sn) defect pyrochlores, properties, **130**, 81
- YB₆₆(100), structure and chemistry, **133**, 31
- Synthesis, *see also* Hydrothermal synthesis; Sol-gel synthesis
- Ag₂TiO₃, **134**, 17
- AlN, by microwave techniques, **130**, 266
- [Al₃P₄O₁₆]³⁻ · 3[CH₃CH₂NH₃]⁺, nonaqueous preparation, **129**, 37
- 2-amino-5-nitropyridinium chloride nonlinear optical materials, **129**, 22
- An₂T₂X (*An* = Pu,Am; *T* = Co,Ir,Ni,Pd,Pt,Rh; *X* = In,Sn), **134**, 138
- B₉X₉ (*X* = Cl,Br,I), **133**, 59
- BaCuB₂O₅, noncentrosymmetric pyroborate, **129**, 184
- Ba₂Cu₃Cl₂O₄, **124**, 319; comment, **130**, 161
- Ba₆Cu₁₂Fe₁₃S₂₇, **128**, 62
- Ba₄CuMO₄Cl₄ (*M* = Li,Na), Cu(III) oxy-chlorides, letter to editor, **129**, 360
- BaFe₂O₄ and BaFe₁₂O₁₉ particles using combustion method, **134**, 227
- BaGe₂, **133**, 501
- Ba₆Mn₂₄O₄₈ with composite tunnel structure, **132**, 239
- Ba₈₈Ni₈₇O₁₅₆(CO₃)₁₉, **128**, 220
- Ba₁₁Pd₁₁O₂₀(CO₃)₂, **128**, 220
- Ba_{2-x}Sr_xDyTaO₆ (*x* = 0,1,2), **133**, 522
- in B-C-N-O system at high pressure and temperature
- electron energy-loss spectroscopy, **133**, 365
- materials prepared by, **133**, 356
- Bi_{2-x}Pb_xSr_{1.5}Ca_{1.5}Mn₂O_{9-δ} with 2212 structure, **132**, 420
- CaBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
- Ca(PO₃)₂-CaB₄O₇-Na₂B₄O₇-Nb₂O₅ borophosphate glasses, **133**, 529
- Cd₈As₅Cl: pnictidohalide with new structure type, **134**, 282
- [C₁₀N₂H₉][Al(PO₄)(PO₂(OH))₂], **128**, 318
- CrN, from ammonolysis of Cr₂S₃, **134**, 120
- CrWN₂, **128**, 185
- crystalline and glassy phosphates with NASICON-type chemistry, using high microwave susceptibility of NaH₂PO₄ · 2H₂O, **132**, 349
- CsMo₆O₁₀(Mo₂O₇)(PO₄)₄, **128**, 233
- Cs₄Te_xSe_{16-x} (*x* = 1,4) and Cs₄Te_{9.74}Se_{13.26} by methanolothermal reaction, **134**, 364
- Cs[(VO)₂(OH)(O₃PCH₂CH₂PO₃)] two-dimensional solid with pillared layers, **132**, 144
- Ln₃Cu₄P₄O₂ (*Ln* = La,Ce,Nd), **129**, 250
- doped rare earth manganate perovskite crystals using fused salt electrolysis, letter to editor, **130**, 327
- M₃Fe₂(SeO₃)₆ · 2H₂O (*M* = Mg,Co,Ni), **131**, 54
- Fe₄W₂N with unique η-carbide structure, **134**, 302
- (Fe_{0.8}W_{0.2})WN₂, **131**, 374
- GaPO₄ thin films, **134**, 91
- Hg₂Ba₂LnCu₂O_{8-δ} (*Ln* = Nd-Gd,Dy-Lu), **132**, 163
- HoMnO₃ with metastable perovskite-type structure, **129**, 334
- (H₃O)Yb₃F₁₀ · H₂O by chimie douce route, **128**, 42
- In₂Ba₂CuO_{6-δ} layered cuprate, **131**, 177
- KAg₂ Laves phase at high pressure, **130**, 311
- KAl(HPO₄)₂ · H₂O, **132**, 47
- K₅In₅Ge₅As₁₄ layered materials, **130**, 234
- K₈In₈Ge₅As₁₇ layered materials, **130**, 234
- K₂(VO)₂P₄O₁₃ with tunnel structure, **132**, 41
- La_{2-x}Cd_xRu₂O_{7-δ} pyrochlore oxides, **129**, 308
- La₂Cu(SeO₃)₄, **133**, 572
- La₂I₂ (*Z* = Fe,Co,Ru,Os) condensed cluster phases, **129**, 277
- La₆MgGe₂S₁₄, **131**, 399
- La₆MgSi₂S₁₄, **131**, 399
- LaMnO_{3+δ} by firing gels using citric acid, **129**, 60
- lanthanum molybdates with La:Mo ratio of 1:1 by high-energy ball milling, letter to editor, **132**, 443
- Li₃AlN₂, by microwave techniques, **130**, 266
- Li₃Cu₂SbO₆ with partially ordered rock salt structure, **131**, 115
- Li₃FeN₂, by microwave techniques, **130**, 266
- Li₃Mo₃O₅(PO₄)₃ with bidimensional connection of MoO₆ octahedra, **133**, 391
- Li(Mo,W)₂O₃(PO₄)₂ with intersecting tunnel structure, **128**, 215
- Li₂Na(MoO)₂(PO₄)₃, **129**, 298
- Li₂Pd₃B and Li₂Pt₃B with boron in octahedral position, **133**, 21
- Li₃Sr₂MN₄ (*M* = Nb,Ta), **130**, 1
- Li₅TiN₃, by microwave techniques, **130**, 266
- Li_{0.74}Ti₃O₆, **129**, 7
- [Mg_{0.174}Ga_{0.256}(OH)₂](CO₃)_{0.134} · mH₂O, **131**, 78
- Mn_{1-x-y}Ag_yΦV_{2-2x-y}Mo_{2x+y}O₆ solid solutions, **133**, 545
- Mn₇Sb₄(μ₅-O)₂(μ₄-O)₂(μ₃-OEt)₂(μ-OEt)₁₆(HOEt)₂, **134**, 312
- NaCoPO₄
- polymorph with edge-sharing Co²⁺ octahedral chains, **131**, 160
- with trigonal bipyramidal Co²⁺ and tunnel structure, **129**, 328
- Na₃(MoO)₂(PO₄)₃ with intersecting tunnel structure, **132**, 249
- NaO_{0.44}C_{5.84} graphite intercalation compound with sodium and peroxide, **131**, 282
- Na₃M(OH)(HPO₄)(PO₄) (*M* = Al,Ga), **128**, 21
- 50Na₂O-49P₂O₅-0.5Eu₂O₃-0.5CeO₂: fluorescent photosensitive glass for optical memory and fluorescence holography, **134**, 362
- Na_xTa₃N₅ (0 ≤ *x* ≤ 1.4), **132**, 394
- N(CH₃)₄ · Zn(H₂PO₄)₃, molecular cluster, **131**, 363
- N(CH₃)₄ · Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, **131**, 363
- NH₂CH=NH₂SnI₃ cubic perovskite and related systems, **134**, 376
- [NH₃(CH₂)₄NH₃]²⁺ [Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic-organic layers, **132**, 229
- [NH₄]⁺ [(Sn₃O)₂(PO₄)₃]⁻, **134**, 207
- (NH₄)₂[(Ti₃O)₂(HPO₄)₂(PO₄)₂], **132**, 213
- oxynitrides in ZrO₂-rich part of Ca-Zr-O-N and Mg-Zr-O-N systems, **128**, 282
- Pb₂Sr₂Cu₂TaO₈Cl layered cuprate with hematophanite structure, **130**, 154
- (R_{1-x}Pr_x)Ba₄Cu₇O_{14+δ} (*R* = Nd,Eu,Tm) at high pressure, **132**, 73
- Pr₂INi₂, Pr₄I₅Ni, and Pr₃I₃Os condensed cluster phases, **129**, 277
- (Pr/La)Co(CN)₆ · 5H₂O mixed cationic systems, **129**, 12
- PtSi₂P₂ and PtSi₃P₂, **133**, 473
- rare earth transition metal borides and their hydrides at low temperature, **133**, 145
- Rb_{0.62}Cr₅Te₈ pseudo-hollandite, **131**, 326
- Rb₅VONb₁₄O₃₈, **134**, 10
- Rb₄YbI₆, **128**, 66
- RbZn₂(HPO₄)₂(H₂PO₄) · 2H₂O and RbZn(HPO₄)(H₂PO₄) · H₂O, **134**, 148
- RRh₂B₂C (*R* = rare earth), **133**, 77
- Sn(O₃PCH₂CH₃) layered phase at room temperature, **132**, 438
- Sr_{10-n/2}Bi_nFe₂₀O_m (*n* = 4,6,8,10), Co-free oxides with high oxygen permeability, **130**, 316
- SrBiO₂Cl, disordered variant of Sillen X1 structure, **128**, 115
- Sr₂Cu₂MO₂S₂ (*M* = Mn,Zn), **130**, 319
- Sr₃MgMO₆ (*M* = Pt,Ir,Rh), **130**, 35
- Sr₄Mn₃(B_{1-x}Mn_x)O₁₀ related to cubic perovskite structure, **134**, 395
- TeMo₅O₁₆ two-dimensional conductor, **129**, 303
- LnTh₂F₁₁ (*Ln* = La-Lu, Y), metastable series with cationic and anionic disorder, **130**, 277
- TiN
- by ammonolysis of TiS₂, **134**, 120
- by microwave techniques, **130**, 266
- [Ti₂O(PO₄)₂(H₂O)₂], **132**, 213
- [Ti₃(PO₄)₄(H₂O)₂] · NH₃, **132**, 213
- Tl₅Ba₃Sr₅Cu₃O₁₉, 1201 shear like phase, **128**, 150

- ($\text{Ti}_{1.5}\text{Hg}_{0.5}$) $\text{Sr}_{3-x}\text{Ba}_x\text{Fe}_2\text{O}_{9-\delta}$ ($0 \leq x \leq 2$) with TI-2212-type structure, **132**, 308
- $\text{Ti}_{1-x}\text{Sr}_2\text{Cu}_{1-y}\text{M}_{x+y}\text{O}_{5-\delta}$ ($M = \text{Nb, Ta, W}$), 1201-based cuprate, **132**, 113
- VN
by ammonolysis of VS_2 , **134**, 120
by microwave techniques, **130**, 266
- $\text{W}_5\text{As}_{2.5}\text{P}_{1.5}$ with one-dimensional vertex-linked W_6 cluster, **131**, 310
- $\text{YBa}_2\text{Cu}_3\text{O}_{6+x}$, orthorhombic, dependence of lattice parameters on oxygen content, **134**, 356
- YMnO_3 with metastable perovskite-type structure, **129**, 334
- $[\text{Zn}-\text{Cr}-\text{SO}_4]$ lamellar double hydroxides, **130**, 66
- $\text{ZrSi}_{0.7}\text{Sb}_{1.3}$, $\text{ZrSn}_{0.4}\text{Sb}_{1.6}$, and ZrGeSb , **134**, 388
- T**
- Tantalum
- AgTaS_3 , structure and electrical conductivity, **132**, 389
- $\text{Ba}_{2-x}\text{Sr}_x\text{DyTaO}_6$ ($x = 0, 1, 2$), development and dielectric properties, **133**, 522
- $\text{Ba}_5\text{Ta}_4\text{O}_{15}$, luminescence, **134**, 187
- $\text{Li}_3\text{Sr}_2\text{Ta}_2\text{N}_4$, synthesis and structure, **130**, 1
- $\text{Na}_x\text{Ta}_3\text{N}_5$ ($0 \leq x \leq 1.4$), synthesis and partial characterization, **132**, 394
- $\text{Pb}_2\text{Sr}_2\text{Cu}_2\text{TaO}_8\text{Cl}$, layered cuprate with hematophanite structure, synthesis and characterization, **130**, 154
- ($\text{Pr}_{1.5}\text{Ce}_{0.5}$) $\text{Sr}_2\text{Cu}_2\text{TaO}_{10-\delta}$, structural properties and oxygen stoichiometry, **133**, 445
- Ta_2O_5 - WO_3 system, incommensurate structures of L - Ta_2O_5 -type phases in, **126**, 208; *erratum*, **129**, 368
- $\text{Ti}_{1-x}\text{Sr}_2\text{Cu}_{1-y}\text{Ta}_{x+y}\text{O}_{5-\delta}$, 1201-based cuprate, cation ordering in, **132**, 113
- Tellurium
- $\text{Ag}_{1.92}\text{Te}$, transport properties at 160°C , **130**, 140
- $\text{Cs}_4\text{Te}_x\text{Se}_{16-x}$ ($x = 1, 4$) and $\text{Cs}_4\text{Te}_{9.74}\text{Se}_{13.26}$, with ordered Se/Te rings and chains, methanolothermal design and structure, **134**, 364
- $\text{Rb}_{0.62}\text{Cr}_5\text{Te}_8$ pseudo-hollandite, synthesis, crystal structure, and electronic band structures of $\text{Rb}_x\text{Cr}_5\text{Te}_8$ phases, **131**, 326
- $\text{Sb}_2\text{Te}_{3-x}\text{Se}_x$ crystals, point defects in, **129**, 92
- $\text{TeMo}_5\text{O}_{16}$, two-dimensional conductor, synthesis and crystal structure, **129**, 303
- TeO_2 - BaO - TiO_2 glasses, structural and nonlinear optical characterizations, **132**, 411
- ZnTe , zinc blende crystals, linear electro-optic coefficient, **130**, 54
- TEM, *see* Transmission electron microscopy
- Temperature effects
- 1,10-decanedicarboxylic acid/urea inclusion compound structure, **128**, 273
- $\text{La}_2\text{NiO}_{4+\delta}$ excess oxygen concentration and electrical conductivity, **131**, 275
- Terbium
- $\text{Al}_5\text{Tb}_3\text{O}_{12}$, cations arrays in garnet-type compounds, **128**, 69
- $\text{Bi}_{1-x}\text{Tb}_x\text{O}_{1.5}$, ion-ordered phases, stability, thermal behavior, and crystal structure, **129**, 98
- $\text{Bi}-\text{Tb}-\text{V}-\text{O}$ anionic conductors with δ - Bi_2O_3 fluorite-type structure, **134**, 219
- $\text{Cs}_2\text{KTbCl}_6$, crystal structure by powder x-ray diffraction, **132**, 1
- Li_8TbO_6 , magnetic susceptibility and EPR spectra, **128**, 228
- TbB_4 , polar and reticular microhardness anisotropy, **133**, 296
- TbB_6 , incongruently melting, single crystal growth and properties, **133**, 198
- Tb_4C_5 , crystal structure, **132**, 294
- $\text{Tb}_3\text{Ga}_5\text{O}_{12}$ garnet, electron density study, **132**, 300
- TbOOH , cation arrays, **131**, 358
- $\text{TbRh}_2\text{B}_2\text{C}$, synthesis and characterization, **133**, 77
- $\text{Tb}_{6+x/3}\text{Si}_{11}\text{N}_{20+x}\text{O}_{1-x}$, preparation and crystal structure, **129**, 312
- $\text{Tb}_2\text{Sn}_2\text{O}_7$, structural and bonding trends, **130**, 58
- $\text{TbTh}_2\text{F}_{11}$, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Tetranuclear silver cluster
- $\text{Ag}_4(2,2\text{-dimethylglutarate})_2$, 2-D framework built from, **134**, 332
- Thallium
- $\text{BaTi}_{0.5}\text{Sb}_{0.5}\text{O}_3$, ordered perovskite, structural analysis, letter to editor, **128**, 323
- Sb_2S_3 - As_2S_3 - Ti_2S glasses, ^{121}Sb Mössbauer spectroscopy, **133**, 458
- $\text{Ti}_5\text{Ba}_3\text{Sr}_5\text{Cu}_3\text{O}_{19}$, 1201 shear like phase, **128**, 150
- TlB_3O_5 , crystal structure, **131**, 370
- $\text{TiCu}_{7-x}\text{S}_4$, electrical resistivity anomalies and superlattice modulations, role of vacancy ordering, **134**, 5
- ($\text{Ti}_{1.5}\text{Hg}_{0.5}$) $\text{Sr}_{3-x}\text{Ba}_x\text{Fe}_2\text{O}_{9-\delta}$ ($0 \leq x \leq 2$) with TI-2212-type structure, preparation and characterization, **132**, 308
- $\text{Ti}_2\text{Ru}_2\text{O}_{7-y}$ pyrochlores, metallic and nonmetallic properties, structural and electronic factors in, letter to editor, **131**, 405
- $\text{Ti}_{1-x}\text{M}_{x+y}\text{Sr}_2\text{Cu}_{1-y}\text{O}_5$ ($M = \text{Nb, Ta, W}$), 1201-based cuprate, cation ordering in, **132**, 113
- Thermal analysis
- $\text{Cu}_2(\text{OH})_3(\text{CH}_3\text{COO}) \cdot \text{H}_2\text{O}$, **131**, 252
- α - $\text{Zr}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$ large crystals, **132**, 17
- Thermal conductivity
- boron and boron phosphide CVD wafers, **133**, 314
- Thermal decomposition
- $\text{Ag}_2\text{Ce}(\text{H}_2\text{O})(\text{NO}_3)_5$, temperature-dependent X-ray powder diffraction study, **132**, 361
- copper(II) dicalcium(II) formate, **132**, 235
- $\text{Cu}_x\text{Mn}_{1-x}(\text{HCOO})_2 \cdot 2\text{H}_2\text{O}$ mixed crystals to copper-manganese oxides, **133**, 416
- hydrated potassium molybdenum bronzes, **132**, 330
- Thermal expansion
- negative
- in large molybdate and tungstate family, letter to editor, **133**, 580
- $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$ and AW_2O_8 ($A = \text{Zr, Hf}$), symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
- titanium at low temperature, **129**, 53
- ZrV_2O_7 from -263 to 470°C , **132**, 355
- Thermal properties
- $\text{Bi}_{1-x}\text{Ln}_x\text{O}_{1.5}$ ($\text{Ln} = \text{Sm}-\text{Dy}$), ion-ordered phases, **129**, 98
- La_3MoO_7 , **129**, 320
- RMn_2O_5 ($R = \text{La, Pr, Nd, Sm, Eu}$), **129**, 105
- NaCoPO_4 polymorph with edge-sharing Co^{2+} octahedral chains, **131**, 160
- $\text{NH}_2\text{CH}=\text{NH}_2\text{SnI}_3$ cubic perovskite and related systems, **134**, 376
- Thermodynamics
- (Ba, Sr) $_{1+y}\text{UO}_{3+x}$, perovskite-related phases, **131**, 341
- $\text{Ba}_{1+y}\text{UO}_{3+x}$, perovskite-related phases, **131**, 341
- $\text{K}_2\text{U}_4\text{O}_{12}$ and $\text{K}_2\text{U}_4\text{O}_{13}$, EMF and calorimetric measurements, **132**, 342
- LaB_6 , crystal preparation from Al flux using compound precursors, **133**, 237
- $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{1-y}\text{Fe}_y\text{O}_{3-\delta}$ ($y = 0-0.6$), high-temperature coulometric titration studies, **130**, 302
- $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-\delta}$, stability, **131**, 150
- NaMgF_3 perovskites, **132**, 131
- orientationally disordered phases in two-component systems, **133**, 536
- Thermoelectric power
- boron and boron phosphide CVD wafers, **133**, 314
- Thermogravimetry
- La_2O_3 - Co - Co_2O_3 system at 1100 and 1150°C , **131**, 18
- Thermopower study
- FeNbO_4 , **134**, 253

Thin films

- BaTiO₃, preparation using glycolate precursor, **131**, 43
 boron, preparation and properties, **133**, 100
 Fe₃O₄, synthesis via sol-gel method, characterization, and magnetic properties, **128**, 87
 GaPO₄, synthesis and dielectric properties, **134**, 91
 magnesium phthalocyanine prepared by vacuum evaporation, electrical and optical characterization, **128**, 27
 superconducting, barium rare-earth antimonates suitable as substrates for, characterization, **128**, 247
 technology, borides in, **133**, 279
 Ti:WO₃, translational disorder generated by oriented defects in Magneli phases, **131**, 215
 ZnO, modification by Ni, Cu, and Cd doping, **128**, 176
 Zn₂SnO₄ spinel, spray pyrolysis preparation and humidity sensing characteristics, **128**, 305

Thorium

- ThB₄, polar and reticular microhardness anisotropy, **133**, 296
 ThB₆, polar and reticular microhardness anisotropy, **133**, 296
 ThCr₂Si₂-type transition metal compounds, LMTO band structure calculations, **130**, 254
 LnTh₂F₁₁ (Ln = La-Lu, Y), metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277

Thulium

- Al₅Tm₃O₁₂, cations arrays in garnet-type compounds, **128**, 69
 Hg₂Ba₂ErTm₂O_{8-δ}, synthesis and structural and magnetic characterization, **132**, 163
 TmB₄, polar and reticular microhardness anisotropy, **133**, 296
 Tm₂Ba₄Cu₇O_{14+δ}, Pr-doped, high-pressure synthesis and characterization, **132**, 73
 TmCuBaO₅, Gibbs free energy of formation, determination by EMF method, **134**, 85
 TmNi₂B₂C, superconducting and magnetic ordering temperatures, effects of Pd, Pt, and Co dopants, **133**, 5
 Tm-Rh-B system, single crystal growth from molten copper flux, **133**, 82
 Tm_{6+x/3}Si₁₁N_{20+x}O_{1-x}, preparation and crystal structure, **129**, 312
 Tm₂Sn₂O₇, structural and bonding trends, **130**, 58
 TmTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277

Tin

- Ba₂SnO₄, Pr⁴⁺ doped in, EPR spectra, **130**, 250
 Bi₂Sn₂O₇, Y-doped, bonding and structural variations in, **131**, 317
 CeRu₄Sn₆, crystal structure, specific heat, and ¹¹⁹Sn Mössbauer spectroscopy, **134**, 326
 dopant atoms on surface of Cr₂O₃ microcrystals, chemical behavior, Mössbauer study, **132**, 284
 α-Fe₂O₃ doped with, hydrothermally prepared, structural characterization, **130**, 272
 LiSn₂(PO₄)₃, low-temperature triclinic distortion in, letter to editor, **130**, 322
 Mn-Sn system, NiAs-Ni₂In-related structures in, **129**, 231
 NH₂CH=NH₂SnI₃ cubic perovskite and related systems, synthesis, resistivity, and thermal properties, **134**, 376
 [NH₄]⁺[(Sn₃O)₂(PO₄)₃]⁻, synthesis and structure, **134**, 207
 Pb₂(Sn_{1.5}W_{0.5})O_{6.5} defect pyrochlores, surface segregation and oxygen vacancy ordering, **130**, 81
 Ru-Sn systems, binary compounds in, heat capacity and heat content measurements, **133**, 439
 An₂T₂Sn (An = Pu,Am; T = Co,Ir,Ni,Pd,Pt,Rh), synthesis, crystal chemistry, and physical properties, **134**, 138
 Ln₂Sn₂O₇ (Ln = Y,La,Pr,Nd,Sm-Lu) pyrochlores, structural and bonding trends, **130**, 58
 Sn(O₃PCH₂CH₃) layered phase, room-temperature synthesis and structural characterization, **132**, 438

- Sn₂P₂S₆, synthesis at room temperature, **129**, 157
 Sr₂SnO₄, Pr⁴⁺ doped in, EPR spectra, **130**, 250
 Zn_{2-x}Sn_{1-x}In_{2x}O_{4-δ} spinel, transparent conducting properties, **134**, 192
 Zn₂SnO₄, spinel thin films, spray pyrolysis preparation and humidity sensing characteristics, **128**, 305
 Zr₂Ni₂Sn, structure and properties, **128**, 289
 ZrSn_{0.4}Sb_{1.6}, and ZrSi_{0.7}Sb_{1.3} and ZrGeSb, synthesis and structure, **134**, 388

Titanium

- Ag₂TiO₃, synthesis and crystal structure, **134**, 17
 aluminum titanate, high-temperature phase formation in sol-gel synthesis, FTIR study, **131**, 181
 BaTiO₃, thin film preparation using glycolate precursor, **131**, 43
 BaTiO₃-LaAlO₃ and BaTiO₃-LaAlO₃-LaTi_{3/4}O₃ systems, chemical reactions and dielectric properties, **129**, 223
 CsTiSi₂O_{6.5}
 crystal structure, neutron and X-ray diffraction study, **130**, 97
 EXAFS and XANES studies, **129**, 206
 Cs₂TiSi₆O₁₅, crystal structure, **131**, 38
 α-Fe₂O₃ doped with, hydrothermally prepared, structural characterization, **130**, 272
 higher order elastic constants and generalized Gruneisen parameters of elastic waves and low-temperature thermal expansion, **129**, 53
 HLnTiO₄ and HLnTiO₄·xH₂O (Ln = La,Nd,Sm,Gd), structure and Raman spectra, **130**, 110
 (LaMn_{1-x}Ti_x)_{1-y}O₃ (x ≤ 0.05), electrical transport in, **133**, 466
 La_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1), magnetic and structural studies, letter to editor, **133**, 583
 La_{2-x}Sr_{2x}Cu_{1-x}Ti_xO₄, linear Cu-O-Ti electronic interaction in two dimensions, **128**, 169
 Li_{0.5-3x}Nd_{0.5+x}TiO₃ perovskites, microstructural study, **128**, 97
 Li₂O-TiO₂-Fe₂O₃ ordered spinels, cation distribution, **134**, 170
 Li₅TiN₃, microwave synthesis, **130**, 266
 Li_{0.74}Ti₃O₆, intergrowth phase of rutile and ramsdellite structure, synthesis and characterization, **129**, 7
 LiTi₂O₄, transformation from spinel to ramsdellite upon heating, **132**, 382
 Na_{0.875}Fe_{0.875}Ti_{1.125}O₄, topotactic oxidation of quadruple-rutile-type chain structure, **130**, 184
 NaLnTiO₄ and Na₂Ln₂Ti₃O₁₀ (Ln = La,Nd,Sm,Gd), structure and Raman spectra, **130**, 110
 Na₄[(TiO₄)(SiO₄)₃]·6H₂O, rhombohedrally distorted titanosilicate pharmacosiderite, synthesis and crystal structure, **134**, 409
 Na₂Ti₂Sb₂O layered tetragonal compound, phase transition and spin gap behavior in, **134**, 422
 (NH₄)₂[(Ti₃O₂)(HPO₄)₂(PO₄)₂], synthesis and powder X-ray structure, **132**, 213
 Ni-6 mass% B-58.6 mass% Mo-10 mass% Ti, high-strength boride base hard materials, **133**, 243
 Pb₂(Ti_{1.5}W_{0.5})O_{6.5} defect pyrochlores, surface segregation and oxygen vacancy ordering, **130**, 81
 TeO₂-BaO-TiO₂ glasses, structural and nonlinear optical characterizations, **132**, 411
 TiB₂
 nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
 PVD coatings, structure and properties, **133**, 117
 in thin film technology, **133**, 279
 Ti-B-C system including sections TiC_y-TiB₂ and B₄C_y-TiB₂, **133**, 205
 TiB₂-CrB₂-WB₂ supersaturated solid solutions, annealing, phase formation during, **133**, 25
 Ti₄TBi₂ (T = Cr,Mn,Fe,Co,Ni), preparation and properties, **133**, 400
 Ti₈Bi₉, preparation and crystal structure, **134**, 26

- TiN
 microwave synthesis, **130**, 266
 nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
 synthesis from ammonolysis of TiS₂, **134**, 120
- TiN/TiB₂ nanocrystalline materials, hardness, elastic modulus, and electrical resistivity, **133**, 249
- TiO₂
 anatase nanopowders, Ru complex sensitizers of, crystal structure, **132**, 60
 ultrafine particles, transformation from rutile to anatase at negatively charged colloid surfaces, letter to editor, **132**, 447
 [Ti₂O(PO₄)₂(H₂O)₂], synthesis and X-ray powder structures, **132**, 213
 [Ti₃(PO₄)₄(H₂O)₂]·NH₃, synthesis and X-ray powder structures, **132**, 213
 TiS₂, ammonolysis: synthesis of TiN, **134**, 120
 Ti:WO₃ thin films, translational disorder generated by oriented defects in Magneli phases, **131**, 215
 zirconolite-4M substituted with Nd, analysis and structure, **129**, 346
- Transition metals
 compounds of edge-sharing square planar units MX₄, square planar to rectangular distortion in, **128**, 181
 rare earth transition metal borides and their hydrides, low-temperature synthesis, **133**, 145
 ThCr₂Si₂-type compounds, LMTO band structure calculations, **130**, 254
- Transmission electron microscopy
 reaction at interface of yttria-doped ceria and yttria-stabilized zirconia, **129**, 74
- Transport properties
 Ag_{1.92}Te at 160°C, **130**, 140
 LaMnO_{3+δ}, **130**, 117
- Triclinic distortion
 in LiSn₂(PO₄)₃ at low temperature, letter to editor, **130**, 322
- 1,3,5-Triethynylbenzene
 preferential formation of C≡C-H···π(C≡C) interactions in solid state, **134**, 203
- Trirutile-type compounds
 Cu²⁺ polyhedra in, geometry and electronic structure, **131**, 263
- 1,1,1-Tris(hydroxymethyl)propane
 and 2-amino-2-methyl-1,3-propanediol, orientationally disordered phases, crystallography and thermodynamics, **133**, 536
- Tungsten
 Ba₂Cu_xZn_{1-x}WO₆ mixed crystals, cooperative Jahn–Teller effect in Raman spectra, **129**, 117
 Ba₅Ru_{1.6}W_{0.4}Cl₂O₉, 10-layer perovskite-related oxyhalide, crystal structure, **132**, 407
 CrWN₂, chemical synthesis and crystal structure, **128**, 185
 Fe₄W₂N, with unique η-carbide structure, synthesis, **134**, 302
 (Fe_{0.8}W_{0.2})WN₂, synthesis and characterization, **131**, 374
 H₂WO₄·nH₂O surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
 MIn(WO₄)₂ (M = Li, Na, K, Cs), vibrational characteristics, **129**, 287
 LaNi_{1-x}W_xO₃ (0 ≤ x ≤ 0.25) perovskites, magnetic properties, **134**, 274
 Li(Mo,W)₂O₃(PO₄)₂, synthesis and intersecting tunnel structure, **128**, 215
 (Mo_xW_{1-x})AlB, single crystal growth by metal Al solutions and crystal properties, **133**, 36
 MoWO₃(PO₄)₂, crystal structure, **128**, 191
 Na_{0.10}WO₃ bronze with distorted perovskite structure, X-ray and electron diffraction study, **133**, 479
 Ni–6 mass% B–58.6 mass% Mo–10 mass% W, high-strength boride base hard materials, **133**, 243
 Pb_{0.26}WO₃ bronze, X-ray and electron diffraction study, **130**, 176
 Pb₂(M_{1.5}W_{0.5})O_{6.5} (M = Ti, Sn), defect pyrochlores, surface segregation and oxygen vacancy ordering, **130**, 81
 [PMo_{4.27}W_{7.73}O₄₀][H₃N(CH₂)₆NH₃²⁺]₃, hydrothermal synthesis and structure, **129**, 257
 Rb₂Mo₂WO₅(PO₄)₃, interconnected tunnel structure, **130**, 48
 Sb_{0.16}WO₃ intergrowth tungsten bronze, X-ray diffraction and electron diffraction study, **134**, 344
 Sb–(W,V)–O system, Aurivillius-related phases in, structure and properties, **128**, 30
 Ta₂O₅–WO₃ system, incommensurate structures of L-Ta₂O₅-type phases in, **126**, 208; *erratum*, **129**, 368
 TiB₂–CrB₂–WB₂ supersaturated solid solutions, annealing, phase formation during, **133**, 25
 Ti:WO₃ thin films, translational disorder generated by oriented defects in Magneli phases, **131**, 215
 Tl_{1-x}Sr₂Cu_{1-y}W_{x+y}O_{5-δ}, 1201-based cuprate, cation ordering in, **132**, 113
 W₅As_{2.5}P_{1.5} with one-dimensional vertex-linked W₆ cluster, **131**, 310
 WO₃, single crystal diffraction studies and structure at high pressures, **132**, 123
 ε-WO₃, structure and ferroelectricity, **131**, 9
 AW₂O₈ (A = Zr, Hf), negative thermal expansion at high temperature, symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
 AW₃O₁₂, negative thermal expansion, letter to editor, **133**, 580
- Tunnel structure
 Ba₆Mn₂₄O₄₈, HREM study, **132**, 239
 interconnected, Rb₂Mo₂WO₅(PO₄)₃, **130**, 48
 intersecting, Na₃(MoO)₂(PO₄)₃, **132**, 249
 K₂(VO)₂P₄O₁₃, **132**, 41
 Li(Mo,W)₂O₃(PO₄)₂, **128**, 215
 NaCoPO₄, **129**, 328
- Two-dimensional conductors
 TeMo₅O₁₆, synthesis and crystal structure, **129**, 303

U

- UGP, *see* Geometrical unit of polyhedra
- Uranium
 (Ba,Sr)_{1+y}UO_{3+x}, perovskite-related phases, structure and thermodynamics, **131**, 341
 Ba_{1+y}UO_{3+x}, perovskite-related phases, structure and thermodynamics, **131**, 341
 K₂U₄O₁₂ and K₂U₄O₁₃, EMF and calorimetric measurements of thermodynamic properties, **132**, 342
 UB₄, polar and reticular microhardness anisotropy, **133**, 296
 UBe₁₃, heavy fermion superconductors, chemical bonding topology, **131**, 394
 U₃Ga₂Ge₃, nuclear and magnetic structure, neutron powder diffraction study, **131**, 72
 UGe, crystal structure and magnetic behavior, **129**, 113
 UXPO₄·2H₂O (X = Cl, Br), structure determination from powder X-ray diffraction data, **132**, 315
 UPT₃, heavy fermion superconductors, chemical bonding topology, **131**, 394
 U₂PtC₂, heavy fermion superconductors, chemical bonding topology, **131**, 394
 URu₂Si₂, heavy fermion superconductors, chemical bonding topology, **131**, 394
- Urea
 inclusion compound with 1,10-decanedicarboxylic acid, temperature-dependent structural properties, **128**, 273

V

- Vacancy ordering
oxygen in $\text{Pb}_2(\text{M}_{1.5}\text{W}_{0.5})\text{O}_{6.5}$ ($M = \text{Ti, Sn}$) defect pyrochlores, **130**, 81
role in electrical resistivity anomalies and superlattice modulations in $\text{ACu}_{7-x}\text{S}_4$ ($A = \text{Ti, K, Rb}$), **134**, 5
- Vacuum evaporation
magnesium phthalocyanine thin films prepared by, electrical and optical characterization, **128**, 27
- Valence
copper in LaCuO_{3-y} ($0 \leq y \leq 0.5$), control by oxygen content adjustment, **130**, 213
mixed-valences state, effect on magnetic excitation spectrum of SmB_6 -based compounds, **133**, 230
- Valence degeneracy
in $\text{La}_{2-x}\text{Sr}_{2x}\text{Cu}_{1-x}\text{M}_x\text{O}_4$ ($M = \text{Ti, Mn, Fe, Ru}$), **128**, 169
- Valence stabilization
in tetrahedral oxo and hydroxo Cr(IV) , Mn(V) , and Fe(VI) clusters, theoretical study, **128**, 1
- Vanadium
 $\text{Ag}_{1.2}\text{V}_3\text{O}_8$, crystal structure: relationship to $\text{Ag}_2\text{V}_4\text{O}_{11-y}$, and interpretation of physical properties, **134**, 294
 $\text{Ag}_2\text{VP}_2\text{O}_8$, structure and ionic conductivity, **130**, 28
 $\text{Ba}_3(\text{VO}_4)_2$, high-pressure behavior, **132**, 156
 $\text{Bi}_{13}\text{Mo}_4\text{VO}_{34}\text{E}_{13}$, [$\text{Bi}_{12}\text{O}_{14}\text{E}_{12}$] $_n$ columns and lone pairs E in, **131**, 236
 Bi_2O_3 - MoO_3 - V_2O_5 system, synthesis, crystal structure, and chemistry, **131**, 236
 Bi-Ln-V-O anionic conductors with δ - Bi_2O_3 fluorite-type structure ($\text{Ln} = \text{Y, Sm, Eu, Gd, Tb, Dy, Er, Yb}$), **134**, 219
 CaV_2O_5 , crystal structure and spin gap state, letter to editor, **127**, 359; addendum, **129**, 367
 $\text{Cs}_2\text{V}_4\text{O}_{11}$ with unusual V-O coordinations, crystal structure, **134**, 52
 $\text{Cs}[(\text{VO})_2(\text{OH})(\text{O}_3\text{PCH}_2\text{CH}_2\text{PO}_3)]$, two-dimensional solid with pillared layers, synthesis and structure, **132**, 144
 $\text{H}_x\text{V}_2\text{Zr}_2\text{O}_9 \cdot \text{H}_2\text{O}$ ($x = 0.43$), hydrothermal synthesis and characterization, **128**, 313
 $\text{K}_2(\text{VO})_2\text{P}_4\text{O}_{13}$, with tunnel structure, synthesis and properties, **132**, 41
 LiMnVO_4 , ambient and high-pressure structures and $\text{Mn}^{3+}/\text{Mn}^{2+}$ redox energy, **128**, 267
 $\text{Mn}_{1-x-y}\text{Ag}_y\text{V}_{2-2x-y}\text{Mo}_{2x+y}\text{O}_6$, solid solutions, synthesis and study, **133**, 545
 NH_4VOPO_4 and $(\text{NH}_4)_3\text{V}_2\text{O}_3(\text{VO})(\text{PO}_4)_2(\text{HPO}_4)$, crystal structure, and analysis of hydrothermal vanadium phosphate systems at 473 K, **134**, 286
Ni-6 mass% B-58.6 mass% Mo-10 mass% V, high-strength boride base hard materials, **133**, 243
 $\text{PbFe}_x\text{V}_{6-x}\text{O}_{11}$ ($1 \leq x \leq 1.75$), R -type frustrated system, Fe substitution effects on structural, electric, and magnetic properties, **130**, 223
 $\text{Rb}_5\text{VONb}_{14}\text{O}_{38}$, synthesis and crystal structure, **134**, 10
 β -rhombohedral boron doped with
electronic structure, electron energy-loss spectroscopic study, **133**, 152
icosahedral solids, electronic properties, **133**, 160
Sb-(W,V)-O system, Aurivillius-related phases in, structure and properties, **128**, 30
 $\text{Sr}_3(\text{VO}_4)_2$, high-pressure behavior, **132**, 156
 VB_2 , Czochralski-grown single crystals, microhardness, **133**, 113
 VB_{32} , reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- VC, metal-to-metal bonding in, **128**, 121
- VN
metal-to-metal bonding in, **128**, 121
microwave synthesis, **130**, 266
synthesis from ammonolysis of VS_2 , **134**, 120
 V_2O_3 , metal-insulator transition in, acoustic emission during, **133**, 430
 δ - $\text{M}_{0.25}\text{V}_2\text{O}_5 \cdot \text{H}_2\text{O}$ ($M = \text{Ca, Ni}$), crystal structure, **132**, 323

- $\text{V}_2\text{O}_5 \cdot n\text{H}_2\text{O}$ surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
 VS_2 , ammonolysis: synthesis of VN, **134**, 120
 ZrV_2O_7 , structure from -263 to 470°C, **132**, 355
 $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$, negative thermal expansion at high temperature, symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
- Vanadium phosphates
 $\text{NH}_4/\text{V}/\text{P}/\text{H}_2\text{O}$ and $\text{K}/\text{V}/\text{P}/\text{N}(\text{C}_2\text{H}_5)_3/\text{H}_2\text{O}$ hydrothermal systems, analysis at 473 K, and crystal structures of NH_4VOPO_4 and $(\text{NH}_4)_3\text{V}_2\text{O}_3(\text{VO})(\text{PO}_4)_2(\text{HPO}_4)$, **134**, 286
- Van Hove singularity
in SrRh_2P_2 , **130**, 254
- Vibrational spectra
superionics Li_4SiO_4 and Li_4GeO_4 , **134**, 232
- Vibrations
two-coordinate oxygen bridges in negative thermal expansion of $\text{ZrV}_x\text{P}_{2-x}\text{O}_7$ and AW_2O_8 ($A = \text{Zr, Hf}$) at high temperature, letter to editor, **129**, 160
- Vibronic degeneracy effects
in superconductivity, **129**, 174

W

- Water
 $\text{Ag}_2\text{Ce}(\text{H}_2\text{O})(\text{NO}_3)_5$, structure and thermal decomposition, temperature-dependent X-ray powder diffraction study, **132**, 361
 $\text{Ba}(\text{CoPO}_4)_2 \cdot \text{H}_2\text{O}$, lamellar hydrated phosphate with two-dimensional array of Co-O-Co network, **131**, 387
 $\text{Me}^+\text{Br} \cdot \text{Me}^{2+}\text{Br}_2 \cdot 6\text{H}_2\text{O}$ ($\text{Me}^+ = \text{K, NH}_4, \text{Rb}$; $\text{Me}^{2+} = \text{Co, Ni}$), crystallization and structure, **129**, 200
 $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$, protonic mobility in, IR spectroscopic and neutron scattering studies, **132**, 6
 $\text{Cd}^{\text{II}}[(\text{Fe}^{\text{III}}/\text{Co}^{\text{III}})(\text{CN})_6]_2 \cdot 14\text{H}_2\text{O}$, X-ray diffraction and spectral studies, **129**, 17
 $(\text{CH}_3\text{NH}_3)_2\text{M}(\text{II})(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ ($\text{M}(\text{II}) = \text{Cu, Zn, Ni}$), IR and Raman spectra, **133**, 407
 $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, solid-solid reactions with 4-methylbenzeneamine, **132**, 291
 $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, solid-solid reactions with 4-methylbenzeneamine, **132**, 291
 $\text{Cu}_x\text{Mn}_{1-x}(\text{HCOO})_2 \cdot 2\text{H}_2\text{O}$ mixed crystals, thermal decomposition to copper-manganese oxides, **133**, 416
 $\text{CuNbOF}_5 \cdot 4\text{H}_2\text{O}$, infrared spectroscopy, **133**, 576
 $\text{Cu}_2(\text{OH})_3(\text{CH}_3\text{COO}) \cdot \text{H}_2\text{O}$, preparation, characterization, and *ab initio* X-ray powder diffraction, **131**, 252
 $[\text{Fe}_3(\text{PO}_4)_3\text{F}_2, (\text{CH}_3\text{NH}_3)_2, \text{H}_2\text{O}]$, hydrothermal synthesis, crystal structure, and magnetic properties, **134**, 349
 $\text{M}_3\text{Fe}_2(\text{SeO}_3)_6 \cdot 2\text{H}_2\text{O}$ ($M = \text{Mg, Co, Ni}$), synthesis, crystal structure, and IR and Mössbauer spectroscopy, **131**, 54
 $(\text{H}_3\text{O})\text{Yb}_3\text{F}_{10} \cdot \text{H}_2\text{O}$, chimie douce synthesis and *ab initio* structure determination, **128**, 42
 $\text{HLnTiO}_4 \cdot x\text{H}_2\text{O}$ ($\text{Ln} = \text{La, Nd, Sm, Gd}$), structure and Raman spectra, **130**, 110
 $\text{H}_x\text{V}_2\text{Zr}_2\text{O}_9 \cdot \text{H}_2\text{O}$ ($x = 0.43$), hydrothermal synthesis and characterization, **128**, 313
 $\text{H}_2\text{WO}_4 \cdot n\text{H}_2\text{O}$ surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
hydrothermal $\text{NH}_4/\text{V}/\text{P}/\text{H}_2\text{O}$ and $\text{K}/\text{V}/\text{P}/\text{N}(\text{C}_2\text{H}_5)_3/\text{H}_2\text{O}$ systems, analysis at 473 K, and crystal structures of NH_4VOPO_4 and $(\text{NH}_4)_3\text{V}_2\text{O}_3(\text{VO})(\text{PO}_4)_2(\text{HPO}_4)$, **134**, 286
 $\text{KAl}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$, X-ray diffraction, neutron scattering, and solid-state NMR, **132**, 47
 $\text{K}[(\text{Fe}_2(\text{PO}_4)_2(\text{OH})(\text{H}_2\text{O})) \cdot \text{H}_2\text{O}]$, hydrogen bonding and structural relationships, **133**, 508

- $K_{0.23}(H_2O)_{0.27}MoO_{3.00}$, $K_{0.23}(H_2O)_{0.43}MoO_{3.00}$, and $K_{0.23}(H_2O)_{0.65}MoO_{3.00}$ bronzes, preparation and thermal decomposition, **132**, 330
- $KNa(C_4H_4O_6) \cdot 4H_2O$, structure, **131**, 350
- $[Mg_{0.174}Ga_{0.256}(OH)_2](CO_3)_{0.134} \cdot mH_2O$, synthesis, characterization, and 1H and ^{71}Ga MAS NMR, **131**, 78
- $Na_2Cu(SO_4)_2 \cdot 2H_2O$, IR and Raman spectra, **133**, 407
- $NaH_2PO_4 \cdot 2H_2O$, high microwave susceptibility: synthesis of crystalline and glassy phosphates with NASICON-type chemistry, **132**, 349
- $Na_4[(TiO)_4(SiO_4)_3] \cdot 6H_2O$, rhombohedrally distorted titanosilicate pharmacosiderite, synthesis and crystal structure, **134**, 409
- $NiCl_2 \cdot 6H_2O$, solid–solid reactions with 4-methylbenzencamine, **132**, 291
- $(3PbO \cdot PbSO_4 \cdot H_2O)$, crystal structure, **132**, 173
- $(Pr/La)Co(CN)_6 \cdot 5H_2O$, mixed cationic systems, synthesis and crystal structure, **129**, 12
- $RbZn_2(HPO_4)_2(H_2PO_4) \cdot 2H_2O$ and $RbZn(HPO_4)(H_2PO_4) \cdot H_2O$, syntheses and crystal structures, **134**, 148
- $[Ti_2O(PO_4)_2(H_2O)_2]$, synthesis and X-ray powder structures, **132**, 213
- $[Ti_3(PO_4)_4(H_2O)_2] \cdot NH_3$, synthesis and X-ray powder structures, **132**, 213
- $UXPO_4 \cdot 2H_2O$ ($X = Cl, Br$), structure determination from powder X-ray diffraction data, **132**, 315
- $\delta-M_{0.25}V_2O_5 \cdot H_2O$ ($M = Ca, Ni$), crystal structure, **132**, 323
- $V_2O_5 \cdot nH_2O$ surfaces, transformation of ultrafine rutile particles to anatase at, letter to editor, **132**, 447
- $\alpha-Zr(HPO_4)_2 \cdot H_2O$ large crystals, thermoanalytical study, phase transitions, and dimensional changes, **132**, 17
- $\beta-Zr(OH)_2(NO_3)_2 \cdot H_2O$, structural analysis by X-ray powder diffraction, **128**, 295
- $\alpha-Zr(OH)_2(NO_3)_2 \cdot 1.65H_2O$, structural analysis by X-ray powder diffraction, **128**, 295
- X
- XANES, *see* X-ray absorption near edge structure
- X-ray absorption near edge structure
- $CsTiSi_2O_{6.5}$, **129**, 206
- $LiMn_2O_4$
- in situ* study of charge–discharge process, letter to editor, **133**, 586
- spinel-type, letter to editor, **128**, 326
- X-ray diffraction
- $CsTiSi_2O_{6.5}$, single-crystal XRD, **130**, 97
- decomposition processes in single crystals of K_2NiF_4 -type aluminate $LaCaAlO_4$, **134**, 132
- $KAl(HPO_4)_2 \cdot H_2O$, single-crystal studies, **132**, 47
- $LiMn_2O_4$ and Li_2MnO_3 coexisting phases, stoichiometry, **128**, 80
- $Na_{0.10}WO_3$ bronze with distorted perovskite structure, **133**, 479
- $(3PbO \cdot PbSO_4 \cdot H_2O)$, single-crystal studies, **132**, 173
- $Sb_{0.16}WO_3$ intergrowth tungsten bronze, single-crystal studies, **134**, 344
- $(Sr,Ca)_4Cu_6O_{10}$ three-leg-ladder compound, single-crystal studies, **134**, 427
- WO_3 at high pressures, single-crystal studies, **132**, 123
- $YFe_2D_{3.5}$, **133**, 568
- X-ray photoelectron spectroscopy
- state of boron atoms in amorphous metallic matrix, **133**, 273
- XPS–XAES of $Cu_2(OH)_3(CH_3COO) \cdot H_2O$, **131**, 252
- X-ray scattering
- wide-angle, nonstoichiometric $NiMn_2\Box_{3\delta/4}O_{4+\delta}$ spinels, **129**, 271
- Y
- Young's modulus
- B_4C –C injection molded ceramics, **133**, 68
- nanocrystalline borides and related compounds, **133**, 249
- Ytterbium
- $Al_3Yb_3O_{12}$, cations arrays in garnet-type compounds, **128**, 69
- Bi–Yb–V–O anionic conductors with $\delta-Bi_2O_3$ fluorite-type structure, **134**, 219
- $(Gd-Yb)_4Mo_{18}O_{32}$, with Mo_n ($n = 2, 4, 6$) cluster chains, anomalous metal–insulator transitions in, **134**, 45
- $Hg_2Ba_2ErYb_2O_{8-\delta}$, synthesis and structural and magnetic characterization, **132**, 163
- $(H_3O)Yb_3F_{10} \cdot H_2O$, chimie douce synthesis and ab initio structure determination, **128**, 42
- Rb_4YbI_6 , synthesis and crystal structure, **128**, 66
- YbB_6 , polar and reticular microhardness anisotropy, **133**, 296
- $YbCuBaO_5$, Gibbs free energy of formation, determination by EMF method, **134**, 85
- $YbOOH$, cation arrays, **131**, 358
- $YbRh_3B_2$, single crystal growth from molten copper flux, **133**, 82
- $Yb_{6+x/3}Si_{11}N_{20+x}O_{1-x}$, preparation and crystal structure, **129**, 312
- $Yb_2Sn_2O_7$, structural and bonding trends, **130**, 58
- $YbTh_2F_{11}$, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Yttrium
- $AlSr_2YCu_2O_7$, structural order/disorder in, **133**, 434
- $Ba_2(YSb)O_6$, ordered perovskites suitable as substrates for superconducting films, characterization, **128**, 247
- $Bi_2Sn_2O_7$ doped with, bonding and structural variations in, **131**, 317
- Bi–Y–V–O anionic conductors with $\delta-Bi_2O_3$ fluorite-type structure, **134**, 219
- $LiYF_4$, Am^{3+} in, spectroscopic studies and crystal-field analysis, **129**, 189
- $Y_3X_2Al_3O_{12}$ garnets ($X = Al$ and (Al,Cr)), electron density study, **134**, 182
- YB_6
- electronic structure calculations, **133**, 51
- incongruently melting, single crystal growth and properties, **133**, 198
- in thin film technology, **133**, 279
- $YB_{2.5}$, powder X-ray diffraction and electron diffraction studies, **133**, 122
- $YB_{5.6}$ and $YB_{6.2}$ with $YB_{6.6}$ -type structure, structural refinement, **133**, 16
- $YB_{6.6}$
- (100) surface structure and chemistry, **133**, 31
- interband critical transition points, **133**, 132
- modulated photoconductivity, **133**, 195
- reflectivity spectra, description based on superposition of Drude type and hopping type transport, **133**, 335
- $YBa_2Cu_3O_y$
- electrochemical doping with $M-\beta''-Al_2O_3$ ionic conductors, **128**, 93
- single crystal, structure and electron density, effects of oxygen introduction, **130**, 42
- $YBa_2Cu_3O_{6+x}$, orthorhombic, dependence of lattice parameters on oxygen content, **134**, 356
- $YBa_2Cu_3O_{7-\delta}$, substrates $Ba_{2-x}Sr_xDyTaO_6$ ($x = 0, 1, 2$) for, development and dielectric properties, **133**, 522
- $(YBa_2Cu_3O_{7-0.25})_4$, superconductive mechanism, **129**, 174
- YBO_3 , structure, **128**, 261
- $Y_{17.33}(BO_3)_4(B_2O_5)_2O_{16}$, structure and luminescence, **134**, 158
- $YB_{41}Si_{1.2}$, crystal structure, **133**, 11
- $YB_{44}Si_{1.0}$, single crystal growth, **133**, 55
- Y_4C_5 , crystal structure, **132**, 294
- $YCoO_3$, structure from neutron diffraction, **130**, 192
- $YFe_2D_{3.5}$, X-ray and neutron powder diffraction studies, **133**, 568
- $YMnO_3$, with metastable perovskite-type structure, synthesis, **129**, 334
- $Y_4Mo_{18}O_{32}$, with Mo_n ($n = 2, 4, 6$) cluster chains, anomalous metal–insulator transitions in, **134**, 45
- $(YO_{1.5})_{0.2}(CeO_2)_{0.8}$, reaction at interface with yttria-stabilized zirconia, TEM study, **129**, 74

- YOOH, cation arrays, **131**, 358
 $(Y_2O_3)_{0.08}(ZrO_2)_{0.92}$, reaction at interface with yttria-doped ceria, TEM study, **129**, 74
 Y–Pd–B–C system, chemical and physical properties, **133**, 169
 YRh₂B₂C, synthesis and characterization, **133**, 77
 $Y_{6+x/3}Si_{11}N_{20+x}O_{1-x}$, preparation and crystal structure, **129**, 312
 Y₂Sn₂O₇, structural and bonding trends, **130**, 58
 YTh₂F₁₁, metastable series with cationic and anionic disorder, synthesis and characterization, **130**, 277
- Z**
- Zinc
 Ba₂Cu_xZn_{1-x}WO₆ mixed crystals, cooperative Jahn–Teller effect in Raman spectra, **129**, 117
 Ba₂FeZnF₇Cl, Mössbauer spectroscopy, **131**, 198
 (CH₃NH₃)₂Zn(II)(SO₄)₂·6H₂O, IR and Raman spectra, **133**, 407
 K₂ZnGeO₄, α and β forms, crystal structures, **134**, 59
 N(CH₃)₄·Zn(H₂PO₄)₃, molecular cluster, synthesis and crystal structure, **131**, 363
 N(CH₃)₄·Zn(HPO₄)(H₂PO₄), open framework phase built up from low-density 12-ring topology, synthesis and crystal structure, **131**, 363
 [NH₃(CH₂)₄NH₃]²⁺[Zn₂P₃O₉(OH)₃]²⁻ with alternating inorganic–organic layers, synthesis and characterization, **132**, 229
 RbZn₂(HPO₄)₂(H₂PO₄)·2H₂O and RbZn(HPO₄)(H₂PO₄)·H₂O, syntheses and crystal structures, **134**, 148
 Sr₂Cu₂ZnO₂S₂, synthesis and properties, **130**, 319
 zinc blende crystals, atomic sizes in, linear electro-optic coefficient dependence on, **130**, 54
 Zn²⁺, electrochemical doping of oxide ceramics with Zn- β'' -Al₂O₃ ionic conductors, **128**, 93
 Zn(CN)₂, disordered crystal structure, **134**, 164
 [Zn–Cr–SO₄] lamellar double hydroxides, selective synthesis, **130**, 66
 Zn(Mg)_{1-x}Cu_xSb₂O₆, trirutile-type compounds, Cu²⁺ polyhedra in, geometry and electronic structure, **131**, 263
 ZnO, thin films, modification by Ni, Cu, and Cd doping, **128**, 176
 Zn₃O₂, crystal structure, **132**, 56
 Zn_{2-x}Sn_{1-x}In_{2x}O_{4- δ} spinel, transparent conducting properties, **134**, 192
 Zn₂SnO₄, spinel thin films, spray pyrolysis preparation and humidity sensing characteristics, **128**, 305
- Zintl phases
 tetrahedral cluster packing and other three-connected nets in, **133**, 501
- Zirconium
 Ca–Zr–O–N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
 CrZr_{0.75}Nb_{0.25}F₆, antiferrodistortive order in solid solution, **131**, 231
 H_xV₂Zr₂O₉·H₂O ($x = 0.43$), hydrothermal synthesis and characterization, **128**, 313
 Mg–Zr–O–N system, oxynitride synthesis in ZrO₂-rich part and characterization, **128**, 282
 Ni–6 mass% B–58.6 mass% Mo–10 mass% Zr, high-strength boride base hard materials, **133**, 243
 Sr_{1-x}Ba_xZrSe₃ series, structural evolutions in, **130**, 20
 (Y₂O₃)_{0.08}(ZrO₂)_{0.92}, reaction at interface with yttria-doped ceria, TEM study, **129**, 74
 zirconolite-4M substituted with Nd, analysis and structure, **129**, 346
 ZrB₂, in thin film technology, **133**, 279
 ZrB₁₂, in thin film technology, **133**, 279
 Zr₂CoP, structure and characterization, **131**, 379
 ZrGeSb, ZrSi_{0.7}Sb_{1.3}, and ZrSn_{0.4}Sb_{1.6}: family containing ZrSiS-type and β -ZrSb₂-type compounds, **134**, 388
 α -Zr(HPO₄)₂·H₂O large crystals, thermoanalytical study, phase transitions, and dimensional changes, **132**, 17
 Zr₂Ni₂In, structure and properties, **128**, 289
 Zr₂NiP, structure and characterization, **131**, 379
 Zr₂Ni₂Sn, structure and properties, **128**, 289
 ZrO₂, structure, relationship to structure of Ca(OD)₂ II prepared at high pressure, powder neutron diffraction study, **132**, 267
 β -Zr(OH)₂(NO₃)₂·H₂O, structural analysis by X-ray powder diffraction, **128**, 295
 α -Zr(OH)₂(NO₃)₂·1.65H₂O, structural analysis by X-ray powder diffraction, **128**, 295
 ZrSiO₄, iron-doped pigments, synthesis by pyrolysis of aerosols, **128**, 102
 ZrSi_{0.7}Sb_{1.3}, ZrSn_{0.4}Sb_{1.6}, and ZrGeSb: family containing ZrSiS-type and β -ZrSb₂-type compounds, **134**, 388
 ZrV₂O₇, structure from –263 to 470°C, **132**, 355
 ZrV_xP_{2-x}O₇ and ZrW₂O₈, negative thermal expansion at high temperature, symmetric stretching vibrations of two-coordinate oxygen bridges in, letter to editor, **129**, 160
- Zirconolite-4M
 Nd-substituted, analysis and structure, **129**, 346