

## Cumulative Subject Index for Volumes 135–141<sup>1</sup>

### A

- Acetic acid  
nondoped sol-gel ZrO<sub>2</sub> prepared with, tetragonal nanophase stabilization, **135**, 28
- Acid/base properties  
hydrocalcite-derived MgAlO oxides calcined at varying temperatures, **137**, 295
- Acid delithiation  
LiCoO<sub>2</sub>, products of, structural features, **140**, 116
- Acids  
solid, Cs<sub>5</sub>(HSO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub> with unique hydrogen bond network, X-ray diffraction study, **140**, 251
- Aliovalent cation doping  
effect on electrical conductivity of Na<sub>2</sub>SO<sub>4</sub>, **138**, 183
- Alkaline earth carbonates  
thermal decomposition, modeling based on lattice energy changes, **137**, 332
- Alkaline earth peroxides  
thermal decomposition, modeling based on lattice energy changes, **137**, 346
- 1,ω-Alkanediols  
and 1-alkanols, intercalation into NbOPO<sub>4</sub> and NbOAsO<sub>4</sub>, **141**, 64
- 1-Alkanols  
and 1,ω-alkanediols, intercalation into NbOPO<sub>4</sub> and NbOAsO<sub>4</sub>, **141**, 64
- Alkyltrimethylammonium chromates  
layered, thermal and structural studies, **139**, 310
- Alloys  
β-brass-type, LiIn and LiCd, formation by pressure-induced transformation of NaTi-type phases, **137**, 104  
La<sub>12</sub>Mn<sub>2</sub>Sb<sub>30</sub>, electronic structure, **139**, 8  
Ni-Fe, composites with magnetite, synthesis and microstructure, **135**, 210  
nonstoichiometric B8-type phases A<sub>1+x</sub>B (A = Co, Ni; B = Ge, Sn), sinusoidal diffuse scattering loci in, simulation, **140**, 402
- Alluaudite structure  
Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub> transition to, induction by cationic substitutions, **137**, 112  
NaFe<sub>3.67</sub>(PO<sub>4</sub>)<sub>3</sub>, **139**, 152
- Aluminum  
Al<sup>3+</sup>, substitution for Mn<sup>3+</sup> in Ln<sub>0.5</sub>A<sub>0.5</sub>MnO<sub>3</sub> (Ln = Nd, Gd, Y; A = Ca, Sr), **137**, 365  
AlF<sub>3</sub>, temperature- and gas-phase-mediated reorganization and paramagnetic doping, **139**, 27  
LnAlO<sub>3</sub> (Ln = La–Lu, Y) perovskites, stability, calorimetric study, **141**, 424  
α-Al<sub>2</sub>O<sub>3</sub> and γ-Al<sub>2</sub>O<sub>3</sub>, oxides supported with, formation of aluminates of Ni, Co, Cu, and Fe from, **135**, 59  
Ln<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> (Ln = La–Lu, Y) garnets, stability, calorimetric study, **141**, 424  
Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>+</sup>, encapsulation into MoS<sub>2</sub> and WS<sub>2</sub> and Rietveld structural characterization, **139**, 22  
Al<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> nanocrystals, preparation and characterization, **141**, 70  
BaAlO<sub>4</sub>H, synthesis and structure, **141**, 570  
Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258  
BaO–Al<sub>2</sub>O<sub>3</sub>–MgO system, Al-rich part phase relationships, **136**, 253  
related compound Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258  
(Ca, Gd)<sub>2</sub>(Al, Ti)O<sub>4</sub>, crystal structure, **139**, 204  
Ce–Al–(Si, Ge) systems, phase equilibria and physical properties, **137**, 191  
CoAl<sub>2</sub>O<sub>4</sub>, formation from α- and γ-Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59  
CuAl<sub>2</sub>O<sub>4</sub>, formation from α- and γ-Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59  
CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F, OH)<sub>2</sub>, hydrothermal synthesis, crystal structure, and properties, **141**, 527  
ethylenediamine-templated aluminum cobalt phosphate, synthesis and zeolite-type structure, **136**, 210  
FeAl<sub>2</sub>O<sub>4</sub>, formation from α- and γ-Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59  
hydrocalcite-derived MgAlO oxides calcined at varying temperatures, structural and acid/base properties, **137**, 295  
Li<sub>9</sub>Al<sub>3</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, crystal structure and cation transport properties, **138**, 32  
[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub> · 2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], synthesis and structure, letter to editor, **136**, 141  
NiAl<sub>2</sub>O<sub>4</sub>, formation from α- and γ-Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59  
Ni<sub>1-x</sub>O doped with, spinel precipitation in, **140**, 38  
RPTAl (R = Ce, Pr, Nd), magnetic structures, **140**, 233  
ScAl<sub>3</sub>C<sub>3</sub>, crystal structure, **140**, 396  
UAl<sub>3</sub>C<sub>3</sub>, crystal structure, **140**, 396  
Y<sub>4</sub>Al<sub>2</sub>O<sub>9</sub>, high-temperature neutron diffraction study, **141**, 466  
Zr<sub>3</sub>Al<sub>3</sub>C<sub>5</sub>, crystal structure, **140**, 396
- Amines  
zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structures, **135**, 293
- Ammonium  
anhydrous bisoctyltrimethylammonium dichromate, crystal structure, **139**, 310  
1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93  
ethylenediamine-templated 1-D [enH<sub>2</sub>][Zr(HPO<sub>4</sub>)<sub>3</sub>] and 2-D [enH<sub>2</sub>]<sub>0.5</sub>[Zr(PO<sub>4</sub>)(HPO<sub>4</sub>)], crystal structures, **140**, 46  
(NH<sub>4</sub>)<sub>x</sub>K<sub>1-x</sub>Bi<sub>3</sub>S<sub>5</sub>, preparation, letter to editor, **136**, 328  
NH<sub>4</sub>NbWO<sub>6</sub> defect pyrochlore, crystal structure and phase transition, **141**, 537  
NH<sub>4</sub>VP<sub>2</sub>O<sub>7</sub>, structural study by X-ray powder diffraction, **136**, 181
- Ammonium hydroxide  
nondoped sol-gel ZrO<sub>2</sub> prepared with, tetragonal nanophase stabilization, **135**, 28
- Ammonolysis  
LiF–WO<sub>3</sub>, *in situ* X-ray diffraction study: detection and crystal structure of Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, **138**, 154
- Amorphization  
Ca<sub>3</sub>(VO<sub>4</sub>)<sub>2</sub> at high pressure, **139**, 161  
GeSe<sub>2</sub> at high pressure, **141**, 248

<sup>1</sup>Boldface numbers indicate volume; lightface numbers indicate pagination.

- Annealing  
In-Bi<sub>2</sub>S<sub>3</sub> thin films, effects on structural and electrical properties, **138**, 290
- Antiferromagnets  
GdAgGe, GdAuGe, GdAu<sub>0.44(1)</sub>In<sub>1.56(1)</sub>, and GdAuIn, structure, bonding, magnetic susceptibility, and <sup>155</sup>Gd Mössbauer spectroscopy, **141**, 352
- Antimony  
[(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub>·1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387  
La<sub>12</sub>Mn<sub>2</sub>Sb<sub>30</sub> alloy, electronic structure, **139**, 8  
LaNi<sub>0.95</sub>Sb<sub>0.05</sub>O<sub>3</sub> perovskites, metal-insulator transitions in, **136**, 313  
M<sub>2</sub>Sb intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218  
SbRe<sub>2</sub>O<sub>6</sub> with Re-Re bond, preparation, crystal structure, and electrical resistivity, **138**, 245  
Sb<sub>2</sub>Te<sub>3</sub> single crystals, behavior of Ag admixtures in, **140**, 29  
Sr<sub>10</sub>[Sb<sub>7</sub>O<sub>13</sub>(OH)]<sub>2</sub>[SbSe<sub>3</sub>]<sub>2</sub>Se·2H<sub>2</sub>O, synthesis and crystal structure, **140**, 134
- Apatite  
anion-deficient structure, in lead alkali orthovanadates, **141**, 373  
NaLa<sub>9</sub>(GeO<sub>4</sub>)<sub>6</sub>O<sub>2</sub>, single-crystal growth and structure determination, **139**, 304
- Arsenic  
M<sub>2</sub>As intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218  
ethylenediamine-templated zinc arsenate, synthesis and zeolite-type structure, **136**, 210  
Li<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, cathode materials for rechargeable lithium batteries, 3D framework structure, **135**, 228  
LiNi(AsO<sub>4</sub>), spectroscopic and magnetic properties and crystal structure refinement, **141**, 508  
Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, cationic substitutions, associated transition from garnet to alluaudite structure, **137**, 112  
NaNi(AsO<sub>4</sub>), spectroscopic and magnetic properties, **141**, 508  
NbOAsO<sub>4</sub>, intercalation of 1-alkanols and 1,ω-alkanediols into, **141**, 64  
Rb<sub>2</sub>MoO<sub>2</sub>As<sub>2</sub>O<sub>7</sub>, preparation and crystal structure, **141**, 500  
Rb<sub>3</sub>Sc<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, synthesis and structure determination by synchrotron single crystal methods, **139**, 299
- Atomic distortions  
in phase transition in ABW-type CsLiSO<sub>4</sub>, **138**, 267
- Atomic position  
oxygen in Ga-In-Sn-O ceramic, determination with direct methods and electron diffraction, letter to editor, **136**, 145
- B
- Ball milling  
formation of Ag and Cu metals from hemioxides, **136**, 51  
high-energy, nanocrystalline Zn-Mn spinel ferrites obtained by, chemical homogeneity, **141**, 10
- Barium  
Ba<sup>2+</sup>, doping of Na<sub>2</sub>SO<sub>4</sub>, effect on electrical conductivity, **138**, 369  
Ba<sub>3</sub>AlO<sub>4</sub>H, synthesis and structure, **141**, 570  
Ba<sub>4</sub>(Ba<sub>x</sub>Pt<sub>1-x</sub><sup>2+</sup>)Pt<sub>2</sub><sup>4+</sup>O<sub>9</sub>, twinned crystal, diffraction and DAFS studies, **140**, 201  
Ba<sub>2</sub>BiGa<sub>11</sub>O<sub>20</sub>, preparation and crystal structure, **138**, 313  
BaBiO<sub>3</sub>, disproportionation in, stabilization, contrast with stabilization of spontaneous polarization of H<sub>2</sub> molecules, **138**, 369  
BaBPO<sub>5</sub>, crystal structure and thermal decomposition, **135**, 43  
BaCO<sub>3</sub>, thermal decomposition, modeling based on lattice energy changes, **137**, 332  
BaCo<sub>1-x</sub>Cu<sub>x</sub>S<sub>2-y</sub> layered sulfide, synthesis, structure, and properties, **138**, 111  
Ba<sub>6</sub>Cu<sub>12</sub>Fe<sub>13</sub>S<sub>27</sub>, synthesis and crystal structure, **128**, 62; comment, **137**, 353; reply, **137**, 354  
REBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> (RE = Y, Eu, La), shock synthesis, effect of ionic radius difference of RE<sup>3+</sup> and Ba<sup>2+</sup>, **136**, 74  
Ba-Cu-O-Cl system, phase diagram, **141**, 378  
Ba<sub>2</sub>Cu<sub>3</sub>O<sub>4</sub>Cl<sub>2</sub> and Ba<sub>3</sub>Cu<sub>2</sub>O<sub>4</sub>Cl<sub>2</sub>, magnetic properties, **141**, 378  
Ln<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub> (Ln = La, Nd, Eu, Tb), sol-gel synthesis and simultaneous oxidation, **138**, 141  
BaFe<sub>12</sub>O<sub>19</sub>, hexagonal ferrite, Raman spectra and vibrational analysis, **137**, 127  
RBA<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases (R = La, Nd, Sm, Gd, Dy, Er, Yb, Lu, Y), powder neutron and X-ray diffraction studies, **136**, 21  
REBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> triple perovskites (RE = Dy, Er, Y), <sup>57</sup>Fe Mössbauer study, **139**, 168  
BaGa<sub>12</sub>O<sub>19</sub>, magnetoplumbite-type compound, preparation and crystal structure, **136**, 120  
BaHfN<sub>2</sub>, synthesis, structure, and magnetic properties, **137**, 62  
BaHf<sub>1-x</sub>R<sub>x</sub>N<sub>2</sub> solid solution, synthesis, structure, and magnetic properties, **137**, 62  
Ba<sub>4</sub>A'Ir<sub>2</sub>O<sub>9</sub> (A' = Cu, Zn), commensurate and incommensurate phases, **136**, 103  
Ba<sub>3</sub>Li<sub>2</sub>Cl<sub>2</sub>(MoO)<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub> with intersecting tunnel structure, synthesis, **141**, 587  
Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258  
Ba<sub>2</sub>MoO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
BaO<sub>2</sub>  
structure and stability, *ab initio* quantum mechanical study, **140**, 103  
thermal decomposition, modeling based on lattice energy changes, **137**, 346  
BaO-Al<sub>2</sub>O<sub>3</sub>-MgO system, Al-rich part  
phase relationships, **136**, 253  
related compound Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258  
Ba-Pt-O system ( $\frac{2}{3} < Y = \text{Ba/Pt} < \frac{5}{2}$ ), synthesis and crystal structure, **140**, 194  
BaScO<sub>2</sub>F perovskite, synthesis and structure, **139**, 422  
BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, Pr<sup>4+</sup> doped in, EPR study, **138**, 329  
Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>-MZrO<sub>3</sub> (M = Ba, Sr) system, hexagonal perovskites in, synthesis and structural study, **141**, 492  
BaThN<sub>2</sub>, synthesis and structural characterization, **138**, 297  
6H-Ba(Ti, Fe<sup>3+</sup>, Fe<sup>4+</sup>)O<sub>3-δ</sub> solid solution, structural analysis, **135**, 312  
BaV<sub>6</sub>O<sub>16</sub>·nH<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 219  
Ba<sub>3</sub>V<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>, with chain-like structure, **135**, 302  
Ba<sub>2</sub>(VO<sub>2</sub>)(PO<sub>4</sub>)(HPO<sub>4</sub>)·H<sub>2</sub>O, with trigonal bipyramidal VO<sub>5</sub> groups, hydrothermal synthesis and crystal structure, **140**, 272  
Ba<sub>2</sub>WO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
ErBa<sub>2</sub>Cu<sub>3</sub>O<sub>6.5</sub>, half filling of O intercalation in, new orthorhombicity type and cell volume expansions near, **135**, 307  
Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, electronic and magnetic properties, effects of cationic substitution, **141**, 546  
La<sub>1-x</sub>Ba<sub>x</sub>CoO<sub>3</sub> ceramics, conductivity and IR absorption, **137**, 211  
LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> (-0.20 < w < 0.83), cubic perovskite-type phase, <sup>57</sup>Fe Mössbauer spectroscopy, **138**, 87  
Sr<sub>2-x</sub>Ba<sub>x</sub>CuO<sub>2</sub>F<sub>2+δ</sub> superconductors, synthetic pathways and associated structural rearrangements, **135**, 17  
Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, TEM and NQR studies, **139**, 266
- Basicity, *see also* Acid/base properties  
oxidic systems, bulk optical basicity table for, **137**, 94
- Batteries  
rechargeable lithium, Li<sub>3</sub>Fe<sub>2</sub>(XO<sub>4</sub>)<sub>3</sub> (X = P, As) cathode materials for, 3D framework structure, **135**, 228

## Beryllium

- AgBePO<sub>4</sub>, crystal structure and crystal chemistry, **141**, 177  
 BeO<sub>2</sub>, structure and stability, *ab initio* quantum mechanical study, **140**, 103

 $\beta$ -Brass-type alloys

- LiIn and LiCd, formation by pressure-induced transformation of NaTl-type phases, **137**, 104

## Bicyclononane

- order-disorder phase transition in, spectroscopic and differential scanning calorimetric studies, **136**, 16

## 4,4'-Bipyridine

- [Zn(4,4'-bipy)(H<sub>2</sub>O)(SO<sub>4</sub>)]·0.5H<sub>2</sub>O coordination polymer with interwoven double-layer structure, synthesis and characterization, **138**, 361

## Bismuth

- Ba<sub>2</sub>BiGa<sub>11</sub>O<sub>20</sub>, preparation and crystal structure, **138**, 313  
 BaBiO<sub>3</sub>, disproportionation in, stabilization, contrast with stabilization of spontaneous polarization of H<sub>2</sub> molecules, **138**, 369  
 Bi<sup>3+</sup>, electronic lone pair configuration in modulated Bi-2212 type oxides, **139**, 194  
 Bi(Bi<sub>1-*x*</sub>Te<sub>*x*</sub>O<sub>14</sub>)Mo<sub>4-*x*</sub>V<sub>1+*x*</sub>O<sub>20</sub> (0 ≤ *x* ≤ 2.5) solid solutions, synthesis and structural evolution, **139**, 185  
 BiCa<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **137**, 143  
 BICOVOX.15, structure, single-crystal neutron diffraction study at room temperature, **141**, 241  
 BiCu<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **141**, 149  
 Bi<sub>2</sub>O<sub>3</sub>, systems with Nb<sub>2</sub>O<sub>5</sub>, Ta<sub>2</sub>O<sub>5</sub>, MoO<sub>3</sub>, or WO<sub>3</sub>, review, **137**, 42  
 (1 - *x*)Bi<sub>2</sub>O<sub>3</sub>·*x*CaO  $\gamma$ -type solid solution, short-range order in, electron diffraction study and relationship to low-temperature Ca<sub>4</sub>Bi<sub>6</sub>O<sub>13</sub>, **135**, 201  
 RBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub> (*R* = Y, Sm, Eu, Gd, Tb, Dy, Er, Yb), preparation and crystal structure, **139**, 321  
 BiO<sub>1.5</sub>-YbO<sub>1.5</sub>-CuO system, phase relations, **139**, 398  
 Bi<sub>6,67</sub>(PO<sub>4</sub>)<sub>4</sub>O<sub>4</sub>, synthesis and crystal structure, **139**, 274  
 Bi<sub>2</sub>S<sub>3</sub>, thin films prepared by thermal evaporation and chemical bath deposition, properties, **136**, 167  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, transformation to Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, **139**, 1  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+ $\delta$</sub> , heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98  
 Bi<sub>2</sub>Sr<sub>2</sub>Co<sub>6+ $\delta$</sub>  ceramic, stability, oxygen nonstoichiometry, and transformations, **136**, 1  
 Bi<sub>3,6</sub>Sr<sub>12,4</sub>Mn<sub>8</sub>O<sub>28+ $\delta$</sub> , with tubular structure, synthesis and crystal chemistry, **138**, 278  
 Bi<sub>2</sub>Te<sub>3</sub> single crystals, behavior of Ag admixtures in, **140**, 29  
 Bi<sub>2</sub>Te<sub>4</sub>O<sub>11</sub>, phase transitions, **135**, 175  
 Bi<sub>1,74</sub>Ti<sub>2</sub>O<sub>6,62</sub> pyrochlore, synthesis and structure, **136**, 63  
 Bi<sub>9</sub>(V<sub>1-*x*</sub>P<sub>*x*</sub>)<sub>2</sub>ClO<sub>18</sub> series (0 ≤ *x* ≤ 1), synthesis, crystal structure, IR characterization, and electrical properties, **136**, 34  
 Ca<sub>4</sub>Bi<sub>6</sub>O<sub>13</sub>, low-temperature, relationship to short-range order in (1 - *x*)Bi<sub>2</sub>O<sub>3</sub>·*x*CaO  $\gamma$ -type solid solution, **135**, 201  
 IBi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>*y*</sub>, superconducting intercalates, charge transfer-*T<sub>c</sub>* relationship, **138**, 66  
 In-Bi<sub>2</sub>S<sub>3</sub>, annealed thin films, structural and electrical properties, **138**, 290  
 K<sub>4</sub>Bi<sub>2</sub>O<sub>5</sub>, synthesis and crystal structure, **139**, 342  
 KBi<sub>3</sub>S<sub>5</sub>, open-framework semiconductors, preparation of topotactic derivatives of, letter to editor, **136**, 328  
 Li<sub>3</sub>Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> layered cuprate, synthesis and characterization, **141**, 452

## Bisocetyltrimethylammonium dichromate

- anhydrous, crystal structure, **139**, 310

## Bonding

- in GdAgGe, GdAuGe, GdAu<sub>0,44(1)</sub>In<sub>1,56(1)</sub>, and GdAuIn antiferromagnets, **141**, 352

- in Li<sub>1-*x*</sub>H<sub>*x*</sub>IO<sub>3</sub>-type complex crystals, **135**, 121  
 MO<sub>6</sub> polyhedra in compounds related to La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> (*M*(III) = Co, Ni, Cu), **138**, 18  
 Re-Re, SbRe<sub>2</sub>O<sub>6</sub> with, preparation, crystal structure, and electrical resistivity, **138**, 245  
 Sc-Sc in ScNiP, **137**, 218  
 in Zr<sub>2,7</sub>Hf<sub>1,3</sub>P<sub>9</sub>, **136**, 221

## Boron

- M<sub>2</sub>B intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218  
 BaBPO<sub>5</sub>, crystal structure and thermal decomposition, **135**, 43  
 B<sub>4</sub>C-*M<sub>e</sub>*<sup>IV-VI</sup>B<sub>*y*</sub> (*Me* = Ti, V, Cr, W), activated sintered materials, structural and mechanical properties, **137**, 1  
 M<sub>2</sub>BN<sub>2</sub>X (*M* = Ca, Sr; *X* = F, Cl), compounds with isolated BN<sub>2</sub><sup>3-</sup> units, **135**, 194  
 Ln<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub> (*Ln* = Sm, Eu, Gd), *ab initio* structure determination, **139**, 52  
 KBH<sub>4</sub>, reduction of KMnO<sub>4</sub> in aqueous solutions: synthesis of manganese oxides, **137**, 28  
 LaB<sub>3</sub>O<sub>6</sub>, crystalline and glass modifications, vibronic transitions of Gd<sup>3+</sup> and Eu<sup>3+</sup> in, **136**, 206  
 (Li<sub>*x*</sub>V<sub>1-*x*</sub>)<sub>3</sub>BO<sub>5</sub> (*x* ≈ 0.3), disordered *S* = 1 system, crystal structure and electronic state, **141**, 418  
 Na<sub>5</sub>[B<sub>2</sub>P<sub>3</sub>O<sub>13</sub>], hydrothermal and microwave-assisted synthesis, letter to editor, **140**, 154  
 TiB<sub>5</sub>O<sub>8</sub>, crystal structure, **136**, 216  
 TiB<sub>5</sub>O<sub>6</sub>(OH)<sub>4</sub>·2H<sub>2</sub>O, dehydration, **136**, 216  
 YB<sub>56</sub> with YB<sub>66</sub> structure, Y atoms in, digital HREM imaging, **135**, 182

## Bromine

- Cs<sub>2</sub>YbNb<sub>6</sub>Br<sub>18</sub>, twinning and atomic structure of twin interface, **141**, 140

K<sub>4</sub>Zr<sub>6</sub>Br<sub>18</sub>C, structure, **139**, 85

- MNBr (*M* = Zr, Ti) system, electronic band structure, **138**, 207

Ta<sub>3</sub>SBr<sub>7</sub>, crystal structure, **140**, 226

- TiBr, defects and ionic conductivity at high pressure and temperature, **141**, 462

## 2-Bromo-2-nitropropane-1,3-diol

- crystals, kinetics and mechanism of prephase state accumulation and phase transition, **137**, 231

## Bronze

- Ag<sub>0,7</sub>Mo<sub>3</sub>O<sub>7</sub>(PO<sub>4</sub>), built up from ReO<sub>3</sub>-type slabs, synthesis, structure, and properties, **140**, 128  
 H<sub>*x*</sub>MoO<sub>3</sub>, protonic locations in, **141**, 255  
 hydrated molybdenum bronze, Cs/Na ion exchange and synthesis of cesium molybdenum bronze at low temperature, **137**, 12  
 Pb<sub>*x*</sub>(PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2*m*</sub> (6 ≤ *m* ≤ 10), characterization, **139**, 362

## Brownmillerite

- La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, structure and magnetic properties, **141**, 411

## Brushite

- composites with polymer, percolation and modeling of proton conduction in, **141**, 392

## C

## Cadmium

- (1:1) Cd<sub>3</sub>[(*Tr*<sup>II</sup>/*Cr*<sup>III</sup>)(CN)<sub>6</sub>]<sub>2</sub>·15H<sub>2</sub>O complexes (*Tr* = Co, Fe), structural and spectral studies, **140**, 140  
 Cd<sub>4</sub>P<sub>2</sub>Cl<sub>3</sub>, crystal structure, **137**, 138  
 Cd<sub>7</sub>P<sub>4</sub>Cl<sub>6</sub>, crystal structure, **137**, 138  
 A<sub>2</sub>CdP<sub>2</sub>Se<sub>6</sub> (*A* = K, Rb, Cs), synthesis, structure, and optical and thermal properties, **138**, 321  
 CdWO<sub>3</sub>F<sub>2</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
 LiCd, pressure-induced phase transformation from NaTl-type phases to  $\beta$ -brass-type alloys, **137**, 104  
 Rb<sub>2</sub>CdCl<sub>4</sub>, X-ray diffraction and electronic structure, **140**, 371

## Calcium

- BiCa<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **137**, 143  
 (1 - x)Bi<sub>2</sub>O<sub>3</sub> · xCaO  $\gamma$ -type solid solution, short-range order in, electron diffraction study and relationship to low-temperature Ca<sub>4</sub>Bi<sub>6</sub>O<sub>13</sub>, **135**, 201  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, transformation to Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, **139**, 1  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+ $\delta$</sub> , heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98  
 Ca<sub>4</sub>Bi<sub>6</sub>O<sub>13</sub>, low-temperature, relationship to short-range order in (1 - x)Bi<sub>2</sub>O<sub>3</sub> · xCaO  $\gamma$ -type solid solution, **135**, 201  
 Ca<sub>2</sub>BN<sub>2</sub>X (X = F,Cl), compounds with isolated BN<sub>3</sub><sup>2-</sup> units, **135**, 194  
 CaCl<sub>2</sub>, structure candidates, determination, **136**, 233  
 CaCO<sub>3</sub>, thermal decomposition, modeling based on lattice energy changes, **137**, 332  
 Ca<sub>x</sub>CoO<sub>2</sub> (0.26 ≤ x ≤ 0.50), topotactic synthesis, **141**, 385  
 Ca<sub>3</sub>Co<sub>1-x</sub>B<sub>1+x</sub>O<sub>6</sub> (B = Ir,Ru), one-dimensional oxides, synthesis and magnetic properties, **140**, 14  
 CaF<sub>2</sub>, structure candidates, determination, **136**, 233  
 CaFe<sub>1/2</sub>Nb<sub>1/2</sub>O<sub>3</sub>, crystal chemistry, **138**, 272  
 (Ca,Gd)<sub>2</sub>(Al,Ti)O<sub>4</sub>, crystal structure, **139**, 204  
 CaHPO<sub>4</sub> · 2H<sub>2</sub>O phosphates, composites with polymer, percolation and modeling of proton conduction in, **141**, 392  
 Ln<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (Ln = Nd,Gd,Y), charge-ordered states, distinction based on chemical melting, **137**, 365  
 Ln<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub> (Ln = La,Pr,Nd), charge-ordered, effect of internal pressure, letter to editor, **135**, 169  
 $\alpha$ -Ca<sub>3</sub>N<sub>2</sub>, vibrational spectra and decomposition, **137**, 33  
 CaO<sub>2</sub>  
   structure and stability, *ab initio* quantum mechanical study, **140**, 103  
   thermal decomposition, modeling based on lattice energy changes, **137**, 346  
 CaO–MnO solid solutions, energy of mixing, *ab initio* Hartree–Fock study, **137**, 261  
 Ca–Pb hydroxyapatites, thermal and structural properties and oxidation of methane, **135**, 86  
 CaS:Eu,La, Eu valencies in, **138**, 149  
 CaSO<sub>4</sub> · 2H<sub>2</sub>O, dehydration, Controlled transformation Rate Thermal Analysis, **139**, 37  
 (Ca<sub>1-x</sub>Sr<sub>x</sub>)MnO<sub>3</sub>, Mn–O–Mn angles in, relationship to electrical properties, **137**, 82  
 Ca<sub>1-x</sub>Sr<sub>x</sub>NbO<sub>3</sub> (0 ≤ x ≤ 1) perovskite-type phases, synthesis, structure, and electron microscopy, **141**, 514  
 CaTi<sub>1-2x</sub>Fe<sub>x</sub>Nb<sub>x</sub>O<sub>3</sub> perovskite series, structural study, **138**, 272  
 CaTiO<sub>3</sub>, Gd-doped, charge compensation in, **124**, 77; comment, **137**, 355; reply, **137**, 357  
 CaTi<sub>2</sub>O<sub>4</sub> with pseudo-brookite-type structure, synthesis, **141**, 338  
 CaTiO<sub>3</sub>/SrTiO<sub>3</sub> system, structures in, **139**, 238  
 CaVO<sub>3- $\delta$</sub> , oxygen nonstoichiometry, structures, and physical properties, **135**, 36  
 Ca<sub>3</sub>(VO<sub>4</sub>)<sub>2</sub>, amorphization at high pressure, **139**, 161  
 IBi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>y</sub>, superconducting intercalates, charge transfer–*T<sub>c</sub>* relationship, **138**, 66  
 (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, electrical properties, effect of Ge<sup>4+</sup>, **140**, 431  
 La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, structural, magnetic, and electrical properties, **138**, 226  
 La<sub>0.2</sub>Ca<sub>0.8</sub>MnO<sub>3</sub>, structural and morphological changes associated with charge ordering, **140**, 331  
 La<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, structure, stoichiometry, and phase purity, **140**, 320  
 Li<sub>3</sub>Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> layered cuprate, synthesis and characterization, **141**, 452  
 Sr<sub>2-x</sub>Ca<sub>x</sub>CuO<sub>2</sub>F<sub>2+ $\delta$</sub>  superconductors, synthetic pathways and associated structural rearrangements, **135**, 17  
   substitution for Eu in Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, effects on electronic and magnetic properties, **141**, 546  
   substitution for Na<sup>+</sup> in Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, associated transition from garnet to alluaudite structure, **137**, 112  
 Calorimetry  
   differential scanning, *see* Differential scanning calorimetry  
   lanthanide aluminum oxide and lanthanide gallium oxide perovskites and garnets, stability study, **141**, 424  
   Ru–Y system, **138**, 302  
 Carbon  
   alkaline earth carbonates, thermal decomposition, modeling based on lattice energy changes, **137**, 332  
   anhydrous bisocetyltrimethylammonium dichromate, crystal structure, **139**, 310  
   B<sub>4</sub>C–Me<sup>y</sup><sub>x</sub>V<sup>z</sup>B<sub>y</sub> (Me = Ti,V,Cr,W), activated sintered materials, structural and mechanical properties, **137**, 1  
   C<sub>60</sub>, packing models of high-pressure polymeric phases, **141**, 164  
   (1:1) Cd<sup>II</sup>[(Tr<sup>II</sup>/Cr<sup>III</sup>)(CN)<sub>6</sub>]<sub>2</sub> · 15H<sub>2</sub>O complexes (Tr = Co,Fe), structural and spectral studies, **140**, 140  
   [(CH<sub>3</sub>)<sub>2</sub>N(CH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>O]Ag<sub>4</sub>I<sub>5</sub>, silver ion distribution and flow in, cooperative disorder model, **140**, 1  
   (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>] · H<sub>2</sub>O templated by piperazine, synthesis and characterization, **139**, 326  
   [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub> · 1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387  
   C<sub>3</sub>H<sub>12</sub>N<sub>3</sub><sup>2+</sup> · HPO<sub>4</sub><sup>2-</sup> · H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343  
   C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup> · 2HPO<sub>4</sub><sup>-</sup> · 4H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343  
   Co<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
   Cu<sup>II</sup>Fe<sup>III</sup>(CN)<sub>6</sub> and Cu<sub>3</sub>[Fe<sup>III</sup>(CN)<sub>6</sub>]<sub>2</sub>, mechanisms of Cs sorption on, relationship to crystal structure, **141**, 475  
   Cu<sub>0.6</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
   1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93  
   diglycine hydrogen selenite, crystal structure, vibrational spectra, and DSC measurement, **140**, 71  
   Er<sub>2</sub>Ti<sub>4</sub>O<sub>2</sub>(OC<sub>2</sub>H<sub>5</sub>)<sub>18</sub>(HOC<sub>2</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, characterization, and structure, **135**, 149  
   ethylenediamine-templated 1-D [enH<sub>2</sub>][Zr(HPO<sub>4</sub>)<sub>3</sub>] and 2-D [enH<sub>2</sub>]<sub>0.5</sub>[Zr(PO<sub>4</sub>)(HPO<sub>4</sub>)], crystal structures, **140**, 46  
   ethylenediamine-templated zinc arsenate and aluminum cobalt phosphate, synthesis and zeolite-type structures, **136**, 210  
   Fe<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
   (H<sub>2</sub>O)[V<sub>2</sub>O<sub>2</sub>(OH){O<sub>3</sub>P(CH<sub>2</sub>)<sub>2</sub>PO<sub>3</sub>}], hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89  
   K<sub>4</sub>Zr<sub>6</sub>Br<sub>18</sub>C, structure, **139**, 85  
   Mo<sub>2</sub>C 14 nm in average size supported on high specific surface area carbon material, synthesis, **141**, 114  
   monoglycine–selenious acid crystals, vibrational spectra and DSC measurement, **140**, 71  
   Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> · 2CH<sub>3</sub>OH, structural analysis, **136**, 247  
   nanotubes, selective deposition of UCl<sub>4</sub> and (KCl)<sub>x</sub>(UCl<sub>4</sub>)<sub>y</sub> in, using eutectic and noneutectic mixtures of UCl<sub>4</sub> with KCl, **140**, 83  
   [N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub> · 2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], synthesis and structure, letter to editor, **136**, 141  
   [N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup> [Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)]<sup>3-</sup> · 4H<sub>2</sub>O, connected through hydrogen bonding, synthesis and structure, **139**, 207  
   [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>][Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], synthesis and characterization, **136**, 227  
   [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sub>3</sub>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, synthesis and structure, **136**, 298  
   Ni<sub>0.25</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250

- $\text{Ni}_{1-x}\text{Zn}_{2x}(\text{OH})_2(\text{OCOCH}_3)_{2x} \cdot n\text{H}_2\text{O}$  thin film, hydrothermal synthesis, **141**, 229  
 $\text{ScAl}_3\text{C}_3$ , crystal structure, **140**, 396  
 $(\text{SeO}_2 + \text{Na}_2\text{CO}_3)$  mixture, mechanochemical activation for synthesis of  $\text{Na}_2\text{SeO}_3$  in vibrational mill, **135**, 256  
 $\text{R}_3\text{Si}_2\text{C}_2$  ( $R = \text{Y, La-Nd, Sm, Gd-Tm}$ ), magnetic and electrical properties, **138**, 201  
 $[\text{Sn}_2(\text{PO}_4)_2]^{2-}[\text{C}_2\text{N}_2\text{H}_{10}]^{2+} \cdot \text{H}_2\text{O}$ , synthesis and crystal structure, **140**, 435  
 $\text{Sn}_2(\text{PO}_4)[\text{C}_2\text{O}_4]_{0.5}$  containing one-dimensional tin phosphate chains, synthesis and structure, **139**, 200  
 $\text{Ta}_2\text{S}_2\text{C}$ , combustion synthesis, **138**, 250  
 $\text{Ti}_2\text{SC}$ , combustion synthesis, **138**, 250  
 $\text{Ti}_{0.3}[\text{Ta}_2\text{S}_2\text{C}]$ , combustion synthesis, **138**, 250  
 $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , synthesis, structure, and properties, **138**, 365  
 transition metal carbosulfides, combustion synthesis, **138**, 250  
 $\text{UAl}_3\text{C}_3$ , crystal structure, **140**, 396  
 $\text{Zn}(\text{O}_3\text{PC}_6\text{H}_5) \cdot \text{H}_2\text{O}$ , thermal behavior, **140**, 62  
 $\text{Zr}_3\text{Al}_3\text{C}_5$ , crystal structure, **140**, 396
- Cathodes**  
 fuel-cell, lanthanum strontium manganate(III)(IV) materials for, oxidation kinetics, *in situ* powder diffraction studies, **141**, 235  
 $\text{Li}_3\text{Fe}_2(\text{XO}_4)_3$  ( $X = \text{P, As}$ ) materials for rechargeable lithium batteries, 3D framework structure, **135**, 228
- Cation order-disorder**  
 crystal chemistry in pseudobrookite-type  $\text{MgTi}_2\text{O}_5$ , **138**, 238
- Cation site splitting**  
 in Lewisite, **141**, 562
- Cation transport**  
 in  $\text{Li}_9\text{M}_3(\text{P}_2\text{O}_7)_3(\text{PO}_4)_2$  ( $M = \text{Al, Ga, Cr, Fe}$ ), **138**, 32  
 in mixed copper-cobalt spinel ferrite powders, **141**, 56
- Cell volume**  
 expansions near half filling of O intercalation in  $\text{ErBa}_2\text{Cu}_3\text{O}_{6.5}$ , **135**, 307
- Ceramics**  
 $\text{Bi}_2\text{Sr}_2\text{Co}_{6+\delta}$ , stability, oxygen nonstoichiometry, and transformations, **136**, 1  
 $\text{Ga-In-Sn-O}$ , oxygen atomic positions in, determination with direct methods and electron diffraction, letter to editor, **136**, 145  
 $\text{La}_{1-x}\text{Ba}_x\text{CoO}_3$ , conductivity and IR absorption, **137**, 211  
 $\text{Sn}^{4+}$ -doped indium oxide and  $\text{In}_4\text{Sn}_3\text{O}_{12}$ , structural studies, **135**, 140  
 $\text{Sr}_4(\text{Fe}_{1-x}\text{Co}_x)_6\text{O}_{13\pm\delta}$  mixed-conducting materials, structure and property relationships, **141**, 576  
 $\text{TiNbXO}_6$  ( $X = \text{W, Mo}$ ), structural and dielectric properties, **141**, 50  
 $[(\text{ZrO}_2)_{0.92}(\text{Y}_2\text{O}_3)_{0.08}]_{1-x}(\text{RuO}_2)_x$  ( $0 \leq x \leq 0.1$ ), preparation and electrical characterization, **141**, 282
- Cerium**  
 $\text{Ce}^{4+}$ , doping of  $\text{Na}_2\text{SO}_4$ , effect on electrical conductivity, **138**, 369  
 $\text{Ce-Al-Si(Ge)}$  systems, phase equilibria and physical properties, **137**, 191  
 $\text{Ce}(\text{ClO}_4)_3$ , crystalline and molecular structures, **139**, 259  
 $\text{Ce-Mo}$  ultrafine particles, preparation and characterization, **140**, 354  
 $\text{Ce}_{1-x}\text{Nd}_x\text{TiO}_3$  ( $0 \leq x \leq 1$ ), magnetic studies, letter to editor, **137**, 181  
 $\text{CePtAl}$ , magnetic structure, **140**, 233  
 $\text{Ce}_3\text{Si}_2\text{C}_2$ , magnetic and electrical properties, **138**, 201  
 $\text{CeTaO}_{4+\delta}$  system, reversible oxidation/reduction in, TEM and XRD study, **140**, 20  
 $\text{CeZrO}_4$  powders, oxygen release behavior and appearance of compounds  $\kappa$  and  $t^*$ , **138**, 47  
 $\text{CsCe}_3\text{Te}_8$ , flat Te nets of, site occupancy wave and infinite zigzag ( $\text{Te}_2^-$ ) $_n$  chains in, **135**, 111  
 $\text{Cu}_x\text{Ce}_{1-x}\text{O}_{2-y}$  nanocrystals, emf measurements, **140**, 295  
 $\text{KCe}^{\text{III}}\text{M}^{\text{IV}}\text{F}_{12}$  ( $M^{\text{IV}} = \text{Tb, Zr, Hf}$ ), synthesis and crystal structure, **139**, 248  
 $\text{RbCe}_3\text{Te}_8$ , flat Te nets of, site occupancy wave and infinite zigzag ( $\text{Te}_2^-$ ) $_n$  chains in, **135**, 111
- Cesium**  
 $\text{CsCe}_3\text{Te}_8$ , flat Te nets of, site occupancy wave and infinite zigzag ( $\text{Te}_2^-$ ) $_n$  chains in, **135**, 111  
 $\text{CsCl/TmCl}_3$ , phase diagrams and thermodynamics, **135**, 127  
 $\text{Cs}_3(\text{HSeO}_4)_2(\text{H}_2\text{PO}_4)$ , synthesis and crystal structure, **141**, 317  
 $\text{Cs}_5(\text{HSeO}_4)_3(\text{H}_2\text{PO}_4)_2$ , synthesis and crystal structure, **141**, 317  
 $\text{Cs}_5(\text{HSO}_4)_3(\text{H}_2\text{PO}_4)_2$ , solid acid with unique hydrogen bond network, X-ray diffraction study, **140**, 251  
 $\beta\text{-Cs}_3(\text{HSO}_4)_2[\text{H}_{2-x}(\text{P}_{1-x}\text{S}_x)\text{O}_4]$  ( $x \sim 0.5$ ) superprotonic conductor, structure and vibrational spectrum, **139**, 373  
 $\text{CsLiSO}_4$ , ABW-type, phase transition in, symmetry analysis and atomic distortions, **138**, 267  
 $\text{CsMnHP}_3\text{O}_{10}$ , magnetic structure and properties, **141**, 160  
 $\text{Cs/Na}$  ion exchange on hydrated molybdenum bronze and synthesis of cesium molybdenum bronze at low temperature, **137**, 12  
 $\text{CsNb}_4\text{WO}_9(\text{PO}_4)_3$ , synthesis and intersecting tunnel structure related to  $\text{ReO}_3$ , **136**, 305  
 $\text{Cs}_2\text{PdSe}_8$ , synthesis and open framework structure with double helical assemblies of  $[\text{Pd}(\text{Se}_4)_2]^{2-}$ , letter to editor, **140**, 149  
 $\text{Cs}_2\text{MP}_2\text{Se}_6$  ( $M = \text{Pd, Zn, Cd, Hg}$ ), synthesis, structure, and optical and thermal properties, **138**, 321  
 $\text{Cs}_4(\text{SeO}_4)(\text{HSeO}_4)_2(\text{H}_3\text{PO}_4)$ , synthesis and crystal structure, **141**, 317  
 $\text{Cs}_2\text{Sn}_4\text{S}_9$  layered compounds, flux synthesis and characterization, **141**, 17  
 $\text{Cs}_5\text{VW}_4\text{O}_9\text{VO}_4(\text{PO}_4)_4$ , air synthesis and intersection tunnels, **141**, 155  
 $\text{Cs}_2\text{YbNb}_6\text{Br}_{18}$ , twinning and atomic structure of twin interface, **141**, 140  
 sorption on  $\text{Cu}^{\text{I}}\text{Fe}^{\text{II}}(\text{CN})_6$  and  $\text{Cu}^{\text{II}}[\text{Fe}^{\text{III}}(\text{CN})_6]_2$ , mechanisms, relationship to crystal structure, **141**, 475
- Chalcogenides**  
 copper- and silver-based, sonochemical synthesis, **138**, 131  
 misfit layer, poly(ethylene oxide) nanocomposites of, synthesis and characterization, **141**, 323
- Charge compensation**  
 in Gd-doped  $\text{CaTiO}_3$ , **124**, 77; comment, **137**, 355; reply, **137**, 357
- Charge density wave properties**  
 $\text{Ag}_{0.7}\text{Mo}_3\text{O}_7(\text{PO}_4)$  bronze built up from  $\text{ReO}_3$ -type slabs, **140**, 128
- Charge-ordered states**  
 in  $\text{Ln}_{0.5}\text{A}_{0.5}\text{MnO}_3$  ( $\text{Ln} = \text{Nd, Gd, Y}$ ;  $A = \text{Ca, Sr}$ ), distinction based on chemical melting, **137**, 365
- Charge ordering**  
 in  $\text{La}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ , associated structural and morphological changes, **140**, 331
- Charge transfer- $T_c$  relationship**  
 in superconducting intercalates  $\text{IBi}_2\text{Sr}_2\text{CaCu}_2\text{O}_y$ , **138**, 66
- Chemical bath deposition**  
 $\text{Bi}_2\text{S}_3$  thin films prepared by, properties, **136**, 167
- Chevre phase**  
 superconductor  $\text{La}_x\text{Mo}_6\text{Se}_8$   
 correlation of  $T_c$  and interatomic distances, **136**, 151  
 physical and superconducting properties, **136**, 160
- Chlorine**  
 $\text{Ba-Cu-O-Cl}$  system, phase diagram, **141**, 378  
 $\text{Ba}_2\text{Cu}_3\text{O}_4\text{Cl}_2$  and  $\text{Ba}_3\text{Cu}_2\text{O}_4\text{Cl}_2$ , magnetic properties, **141**, 378  
 $\text{Ba}_3\text{Li}_2\text{Cl}_2(\text{MoO}_4)_6$  with intersecting tunnel structure, synthesis, **141**, 587  
 $\text{Bi}_9(\text{V}_{1-x}\text{P}_x)_2\text{ClO}_{18}$  series ( $0 \leq x \leq 1$ ), synthesis, crystal structure, IR characterization, and electrical properties, **136**, 34  
 $\text{M}_2\text{BN}_2\text{Cl}$  ( $M = \text{Ca, Sr}$ ), compounds with isolated  $\text{BN}_2^-$  units, **135**, 194  
 $\text{CaCl}_2$ , structure candidates, determination, **136**, 233  
 $\text{Cd}_4\text{P}_2\text{Cl}_3$ , crystal structure, **137**, 138  
 $\text{Cd}_7\text{P}_4\text{Cl}_6$ , crystal structure, **137**, 138  
 $\text{Ln}(\text{ClO}_4)_3$  ( $\text{Ln} = \text{La, Ce, Pr, Sm, Eu, Ho, Er, Tm, Lu}$ ), crystalline and molecular structures, **139**, 259

- $ACl/TmCl_3$  ( $A = Cs, Rb, K$ ), phase diagrams and thermodynamics, **135**, 127  
 $(KCl)_x(UCl_4)_y$ , deposition inside carbon nanotubes using eutectic and noneutectic mixtures of  $UCl_4$  with  $KCl$ , **140**, 83  
 $La_5Ti_6S_3Cl_3O_{15}$ , synthesis and structural characterization, **139**, 220  
 $MgCl_2$ , structure candidates, determination, **136**, 233  
 $AMoOPO_4Cl$  ( $A = K, Rb$ ), synthesis and layer structure, **137**, 214  
 $MNCl$  ( $M = Zr, Ti$ ) system, electronic band structure, **138**, 207  
 $[NH_3(CH_2)_8NH_3]_3[V_{15}O_{36}(Cl)](NH_3)_6(H_2O)_3$ , synthesis and structure, **136**, 298  
 $Rb_2CdCl_4$ , X-ray diffraction and electronic structure, **140**, 371  
 $TlCl$ , defects and ionic conductivity at high pressure and temperature, **141**, 462  
 $UCl_4$ , deposition inside carbon nanotubes using eutectic and noneutectic mixtures of  $UCl_4$  with  $KCl$ , **140**, 83
- Chromium**  
 anhydrous bisocetyltrimethylammonium dichromate, crystal structure, **139**, 310  
 $B_4C-Cr^{IV-VI}B_6$ , activated sintered materials, structural and mechanical properties, **137**, 1  
 $(1:1) Cd_3^II[(Tr^{II}/Cr^{III})(CN)_6]_2 \cdot 15H_2O$  complexes ( $Tr = Co, Fe$ ), structural and spectral studies, **140**, 140  
 $Cr^{3+}$ , substitution for  $Mn^{3+}$  in  $Ln_{0.5}A_{0.5}MnO_3$  ( $Ln = Nd, Gd, Y$ ;  $A = Ca, Sr$ ), **137**, 365  
 $Cr_{2-2x}Mo_xO_3$ , preparation and characterization, **140**, 350  
 $Cr(SeO_2OH)(Se_2O_5)$ , modifications of, crystal structures and electronic absorption spectra, **135**, 70  
 $Cr_2Sn_3Se_7$ , spin glass-like behavior, **137**, 249  
 $CrTa_2O_6$ , trirutile oxide based on  $Cr^{2+}$ , structure and magnetism, **140**, 7  
 $DySr_2Cu_{2.7}Cr_{0.3}O_{7.2}$ , crystal structure, **141**, 522  
 $LaCrS_3$ , high-pressure synthesis, crystal structure, and electrical and magnetic properties, **139**, 233  
 $La_{1-x}Sr_xCrO_3$  ( $x = 0 \sim 0.25$ ) perovskites, magnetic and neutron diffraction study, **141**, 404  
 $Li_9Cr_3(P_2O_7)_3(PO_4)_2$ , crystal structure and cation transport properties, **138**, 32  
 $Ni_y(Cr_{2-2x}In_{2x})_{1-y}S_{3-y}$  spinel, decomposition and X-ray powder diffraction, **136**, 193  
 porous chromia-pillared tetratitanate, synthesis, **136**, 320
- Clays**  
 fluorohectorite heterostructures, intercalation process in formation of, analysis, **139**, 281
- CMR manganites**  
 $n = 2$  layered,  $Mn^{4+}$  parent compound of, letter to editor, **141**, 599
- Cobalt**  
 $BaCo_{1-x}Cu_xS_{2-y}$  layered sulfide, synthesis, structure, and properties, **138**, 111  
 BICOVOX.15, structure, single-crystal neutron diffraction study at room temperature, **141**, 241  
 $Bi_2Sr_2Co_{6+\delta}$  ceramic, stability, oxygen nonstoichiometry, and transformations, **136**, 1  
 $Ca_xCoO_2$  ( $0.26 \leq x \leq 0.50$ ), topotactic synthesis, **141**, 385  
 $Ca_3Co_{1-x}B_{1+x}O_6$  ( $B = Ir, Ru$ ), one-dimensional oxides, synthesis and magnetic properties, **140**, 14  
 $(1:1) Cd_3^II[(Co^{II}/Cr^{III})(CN)_6]_2 \cdot 15H_2O$  complexes, structural and spectral studies, **140**, 140  
 $CoAl_2O_4$ , formation from  $\alpha$ - and  $\gamma$ - $Al_2O_3$ -supported oxides, **135**, 59  
 $Co_xCu_{1-x}Fe_2O_4$  spinel powders, cation migration and coercivity in, **141**, 56  
 $Co_{1+x}Ge$ , nonstoichiometric  $B8$ -type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402  
 $(Co, Ni, Cu)_{1+x}(Ge, Sn)$   $B8$ -type phases, modulated structures and diffuse scattering, computer simulation, **135**, 269  
 $Co(ReO_4)_2$  anhydrous perrhenates, crystal structure, **138**, 232  
 $Co_{1+x}Sn$ , nonstoichiometric  $B8$ -type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402  
 $Co_{0.33}[Ta_2S_2C]$ , combustion synthesis, **138**, 250  
 $\alpha$ - $CoV_3O_8$ , crystal structure and metal distribution, **141**, 133  
 $Co(II)(VOPO_4)_2 \cdot 4H_2O$ , layered compounds with distinct magnetic linear trimers, **137**, 77  
 ethylenediamine-templated aluminum cobalt phosphate, synthesis and zeolite-type structure, **136**, 210  
 $La_{1-x}Ba_xCoO_3$  ceramics, conductivity and IR absorption, **137**, 211  
 $La_2Co_2O_5$ , crystal structure and magnetic properties, **141**, 411  
 $La_4Co_3O_{10+\delta}$  ( $0.00 \leq \delta \leq 0.30$ ), synthesis, crystal structure, and magnetic properties, **141**, 212  
 $La_2Li_{1/2}Co_{1/2}O_4$ , ordered  $K_2NiF_4$  structure and bonding properties of  $MO_6$  polyhedra in related compounds, **138**, 18  
 $LaNi_{1-x}Co_xO_{2.5+\delta}$ , vacancy-ordered phase, synthesis and crystal structure, **135**, 103  
 $La_{1-x}Sr_xCoO_{3-\delta}$  ( $0.5 \leq x \leq 0.9$ ) perovskite, synthesis and properties, **139**, 388  
 $La_{2-x}Sr_xCoO_4$  ( $0.25 \leq x \leq 1.10$ ), polaronic conduction below room temperature, **139**, 176  
 $LiCoO_2$   
 low-temperature samples and acid-delithiated products, structural features, **140**, 116  
 single crystals, synthesis and structure refinement, letter to editor, **141**, 298  
 $Li_xNi_{0.8}Co_{0.2}O_2$  system, structural, electrochemical, and physical properties, **136**, 8  
 $Nd_2O_3-Co-Co_2O_3$  system, thermogravimetric study at 1100 and 1150°C, **137**, 255  
 $Sr_{39}Co_{12}N_{31}$ , synthesis, structure, and magnetic properties, **141**, 1  
 $Sr_4(Fe_{1-x}Co_x)_6O_{13\pm\delta}$  mixed-conducting materials, structure and property relationships, **141**, 576
- Coercivity**  
 in mixed copper-cobalt spinel ferrite powders, **141**, 56
- Colossal magnetoresistance manganites**  
 $n = 2$  layered,  $Mn^{4+}$  parent compound of, letter to editor, **141**, 599
- Combustion synthesis**  
 transition metal carbosulfides, **138**, 250
- Composite microporous compounds**  
 MIL-5, hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89
- Computer simulation**  
 modulated structures and diffuse scattering in  $B8$ -type  $(Co, Ni, Cu)_{1+x}(Ge, Sn)$  phases, **135**, 269  
 sinusoidal diffuse scattering loci in nonstoichiometric  $B8$ -type alloy phases  $A_{1+x}B$  ( $A = Co, Ni$ ;  $B = Ge, Sn$ ), **140**, 402
- Conductivity, see also Electrical conductivity; Ionic conductivity**  
 $H_2O-Na_2SO_4-Na_2HPO_4$  system isotherms, **140**, 316
- Conoscopy**  
 $(1:1) Cd_3^II[(Tr^{II}/Cr^{III})(CN)_6]_2 \cdot 15H_2O$  complexes ( $Tr = Co, Fe$ ), **140**, 140
- Controlled transformation Rate Thermal Analysis**  
 gypsum dehydration, **139**, 37
- Convergent beam electron diffraction**  
 $Ga_{3-x}In_{5+x}Sn_2O_{16}$ , **140**, 242
- Cooperative disorder model**  
 silver ion distribution and flow in one-dimensional ionic conductor  $[(CH_3)_2N(CH_2CH_2)_2O]Ag_4I_5$ , **140**, 1
- Coordination polymers**  
 $[Zn(4,4'-bipy)(H_2O)(SO_4)] \cdot 0.5H_2O$ , with interwoven double-layer structure, synthesis and characterization, **138**, 361
- Copper**  
 $BaCo_{1-x}Cu_xS_{2-y}$  layered sulfide, synthesis, structure, and properties, **138**, 111

- Ba<sub>6</sub>Cu<sub>12</sub>Fe<sub>13</sub>S<sub>27</sub>, synthesis and crystal structure, **128**, 62; comment, **137**, 353; reply, **137**, 354
- REBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> (RE = Y, Eu, La), shock synthesis, effect of ionic radius difference of RE<sup>3+</sup> and Ba<sup>2+</sup>, **136**, 74
- Ba–Cu–O–Cl system, phase diagram, **141**, 378
- Ba<sub>2</sub>Cu<sub>3</sub>O<sub>4</sub>Cl<sub>2</sub> and Ba<sub>3</sub>Cu<sub>2</sub>O<sub>4</sub>Cl<sub>2</sub>, magnetic properties, **141**, 378
- Ln<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub> (Ln = La, Nd, Eu, Tb), sol–gel synthesis and simultaneous oxidation, **138**, 141
- BiCu<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **141**, 149
- BiO<sub>1.5</sub>–YbO<sub>1.5</sub>–CuO system, phase relations, **139**, 398
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, transformation to Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, **139**, 1
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+δ</sub>, heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98
- Co<sub>x</sub>Cu<sub>1-x</sub>Fe<sub>2</sub>O<sub>4</sub> spinel powders, cation migration and coercivity in, **141**, 56
- (Co,Ni,Cu)<sub>1+x</sub>(Ge,Sn) B8-type phases, modulated structures and diffuse scattering, computer simulation, **135**, 269
- Cu<sup>2+</sup> in sol–gel-derived TiO<sub>2</sub>, TPR, ESR, and XPS study, **138**, 1
- CuAl<sub>2</sub>O<sub>4</sub>, formation from α- and γ-Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59
- CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F,OH)<sub>2</sub>, hydrothermal synthesis, crystal structure, and properties, **141**, 527
- Cu<sub>x</sub>Ce<sub>1-x</sub>O<sub>2-y</sub> nanocrystals, emf measurements, **140**, 295
- Cu<sub>2</sub><sup>II</sup>Fe<sup>III</sup>(CN)<sub>6</sub> and Cu<sup>II</sup>[Fe<sup>III</sup>(CN)<sub>6</sub>]<sub>2</sub>, mechanisms of Cs sorption on, relationship to crystal structure, **141**, 475
- CuInP<sub>2</sub>S<sub>6</sub>, soft-chemistry forms, **141**, 290
- A<sub>4</sub>CuIr<sub>2</sub>O<sub>9</sub> (A = Sr, Ba), commensurate and incommensurate phases, **136**, 103
- Cu<sub>1.96</sub>S, Cu<sub>3</sub>Se<sub>2</sub>, and αCu<sub>2</sub>Se chalcogenides, sonochemical synthesis, **138**, 131
- Cu<sub>2</sub>SnS<sub>3</sub>, structure refinement, **139**, 144
- Cu<sub>4</sub>Sn<sub>7</sub>S<sub>16</sub>, synthesis, electrical conductivity, and crystal structure, **139**, 144
- Cu<sub>0.6</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250
- Cu<sub>2</sub>Th<sub>4</sub>(MoO<sub>4</sub>)<sub>9</sub>, structural skeleton, **136**, 199
- DySr<sub>2</sub>Cu<sub>2.7</sub>Cr<sub>0.3</sub>O<sub>7.2</sub> and DySr<sub>2</sub>Cu<sub>2.7</sub>Mo<sub>0.3</sub>O<sub>7.2</sub>, crystal structures, **141**, 522
- ErBa<sub>2</sub>Cu<sub>3</sub>O<sub>6.5</sub>, half filling of O intercalation in, new orthorhombicity type and cell volume expansions near, **135**, 307
- Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, electronic and magnetic properties, effects of cationic substitution, **141**, 546
- IBi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>y</sub>, superconducting intercalates, charge transfer–T<sub>c</sub> relationship, **138**, 66
- La<sub>2</sub>Li<sub>1/2</sub>Cu<sub>1/2</sub>O<sub>4</sub>, ordered K<sub>2</sub>NiF<sub>4</sub> structure and bonding properties of MO<sub>6</sub> polyhedra in related compounds, **138**, 18
- La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> system, structural transitions, **140**, 345
- LaNi<sub>0.95</sub>Cu<sub>0.05</sub>O<sub>3</sub> perovskites, metal–insulator transitions in, **136**, 313
- LiI<sub>3</sub>Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> layered cuprate, synthesis and characterization, **141**, 452
- metal formation from hemioxides by low-energy mechanochemistry, **136**, 51
- Nd<sub>4</sub>Cu<sub>2</sub>O<sub>7</sub>, cooperatively distorted T' type structure, **136**, 137
- (Ni<sub>6-x</sub>Cu<sub>x</sub>)MnO<sub>8</sub>, crystal structure and magnetic properties, **135**, 322
- Sr<sub>2-x</sub>A<sub>x</sub>CuO<sub>2</sub>F<sub>2+δ</sub> (A = Ca, Ba) superconductors, synthetic pathways and associated structural rearrangements, **135**, 17
- Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, TEM and NQR studies, **139**, 266
- Coulometric titration  
measurement of nonstoichiometry of (Mg<sub>x</sub>Fe<sub>1-x</sub>)<sub>3-δ</sub>O<sub>4</sub>, **139**, 128
- Cristobalite  
related framework topology, in LiZnPO<sub>4</sub> polymorph, **138**, 126  
related oxide structures, review, **141**, 29
- Crystal chemistry  
AgXPO<sub>4</sub> (X = Be, Zn), **141**, 177  
Bi<sub>3.6</sub>Sr<sub>12.4</sub>Mn<sub>8</sub>O<sub>28+δ</sub> with tubular structure, **138**, 278  
CaFe<sub>1/2</sub>Nb<sub>1/2</sub>O<sub>3</sub>, **138**, 272  
cation order–disorder in pseudobrookite-type MgTi<sub>2</sub>O<sub>5</sub>, **138**, 238  
KMgPO<sub>4</sub>, **136**, 175  
(K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub> perovskites in P–T–X space, **141**, 121  
La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, **140**, 377  
Nd<sub>6</sub>Ni<sub>2-x</sub>Si<sub>3</sub> and Nd<sub>42</sub>Ni<sub>22-x</sub>Si<sub>31</sub>, **137**, 302
- Crystal field analysis  
LiYO<sub>2</sub> doped with Eu<sup>3+</sup>, refinement of monoclinic and tetragonal structures, **137**, 242
- Crystal growth  
NaLa<sub>9</sub>(GeO<sub>4</sub>)<sub>6</sub>O<sub>2</sub> apatite single crystals, **139**, 304
- Crystal structure  
Ag<sub>0.7</sub>Mo<sub>3</sub>O<sub>7</sub>(PO<sub>4</sub>) bronze built up from ReO<sub>3</sub>-type slabs, **140**, 128  
AgXPO<sub>4</sub> (X = Be, Zn), **141**, 177  
Al<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> nanocrystals, **141**, 70  
anhydrous bisoctyltrimethylammonium dichromate, **139**, 310  
AuTa<sub>5</sub>S, **139**, 45  
Ba<sub>3</sub>AlO<sub>4</sub>H, **141**, 570  
Ba<sub>2</sub>BiGa<sub>11</sub>O<sub>20</sub>, **138**, 313  
BaBPO<sub>5</sub>, **135**, 43  
Ba<sub>6</sub>Cu<sub>12</sub>Fe<sub>13</sub>S<sub>27</sub>, **128**, 62; comment, **137**, 353; reply, **137**, 354  
BaGa<sub>12</sub>O<sub>19</sub>, magnetoplumbite-type compound, **136**, 120  
BaHfN<sub>2</sub>, **137**, 62  
Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, **136**, 258  
Ba–Pt–O system ( $\frac{4}{3} < Y = \text{Ba/Pt} < \frac{5}{2}$ ), **140**, 194  
BaScO<sub>2</sub>F perovskite, **139**, 422  
Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>–MZrO<sub>3</sub> (M = Ba, Sr) hexagonal perovskites, **141**, 492  
BaThN<sub>2</sub>, **138**, 297  
BaV<sub>6</sub>O<sub>16</sub>·nH<sub>2</sub>O, **140**, 219  
Ba<sub>3</sub>V<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>, chain-like structure, **135**, 302  
Ba<sub>2</sub>(VO<sub>2</sub>)(PO<sub>4</sub>)(HPO<sub>4</sub>)·H<sub>2</sub>O with trigonal bipyramidal VO<sub>5</sub> groups, **140**, 272  
Bi(Bi<sub>12-x</sub>Te<sub>x</sub>O<sub>14</sub>)Mo<sub>4-x</sub>V<sub>1+x</sub>O<sub>20</sub> (0 ≤ x ≤ 2.5) solid solution, evolution, **139**, 185  
BiCa<sub>2</sub>VO<sub>6</sub>, **137**, 143  
BICOVOX.15, single-crystal neutron diffraction study at room temperature, **141**, 241  
BiCu<sub>2</sub>VO<sub>6</sub>, **141**, 149  
RBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub> (R = Y, Sm, Eu, Gd, Tb, Dy, Er, Yb), **139**, 321  
Bi<sub>6.67</sub>(PO<sub>4</sub>)<sub>4</sub>O<sub>4</sub>, **139**, 274  
Bi<sub>9</sub>(V<sub>1-x</sub>P<sub>x</sub>)<sub>2</sub>ClO<sub>18</sub> series (0 ≤ x ≤ 1), **136**, 34  
M<sub>2</sub>BN<sub>2</sub>X (M = Ca, Sr; X = F, Cl), compounds with isolated BN<sub>2</sub><sup>3-</sup> units, **135**, 194  
Ln<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub> (Ln = Sm, Eu, Gd), *ab initio* determination, **139**, 52  
Ca<sub>3</sub>Co<sub>1+x</sub>B<sub>1-x</sub>O<sub>6</sub> (B = Ir, Ru) one-dimensional oxides, **140**, 14  
(Ca, Gd)<sub>2</sub>(Al, Ti)<sub>4</sub>O<sub>4</sub>, **139**, 204  
α-Ca<sub>3</sub>N<sub>2</sub>, **137**, 33  
Ca<sub>1-x</sub>Sr<sub>x</sub>NbO<sub>3</sub> (0 ≤ x ≤ 1) perovskite-type phases, **141**, 514  
CaTi<sub>1-2x</sub>Fe<sub>x</sub>Nb<sub>x</sub>O<sub>3</sub> perovskite series, **138**, 272  
CaTi<sub>2</sub>O<sub>4</sub>, **141**, 338  
CaTiO<sub>3</sub>/SrTiO<sub>3</sub> system, **139**, 238  
(1:1) Cd<sup>II</sup>[(Tr<sup>III</sup>/Cr<sup>III</sup>)(CN)<sub>6</sub>]<sub>2</sub>·15H<sub>2</sub>O complexes (Tr = Co, Fe), **140**, 140  
Cd<sub>4</sub>P<sub>2</sub>Cl<sub>3</sub>, **137**, 138  
Cd<sub>7</sub>P<sub>4</sub>Cl<sub>6</sub>, **137**, 138  
CeTaO<sub>4+δ</sub> system, TEM and XRD study, **140**, 20  
(C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O templated by piperazine, **139**, 326  
[(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub>·1.34H<sub>2</sub>O, **140**, 387  
C<sub>3</sub>H<sub>12</sub>N<sub>2</sub><sup>2+</sup>·HPO<sub>4</sub><sup>2-</sup>·H<sub>2</sub>O, **141**, 343  
C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup>·2HPO<sub>4</sub><sup>-</sup>·4H<sub>2</sub>O, **141**, 343  
Ln(ClO<sub>4</sub>)<sub>3</sub> (Ln = La, Ce, Pr, Sm, Eu, Ho, Er, Tm, Lu), **139**, 259  
α-CoV<sub>3</sub>O<sub>8</sub>, **141**, 133  
Cr(SeO<sub>2</sub>OH)(Se<sub>2</sub>O<sub>5</sub>), **135**, 70  
CrTa<sub>2</sub>O<sub>6</sub> trirutile oxide based on Cr<sup>2+</sup>, **140**, 7  
Cs<sub>3</sub>(HSeO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>), **141**, 317

- $\text{Cs}_5(\text{HSeO}_4)_3(\text{H}_2\text{PO}_4)_2$ , **141**, 317  
 $\beta\text{-Cs}_3(\text{HSO}_4)_2[\text{H}_{2-x}(\text{P}_{1-x}\text{S}_x)\text{O}_4]$  ( $x \sim 0.5$ ) superprotonic conductor, **139**, 373  
 $\text{Cs}_2\text{PdSe}_8$ , open framework structure with double helical assemblies of  $[\text{Pd}(\text{Se}_4)_2]^{2-}$ , letter to editor, **140**, 149  
 $\text{Cs}_4(\text{SeO}_4)(\text{HSeO}_4)_2(\text{H}_3\text{PO}_4)$ , **141**, 317  
 $\text{CuAl}_2\text{Si}_2\text{O}_7(\text{F},\text{OH})_2$ , **141**, 527  
 $\text{Cu}_2^{\text{II}}\text{Fe}^{\text{III}}(\text{CN})_6$  and  $\text{Cu}_3^{\text{II}}[\text{Fe}^{\text{III}}(\text{CN})_6]_2$ , relationship to mechanisms of Cs sorption, **141**, 475  
 $\text{Cu}_2\text{SnS}_3$ , refinement, **139**, 144  
 $\text{Cu}_4\text{Sn}_7\text{S}_{16}$ , **139**, 144  
 1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, **136**, 93  
 diglycine hydrogen selenite, **140**, 71  
 $\text{DySr}_2\text{Cu}_{2.7}\text{Cr}_{0.3}\text{O}_{7.2}$  and  $\text{DySr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.2}$ , **141**, 522  
 $\text{Er}_5\text{O}(\text{OPr}^i)_{13}$ , **141**, 168  
 $\text{Er}_{0.85}\text{Te}$  and  $\text{Er}_{1.73}\text{Te}_{2.4}\text{I}_8$ , **139**, 57  
 $\text{Er}_2\text{Ti}_4\text{O}_2(\text{OC}_2\text{H}_5)_{18}(\text{HOC}_2\text{H}_5)_2$ , **135**, 149  
 ethylenediamine-templated 1-D  $[\text{enH}_2][\text{Zr}(\text{HPO}_4)_3]$  and 2-D  $[\text{enH}_2]_{0.5}[\text{Zr}(\text{PO}_4)(\text{HPO}_4)]$ , **140**, 46  
 ethylenediamine-templated zeolite-type structures in zinc arsenate and cobalt phosphate systems, **136**, 210  
 $\text{Eu}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$ , **141**, 99  
 $\text{Fe}_6\text{Ge}_5$ , relationship to B8-type structures, **141**, 199  
 $\varepsilon\text{-Fe}_2\text{O}_3$ , **139**, 93  
 $\text{Fe}_{2.5}\text{Ti}_{0.5}\text{O}_4$  nanocrystals synthesized by soft chemistry and high-energy ball milling, **139**, 66  
 $\text{Ga}_{3-x}\text{In}_{5+x}\text{Sn}_2\text{O}_{16}$ , **140**, 242  
 $\text{GdAgGe}$ ,  $\text{GdAuGe}$ ,  $\text{GdAu}_{0.44(1)}\text{In}_{1.56(1)}$ , and  $\text{GdAuIn}$  antiferromagnets, **141**, 352  
 $\text{In}_2\text{S}_3$  thin films, study by diffraction of synchrotron radiation, **137**, 6  
 $\text{In}_4\text{Sn}_3\text{O}_{12}$ , **135**, 140  
 $A_4A'\text{Ir}_2\text{O}_9$  ( $A = \text{Sr},\text{Ba}$ ;  $A' = \text{Cu},\text{Zn}$ ), commensurate and incommensurate phases, **136**, 103  
 $\text{K}_4\text{Bi}_2\text{O}_5$ , **139**, 342  
 $\text{KLn}^{\text{III}}\text{M}_2^{\text{IV}}\text{F}_{12}$  ( $\text{M}^{\text{IV}} = \text{Tb},\text{Zr},\text{Hf}$ ;  $\text{Ln}^{\text{III}} = \text{Ce-Lu}$ ), **139**, 248  
 $\text{KH}_2\text{PO}_4$ , **141**, 486  
 $\text{K}_4\text{In}_2(\text{PSe}_5)_2(\text{P}_2\text{Se}_6)$ , one-dimensional compounds, **136**, 79  
 $\text{K}_{1-x}\text{Li}_x\text{MnF}_3$  single crystal in range 100–298 K, **137**, 71  
 $\text{KMgPO}_4$ , **136**, 175  
 $\text{KPb}_4(\text{VO}_4)_3$ , anion-deficient apatite structure, **141**, 373  
 $\text{KTb}^{\text{III}}\text{Tb}_2^{\text{IV}}\text{F}_{12}$ , **139**, 248  
 $\text{K}_4\text{Zr}_6\text{Br}_{18}\text{C}$ , **139**, 85  
 $\text{La}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ , changes associated with charge ordering, **140**, 331  
 $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$ , **140**, 320  
 $\text{La}_2\text{Co}_2\text{O}_5$ , **141**, 411  
 $\text{La}_4\text{Co}_3\text{O}_{10+\delta}$  ( $0.00 \leq \delta \leq 0.30$ ), **141**, 212  
 $\text{LaCrS}_3$  prepared by high-pressure synthesis, **139**, 233  
 $\text{La}_x\text{Mo}_6\text{Se}_8$  Chevrel-phase superconductor, single-crystal studies, **136**, 151  
 $\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$  system, transitions, **140**, 345  
 $\text{LaNi}_{1-x}\text{M}_x\text{O}_{2.5+\delta}$  ( $\text{M} = \text{Mn},\text{Fe},\text{Co}$ ) vacancy-ordered phase, **135**, 103  
 $\text{La}_5\text{Ti}_6\text{S}_3\text{Cl}_3\text{O}_{15}$ , **139**, 220  
 $\text{La}_8\text{Ti}_{10}\text{S}_{24}\text{O}_4$ , **136**, 46  
 Lewisite: mixed valency, cation site splitting, and symmetry reduction, **141**, 562  
 $\text{LiCoO}_2$   
   low-temperature samples and acid-delithiated products, **140**, 116  
   single crystals, refinement, letter to editor, **141**, 298  
 $\text{Li}_{1-x}\text{H}_x\text{IO}_3$ -type complex crystals, relationship to optical properties, **135**, 121  
 $\text{LiI}_3\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  layered cuprate, **141**, 452  
 $\text{Li-Mn-O}$  spinels, **139**, 290  
 $\text{LiNi}(\text{AsO}_4)$ , **141**, 508  
 $\text{Li}_0\text{M}_3(\text{P}_2\text{O}_7)_3(\text{PO}_4)_2$  ( $\text{M} = \text{Al},\text{Ga},\text{Cr},\text{Fe}$ ), **138**, 32  
 $(\text{Li}_x\text{V}_{1-x})_3\text{BO}_5$  ( $x \approx 0.3$ ) disordered  $S = 1$  system, **141**, 418  
 $\delta\text{Li}_x\text{V}_2\text{O}_5$ , comparison to  $\text{MgV}_2\text{O}_5$ , **136**, 56  
 $\text{Li}_{0.84}\text{W}_{1.16}\text{N}_2$  prepared by ammonolysis of  $\text{LiF-WO}_3$ , **138**, 154  
 $\text{LiYO}_2$  doped with  $\text{Eu}^{3+}$ , monoclinic and tetragonal, refinement, **137**, 242  
 $\text{LiZnPO}_4$ , polymorph with cristobalite-type framework topology, **138**, 126  
 $\text{Mg}_5\text{Nb}_4\text{O}_{15}$  and  $\text{Mg}_5\text{Ta}_4\text{O}_{15}$ , refinement by Rietveld analysis of neutron powder diffraction data, **137**, 359  
 $\text{MgV}_2\text{O}_5$ , comparison to  $\delta\text{Li}_x\text{V}_2\text{O}_5$ , **136**, 56  
 $\text{Mn}(\text{ReO}_4)_2 \cdot 2\text{H}_2\text{O}$ , **138**, 232  
 $\text{Mn}_{11}\text{Ta}_4\text{O}_{21}$ , and refinement of  $\text{Mn}_4\text{Ta}_2\text{O}_9$  structure, **137**, 276  
 $\text{Mn}_{0.15}\text{V}_{0.3}\text{Mo}_{0.7}\text{O}_3$ , **138**, 347  
 $\text{AMoOPO}_4\text{Cl}$  ( $A = \text{K},\text{Rb}$ ), **137**, 214  
 $\text{NaFe}_{3.67}(\text{PO}_4)_3$ , **139**, 152  
 $\text{Na}_2\text{Ge}_4\text{O}_9$ , **140**, 175  
 $\text{NaLa}_9(\text{GeO}_4)_6\text{O}_2$  apatite, **139**, 304  
 $\text{Na}_{1/2+x}\text{La}_{1/2-3x}\text{Th}_x\text{TiO}_3$  perovskite series, **138**, 307  
 $\text{NaPb}_4(\text{VO}_4)_3$ , anion-deficient apatite structure, **141**, 373  
 $\text{Na}_4\text{P}_2\text{S}_6 \cdot 6\text{H}_2\text{O}$ , single-crystal study, **141**, 274  
 $\text{Na}_3\text{ScF}_6$ , single-crystal high-pressure studies, **135**, 116  
 $[\text{N}_2\text{C}_3\text{H}_5][\text{AlP}_2\text{O}_8\text{H}_2 \cdot 2\text{H}_2\text{O}]$  and  $2[\text{N}_2\text{C}_3\text{H}_5][\text{Al}_3\text{P}_4\text{O}_{16}\text{H}]$ , letter to editor, **136**, 141  
 $[\text{N}(\text{C}_2\text{H}_5\text{NH}_3)_3]^{3+}[\text{Sn}(\text{PO}_4)(\text{HPO}_4)]^{3-} \cdot 4\text{H}_2\text{O}$  connected through hydrogen bonding, **139**, 207  
 $\text{NdCu}_2\text{O}_7$ , cooperatively distorted T' type structure, **136**, 137  
 $\text{NdMo}_6\text{O}_{12}$ , ordered hollandite-type compound, **136**, 87  
 $\text{Nd}_4\text{Ni}_3\text{O}_8$ , neutron diffraction and TEM studies, **140**, 307  
 $\text{Nd}_6\text{Ni}_{2-x}\text{Si}_3$  and  $\text{Nd}_{42}\text{Ni}_{22-x}\text{Si}_{31}$ , **137**, 302  
 $[\text{NH}_3(\text{CH}_2)_8\text{NH}_3]_3[\text{V}_{15}\text{O}_{36}(\text{Cl})](\text{NH}_3)_6(\text{H}_2\text{O})_3$ , **136**, 298  
 $\text{NH}_4\text{NbWO}_6$  defect pyrochlore, **141**, 537  
 $\text{NH}_4\text{VP}_2\text{O}_7$ , **136**, 181  
 $(\text{Ni}_{6-x}\text{Cu}_x)\text{MnO}_8$ , **135**, 322  
 $\text{Ni}_{1-x}\text{O}$  with dissolved  $\text{Zr}^{4+}$ , defect clusters and superstructures, **140**, 361  
 $\text{MO}_2$  ( $\text{M} = \text{Ba},\text{Sr},\text{Ca},\text{Mg},\text{Be}$ ), *ab initio* quantum mechanical study, **140**, 103  
 $\text{Pb}_x(\text{PO}_2)_4(\text{WO}_3)_{2m}$  ( $6 \leq m \leq 10$ ) bronze, **139**, 362  
 $\text{Pb}_2\text{Re}_2\text{O}_{7-x}$  pyrochlores, **138**, 220  
 $\text{Pb}^{\text{II}}\text{Sn}^{\text{IV}}(\text{PO}_4)_2$ , **137**, 283  
 $\text{A}_2\text{MP}_2\text{Se}_6$  ( $A = \text{K},\text{Rb},\text{Cs}$ ;  $\text{M} = \text{Pd},\text{Zn},\text{Cd},\text{Hg}$ ), **138**, 321  
 $\text{Rb}_2\text{MoO}_2\text{As}_2\text{O}_7$ , **141**, 500  
 $\text{Rb}_{12}\text{Nb}_6\text{Se}_{35}$  polymer with infinite anionic chains built up by  $\text{Nb}_2\text{Se}_{11}$  units containing  $\text{Se}_3^{4-}$  fragment, **140**, 97  
 $\text{Rb}_3\text{Sc}_2(\text{AsO}_4)_3$ , determination by synchrotron single crystal methods, **139**, 299  
 $\text{Rb}_3\text{Sn}(\text{PSe}_5)(\text{P}_2\text{Se}_6)$ , one-dimensional compounds, **136**, 79  
 $\text{M}(\text{ReO}_4)_2$  ( $\text{M} = \text{Mn},\text{Co},\text{Ni},\text{Zn}$ ) anhydrous perhenates, **138**, 232  
 $\text{A}_3\text{MS}_4$  ( $A = \text{Na},\text{Rb}$ ;  $\text{M} = \text{Nb},\text{Ta}$ ), **139**, 404  
 $\text{SbRe}_2\text{O}_6$  with Re-Re bond, **138**, 245  
 $\text{ScAl}_3\text{C}_3$ , **140**, 396  
 $\text{ScNiP}$ , **137**, 218  
 $\text{Sm}_3\text{NbSe}_3\text{O}_4$ , **137**, 122  
 $\text{SmTe}_{2-x}$  semiconductor, **140**, 300  
 $\text{Sn}(\text{ND}_3)_2\text{F}_4$ , **138**, 350  
 $\text{SnO}_2$  nanocrystals, X-ray and Raman spectroscopy, **135**, 78  
 $[\text{Sn}_2(\text{PO}_4)_2]^{2-}[\text{C}_2\text{N}_2\text{H}_{10}]^{2+} \cdot \text{H}_2\text{O}$ , **140**, 435  
 $\text{Sn}_2(\text{PO}_4)[\text{C}_2\text{O}_4]_{0.5}$  containing one-dimensional tin phosphate chains, **139**, 200  
 $\text{A}_2\text{Sn}_4\text{S}_9$  ( $A = \text{K},\text{Rb},\text{Cs}$ ) layered compounds prepared by flux synthesis, **141**, 17  
 $\text{Sr}_{39}\text{Co}_{12}\text{N}_{31}$ , **141**, 1  
 $\text{Sr}_{1-x}\text{La}_x\text{Mo}_5\text{O}_8$  ( $0 \leq x \leq 1$ ), **138**, 7

- $\text{Sr}_3\text{Mn}_2\text{O}_7$ , letter to editor, **141**, 599  
 $\text{Sr}_2\text{NbN}_3$ , **138**, 297  
 $\text{Sr}_{2-x}\text{Pb}_x(\text{VO})(\text{VO}_4)_2$  solid solutions, **140**, 417  
 $\text{Sr}_3\text{MRhO}_6$ , with  $\text{K}_4\text{CdCl}_6$  structure-type  
 $M = \text{Sm, Eu, Tb, Dy, Ho, Er, Yb}$ , **139**, 79  
 $M = \text{Y, Sc, In}$ , **139**, 416  
 $\text{Sr}_{10}[\text{Sb}_7\text{O}_{13}(\text{OH})]_2[\text{SbSe}_3]_2\text{Se} \cdot 2\text{H}_2\text{O}$ , **140**, 134  
 $\text{TaReSe}_4$  layered crystals, electron microscopic and X-ray diffraction analysis, **135**, 235  
 $\text{Ta}_3\text{SBr}_7$ , **140**, 226  
 $\text{ALn}_3\text{Te}_8$ , site occupancy wave and infinite zigzag ( $\text{Te}_2^{2-}$ )<sub>n</sub> chains in flat Te nets, **135**, 111  
 $\text{Ti}_3\text{O}_5$ , **136**, 67  
 $\text{Ti}(\text{PO}_4)(\text{H}_2\text{PO}_4)$ , neutron powder data, **140**, 266  
 $\text{TlB}_5\text{O}_8$ , **136**, 216  
 $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , **138**, 365  
 $\text{TiNbXO}_6$  ( $X = \text{W, Mo}$ ) ceramics, **141**, 50  
 $\text{Ti}_8\text{Nb}_{27.2}\text{O}_{72}$ , TEM and single-crystal X-ray diffraction studies, **135**, 282  
 $\text{Ti}_2\text{Ru}_2\text{O}_{7-\delta}$  pyrochlore synthesized at high pressure, **140**, 182  
 $\text{UAl}_3\text{C}_3$ , **140**, 396  
 $\text{U}_3\text{Te}_5$ , **139**, 356  
 $\text{VO}_2(A)$ , **141**, 594  
 $\text{VO}_2$  polymorph prepared by soft chemical methods, **138**, 178  
 $\text{Y}_4\text{Al}_2\text{O}_9$  at high temperature, **141**, 466  
zirconium phosphate fluorides templated with amines, **135**, 293  
 $[\text{Zn}(4,4'\text{-bipy})(\text{H}_2\text{O})(\text{SO}_4)] \cdot 0.5\text{H}_2\text{O}$  coordination polymer, interwoven double-layer structure, **138**, 361  
 $\gamma\text{-Zn}_2\text{P}_2\text{O}_7$ , determination from X-ray powder diffraction data, **140**, 62  
 $\text{ZnS}$ , ordering of metal atoms in sphalerite and wurtzite structures, **138**, 334  
 $\text{Zr}_3\text{Al}_3\text{C}_5$ , **140**, 396  
 $\text{ZrTe}_3$ , **138**, 160  
 $\text{Zr}_3\text{Te}$ , **139**, 213  
 $\text{Zr}_5\text{Te}_4$ , **139**, 213
- D
- DAFS, *see* Diffraction anomalous fine structure  
Decomposition  
 $\alpha\text{-Ca}_3\text{N}_2$ , **137**, 33  
 $\text{Mg}_3\text{N}_2$ , **137**, 33  
 $\text{MO}_2$  ( $M = \text{Ba, Sr, Ca, Mg, Be}$ ), *ab initio* quantum mechanical study, **140**, 103  
spinel-type nickel chromium indium sulfides, **136**, 193  
thermal, *see* Thermal decomposition  
Defect chemistry  
spinel precipitates of Al-doped  $\text{Ni}_{1-x}$ , **140**, 38  
Defect structure  
 $\alpha\text{-Fe}_2\text{O}_3$  doped with  $\text{Mg}^{2+}$ , **140**, 428  
 $\text{Nd}_4\text{Ni}_3\text{O}_8$ , neutron diffraction and TEM studies, **140**, 307  
 $\text{Ni}_{1-x}\text{O}$  with dissolved  $\text{Zr}^{4+}$ , defect clusters, **140**, 361  
 $\text{Pb}_{1-x}\text{In}_x\text{Te}$  single crystals, point defect clusters revealed by X-ray diffuse scattering method, **137**, 119  
 $\text{Sr}_4\text{Nb}_4\text{O}_{14}\text{-Sr}_5\text{Nb}_4\text{O}_{15}\text{-SrTiO}_3$  system, microstructures in perovskite-related phases, **135**, 260  
 $\text{TaReSe}_4$  layered crystals, electron microscopic and X-ray diffraction analysis, **135**, 235  
 $\text{TlCl}$ ,  $\text{TlBr}$ , and  $\text{TlI}$  at high pressure and temperature, **141**, 462  
Dehydration  
gypsum, Controlled transformation Rate Thermal Analysis, **139**, 37  
 $\text{TlB}_5\text{O}_6(\text{OH})_4 \cdot 2\text{H}_2\text{O}$ , **136**, 216  
Delithiation  
 $\text{LiCoO}_2$ , products of, structural features, **140**, 116  
Deuterium  
 $\text{Sn}(\text{ND}_3)_2\text{F}_4$ , structure, implications for synthesis of nitride fluorides, **138**, 350  
Devitrification  
 $\text{AgI:Ag}_2\text{MoO}_4$  system, **140**, 91  

-Dialkylbenzene-urea  
inclusion compounds, order and disorder in, **141**, 437  
Diaminoanthraquinone  
substitution pattern, effect on physical properties, **141**, 309  
1,3-Diaminopropane  
zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structure, **135**, 293  
1,3-Diammonium-propane zinc hydrogen phosphates  
with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93  
Dielectric properties  
 $\text{La}_{2-x}\text{Sr}_x\text{CoO}_4$  ( $0.25 \leq x \leq 1.10$ ) below room temperature, **139**, 176  
 $\text{Pb}_2\text{MgW}_x\text{Te}_{(1-x)}\text{O}_6$  solid solution, **139**, 332  
 $\text{TiNbXO}_6$  ( $X = \text{W, Mo}$ ) ceramics, **141**, 50  
Diethylenetriamine  
zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structure, **135**, 293  
Differential scanning calorimetry  
 $\text{Bi}_2\text{Te}_4\text{O}_{11}$  phase transitions, **135**, 175  
diglycine hydrogen selenite crystals, **140**, 71  
 $\text{LiYO}_2$  doped with  $\text{Eu}^{3+}$ , refinement of monoclinic and tetragonal structures, **137**, 242  
monoglycine-selenious acid crystals, **140**, 71  
order-disorder phase transition in bicyclononane, **136**, 16  
 $\text{Pb}_2\text{MgW}_x\text{Te}_{(1-x)}\text{O}_6$  solid solution, **139**, 332  
Differential thermal analysis  
 $\text{EuI}_2\text{-KI}$  binary system, **136**, 134  
 $\gamma\text{-Fe}_2\text{O}_3$  nanocrystalline particles, **137**, 185  
Diffraction anomalous fine structure  
 $\text{Ba}_4(\text{Ba}_x\text{Pt}_{1-x}^{2+})\text{Pt}_2^{4+}\text{O}_9$  twinned crystal, **140**, 201  
Diffuse scattering  
 $\text{La}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ , structural and morphological changes associated with charge ordering, **140**, 331  
sinusoidal, loci in nonstoichiometric B8-type alloy phases  $A_{1+x}B$  ( $A = \text{Co, Ni}$ ;  $B = \text{Ge, Sn}$ ), simulation, **140**, 402  
Dispersion  
 $\text{NaNO}_3$  on  $\text{ZrO}_2$ : effect of supported  $\text{Na}^+$  on  $\text{ZrO}_2$  texture properties, **138**, 41  
Disproportionation  
in  $\text{BaBiO}_3$ , stabilization, contrast with stabilization of spontaneous polarization of  $\text{H}_2$  molecules, **138**, 369  
Dodecasil-3C  
D3C-THF, cubic/tetragonal phase transition in, optical and X-ray powder diffraction study, **137**, 87  
Double helical assemblies  
 $[\text{Pd}(\text{Se}_4)_2]^{2-}$  in  $\text{Cs}_2\text{PdSe}_8$ , letter to editor, **140**, 149  
Dysprosium  
 $\text{DyAlO}_3$  perovskite, stability, calorimetric study, **141**, 424  
 $\text{Dy}_3\text{Al}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424  
 $\text{DyBa}_2\text{Fe}_3\text{O}_{8+w}$  triple perovskites,  $^{57}\text{Fe}$  Mössbauer study, **139**, 168  
 $\text{DyBa}_2\text{Fe}_3\text{O}_{8+x}$  phases, powder neutron and X-ray diffraction studies, **136**, 21  
 $\text{DyBi}_2\text{O}_4\text{NO}_3$ , preparation and crystal structure, **139**, 321  
 $\text{Dy}_3\text{Ga}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424  
 $\text{Dy}_3\text{Si}_2\text{C}_2$ , magnetic and electrical properties, **138**, 201  
 $\text{DySr}_2\text{Cu}_{2.7}\text{Cr}_{0.3}\text{O}_{7.2}$  and  $\text{DySr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.2}$ , crystal structures, **141**, 522  
 $\text{KDy}^{\text{III}}\text{M}_2^{\text{IV}}\text{F}_{12}$  ( $M^{\text{IV}} = \text{Tb, Zr, Hf}$ ), synthesis and crystal structure, **139**, 248  
 $\text{Sr}_3\text{DyRhO}_6$ , synthesis, characterization, and magnetic properties, **139**, 79

## E

- Electrical conductivity  
 BaCo<sub>1-x</sub>Cu<sub>x</sub>S<sub>2-y</sub> layered sulfide, **138**, 111  
 Bi<sub>2</sub>Te<sub>3</sub> single crystals with incorporated Ag, **140**, 29  
 Cu<sub>4</sub>Sn<sub>7</sub>S<sub>16</sub>, **139**, 144  
 Fe<sub>8</sub>V<sub>10</sub>W<sub>16</sub>O<sub>85</sub> low-spin *d*<sup>5</sup> system, **137**, 223  
 La<sub>1-x</sub>Ba<sub>x</sub>CoO<sub>3</sub> ceramics, **137**, 211  
 La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, **140**, 377  
 Na<sub>x-δ</sub>Fe<sub>x</sub>Ti<sub>2-x</sub>O<sub>4</sub> (*x* = 0.875, 0 ≤ *δ* ≤ 0.40), **137**, 168  
 Na<sub>2</sub>SO<sub>4</sub>, effect of aliovalent cation doping, **138**, 183  
 NdMo<sub>6</sub>O<sub>12</sub>, ordered hollandite-type compound, **136**, 87  
 Sb<sub>2</sub>Te<sub>3</sub> single crystals with incorporated Ag, **140**, 29  
 Sr<sub>4</sub>(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>6</sub>O<sub>13±δ</sub> materials, **141**, 576  
 superconductivity, *see* Superconductivity  
 [(ZrO<sub>2</sub>)<sub>0.92</sub>(Y<sub>2</sub>O<sub>3</sub>)<sub>0.08</sub>]<sub>1-x</sub>(RuO<sub>2</sub>)<sub>x</sub> (0 ≤ *x* ≤ 0.1) ceramics, **141**, 282
- Electrical properties  
 Bi<sub>2</sub>S<sub>3</sub> thin films prepared by thermal evaporation and chemical bath deposition, **136**, 167  
 Bi<sub>9</sub>(V<sub>1-x</sub>P<sub>x</sub>)<sub>2</sub>ClO<sub>18</sub> series (0 ≤ *x* ≤ 1), **136**, 34  
 (Ca<sub>1-x</sub>Sr<sub>x</sub>)MnO<sub>3</sub>, relationship to Mn–O–Mn angles, **137**, 82  
 Ce–Al–(Si,Ge) systems, **137**, 191  
 In–Bi<sub>2</sub>S<sub>3</sub> annealed thin films, **138**, 290  
 (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, effect of Ge<sup>4+</sup>, **140**, 431  
 La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, **138**, 226  
 LaCrS<sub>3</sub> prepared by high-pressure synthesis, **139**, 233  
 La<sub>1-x-y</sub>A<sub>x</sub>MnO<sub>3-δ</sub> (*A* = Na,K), **137**, 19  
 Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, **136**, 8  
 R<sub>3</sub>Si<sub>2</sub>C<sub>2</sub> (*R* = Y,La–Nd,Sm,Gd–Tm), **138**, 201  
 Sr<sub>1-x</sub>La<sub>x</sub>Mo<sub>5</sub>O<sub>8</sub> (0 ≤ *x* ≤ 1), **138**, 7
- Electrical resistivity  
 Ag<sub>0.7</sub>Mo<sub>3</sub>O<sub>7</sub>(PO<sub>4</sub>) bronze built up from ReO<sub>3</sub>-type slabs, **140**, 128  
 Fe<sub>2</sub>Mo<sub>1-x</sub>Ti<sub>x</sub>O<sub>4</sub> spinel oxides, **140**, 56  
 La<sub>x</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel-phase superconductor, **136**, 160  
 La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-δ</sub> (0.5 ≤ *x* ≤ 0.9) perovskite, **139**, 388  
 Pb<sub>x</sub>(PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> (6 ≤ *m* ≤ 10) bronze, **139**, 362  
 SbRe<sub>2</sub>O<sub>6</sub> with Re–Re bond, **138**, 245  
 SrNb<sub>2</sub>S<sub>5</sub> and SrTa<sub>2</sub>S<sub>5</sub>, **135**, 325  
 TiNbXO<sub>6</sub> (*X* = W,Mo) ceramics, **141**, 50
- Electrochemistry  
 Li-inserted In<sub>16</sub>Fe<sub>8</sub>S<sub>32</sub>, **138**, 193  
 Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, **136**, 8  
 preparation of PZT thin films on stainless steel, **136**, 293
- Electromotive force measurements  
 nanocrystalline copper-doped cerium oxide, **140**, 295
- Electron diffraction  
 Ba<sub>4</sub>(Ba<sub>x</sub>Pt<sub>1-x</sub>)Pt<sub>2</sub><sup>4+</sup>O<sub>9</sub> twinned crystal, **140**, 201  
 (1 - *x*)Bi<sub>2</sub>O<sub>3</sub> · *x*CaO, short-range order in *γ*-type solid solution, **135**, 201  
 (Co,Ni,Cu)<sub>1+x</sub>(Ge,Sn) *B8*-type phases, computer simulation of diffuse scattering, **135**, 269  
 convergent beam, Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, **140**, 242  
 Fe<sub>6</sub>Ge<sub>5</sub>, crystal structure relationship to *B8*-type structures, **141**, 199  
 Ga–In–Sn–O ceramic, determination of oxygen atomic position, letter to editor, **136**, 145  
 Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> · 2CH<sub>3</sub>OH, **136**, 247  
 Ni<sub>1+m</sub>Sn<sub>1-x</sub>P<sub>x</sub> *B8*-type solid solutions, Sn/P and interstitial Ni ordering, **136**, 125  
 selected-area, Bi<sub>2</sub>Te<sub>4</sub>O<sub>11</sub> phase transitions, **135**, 175  
 ZrV<sub>2</sub>O<sub>7</sub>, *in situ* analysis of temperature-dependent phase transitions, **137**, 161
- Electronic absorption spectra  
 Cr(SeO<sub>2</sub>OH)(Se<sub>2</sub>O<sub>5</sub>), **135**, 70
- Electronic band structure  
 MNX (*M* = Zr,Ti; *X* = Cl,Br,I) system, **138**, 207  
 PdTeI single crystals, **137**, 206  
 ZrTe<sub>3</sub>, **138**, 160
- Electronic properties  
 Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, effects of cationic substitution, **141**, 546  
 A<sub>2</sub>Ir<sub>2</sub>O<sub>7-y</sub> pyrochlores, **136**, 269  
 LaNi<sub>0.95</sub>M<sub>0.05</sub>O<sub>3</sub> (*M* = Mo,W,Sb,Ti,Cu,Zn) perovskites, **136**, 313  
 A<sub>2</sub>Ru<sub>2</sub>O<sub>7-y</sub> pyrochlores, **136**, 269
- Electronic state  
 (Li<sub>x</sub>V<sub>1-x</sub>)<sub>3</sub>BO<sub>5</sub> (*x* ≈ 0.3) disordered *S* = 1 system, **141**, 418  
 TiO<sub>2</sub> ultrafine particles, characterization by luminescence spectroscopy, **139**, 124  
 Ti<sub>3</sub>O<sub>5</sub>, **136**, 67
- Electronic structure  
 Bi<sup>3+</sup> lone pair configuration in modulated Bi-2212 type oxides, **139**, 194  
 La<sub>12</sub>Mn<sub>2</sub>Sb<sub>30</sub> alloy, **139**, 8  
 Rb<sub>2</sub>CdCl<sub>4</sub>, **140**, 371
- Electron microscopy, *see also* High-resolution electron microscopy; Transmission electron microscopy  
 Ca<sub>1-x</sub>Sr<sub>x</sub>NbO<sub>3</sub> (0 ≤ *x* ≤ 1) perovskite-type phases, **141**, 514  
 hexagonal perovskites with one-dimensional structures related to Sr<sub>4</sub>Ni<sub>3</sub>O<sub>9</sub>, **135**, 1  
 A<sub>4</sub>A'Ir<sub>2</sub>O<sub>9</sub> (*A* = Sr,Ba; *A'* = Cu,Zn), commensurate and incommensurate phases, **136**, 103  
 Pb<sub>x</sub>(PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> (6 ≤ *m* ≤ 10) bronze, **139**, 362  
 TaReSe<sub>4</sub> layered crystals, structure, defect structure, microstructure, and rotation twins, **135**, 235
- Electron paramagnetic resonance  
 Cu<sup>2+</sup> in sol–gel-derived TiO<sub>2</sub>, **138**, 1  
 CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F,OH)<sub>2</sub>, **141**, 527  
 Fe<sub>8</sub>V<sub>10</sub>W<sub>16</sub>O<sub>85</sub> low-spin *d*<sup>5</sup> system, **137**, 223  
 Mn<sup>2+</sup>-doped AlF<sub>3</sub>, and *ab initio* quantum chemical calculations, **139**, 27  
 Mo<sup>V</sup> in tetragonal and monoclinic phases of zirconia, **136**, 263  
 NaGdTlO<sub>4</sub> layered perovskite, **138**, 342  
 Pr<sup>4+</sup> doped in BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, **138**, 329
- Electron–phonon coupling  
 Gd<sup>3+</sup> and Eu<sup>3+</sup> in crystalline materials and glasses of same composition, **136**, 206
- Energy of mixing  
 MnO–NiO, MgO–MnO, and CaO–MnO solid solutions, *ab initio* Hartree–Fock study, **137**, 261
- EPR, *see* Electron paramagnetic resonance
- Erbium  
 Er<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424  
 ErBa<sub>2</sub>Cu<sub>3</sub>O<sub>6.5</sub>, half filling of O intercalation in, new orthorhombicity type and cell volume expansions near, **135**, 307  
 ErBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> triple perovskites, <sup>57</sup>Fe Mössbauer study, **139**, 168  
 ErBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21  
 ErBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub>, preparation and crystal structure, **139**, 321  
 Er(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259  
 Er<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424  
 Er<sub>5</sub>O(OPr<sup>f</sup>)<sub>13</sub>, synthesis and properties, **141**, 168  
 Er<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201  
 Er–Te binary and Er–Te–I ternary systems, nonstoichiometry in, **139**, 57  
 Er<sub>2</sub>Ti<sub>4</sub>O<sub>2</sub>(OC<sub>2</sub>H<sub>5</sub>)<sub>18</sub>(HOC<sub>2</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, characterization, and structure, **135**, 149  
 KEr<sup>III</sup>M<sup>IV</sup>F<sub>12</sub> (*M*<sup>IV</sup> = Tb,Zr,Hf), synthesis and crystal structure, **139**, 248  
 Sr<sub>3</sub>ErRhO<sub>6</sub>, synthesis, characterization, and magnetic properties, **139**, 79
- ESR, *see* Electron paramagnetic resonance
- Ethylenediamine  
 zinc arsenate and cobalt phosphate systems templated with, synthesis and zeolite-type structures, **136**, 210

- zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structure, **135**, 293
- zirconium phosphates of variable dimensions templated by, crystal structures, **140**, 46
- Europium
- CaS:Eu,La, Eu valencies in, **138**, 149
- Eu<sup>3+</sup>
- LiYO<sub>2</sub> doped with, monoclinic and tetragonal structures, refinement, **137**, 242
- vibronic transitions in crystalline materials and glasses of same composition, **136**, 206
- EuAlO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424
- EuBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>, shock synthesis, effect of ionic radius difference of Eu<sup>3+</sup> and Ba<sup>2+</sup>, **136**, 74
- Eu<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub>, sol-gel synthesis and simultaneous oxidation, **138**, 141
- Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, electronic and magnetic properties, effects of cationic substitution, **141**, 546
- EuBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub>, preparation and crystal structure, **139**, 321
- Eu<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub>, *ab initio* structure determination, **139**, 52
- Eu(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259
- Eu<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- EuI<sub>2</sub>-KI binary system, phase diagram, **136**, 134
- EuTl (*T* = Zn,Pd,Pt,Au) intermetallic compounds, <sup>151</sup>Eu Mössbauer spectroscopy and magnetic susceptibility, **137**, 174
- Eu<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>4+δ</sub>, preparation, crystal structure, and reducibility, **141**, 99
- NaEuTiO<sub>4</sub> layered perovskites, magnetic properties, **138**, 342
- Sr<sub>2</sub>EuMn<sub>2</sub>O<sub>7</sub>, Ruddlesden-Popper phases, HRTEM study, **138**, 135
- Sr<sub>3</sub>EuRhO<sub>6</sub>, synthesis, characterization, and magnetic properties, **139**, 79
- Eutectic mixtures
- UCl<sub>4</sub> with KCl, selective deposition of UCl<sub>4</sub> and (KCl)<sub>x</sub>(UCl<sub>4</sub>)<sub>y</sub> inside carbon nanotubes using, **140**, 83
- Evaporation
- thermal, Bi<sub>2</sub>S<sub>3</sub> thin films prepared by, properties, **136**, 167
- EXAFS, *see* Extended X-ray absorption fine structure
- Extended X-ray absorption fine structure
- Sn<sup>4+</sup>-doped indium oxide and In<sub>4</sub>Sn<sub>3</sub>O<sub>12</sub>, **135**, 140
- F
- Fluorine
- AlF<sub>3</sub>, temperature- and gas-phase-mediated reorganization and paramagnetic doping, **139**, 27
- Ba<sub>2</sub>MoO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- BaScO<sub>2</sub>F perovskite, synthesis and structure, **139**, 422
- Ba<sub>2</sub>WO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- M<sub>2</sub>BN<sub>2</sub>F (*M* = Ca,Sr), compounds with isolated BN<sub>2</sub><sup>3-</sup> units, **135**, 194
- Ln<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub> (*Ln* = Sm,Eu,Gd), *ab initio* structure determination, **139**, 52
- CaF<sub>2</sub>, structure candidates, determination, **136**, 233
- CdWO<sub>3</sub>F<sub>2</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F,OH)<sub>2</sub>, hydrothermal synthesis, crystal structure, and properties, **141**, 527
- KLn<sup>III</sup>M<sup>IV</sup><sub>2</sub>F<sub>12</sub> (*M*<sup>IV</sup> = Tb,Zr,Hf; *Ln*<sup>III</sup> = Ce-Lu), synthesis and crystal structure, **139**, 248
- K<sub>1-x</sub>Li<sub>x</sub>MnF<sub>3</sub> single crystal, phase transition and structure in range 100–298 K, **137**, 71
- (K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub> perovskites, crystal chemistry and phase transitions in *P-T-X* space, **141**, 121
- K<sub>2</sub>NbO<sub>3</sub>F, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- K<sub>2</sub>NiF<sub>4</sub>, structure, La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> (*M*(III) = Co,Ni,Cu) with variant of, **138**, 18
- KTb<sup>III</sup>Tb<sup>IV</sup><sub>2</sub>F<sub>12</sub>, synthesis and crystal structure, **139**, 248
- LiF-WO<sub>3</sub>, ammonolysis, *in situ* X-ray diffraction study: detection and crystal structure of Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, **138**, 154
- MgF<sub>2</sub>, structure candidates, determination, **136**, 233
- NaMoO<sub>3</sub>F, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- Na<sub>3</sub>ScF<sub>6</sub>, single-crystal high-pressure studies, **135**, 116
- Sn(ND<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, structure, implications for synthesis of nitride fluorides, **138**, 350
- Sr<sub>2-x</sub>A<sub>x</sub>CuO<sub>2</sub>F<sub>2+δ</sub> (*A* = Ca,Ba) superconductors, synthetic pathways and associated structural rearrangements, **135**, 17
- zirconium phosphate fluorides templated with amines, hydrothermal synthesis and crystal structure, **135**, 293
- Fluorohectorite heterostructures
- intercalation process in formation of, analysis, **139**, 281
- Flux synthesis
- LiCoO<sub>2</sub> single crystals, letter to editor, **141**, 298
- A<sub>2</sub>Sn<sub>4</sub>S<sub>6</sub> (*A* = K,Rb,Cs) layered compounds, **141**, 17
- Formaldehyde
- formation by methanol oxidation over Mo catalysts, Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub>·2CH<sub>3</sub>OH compounds modeling, structure, **136**, 247
- Fuel cells
- cathode, lanthanum strontium manganate(III)(IV) materials for, oxidation kinetics, *in situ* powder diffraction studies, **141**, 235
- G
- Gadolinium
- (Ca,Gd)<sub>2</sub>(Al,Ti)O<sub>4</sub>, crystal structure, **139**, 204
- CaTiO<sub>3</sub> doped with, charge compensation in, **124**, 77; comment, **137**, 355; reply, **137**, 357
- Gd<sup>3+</sup>, vibronic transitions in crystalline materials and glasses of same composition, **136**, 206
- GdAgGe, GdAuGe, GdAu<sub>0.44(1)</sub>In<sub>1.56(1)</sub>, and GdAuIn antiferromagnets, structure, bonding, magnetic susceptibility, and <sup>155</sup>Gd Mössbauer spectroscopy, **141**, 352
- GdAlO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424
- GdBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21
- GdBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub>, preparation and crystal structure, **139**, 321
- Gd<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub>, *ab initio* structure determination, **139**, 52
- Gd<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub>, charge-ordered states, distinction based on chemical melting, **137**, 365
- Gd<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- Gd<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201
- KGd<sup>III</sup>M<sup>IV</sup><sub>2</sub>F<sub>12</sub> (*M*<sup>IV</sup> = Tb,Zr,Hf), synthesis and crystal structure, **139**, 248
- NaGdTiO<sub>4</sub> layered perovskites, magnetic properties, **138**, 342
- Gallium
- Ba<sub>2</sub>BiGa<sub>11</sub>O<sub>20</sub>, preparation and crystal structure, **138**, 313
- BaGa<sub>12</sub>O<sub>19</sub>, magnetoplumbite-type compound, preparation and crystal structure, **136**, 120
- Ga-In-Sn-O ceramic, oxygen atomic positions in, determination with direct methods and electron diffraction, letter to editor, **136**, 145
- Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, structure, **140**, 242
- LnGaO<sub>3</sub> (*Ln* = La-Lu, Y) perovskites, stability, calorimetric study, **141**, 424
- Ln<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> (*Ln* = La-Lu, Y) garnets, stability, calorimetric study, **141**, 424

- InGaO<sub>3</sub>(ZnO)<sub>m</sub> (*m* = integer), modulated structure described by four-dimensional superspace group, **139**, 347
- LaGaO<sub>3</sub>, Sr- and Mg-doped perovskite-type oxide-ion conductor, wet chemical synthesis, **136**, 274
- La<sub>0.9</sub>Sr<sub>0.1</sub>Ga<sub>0.8</sub>Mg<sub>0.2</sub>O<sub>2.85</sub>, high-temperature powder neutron diffraction, **139**, 135
- Li<sub>9</sub>Ga<sub>3</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, crystal structure and cation transport properties, **138**, 32
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>][Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], synthesis and characterization, **136**, 227
- Garnet
- Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, cationic substitutions, associated transition to alaudite structure, **137**, 112
- Ln*<sub>3</sub>*M*<sub>5</sub>O<sub>12</sub> (*Ln* = La–Lu, Y; *M* = Al, Ga), stability, calorimetric study, **141**, 424
- Germanium
- Ce–Al–(Si, Ge) systems, phase equilibria and physical properties, **137**, 191
- Co<sub>1+x</sub>Ge, nonstoichiometric *B8*-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402
- (Co, Ni, Cu)<sub>1+x</sub>(Ge, Sn) *B8*-type phases, modulated structures and diffuse scattering, computer simulation, **135**, 269
- Fe<sub>6</sub>Ge<sub>5</sub>, crystal structure, relationship to *B8*-type structures, **141**, 199
- GdAgGe and GdAuGe antiferromagnets, structure, bonding, magnetic susceptibility, and <sup>155</sup>Gd Mössbauer spectroscopy, **141**, 352
- M*<sub>2</sub>Ge intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218
- GeSe<sub>2</sub>, pressure-induced amorphization, **141**, 248
- (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, electrical properties, effect of Ge<sup>4+</sup>, **140**, 431
- Na<sub>2</sub>Ge<sub>4</sub>O<sub>9</sub>, structure, **140**, 175
- NaLa<sub>9</sub>(GeO<sub>4</sub>)<sub>6</sub>O<sub>2</sub> apatite, single-crystal growth and structure determination, **139**, 304
- Ni<sub>1+x</sub>Ge, nonstoichiometric *B8*-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402
- Glass
- AgI:Ag<sub>2</sub>MoO<sub>4</sub> system, phase diagram: devitrification and metastability, **140**, 91
- and crystalline materials of same composition, vibronic transitions of Gd<sup>3+</sup> and Eu<sup>3+</sup> in, **136**, 206
- Glycine
- diglycine hydrogen selenite and monoglycine–selenious acid crystals, vibrational spectra and DSC measurement and structure of DGSe(IV), **140**, 71
- Goethite
- aciculate ultrafine particles, rheology under alkaline conditions, **141**, 94
- Gold
- AuTa<sub>5</sub>S, synthesis and structure, **139**, 45
- EuAuIn intermetallic compounds, <sup>151</sup>Eu Mössbauer spectroscopy and magnetic susceptibility, **137**, 174
- GdAuGe, GdAu<sub>0.44(1)</sub>In<sub>1.56(1)</sub>, and GdAuIn antiferromagnets, structure, bonding, magnetic susceptibility, and <sup>155</sup>Gd Mössbauer spectroscopy, **141**, 352
- Gypsum
- dehydration, Controlled transformation Rate Thermal Analysis, **139**, 37
- H
- Hafnium
- BaHfN<sub>2</sub>, synthesis, structure, and magnetic properties, **137**, 62
- BaHf<sub>1-x</sub>Zr<sub>x</sub>N<sub>2</sub> solid solution, synthesis, structure, and magnetic properties, **137**, 62
- KLn<sup>III</sup>Hf<sup>IV</sup>F<sub>12</sub>* (*Ln<sup>III</sup>* = Ce–Lu), synthesis and crystal structure, **139**, 248
- Zr<sub>2.7</sub>Hf<sub>1.3</sub>P<sub>9</sub>, bonding and site preferences, **136**, 221
- Hall coefficient
- Sb<sub>2</sub>Te<sub>3</sub> and Bi<sub>2</sub>Te<sub>3</sub> single crystals with incorporated Ag, **140**, 29
- Hartree–Fock study
- energies of mixing of MnO–NiO, MgO–MnO, and CaO–MnO solid solutions, *ab initio* calculations, **137**, 261
- Hewettite
- BaV<sub>6</sub>O<sub>16</sub>·*n*H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 219
- High-resolution electron microscopy
- Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>–*MZrO*<sub>3</sub> (*M* = Ba, Sr) system, hexagonal perovskites in, **141**, 492
- digital, imaging of Y atoms in YB<sub>56</sub> with YB<sub>66</sub> structure, **135**, 182
- Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, **140**, 242
- host-layer restacking in Hg<sub>x</sub>TiS<sub>2</sub>, **141**, 330
- H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, **136**, 284
- Ruddlesden–Popper compositions Sr<sub>2</sub>*Ln*Mn<sub>2</sub>O<sub>7</sub> (*Ln* = Y, La, Nd, Eu, Ho), **138**, 135
- Hollandite-type compounds
- ordered, NdMo<sub>6</sub>O<sub>12</sub>, synthesis, crystal structure, and characterization, **136**, 87
- Holmium
- Ho<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- Ho(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259
- Ho<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- Ho<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201
- KHo<sup>III</sup>M<sub>2</sub><sup>IV</sup>F<sub>12</sub> (*M<sup>IV</sup>* = Tb, Zr, Hf), synthesis and crystal structure, **139**, 248
- Sr<sub>2</sub>HoMn<sub>2</sub>O<sub>7</sub>, Ruddlesden–Popper phases, HRTEM study, **138**, 135
- Sr<sub>3</sub>HoRhO<sub>6</sub>, synthesis, characterization, and magnetic properties, **139**, 79
- Host-layer restacking
- in Hg<sub>x</sub>TiS<sub>2</sub>, mechanism, **141**, 330
- HREM, *see* High-resolution electron microscopy
- Hückel calculations
- MNX* (*M* = Zr, Ti; *X* = Cl, Br, I) system, **138**, 207
- Sn(ND<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, **138**, 350
- Hydrochloric acid
- nondoped sol–gel ZrO<sub>2</sub> prepared with, tetragonal nanophase stabilization, **135**, 28
- Hydrogen
- anhydrous bisoctyltrimethylammonium dichromate, crystal structure, **139**, 310
- Ba<sub>3</sub>AlO<sub>4</sub>H, synthesis and structure, **141**, 570
- Ba<sub>2</sub>(VO<sub>2</sub>)(PO<sub>4</sub>)(HPO<sub>4</sub>)·H<sub>2</sub>O, with trigonal bipyramidal VO<sub>5</sub> groups, hydrothermal synthesis and crystal structure, **140**, 272
- CaHPO<sub>4</sub>·2H<sub>2</sub>O phosphates, composites with polymer, percolation and modeling of proton conduction in, **141**, 392
- [(CH<sub>3</sub>)<sub>2</sub>N(CH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>O]Ag<sub>4</sub>I<sub>5</sub>, silver ion distribution and flow in, cooperative disorder model, **140**, 1
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O templated by piperazine, synthesis and characterization, **139**, 326
- [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub>·1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387
- C<sub>3</sub>H<sub>12</sub>N<sub>2</sub><sup>2+</sup>·HPO<sub>4</sub><sup>2-</sup>·H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343
- C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup>·2HPO<sub>4</sub><sup>2-</sup>·4H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343
- Cs<sub>3</sub>(HSeO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>), synthesis and crystal structure, **141**, 317
- Cs<sub>3</sub>(HSeO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, synthesis and crystal structure, **141**, 317
- Cs<sub>5</sub>(HSO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, solid acid with unique hydrogen bond network, X-ray diffraction study, **140**, 251
- β-Cs<sub>3</sub>(HSO<sub>4</sub>)<sub>2</sub>[H<sub>2-x</sub>(P<sub>1-x</sub>S<sub>x</sub>)O<sub>4</sub>] (*x* ~ 0.5) superprotonic conductor, structure and vibrational spectrum, **139**, 373
- CsMnHP<sub>3</sub>O<sub>10</sub>, magnetic structure and properties, **141**, 160
- Cs<sub>3</sub>(SeO<sub>4</sub>)(HSeO<sub>4</sub>)<sub>2</sub>(H<sub>3</sub>PO<sub>4</sub>), synthesis and crystal structure, **141**, 317

- 1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93
- diglycine hydrogen selenite, crystal structure, vibrational spectra, and DSC measurement, **140**, 71
- $\text{Er}_2\text{Ti}_4\text{O}_2(\text{OC}_2\text{H}_5)_{18}(\text{HOC}_2\text{H}_5)_2$ , synthesis, characterization, and structure, **135**, 149
- ethylenediamine-templated 1-D  $[\text{enH}_2][\text{Zr}(\text{HPO}_4)_3]$  and 2-D  $[\text{enH}_2]_{0.5}[\text{Zr}(\text{PO}_4)(\text{HPO}_4)]$ , crystal structures, **140**, 46
- ethylenediamine-templated zinc arsenate and aluminum cobalt phosphate, synthesis and zeolite-type structures, **136**, 210
- $\text{H}_2$ , spontaneous polarization, stabilization of, contrast with stabilization of diproportionation in  $\text{BaBiO}_3$ , letter to editor, **138**, 369
- $\text{H}_x\text{MoO}_3$  bronze, protonic locations in, **141**, 255
- $\text{H}_2\text{O}-\text{Na}_2\text{SO}_4-\text{Na}_2\text{HPO}_4$  system, isotherms, conductivity measurements, **140**, 316
- $(\text{H}_2\text{O})[\text{V}_2\text{O}_2(\text{OH})\{\text{O}_3\text{P}(\text{CH}_2)_2\text{PO}_3\}]$ , hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89
- $\text{H}_{0.27}\text{V}_{0.27}\text{W}_{0.73}\text{O}_3 \cdot 1/3\text{H}_2\text{O}$ , phase transitions to  $\text{V}_{0.27}\text{W}_{0.73}\text{O}_{2.865}$ , X-ray, thermal, and HREM studies, **136**, 284
- $\text{KBH}_4$ , reduction of  $\text{KMnO}_4$  in aqueous solutions: synthesis of manganese oxides, **137**, 28
- $\text{KH}_2\text{PO}_4$ , high-temperature form, preparation and crystal structure, **141**, 486
- $\text{Li}_{1-x}\text{H}_x\text{IO}_3$ -type complex crystals, structure-property relationships, **135**, 121
- monoglycine-selenious acid crystals, vibrational spectra and DSC measurement, **140**, 71
- $\text{Mo}_2\text{O}_5(\text{OCH}_3)_2$  and  $\text{Mo}_2\text{O}_5(\text{OCH}_3)_2 \cdot 2\text{CH}_3\text{OH}$ , structural analysis, **136**, 247
- $[\text{N}_2\text{C}_3\text{H}_5][\text{AlP}_2\text{O}_8\text{H}_2 \cdot 2\text{H}_2\text{O}]$  and  $2[\text{N}_2\text{C}_3\text{H}_5][\text{Al}_3\text{P}_4\text{O}_{16}\text{H}]$ , synthesis and structure, letter to editor, **136**, 141
- $[\text{N}(\text{C}_2\text{H}_5\text{NH}_3)_3]^{3+}[\text{Sn}(\text{PO}_4)(\text{HPO}_4)]^{3-} \cdot 4\text{H}_2\text{O}$ , connected through hydrogen bonding, synthesis and structure, **139**, 207
- $[\text{NH}_3(\text{CH}_2)_4\text{NH}_3][\text{Ga}(\text{PO}_4)(\text{PO}_3\text{OH})]$ , synthesis and characterization, **136**, 227
- $[\text{NH}_3(\text{CH}_2)_6\text{NH}_3]_3[\text{V}_{15}\text{O}_{36}(\text{Cl})](\text{NH}_3)_6(\text{H}_2\text{O})_3$ , synthesis and structure, **136**, 298
- $\text{Ni}_{1-x}\text{Zn}_{2x}(\text{OH})_2(\text{OCOCH}_3)_{2x} n\text{H}_2\text{O}$  thin film, hydrothermal synthesis, **141**, 229
- $[\text{Sn}_2(\text{PO}_4)_2]^{2-}[\text{C}_2\text{N}_2\text{H}_{10}]^{2+} \cdot \text{H}_2\text{O}$ , synthesis and crystal structure, **140**, 435
- $\text{Ti}(\text{PO}_4)(\text{H}_2\text{PO}_4)$ , crystal structure from neutron powder data, **140**, 266
- $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , synthesis, structure, and properties, **138**, 365
- zirconium phosphate fluorides templated with amines, hydrothermal synthesis and crystal structure, **135**, 293
- $\text{Zn}(\text{O}_3\text{PC}_6\text{H}_5) \cdot \text{H}_2\text{O}$ , thermal behavior, **140**, 62
- Hydrogen bonding
- $\text{Cs}_5(\text{HSO}_4)_3(\text{H}_2\text{PO}_4)_2$  solid acid, **140**, 251
- in diaminoanthraquinone, properties related to, **141**, 309
- $[\text{N}(\text{C}_2\text{H}_5\text{NH}_3)_3]^{3+}[\text{Sn}(\text{PO}_4)(\text{HPO}_4)]^{3-} \cdot 4\text{H}_2\text{O}$ , **139**, 207
- Hydrotalcite
- derived  $\text{MgAlO}$  oxides calcined at varying temperatures, structural and surface acid/base properties, **137**, 295
- Hydrothermal synthesis
- $\text{BaV}_6\text{O}_{16} \cdot n\text{H}_2\text{O}$ , **140**, 219
- $\text{Ba}_2(\text{VO}_2)(\text{PO}_4)(\text{HPO}_4) \cdot \text{H}_2\text{O}$  with trigonal bipyramidal  $\text{VO}_5$  groups, **140**, 272
- $\text{RBi}_2\text{O}_4\text{NO}_3$  ( $R = \text{Y}, \text{Sm}, \text{Eu}, \text{Gd}, \text{Tb}, \text{Dy}, \text{Er}, \text{Yb}$ ), **139**, 321
- $[(\text{CH}_3\text{NH}_3)_{1.03}\text{K}_{2.97}\text{Sb}_{1.2}\text{S}_{20} \cdot 1.34\text{H}_2\text{O}]$ , **140**, 387
- $\alpha\text{-CoV}_3\text{O}_8$ , **141**, 133
- $\text{CuAl}_2\text{Si}_2\text{O}_7(\text{F}, \text{OH})_2$ , **141**, 527
- ethylenediamine-templated zeolite-type structures in zinc arsenate and cobalt phosphate systems, **136**, 210
- $\gamma\text{-Fe}_2\text{O}_3$  nanocrystalline particles, **137**, 185
- $\text{KH}_2\text{PO}_4$ , **141**, 486
- $\text{LiFeO}_2$  prepared by, magnetic properties, **141**, 554
- effect of cation arrangement, **140**, 159
- $\text{LiZnPO}_4$  polymorph with cristobalite-type framework topology, **138**, 126
- MIL-5 composite microporous compounds, **141**, 89
- $\text{Na}_5[\text{B}_2\text{P}_3\text{O}_{13}]$ , letter to editor, **140**, 154
- $\text{NaFe}_{3.67}(\text{PO}_4)_3$ , **139**, 152
- $\text{Ni}_{1-x}\text{Zn}_{2x}(\text{OH})_2(\text{OCOCH}_3)_{2x} n\text{H}_2\text{O}$  thin film, **141**, 229
- $\text{Sn}_2(\text{PO}_4)[\text{C}_2\text{O}_4]_{0.5}$  containing one-dimensional tin phosphate chains, **139**, 200
- $\text{Sr}_{10}[\text{Sb}_7\text{O}_{13}(\text{OH})_2][\text{SbSe}_3]_2\text{Se} \cdot 2\text{H}_2\text{O}$ , **140**, 134
- $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , **138**, 365
- $\text{VO}_2$ , **138**, 178
- zirconium phosphate fluorides templated with amines, **135**, 293
- Hydroxide
- $\text{Al}_{13}\text{O}_4(\text{OH})_{24}(\text{H}_2\text{O})_{12}^{7+}$ , encapsulation into  $\text{MoS}_2$  and  $\text{WS}_2$  and Rietveld structural characterization, **139**, 22
- $\text{Cr}(\text{SeO}_2\text{OH})(\text{Se}_2\text{O}_5)$ , modifications of, crystal structures and electronic absorption spectra, **135**, 70
- $\text{CuAl}_2\text{Si}_2\text{O}_7(\text{F}, \text{OH})_2$ , hydrothermal synthesis, crystal structure, and properties, **141**, 527
- $\text{Er}_2\text{Ti}_4\text{O}_2(\text{OC}_2\text{H}_5)_{18}(\text{HOC}_2\text{H}_5)_2$ , synthesis, characterization, and structure, **135**, 149
- $\alpha\text{-FeOOH}$  aciculate ultrafine particles, rheology under alkaline conditions, **141**, 94
- $(\text{H}_2\text{O})[\text{V}_2\text{O}_2(\text{OH})\{\text{O}_3\text{P}(\text{CH}_2)_2\text{PO}_3\}]$ , hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89
- $\text{Mo}_2\text{O}_5(\text{OCH}_3)_2 \cdot 2\text{CH}_3\text{OH}$ , structural analysis, **136**, 247
- $[\text{NH}_3(\text{CH}_2)_4\text{NH}_3][\text{Ga}(\text{PO}_4)(\text{PO}_3\text{OH})]$ , synthesis and characterization, **136**, 227
- $\text{Ni}_{1-x}\text{Zn}_{2x}(\text{OH})_2(\text{OCOCH}_3)_{2x} n\text{H}_2\text{O}$  thin film, hydrothermal synthesis, **141**, 229
- $\text{Sr}_{10}[\text{Sb}_7\text{O}_{13}(\text{OH})_2][\text{SbSe}_3]_2\text{Se} \cdot 2\text{H}_2\text{O}$ , synthesis and crystal structure, **140**, 134
- $\text{TlB}_5\text{O}_6(\text{OH})_4 \cdot 2\text{H}_2\text{O}$ , dehydration, **136**, 216
- Hydroxyapatite
- $\text{Ca}-\text{Pb}$  hydroxyapatites, thermal and structural properties and oxidation of methane, **135**, 86
- I
- Imidazolium
- $[\text{N}_2\text{C}_3\text{H}_5][\text{AlP}_2\text{O}_8\text{H}_2 \cdot 2\text{H}_2\text{O}]$  and  $2[\text{N}_2\text{C}_3\text{H}_5][\text{Al}_3\text{P}_4\text{O}_{16}\text{H}]$ , synthesis and structure, letter to editor, **136**, 141
- Indium
- $\text{CuInP}_2\text{S}_6$ , soft-chemistry forms, **141**, 290
- $\text{EuTIn}$  ( $T = \text{Zn}, \text{Pd}, \text{Pt}, \text{Au}$ ) intermetallic compounds,  $^{151}\text{Eu}$  Mössbauer spectroscopy and magnetic susceptibility, **137**, 174
- $\text{Ga}-\text{In}-\text{Sn}-\text{O}$  ceramic, oxygen atomic positions in, determination with direct methods and electron diffraction, letter to editor, **136**, 145
- $\text{Ga}_{3-x}\text{In}_{5+x}\text{Sn}_2\text{O}_{16}$ , structure, **140**, 242
- $\text{GdAu}_{0.44(1)}\text{In}_{1.56(1)}$  and  $\text{GdAuIn}$  antiferromagnets, structure, bonding, magnetic susceptibility, and  $^{153}\text{Gd}$  Mössbauer spectroscopy, **141**, 352
- $\text{In}-\text{Bi}_2\text{S}_3$ , annealed thin films, structural and electrical properties, **138**, 290
- $\text{In}_{16}\text{Fe}_8\text{S}_{32}$ , lithium-inserted, structure and electrochemical behavior, **138**, 193
- $\text{InMO}_3(\text{ZnO})_m$  ( $M = \text{In}, \text{Ga}; m = \text{integer}$ ), modulated structure described by four-dimensional superspace group, **139**, 347
- $\text{In}_2\text{S}_3$  thin films, study by diffraction of synchrotron radiation, **137**, 6
- $\text{In}_4\text{Sn}_3\text{O}_{12}$ , structural studies, **135**, 140

- $K_4In_2(PSe_5)_2(P_2Se_6)$ , one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79
- $La_{2/3}Ca_{1/3}Mn_{1-x}In_xO_3$  perovskites, structural, magnetic, and electrical properties, **138**, 226
- LiIn, pressure-induced phase transformation from NaTl-type phases to  $\beta$ -brass-type alloys, **137**, 104
- $Ni_x(Cr_{2-2x}In_{2x})_{1-y}S_{3-y}$  spinel, decomposition and X-ray powder diffraction, **136**, 193
- $Pb_{1-x}In_xTe$  single crystals, point defect clusters revealed by X-ray diffuse scattering method, **137**, 119
- $Sn^{4+}$ -doped indium oxide, structural studies, **135**, 140
- $Sr_3InRhO_6$  with  $K_4CdCl_6$  structure, synthesis and characterization, **139**, 416
- Infrared spectroscopy
- $Bi_9(V_{1-x}P_x)_2ClO_{18}$  series ( $0 \leq x \leq 1$ ), **136**, 34
- $\alpha$ - $Ca_3N_2$ , **137**, 33
- (1:1)  $Cd_3^II[(Tr^{II}/Cr^{III})(CN)_6]_2 \cdot 15H_2O$  complexes ( $Tr = Co, Fe$ ), **140**, 140
- $\beta$ - $Cs_3(HSO_4)_2[H_{2-x}(P_{1-x}S_x)O_4]$  ( $x \sim 0.5$ ) superprotonic conductor, **139**, 373
- diglycine hydrogen selenite and monoglycine-selenious acid crystals, **140**, 71
- $\gamma$ - $Fe_2O_3$  nanocrystalline particles, **137**, 185
- $La_{1-x}Ba_xCoO_3$  ceramics, **137**, 211
- $Mg_3N_2$ , **137**, 33
- $NbO(O_2)_{0.5}PO_4 \cdot 2H_2O$ , **137**, 289
- $MNi(AsO_4)$  ( $M = Li, Na$ ), **141**, 508
- order-disorder phase transition in bicyclononane, **136**, 16
- $Sn(ND_3)_2F_4$ , **138**, 350
- $Sr_{2-x}Pb_x(VO)(VO_4)_2$  solid solutions, **140**, 417
- $Tl_2(MoO_3)_3PO_3CH_3$ , **138**, 365
- Interatomic distance
- $La_xMo_6Se_8$  Chevrel-phase superconductor, correlation with  $T_c$ , **136**, 151
- Intermetallics
- $M_2X$ , nonmetal insertion in h.c.-like metallic distribution, **135**, 218
- Iodine
- $AgI:Ag_2MoO_4$  system, phase diagram: devitrification and metastability, **140**, 91
- $[(CH_3)_2N(CH_2CH_2)_2O]Ag_4I_5$ , silver ion distribution and flow in, cooperative disorder model, **140**, 1
- Er-Te-I ternary systems, nonstoichiometry in, **139**, 57
- EuI<sub>2</sub>-KI binary system, phase diagram, **136**, 134
- $IBi_2Sr_2CaCu_2O_y$ , superconducting intercalates, charge transfer- $T_c$  relationship, **138**, 66
- $Li_{1-x}H_xIO_3$ -type complex crystals, structure-property relationships, **135**, 121
- $LiI_3Bi_2Sr_2CaCu_2O_8$  layered cuprate, synthesis and characterization, **141**, 452
- MNI ( $M = Zr, Ti$ ) system, electronic band structure, **138**, 207
- PdTeI, single-crystal X-ray diffraction and electronic band structure studies, **137**, 206
- TII, defects and ionic conductivity at high pressure and temperature, **141**, 462
- Ion exchange
- $A_xK_{1-x}Bi_3S_5$  ( $A = Li, Na, NH_4$ ) preparation by solid-state route, letter to editor, **136**, 328
- Ionic conductivity
- $La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Mn_{3y}O_3$  system, **140**, 377
- TICI, TIBr, and TII at high pressure and temperature, **141**, 462
- Ionic conductors
- BICOVOX.15, structure, single-crystal neutron diffraction study at room temperature, **141**, 241
- one-dimensional,  $[(CH_3)_2N(CH_2CH_2)_2O]Ag_4I_5$ , silver ion distribution and flow in, cooperative disorder model, **140**, 1
- Ionic radius
- $Ba^{2+}$  and  $RE^{3+}$  in  $REBa_2Cu_3O_y$  ( $RE = Y, Eu, La$ ), difference between, effects in shock synthesis, **136**, 74
- Iridium
- $Ca_3Co_{1+x}Ir_{1-x}O_6$ , one-dimensional oxides, synthesis and magnetic properties, **140**, 14
- $A_2Ir_2O_{7-y}$  pyrochlores, structural and electronic properties, **136**, 269
- $A_4A'Ir_2O_9$  ( $A = Sr, Ba$ ;  $A' = Cu, Zn$ ), commensurate and incommensurate phases, **136**, 103
- Iron
- $Ba_6Cu_{12}Fe_{13}S_{27}$ , synthesis and crystal structure, **128**, 62; comment, **137**, 353; reply, **137**, 354
- $BaFe_{12}O_{19}$  hexagonal ferrite, Raman spectra and vibrational analysis, **137**, 127
- $RBa_2Fe_3O_{8+x}$  phases ( $R = La, Nd, Sm, Gd, Dy, Er, Yb, Lu, Y$ ), powder neutron and X-ray diffraction studies, **136**, 21
- $REBa_2Fe_3O_{8+w}$  triple perovskites ( $RE = Dy, Er, Y$ ),  $^{57}Fe$  Mössbauer study, **139**, 168
- $6H-Ba(Ti, Fe^{3+}, Fe^{4+})O_{3-\delta}$  solid solution, structural analysis, **135**, 312
- $CaFe_{1/2}Nb_{1/2}O_3$ , crystal chemistry, **138**, 272
- $CaTi_{1-2x}Fe_xNb_xO_3$  perovskite series, structural study, **138**, 272
- (1:1)  $Cd_3^II[(Fe^{II}/Cr^{III})(CN)_6]_2 \cdot 15H_2O$  complexes, structural and spectral studies, **140**, 140
- $(C_4H_{12}N_2)_2[Fe_6(HPO_4)_2(PO_4)_6(H_2O)_2] \cdot H_2O$  templated by piperazine, synthesis and characterization, **139**, 326
- $Co_xCu_{1-x}Fe_2O_4$  spinel powders, cation migration and coercivity in, **141**, 56
- $Cu_2^IIFe^II(CN)_6$  and  $Cu_3^II[Fe^III(CN)_6]_2$ , mechanisms of Cs sorption on, relationship to crystal structure, **141**, 475
- $Fe^{3+}$ , substitution for  $Mn^{3+}$  in  $Ln_{0.5}A_{0.5}MnO_3$  ( $Ln = Nd, Gd, Y$ ;  $A = Ca, Sr$ ), **137**, 365
- $FeAl_2O_4$ , formation from  $\alpha$ - and  $\gamma$ - $Al_2O_3$ -supported oxides, **135**, 59
- $Fe_6Ge_5$ , crystal structure, relationship to B8-type structures, **141**, 199
- $Fe_2Mo_{1-x}Ti_xO_4$  spinel oxides, electrical resistivity and thermoelectric power measurements, **140**, 56
- $\alpha$ - $Fe_2O_3$  doped with  $Mg^{2+}$ , structural characterization, **140**, 428
- $\gamma$ - $Fe_2O_3$  nanocrystalline particles, hydrothermal synthesis and characterization, **137**, 185
- $\epsilon$ - $Fe_2O_3$ , structural and magnetic characterization, **139**, 93
- $\alpha$ - $FeOOH$  aciculate ultrafine particles, rheology under alkaline conditions, **141**, 94
- Fe-S materials, mechanochemical synthesis, **138**, 114
- $Fe_{0.33}[Ta_2S_2C]$ , combustion synthesis, **138**, 250
- $Fe_{2.5}Ti_{0.5}O_4$  nanocrystals, obtained by mechanochemical synthesis and soft chemistry, structure, cation distribution, and properties, **139**, 66
- $Fe_{2.75}Ti_{0.25}O_4$ , cation distribution in, measurement by *in situ* anomalous powder diffraction with Rietveld refinement, **141**, 105
- $Fe_8V_{10}W_{16}O_{85}$  low-spin  $d^5$  system, magnetic, electrical conductivity, and EPR studies, **137**, 223
- $In_{16}Fe_8S_{32}$ , lithium-inserted, structure and electrochemical behavior, **138**, 193
- $LaBa_2Fe_3O_{8+w}$  ( $-0.20 < w < 0.83$ ), cubic perovskite-type phase,  $^{57}Fe$  Mössbauer spectroscopy, **138**, 87
- $LaNi_{1-x}Fe_xO_{2.5+\delta}$ , vacancy-ordered phase, synthesis and crystal structure, **135**, 103
- $Li_{1-x}Fe_{5+x}O_8$ , obtained by solvothermal reaction, magnetic properties, **141**, 554
- $LiFeO_2$
- obtained by hydrothermal reaction, magnetic properties, **141**, 554
- prepared by hydrothermal reaction and postannealing method, magnetic properties, effect of cation arrangement, **140**, 159
- $Li_3Fe_2(XO_4)_3$  ( $X = P, As$ ), cathode materials for rechargeable lithium batteries, 3D framework structure, **135**, 228

- Li<sub>9</sub>Fe<sub>3</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, crystal structure and cation transport properties, **138**, 32
- Li<sub>2</sub>O–Fe<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> system, nonstoichiometric Li-pseudobrookite(ss) in, **141**, 221
- mechanosynthesized zinc ferrite, structural disorder in, **135**, 52
- (Mg<sub>x</sub>Fe<sub>1-x</sub>)<sub>3-δ</sub>O<sub>4</sub>, composition (x) dependence of nonstoichiometry (δ) measurement, **139**, 128
- Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, cationic substitutions, associated transition from garnet to alluaudite structure, **137**, 112
- NaFe<sub>3.67</sub>(PO<sub>4</sub>)<sub>3</sub>, hydrothermal synthesis, structure, and characterization, **139**, 152
- Na–Fe/SiO<sub>2</sub> catalysts, surface coordinate geometry: formation of tetrahedral/octahedral site on silica surface, **137**, 325
- Na<sub>x-δ</sub>Fe<sub>x</sub>Ti<sub>2-x</sub>O<sub>4</sub> (x = 0.875, 0 ≤ δ ≤ 0.40), conductivity, **137**, 168
- Ni–Fe alloy/magnetite composites, synthesis and microstructure, **135**, 210
- Sr<sub>4</sub>(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>6</sub>O<sub>13±δ</sub> mixed-conducting materials, structure and property relationships, **141**, 576
- YbFe<sub>2</sub>O<sub>4</sub> structure type, compounds with, frustrated magnetism and spin-glass behavior, **140**, 337
- Zn–Mn spinel ferrites, nanocrystals obtained by high-energy ball milling, chemical homogeneity, **141**, 10
- J
- Jahn–Teller distortion  
in LiNiO<sub>2</sub>, *in situ* X-ray absorption fine structure analysis, letter to editor, **140**, 145
- K
- Kinetics  
oxidation of fuel cell cathode materials lanthanum strontium manganates(III)(IV), *in situ* powder diffraction studies, **141**, 235  
prephase state accumulation in 2-bromo-2-nitropropane-1,3-diol crystals, **137**, 231
- L
- Lanthanum  
CaS:Eu,La, Eu valencies in, **138**, 149  
La<sup>3+</sup>, doping of Na<sub>2</sub>SO<sub>4</sub>, effect on electrical conductivity, **138**, 369  
LaAlO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424  
La<sub>1-x</sub>Ba<sub>x</sub>CoO<sub>3</sub> ceramics, conductivity and IR absorption, **137**, 211  
LaBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub>, shock synthesis, effect of ionic radius difference of La<sup>3+</sup> and Ba<sup>2+</sup>, **136**, 74  
La<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub>, sol–gel synthesis and simultaneous oxidation, **138**, 141  
LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> (–0.20 < w < 0.83), cubic perovskite-type phase, <sup>57</sup>Fe Mössbauer spectroscopy, **138**, 87  
LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21  
LaB<sub>3</sub>O<sub>6</sub>, crystalline and glass modifications, vibronic transitions of Gd<sup>3+</sup> and Eu<sup>3+</sup> in, **136**, 206  
(La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, electrical properties, effect of Ge<sup>4+</sup>, **140**, 431  
La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, structural, magnetic, and electrical properties, **138**, 226  
La<sub>0.2</sub>Ca<sub>0.8</sub>MnO<sub>3</sub>, structural and morphological changes associated with charge ordering, **140**, 331  
La<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, structure, stoichiometry, and phase purity, **140**, 320  
La(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259  
La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, crystal structure and magnetic properties, **141**, 411  
La<sub>4</sub>Co<sub>3</sub>O<sub>10+δ</sub> (0.00 ≤ δ ≤ 0.30), synthesis, crystal structure, and magnetic properties, **141**, 212
- LaGaO<sub>3</sub> perovskite  
Sr- and Mg-doped oxide-ion conductor, wet chemical synthesis, **136**, 274  
stability, calorimetric study, **141**, 424
- La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> (M(III) = Co,Ni,Cu), ordered K<sub>2</sub>NiF<sub>4</sub> structure and bonding properties of MO<sub>6</sub> polyhedra in related compounds, **138**, 18
- La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, synthesis, phase diagram, and conductivity, **140**, 377
- La<sub>0.936</sub>Mn<sub>0.982</sub>O<sub>3</sub>, magnetoresistance effects in self-doped single crystals, letter to editor, **136**, 322
- La<sub>1-x-y</sub>A<sub>x</sub>MnO<sub>3-δ</sub> (A = Na,K), synthesis, structure, and properties, **137**, 19
- La<sub>1-x</sub>A<sub>x</sub>MnO<sub>3</sub> (A = Ca,Sr), charge-ordered, effect of internal pressure, letter to editor, **135**, 169
- La<sub>12</sub>Mn<sub>2</sub>Sb<sub>30</sub> alloy, electronic structure, **139**, 8
- La–Mo ultrafine particles, preparation and characterization, **140**, 354
- La<sub>2</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel-phase superconductor  
correlation of T<sub>c</sub> and interatomic distances, **136**, 151  
physical and superconducting properties, **136**, 160
- La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> system, structural transitions, **140**, 345
- La<sub>4</sub>NiLiO<sub>8</sub>, detection in La<sub>2</sub>O<sub>3</sub>–NiO–Li<sub>2</sub>O system at 700, 800, and 900°C, **141**, 457
- LaNi<sub>1-x</sub>M<sub>x</sub>O<sub>2.5+δ</sub> (M = Mn,Fe,Co), vacancy-ordered phase, synthesis and crystal structure, **135**, 103
- LaNi<sub>0.95</sub>M<sub>0.05</sub>O<sub>3</sub> (M = Mo,W,Sb,Ti,Cu,Zn) perovskites, metal–insulator transitions in, **136**, 313
- La<sub>2</sub>NiO<sub>4.16</sub>, magnetic properties, **138**, 260
- La<sub>2</sub>O<sub>3</sub>–NiO–Li<sub>2</sub>O system, phase equilibria at 700, 800, and 900°C, **141**, 457
- La<sub>2-x</sub>Pr<sub>x</sub>NiO<sub>4+δ</sub>, magnetic properties, **138**, 260
- LaMS<sub>3</sub> (M = Ti,V,Cr), high-pressure synthesis, **139**, 233
- La<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201
- La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-δ</sub> (0.5 ≤ x ≤ 0.9) perovskite, synthesis and properties, **139**, 388
- La<sub>2-x</sub>Sr<sub>x</sub>CoO<sub>4</sub> (0.25 ≤ x ≤ 1.10), polaronic conduction below room temperature, **139**, 176
- La<sub>1-x</sub>Sr<sub>x</sub>CrO<sub>3</sub> (x = 0 ~ 0.25) perovskites, magnetic and neutron diffraction study, **141**, 404
- La<sub>0.9</sub>Sr<sub>0.1</sub>Ga<sub>0.8</sub>Mg<sub>0.2</sub>O<sub>2.85</sub>, high-temperature powder neutron diffraction, **139**, 135
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3.00</sub>, oxidation kinetics, *in situ* powder diffraction studies, **141**, 235
- La<sub>5</sub>Ti<sub>6</sub>S<sub>3</sub>Cl<sub>3</sub>O<sub>15</sub>, synthesis and structural characterization, **139**, 220
- La<sub>8</sub>Ti<sub>10</sub>S<sub>24</sub>O<sub>4</sub>, synthesis and crystal structure, **136**, 46
- LiLaP<sub>4</sub>O<sub>12</sub>, crystalline and glass modifications, vibronic transitions of Gd<sup>3+</sup> and Eu<sup>3+</sup> in, **136**, 206
- NaLa<sub>9</sub>(GeO<sub>4</sub>)<sub>6</sub>O<sub>2</sub> apatite, single-crystal growth and structure determination, **139**, 304
- Na<sub>1/2+x</sub>La<sub>1/2-3x</sub>Th<sub>2x</sub>TiO<sub>3</sub> perovskite series, structural study, **138**, 307
- Sr<sub>2</sub>LaMn<sub>2</sub>O<sub>7</sub>, Ruddlesden–Popper phases, HRTEM study, **138**, 135
- Sr<sub>1-x</sub>La<sub>x</sub>Mo<sub>5</sub>O<sub>8</sub> (0 ≤ x ≤ 1), synthesis and metallic properties, **138**, 7
- Lattice energy  
in modeling of thermal decomposition of solids  
alkaline earth carbonates, **137**, 332  
alkaline earth peroxides, **137**, 346
- Lead  
Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+δ</sub> single crystals heavily substituted with, two-phase microstructures generating efficient pinning centers, **138**, 98
- Ca–Pb hydroxyapatites, thermal and structural properties and oxidation of methane, **135**, 86
- KPb<sub>4</sub>(VO<sub>4</sub>)<sub>3</sub> with anion-deficient apatite structure, **141**, 373
- NaPb<sub>4</sub>(VO<sub>4</sub>)<sub>3</sub> with anion-deficient apatite structure, **141**, 373

- Pb<sub>1-x</sub>In<sub>x</sub>Te single crystals, point defect clusters revealed by X-ray diffuse scattering method, **137**, 119
- Pb<sub>2</sub>MgW<sub>x</sub>Te<sub>(1-x)</sub>O<sub>6</sub> solid solution, dielectric measurements, DSC, structure, and phase diagram, **139**, 332
- Pb<sub>x</sub>(PO<sub>3</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> (6 ≤ m ≤ 10) bronze, characterization, **139**, 362
- Pb<sub>2</sub>Re<sub>2</sub>O<sub>7-x</sub> pyrochlores, synthesis and structure, **138**, 220
- Pb<sup>II</sup>Sn<sup>IV</sup>(PO<sub>4</sub>)<sub>2</sub>, structure and stereochemical activity of Pb<sup>II</sup> lone pair, **137**, 283
- (PbS)<sub>1.18</sub>(TiS<sub>2</sub>)<sub>2</sub>, nanocomposites with poly(ethylene oxide), synthesis and characterization, **141**, 323
- PdTeI, single-crystal X-ray diffraction and electronic band structure studies, **137**, 206
- Sr<sub>2-x</sub>Pb<sub>x</sub>(VO)(VO<sub>4</sub>)<sub>2</sub> solid solutions, structural, IR, and magnetic studies, **140**, 417
- Lewisite  
mixed valency, cation site splitting, and symmetry reduction, **141**, 562
- Liquid-mix disorder  
ScMnO<sub>3</sub> crystalline solids, **141**, 78
- Lithium  
Ba<sub>3</sub>Li<sub>2</sub>Cl<sub>2</sub>(MoO)<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub> with intersecting tunnel structure, synthesis, **141**, 587
- CsLiSO<sub>4</sub>, ABW-type, phase transition in, symmetry analysis and atomic distortions, **138**, 267
- K<sub>1-x</sub>Li<sub>x</sub>MnF<sub>3</sub> single crystal, phase transition and structure in range 100–298 K, **137**, 71
- KLiNb<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- KLi<sub>1-x</sub>(Nb,W)<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> (M(III) = Co,Ni,Cu), ordered K<sub>2</sub>NiF<sub>4</sub> structure and bonding properties of MO<sub>6</sub> polyhedra in related compounds, **138**, 18
- La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, synthesis, phase diagram, and conductivity, **140**, 377
- La<sub>4</sub>NiLiO<sub>8</sub>, detection in La<sub>2</sub>O<sub>3</sub>-NiO-Li<sub>2</sub>O system at 700, 800, and 900°C, **141**, 457
- La<sub>2</sub>O<sub>3</sub>-NiO-Li<sub>2</sub>O system, phase equilibria at 700, 800, and 900°C, **141**, 457
- LiCd, pressure-induced phase transformation from NaTl-type phases to β-brass-type alloys, **137**, 104
- LiCoO<sub>2</sub>  
low-temperature samples and acid-delithiated products, structural features, **140**, 116
- single crystals, synthesis and structure refinement, letter to editor, **141**, 298
- Li<sub>1-x</sub>Fe<sub>5+x</sub>O<sub>8</sub>, obtained by solvothermal reaction, magnetic properties, **141**, 554
- LiFeO<sub>2</sub>  
obtained by hydrothermal reaction, magnetic properties, **141**, 554
- prepared by hydrothermal reaction and postannealing method, magnetic properties, effect of cation arrangement, **140**, 159
- Li<sub>3</sub>Fe<sub>2</sub>(XO<sub>4</sub>)<sub>3</sub> (X = P,As), cathode materials for rechargeable lithium batteries, 3D framework structure, **135**, 228
- LiF-WO<sub>3</sub>, ammonolysis, *in situ* X-ray diffraction study: detection and crystal structure of Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, **138**, 154
- Li<sub>1-x</sub>H<sub>x</sub>IO<sub>3</sub>-type complex crystals, structure-property relationships, **135**, 121
- Li<sub>3</sub>Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> layered cuprate, synthesis and characterization, **141**, 452
- LiIn, pressure-induced phase transformation from NaTl-type phases to β-brass-type alloys, **137**, 104
- Li-inserted In<sub>16</sub>Fe<sub>8</sub>S<sub>32</sub>, structure and electrochemical behavior, **138**, 193
- Li<sub>x</sub>K<sub>1-x</sub>Bi<sub>3</sub>S<sub>5</sub>, preparation, letter to editor, **136**, 328
- LiLaP<sub>4</sub>O<sub>12</sub>, crystalline and glass modifications, vibronic transitions of Gd<sup>3+</sup> and Eu<sup>3+</sup> in, **136**, 206
- Li-Mn-O spinels  
oxygen nonstoichiometry, powder neutron diffraction study, **135**, 132
- synthesis and structure, **139**, 290
- LiMn<sub>2</sub>O<sub>4</sub>, local structure, X-ray absorption fine structure study, **141**, 294
- LiNbO<sub>3</sub> solid solutions with Mn<sup>2+</sup>, preparation and characterization, **140**, 168
- LiNi(AsO<sub>4</sub>), spectroscopic and magnetic properties and crystal structure refinement, **141**, 508
- Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, structural, electrochemical, and physical properties, **136**, 8
- LiNiO<sub>2</sub>, Jahn-Teller distortion in, *in situ* X-ray absorption fine structure analysis, letter to editor, **140**, 145
- Li<sub>2</sub>O-Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> system, nonstoichiometric Li-pseudobrookite(ss) in, **141**, 221
- Li<sub>9</sub>M<sub>3</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> (M = Al,Ga,Cr,Fe), crystal structure and cation transport properties, **138**, 32
- LiTaO<sub>3</sub> solid solutions with Mn<sup>2+</sup>, preparation and characterization, **140**, 168
- Li-Ti-O system, phases formed under reducing conditions, **138**, 74
- LiTi<sub>2</sub>O<sub>4</sub> and Li<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> ramsdellites linked in solid solutions, X-ray and neutron diffraction studies, **141**, 365
- (Li<sub>x</sub>V<sub>1-x</sub>)<sub>3</sub>BO<sub>5</sub> (x ≈ 0.3), disordered S = 1 system, crystal structure and electronic state, **141**, 418
- δLi<sub>x</sub>V<sub>2</sub>O<sub>5</sub>, structural comparison to MgV<sub>2</sub>O<sub>5</sub>, **136**, 56
- Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, synthesis by ammonolysis of LiF-WO<sub>3</sub> and crystal structure, **138**, 154
- LiYO<sub>2</sub> doped with Eu<sup>3+</sup>, monoclinic and tetragonal structures, refinement, **137**, 242
- LiZnPO<sub>4</sub>, polymorph with cristobalite-type framework topology, **138**, 126
- rechargeable batteries, Li<sub>3</sub>Fe<sub>2</sub>(XO<sub>4</sub>)<sub>3</sub> (X = P,As) cathode materials for, 3D framework structure, **135**, 228
- substitution for Na<sup>+</sup> in Na<sub>3</sub>Fe<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, associated transition from garnet to alluaudite structure, **137**, 112
- ZrNCl doped with, superconducting, electronic band structure, **138**, 207
- Lone pair electrons  
Pb<sup>2+</sup> 6s<sup>2</sup>, stereochemical effect in Sr<sub>2-x</sub>Pb<sub>x</sub>(VO)(VO<sub>4</sub>)<sub>2</sub> solid solutions, **140**, 417
- Pb<sup>II</sup>, stereochemical activity in Pb<sup>II</sup>Sn<sup>IV</sup>(PO<sub>4</sub>)<sub>2</sub>, **137**, 283
- Sb(III) cations, stereochemical activity in [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub> · 1.34H<sub>2</sub>O, **140**, 387
- Luminescence spectroscopy  
Eu and La in codoped CaS, **138**, 149
- TiO<sub>2</sub> ultrafine particles: electronic state characterization, **139**, 124
- Lutetium  
KLu<sup>III</sup>M<sub>2</sub><sup>IV</sup>F<sub>12</sub> (M<sup>IV</sup> = Tb,Zr,Hf), synthesis and crystal structure, **139**, 248
- Lu<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- LuBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21
- Lu(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259
- Lu<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424
- Lu<sub>2</sub>W<sub>3</sub>O<sub>12</sub>, negative thermal expansion, **140**, 157
- M
- Magnesium  
Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258
- BaO-Al<sub>2</sub>O<sub>3</sub>-MgO system, Al-rich part  
phase relationships, **136**, 253
- related compound Ba<sub>2</sub>Mg<sub>6</sub>Al<sub>28</sub>O<sub>50</sub>, crystal structure, **136**, 258
- hydrocalcite-derived MgAlO oxides calcined at varying temperatures, structural and acid/base properties, **137**, 295
- KMgPO<sub>4</sub>, crystal chemistry and polymorphism, **136**, 175

- ( $K_xNa_{1-x}$ )MgF<sub>3</sub> perovskites, crystal chemistry and phase transitions in  $P$ - $T$ - $X$  space, **141**, 121
- LaGaO<sub>3</sub> perovskite-type oxide-ion conductor doped with, wet chemical synthesis, **136**, 274
- La<sub>0.9</sub>Sr<sub>0.1</sub>Ga<sub>0.8</sub>Mg<sub>0.2</sub>O<sub>2.85</sub>, high-temperature powder neutron diffraction, **139**, 135
- Mg<sup>2+</sup>,  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> doped with, structural characterization, **140**, 428
- MgCl<sub>2</sub>, structure candidates, determination, **136**, 233
- MgF<sub>2</sub>, structure candidates, determination, **136**, 233
- (Mg<sub>x</sub>Fe<sub>1-x</sub>)<sub>3- $\delta$</sub> O<sub>4</sub>, composition ( $x$ ) dependence of nonstoichiometry ( $\delta$ ) measurement, **139**, 128
- Mg<sub>3</sub>N<sub>2</sub>, vibrational spectra and decomposition, **137**, 33
- Mg<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub> and Mg<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>, crystal structure refinement by Rietveld analysis of neutron powder diffraction data, **137**, 359
- MgO<sub>2</sub>, structure and stability, *ab initio* quantum mechanical study, **140**, 103
- MgO-Mg<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> systems, XRD and solid-state NMR studies, **135**, 96
- MgO-MnO solid solutions, energy of mixing, *ab initio* Hartree-Fock study, **137**, 261
- MgO-SiO<sub>2</sub> systems, mechanochemical reactions, role of water, **138**, 169
- MgTi<sub>2</sub>O<sub>5</sub>, pseudobrookite-type, crystal chemistry of cation order-disorder in, **138**, 238
- MgV<sub>2</sub>O<sub>5</sub>, structural comparison to  $\delta$ Li<sub>x</sub>V<sub>2</sub>O<sub>5</sub>, **136**, 56
- Pb<sub>2</sub>MgW<sub>x</sub>Te<sub>(1-x)</sub>O<sub>6</sub> solid solution, dielectric measurements, DSC, structure, and phase diagram, **139**, 332
- Magnetic properties
- BaCo<sub>1-x</sub>Cu<sub>x</sub>S<sub>2-y</sub> layered sulfide, **138**, 111
- Ba<sub>2</sub>Cu<sub>3</sub>O<sub>4</sub>Cl<sub>2</sub> and Ba<sub>3</sub>Cu<sub>2</sub>O<sub>4</sub>Cl<sub>2</sub>, **141**, 378
- REBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> ( $RE = Dy, Er, Y$ ) triple perovskites, <sup>57</sup>Fe Mössbauer study, **139**, 168
- BaHfN<sub>2</sub>, **137**, 62
- BaHf<sub>1-x</sub>Zr<sub>x</sub>N<sub>2</sub> solid solution, **137**, 62
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+ $\delta$</sub> , heavily Pb-substituted single crystals with two-phase microstructures generating efficient pinning centers, **138**, 98
- Ca<sub>3</sub>Co<sub>1-x</sub>B<sub>1+x</sub>O<sub>6</sub> ( $B = Ir, Ru$ ) one-dimensional oxides, **140**, 14
- CaVO<sub>3- $\delta$</sub>  oxygen-deficient phases, **135**, 36
- Ce-Al-(Si,Ge) systems, **137**, 191
- CsMnHP<sub>3</sub>O<sub>10</sub>, **141**, 160
- Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, effects of cationic substitution, **141**, 546
- $\epsilon$ -Fe<sub>2</sub>O<sub>3</sub>, **139**, 93
- Fe<sub>8</sub>V<sub>10</sub>W<sub>16</sub>O<sub>85</sub> low-spin  $d^5$  system, **137**, 223
- LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> ( $-0.20 < w < 0.83$ ), cubic perovskite-type phase, <sup>57</sup>Fe Mössbauer spectroscopy, **138**, 87
- La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, **138**, 226
- La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, **141**, 411
- La<sub>4</sub>Co<sub>3</sub>O<sub>10+ $\delta$</sub>  ( $0.00 \leq \delta \leq 0.30$ ), **141**, 212
- LaCrS<sub>3</sub> prepared by high-pressure synthesis, **139**, 233
- La<sub>1-x-y</sub>A<sub>x</sub>MnO<sub>3- $\delta$</sub>  ( $A = Na, K$ ), **137**, 19
- La<sub>2</sub>NiO<sub>4.16</sub>, **138**, 260
- La<sub>2-x</sub>Pr<sub>x</sub>NiO<sub>4+ $\delta$</sub> , **138**, 260
- La<sub>1-x</sub>Sr<sub>x</sub>CrO<sub>3</sub> ( $x = 0 \sim 0.25$ ) perovskites, **141**, 404
- Li<sub>1-x</sub>Fe<sub>5+x</sub>O<sub>8</sub> obtained by solvothermal reaction, **141**, 554
- LiFeO<sub>2</sub>
- prepared by hydrothermal reaction, **141**, 554
- prepared by hydrothermal reaction and postannealing method, effect of cation arrangement, **140**, 159
- Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, **136**, 8
- MnTi<sub>1-x</sub>Nb<sub>x</sub>O<sub>3</sub> system, **136**, 115
- NaNiTiO<sub>4</sub> ( $Ln = Sm, Eu, Gd$ ) layered perovskites, **138**, 342
- Nd<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>y</sub>, hole-doped and reduced compounds, **140**, 278
- Ln<sub>1-x</sub>Nd<sub>x</sub>TiO<sub>3</sub> ( $Ln = Ce, Pr$ ;  $0 \leq x \leq 1$ ), letter to editor, **137**, 181
- MNi(AsO<sub>4</sub>) ( $M = Li, Na$ ), **141**, 508
- (Ni<sub>6-x</sub>Cu<sub>x</sub>)MnO<sub>8</sub>, **135**, 322
- Pr<sup>4+</sup> doped in BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, EPR study, **138**, 329
- ScNiP, **137**, 218
- R<sub>3</sub>Si<sub>2</sub>C<sub>2</sub> ( $R = Y, La-Nd, Sm, Gd-Tm$ ), **138**, 201
- Sm<sub>1-x</sub>TiO<sub>3</sub> ( $x = 0.03, 0.05, 0.10$ ), **141**, 262
- Sr<sub>39</sub>Co<sub>12</sub>N<sub>31</sub>, **141**, 1
- Sr<sub>1-x</sub>La<sub>x</sub>Mo<sub>5</sub>O<sub>8</sub> ( $0 \leq x \leq 1$ ), **138**, 7
- Sr<sub>2-x</sub>Pb<sub>x</sub>(VO)(VO<sub>4</sub>)<sub>2</sub> solid solutions, **140**, 417
- Sr<sub>3</sub>MRhO<sub>6</sub> ( $M = Sm, Eu, Tb, Dy, Ho, Er, Yb$ ) with K<sub>4</sub>CdCl<sub>6</sub> structure-type, **139**, 79
- Ti<sub>3</sub>O<sub>5</sub>, **136**, 67
- U<sub>3</sub>Te<sub>5</sub>, **139**, 356
- M(VOPO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O ( $M = Co(II), Ni(II)$ ) layered compounds with distinct magnetic linear trimers, **137**, 77
- Magnetic structure
- CsMnHP<sub>3</sub>O<sub>10</sub>, **141**, 160
- La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, crystal structure and magnetic properties, **141**, 411
- RPtAl ( $R = Ce, Pr, Nd$ ), **140**, 233
- Sm<sub>0.97</sub>TiO<sub>3</sub>, **141**, 262
- Sr<sub>3</sub>Mn<sub>2</sub>O<sub>7</sub>, letter to editor, **141**, 599
- Magnetic susceptibility
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> and Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, **139**, 1
- CrTa<sub>2</sub>O<sub>6</sub> trirutile oxide based on Cr<sup>2+</sup>, **140**, 7
- EuTln ( $T = Zn, Pd, Pt, Au$ ) intermetallic compounds, **137**, 174
- GdAgGe, GdAuGe, GdAu<sub>0.44(1)</sub>In<sub>1.56(1)</sub>, and GdAuIn antiferromagnets, **141**, 352
- (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, **140**, 431
- La<sub>x</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel-phase superconductor, **136**, 160
- La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3- $\delta$</sub>  ( $0.5 \leq x \leq 0.9$ ) perovskite, **139**, 388
- La<sub>1-x</sub>Sr<sub>x</sub>CrO<sub>3</sub> ( $x = 0 \sim 0.25$ ) perovskites, **141**, 404
- Mn<sub>11</sub>Ta<sub>4</sub>O<sub>21</sub>, **137**, 276
- NdMo<sub>6</sub>O<sub>12</sub>, ordered hollandite-type compound, **136**, 87
- Pb<sub>x</sub>(PO<sub>3</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> ( $6 \leq m \leq 10$ ) bronze, **139**, 362
- SrNb<sub>2</sub>S<sub>5</sub> and SrTa<sub>2</sub>S<sub>5</sub>, **135**, 325
- Magnetism
- frustrated, in compounds with YbFe<sub>2</sub>O<sub>4</sub>-type structure, **140**, 337
- Magnetite
- Ni-Fe alloy/magnetite composites, synthesis and microstructure, **135**, 210
- Magnetization
- NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, **137**, 289
- Magnetoplumbite-type compounds
- BaGa<sub>12</sub>O<sub>19</sub>, preparation and crystal structure, **136**, 120
- Magnetoresistance effects
- in self-doped La<sub>0.936</sub>Mn<sub>0.982</sub>O<sub>3</sub> single crystals, letter to editor, **136**, 322
- Manganese
- Bi<sub>3.6</sub>Sr<sub>12.4</sub>Mn<sub>8</sub>O<sub>28+ $\delta$</sub> , with tubular structure, synthesis and crystal chemistry, **138**, 278
- CaO-MnO solid solutions, energy of mixing, *ab initio* Hartree-Fock study, **137**, 261
- (Ca<sub>1-x</sub>Sr<sub>x</sub>)MnO<sub>3</sub>, Mn-O-Mn angles in, relationship to electrical properties, **137**, 82
- CsMnHP<sub>3</sub>O<sub>10</sub>, magnetic structure and properties, **141**, 160
- Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, electronic and magnetic properties, effects of cationic substitution, **141**, 546
- K<sub>1-x</sub>Li<sub>x</sub>MnF<sub>3</sub> single crystal, phase transition and structure in range 100-298 K, **137**, 71
- KMnO<sub>4</sub>, reduction with KBH<sub>4</sub> in aqueous solutions: synthesis of manganese oxides, **137**, 28
- (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, electrical properties, effect of Ge<sup>4+</sup>, **140**, 431
- La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, structural, magnetic, and electrical properties, **138**, 226
- La<sub>0.2</sub>Ca<sub>0.8</sub>MnO<sub>3</sub>, structural and morphological changes associated with charge ordering, **140**, 331
- La<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, structure, stoichiometry, and phase purity, **140**, 320

- $\text{La}_{0.5+x}\text{Li}_{0.5-3x}\text{Ti}_{1-3x}\text{Mn}_3\text{O}_3$  system, synthesis, phase diagram, and conductivity, **140**, 377  
 $\text{La}_{0.936}\text{Mn}_{0.982}\text{O}_3$ , magnetoresistance effects in self-doped single crystals, letter to editor, **136**, 322  
 $\text{La}_{1-x-y}\text{A}_x\text{MnO}_{3-\delta}$  ( $A = \text{Na}, \text{K}$ ), synthesis, structure, and properties, **137**, 19  
 $\text{La}_{12}\text{Mn}_2\text{Sb}_{30}$  alloy, electronic structure, **139**, 8  
 $\text{LaNi}_{1-x}\text{Mn}_x\text{O}_{2.5+\delta}$ , vacancy-ordered phase, synthesis and crystal structure, **135**, 103  
 $\text{La}_{1-x}\text{Sr}_x\text{MnO}_{3.00}$ , oxidation kinetics, *in situ* powder diffraction studies, **141**, 235  
 Li–Mn–O spinels  
   oxygen nonstoichiometry, powder neutron diffraction study, **135**, 132  
   synthesis and structure, **139**, 290  
 $\text{LiMn}_2\text{O}_4$ , local structure, X-ray absorption fine structure study, **141**, 294  
 manganese oxides, synthesis by reduction of  $\text{KMnO}_4$  with  $\text{KBH}_4$  in aqueous solutions, **137**, 28  
 $\text{MgO}$ – $\text{MnO}$  solid solutions, energy of mixing, *ab initio* Hartree–Fock study, **137**, 261  
 $\text{Mn}^{2+}$   
    $\text{AlF}_3$  doped with, ESR and *ab initio* quantum chemical studies, **139**, 27  
   solid solutions of  $\text{LiNbO}_3$  and  $\text{LiTaO}_3$  with, preparation and characterization, **140**, 168  
 $\text{Ln}_{0.5}\text{A}_{0.5}\text{MnO}_3$  ( $\text{Ln} = \text{Nd}, \text{Gd}, \text{Y}$ ;  $A = \text{Ca}, \text{Sr}$ ), charge-ordered states, distinction based on chemical melting, **137**, 365  
 $\text{Ln}_{1-x}\text{A}_x\text{MnO}_3$  ( $\text{Ln} = \text{La}, \text{Pr}, \text{Nd}$ ;  $A = \text{Ca}, \text{Sr}$ ), charge-ordered, effect of internal pressure, letter to editor, **135**, 169  
 $\text{MnO}$ – $\text{NiO}$  solid solutions, energy of mixing, *ab initio* Hartree–Fock study, **137**, 261  
 $\text{Mn}(\text{ReO}_4)_2$  anhydrous perrhenates, crystal structure, **138**, 232  
 $\text{Mn}(\text{ReO}_4)_2 \cdot 2\text{H}_2\text{O}$ , crystal structure, **138**, 232  
 $\text{Mn}_{11}\text{Ta}_4\text{O}_{21}$ , structure and magnetic susceptibility and refinement of  $\text{Mn}_4\text{Ta}_2\text{O}_9$  structure, **137**, 276  
 $\text{MnTi}_{1-x}\text{Nb}_x\text{O}_3$  system, magnetic properties, **136**, 115  
 $\text{Mn}_{0.15}\text{V}_{0.3}\text{Mo}_{0.7}\text{O}_3$ , characterization, **138**, 347  
 $(\text{Ni}_{6-x}\text{Cu}_x)\text{MnO}_8$ , crystal structure and magnetic properties, **135**, 322  
 $\text{SeMnO}_3$  crystalline solids, liquid-mix disorder in, **141**, 78  
 $\text{Sr}_2\text{LnMn}_2\text{O}_7$  ( $\text{Ln} = \text{Y}, \text{La}, \text{Nd}, \text{Eu}, \text{Ho}$ ), Ruddlesden–Popper phases, HRTEM study, **138**, 135  
 $\text{Sr}_3\text{Mn}_2\text{O}_7$ , crystal and magnetic structures, letter to editor, **141**, 599  
 $\text{Zn}$ – $\text{Mn}$  spinel ferrites, nanocrystals obtained by high-energy ball milling, chemical homogeneity, **141**, 10  
 Mechanical properties  
   activated sintered boron carbide-based materials, **137**, 1  
 Mechanochemical activation  
    $\text{MgO}$ – $\text{SiO}_2$  systems, role of water, **138**, 169  
    $(\text{SeO}_2 + \text{Na}_2\text{CO}_3)$  mixture, for synthesis of  $\text{Na}_2\text{SeO}_3$  in vibrational mill, **135**, 256  
 Mechanochemical synthesis  
   Fe–S materials, **138**, 114  
    $\text{Fe}_{2.5}\text{Ti}_{0.5}\text{O}_4$  nanocrystals, **139**, 66  
   low-energy, Ag and Cu metals from hemioxides, **136**, 51  
   zinc ferrite, associated structural disorder, **135**, 52  
   Zn–Mn spinel ferrite nanocrystals obtained by, chemical homogeneity, **141**, 10  
 Mercury  
    $\text{A}_2\text{HgP}_2\text{Se}_6$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), synthesis, structure, and optical and thermal properties, **138**, 321  
    $\text{Hg}_x\text{TiS}_2$ , host-layer restacking in, mechanism, **141**, 330  
 Metal–insulator transitions  
    $(\text{La}_{0.1}\text{Ca}_{0.9})(\text{Mn}_{1-x}\text{Ge}_x)\text{O}_3$ , **140**, 431  
    $\text{La}_{2/3}\text{Ca}_{1/3}\text{Mn}_{1-x}\text{In}_x\text{O}_3$  perovskites, **138**, 226  
   in  $\text{LaNi}_{0.95}\text{M}_{0.05}\text{O}_3$  ( $M = \text{Mo}, \text{W}, \text{Sb}, \text{Ti}, \text{Cu}, \text{Zn}$ ) perovskites, **136**, 313  
   Metal–semiconductor transitions  
      $\text{Ti}_2\text{Ru}_2\text{O}_{7-\delta}$  pyrochlore synthesized at high pressure, **140**, 182  
 Metastability  
   AgI:Ag<sub>2</sub>MoO<sub>4</sub> system, **140**, 91  
 Methane  
   oxidation on calcium–lead hydroxyapatites, **135**, 86  
 Methanol  
   oxidation to formaldehyde over Mo catalysts,  $\text{Mo}_2\text{O}_5(\text{OCH}_3)_2$  and  $\text{Mo}_2\text{O}_5(\text{OCH}_3)_2 \cdot 2\text{CH}_3\text{OH}$  compounds modeling, structure, **136**, 247  
*N*-Methylethylenediamine  
   zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structure, **135**, 293  
 MIL-5  
   hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89  
 Molecular structure  
    $\text{Ln}(\text{ClO}_4)_3$  ( $\text{Ln} = \text{La}, \text{Ce}, \text{Pr}, \text{Sm}, \text{Eu}, \text{Ho}, \text{Er}, \text{Tm}, \text{Lu}$ ), **139**, 259  
    $\text{Sn}(\text{ND}_3)_2\text{F}_4$ , **138**, 350  
 Molybdenum  
   AgI:Ag<sub>2</sub>MoO<sub>4</sub> system, phase diagram: devitrification and metastability, **140**, 91  
   Ag<sub>0.7</sub>Mo<sub>3</sub>O<sub>7</sub>(PO<sub>4</sub>) bronze built up from ReO<sub>3</sub>-type slabs, synthesis, structure, and properties, **140**, 128  
   Ba<sub>3</sub>Li<sub>2</sub>Cl<sub>2</sub>(MoO<sub>4</sub>)<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub> with intersecting tunnel structure, synthesis, **141**, 587  
   Ba<sub>2</sub>MoO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F–<sup>113</sup>Cd REDOR NMR study, **140**, 285  
   Bi(Bi<sub>12-x</sub>Te<sub>x</sub>O<sub>14</sub>)Mo<sub>4-x</sub>V<sub>1+x</sub>O<sub>20</sub> ( $0 \leq x \leq 2.5$ ) solid solutions, synthesis and structural evolution, **139**, 185  
   Bi<sub>2</sub>O<sub>3</sub>–MoO<sub>3</sub>, review, **137**, 42  
   Ce–Mo ultrafine particles, preparation and characterization, **140**, 354  
   Cr<sub>2-2x</sub>Mo<sub>x</sub>O<sub>3</sub>, preparation and characterization, **140**, 350  
   Cu<sub>2</sub>Th<sub>4</sub>(MoO<sub>4</sub>)<sub>9</sub>, structural skeleton, **136**, 199  
   DySr<sub>2</sub>Cu<sub>2.7</sub>Mo<sub>0.3</sub>O<sub>7.2</sub>, crystal structure, **141**, 522  
   Fe<sub>2</sub>Mo<sub>1-x</sub>Ti<sub>x</sub>O<sub>4</sub> spinel oxides, electrical resistivity and thermoelectric power measurements, **140**, 56  
   H<sub>x</sub>MoO<sub>3</sub> bronze, protonic locations in, **141**, 255  
   hydrated molybdenum bronze, Cs/Na ion exchange and synthesis of cesium molybdenum bronze at low temperature, **137**, 12  
   La–Mo ultrafine particles, preparation and characterization, **140**, 354  
   La<sub>x</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel-phase superconductor  
     correlation of  $T_c$  and interatomic distances, **136**, 151  
     physical and superconducting properties, **136**, 160  
   LaNi<sub>0.95</sub>Mo<sub>0.05</sub>O<sub>3</sub> perovskites, metal–insulator transitions in, **136**, 313  
   Mn<sub>0.15</sub>V<sub>0.3</sub>Mo<sub>0.7</sub>O<sub>3</sub>, characterization, **138**, 347  
   Mo<sup>V</sup>, in tetragonal and monoclinic phases of zirconia, EPR study, **136**, 263  
   Mo<sub>2</sub>C 14 nm in average size supported on high specific surface area carbon material, synthesis, **141**, 114  
   Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> · 2CH<sub>3</sub>OH, structural analysis, **136**, 247  
   AMoOPO<sub>4</sub>Cl ( $A = \text{K}, \text{Rb}$ ), synthesis and layer structure, **137**, 214  
   MoS<sub>2</sub>  
     Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>7</sub><sup>+</sup> encapsulation into, and Rietveld structural characterization, **139**, 22  
     nanocrystals, solvothermal synthesis from MoO<sub>3</sub> and elemental sulfur, **141**, 270  
   NaMoO<sub>3</sub>F, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F–<sup>113</sup>Cd REDOR NMR study, **140**, 285  
   NdMo<sub>6</sub>O<sub>12</sub>, ordered hollandite-type compound, synthesis, crystal structure, and characterization, **136**, 87  
   Rb<sub>2</sub>MoO<sub>2</sub>As<sub>2</sub>O<sub>7</sub>, preparation and crystal structure, **141**, 500  
   Sr<sub>1-x</sub>La<sub>x</sub>Mo<sub>3</sub>O<sub>8</sub> ( $0 \leq x \leq 1$ ), synthesis and metallic properties, **138**, 7

- $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , synthesis, structure, and properties, **138**, 365  
 TiNbMoO<sub>6</sub> ceramics, structural and dielectric properties, **141**, 50  
 ZrW<sub>2-x</sub>Mo<sub>x</sub>O<sub>8</sub>, low-temperature synthesis, **139**, 424  
 Mosaic crystals  
   vanadyl pyrophosphate obtained by oriented nucleation and growth, **137**, 311  
 Mössbauer spectroscopy  
   <sup>151</sup>Eu  
     EuTIn ( $T = \text{Zn, Pd, Pt, Au}$ ) intermetallic compounds, **137**, 174  
     NaEuTiO<sub>4</sub> layered perovskite, **138**, 342  
   <sup>57</sup>Fe  
     REBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> triple perovskites ( $RE = \text{Dy, Er, Y}$ ), **139**, 168  
     cubic perovskite-type phase LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> ( $-0.20 < w < 0.83$ ), **138**, 87  
     LiFeO<sub>2</sub> prepared by hydrothermal reaction and postannealing method, **140**, 159  
     Li-inserted In<sub>16</sub>Fe<sub>8</sub>S<sub>32</sub>, structure and electrochemical behavior, **138**, 193  
    $\epsilon$ -Fe<sub>2</sub>O<sub>3</sub>, **139**, 93  
   Fe<sub>2.5</sub>Ti<sub>0.5</sub>O<sub>4</sub> nanocrystals synthesized by soft chemistry and high-energy ball milling, **139**, 66  
   <sup>155</sup>Gd, GdAgGe, GdAuGe, GdAu<sub>0.44(1)</sub>In<sub>1.56(1)</sub>, and GdAuIn antiferromagnets, **141**, 352  
   NaFe<sub>3.67</sub>(PO<sub>4</sub>)<sub>3</sub>, **139**, 152  
   Sn<sup>4+</sup>-doped indium oxide and In<sub>4</sub>Sn<sub>3</sub>O<sub>12</sub>, **135**, 140
- N
- Nanocomposites  
   poly(ethylene oxide) nanocomposites of misfit layer chalcogenides, synthesis and characterization, **141**, 323  
 Nanocrystals  
   Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, preparation and characterization, **141**, 70  
   copper-doped cerium oxide, emf measurements, **140**, 295  
    $\gamma$ -Fe<sub>2</sub>O<sub>3</sub>, hydrothermal synthesis and characterization, **137**, 185  
   Fe<sub>2.5</sub>Ti<sub>0.5</sub>O<sub>4</sub>, obtained by mechanochemical synthesis and soft chemistry, structure, cation distribution, and properties, **139**, 66  
   MoS<sub>2</sub>, solvothermal synthesis from MoO<sub>3</sub> and elemental sulfur, **141**, 270  
   SnO<sub>2</sub>, structural characterization by X-ray and Raman spectroscopy, **135**, 78  
   tetragonal polycrystalline zirconia, doped and undoped, synthesis by spray pyrolysis, **141**, 191  
   Zn-Mn spinel ferrites obtained by high-energy ball milling, chemical homogeneity, **141**, 10  
 Negative thermal expansion  
   Lu<sub>2</sub>W<sub>3</sub>O<sub>12</sub>, **140**, 157  
   NbOPO<sub>4</sub>, tetragonal polymorph, letter to editor, **141**, 303  
   Sc<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub>, **137**, 148  
 Neodymium  
   KNd<sup>III</sup>M<sup>IV</sup>F<sub>12</sub> ( $M^{\text{IV}} = \text{Tb, Zr, Hf}$ ), synthesis and crystal structure, **139**, 248  
   KNd<sub>3</sub>Te<sub>8</sub>, flat Te nets of, site occupancy wave and infinite zigzag ( $\text{Te}_2^-$ )<sub>n</sub> chains in, **135**, 111  
   La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> system, structural transitions, **140**, 345  
   Nd<sup>3+</sup>, doping of Na<sub>2</sub>SO<sub>4</sub>, effect on electrical conductivity, **138**, 369  
   NdAlO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424  
   Nd<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11- $\delta$</sub> , sol-gel synthesis and simultaneous oxidation, **138**, 141  
   NdBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21  
   Nd<sub>4</sub>Cu<sub>2</sub>O<sub>7</sub>, cooperatively distorted T' type structure, **136**, 137  
   NdGaO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424  
   Nd<sub>0.5</sub>A<sub>0.5</sub>MnO<sub>3</sub> ( $A = \text{Ca, Sr}$ ), charge-ordered states, distinction based on chemical melting, **137**, 365  
   Nd<sub>1-x</sub>A<sub>x</sub>MnO<sub>3</sub> ( $A = \text{Ca, Sr}$ ), charge-ordered, effect of internal pressure, letter to editor, **135**, 169  
   NdMo<sub>6</sub>O<sub>12</sub>, ordered hollandite-type compound, synthesis, crystal structure, and characterization, **136**, 87  
   Nd<sub>4</sub>Ni<sub>3</sub>O<sub>8</sub>, crystal structure and defects, neutron diffraction and TEM studies, **140**, 307  
   Nd<sub>6</sub>Ni<sub>2-x</sub>Si<sub>3</sub> and Nd<sub>42</sub>Ni<sub>22-x</sub>Si<sub>31</sub>, crystal structure and chemistry, **137**, 302  
   Nd<sub>2</sub>O<sub>3</sub>-Co-Co<sub>2</sub>O<sub>3</sub> system, thermogravimetric study at 1100 and 1150°C, **137**, 255  
   NdPtAl, magnetic structure, **140**, 233  
   Nd<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201  
   Nd<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>y</sub>, hole-doped and reduced compounds, nickel oxidation state and magnetic properties, **140**, 278  
   Ln<sub>1-x</sub>Nd<sub>x</sub>TiO<sub>3</sub> ( $Ln = \text{Ce, Pr}$ ;  $0 \leq x \leq 1$ ), magnetic studies, letter to editor, **137**, 181  
   Sr<sub>2</sub>NdMn<sub>2</sub>O<sub>7</sub>, Ruddlesden-Popper phases, HRTEM study, **138**, 135  
   Neutron diffraction, *see also* Powder neutron diffraction  
   BICOVOX.15, single-crystal structural study at room temperature, **141**, 241  
   LiTi<sub>2</sub>O<sub>4</sub> and Li<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> ramsdellites linked in solid solutions, **141**, 365  
   Sm<sub>0.97</sub>TiO<sub>3</sub>, short-wavelength study on single crystals, **141**, 262  
 Nickel  
   (Co,Ni,Cu)<sub>1+x</sub>(Ge,Sn) B8-type phases, modulated structures and diffuse scattering, computer simulation, **135**, 269  
   Eu<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>4+ $\delta$</sub> , preparation, crystal structure, and reducibility, **141**, 99  
   K<sub>2</sub>NiF<sub>4</sub>, structure, La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> ( $M(\text{III}) = \text{Co, Ni, Cu}$ ) with variant of, **138**, 18  
   La<sub>2</sub>Li<sub>1/2</sub>Ni<sub>1/2</sub>O<sub>4</sub>, ordered K<sub>2</sub>NiF<sub>4</sub> structure and bonding properties of MO<sub>6</sub> polyhedra in related compounds, **138**, 18  
   La<sub>4</sub>NiLiO<sub>8</sub>, detection in La<sub>2</sub>O<sub>3</sub>-NiO-Li<sub>2</sub>O system at 700, 800, and 900°C, **141**, 457  
   LaNi<sub>1-x</sub>M<sub>x</sub>O<sub>2.5+ $\delta$</sub>  ( $M = \text{Mn, Fe, Co}$ ), vacancy-ordered phase, synthesis and crystal structure, **135**, 103  
   LaNi<sub>0.95</sub>M<sub>0.05</sub>O<sub>3</sub> ( $M = \text{Mo, W, Sb, Ti, Cu, Zn}$ ) perovskites, metal-insulator transitions in, **136**, 313  
   La<sub>2</sub>NiO<sub>4.16</sub>, magnetic properties, **138**, 260  
   La<sub>2</sub>O<sub>3</sub>-NiO-Li<sub>2</sub>O system, phase equilibria at 700, 800, and 900°C, **141**, 457  
   La<sub>2-x</sub>Pr<sub>x</sub>NiO<sub>4+ $\delta$</sub> , magnetic properties, **138**, 260  
   LiNi(AsO<sub>4</sub>), spectroscopic and magnetic properties and crystal structure refinement, **141**, 508  
   Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, structural, electrochemical, and physical properties, **136**, 8  
   LiNiO<sub>2</sub>, Jahn-Teller distortion in, *in situ* X-ray absorption fine structure analysis, letter to editor, **140**, 145  
   MnO-NiO solid solutions, energy of mixing, *ab initio* Hartree-Fock study, **137**, 261  
   NaNi(AsO<sub>4</sub>), spectroscopic and magnetic properties, **141**, 508  
   Nd<sub>4</sub>Ni<sub>3</sub>O<sub>8</sub>, crystal structure and defects, neutron diffraction and TEM studies, **140**, 307  
   Nd<sub>6</sub>Ni<sub>2-x</sub>Si<sub>3</sub> and Nd<sub>42</sub>Ni<sub>22-x</sub>Si<sub>31</sub>, crystal structure and chemistry, **137**, 302  
   Nd<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>y</sub>, hole-doped and reduced compounds, nickel oxidation state and magnetic properties, **140**, 278  
   NiAl<sub>2</sub>O<sub>4</sub>, formation from  $\alpha$ - and  $\gamma$ -Al<sub>2</sub>O<sub>3</sub>-supported oxides, **135**, 59  
   Ni<sub>y</sub>(Cr<sub>2-2x</sub>In<sub>2x</sub>)<sub>1-y</sub>S<sub>3-y</sub> spinel, decomposition and X-ray powder diffraction, **136**, 193  
   (Ni<sub>1-x</sub>Cu<sub>x</sub>)MnO<sub>8</sub>, crystal structure and magnetic properties, **135**, 322  
   Ni-Fe alloy/magnetite composites, synthesis and microstructure, **135**, 210  
   Ni<sub>1+x</sub>Ge, nonstoichiometric B8-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402

- Ni<sub>1-x</sub>O  
Al-doped, spinel precipitation in, **140**, 38  
with dissolved Zr<sup>4+</sup>, defect clusters and superstructures, **140**, 361
- Ni(ReO<sub>4</sub>)<sub>2</sub> anhydrous perrenates, crystal structure, **138**, 232
- Ni<sub>1+x</sub>Sn, nonstoichiometric B8-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402
- Ni<sub>1+m</sub>Sn<sub>1-x</sub>P<sub>x</sub>, B8-type solid solutions, Sn/P and interstitial Ni ordering in, electron diffraction study, **136**, 125
- Ni<sub>0.25</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250
- Ni(II)(VOPO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O, layered compounds with distinct magnetic linear trimers, **137**, 77
- Ni<sub>1-x</sub>Zn<sub>2x</sub>(OH)<sub>2</sub>(OCOCH<sub>3</sub>)<sub>2x</sub>·nH<sub>2</sub>O thin film, hydrothermal synthesis, **141**, 229
- ScNiP, Sc-Sc bonding in, **137**, 218
- Sr<sub>4</sub>Ni<sub>3</sub>O<sub>9</sub>, hexagonal perovskites with one-dimensional structures related to, electron microscopy, **135**, 1
- Niobium
- Bi<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub> system, review, **137**, 42
- CaFe<sub>1/2</sub>Nb<sub>1/2</sub>O<sub>3</sub>, crystal chemistry, **138**, 272
- Ca<sub>1-x</sub>Sr<sub>x</sub>NbO<sub>3</sub> (0 ≤ x ≤ 1) perovskite-type phases, synthesis, structure, and electron microscopy, **141**, 514
- CaTi<sub>1-2x</sub>Fe<sub>x</sub>Nb<sub>x</sub>O<sub>3</sub> perovskite series, structural study, **138**, 272
- Cs<sub>2</sub>YbNb<sub>6</sub>Br<sub>18</sub>, twinning and atomic structure of twin interface, **141**, 140
- KLiNb<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- KLi<sub>1-x</sub>(Nb,W)<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- K<sub>2</sub>NbO<sub>3</sub>F, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285
- LiNbO<sub>3</sub> solid solutions with Mn<sup>2+</sup>, preparation and characterization, **140**, 168
- Mg<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>, crystal structure refinement by Rietveld analysis of neutron powder diffraction data, **137**, 359
- MnTi<sub>1-x</sub>Nb<sub>x</sub>O<sub>3</sub> system, magnetic properties, **136**, 115
- Nb<sub>2</sub>O<sub>5</sub>, high-pressure modification, **141**, 205
- NbOAsO<sub>4</sub>, intercalation of 1-alkanols and 1,ω-alkanediols into, **141**, 64
- NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, characterization, **137**, 289
- NbOPO<sub>4</sub>  
intercalation of 1-alkanols and 1,ω-alkanediols into, **141**, 64  
tetragonal, phase transition and negative thermal expansion, letter to editor, **141**, 303
- A<sub>3</sub>NbS<sub>4</sub> (A = Na,Rb), synthesis and crystal structure, **139**, 404
- ANb<sub>4</sub>WO<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub> (A = K,Rb,Cs), synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- NH<sub>4</sub>NbWO<sub>6</sub> defect pyrochlore, crystal structure and phase transition, **141**, 537
- Rb<sub>12</sub>Nb<sub>6</sub>Se<sub>35</sub> polymer with infinite anionic chains built up by Nb<sub>2</sub>Se<sub>11</sub> units containing Se<sub>3</sub><sup>4-</sup> fragment, synthesis, structure, and properties, **140**, 97
- Si<sub>x</sub>(Ta,Nb)Te<sub>2</sub>, structural and microstructural aspects, **139**, 105
- Sm<sub>3</sub>NbSe<sub>3</sub>O<sub>4</sub>, synthesis and structure, **137**, 122
- Sr<sub>2</sub>NbN<sub>3</sub>, synthesis and structural characterization, **138**, 297
- Sr<sub>4</sub>Nb<sub>4</sub>O<sub>14</sub>-Sr<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>-SrTiO<sub>3</sub> system, perovskite-related phases in, **135**, 260
- SrNb<sub>2</sub>S<sub>5</sub>, metallic characteristics, **135**, 325
- TiNbXO<sub>6</sub> (X = W,Mo) ceramics, structural and dielectric properties, **141**, 50
- Ti<sub>8</sub>Nb<sub>27.2</sub>O<sub>72</sub>, synthesis and crystal structure determination by TEM and single-crystal X-ray diffraction, **135**, 282
- Nitrogen, *see also* Ammonium
- BaHfN<sub>2</sub>, synthesis, structure, and magnetic properties, **137**, 62
- BaHf<sub>1-x</sub>Zr<sub>x</sub>N<sub>2</sub> solid solution, synthesis, structure, and magnetic properties, **137**, 62
- BaThN<sub>2</sub>, synthesis and structural characterization, **138**, 297
- RBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub> (R = Y,Sm,Eu,Gd,Tb,Dy,Er,Yb), preparation and crystal structure, **139**, 321
- M<sub>2</sub>BN<sub>2</sub>X (M = Ca,Sr; X = F,Cl), compounds with isolated BN<sub>2</sub><sup>3-</sup> units, **135**, 194
- α-Ca<sub>3</sub>N<sub>2</sub>, vibrational spectra and decomposition, **137**, 33
- (1:1) Cd<sup>II</sup>[(Tr<sup>III</sup>/Cr<sup>III</sup>)(CN)<sub>6</sub>]<sub>2</sub>·15H<sub>2</sub>O complexes (Tr = Co,Fe), structural and spectral studies, **140**, 140
- [(CH<sub>3</sub>)<sub>2</sub>N(CH<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>O]Ag<sub>4</sub>I<sub>5</sub>, silver ion distribution and flow in, cooperative disorder model, **140**, 1
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O templated by piperazine, synthesis and characterization, **139**, 326
- [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub>·1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387
- C<sub>3</sub>H<sub>12</sub>N<sub>2</sub><sup>2+</sup>·HPO<sub>4</sub><sup>2-</sup>·H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343
- C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup>·2HPO<sub>4</sub><sup>-</sup>·4H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343
- Cu<sub>2</sub><sup>II</sup>Fe<sup>III</sup>(CN)<sub>6</sub> and Cu<sub>3</sub><sup>II</sup>[Fe<sup>III</sup>(CN)<sub>6</sub>]<sub>2</sub>, mechanisms of Cs sorption on, relationship to crystal structure, **141**, 475
- diglycine hydrogen selenite, crystal structure, vibrational spectra, and DSC measurement, **140**, 71
- ethylenediamine-templated zinc arsenate and aluminum cobalt phosphate, synthesis and zeolite-type structures, **136**, 210
- Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, synthesis by ammonolysis of LiF-WO<sub>3</sub> and crystal structure, **138**, 154
- Mg<sub>3</sub>N<sub>2</sub>, vibrational spectra and decomposition, **137**, 33
- monoglycine-selenious acid crystals, vibrational spectra and DSC measurement, **140**, 71
- MNX (M = Zr,Ti; X = Cl,Br,I) system, electronic band structure, **138**, 207
- NaNO<sub>3</sub>, dispersion on ZrO<sub>2</sub>: effect of supported Na<sup>+</sup> on ZrO<sub>2</sub> texture properties, **138**, 41
- [N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub>·2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], synthesis and structure, letter to editor, **136**, 141
- [N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup>[Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)<sub>3</sub>]<sup>3-</sup>·4H<sub>2</sub>O, connected through hydrogen bonding, synthesis and structure, **139**, 207
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>][Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], synthesis and characterization, **136**, 227
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sub>3</sub>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, synthesis and structure, **136**, 298
- Sn(ND<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, structure, implications for synthesis of nitride fluorides, **138**, 350
- [Sn<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>[C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>]<sup>2+</sup>·H<sub>2</sub>O, synthesis and crystal structure, **140**, 435
- Sr<sub>39</sub>Co<sub>12</sub>N<sub>31</sub>, synthesis, structure, and magnetic properties, **141**, 1
- Sr<sub>2</sub>NbN<sub>3</sub>, synthesis and structural characterization, **138**, 297
- Nuclear magnetic resonance
- <sup>27</sup>Al, MAS study of hydrotalcite-derived MgAlO oxides calcined at varying temperatures, **137**, 295
- <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR study of oxygen/fluorine ordering in oxyfluorides, **140**, 285
- H<sub>x</sub>MoO<sub>3</sub> bronze, protonic locations in, **141**, 255
- magnesium oxide-magnesium orthophosphate systems, **135**, 96
- <sup>29</sup>Si, MAS study of mechanochemical reactions of MgO-SiO<sub>2</sub> systems, **138**, 169
- Nuclear quadrupole resonance
- Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, **139**, 266
- Nucleation
- oriented, in preparation of mosaic crystals of vanadyl pyrophosphate, **137**, 311
- O
- Onium ions
- geometry, role in synthesis of regularly ordered heterostructures, **139**, 281

- Optical basicity table  
for oxidic systems, **137**, 94
- Optical properties  
Bi<sub>2</sub>S<sub>3</sub> thin films prepared by thermal evaporation and chemical bath deposition, **136**, 167  
CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F,OH)<sub>2</sub>, **141**, 527  
D3C–THF: analysis of cubic/tetragonal phase transition, **137**, 87  
diaminoanthraquinone, effect of substitution pattern, **141**, 309  
In–Bi<sub>2</sub>S<sub>3</sub> annealed thin films, **138**, 290  
K<sub>4</sub>In<sub>2</sub>(PSe<sub>5</sub>)<sub>2</sub>(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, **136**, 79  
Li<sub>1-x</sub>H<sub>x</sub>IO<sub>3</sub>-type complex crystals, relationship to structure, **135**, 121  
A<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (A = K,Rb,Cs; M = Pd,Zn,Cd,Hg), **138**, 321  
Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, **136**, 79  
Sb<sub>2</sub>Te<sub>3</sub> single crystals with incorporated Ag, **140**, 29
- Order–disorder transition  
bicyclononane, spectroscopic and differential scanning calorimetric studies, **136**, 16  
ε-Fe<sub>2</sub>O<sub>3</sub>, **139**, 93
- Ordering  
REBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> (RE = Dy,Er,Y) triple perovskites, <sup>57</sup>Fe Mössbauer study, **139**, 168  
charge, in La<sub>0.2</sub>Ca<sub>0.8</sub>MnO<sub>3</sub>, associated structural and morphological changes, **140**, 331  
*p*-dialkylbenzene–urea inclusion compounds, **141**, 437  
metal atoms in wurtzite and sphalerite structures, **138**, 334  
oxygen/fluorine in oxyfluorides, <sup>19</sup>F MAS and <sup>19</sup>F–<sup>113</sup>Cd REDOR NMR study, **140**, 285  
short-range, in (1 – x)Bi<sub>2</sub>O<sub>3</sub> · xCaO γ-type solid solution, electron diffraction study and relationship to low-temperature Ca<sub>4</sub>Bi<sub>6</sub>O<sub>13</sub>, **135**, 201  
Sn/P and interstitial Ni in Ni<sub>1+m</sub>Sn<sub>1-x</sub>P<sub>x</sub> B8-type solid solutions, electron diffraction study, **136**, 125
- Oxidation  
Ln<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub> (Ln = La,Nd,Eu,Tb), simultaneously with sol–gel synthesis, **138**, 141  
fuel cell cathode materials lanthanum strontium manganates(III)(IV), kinetics, *in situ* powder diffraction studies, **141**, 235  
methane on calcium–lead hydroxyapatites, **135**, 86  
methanol to formaldehyde over Mo catalysts, Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> · 2CH<sub>3</sub>OH compounds modeling, structure, **136**, 247
- Oxidation catalysts  
bulk optical basicity table for, **137**, 94
- Oxidation/reduction  
reversible, in CeTaO<sub>4+δ</sub> system, TEM and XRD study, **140**, 20
- Oxidation state  
nickel in hole-doped and reduced Nd<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>y</sub> compounds, **140**, 278
- Oxygen  
atomic positions in Ga–In–Sn–O ceramic, determination with direct methods and electron diffraction, letter to editor, **136**, 145  
half filling of O intercalation in ErBa<sub>2</sub>Cu<sub>3</sub>O<sub>6.5</sub>, new orthorhombicity type and cell volume expansions near, **135**, 307  
nonstoichiometry  
Bi<sub>2</sub>Sr<sub>2</sub>Co<sub>6+δ</sub> ceramic, **136**, 1  
CaVO<sub>3-δ</sub>, **135**, 36  
Li–Mn–O spinel oxides, powder neutron diffraction study, **135**, 132  
oxygen/fluorine ordering in oxyfluorides, <sup>19</sup>F MAS and <sup>19</sup>F–<sup>113</sup>Cd REDOR NMR study, **140**, 285  
release behavior of CeZrO<sub>4</sub> powders and appearance of compounds κ and t\*, **138**, 47
- Oxygen permeability  
Sr<sub>4</sub>(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>6</sub>O<sub>13±δ</sub> materials, **141**, 576
- Packing models  
high-pressure polymeric phases of C<sub>60</sub>, **141**, 164
- Palladium  
Cs<sub>2</sub>PdSe<sub>8</sub>, synthesis and open framework structure with double helical assemblies of [Pd(Se<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>, letter to editor, **140**, 149  
EuPdIn intermetallic compounds, <sup>151</sup>Eu Mössbauer spectroscopy and magnetic susceptibility, **137**, 174  
A<sub>2</sub>PdP<sub>2</sub>Se<sub>6</sub> (A = K,Rb,Cs), synthesis, structure, and optical and thermal properties, **138**, 321
- Paramagnetic doping  
solid aluminum fluorides: ESR and *ab initio* quantum chemical studies, **139**, 27
- Percolation  
proton conduction in polymer/brushite composites, **141**, 392
- Perovskites  
BaBiO<sub>3</sub>, disproportionation in, stabilization, contrast with stabilization of spontaneous polarization of H<sub>2</sub> molecules, **138**, 369  
Ln<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub> (Ln = La,Nd,Eu,Tb), sol–gel synthesis and simultaneous oxidation, **138**, 141  
REBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> (RE = Dy,Er,Y), <sup>57</sup>Fe Mössbauer study, **139**, 168  
BaScO<sub>2</sub>F, synthesis and structure, **139**, 422  
BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, Pr<sup>4+</sup> doped in, EPR study, **138**, 329  
in Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>–MZrO<sub>3</sub> (M = Ba,Sr) system, synthesis and structural study, **141**, 492  
(Ca<sub>1-x</sub>Sr<sub>x</sub>)MnO<sub>3</sub>, Mn–O–Mn angles in, relationship to electrical properties, **137**, 82  
Ca<sub>1-x</sub>Sr<sub>x</sub>NbO<sub>3</sub> (0 ≤ x ≤ 1) phases, synthesis, structure, and electron microscopy, **141**, 514  
CaTi<sub>1-2x</sub>Fe<sub>x</sub>Nb<sub>x</sub>O<sub>3</sub>, structural study, **138**, 272  
CaTiO<sub>3</sub>, Gd-doped, charge compensation in, **124**, 77; comment, **137**, 355; reply, **137**, 357  
hexagonal, with one-dimensional structures related to Sr<sub>4</sub>Ni<sub>3</sub>O<sub>9</sub>, electron microscopy, **135**, 1  
K<sub>1-x</sub>Li<sub>x</sub>MnF<sub>3</sub> single crystal, phase transition and structure in range 100–298 K, **137**, 71  
(K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub>, crystal chemistry and phase transitions in *P–T–X* space, **141**, 121  
LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> (–0.20 < w < 0.83), cubic phase, <sup>57</sup>Fe Mössbauer spectroscopy, **138**, 87  
(La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, effect of Ge<sup>4+</sup>, electrical properties, effect of Ge<sup>4+</sup>, **140**, 431  
La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub>, structural, magnetic, and electrical properties, **138**, 226  
La<sub>0.2</sub>Ca<sub>0.8</sub>MnO<sub>3</sub>, structural and morphological changes associated with charge ordering, **140**, 331  
LaGaO<sub>3</sub>, Sr- and Mg-doped oxide-ion conductor, wet chemical synthesis, **136**, 274  
La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, synthesis, phase diagram, and conductivity, **140**, 377  
LaNi<sub>0.95</sub>Mo<sub>0.05</sub>O<sub>3</sub> (M = Mo,W,Sb,Ti,Cu,Zn), metal–insulator transitions in, **136**, 313  
La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-δ</sub> (0.5 ≤ x ≤ 0.9), synthesis and properties, **139**, 388  
La<sub>1-x</sub>Sr<sub>x</sub>CrO<sub>3</sub> (x = 0 ~ 0.25), magnetic and neutron diffraction study, **141**, 404  
Na<sub>1/2+x</sub>La<sub>1/2-3x</sub>Th<sub>2x</sub>TiO<sub>3</sub>, structural study, **138**, 307  
NaLnTiO<sub>4</sub> (Ln = Sm,Eu,Gd), magnetic properties, **138**, 342  
LnMO<sub>3</sub> (Ln = La–Lu, Y; M = Al,Ga), stability, calorimetric study, **141**, 424  
related phases in Sr<sub>4</sub>Nb<sub>4</sub>O<sub>14</sub>–Sr<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>–SrTiO<sub>3</sub> system, **135**, 260
- Phase analysis  
quantitative, Zr<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> (x = 0.22,0.39,0.60) prepared by sol–gel synthesis, **139**, 225

## Phase composition

$\text{In}_2\text{S}_3$  thin films, study by diffraction of synchrotron radiation, **137**, 6

## Phase diagrams

$\text{AgI}:\text{Ag}_2\text{MoO}_4$  system: devitrification and metastability, **140**, 91

$\text{Ba}-\text{Cu}-\text{O}-\text{Cl}$  system, **141**, 378

$\text{ACl}/\text{TmCl}_3$  ( $A = \text{Cs}, \text{Rb}, \text{K}$ ), **135**, 127

$\text{EuI}_2-\text{KI}$ , **136**, 134

$\text{La}_{0.5+x+y}\text{Li}_{0.5-3x}\text{Ti}_{1-3y}\text{Mn}_{3y}\text{O}_3$  system, **140**, 377

$\text{Nd}_2\text{O}_3-\text{Co}-\text{Co}_2\text{O}_3$  system, **137**, 255

$\text{NiCr}_2\text{S}_4-\text{NiIn}_2\text{S}_4-\text{Cr}_2\text{S}_3-\text{In}_2\text{S}_3$ , **136**, 193

$\text{Pb}_2\text{MgW}_x\text{Te}_{(1-x)}\text{O}_6$  solid solution, **139**, 332

$\text{Ru}-\text{Y}$  system, optimization, **138**, 302

## Phase relations

$\text{BaO}-\text{Al}_2\text{O}_3-\text{MgO}$  system, Al-rich part, **136**, 253

$\text{BiO}_{1.5}-\text{YbO}_{1.5}-\text{CuO}$  system, **139**, 398

$\text{CaVO}_{3-\delta}$  oxygen-deficient phases, **135**, 36

$\text{Ce}-\text{Al}(\text{Si}, \text{Ge})$  systems, **137**, 191

$\text{La}_2\text{O}_3-\text{NiO}-\text{Li}_2\text{O}$  system at 700, 800, and 900°C, **141**, 457

in  $\text{Li}_2\text{O}-\text{Fe}_2\text{O}_3-\text{TiO}_2$  system, **141**, 221

$\text{Li}_2\text{O}-\text{TiO}_2-\text{Ti}_2\text{O}_3$  system under reducing conditions, **138**, 74

$\text{Nd}_2\text{O}_3-\text{Co}-\text{Co}_2\text{O}_3$  system at 1100 and 1150°C, thermogravimetric study, **137**, 255

$\text{Sr}_4\text{Nb}_4\text{O}_{14}-\text{Sr}_5\text{Nb}_4\text{O}_{15}-\text{SrTiO}_3$  system, **135**, 260

## Phase stabilization

tetragonal nanophases of nondoped sol-gel  $\text{ZrO}_2$  prepared with hydrolysis catalysts, **135**, 28

## Phase transformations

ABW-type  $\text{CsLiSO}_4$ , symmetry analysis and atomic distortions, **138**, 267

$\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  to  $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ , **139**, 1

$\text{Bi}_2\text{Te}_4\text{O}_{11}$ , **135**, 175

2-bromo-2-nitropropane-1,3-diol crystals, **137**, 231

$\text{Ca}_3(\text{VO}_4)_2$  amorphization at high pressure, **139**, 161

cubic/tetragonal, in D3C-THF, optical and X-ray powder diffraction study, **137**, 87

$\text{H}_{0.27}\text{V}_{0.27}\text{W}_{0.73}\text{O}_3 \cdot 1/3\text{H}_2\text{O}$  to  $\text{V}_{0.27}\text{W}_{0.73}\text{O}_{2.865}$ , X-ray, thermal, and HREM studies, **136**, 284

$\text{K}_{1-x}\text{Li}_x\text{MnF}_3$  single crystal in range 100–298 K, **137**, 71

$(\text{K}_x\text{Na}_{1-x})\text{MgF}_3$  perovskites in  $P-T-X$  space, **141**, 121

$\text{La}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ , associated with charge ordering, **140**, 331

$\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$  system, **140**, 345

$\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{2.85}$ , high-temperature powder neutron diffraction study, **139**, 135

$\text{LiIn}$  and  $\text{LiCd}$  under pressure from  $\text{NaTi}$ -type phases to  $\beta$ -brass-type alloys, **137**, 104

$\text{Na}_3\text{Fe}_2(\text{AsO}_4)_3$  from garnet to alluaudite structure after cationic substitutions, **137**, 112

$\text{Nb}_2\text{O}_5$  at high pressure, **141**, 205

$\text{NbOPO}_4$ , tetragonal polymorph, letter to editor, **141**, 303

$\text{NH}_4\text{NbWO}_6$  defect pyrochlore, **141**, 537

order-disorder, in bicyclononane, spectroscopic and differential scanning calorimetric studies, **136**, 16

$\text{RPtAl}$  ( $R = \text{Ce}, \text{Pr}, \text{Nd}$ ), **140**, 233

$\text{Ti}_3\text{O}_5$ , **136**, 67

$\text{VO}_2(A)$ , mechanism, **141**, 594

$\text{Y}_4\text{Al}_2\text{O}_9$  at high temperature, **141**, 466

$\text{ZrV}_2\text{O}_7$ , temperature-dependent, *in situ* electron and X-ray diffraction studies, **137**, 161

## Phonons, see Electron-phonon coupling

## Phosphorus

$\text{Ag}_{0.7}\text{Mo}_3\text{O}_7(\text{PO}_4)$  bronze built up from  $\text{ReO}_3$ -type slabs, synthesis, structure, and properties, **140**, 128

$\text{AgXPO}_4$  ( $X = \text{Be}, \text{Zn}$ ), crystal structures and crystal chemistry, **141**, 177

$\text{BaBPO}_5$ , crystal structure and thermal decomposition, **135**, 43

$\text{Ba}_3\text{Li}_2\text{Cl}_2(\text{MoO})_4(\text{PO}_4)_6$  with intersecting tunnel structure, synthesis, **141**, 587

$\text{Ba}_3\text{V}_2\text{O}_3(\text{PO}_4)_3$ , with chain-like structure, **135**, 302

$\text{Ba}_2(\text{VO}_3)(\text{PO}_4)(\text{HPO}_4) \cdot \text{H}_2\text{O}$ , with trigonal bipyramidal  $\text{VO}_5$  groups, hydrothermal synthesis and crystal structure, **140**, 272

$\text{Bi}_{6.67}(\text{PO}_4)_4\text{O}_4$ , synthesis and crystal structure, **139**, 274

$\text{Bi}_9(\text{V}_{1-x}\text{P}_x)_2\text{ClO}_{18}$  series ( $0 \leq x \leq 1$ ), synthesis, crystal structure, IR characterization, and electrical properties, **136**, 34

$\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$  phosphates, composites with polymer, percolation and modeling of proton conduction in, **141**, 392

$\text{Cd}_4\text{P}_2\text{Cl}_3$ , crystal structure, **137**, 138

$\text{Cd}_7\text{P}_4\text{Cl}_6$ , crystal structure, **137**, 138

$(\text{C}_4\text{H}_{12}\text{N}_2)_2[\text{Fe}_6(\text{HPO}_4)_2(\text{PO}_4)_6(\text{H}_2\text{O})_2] \cdot \text{H}_2\text{O}$  templated by piperazine, synthesis and characterization, **139**, 326

$\text{C}_3\text{H}_{12}\text{N}_2^{2+} \cdot \text{HPO}_4^{2-} \cdot \text{H}_2\text{O}$ , crystal structure and thermal behavior, **141**, 343

$\text{C}_6\text{H}_{18}\text{N}_3^{2+} \cdot 2\text{HPO}_4^- \cdot 4\text{H}_2\text{O}$ , crystal structure and thermal behavior, **141**, 343

$\text{Cs}_3(\text{HSeO}_4)_2(\text{H}_2\text{PO}_4)$ , synthesis and crystal structure, **141**, 317

$\text{Cs}_5(\text{HSeO}_4)_3(\text{H}_2\text{PO}_4)_2$ , synthesis and crystal structure, **141**, 317

$\text{Cs}_5(\text{HSO}_4)_3(\text{H}_2\text{PO}_4)_2$ , solid acid with unique hydrogen bond network, X-ray diffraction study, **140**, 251

$\beta\text{-Cs}_3(\text{HSO}_4)_2[\text{H}_{2-x}(\text{P}_{1-x}\text{S}_x)\text{O}_4]$  ( $x \sim 0.5$ ) superprotonic conductor, structure and vibrational spectrum, **139**, 373

$\text{CsMnHP}_3\text{O}_{10}$ , magnetic structure and properties, **141**, 160

$\text{Cs}_4(\text{SeO}_4)(\text{HSeO}_4)_2(\text{H}_3\text{PO}_4)$ , synthesis and crystal structure, **141**, 317

$\text{Cs}_5\text{VW}_4\text{O}_9\text{VO}_4(\text{PO}_4)_4$ , air synthesis and intersection tunnels, **141**, 155

$\text{CuInP}_2\text{S}_6$ , soft-chemistry forms, **141**, 290

1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93

ethylenediamine-templated aluminum cobalt phosphate, synthesis and zeolite-type structure, **136**, 210

ethylenediamine-templated 1-D  $[\text{enH}_2][\text{Zr}(\text{HPO}_4)_3]$  and 2-D  $[\text{enH}_2]_{0.5}[\text{Zr}(\text{PO}_4)(\text{HPO}_4)]$ , crystal structures, **140**, 46

$\text{H}_2\text{O}-\text{Na}_2\text{SO}_4-\text{Na}_2\text{HPO}_4$  system, isotherms, conductivity measurements, **140**, 316

$(\text{H}_2\text{O})[\text{V}_2\text{O}_2(\text{OH})\{\text{O}_3\text{P}(\text{CH}_2)_2\text{PO}_3\}]$ , hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89

$\text{KH}_2\text{PO}_4$ , high-temperature form, preparation and crystal structure, **141**, 486

$\text{K}_4\text{In}_2(\text{PSe}_5)_2(\text{P}_2\text{Se}_6)$ , one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79

$\text{KLiNb}_5\text{O}_9(\text{PO}_4)_3$ , synthesis and intersecting tunnel structure related to  $\text{ReO}_3$ , **136**, 305

$\text{KLi}_{1-x}(\text{Nb}, \text{W})_5\text{O}_9(\text{PO}_4)_3$ , synthesis and intersecting tunnel structure related to  $\text{ReO}_3$ , **136**, 305

$\text{KMgPO}_4$ , crystal chemistry and polymorphism, **136**, 175

$\text{Li}_3\text{Fe}_2(\text{PO}_4)_3$ , cathode materials for rechargeable lithium batteries, 3D framework structure, **135**, 228

$\text{LiLaP}_4\text{O}_{12}$ , crystalline and glass modifications, vibronic transitions of  $\text{Gd}^{3+}$  and  $\text{Eu}^{3+}$  in, **136**, 206

$\text{Li}_9\text{M}_3(\text{P}_2\text{O}_7)_3(\text{PO}_4)_2$  ( $M = \text{Al}, \text{Ga}, \text{Cr}, \text{Fe}$ ), crystal structure and cation transport properties, **138**, 32

$\text{LiZnPO}_4$ , polymorph with cristobalite-type framework topology, **138**, 126

$\text{MgO}-\text{Mg}_3(\text{PO}_4)_2$  systems, XRD and solid-state NMR studies, **135**, 96

$\text{AMoOPO}_4\text{Cl}$  ( $A = \text{K}, \text{Rb}$ ), synthesis and layer structure, **137**, 214

$\text{Na}_5[\text{B}_2\text{P}_3\text{O}_{13}]$ , hydrothermal and microwave-assisted synthesis, letter to editor, **140**, 154

$\text{NaFe}_{3.67}(\text{PO}_4)_3$ , hydrothermal synthesis, structure, and characterization, **139**, 152

$\text{Na}_4\text{P}_2\text{S}_6 \cdot 6\text{H}_2\text{O}$ , single-crystal structure determination, **141**, 274

$\text{NbO}(\text{O}_{20})_5\text{PO}_4 \cdot 2\text{H}_2\text{O}$ , characterization, **137**, 289

- NbOPO<sub>4</sub>  
intercalation of 1-alkanols and 1, $\omega$ -alkanediols into, **141**, 64  
tetragonal, phase transition and negative thermal expansion, letter to editor, **141**, 303
- ANb<sub>4</sub>WO<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub> (*A* = K,Rb,Cs), synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305
- [N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub> · 2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], synthesis and structure, letter to editor, **136**, 141
- [N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup>[Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)]<sup>3-</sup> · 4H<sub>2</sub>O, connected through hydrogen bonding, synthesis and structure, **139**, 207
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>][Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], synthesis and characterization, **136**, 227
- NH<sub>4</sub>VP<sub>2</sub>O<sub>7</sub>, structural study by X-ray powder diffraction, **136**, 181
- Ni<sub>1+m</sub>Sn<sub>1-x</sub>P<sub>x</sub>, B8-type solid solutions, Sn/P and interstitial Ni ordering in, electron diffraction study, **136**, 125
- M<sub>2</sub>P intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218
- Pb<sub>x</sub>(PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> (6 ≤ *m* ≤ 10) bronze, characterization, **139**, 362
- Pb<sup>II</sup>Sn<sup>IV</sup>(PO<sub>4</sub>)<sub>2</sub>, structure and stereochemical activity of Pb<sup>II</sup> lone pair, **137**, 283
- A<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (*A* = K,Rb,Cs; *M* = Pd,Zn,Cd,Hg), synthesis, structure, and optical and thermal properties, **138**, 321
- Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79
- ScNiP, Sc-Sc bonding in, **137**, 218
- [Sn<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>[C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>]<sup>2+</sup> · H<sub>2</sub>O, synthesis and crystal structure, **140**, 435
- Sn<sub>2</sub>(PO<sub>4</sub>)[C<sub>2</sub>O<sub>4</sub>]<sub>0.5</sub> containing one-dimensional tin phosphate chains, synthesis and structure, **139**, 200
- Sn<sub>2</sub>P<sub>2</sub>S<sub>6</sub>, soft-chemistry forms, **141**, 290
- Ti(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>), crystal structure from neutron powder data, **140**, 266
- Ti<sub>2</sub>(MoO<sub>3</sub>)<sub>3</sub>PO<sub>3</sub>CH<sub>3</sub>, synthesis, structure, and properties, **138**, 365
- (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, mosaic crystals obtained by oriented nucleation and growth, **137**, 311
- M(VOPO<sub>4</sub>)<sub>2</sub> · 4H<sub>2</sub>O (*M* = Co(II),Ni(II)), layered compounds with distinct magnetic linear trimers, **137**, 77
- zirconium phosphate fluorides templated with amines, hydrothermal synthesis and crystal structure, **135**, 293
- Zn(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>) · H<sub>2</sub>O, thermal behavior, **140**, 62
- $\gamma$ -Zn<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, structure determination from X-ray powder diffraction data, **140**, 62
- Zr<sub>2.7</sub>Hf<sub>1.3</sub>P<sub>9</sub>, bonding and site preferences, **136**, 221
- Photoluminescence spectroscopy  
Eu and La in codoped CaS, **138**, 149  
TiO<sub>2</sub> ultrafine particles: electronic state characterization, **139**, 124
- Pillared materials  
porous chromia-pillared tetratitanate, synthesis, **136**, 320
- Piperazine  
(C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>] · H<sub>2</sub>O templated by, synthesis and characterization, **139**, 326
- Platinum  
Ba<sub>4</sub>(Ba<sub>x</sub>Pt<sub>7-x</sub>)Pt<sub>2</sub><sup>+</sup>O<sub>9</sub>, twinned crystal, diffraction and DAFS studies, **140**, 201  
Ba-Pt-O system ( $\frac{1}{3} < Y = \text{Ba/Pt} < \frac{2}{3}$ ), synthesis and crystal structure, **140**, 194  
EuPtIn intermetallic compounds, <sup>151</sup>Eu Mössbauer spectroscopy and magnetic susceptibility, **137**, 174  
RPtAl (*R* = Ce,Pr,Nd), magnetic structures, **140**, 233
- Pnictides  
M<sub>2</sub>X intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218
- Polarization  
spontaneous, H<sub>2</sub> molecules, stabilization of, contrast with stabilization of diproportionation in BaBiO<sub>3</sub>, letter to editor, **138**, 369
- Polaronic conduction  
La<sub>2-x</sub>Sr<sub>x</sub>CoO<sub>4</sub> (0.25 ≤ *x* ≤ 1.10) below room temperature, **139**, 176
- Poly(ethylene oxide)  
nanocomposites of misfit layer chalcogenides, synthesis and characterization, **141**, 323
- Polymers  
brushite composites with, percolation and modeling of proton conduction in, **141**, 392  
C<sub>60</sub>, high-pressure phases, packing models, **141**, 164  
Rb<sub>12</sub>Nb<sub>6</sub>Se<sub>3.5</sub>, with infinite anionic chains built up by Nb<sub>2</sub>Se<sub>11</sub> units containing Se<sub>3</sub><sup>4-</sup> fragment, synthesis, structure, and properties, **140**, 97  
[Zn(4,4'-bipy)(H<sub>2</sub>O)(SO<sub>4</sub>)] · 0.5H<sub>2</sub>O, with interwoven double-layer structure, synthesis and characterization, **138**, 361
- Polyphenylene sulfide  
composites with brushite, percolation and modeling of proton conduction in, **141**, 392
- Potassium  
[(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub> · 1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387  
EuI<sub>2</sub>-KI binary system, phase diagram, **136**, 134  
KBH<sub>4</sub>, reduction of KMnO<sub>4</sub> in aqueous solutions: synthesis of manganese oxides, **137**, 28  
K<sub>4</sub>Bi<sub>2</sub>O<sub>5</sub>, synthesis and crystal structure, **139**, 342  
KBi<sub>3</sub>S<sub>5</sub>, open-framework semiconductors, preparation of topotactic derivatives of, letter to editor, **136**, 328  
KCl/TmCl<sub>3</sub>, phase diagrams and thermodynamics, **135**, 127  
(KCl)<sub>x</sub>(UCl<sub>4</sub>)<sub>y</sub>, deposition inside carbon nanotubes using eutectic and noneutectic mixtures of UCl<sub>4</sub> with KCl, **140**, 83  
KLn<sup>III</sup>M<sub>2</sub>F<sub>12</sub> (*M*<sup>IV</sup> = Tb,Zr,Hf; *Ln*<sup>III</sup> = Ce-Lu), synthesis and crystal structure, **139**, 248  
KH<sub>2</sub>PO<sub>4</sub>, high-temperature form, preparation and crystal structure, **141**, 486  
K<sub>4</sub>In<sub>2</sub>(PSe<sub>5</sub>)<sub>2</sub>(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79  
K<sub>1-x</sub>Li<sub>x</sub>MnF<sub>3</sub> single crystal, phase transition and structure in range 100–298 K, **137**, 71  
KLiNb<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
KLi<sub>1-x</sub>(Nb,W)<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
KMgPO<sub>4</sub>, crystal chemistry and polymorphism, **136**, 175  
KMnO<sub>4</sub>, reduction with KBH<sub>4</sub> in aqueous solutions: synthesis of manganese oxides, **137**, 28  
KMoOPO<sub>4</sub>Cl, synthesis and layer structure, **137**, 214  
(K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub> perovskites, crystal chemistry and phase transitions in *P-T-X* space, **141**, 121  
K<sub>2</sub>NbO<sub>3</sub>F, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
KNb<sub>4</sub>WO<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
KNd<sub>3</sub>Te<sub>8</sub>, flat Te nets of, site occupancy wave and infinite zigzag (Te<sub>2</sub><sup>2-</sup>)<sub>n</sub> chains in, **135**, 111  
K<sub>2</sub>NiF<sub>4</sub>, structure, La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> (*M*(III) = Co,Ni,Cu) with variant of, **138**, 18  
KPb<sub>4</sub>(VO<sub>4</sub>)<sub>3</sub> with anion-deficient apatite structure, **141**, 373  
K<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (*M* = Pd,Zn,Cd,Hg), synthesis, structure, and optical and thermal properties, **138**, 321  
K<sub>2</sub>Sn<sub>4</sub>S<sub>9</sub> layered compounds, flux synthesis and characterization, **141**, 17  
KTb<sup>III</sup>Tb<sup>IV</sup>F<sub>12</sub>, synthesis and crystal structure, **139**, 248  
K<sub>4</sub>Zr<sub>6</sub>Br<sub>18</sub>C, structure, **139**, 85  
La<sub>1-x-y</sub>K<sub>x</sub>MnO<sub>3- $\delta$</sub> , synthesis, structure, and properties, **137**, 19
- Potential energy surface  
crystalline AB<sub>2</sub> systems, **136**, 233

## Powder neutron diffraction

- Ba<sub>3</sub>AlO<sub>4</sub>H, **141**, 570  
 RBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases (*R* = La,Nd,Sm,Gd,Dy,Er,Yb,Lu,Y), **136**, 21  
 RBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub> (*R* = Y,Sm,Eu,Gd,Tb,Dy,Er,Yb), **139**, 321  
 Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, **140**, 242  
 A<sub>4</sub>A'Ir<sub>2</sub>O<sub>9</sub> (*A* = Sr,Ba; *A'* = Cu,Zn), commensurate and incommensurate phases, **136**, 103  
 La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, **141**, 411  
 La<sub>2-x</sub>Nd<sub>x</sub>CuO<sub>4</sub> system, structural transitions, **140**, 345  
 La<sub>1-x</sub>Sr<sub>x</sub>CrO<sub>3</sub> (*x* = 0 ~ 0.25) perovskites, **141**, 404  
 La<sub>0.9</sub>Sr<sub>0.1</sub>Ga<sub>0.8</sub>Mg<sub>0.2</sub>O<sub>2.85</sub> at high temperature, **139**, 135  
 LiYO<sub>2</sub> doped with Eu<sup>3+</sup>, refinement of monoclinic and tetragonal structures at 77 and 383 K, **137**, 242  
 Mg<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub> and Mg<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>, crystal structure refinement by Rietveld analysis, **137**, 359  
 Nd<sub>4</sub>Ni<sub>3</sub>O<sub>8</sub>, **140**, 307  
 oxygen nonstoichiometry in Li-Mn-O spinel oxides, **135**, 132  
 Sn<sup>4+</sup>-doped indium oxide and In<sub>4</sub>Sn<sub>3</sub>O<sub>12</sub>, **135**, 140  
 Sn(Nd<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, **138**, 350  
 Ti(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>), **140**, 266  
 Y<sub>4</sub>Al<sub>2</sub>O<sub>9</sub> at high temperature, **141**, 466
- Powder X-ray diffraction
- Ba<sub>4</sub>(Ba<sub>x</sub>Pt<sub>1-x</sub><sup>2+</sup>)Pt<sub>2</sub><sup>4+</sup>O<sub>9</sub> twinned crystal, **140**, 201  
 RBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases (*R* = La,Nd,Sm,Gd,Dy,Er,Yb,Lu,Y), **136**, 21  
 Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>-MZrO<sub>3</sub> (*M* = Ba,Sr) system, hexagonal perovskites in, **141**, 492  
 BiO<sub>1.5</sub>-YbO<sub>1.5</sub>-CuO system, **139**, 398  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> and Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>10</sub>, **139**, 1  
 Bi<sub>2</sub>Te<sub>4</sub>O<sub>11</sub> phase transitions, **135**, 175  
 D3C-THF: analysis of cubic/tetragonal phase transition, **137**, 87  
 DySr<sub>2</sub>Cu<sub>2.7</sub>Cr<sub>0.3</sub>O<sub>7.2</sub> and DySr<sub>2</sub>Cu<sub>2.7</sub>Mo<sub>0.3</sub>O<sub>7.2</sub>, **141**, 522  
 EuI<sub>2</sub>-KI binary system, **136**, 134  
 Eu<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>4+δ</sub>, **141**, 99  
 fuel cell cathode materials lanthanum strontium manganates(III)(IV): *in situ* study of oxidation kinetics, **141**, 235  
 Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, **140**, 242  
 H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, **136**, 284  
*in situ* anomalous, with Rietveld refinement, in measurement of cation distribution in Fe<sub>2.75</sub>Ti<sub>0.25</sub>O<sub>4</sub>, **141**, 105  
 La<sub>2</sub>Co<sub>2</sub>O<sub>5</sub>, **141**, 411  
 La<sub>8</sub>Ti<sub>10</sub>S<sub>24</sub>O<sub>4</sub>, **136**, 46  
 LiNbO<sub>3</sub> and LiTaO<sub>3</sub> solid solutions with Mn<sup>2+</sup>, **140**, 168  
 LiNi(AsO<sub>4</sub>), **141**, 508  
 MIL-5 composite microporous compounds, **141**, 89  
 Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub>·2CH<sub>3</sub>OH, **136**, 247  
 Nb<sub>2</sub>O<sub>5</sub> modified at high pressure, **141**, 205  
 NH<sub>4</sub>VP<sub>2</sub>O<sub>7</sub>, **136**, 181  
 Ni<sub>y</sub>(Cr<sub>2-2x</sub>In<sub>2x</sub>)<sub>1-y</sub>S<sub>3-y</sub> spinel, **136**, 193  
 ScMnO<sub>3</sub> crystalline solids with liquid-mix disorder, **141**, 78  
 SrNb<sub>2</sub>S<sub>5</sub> and SrTa<sub>2</sub>S<sub>5</sub>, **135**, 325  
 TaReSe<sub>4</sub> layered crystals, structure, defect structure, microstructure, and rotation twins, **135**, 235  
 zinc phenylphosphonate thermal behavior and structural determination of γ-Zn<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, **140**, 62
- Powder X-ray thermodiffraction
- NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, **137**, 289
- Praseodymium
- Er<sub>5</sub>O(OPr<sup>i</sup>)<sub>13</sub>, synthesis and properties, **141**, 168  
 KPr<sup>III</sup>M<sub>2</sub><sup>IV</sup>F<sub>12</sub> (*M*<sup>IV</sup> = Tb,Zr,Hf), synthesis and crystal structure, **139**, 248  
 La<sub>2-x</sub>Pr<sub>x</sub>NiO<sub>4+δ</sub>, magnetic properties, **138**, 260  
 Pr<sup>4+</sup>, doped in BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, EPR study, **138**, 329  
 Pr(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259  
 in Pr-doped zircon, valence and localization, **139**, 412

Pr<sub>1-x</sub>A<sub>x</sub>MnO<sub>3</sub> (*A* = Ca,Sr), charge-ordered, effect of internal pressure, letter to editor, **135**, 169

Pr<sub>1-x</sub>Nd<sub>x</sub>TiO<sub>3</sub> (0 ≤ *x* ≤ 1), magnetic studies, letter to editor, **137**, 181

PrPtAl, magnetic structure, **140**, 233

Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201

## Pressure

effects on (K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub> perovskites, **141**, 121

GeSe<sub>2</sub> amorphization induced by, analysis, **141**, 248

induction of phase transformation of LiIn and LiCd from NaTi-type phases to β-brass-type alloys, **137**, 104

internal, effect on charge-ordered rare earth manganates, letter to editor, **135**, 169

## Protons

conduction in polymer/brushite composites, percolation and modeling, **141**, 392

locations in H<sub>x</sub>MoO<sub>3</sub> bronze, **141**, 255

## Pseudobrookite

nonstoichiometric Li-pseudobrookite(ss) in Li<sub>2</sub>O-Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> system, **141**, 221

related MgTi<sub>2</sub>O<sub>5</sub>, crystal chemistry of cation order-disorder in, **138**, 238

## Pyrochlores

Bi<sub>1.74</sub>Ti<sub>2</sub>O<sub>6.62</sub>, synthesis and structure, **136**, 63

defect, NH<sub>4</sub>NbWO<sub>6</sub>, crystal structure and phase transition, **141**, 537

Lewisite, mixed valency, cation site splitting, and symmetry reduction, **141**, 562

A<sub>2</sub>M<sub>2</sub>O<sub>7-y</sub> (*M* = Ru,Ir), structural and electronic properties, **136**, 269

Pb<sub>2</sub>Re<sub>2</sub>O<sub>7-x</sub>, synthesis and structure, **138**, 220

Tl<sub>2</sub>Ru<sub>2</sub>O<sub>7-δ</sub>, high-pressure synthesis, crystal structure, and metal-semiconductor transitions, **140**, 182

## Pyrolysis

synthesis of doped and undoped nanopowders of tetragonal polycrystalline zirconia by spray pyrolysis, **141**, 191

## PZT thin films

preparation on stainless steel using electrochemical reduction, **136**, 293

## Q

## Quantum chemistry

Mn<sup>2+</sup>-doped AlF<sub>3</sub>, *ab initio* calculations, and ESR studies, **139**, 27

MO<sub>2</sub> (*M* = Ba,Sr,Ca,Mg,Be), *ab initio* study of structure and stability, **140**, 103

## Quotient graphs

isomorphic, geometrical relationships between nets mapped on, **138**, 55

## R

## Raman spectroscopy

BaFe<sub>12</sub>O<sub>19</sub> hexagonal ferrite, **137**, 127

α-Ca<sub>3</sub>N<sub>2</sub>, **137**, 33

β-Cs<sub>3</sub>(HSO<sub>4</sub>)<sub>2</sub>[H<sub>2-x</sub>(P<sub>1-x</sub>S<sub>x</sub>)O<sub>4</sub>] (*x* ~ 0.5) superprotonic conductor, **139**, 373

diglycine hydrogen selenite crystals, **140**, 71

effect of supported Na<sup>+</sup> on ZrO<sub>2</sub> texture properties, **138**, 41

Mg<sub>3</sub>N<sub>2</sub>, **137**, 33

monoglycine-selenous acid crystals, **140**, 71

NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, **137**, 289

order-disorder phase transition in bicyclononane, **136**, 16

oxygen release behavior of CeZrO<sub>4</sub> powders and appearance of compounds κ and T\*, **138**, 47

SnO<sub>2</sub> nanocrystals, structural study, **135**, 78

## Ramsdellites

LiTi<sub>2</sub>O<sub>4</sub> and Li<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub>, linked in solid solutions, X-ray and neutron diffraction studies, **141**, 365

## Rhenium

Mn(ReO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O, crystal structure, **138**, 232

- Pb<sub>2</sub>Re<sub>2</sub>O<sub>7-x</sub> pyrochlores, synthesis and structure, **138**, 220  
 ReO<sub>3</sub>, intersecting tunnel structure related to, tungstioniobium mono-phosphates with, **136**, 305  
*M*(ReO<sub>4</sub>)<sub>2</sub> (*M* = Mn, Co, Ni, Zn) anhydrous perhenates, crystal structure, **138**, 232  
 SbRe<sub>2</sub>O<sub>6</sub> with Re–Re bond, preparation, crystal structure, and electrical resistivity, **138**, 245  
 TaReSe<sub>4</sub> layered crystals, structure, defect structure, microstructure, and rotation twins, **135**, 235
- Rheology  
 aciculate ultrafine  $\alpha$ -FeOOH particles under alkaline conditions, **141**, 94
- Rhodium  
 Sr<sub>3</sub>MRhO<sub>6</sub> with K<sub>4</sub>CdCl<sub>6</sub> structure  
*M* = Sm, Eu, Tb, Dy, Ho, Er, Yb, synthesis, characterization, and magnetic properties, **139**, 79  
*M* = Y, Sc, In, synthesis and characterization, **139**, 416
- Rietveld refinement  
 Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>7+</sup> cluster encapsulated into MoS<sub>2</sub> and WS<sub>2</sub>, **139**, 22  
 RBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub> (*R* = Y, Sm, Eu, Gd, Tb, Dy, Er, Yb), **139**, 321  
*Ln*(ClO<sub>4</sub>)<sub>3</sub> (*Ln* = La, Ce, Pr, Sm, Eu, Ho, Er, Tm, Lu), **139**, 259  
 DySr<sub>2</sub>Cu<sub>2.7</sub>Cr<sub>0.3</sub>O<sub>7.2</sub> and DySr<sub>2</sub>Cu<sub>2.7</sub>Mo<sub>0.3</sub>O<sub>7.2</sub>, **141**, 522  
 Eu<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>4+ $\delta$</sub> , **141**, 99  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> doped with Mg<sup>2+</sup>, **140**, 428  
 Ga<sub>3-x</sub>In<sub>5+x</sub>Sn<sub>2</sub>O<sub>16</sub>, **140**, 242  
 and *in situ* anomalous powder diffraction, in measurement of cation distribution in Fe<sub>2.5</sub>Ti<sub>0.25</sub>O<sub>4</sub>, **141**, 105  
 (La<sub>0.1</sub>Ca<sub>0.9</sub>)(Mn<sub>1-x</sub>Ge<sub>x</sub>)O<sub>3</sub>, **140**, 431  
 La<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub>, **140**, 320  
 LiNi(AsO<sub>4</sub>), **141**, 508  
 LiTi<sub>2</sub>O<sub>4</sub> and Li<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub>, ramsdellites linked in solid solutions, X-ray and neutron studies, **141**, 365  
 Mg<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub> and Mg<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>, analysis of neutron powder diffraction data, **137**, 359  
 Mn<sub>4</sub>Ta<sub>2</sub>O<sub>9</sub>, **137**, 276  
 Nd<sub>4</sub>Cu<sub>2</sub>O<sub>7</sub>, cooperatively distorted T' type structure, **136**, 137  
 NH<sub>4</sub>NbWO<sub>6</sub> defect pyrochlore, **141**, 537  
 nonstoichiometric Li-pseudobrookite(ss) in Li<sub>2</sub>O–Fe<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> system, **141**, 221  
 Sr<sub>3</sub>MRhO<sub>6</sub>, with K<sub>4</sub>CdCl<sub>6</sub> structure-type  
*M* = Sm, Eu, Tb, Dy, Ho, Er, Yb, **139**, 79  
*M* = Y, Sc, In, **139**, 416  
 Y<sub>4</sub>Al<sub>2</sub>O<sub>9</sub> at high temperature, **141**, 466  
 Zr<sub>3</sub>Te and Zr<sub>5</sub>Te<sub>4</sub>, **139**, 213
- Rotation twins  
 in TaReSe<sub>4</sub> layered crystals, electron microscopic and X-ray diffraction analysis, **135**, 235
- Rubidium  
 Rb<sub>2</sub>CdCl<sub>4</sub>, X-ray diffraction and electronic structure, **140**, 371  
 RbCe<sub>3</sub>Te<sub>8</sub>, flat Te nets of, site occupancy wave and infinite zigzag (Te<sub>2</sub><sup>-</sup>)<sub>n</sub> chains in, **135**, 111  
 RbCl/TmCl<sub>3</sub>, phase diagrams and thermodynamics, **135**, 127  
 Rb<sub>2</sub>MoO<sub>2</sub>As<sub>2</sub>O<sub>7</sub>, preparation and crystal structure, **141**, 500  
 RbMoOPO<sub>4</sub>Cl, synthesis and layer structure, **137**, 214  
 Rb<sub>12</sub>Nb<sub>6</sub>Se<sub>35</sub> polymer with infinite anionic chains built up by Nb<sub>2</sub>Se<sub>11</sub> units containing Se<sub>3</sub><sup>-</sup> fragment, synthesis, structure, and properties, **140**, 97  
 RbNb<sub>4</sub>WO<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
 Rb<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (*M* = Pd, Zn, Cd, Hg), synthesis, structure, and optical and thermal properties, **138**, 321  
 Rb<sub>3</sub>MS<sub>4</sub> (*M* = Nb, Ta), synthesis and crystal structure, **139**, 404  
 Rb<sub>3</sub>Sc<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, synthesis and structure determination by synchrotron single crystal methods, **139**, 299
- Rb<sub>3</sub>Sn(PSe<sub>3</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79  
 Rb<sub>2</sub>Sn<sub>4</sub>S<sub>9</sub> layered compounds, flux synthesis and characterization, **141**, 17
- Ruddlesden–Popper phases  
 Sr<sub>2</sub>LnMn<sub>2</sub>O<sub>7</sub> (*Ln* = Y, La, Nd, Eu, Ho), HRTEM study, **138**, 135  
 Sr<sub>3</sub>Mn<sub>2</sub>O<sub>7</sub>, crystal and magnetic structures, letter to editor, **141**, 599
- Ruthenium  
 Ca<sub>3</sub>Co<sub>1+x</sub>Ru<sub>1-x</sub>O<sub>6</sub>, one-dimensional oxides, synthesis and magnetic properties, **140**, 14  
 A<sub>2</sub>Ru<sub>2</sub>O<sub>7-y</sub>, pyrochlores, structural and electronic properties, **136**, 269  
 Ru–Y system, calorimetric study with phase diagram optimization, **138**, 302  
 Ti<sub>2</sub>Ru<sub>2</sub>O<sub>7- $\delta$</sub>  pyrochlore, high-pressure synthesis, crystal structure, and metal–semiconductor transitions, **140**, 182  
 [(ZrO<sub>2</sub>)<sub>0.92</sub>(Y<sub>2</sub>O<sub>3</sub>)<sub>0.08</sub>]<sub>1-x</sub>(RuO<sub>2</sub>)<sub>x</sub> (0 ≤ *x* ≤ 0.1) ceramics, preparation and electrical characterization, **141**, 282
- S
- Samarium  
 KSm<sup>III</sup>M<sup>IV</sup>F<sub>12</sub> (*M*<sup>IV</sup> = Tb, Zr, Hf), synthesis and crystal structure, **139**, 248  
 NaSmTiO<sub>4</sub> layered perovskites, magnetic properties, **138**, 342  
 Sm<sup>3+</sup>, doping of Na<sub>2</sub>SO<sub>4</sub>, effect on electrical conductivity, **138**, 369  
 SmAlO<sub>3</sub> perovskite, stability, calorimetric study, **141**, 424  
 SmBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+x</sub> phases, powder neutron and X-ray diffraction studies, **136**, 21  
 SmBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub>, preparation and crystal structure, **139**, 321  
 Sm<sub>3</sub>(BO<sub>3</sub>)<sub>2</sub>F<sub>3</sub>, *ab initio* structure determination, **139**, 52  
 Sm(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259  
 Sm<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424  
 Sm<sub>3</sub>NbSe<sub>3</sub>O<sub>4</sub>, synthesis and structure, **137**, 122  
 Sm<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201  
 SmTe<sub>2-x</sub> semiconductor, superstructure, **140**, 300  
 Sm<sub>1-x</sub>TiO<sub>3</sub> (*x* = 0.03, 0.05, 0.10), magnetic properties, **141**, 262  
 Sr<sub>3</sub>SmRhO<sub>6</sub>, synthesis, characterization, and magnetic properties, **139**, 79
- Scandium  
 BaScO<sub>2</sub>F perovskite, synthesis and structure, **139**, 422  
 Na<sub>3</sub>ScF<sub>6</sub>, single-crystal high-pressure studies, **135**, 116  
 Rb<sub>3</sub>Sc<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, synthesis and structure determination by synchrotron single crystal methods, **139**, 299  
 ScAl<sub>3</sub>C<sub>3</sub>, crystal structure, **140**, 396  
 ScMnO<sub>3</sub> crystalline solids, liquid-mix disorder in, **141**, 78  
 ScNiP, Sc–Sc bonding in, **137**, 218  
 Sc<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub>, negative thermal expansion, **137**, 148  
 Sr<sub>3</sub>ScRhO<sub>6</sub> with K<sub>4</sub>CdCl<sub>6</sub> structure, synthesis and characterization, **139**, 416  
 substitution for Mn in Eu<sub>3</sub>Ba<sub>2</sub>Mn<sub>2</sub>Cu<sub>2</sub>O<sub>12</sub>, effects on electronic and magnetic properties, **141**, 546
- Selenium  
 Ag<sub>2</sub>Se chalcogenides, sonochemical synthesis, **138**, 131  
 Cr(SeO<sub>2</sub>OH)(Se<sub>2</sub>O<sub>5</sub>), modifications of, crystal structures and electronic absorption spectra, **135**, 70  
 Cr<sub>2</sub>Sn<sub>3</sub>Se<sub>7</sub>, spin glass-like behavior, **137**, 249  
 Cs<sub>2</sub>PdSe<sub>8</sub>, synthesis and open framework structure with double helical assemblies of [Pd(Se<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>, letter to editor, **140**, 149  
 Cs<sub>3</sub>(HSeO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>), synthesis and crystal structure, **141**, 317  
 Cs<sub>5</sub>(HSeO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, synthesis and crystal structure, **141**, 317  
 Cs<sub>4</sub>(SeO<sub>4</sub>)(HSeO<sub>4</sub>)<sub>2</sub>(H<sub>3</sub>PO<sub>4</sub>), synthesis and crystal structure, **141**, 317  
 $\alpha$ Cu<sub>2</sub>Se and Cu<sub>3</sub>Se<sub>2</sub> chalcogenides, sonochemical synthesis, **138**, 131  
 diglycine hydrogen selenite, crystal structure, vibrational spectra, and DSC measurement, **140**, 71  
 GeSe<sub>2</sub>, pressure-induced amorphization, **141**, 248

- $K_4In_2(PSe_5)_2(P_2Se_6)$ , one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79
- $La_xMo_6Se_8$  Chevrel-phase superconductor  
correlation of  $T_c$  and interatomic distances, **136**, 151  
physical and superconducting properties, **136**, 160  
monoglycine-selenious acid crystals, vibrational spectra and DSC measurement, **140**, 71
- $Na_2SeO_3$ , synthesis in vibrational mill by mechanochemical activation of  $(SeO_2 + Na_2CO_3)$  mixture, **135**, 256
- $A_2MP_2Se_6$  ( $A = K, Rb, Cs$ ;  $M = Pd, Zn, Cd, Hg$ ), synthesis, structure, and optical and thermal properties, **138**, 321
- $Rb_{12}Nb_6Se_{35}$  polymer with infinite anionic chains built up by  $Nb_2Se_{11}$  units containing  $Se_3^{4-}$  fragment, synthesis, structure, and properties, **140**, 97
- $Rb_3Sn(PSe_5)(P_2Se_6)$ , one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79
- $(SeO_2 + Na_2CO_3)$  mixture, mechanochemical activation for synthesis of  $Na_2SeO_3$  in vibrational mill, **135**, 256
- $Sm_3NbSe_3O_4$ , synthesis and structure, **137**, 122
- $Sr_{10}[Sb_7O_{13}(OH)]_2[SbSe_3]_2Se \cdot 2H_2O$ , synthesis and crystal structure, **140**, 134
- $TaReSe_4$  layered crystals, structure, defect structure, microstructure, and rotation twins, **135**, 235
- Semiconductors  
 $Ag_{0.7}Mo_3O_7(PO_4)$  bronze built up from  $ReO_3$ -type slabs, **140**, 128  
 $KBi_3S_5$ , open-framework, preparation of topotactic derivatives of, letter to editor, **136**, 328  
 $SmTe_{2-x}$ , superstructure, **140**, 300
- Semiconductor-to-metal transition  
 $Sr_{1-x}La_xMo_5O_8$  ( $0 \leq x \leq 1$ ), **138**, 7
- Shock synthesis  
 $REBa_2Cu_3O_y$  ( $RE = Y, Eu, La$ ), effect of ionic radius difference of  $RE^{3+}$  and  $Ba^{2+}$ , **136**, 74
- Silicate heterostructures  
layered, staging of organic and inorganic gallery cations in, **139**, 281
- Silicon  
 $Ce-Al-(Si, Ge)$  systems, phase equilibria and physical properties, **137**, 191  
 $CuAl_2Si_2O_7(F, OH)_2$ , hydrothermal synthesis, crystal structure, and properties, **141**, 527  
 $MgO-SiO_2$  systems, mechanochemical reactions, role of water, **138**, 169  
 $Na-Fe/SiO_2$  catalysts, surface coordinate geometry: formation of tetrahedral/octahedral site on silica surface, **137**, 325  
 $Nd_6Ni_{2-x}Si_3$  and  $Nd_{42}Ni_{22-x}Si_{31}$ , crystal structure and chemistry, **137**, 302  
 $R_3Si_2C_2$  ( $R = Y, La-Nd, Sm, Gd-Tm$ ), magnetic and electrical properties, **138**, 201  
 $M_2Si$  intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218  
 $Si_x(Ta, Nb)Te_2$ , structural and microstructural aspects, **139**, 105
- Silver  
admixture in  $Sb_2Te_3$  and  $Bi_2Te_3$  single crystals, behavior of, **140**, 29  
 $AgI:Ag_2MoO_4$  system, phase diagram: devitrification and metastability, **140**, 91  
 $Ag_{0.7}Mo_3O_7(PO_4)$  bronze built up from  $ReO_3$ -type slabs, synthesis, structure, and properties, **140**, 128  
 $AgXPO_4$  ( $X = Be, Zn$ ), crystal structures and crystal chemistry, **141**, 177  
 $Ag_2Se$  chalcogenides, sonochemical synthesis, **138**, 131  
 $GdAgGe$  antiferromagnet, structure, bonding, magnetic susceptibility, and  $^{155}Gd$  Mössbauer spectroscopy, **141**, 352  
ion distribution and flow in one-dimensional ionic conductor  $[(CH_3)_2N(CH_2CH_2)_2O]Ag_4I_5$ , cooperative disorder model, **140**, 1  
metal formation from hemioxides by low-energy mechanochemistry, **136**, 51  
 $V-Ag$  catalysts, temperature-programmed reduction, **141**, 186
- Site occupancy wave  
in flat  $Te$  nets of  $ALn_3Te_8$ , **135**, 111
- Sodium  
 $Cs/Na$  ion exchange on hydrated molybdenum bronze and synthesis of cesium molybdenum bronze at low temperature, **137**, 12  
 $H_2O-Na_2SO_4-Na_2HPO_4$  system, isotherms, conductivity measurements, **140**, 316  
 $(K_xNa_{1-x})MgF_3$  perovskites, crystal chemistry and phase transitions in  $P-T-X$  space, **141**, 121  
 $La_{1-x-y}Na_xMnO_{3-\delta}$ , synthesis, structure, and properties, **137**, 19  
 $Na_5[B_2P_3O_{13}]$ , hydrothermal and microwave-assisted synthesis, letter to editor, **140**, 154  
 $Na_3Fe_2(AsO_4)_3$ , cationic substitutions, associated transition from garnet to alluaudite structure, **137**, 112  
 $NaFe_{3.67}(PO_4)_3$ , hydrothermal synthesis, structure, and characterization, **139**, 152  
 $Na-Fe/SiO_2$  catalysts, surface coordinate geometry: formation of tetrahedral/octahedral site on silica surface, **137**, 325  
 $Na_{x-\delta}Fe_xTi_{2-x}O_4$  ( $x = 0.875, 0 \leq \delta \leq 0.40$ ), conductivity, **137**, 168  
 $Na_2Ge_4O_9$ , structure, **140**, 175  
 $Na_xK_{1-x}Bi_3S_5$ , preparation, letter to editor, **136**, 328  
 $NaLa_9(GeO_4)_6O_2$  apatite, single-crystal growth and structure determination, **139**, 304  
 $Na_{1/2+x}La_{1/2-3x}Th_{2x}TiO_3$  perovskite series, structural study, **138**, 307  
 $NaMoO_3F$ , oxygen/fluorine ordering in,  $^{19}F$  MAS and  $^{19}F-^{113}Cd$  REDOR NMR study, **140**, 285  
 $NaNi(AsO_4)$ , spectroscopic and magnetic properties, **141**, 508  
 $NaNO_3$ , dispersion on  $ZrO_2$ : effect of supported  $Na^+$  on  $ZrO_2$  texture properties, **138**, 41  
 $NaPb_4(VO_4)_3$  with anion-deficient apatite structure, **141**, 373  
 $Na_4P_2S_6 \cdot 6H_2O$ , single-crystal structure determination, **141**, 274  
 $Na_3MS_4$  ( $M = Nb, Ta$ ), synthesis and crystal structure, **139**, 404  
 $Na_3ScF_6$ , single-crystal high-pressure studies, **135**, 116  
 $Na_2SeO_3$ , synthesis in vibrational mill by mechanochemical activation of  $(SeO_2 + Na_2CO_3)$  mixture, **135**, 256  
 $Na_2SO_4$ , electrical conductivity, effect of aliovalent cation doping, **138**, 183  
 $NaNLnTiO_4$  ( $Ln = Sm, Eu, Gd$ ) layered perovskites, magnetic properties, **138**, 342  
 $NaTl$ ,  $LiIn$  and  $LiCd$  phases resembling, pressure-induced transformation into  $\beta$ -brass-type alloys, **137**, 104  
 $(SeO_2 + Na_2CO_3)$  mixture, mechanochemical activation for synthesis of  $Na_2SeO_3$  in vibrational mill, **135**, 256
- Soft chemistry  
 $CuInP_2S_6$  and  $Sn_2P_2S_6$  forms prepared by, **141**, 290  
 $Fe_{2.5}Ti_{0.5}O_4$  nanocrystal synthesis, **139**, 66
- Sol-gel synthesis  
 $Al_2O_3-TiO_2$  nanocrystals, **141**, 70  
 $Ln_2Ba_2Cu_2Ti_2O_{11-\delta}$  ( $Ln = La, Nd, Eu, Tb$ ), and simultaneous oxidation, **138**, 141  
 $LaGaO_3$  perovskite-type oxide-ion conductor doped with  $Sr$  and  $Mg$ , **136**, 274  
 $TiO_2$  derived from,  $Cu^{2+}$  ions in, TPR, ESR, and XPS study, **138**, 1  
ultrafine rare earth molybdenum complex oxide particles, **140**, 354  
 $ZrO_2$  prepared by, tetragonal nanophase stabilization, **135**, 28  
 $[(ZrO_2)_{0.92}(Y_2O_3)_{0.08}]_{1-x}(RuO_2)_x$  ( $0 \leq x \leq 0.1$ ) ceramics, **141**, 282  
 $Zr_xTi_{1-x}O_2$  ( $x = 0.22, 0.39, 0.60$ ) prepared by, thermal decomposition and phase analysis, **139**, 225
- Solid solutions  
 $BaHf_{1-x}Zr_xN_2$ , synthesis, structure, and magnetic properties, **137**, 62  
 $6H-Ba(Ti, Fe^{3+}, Fe^{4+})O_{3-\delta}$ , structural analysis, **135**, 312  
 $Bi(Bi_{12-x}Te_xO_{14})Mo_{4-x}V_{1+x}O_{20}$  ( $0 \leq x \leq 2.5$ ), synthesis and structural evolution, **139**, 185

- $(1-x)\text{Bi}_2\text{O}_3 \cdot x\text{CaO}$ ,  $\gamma$ -type, short-range order in, electron diffraction study and relationship to low-temperature  $\text{Ca}_4\text{Bi}_6\text{O}_{13}$ , **135**, 201
- CaO–MnO solid solutions, energies of mixing, *ab initio* Hartree–Fock study, **137**, 261
- $\text{LiNbO}_3$  and  $\text{LiTaO}_3$  with  $\text{Mn}^{2+}$ , preparation and characterization, **140**, 168
- $\text{LiTi}_2\text{O}_4$  and  $\text{Li}_2\text{Ti}_3\text{O}_7$  ramsdellites linked in, X-ray and neutron diffraction studies, **141**, 365
- MgO–MnO solid solutions, energies of mixing, *ab initio* Hartree–Fock study, **137**, 261
- MnO–NiO solid solutions, energies of mixing, *ab initio* Hartree–Fock study, **137**, 261
- $\text{Ni}_{1+m}\text{Sn}_{1-x}\text{P}_x$ , B8-type, Sn/P and interstitial Ni ordering in, electron diffraction study, **136**, 125
- $\text{Pb}_2\text{MgW}_x\text{Te}_{(1-x)}\text{O}_6$ , dielectric measurements, DSC, structure, and phase diagram, **139**, 332
- $\text{Sr}_{2-x}\text{Pb}_x(\text{VO})(\text{VO}_4)_2$ , structural, IR, and magnetic studies, **140**, 417
- Solvothermal synthesis
- $\text{Li}_{1-x}\text{Fe}_{5+x}\text{O}_8$  obtained by, magnetic properties, **141**, 554
  - $\text{MoS}_2$  nanocrystals from  $\text{MoO}_3$  and elemental sulfur, **141**, 270
- Sonochemical synthesis
- copper and silver chalcogenides, **138**, 131
- Sorption
- Cs on  $\text{Cu}_2^{\text{II}}\text{Fe}^{\text{II}}(\text{CN})_6$  and  $\text{Cu}_3^{\text{I}}[\text{Fe}^{\text{III}}(\text{CN})_6]_2$ , mechanisms, relationship to crystal structure, **141**, 475
- Sphalerite structure
- ordering of metal atoms in, **138**, 334
- Spinel
- $\text{MeAl}_2\text{O}_4$  ( $\text{Me} = \text{Ni, Co, Cu, Fe}$ ), formation from  $\alpha$ - and  $\gamma$ - $\text{Al}_2\text{O}_3$ -supported oxides, **135**, 59
  - $\text{Co}_x\text{Cu}_{1-x}\text{Fe}_2\text{O}_4$  powders, cation migration and coercivity in, **141**, 56
  - $\text{Fe}_2\text{Mo}_{1-x}\text{Ti}_x\text{O}_4$ , electrical resistivity and thermoelectric power measurements, **140**, 56
  - $\text{Li}_{0.8}[\text{Co}_2]\text{O}_4$ , structural features, **140**, 116
  - Li–Mn–O oxides
    - oxygen nonstoichiometry, powder neutron diffraction study, **135**, 132
    - synthesis and structure, **139**, 290
  - mechanosynthesized zinc ferrite, structural disorder in, **135**, 52
  - $\text{Ni}_y(\text{Cr}_{2-2x}\text{In}_{2x})_{1-y}\text{S}_{3-y}$ , decomposition and X-ray powder diffraction, **136**, 193
  - precipitation in Al-doped  $\text{Ni}_{1-x}\text{O}$ , **140**, 38
  - Zn–Mn spinel ferrites, nanocrystals obtained by high-energy ball milling, chemical homogeneity, **141**, 10
- Spin-glass behavior
- compounds with  $\text{YbFe}_2\text{O}_4$ -type structure, **140**, 337
  - $\text{Cr}_2\text{Sn}_3\text{Se}_7$ , **137**, 249
- Spin–lattice relaxation times
- order–disorder phase transition in bicyclononane, **136**, 16
- Spray pyrolysis
- synthesis of doped and undoped nanopowders of tetragonal polycrystalline zirconia, **141**, 191
- Stability
- AgI:Ag<sub>2</sub>MoO<sub>4</sub> system metastability, **140**, 91
  - $\text{Bi}_2\text{Sr}_2\text{Co}_{6+\delta}$  ceramic, **136**, 1
  - lanthanide aluminum oxide and lanthanide gallium oxide perovskites and garnets, calorimetric study, **141**, 424
  - $\text{MO}_2$  ( $M = \text{Ba, Sr, Ca, Mg, Be}$ ), *ab initio* quantum mechanical study, **140**, 103
  - $\text{Ti}_2(\text{MoO}_3)_3\text{PO}_3\text{CH}_3$ , **138**, 365
- Stainless steel
- PZT thin film preparation on, with electrochemical reduction, **136**, 293
- Stereochemistry
- $\text{Pb}^{2+} 6s^2$  lone pair effect in  $\text{Sr}_{2-x}\text{Pb}_x(\text{VO})(\text{VO}_4)_2$  solid solutions, **140**, 417
  - $\text{Pb}^{\text{II}}$  lone pair in  $\text{Pb}^{\text{II}}\text{Sn}^{\text{IV}}(\text{PO}_4)_2$ , **137**, 283
  - Sb(III) lone pair in  $[(\text{CH}_3\text{NH}_3)_{1.03}\text{K}_{2.97}]\text{Sb}_{12}\text{S}_{20} \cdot 1.34\text{H}_2\text{O}$ , **140**, 387
- Strontium
- $\text{Ba}_5\text{Ta}_4\text{O}_{15}$ – $\text{SrZrO}_3$  system, hexagonal perovskites in, synthesis and structural study, **141**, 492
  - $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ , transformation to  $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ , **139**, 1
  - $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ , heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98
  - $\text{Bi}_2\text{Sr}_2\text{Co}_{6+\delta}$  ceramic, stability, oxygen nonstoichiometry, and transformations, **136**, 1
  - $\text{Bi}_{3.6}\text{Sr}_{12.4}\text{Mn}_8\text{O}_{28+\delta}$ , with tubular structure, synthesis and crystal chemistry, **138**, 278
  - $(\text{Ca}_{1-x}\text{Sr}_x)\text{MnO}_3$ , Mn–O–Mn angles in, relationship to electrical properties, **137**, 82
  - $\text{Ca}_{1-x}\text{Sr}_x\text{NbO}_3$  ( $0 \leq x \leq 1$ ) perovskite-type phases, synthesis, structure, and electron microscopy, **141**, 514
  - CaTiO<sub>3</sub>/SrTiO<sub>3</sub> system, structures in, **139**, 238
  - $\text{DySr}_2\text{Cu}_{2.7}\text{Cr}_{0.3}\text{O}_{7.2}$  and  $\text{DySr}_2\text{Cu}_{2.7}\text{Mo}_{0.3}\text{O}_{7.2}$ , crystal structures, **141**, 522
  - $\text{Eu}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$ , preparation, crystal structure, and reducibility, **141**, 99
  - $\text{IBi}_2\text{Sr}_2\text{CaCu}_2\text{O}_y$ , superconducting intercalates, charge transfer– $T_c$  relationship, **138**, 66
  - $\text{LaGaO}_3$  perovskite-type oxide-ion conductor doped with, wet chemical synthesis, **136**, 274
  - $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$  ( $0.5 \leq x \leq 0.9$ ) perovskite, synthesis and properties, **139**, 388
  - $\text{La}_{2-x}\text{Sr}_x\text{CoO}_4$  ( $0.25 \leq x \leq 1.10$ ), polaronic conduction below room temperature, **139**, 176
  - $\text{La}_{1-x}\text{Sr}_x\text{CrO}_3$  ( $x = 0 \sim 0.25$ ) perovskites, magnetic and neutron diffraction study, **141**, 404
  - $\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{2.85}$ , high-temperature powder neutron diffraction study, **139**, 135
  - $\text{La}_{1-x}\text{Sr}_x\text{MnO}_{3.00}$ , oxidation kinetics, *in situ* powder diffraction studies, **141**, 235
  - $\text{LiI}_3\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  layered cuprate, synthesis and characterization, **141**, 452
  - $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , charge-ordered states, distinction based on chemical melting, **137**, 365
  - $\text{Nd}_{2-x}\text{Sr}_x\text{NiO}_y$ , hole-doped and reduced compounds, nickel oxidation state and magnetic properties, **140**, 278
  - $\text{Sr}^{2+}$ , doping of  $\text{Na}_2\text{SO}_4$ , effect on electrical conductivity, **138**, 369
  - $\text{Sr}_2\text{BN}_2\text{X}$  ( $\text{X} = \text{F, Cl}$ ), compounds with isolated  $\text{BN}_2^-$  units, **135**, 194
  - $\text{SrCO}_3$ , thermal decomposition, modeling based on lattice energy changes, **137**, 332
  - $\text{Sr}_{39}\text{Co}_{12}\text{N}_{31}$ , synthesis, structure, and magnetic properties, **141**, 1
  - $\text{Sr}_{2-x}\text{A}_x\text{CuO}_2\text{F}_{2+\delta}$  ( $\text{A} = \text{Ca, Ba}$ ) superconductors, synthetic pathways and associated structural rearrangements, **135**, 17
  - $\text{Sr}_4(\text{Fe}_{1-x}\text{Co}_x)_6\text{O}_{13\pm\delta}$  mixed-conducting materials, structure and property relationships, **141**, 576
  - $\text{Sr}_4\text{A}'\text{Ir}_2\text{O}_9$  ( $\text{A}' = \text{Cu, Zn}$ ), commensurate and incommensurate phases, **136**, 103
  - $\text{Sr}_{1-x}\text{La}_x\text{Mo}_5\text{O}_8$  ( $0 \leq x \leq 1$ ), synthesis and metallic properties, **138**, 7
  - $\text{Ln}_{1-x}\text{Sr}_x\text{MnO}_3$  ( $\text{Ln} = \text{La, Pr, Nd}$ ), charge-ordered, effect of internal pressure, letter to editor, **135**, 169
  - $\text{Sr}_2\text{LnMn}_2\text{O}_7$  ( $\text{Ln} = \text{Y, La, Nd, Eu, Ho}$ ), Ruddlesden–Popper phases, HRTEM study, **138**, 135
  - $\text{Sr}_3\text{Mn}_2\text{O}_7$ , crystal and magnetic structures, letter to editor, **141**, 599
  - $\text{Sr}_2\text{NbN}_3$ , synthesis and structural characterization, **138**, 297
  - $\text{Sr}_4\text{Nb}_4\text{O}_{14}$ – $\text{Sr}_5\text{Nb}_4\text{O}_{15}$ – $\text{SrTiO}_3$  system, perovskite-related phases in, **135**, 260
  - $\text{SrNb}_2\text{S}_5$ , metallic characteristics, **135**, 325
  - $\text{Sr}_4\text{Ni}_3\text{O}_9$ , hexagonal perovskites with one-dimensional structures related to, electron microscopy, **135**, 1

- SrO<sub>2</sub>  
 structure and stability, *ab initio* quantum mechanical study, **140**, 103  
 thermal decomposition, modeling based on lattice energy changes, **137**, 346
- Sr<sub>2-x</sub>Pb<sub>x</sub>(VO)(VO<sub>4</sub>)<sub>2</sub> solid solutions, structural, IR, and magnetic studies, **140**, 417
- Sr<sub>3</sub>MRhO<sub>6</sub> with K<sub>4</sub>CdCl<sub>6</sub> structure  
 $M = \text{Sm, Eu, Tb, Dy, Ho, Er, Yb}$ , synthesis, characterization, and magnetic properties, **139**, 79  
 $M = \text{Y, Sc, In}$ , synthesis and characterization, **139**, 416
- Sr<sub>10</sub>[Sb<sub>7</sub>O<sub>13</sub>(OH)]<sub>2</sub>[SbSe<sub>3</sub>]<sub>2</sub>Se · 2H<sub>2</sub>O, synthesis and crystal structure, **140**, 134
- SrTa<sub>2</sub>S<sub>5</sub>, superconductivity, **135**, 325
- Structure, *see also* Crystal structure  
 AB<sub>2</sub> crystalline systems, candidates for, determination, **136**, 233  
 activated sintered boron carbide-based materials, **137**, 1  
 alkyltrimethylammonium chromates, **139**, 310  
 BaCo<sub>1-x</sub>Cu<sub>x</sub>S<sub>2-y</sub> layered sulfide, **138**, 111  
 BaHf<sub>1-x</sub>Zr<sub>x</sub>N<sub>2</sub> solid solution, **137**, 62  
 6H-Ba(Ti,Fe<sup>3+</sup>,Fe<sup>4+</sup>)O<sub>3-δ</sub> solid solution, **135**, 312  
 Bi<sub>2</sub>O<sub>3</sub> systems with Nb<sub>2</sub>O<sub>5</sub>, Ta<sub>2</sub>O<sub>5</sub>, MoO<sub>3</sub>, or WO<sub>3</sub>, review, **137**, 42  
 Bi<sub>2</sub>S<sub>3</sub> thin films prepared by thermal evaporation and chemical bath deposition, **136**, 167  
 Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+δ</sub>, heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98  
 Bi<sub>1.74</sub>Ti<sub>2</sub>O<sub>6.62</sub> pyrochlore, **136**, 63  
 C<sub>60</sub>, high-pressure polymeric phases, packing moels, **141**, 164  
 calcium-lead hydroxyapatites, **135**, 86  
 CaVO<sub>3-δ</sub> oxygen-deficient phases, **135**, 36  
 (Co,Ni,Cu)<sub>1+x</sub>(Ge,Sn) B8-type phases, computer simulation of modulated structures, **135**, 269  
 cristobalite-related oxides, review, **141**, 29  
 Cs<sub>2</sub>YbNb<sub>6</sub>Br<sub>18</sub>, atomic structure at twin interface, **141**, 140  
 Cu<sub>2</sub>Th<sub>4</sub>(MoO<sub>4</sub>)<sub>9</sub>, **136**, 199  
 hexagonal perovskites, electron microscopy, **135**, 1  
 hydrothermalite-derived MgAlO oxides calcined at varying temperatures, **137**, 295  
 In-Bi<sub>2</sub>S<sub>3</sub> annealed thin films, **138**, 290  
 InMO<sub>3</sub>(ZnO)<sub>m</sub> ( $M = \text{In, Ga}$ ;  $m = \text{integer}$ ), modulated structure described by four-dimensional superspace group, **139**, 347  
 A<sub>2</sub>Ir<sub>2</sub>O<sub>7-y</sub> pyrochlores, **136**, 269  
 LaBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub> ( $-0.20 < w < 0.83$ ), cubic perovskite-type phase, <sup>57</sup>Fe Mössbauer spectroscopy, **138**, 87  
 La<sub>2/3</sub>Ca<sub>1/3</sub>Mn<sub>1-x</sub>In<sub>x</sub>O<sub>3</sub> perovskites, **138**, 226  
 La<sub>2</sub>Li<sub>1/2</sub>M<sub>1/2</sub>O<sub>4</sub> ( $M(\text{III}) = \text{Co, Ni, Cu}$ ), orthorhombic variant of K<sub>2</sub>NiF<sub>4</sub> structure, **138**, 18  
 La<sub>1-x-y</sub>A<sub>x</sub>MnO<sub>3-δ</sub> ( $A = \text{Na, K}$ ), **137**, 19  
 LaNi<sub>0.95</sub>M<sub>0.05</sub>O<sub>3</sub> ( $M = \text{Mo, W, Sb, Ti, Cu, Zn}$ ) perovskites, **136**, 313  
 Li<sub>3</sub>Fe<sub>2</sub>(XO<sub>4</sub>)<sub>3</sub> ( $X = \text{P, As}$ ), **135**, 228  
 Li-inserted In<sub>16</sub>Fe<sub>8</sub>S<sub>32</sub>, **138**, 193  
 LiMn<sub>2</sub>O<sub>4</sub>, local structure, X-ray absorption fine structure study, **141**, 294  
 Li<sub>x</sub>Ni<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> system, **136**, 8  
 magnetic  
 RPtAl ( $R = \text{Ce, Pr, Nd}$ ), **140**, 233  
 Sr<sub>3</sub>Mn<sub>2</sub>O<sub>7</sub>, letter to editor, **141**, 599  
 mechanosynthesized zinc ferrite, disorder in, **135**, 52  
 Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> and Mo<sub>2</sub>O<sub>5</sub>(OCH<sub>3</sub>)<sub>2</sub> · 2CH<sub>3</sub>OH, insights from reaction chemistry and diffraction studies, **136**, 247  
 Müller-type, related compound [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sub>3</sub>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, synthesis, **136**, 298  
 M<sub>2</sub>X intermetallics, nonmetal insertion in h.c.-like metallic distribution, **135**, 218
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>][Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], **136**, 227
- Ni-Fe alloy/magnetite composites, microstructure, **135**, 210
- nonstoichiometric Li-pseudobrookite(ss) in Li<sub>2</sub>O-Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> system, **141**, 221
- Pb<sub>2</sub>MgW<sub>x</sub>Te<sub>(1-x)</sub>O<sub>6</sub> solid solution, **139**, 332
- A<sub>2</sub>Ru<sub>2</sub>O<sub>7-y</sub> pyrochlores, **136**, 269
- Si<sub>x</sub>(Ta,Nb)Te<sub>2</sub>, **139**, 105
- SmTe<sub>2-x</sub> semiconductor superstructure, **140**, 300
- Sn<sup>4+</sup>-doped indium oxide and In<sub>4</sub>Sn<sub>3</sub>O<sub>12</sub>, **135**, 140
- Sr<sub>2-x</sub>A<sub>x</sub>CuO<sub>2</sub>F<sub>2+δ</sub> ( $A = \text{Ca, Ba}$ ) superconductors, rearrangements associated with synthetic pathways, **135**, 17
- Sr<sub>4</sub>(Fe<sub>1-x</sub>Co<sub>x</sub>)<sub>6</sub>O<sub>13±δ</sub> mixed-conducting materials, **141**, 576
- Sr<sub>2</sub>LnMn<sub>2</sub>O<sub>7</sub> ( $Ln = \text{Y, La, Nd, Eu, Ho}$ ), microstructure of Ruddlesden-Popper phases, HRTEM study, **138**, 135
- TaReSe<sub>4</sub> layered crystals, microstructural analysis by electron microscopy and X-ray diffraction, **135**, 235
- tubular, Bi<sub>3.6</sub>Sr<sub>12.4</sub>Mn<sub>8</sub>O<sub>28+δ</sub> with, synthesis and crystal chemistry, **138**, 278
- YB<sub>56</sub> with YB<sub>66</sub> structure, Y atoms in, digital HREM imaging, **135**, 182
- YbFe<sub>2</sub>O<sub>4</sub>-type, compounds with, frustrated magnetism and spin-glass behavior, **140**, 337
- Sulfur  
 AuTa<sub>5</sub>S, synthesis and structure, **139**, 45  
 BaCo<sub>1-x</sub>Cu<sub>x</sub>S<sub>2-y</sub> layered sulfide, synthesis, structure, and properties, **138**, 111  
 Ba<sub>6</sub>Cu<sub>12</sub>Fe<sub>13</sub>S<sub>27</sub>, synthesis and crystal structure, **128**, 62; comment, **137**, 353; reply, **137**, 354  
 Bi<sub>2</sub>S<sub>3</sub> thin films prepared by thermal evaporation and chemical bath deposition, properties, **136**, 167  
 CaS:Eu,La, Eu valencies in, **138**, 149  
 CaSO<sub>4</sub> · 2H<sub>2</sub>O, dehydration, Controlled Transformation Rate Thermal Analysis, **139**, 37  
 [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>]Sb<sub>12</sub>S<sub>20</sub> · 1.34H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 387  
 Co<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 Cs<sub>3</sub>(HSO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, solid acid with unique hydrogen bond network, X-ray diffraction study, **140**, 251  
 β-Cs<sub>3</sub>(HSO<sub>4</sub>)<sub>2</sub>[H<sub>2-x</sub>(P<sub>1-x</sub>S<sub>x</sub>)O<sub>4</sub>] ( $x \sim 0.5$ ) superprotonic conductor, structure and vibrational spectrum, **139**, 373  
 CsLiSO<sub>4</sub>, ABW-type, phase transition in, symmetry analysis and atomic distortions, **138**, 267  
 CuInP<sub>2</sub>S<sub>6</sub>, soft-chemistry forms, **141**, 290  
 Cu<sub>1.96</sub>S chalcogenides, sonochemical synthesis, **138**, 131  
 Cu<sub>2</sub>SnS<sub>3</sub>, structure refinement, **139**, 144  
 Cu<sub>4</sub>Sn<sub>7</sub>S<sub>16</sub>, synthesis, electrical conductivity, and crystal structure, **139**, 144  
 Cu<sub>0.6</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 Fe-S materials, mechanochemical synthesis, **138**, 114  
 Fe<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 Hg<sub>x</sub>TiS<sub>2</sub>, host-layer restacking in, mechanism, **141**, 330  
 H<sub>2</sub>O-Na<sub>2</sub>SO<sub>4</sub>-Na<sub>2</sub>HPO<sub>4</sub> system, isotherms, conductivity measurements, **140**, 316  
 In-Bi<sub>2</sub>S<sub>3</sub>, annealed thin films, structural and electrical properties, **138**, 290  
 In<sub>16</sub>Fe<sub>8</sub>S<sub>32</sub>, lithium-inserted, structure and electrochemical behavior, **138**, 193  
 In<sub>2</sub>S<sub>3</sub> thin films, study by diffraction of synchrotron radiation, **137**, 6  
 KBi<sub>3</sub>S<sub>5</sub>, open-framework semiconductors, preparation of topotactic derivatives of, letter to editor, **136**, 328  
 LaMS<sub>3</sub> ( $M = \text{Ti, V, Cr}$ ), high-pressure synthesis, **139**, 233  
 La<sub>5</sub>Ti<sub>6</sub>S<sub>3</sub>Cl<sub>3</sub>O<sub>15</sub>, synthesis and structural characterization, **139**, 220  
 La<sub>8</sub>Ti<sub>10</sub>S<sub>24</sub>O<sub>4</sub>, synthesis and crystal structure, **136**, 46  
 MoS<sub>2</sub>  
 Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>7+</sup> encapsulation into, and Rietveld structural characterization, **139**, 22

- nanocrystals, solvothermal synthesis from  $\text{MoO}_3$  and elemental sulfur, **141**, 270
- $\text{Na}_4\text{P}_2\text{S}_6 \cdot 6\text{H}_2\text{O}$ , single-crystal structure determination, **141**, 274
- $\text{Na}_2\text{SO}_4$ , electrical conductivity, effect of aliovalent cation doping, **138**, 183
- $\text{Ni}_y(\text{Cr}_{2-2x}\text{In}_{2x})_{1-y}\text{S}_{3-y}$  spinel, decomposition and X-ray powder diffraction, **136**, 193
- $\text{Ni}_{0.25}[\text{Ta}_2\text{S}_2\text{C}]$ , combustion synthesis, **138**, 250
- $(\text{PbS})_{1.18}(\text{TiS}_2)_2$ , nanocomposites with poly(ethylene oxide), synthesis and characterization, **141**, 323
- $A_3\text{MS}_4$  ( $A = \text{Na}, \text{Rb}; M = \text{Nb}, \text{Ta}$ ), synthesis and crystal structure, **139**, 404
- $\text{Sn}_2\text{P}_2\text{S}_6$ , soft-chemistry forms, **141**, 290
- $A_2\text{Sn}_4\text{S}_9$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ) layered compounds, flux synthesis and characterization, **141**, 17
- $\text{SrNb}_2\text{S}_5$ , metallic characteristics, **135**, 325
- $\text{SrTa}_2\text{S}_5$ , superconductivity, **135**, 325
- $\text{Ta}_3\text{SBr}_7$ , crystal structure, **140**, 226
- transition metal carbosulfides, combustion synthesis, **138**, 250
- $\text{WS}_2$ ,  $\text{Al}_{13}\text{O}_4(\text{OH})_{24}(\text{H}_2\text{O})_{12}^+$  encapsulation into, and Rietveld structural characterization, **139**, 22
- $[\text{Zn}(4,4\text{'-bipy})(\text{H}_2\text{O})(\text{SO}_4)] \cdot 0.5\text{H}_2\text{O}$  coordination polymer with interwoven double-layer structure, synthesis and characterization, **138**, 361
- $\text{ZnS}$ , sphalerite and wurtzite structures, ordering of metal atoms in, **138**, 334
- Sulfuric acid  
nondoped sol-gel  $\text{ZrO}_2$  prepared with, tetragonal nanophase stabilization, **135**, 28
- Superconductivity  
 $\text{La}_x\text{Mo}_6\text{Se}_8$  Chevrel-phase superconductor, **136**, 160
- $\text{SrTa}_2\text{S}_5$ , **135**, 325
- Superconductors  
 $Ln_2\text{Ba}_2\text{Cu}_2\text{Ti}_2\text{O}_{11-\delta}$  ( $Ln = \text{La}, \text{Nd}, \text{Eu}, \text{Tb}$ ), sol-gel synthesis and simultaneous oxidation, **138**, 141
- $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ , heavily Pb-substituted single crystals, two-phase microstructures generating efficient pinning centers, **138**, 98
- $\text{Bi}_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_{10}$ , formation by transformation of  $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ , **139**, 1
- $\text{ErBa}_2\text{Cu}_3\text{O}_{6.5}$ , half filling of O intercalation in, new orthorhombicity type and cell volume expansions near, **135**, 307
- $\text{IBi}_2\text{Sr}_2\text{CaCu}_2\text{O}_y$ , charge transfer- $T_c$  relationship, **138**, 66
- $\text{La}_x\text{Mo}_6\text{Se}_8$  Chevrel phase  
correlation of  $T_c$  and interatomic distances, **136**, 151  
physical and superconducting properties, **136**, 160
- $\text{Li}_3\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$  layered cuprate, synthesis and characterization, **141**, 452
- $\text{Sr}_{2-x}\text{A}_x\text{CuO}_2\text{F}_{2+\delta}$  ( $A = \text{Ca}, \text{Ba}$ ), synthetic pathways and associated structural rearrangements, **135**, 17
- $\text{ZrNCl}$ , Li-doped, electronic band structure, **138**, 207
- Superprotonic conductors  
 $\beta\text{-Cs}_3(\text{HSO}_4)_2[\text{H}_{2-x}(\text{P}_{1-x}\text{S}_x)\text{O}_4]$  ( $x \sim 0.5$ ), structure and vibrational spectrum, **139**, 373
- Superspace groups  
four-dimensional, in description of modulated structure of  $\text{InMO}_3$  ( $\text{ZnO}$ ) $_m$  ( $M = \text{In}, \text{Ga}; m = \text{integer}$ ), **139**, 347
- Surface area  
 $\text{Al}_2\text{O}_3\text{-TiO}_2$  nanocrystals, **141**, 70
- Surfaces  
hydrotalcite-derived  $\text{MgAlO}$  oxides calcined at varying temperatures, acid/base properties, **137**, 295
- $\text{Na-Fe/SiO}_2$  catalysts, coordinate geometry, **137**, 325
- Symmetry studies  
phase transition in ABW-type  $\text{CsLiSO}_4$ , **138**, 267  
symmetry reduction in Lewisite, **141**, 562
- Synchrotron radiation  
in determination of  $\text{Rb}_3\text{Sc}_2(\text{AsO}_4)_3$  structure, **139**, 299
- Synthesis, *see also* Hydrothermal synthesis; Mechanochemical synthesis; Sol-gel synthesis  
 $\text{Ag}_{0.7}\text{Mo}_3\text{O}_7(\text{PO}_4)$  bronze built up from  $\text{ReO}_3$ -type slabs, **140**, 128
- $\text{AuTa}_5\text{S}$ , **139**, 45
- $\text{Ba}_3\text{AlO}_4\text{H}$ , **141**, 570
- $\text{BaCo}_{1-x}\text{Cu}_x\text{S}_{2-y}$  layered sulfide, **138**, 111
- $\text{Ba}_6\text{Cu}_{12}\text{Fe}_{13}\text{S}_{27}$ , **128**, 62; comment, **137**, 353; reply, **137**, 354
- $\text{REBa}_2\text{Cu}_3\text{O}_y$  ( $\text{RE} = \text{Y}, \text{Eu}, \text{La}$ ), shock synthesis, effect of ionic radius difference of  $\text{RE}^{3+}$  and  $\text{Ba}^{2+}$ , **136**, 74
- $\text{BaHfN}_2$ , **137**, 62
- $\text{BaHf}_{1-x}\text{Zr}_x\text{N}_2$  solid solution, **137**, 62
- $\text{Ba}_3\text{Li}_2\text{Cl}_2(\text{MoO})_4(\text{PO}_4)_6$  with intersecting tunnel structure, **141**, 587
- Ba-Pt-O system ( $\frac{2}{3} < Y = \text{Ba/Pt} < \frac{5}{2}$ ), **140**, 194
- $\text{BaScO}_2\text{F}$  perovskite, **139**, 422
- $\text{Ba}_5\text{Ta}_4\text{O}_{15}\text{-MZrO}_3$  ( $M = \text{Ba}, \text{Sr}$ ) hexagonal perovskites, **141**, 492
- $\text{BaThN}_2$ , **138**, 297
- $\text{Bi}(\text{Bi}_{1-2-x}\text{Te}_x\text{O}_{14})\text{Mo}_{4-x}\text{V}_{1+x}\text{O}_{20}$  ( $0 \leq x \leq 2.5$ ) solid solution, **139**, 185
- $\text{BiCa}_2\text{VO}_6$ , **137**, 143
- $\text{BiCu}_2\text{VO}_6$ , **141**, 149
- $\text{Bi}_{6.67}(\text{PO}_4)_4\text{O}_4$ , **139**, 274
- $\text{Bi}_{3.6}\text{Sr}_{12.4}\text{Mn}_8\text{O}_{28+\delta}$  with tubular structure, **138**, 278
- $\text{Bi}_{1.74}\text{Ti}_2\text{O}_{6.62}$  pyrochlore, **136**, 63
- $\text{Bi}_6(\text{V}_{1-x}\text{P}_x)_2\text{ClO}_{18}$  series ( $0 \leq x \leq 1$ ), **136**, 34
- $\text{M}_2\text{BN}_2\text{X}$  ( $M = \text{Ca}, \text{Sr}; X = \text{F}, \text{Cl}$ ), compounds with isolated  $\text{BN}_2^{3-}$  units, **135**, 194
- $\text{Ca}_x\text{CoO}_2$  ( $0.26 \leq x \leq 0.50$ ), **141**, 385
- $\text{Ca}_3\text{Co}_{1+x}\text{B}_{1-x}\text{O}_6$  ( $B = \text{Ir}, \text{Ru}$ ) one-dimensional oxides, **140**, 14
- $\text{Ca}_{1-x}\text{Sr}_x\text{NbO}_3$  ( $0 \leq x \leq 1$ ) perovskite-type phases, **141**, 514
- $\text{CaTi}_2\text{O}_4$  with pseudo-brookite-type structure, **141**, 338
- cesium molybdenum bronze at low temperature, **137**, 12
- $(\text{C}_4\text{H}_{12}\text{N}_2)_2[\text{Fe}_6(\text{HPO}_4)_2(\text{PO}_4)_6(\text{H}_2\text{O})_2] \cdot \text{H}_2\text{O}$  templated by piperazine, **139**, 326
- copper and silver chalcogenides, sonochemical synthesis, **138**, 131
- $\text{Cr}_{2-2x}\text{Mo}_x\text{O}_3$ , **140**, 350
- $\text{Cs}_3(\text{HSeO}_4)_2(\text{H}_2\text{PO}_4)$ , **141**, 317
- $\text{Cs}_5(\text{HSeO}_4)_3(\text{H}_2\text{PO}_4)_2$ , **141**, 317
- $\text{Cs}_2\text{PdSe}_8$  with open framework structure with double helical assemblies of  $[\text{Pd}(\text{Se}_4)_2]^{2-}$ , letter to editor, **140**, 149
- $\text{Cs}_4(\text{SeO}_4)(\text{HSeO}_4)_2(\text{H}_3\text{PO}_4)$ , **141**, 317
- $\text{Cs}_5\text{VW}_4\text{O}_9\text{VO}_4(\text{PO}_4)_4$  with intersection tunnels, **141**, 155
- $\text{CuInP}_2\text{S}_6$ , soft-chemistry forms, **141**, 290
- $\text{Cu}_4\text{Sn}_7\text{S}_{16}$ , **139**, 144
- 1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, **136**, 93
- erbium isopropoxides, **141**, 168
- $\text{Er}_2\text{Ti}_4\text{O}_2(\text{OC}_2\text{H}_5)_{18}(\text{HOC}_2\text{H}_5)_2$ , **135**, 149
- $\text{Fe}_{2.5}\text{Ti}_{0.5}\text{O}_4$  nanocrystals, by soft chemistry and high-energy ball milling, **139**, 66
- $\text{K}_4\text{Bi}_2\text{O}_5$ , **139**, 342
- $\text{KLn}^{\text{III}}\text{M}_2^{\text{IV}}\text{F}_{12}$  ( $M^{\text{IV}} = \text{Tb}, \text{Zr}, \text{Hf}; \text{Ln}^{\text{III}} = \text{Ce-Lu}$ ), **139**, 248
- $\text{K}_4\text{In}_2(\text{PSe}_5)_2(\text{P}_2\text{Se}_6)$ , one-dimensional compounds, **136**, 79
- $\text{KMgPO}_4$ , **136**, 175
- $\text{KTb}^{\text{III}}\text{Tb}^{\text{IV}}\text{F}_{12}$ , **139**, 248
- $\text{LaBa}_2\text{Fe}_3\text{O}_{8+w}$  ( $-0.20 < w < 0.83$ ), cubic perovskite-type phase, **138**, 87
- $\text{La}_4\text{Co}_3\text{O}_{10+\delta}$  ( $0.00 \leq \delta \leq 0.30$ ), **141**, 212
- $\text{LaGaO}_3$  perovskite-type oxide-ion conductor doped with Sr and Mg, **136**, 274
- $\text{La}_{0.5+x+y}\text{Li}_{0.5-3x}\text{Ti}_{1-3y}\text{Mn}_3\text{O}_3$  system, **140**, 377
- $\text{La}_{1-x-y}\text{A}_x\text{MnO}_{3-\delta}$  ( $A = \text{Na}, \text{K}$ ), **137**, 19
- $\text{LaNi}_{1-x}\text{M}_x\text{O}_{2.5+\delta}$  ( $M = \text{Mn}, \text{Fe}, \text{Co}$ ) vacancy-ordered phase, **135**, 103
- $\text{LaMS}_3$  ( $M = \text{Ti}, \text{V}, \text{Cr}$ ) at high pressure, **139**, 233

- La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-δ</sub> (0.5 ≤ x ≤ 0.9) perovskite, **139**, 388  
 La<sub>5</sub>Ti<sub>6</sub>S<sub>3</sub>Cl<sub>3</sub>O<sub>15</sub>, **139**, 220  
 La<sub>8</sub>Ti<sub>10</sub>S<sub>24</sub>O<sub>4</sub>, **136**, 46  
 LiCoO<sub>2</sub> single crystals, letter to editor, **141**, 298  
 Li<sub>1-x</sub>Fe<sub>5+x</sub>O<sub>8</sub> by solvothermal reaction, **141**, 554  
 Li<sub>3</sub>Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub> layered cuprate, **141**, 452  
 Li–Mn–O spinels, **139**, 290  
 Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub> via ammonolysis of LiF–WO<sub>3</sub>, **138**, 154  
 manganese oxides by reduction of KMnO<sub>4</sub> with KBH<sub>4</sub> in aqueous solutions, **137**, 28  
 microwave-assisted, Na<sub>5</sub>[B<sub>2</sub>P<sub>3</sub>O<sub>13</sub>], letter to editor, **140**, 154  
 Mo<sub>2</sub>C 14 nm in average size supported on high specific surface area carbon material, **141**, 114  
 AMoOPO<sub>4</sub>Cl (A = K,Rb) with layer structure, **137**, 214  
 MoS<sub>2</sub> nanocrystals from MoO<sub>3</sub> and elemental sulfur, **141**, 270  
 NaLnTiO<sub>4</sub> (Ln = Sm,Eu,Gd) layered perovskites, **138**, 342  
 [N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub> · 2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], letter to editor, **136**, 141  
 [N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup>[Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)]<sup>3-</sup> · 4H<sub>2</sub>O connected through hydrogen bonding, **139**, 207  
 NdMo<sub>6</sub>O<sub>12</sub>, ordered hollandite-type compound, **136**, 87  
 [NH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>NH<sub>3</sub>]<sup>3+</sup>[Ga(PO<sub>4</sub>)(PO<sub>3</sub>OH)], **136**, 227  
 [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sup>3+</sup>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, **136**, 298  
 nitride fluorides, implications of structure of Sn(ND<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, **138**, 350  
 Pb<sub>2</sub>Re<sub>2</sub>O<sub>7-x</sub> pyrochlores, **138**, 220  
 poly(ethylene oxide) nanocomposites of misfit layer chalcogenides, **141**, 323  
 porous chromia-pillared tetratitanate, **136**, 320  
 A<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (A = K,Rb,Cs; M = Pd,Zn,Cd,Hg), **138**, 321  
 Rb<sub>12</sub>Nb<sub>6</sub>Se<sub>35</sub> polymer with infinite anionic chains built up by Nb<sub>2</sub>Se<sub>11</sub> units containing Se<sub>3</sub><sup>4-</sup> fragment, **140**, 97  
 Rb<sub>3</sub>Sc<sub>2</sub>(AsO<sub>4</sub>)<sub>3</sub>, **139**, 299  
 Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, **136**, 79  
 A<sub>3</sub>MS<sub>4</sub> (A = Na,Rb; M = Nb,Ta), **139**, 404  
 ScNiP, **137**, 218  
 Sm<sub>3</sub>NbSe<sub>3</sub>O<sub>4</sub>, **137**, 122  
 [Sn<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>[C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>]<sup>2+</sup> · H<sub>2</sub>O, **140**, 435  
 Sn<sub>2</sub>P<sub>2</sub>S<sub>6</sub>, soft-chemistry forms, **141**, 290  
 A<sub>2</sub>Sn<sub>4</sub>S<sub>9</sub> (A = K,Rb,Cs) layered compounds, flux synthesis, **141**, 17  
 Sr<sub>39</sub>Co<sub>12</sub>N<sub>31</sub>, **141**, 1  
 Sr<sub>2-x</sub>A<sub>x</sub>CuO<sub>2</sub>F<sub>2+δ</sub> (A = Ca,Ba) superconductors, **135**, 17  
 Sr<sub>1-x</sub>La<sub>x</sub>Mo<sub>5</sub>O<sub>8</sub> (0 ≤ x ≤ 1) with metallic properties, **138**, 7  
 Sr<sub>2</sub>NbN<sub>3</sub>, **138**, 297  
 Sr<sub>3</sub>MRhO<sub>6</sub> with K<sub>4</sub>CdCl<sub>6</sub> structure-type  
 M = Sm,Eu,Tb,Dy,Ho,Er,Yb, **139**, 79  
 M = Y,Sc,In, **139**, 416  
 tetragonal polycrystalline zirconia, doped and undoped nanopowders, **141**, 191  
 Ti<sub>2</sub>Ru<sub>2</sub>O<sub>7-δ</sub> pyrochlore at high pressure, **140**, 182  
 transition metal carbosulfides, **138**, 250  
 vanadyl pyrophosphate mosaic crystals, **137**, 311  
 WO<sub>3</sub>, orthorhombic phase formation via Ti-stabilized WO<sub>3</sub> ·  $\frac{1}{3}$ H<sub>2</sub>O phase, **135**, 159  
 [Zn(4,4'-bipy)(H<sub>2</sub>O)(SO<sub>4</sub>)] · 0.5H<sub>2</sub>O coordination polymer with interwoven double-layer structure, **138**, 361  
 ZrW<sub>2</sub>O<sub>8</sub> and Mo-substituted ZrW<sub>2</sub>O<sub>8</sub> at low temperature, **139**, 424
- T
- Tantalum  
 AuTa<sub>5</sub>S, synthesis and structure, **139**, 45  
 Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>-MZrO<sub>3</sub> (M = Ba,Sr) system, hexagonal perovskites in, synthesis and structural study, **141**, 492  
 Bi<sub>2</sub>O<sub>3</sub>-Ta<sub>2</sub>O<sub>5</sub> system, review, **137**, 42  
 CeTaO<sub>4+δ</sub> system, reversible oxidation/reduction in, TEM and XRD study, **140**, 20  
 Co<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 CrTa<sub>2</sub>O<sub>6</sub>, trirutile oxide based on Cr<sup>2+</sup>, structure and magnetism, **140**, 7  
 Cu<sub>0.6</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 Fe<sub>0.33</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 LiTaO<sub>3</sub> solid solutions with Mn<sup>2+</sup>, preparation and characterization, **140**, 168  
 Mg<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>, crystal structure refinement by Rietveld analysis of neutron powder diffraction data, **137**, 359  
 Mn<sub>11</sub>Ta<sub>4</sub>O<sub>21</sub>, structure and magnetic susceptibility and refinement of Mn<sub>4</sub>Ta<sub>2</sub>O<sub>9</sub> structure, **137**, 276  
 NaTl, LiIn and LiCd phases resembling, pressure-induced transformation into β-brass-type alloys, **137**, 104  
 Ni<sub>0.25</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 Si<sub>x</sub>(Ta,Nb)Te<sub>2</sub>, structural and microstructural aspects, **139**, 105  
 SrTa<sub>2</sub>S<sub>5</sub>, superconductivity, **135**, 325  
 TaReSe<sub>4</sub> layered crystals, structure, defect structure, microstructure, and rotation twins, **135**, 235  
 A<sub>3</sub>TaA<sub>4</sub> (A = Na,Rb), synthesis and crystal structure, **139**, 404  
 Ta<sub>3</sub>SBr<sub>7</sub>, crystal structure, **140**, 226  
 Ta<sub>2</sub>S<sub>2</sub>C, combustion synthesis, **138**, 250  
 Ti<sub>0.3</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250
- Tellurium  
 Bi(Bi<sub>12-x</sub>Te<sub>x</sub>O<sub>14</sub>)Mo<sub>4-x</sub>V<sub>1+x</sub>O<sub>20</sub> (0 ≤ x ≤ 2.5) solid solutions, synthesis and structural evolution, **139**, 185  
 Bi<sub>2</sub>Te<sub>3</sub> single crystals, behavior of Ag admixtures in, **140**, 29  
 Bi<sub>2</sub>Te<sub>4</sub>O<sub>11</sub>, phase transitions, **135**, 175  
 Er–Te binary and Er–Te–I ternary systems, nonstoichiometry in, **139**, 57  
 Pb<sub>1-x</sub>In<sub>x</sub>Te single crystals, point defect clusters revealed by X-ray diffuse scattering method, **137**, 119  
 Pb<sub>2</sub>MgW<sub>x</sub>Te<sub>(1-x)</sub>O<sub>6</sub> solid solution, dielectric measurements, DSC, structure, and phase diagram, **139**, 332  
 PdTeI, single-crystal X-ray diffraction and electronic band structure studies, **137**, 206  
 Sb<sub>2</sub>Te<sub>3</sub> single crystals, behavior of Ag admixtures in, **140**, 29  
 Si<sub>x</sub>(Ta,Nb)Te<sub>2</sub>, structural and microstructural aspects, **139**, 105  
 SmTe<sub>2-x</sub> semiconductor, superstructure, **140**, 300  
 ALn<sub>3</sub>Te<sub>8</sub>, flat Te nets of, site occupancy wave and infinite zigzag (Te<sub>2</sub><sup>2-</sup>)<sub>n</sub> chains in, **135**, 111  
 U<sub>3</sub>Te<sub>5</sub>, crystal structure and magnetic properties, **139**, 356  
 ZrTe<sub>3</sub>, crystal structure and electronic band structure, **138**, 160  
 Zr<sub>3</sub>Te, crystal structure, **139**, 213  
 Zr<sub>5</sub>Te<sub>4</sub>, crystal structure, **139**, 213
- Temperature  
 charge transfer–*T<sub>c</sub>* relationship in superconducting intercalates IBi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>y</sub>, **138**, 66  
 effects on (K<sub>x</sub>Na<sub>1-x</sub>)MgF<sub>3</sub> perovskites, **141**, 121  
*T<sub>c</sub>* correlation with interatomic distance in Chevrel-phase superconductor La<sub>x</sub>Mo<sub>6</sub>Se<sub>8</sub>, **136**, 151
- Temperature-programmed reduction  
 Cu<sup>2+</sup> in sol–gel-derived TiO<sub>2</sub>, **138**, 1  
 Eu<sub>2-x</sub>Sr<sub>x</sub>NiO<sub>4+δ</sub>, **141**, 99  
 V–Ag catalysts, **141**, 186
- Terbium  
 KLn<sup>III</sup>M<sup>IV</sup>F<sub>12</sub> (M<sup>IV</sup> = Tb,Zr,Hf; Ln = Ce–Lu), synthesis and crystal structure, **139**, 248  
 KTb<sup>III</sup>Tb<sup>IV</sup>F<sub>12</sub>, synthesis and crystal structure, **139**, 248  
 Sr<sub>3</sub>TbRhO<sub>6</sub>, synthesis, characterization, and magnetic properties, **139**, 79  
 Tb<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub>, sol–gel synthesis and simultaneous oxidation, **138**, 141  
 TbBi<sub>2</sub>O<sub>4</sub>NO<sub>3</sub>, preparation and crystal structure, **139**, 321  
 Tb<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201

- N,N,N',N'*-Tetramethylethylenediamine  
zirconium phosphate fluorides templated with, hydrothermal synthesis and crystal structure, **135**, 293
- Thallium  
TlB<sub>5</sub>O<sub>8</sub>, crystal structure, **136**, 216  
TlB<sub>5</sub>O<sub>6</sub>(OH)<sub>4</sub>·2H<sub>2</sub>O, dehydration, **136**, 216  
TlCl, TlBr, and TlI, defects and ionic conductivity at high pressure and temperature, **141**, 462  
Ti<sub>2</sub>(MoO<sub>3</sub>)<sub>3</sub>PO<sub>3</sub>CH<sub>3</sub>, synthesis, structure, and properties, **138**, 365  
TiNbXO<sub>6</sub> (*X* = W, Mo) ceramics, structural and dielectric properties, **141**, 50  
Ti<sub>8</sub>Nb<sub>27.2</sub>O<sub>72</sub>, synthesis and crystal structure determination by TEM and single-crystal X-ray diffraction, **135**, 282  
Ti<sub>2</sub>Ru<sub>2</sub>O<sub>7-δ</sub> pyrochlore, high-pressure synthesis, crystal structure, and metal–semiconductor transitions, **140**, 182
- Thermal analysis  
alkyltrimethylammonium chromates, **139**, 310  
H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, **136**, 284  
NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, **137**, 289
- Thermal decomposition  
BaBPO<sub>5</sub>, **135**, 43  
solids, modeling based on lattice energy changes  
alkaline earth carbonates, **137**, 332  
alkaline earth peroxides, **137**, 346  
zinc phenylphosphonate, analysis by temperature-dependent X-ray powder diffraction, **140**, 62  
Zr<sub>*x*</sub>Ti<sub>1-*x*</sub>O<sub>2</sub> (*x* = 0.22, 0.39, 0.60) prepared by sol–gel synthesis, **139**, 225
- Thermal evaporation  
Bi<sub>2</sub>S<sub>3</sub> thin films prepared by, properties, **136**, 167
- Thermal expansion  
negative, *see* Negative thermal expansion
- Thermal properties  
calcium–lead hydroxyapatites, **135**, 86  
C<sub>3</sub>H<sub>12</sub>N<sub>2</sub><sup>2+</sup>·HPO<sub>4</sub><sup>2-</sup>·H<sub>2</sub>O, **141**, 343  
C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup>·2HPO<sub>4</sub><sup>2-</sup>·4H<sub>2</sub>O, **141**, 343  
CuAl<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>(F, OH)<sub>2</sub>, **141**, 527  
K<sub>4</sub>In<sub>2</sub>(PSe<sub>5</sub>)<sub>2</sub>(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, **136**, 79  
A<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (*A* = K, Rb, Cs; *M* = Pd, Zn, Cd, Hg), **138**, 321  
Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, **136**, 79
- Thermal stability  
Ti<sub>2</sub>(MoO<sub>3</sub>)<sub>3</sub>PO<sub>3</sub>CH<sub>3</sub>, **138**, 365
- Thermodynamics  
ACl/TmCl<sub>3</sub> (*A* = Cs, Rb, K), **135**, 127  
point-defect, (Mg<sub>*x*</sub>Fe<sub>1-*x*</sub>)<sub>3-δ</sub>O<sub>4</sub>, **139**, 128  
Ru–Y system, **138**, 302
- Thermoelectric power  
Fe<sub>2</sub>Mo<sub>1-*x*</sub>Ti<sub>*x*</sub>O<sub>4</sub> spinel oxides, **140**, 56
- Thermogravimetry  
γ-Fe<sub>2</sub>O<sub>3</sub> nanocrystalline particles, **137**, 185  
Nd<sub>2</sub>O<sub>3</sub>–Co–Co<sub>2</sub>O<sub>3</sub> system at 1100 and 1150°C, **137**, 255
- Thin films  
Bi<sub>2</sub>S<sub>3</sub>, prepared by thermal evaporation and chemical bath deposition, properties, **136**, 167  
diaminoanthraquinone, substitution pattern in, effect on physical properties, **141**, 309  
In–Bi<sub>2</sub>S<sub>3</sub>, annealed, structural and electrical properties, **138**, 290  
In<sub>2</sub>S<sub>3</sub>, study by diffraction of synchrotron radiation, **137**, 6  
Ni<sub>1-*x*</sub>Zn<sub>2*x*</sub>(OH)<sub>2</sub>(OCOCH<sub>3</sub>)<sub>2*x*</sub>·*n*H<sub>2</sub>O, hydrothermal synthesis, **141**, 229  
PZT, preparation on stainless steel using electrochemical reduction, **136**, 293
- Thorium  
BaThN<sub>2</sub>, synthesis and structural characterization, **138**, 297  
Cu<sub>2</sub>Th<sub>4</sub>(MoO<sub>4</sub>)<sub>9</sub>, structural skeleton, **136**, 199  
Na<sub>1/2+*x*</sub>La<sub>1/2-3*x*</sub>Th<sub>2*x*</sub>TiO<sub>3</sub> perovskite series, structural study, **138**, 307
- Three-periodic nets  
mapped on isomorphic quotient graphs, geometrical relationships between, **138**, 55
- Thulium  
ACl/TmCl<sub>3</sub> (*A* = Cs, Rb, K), phase diagrams and thermodynamics, **135**, 127  
KTm<sup>III</sup>M<sup>IV</sup>F<sub>12</sub> (*M*<sup>IV</sup> = Tb, Zr, Hf), synthesis and crystal structure, **139**, 248  
Tm<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424  
Tm(ClO<sub>4</sub>)<sub>3</sub>, crystalline and molecular structures, **139**, 259  
Tm<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> garnet, stability, calorimetric study, **141**, 424  
Tm<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, magnetic and electrical properties, **138**, 201
- Tin  
BaSnO<sub>3</sub>, Ba<sub>2</sub>SnO<sub>4</sub>, and Ba<sub>3</sub>Sn<sub>2</sub>O<sub>7</sub>, Pr<sup>4+</sup> doped in, EPR study, **138**, 329  
(Co, Ni, Cu)<sub>1+*x*</sub>(Ge, Sn), *B8*-type phases, modulated structures and diffuse scattering, computer simulation, **135**, 269  
Co<sub>1+*x*</sub>Sn, nonstoichiometric *B8*-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402  
Cr<sub>2</sub>Sn<sub>3</sub>Se<sub>7</sub>, spin glass-like behavior, **137**, 249  
Cu<sub>2</sub>SnS<sub>3</sub>, structure refinement, **139**, 144  
Cu<sub>4</sub>Sn<sub>7</sub>S<sub>16</sub>, synthesis, electrical conductivity, and crystal structure, **139**, 144  
Ga–In–Sn–O ceramic, oxygen atomic positions in, determination with direct methods and electron diffraction, letter to editor, **136**, 145  
Ga<sub>3-*x*</sub>In<sub>5+*x*</sub>Sn<sub>2</sub>O<sub>16</sub>, structure, **140**, 242  
In<sub>4</sub>Sn<sub>3</sub>O<sub>12</sub>, structural studies, **135**, 140  
[N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup>[Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)]<sup>3-</sup>·4H<sub>2</sub>O, connected through hydrogen bonding, synthesis and structure, **139**, 207  
Ni<sub>1+*x*</sub>Sn, nonstoichiometric *B8*-type alloy phases, sinusoidal diffuse scattering loci in, simulation, **140**, 402  
Ni<sub>1+*m*</sub>Sn<sub>1-*x*</sub>P<sub>*x*</sub>, *B8*-type solid solutions, Sn/P and interstitial Ni ordering in, electron diffraction study, **136**, 125  
Pb<sup>II</sup>Sn<sup>IV</sup>(PO<sub>4</sub>)<sub>2</sub>, structure and stereochemical activity of Pb<sup>II</sup> lone pair, **137**, 283  
Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>), one-dimensional compounds, synthesis, structure, and optical and thermal properties, **136**, 79  
Sn<sup>4+</sup>, indium oxide doped with, structural studies, **135**, 140  
Sn(ND<sub>3</sub>)<sub>2</sub>F<sub>4</sub>, structure, implications for synthesis of nitride fluorides, **138**, 350  
SnO<sub>2</sub> nanocrystals, structural characterization by X-ray and Raman spectroscopy, **135**, 78  
[Sn<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>[C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>]<sup>2+</sup>·H<sub>2</sub>O, synthesis and crystal structure, **140**, 435  
Sn<sub>2</sub>(PO<sub>4</sub>)[C<sub>2</sub>O<sub>4</sub>]<sub>0.5</sub> containing one-dimensional tin phosphate chains, synthesis and structure, **139**, 200  
Sn<sub>2</sub>P<sub>2</sub>S<sub>6</sub>, soft-chemistry forms, **141**, 290  
A<sub>2</sub>Sn<sub>4</sub>S<sub>9</sub> (*A* = K, Rb, Cs) layered compounds, flux synthesis and characterization, **141**, 17
- Titanium  
Al<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> nanocrystals, preparation and characterization, **141**, 70  
Ln<sub>2</sub>Ba<sub>2</sub>Cu<sub>2</sub>Ti<sub>2</sub>O<sub>11-δ</sub> (*Ln* = La, Nd, Eu, Tb), sol–gel synthesis and simultaneous oxidation, **138**, 141  
6H–Ba(Ti, Fe<sup>3+</sup>, Fe<sup>4+</sup>)O<sub>3-δ</sub> solid solution, structural analysis, **135**, 312  
B<sub>4</sub>C–Ti<sup>IV</sup>VB<sub>6</sub>, activated sintered materials, structural and mechanical properties, **137**, 1  
Bi<sub>1.74</sub>Ti<sub>2</sub>O<sub>6.62</sub> pyrochlore, synthesis and structure, **136**, 63  
(Ca, Gd)<sub>2</sub>(Al, Ti)O<sub>4</sub>, crystal structure, **139**, 204  
CaTi<sub>1-2*x*</sub>Fe<sub>*x*</sub>Nb<sub>*x*</sub>O<sub>3</sub> perovskite series, structural study, **138**, 272  
CaTiO<sub>3</sub>, Gd-doped, charge compensation in, **124**, 77; comment, **137**, 355; reply, **137**, 357

- CaTi<sub>2</sub>O<sub>4</sub> with pseudo-brookite-type structure, synthesis, **141**, 338  
 CaTiO<sub>3</sub>/SrTiO<sub>3</sub> system, structures in, **139**, 238  
 Er<sub>2</sub>Ti<sub>4</sub>O<sub>2</sub>(OC<sub>2</sub>H<sub>5</sub>)<sub>18</sub>(HOC<sub>2</sub>H<sub>5</sub>)<sub>2</sub>, synthesis, characterization, and structure, **135**, 149  
 Fe<sub>2</sub>Mo<sub>1-x</sub>Ti<sub>x</sub>O<sub>4</sub> spinel oxides, electrical resistivity and thermoelectric power measurements, **140**, 56  
 Fe<sub>2.5</sub>Ti<sub>0.5</sub>O<sub>4</sub> nanocrystals, obtained by mechanosynthesis and soft chemistry, structure, cation distribution, and properties, **139**, 66  
 Fe<sub>2.75</sub>Ti<sub>0.25</sub>O<sub>4</sub>, cation distribution in, measurement by *in situ* anomalous powder diffraction with Rietveld refinement, **141**, 105  
 Hg<sub>x</sub>TiS<sub>2</sub>, host-layer restacking in, mechanism, **141**, 330  
 La<sub>0.5+x+y</sub>Li<sub>0.5-3x</sub>Ti<sub>1-3y</sub>Mn<sub>3y</sub>O<sub>3</sub> system, synthesis, phase diagram, and conductivity, **140**, 377  
 LaNi<sub>0.95</sub>Ti<sub>0.05</sub>O<sub>3</sub> perovskites, metal-insulator transitions in, **136**, 313  
 LaTiS<sub>3</sub>, high-pressure synthesis, **139**, 233  
 La<sub>5</sub>Ti<sub>6</sub>S<sub>3</sub>Cl<sub>3</sub>O<sub>15</sub>, synthesis and structural characterization, **139**, 220  
 La<sub>8</sub>Ti<sub>10</sub>S<sub>24</sub>O<sub>4</sub>, synthesis and crystal structure, **136**, 46  
 Li<sub>2</sub>O-Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> system, nonstoichiometric Li-pseudobrookite(ss) in, **141**, 221  
 Li-Ti-O system, phases formed under reducing conditions, **138**, 74  
 LiTi<sub>2</sub>O<sub>4</sub> and Li<sub>2</sub>Ti<sub>3</sub>O<sub>7</sub> ramsdellites linked in solid solutions, X-ray and neutron diffraction studies, **141**, 365  
 MgTi<sub>2</sub>O<sub>5</sub>, pseudobrookite-type, crystal chemistry of cation order-disorder in, **138**, 238  
 MnTi<sub>1-x</sub>Nb<sub>x</sub>O<sub>3</sub> system, magnetic properties, **136**, 115  
 Na<sub>x-δ</sub>Fe<sub>x</sub>Ti<sub>2-x</sub>O<sub>4</sub> ( $x = 0.875$ ,  $0 \leq \delta \leq 0.40$ ), conductivity, **137**, 168  
 Na<sub>1/2+x</sub>La<sub>1/2-3x</sub>Th<sub>2x</sub>TiO<sub>3</sub> perovskite series, structural study, **138**, 307  
 NaLnTiO<sub>4</sub> ( $Ln = \text{Sm, Eu, Gd}$ ) layered perovskites, magnetic properties, **138**, 342  
 Ln<sub>1-x</sub>Nd<sub>x</sub>TiO<sub>3</sub> ( $Ln = \text{Ce, Pr}$ ;  $0 \leq x \leq 1$ ), magnetic studies, letter to editor, **137**, 181  
 (Pbs)<sub>1.18</sub>(TiS<sub>2</sub>)<sub>2</sub>, nanocomposites with poly(ethylene oxide), synthesis and characterization, **141**, 323  
 porous chromia-pillared tetratitanate, synthesis, **136**, 320  
 Sm<sub>1-x</sub>TiO<sub>3</sub> ( $x = 0.03, 0.05, 0.10$ ), magnetic properties, **141**, 262  
 Sr<sub>4</sub>Nb<sub>4</sub>O<sub>14</sub>-Sr<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>-SrTiO<sub>3</sub> system, perovskite-related phases in, **135**, 260  
 TiNX ( $X = \text{Cl, Br, I}$ ) system, electronic band structure, **138**, 207  
 TiO<sub>2</sub>  
   sol-gel-derived, Cu<sup>2+</sup> ions in, TPR, ESR, and XPS study, **138**, 1  
   ultrafine particles, electronic state characterization by luminescence spectroscopy, **139**, 124  
 Ti<sub>3</sub>O<sub>5</sub>, phase transitions, **136**, 67  
 Ti(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>), crystal structure from neutron powder data, **140**, 266  
 Ti<sub>2</sub>SC, combustion synthesis, **138**, 250  
 Ti<sub>0.3</sub>[Ta<sub>2</sub>S<sub>2</sub>C], combustion synthesis, **138**, 250  
 WO<sub>3</sub>· $\frac{1}{3}$ H<sub>2</sub>O phase stabilized by, in formation of orthorhombic WO<sub>3</sub>, **135**, 159  
 Zr<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> ( $x = 0.22, 0.39, 0.60$ ) prepared by sol-gel synthesis, thermal decomposition and phase analysis, **139**, 225
- Topotactic synthesis  
   layered calcium cobalt oxides, **141**, 385  
   mosaic crystals of vanadyl pyrophosphate, **137**, 311
- TPR, *see* Temperature-programmed reduction
- Transmission electron microscopy  
   CeTaO<sub>4+δ</sub> system, analysis of reversible oxidation/reduction, **140**, 20  
   γ-Fe<sub>2</sub>O<sub>3</sub> nanocrystalline particles, **137**, 185  
   InMO<sub>3</sub>(ZnO)<sub>m</sub> ( $M = \text{In, Ga}$ ;  $m = \text{integer}$ ), **139**, 347  
   LiCoO<sub>2</sub>, low-temperature samples and acid-delithiated products, **140**, 116  
   Nd<sub>4</sub>Ni<sub>3</sub>O<sub>8</sub>, **140**, 307  
   Ti<sub>8</sub>Nb<sub>27.2</sub>O<sub>72</sub>, **135**, 282  
   UCl<sub>4</sub> and (KCl)<sub>x</sub>(UCl<sub>4</sub>)<sub>y</sub>, selectively deposited inside carbon nanotubes using eutectic and noneutectic mixtures of UCl<sub>4</sub> with KCl, **140**, 83  
   Y<sub>2</sub>Ba<sub>4</sub>Cu<sub>7</sub>O<sub>15-δ</sub>, **139**, 266
- Tungsten  
   Ba<sub>2</sub>WO<sub>3</sub>F<sub>4</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
   B<sub>4</sub>C-W<sup>IV-VI</sup>B<sub>y</sub>, activated sintered materials, structural and mechanical properties, **137**, 1  
   CdWO<sub>3</sub>F<sub>2</sub>, oxygen/fluorine ordering in, <sup>19</sup>F MAS and <sup>19</sup>F-<sup>113</sup>Cd REDOR NMR study, **140**, 285  
   Cs<sub>3</sub>VW<sub>4</sub>O<sub>9</sub>VO<sub>4</sub>(PO<sub>4</sub>)<sub>4</sub>, air synthesis and intersection tunnels, **141**, 155  
   Fe<sub>8</sub>V<sub>10</sub>W<sub>16</sub>O<sub>85</sub> low-spin *d*<sup>5</sup> system, magnetic, electrical conductivity, and EPR studies, **137**, 223  
   H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>· $\frac{1}{3}$ H<sub>2</sub>O, phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, X-ray, thermal, and HREM studies, **136**, 284  
   KLi<sub>1-x</sub>(Nb,W)<sub>5</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub>, synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
   LaNi<sub>0.95</sub>W<sub>0.05</sub>O<sub>3</sub> perovskites, metal-insulator transitions in, **136**, 313  
   LiF-WO<sub>3</sub>, ammonolysis, *in situ* X-ray diffraction study: detection and crystal structure of Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, **138**, 154  
   Li<sub>0.84</sub>W<sub>1.16</sub>N<sub>2</sub>, synthesis by ammonolysis of LiF-WO<sub>3</sub> and crystal structure, **138**, 154  
   Lu<sub>2</sub>W<sub>3</sub>O<sub>12</sub>, negative thermal expansion, **140**, 157  
   ANb<sub>4</sub>WO<sub>9</sub>(PO<sub>4</sub>)<sub>3</sub> ( $A = \text{K, Rb, Cs}$ ), synthesis and intersecting tunnel structure related to ReO<sub>3</sub>, **136**, 305  
   NH<sub>4</sub>NbWO<sub>6</sub> defect pyrochlore, crystal structure and phase transition, **141**, 537  
   Pb<sub>2</sub>MgW<sub>x</sub>Te<sub>(1-x)</sub>O<sub>6</sub> solid solution, dielectric measurements, DSC, structure, and phase diagram, **139**, 332  
   Pb<sub>x</sub>(PO<sub>2</sub>)<sub>4</sub>(WO<sub>3</sub>)<sub>2m</sub> ( $6 \leq m \leq 10$ ) bronze, characterization, **139**, 362  
   Sc<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub>, negative thermal expansion, **137**, 148  
   TiNbWO<sub>6</sub> ceramics, structural and dielectric properties, **141**, 50  
   V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, formation from H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>· $\frac{1}{3}$ H<sub>2</sub>O, X-ray, thermal, and HREM studies, **136**, 284  
 WO<sub>3</sub>  
   Bi<sub>2</sub>O<sub>3</sub>-WO<sub>3</sub> system, review, **137**, 42  
   orthorhombic, formation via Ti-stabilized WO<sub>3</sub>· $\frac{1}{3}$ H<sub>2</sub>O phase, **135**, 159  
   WS<sub>2</sub>, Al<sub>1.3</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>7+</sup> encapsulation into, and Rietveld structural characterization, **139**, 22  
   ZrW<sub>2</sub>O<sub>8</sub> and Mo-substituted ZrW<sub>2</sub>O<sub>8</sub>, low-temperature synthesis, **139**, 424
- Tunnel structure  
   Ba<sub>3</sub>Li<sub>2</sub>Cl<sub>2</sub>(MoO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>6</sub>, **141**, 587  
   Cs<sub>3</sub>VW<sub>4</sub>O<sub>9</sub>VO<sub>4</sub>(PO<sub>4</sub>)<sub>4</sub> synthesized in air, **141**, 155  
   intersecting, related to ReO<sub>3</sub>, tungstoniobium monophosphates with, **136**, 305
- Twinning  
   Ba<sub>4</sub>(Ba<sub>x</sub>Pt<sub>1-x</sub>)Pt<sub>2</sub><sup>4+</sup>O<sub>9</sub>, diffraction and DAFS studies, **140**, 201  
   CeTaO<sub>4+δ</sub> system, TEM and XRD study, **140**, 20  
   Cs<sub>2</sub>YbNb<sub>6</sub>Br<sub>18</sub>, **141**, 140

## U

## Ultrafine particles

- rare earth molybdenum complex oxides, preparation and characterization, **140**, 354
- Ultraviolet diffuse reflectance spectra  
   V-Ag catalysts, **141**, 186
- Ultraviolet-visible spectroscopy  
   NbO(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, **137**, 289
- Uranium  
   (KCl)<sub>x</sub>(UCl<sub>4</sub>)<sub>y</sub>, deposition inside carbon nanotubes using eutectic and noneutectic mixtures of UCl<sub>4</sub> with KCl, **140**, 83  
   UAl<sub>3</sub>C<sub>3</sub>, crystal structure, **140**, 396

UCl<sub>4</sub>, deposition inside carbon nanotubes using eutectic and noneutectic mixtures of UCl<sub>4</sub> with KCl, **140**, 83  
 U<sub>3</sub>Te<sub>5</sub>, crystal structure and magnetic properties, **139**, 356  
 Urea  
*p*-dialkylbenzene–urea inclusion compounds, order and disorder in, **141**, 437

## V

## Valence

Eu in CaS:Eu,La, **138**, 149  
 mixed, in Lewisite, **141**, 562  
 Pr in Pr-doped zircon, **139**, 412

## Vanadium

BaV<sub>6</sub>O<sub>16</sub>·*n*H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 219  
 Ba<sub>3</sub>V<sub>2</sub>O<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>, with chain-like structure, **135**, 302  
 Ba<sub>2</sub>(VO<sub>2</sub>)(PO<sub>4</sub>)(HPO<sub>4</sub>)·H<sub>2</sub>O, with trigonal bipyramidal VO<sub>5</sub> groups, hydrothermal synthesis and crystal structure, **140**, 272  
 B<sub>4</sub>C–V<sup>IV–VI</sup>B<sub>2</sub>, activated sintered materials, structural and mechanical properties, **137**, 1  
 Bi(Bi<sub>12–*x*</sub>Te<sub>*x*</sub>O<sub>14</sub>)Mo<sub>4–*x*</sub>V<sub>1+*x*</sub>O<sub>20</sub> (0 ≤ *x* ≤ 2.5) solid solutions, synthesis and structural evolution, **139**, 185  
 BiCa<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **137**, 143  
 BICOVOX.15, structure, single-crystal neutron diffraction study at room temperature, **141**, 241  
 BiCu<sub>2</sub>VO<sub>6</sub>, synthesis and structure, **141**, 149  
 Bi<sub>9</sub>(V<sub>1–*x*</sub>P<sub>*x*</sub>)<sub>2</sub>ClO<sub>18</sub> series (0 ≤ *x* ≤ 1), synthesis, crystal structure, IR characterization, and electrical properties, **136**, 34  
 CaVO<sub>3–*δ*</sub>, oxygen nonstoichiometry, structures, and physical properties, **135**, 36  
 Ca<sub>3</sub>(VO<sub>4</sub>)<sub>2</sub>, amorphization at high pressure, **139**, 161  
 α-CoV<sub>3</sub>O<sub>8</sub>, crystal structure and metal distribution, **141**, 133  
 Cs<sub>5</sub>VW<sub>4</sub>O<sub>9</sub>VO<sub>4</sub>(PO<sub>4</sub>)<sub>4</sub>, air synthesis and intersection tunnels, **141**, 155  
 Fe<sub>8</sub>V<sub>10</sub>W<sub>16</sub>O<sub>85</sub> low-spin *d*<sup>5</sup> system, magnetic, electrical conductivity, and EPR studies, **137**, 223  
 (H<sub>2</sub>O)[V<sub>2</sub>O<sub>2</sub>(OH){O<sub>3</sub>P(CH<sub>2</sub>)<sub>2</sub>PO<sub>3</sub>}], hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89  
 H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O, phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, X-ray, thermal, and HREM studies, **136**, 284  
 KPb<sub>4</sub>(VO<sub>4</sub>)<sub>3</sub> with anion-deficient apatite structure, **141**, 373  
 LaVS<sub>3</sub>, high-pressure synthesis, **139**, 233  
 (Li<sub>*x*</sub>V<sub>1–*x*</sub>)<sub>3</sub>BO<sub>5</sub> (*x* ≈ 0.3), disordered *S* = 1 system, crystal structure and electronic state, **141**, 418  
 δLi<sub>*x*</sub>V<sub>2</sub>O<sub>5</sub> and MgV<sub>2</sub>O<sub>5</sub>, structural comparison, **136**, 56  
 Mn<sub>0.15</sub>V<sub>0.3</sub>Mo<sub>0.7</sub>O<sub>3</sub>, characterization, **138**, 347  
 NaPb<sub>4</sub>(VO<sub>4</sub>)<sub>3</sub> with anion-deficient apatite structure, **141**, 373  
 [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sub>3</sub>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, synthesis and structure, **136**, 298  
 NH<sub>4</sub>VP<sub>2</sub>O<sub>7</sub>, structural study by X-ray powder diffraction, **136**, 181  
 Sr<sub>2–*x*</sub>Pb<sub>*x*</sub>(VO)(VO<sub>4</sub>)<sub>2</sub> solid solutions, structural, IR, and magnetic studies, **140**, 417  
 V–Ag catalysts, temperature-programmed reduction, **141**, 186  
 VO<sub>2</sub>, polymorph prepared by soft chemical methods, **138**, 178  
 VO<sub>2</sub>(*A*), crystal structures and transition mechanism, **141**, 594  
 (VO)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, mosaic crystals obtained by oriented nucleation and growth, **137**, 311  
 M(VOPO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O (*M* = Co(II),Ni(II)), layered compounds with distinct magnetic linear trimers, **137**, 77  
 V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, formation from H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O, X-ray, thermal, and HREM studies, **136**, 284  
 ZrV<sub>2</sub>O<sub>7</sub>, temperature-dependent phase transitions, *in situ* electron and X-ray diffraction studies, **137**, 161

## Vibrational analysis

BaFe<sub>12</sub>O<sub>19</sub> hexagonal ferrite, **137**, 127

## Vibrational mill

Na<sub>2</sub>SeO<sub>3</sub> synthesis in, by mechanochemical activation of (SeO<sub>2</sub> + Na<sub>2</sub>CO<sub>3</sub>) mixture, **135**, 256

## Vibronic transitions

Gd<sup>3+</sup> and Eu<sup>3+</sup> in crystalline materials and glasses of same composition, **136**, 206

## W

## Water

Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>7+</sup>, encapsulation into MoS<sub>2</sub> and WS<sub>2</sub> and Rietveld structural characterization, **139**, 22  
 BaV<sub>6</sub>O<sub>16</sub>·*n*H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **140**, 219  
 Ba<sub>2</sub>(VO<sub>2</sub>)(PO<sub>4</sub>)(HPO<sub>4</sub>)·H<sub>2</sub>O, with trigonal bipyramidal VO<sub>5</sub> groups, hydrothermal synthesis and crystal structure, **140**, 272  
 CaHPO<sub>4</sub>·2H<sub>2</sub>O phosphates, composites with polymer, percolation and modeling of proton conduction in, **141**, 392  
 CaSO<sub>4</sub>·2H<sub>2</sub>O, dehydration, Controlled transformation Rate Thermal Analysis, **139**, 37  
 (1:1) Cd<sup>II</sup>[(Tr<sup>II</sup>/Cr<sup>III</sup>)(CN)<sub>6</sub>]<sub>2</sub>·15H<sub>2</sub>O complexes (*Tr* = Co,Fe), structural and spectral studies, **140**, 140  
 (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[Fe<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>]·H<sub>2</sub>O templated by piperazine, synthesis and characterization, **139**, 326  
 [(CH<sub>3</sub>NH<sub>3</sub>)<sub>1.03</sub>K<sub>2.97</sub>][Sb<sub>12</sub>S<sub>20</sub>·1.34H<sub>2</sub>O], hydrothermal synthesis and crystal structure, **140**, 387  
 C<sub>3</sub>H<sub>12</sub>N<sub>2</sub><sup>2+</sup>·HPO<sub>4</sub><sup>2–</sup>·H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343  
 C<sub>6</sub>H<sub>18</sub>N<sub>3</sub><sup>2+</sup>·2HPO<sub>4</sub><sup>–</sup>·4H<sub>2</sub>O, crystal structure and thermal behavior, **141**, 343  
 H<sub>2</sub>O–Na<sub>2</sub>SO<sub>4</sub>–Na<sub>2</sub>HPO<sub>4</sub> system, isotherms, conductivity measurements, **140**, 316  
 (H<sub>2</sub>O)[V<sub>2</sub>O<sub>2</sub>(OH){O<sub>3</sub>P(CH<sub>2</sub>)<sub>2</sub>PO<sub>3</sub>}], hydrothermal synthesis and *ab initio* resolution by X-ray powder diffraction, **141**, 89  
 H<sub>0.27</sub>V<sub>0.27</sub>W<sub>0.73</sub>O<sub>3</sub>·1/3H<sub>2</sub>O, phase transitions to V<sub>0.27</sub>W<sub>0.73</sub>O<sub>2.865</sub>, X-ray, thermal, and HREM studies, **136**, 284  
 hydrated molybdenum bronze, Cs/Na ion exchange and synthesis of cesium molybdenum bronze at low temperature, **137**, 12  
 Mn(ReO<sub>4</sub>)<sub>2</sub>·2H<sub>2</sub>O, crystal structure, **138**, 232  
 Na<sub>4</sub>P<sub>2</sub>S<sub>6</sub>·6H<sub>2</sub>O, single-crystal structure determination, **141**, 274  
 Nb(O<sub>2</sub>)<sub>0.5</sub>PO<sub>4</sub>·2H<sub>2</sub>O, characterization, **137**, 289  
 [N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][AlP<sub>2</sub>O<sub>8</sub>H<sub>2</sub>·2H<sub>2</sub>O] and 2[N<sub>2</sub>C<sub>3</sub>H<sub>5</sub>][Al<sub>3</sub>P<sub>4</sub>O<sub>16</sub>H], synthesis and structure, letter to editor, **136**, 141  
 [N(C<sub>2</sub>H<sub>5</sub>NH<sub>3</sub>)<sub>3</sub>]<sup>3+</sup>[Sn(PO<sub>4</sub>)(HPO<sub>4</sub>)]<sup>3–</sup>·4H<sub>2</sub>O, connected through hydrogen bonding, synthesis and structure, **139**, 207  
 [NH<sub>3</sub>(CH<sub>2</sub>)<sub>8</sub>NH<sub>3</sub>]<sub>3</sub>[V<sub>15</sub>O<sub>36</sub>(Cl)](NH<sub>3</sub>)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>, synthesis and structure, **136**, 298  
 Ni<sub>1–*x*</sub>Zn<sub>2*x*</sub>(OH)<sub>2</sub>(OCOCH<sub>3</sub>)<sub>2*x*</sub>·*n*H<sub>2</sub>O thin film, hydrothermal synthesis, **141**, 229  
 role in mechanochemical reactions of MgO–SiO<sub>2</sub> systems, **138**, 169  
 [Sn<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sup>2–</sup>[C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>]<sup>2+</sup>·H<sub>2</sub>O, synthesis and crystal structure, **140**, 435  
 Sr<sub>10</sub>[Sb<sub>7</sub>O<sub>13</sub>(OH)]<sub>2</sub>[SbSe<sub>3</sub>]<sub>2</sub>Se·2H<sub>2</sub>O, synthesis and crystal structure, **140**, 134  
 TiB<sub>5</sub>O<sub>6</sub>(OH)<sub>4</sub>·2H<sub>2</sub>O, dehydration, **136**, 216  
 M(VOPO<sub>4</sub>)<sub>2</sub>·4H<sub>2</sub>O (*M* = Co(II),Ni(II)), layered compounds with distinct magnetic linear trimers, **137**, 77  
 WO<sub>3</sub>·<sup>1</sup>/<sub>3</sub>H<sub>2</sub>O, Ti-stabilized phase, in formation of orthorhombic WO<sub>3</sub>, **135**, 159  
 zirconium phosphate fluorides templated with amines, hydrothermal synthesis and crystal structure, **135**, 293  
 [Zn(4,4'-bipy)(H<sub>2</sub>O)(SO<sub>4</sub>)<sub>2</sub>]·0.5H<sub>2</sub>O coordination polymer with interwoven double-layer structure, synthesis and characterization, **138**, 361  
 Zn(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, thermal behavior, **140**, 62  
 Wurtzite structure  
 ordering of metal atoms in, **138**, 334

## X

- XANES, *see* X-ray absorption near-edge structure
- X-ray absorption fine structure  
*in situ* analysis of Jahn–Teller distortion in  $\text{LiNiO}_2$ , letter to editor, **140**, 145  
 lithium manganese oxide local structure, **141**, 294
- X-ray diffraction near-edge structure  
 $\text{Nd}_{2-x}\text{Sr}_x\text{NiO}_y$  hole-doped and reduced compounds, **140**, 278
- X-ray diffraction, *see also* Powder X-ray diffraction  
 $\text{Ba}_3\text{AlO}_4\text{H}$ , **141**, 570  
 $\text{CeTaO}_{4+\delta}$  system, analysis of reversible oxidation/reduction, **140**, 20  
 $\text{Cs}_5(\text{HSO}_4)_3(\text{H}_2\text{PO}_4)_2$  solid acid with unique hydrogen bond network, **140**, 251  
 $\gamma\text{-Fe}_2\text{O}_3$  nanocrystalline particles, **137**, 185  
 $\text{Fe}_{2.5}\text{Ti}_{0.5}\text{O}_4$  nanocrystals synthesized by soft chemistry and high-energy ball milling, **139**, 66  
 $\text{In}_2\text{S}_3$  thin films, synchrotron radiation-based study, **137**, 6  
 $A_4A'\text{Ir}_2\text{O}_9$  ( $A = \text{Sr}, \text{Ba}$ ;  $A' = \text{Cu}, \text{Zn}$ ), commensurate and incommensurate phases, **136**, 103  
 $\text{LiCoO}_2$ , low-temperature samples and acid-delithiated products, **140**, 116  
 $\text{LiF}\text{-}\text{WO}_3$  ammonolysis, *in situ* study: detection and crystal structure of  $\text{Li}_{0.84}\text{W}_{1.16}\text{N}_2$ , **138**, 154  
 $\text{LiTi}_2\text{O}_4$  and  $\text{Li}_2\text{Ti}_3\text{O}_7$  ramsdellites linked in solid solutions, **141**, 365  
 magnesium oxide–magnesium orthophosphate systems, **135**, 96  
 $\text{Na}_3\text{ScF}_6$ , single-crystal high-pressure studies, **135**, 116  
 $\text{Pb}_x(\text{PO}_3)_4(\text{WO}_3)_{2m}$  ( $6 \leq m \leq 10$ ) bronze, **139**, 362  
 $\text{PdTeI}$  single crystals, **137**, 206  
 $\text{Rb}_2\text{CdCl}_4$ , **140**, 371  
 $\text{Ti}_3\text{O}_5$ , **136**, 67  
 $\text{Ti}_8\text{Nb}_{27.2}\text{O}_{72}$ , single-crystal studies, **135**, 282  
 V–Ag catalysts, **141**, 186  
 $\text{ZrV}_2\text{O}_7$ , *in situ* analysis of temperature-dependent phase transitions, **137**, 161
- X-ray diffuse scattering  
 $\text{Pb}_{1-x}\text{In}_x\text{Te}$  single crystals, detection of point defect clusters, **137**, 119
- X-ray photoelectron spectroscopy  
 $\text{Cu}^{2+}$  in sol–gel-derived  $\text{TiO}_2$ , **138**, 1
- X-ray spectroscopy  
 $\text{SnO}_2$  nanocrystals, structural study, **135**, 78

## Y

- Ytterbium  
 $\text{BiO}_{1.5}\text{-YbO}_{1.5}\text{-CuO}$  system, phase relations, **139**, 398  
 $\text{Cs}_2\text{YbNb}_6\text{Br}_{18}$ , twinning and atomic structure of twin interface, **141**, 140  
 $\text{KYb}^{\text{III}}\text{M}^{\text{IV}}\text{F}_{12}$  ( $M^{\text{IV}} = \text{Tb}, \text{Zr}, \text{Hf}$ ), synthesis and crystal structure, **139**, 248  
 $\text{Sr}_3\text{YbRhO}_6$ , synthesis, characterization, and magnetic properties, **139**, 79  
 $\text{Yb}_3\text{Al}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424  
 $\text{YbBa}_2\text{Fe}_3\text{O}_{8+x}$  phases, powder neutron and X-ray diffraction studies, **136**, 21  
 $\text{YbBi}_2\text{O}_4\text{NO}_3$ , preparation and crystal structure, **139**, 321  
 $\text{YbFe}_2\text{O}_4$  structure type, compounds with frustrated magnetism and spin-glass behavior, **140**, 337  
 $\text{Yb}_3\text{Ga}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424
- Yttrium  
 $\text{LiYO}_2$  doped with  $\text{Eu}^{3+}$ , monoclinic and tetragonal structures, refinement, **137**, 242  
 Ru–Y system, calorimetric study with phase diagram optimization, **138**, 302

- $\text{Sr}_2\text{YMn}_2\text{O}_7$ , Ruddlesden–Popper phases, HRTEM study, **138**, 135  
 $\text{Sr}_3\text{YRhO}_6$  with  $\text{K}_4\text{CdCl}_6$  structure, synthesis and characterization, **139**, 416  
 $\text{Y}^{3+}$ , doping of  $\text{Na}_2\text{SO}_4$ , effect on electrical conductivity, **138**, 369  
 $\text{YAlO}_3$  perovskite, stability, calorimetric study, **141**, 424  
 $\text{Y}_3\text{Al}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424  
 $\text{Y}_4\text{Al}_2\text{O}_9$ , high-temperature neutron diffraction study, **141**, 466  
 $\text{YB}_{56}$  with  $\text{YB}_{66}$  structure, Y atoms in, digital HREM imaging, **135**, 182  
 $\text{YBa}_2\text{Cu}_3\text{O}_y$ , shock synthesis, effect of ionic radius difference of  $\text{Y}^{3+}$  and  $\text{Ba}^{2+}$ , **136**, 74  
 $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ , TEM and NQR studies, **139**, 266  
 $\text{YBa}_2\text{Fe}_3\text{O}_{8+w}$  triple perovskites,  $^{57}\text{Fe}$  Mössbauer study, **139**, 168  
 $\text{YBa}_2\text{Fe}_3\text{O}_{8+x}$  phases, powder neutron and X-ray diffraction studies, **136**, 21  
 $\text{YBi}_2\text{O}_4\text{NO}_3$ , preparation and crystal structure, **139**, 321  
 $\text{Y}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ , charge-ordered states, distinction based on chemical melting, **137**, 365  
 $\text{Y}_3\text{Ga}_5\text{O}_{12}$  garnet, stability, calorimetric study, **141**, 424  
 $\text{Y}_3\text{Si}_2\text{C}_2$ , magnetic and electrical properties, **138**, 201  
 $[(\text{ZrO}_2)_{0.92}(\text{Y}_2\text{O}_3)_{0.08}]_{1-x}(\text{RuO}_2)_x$  ( $0 \leq x \leq 0.1$ ) ceramics, preparation and electrical characterization, **141**, 282

## Z

- Zeolites  
 ethylenediamine-templated structures related to, in zinc arsenate and cobalt phosphate systems, synthesis, **136**, 210
- Zinc  
 $\text{AgZnPO}_4$ , crystal structure and crystal chemistry, **141**, 177  
 1,3-diammonium-propane zinc hydrogen phosphates with 12-ring layers and 4-ring ladders, syntheses, crystal structures, and physical properties, **136**, 93  
 ethylenediamine-templated zinc arsenate, synthesis and zeolite-type structure, **136**, 210  
 $\text{EuZnIn}$  intermetallic compounds,  $^{151}\text{Eu}$  Mössbauer spectroscopy and magnetic susceptibility, **137**, 174  
 $\text{InMO}_3(\text{ZnO})_m$  ( $M = \text{In}, \text{Ga}$ ;  $m = \text{integer}$ ), modulated structure described by four-dimensional superspace group, **139**, 347  
 $\text{LaNi}_{0.95}\text{Zn}_{0.05}\text{O}_3$  perovskites, metal–insulator transitions in, **136**, 313  
 $\text{LiZnPO}_4$ , polymorph with cristobalite-type framework topology, **138**, 126  
 mechanosynthesized zinc ferrite, structural disorder in, **135**, 52  
 $\text{Ni}_{1-x}\text{Zn}_x(\text{OH})_2(\text{OCOCH}_3)_{2x}n\text{H}_2\text{O}$  thin film, hydrothermal synthesis, **141**, 229  
 $[\text{Zn}(4,4\text{'-bipy})(\text{H}_2\text{O})(\text{SO}_4)] \cdot 0.5\text{H}_2\text{O}$  coordination polymer with interwoven double-layer structure, synthesis and characterization, **138**, 361  
 $A_4\text{ZnIr}_2\text{O}_9$  ( $A = \text{Sr}, \text{Ba}$ ), commensurate and incommensurate phases, **136**, 103  
 $\text{Zn}\text{-Mn}$  spinel ferrites, nanocrystals obtained by high-energy ball milling, chemical homogeneity, **141**, 10  
 $\text{Zn}(\text{O}_3\text{PC}_6\text{H}_5) \cdot \text{H}_2\text{O}$ , thermal behavior, **140**, 62  
 $\gamma\text{-Zn}_2\text{P}_2\text{O}_7$ , structure determination from X-ray powder diffraction data, **140**, 62  
 $A_2\text{ZnP}_2\text{Se}_6$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), synthesis, structure, and optical and thermal properties, **138**, 321  
 $\text{Zn}(\text{ReO}_4)_2$  anhydrous perrhenates, crystal structure, **138**, 232  
 $\text{ZnS}$ , sphalerite and wurtzite structures, ordering of metal atoms in, **138**, 334
- Zinc phenylphosphonate  
 thermal decomposition, analysis by temperature-dependent X-ray powder diffraction, **140**, 62
- Zircon  
 Pr-doped, valence and localization of Pr in, **139**, 412

## Zirconium

- BaHf<sub>1-x</sub>Zr<sub>x</sub>N<sub>2</sub> solid solution, synthesis, structure, and magnetic properties, **137**, 62
- Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>-MZrO<sub>3</sub> (M = Ba,Sr) system, hexagonal perovskites in, synthesis and structural study, **141**, 492
- CeZrO<sub>4</sub> powders, oxygen release behavior and appearance of compounds  $\kappa$  and  $t^*$ , **138**, 47
- ethylenediamine-templated 1-D [enH<sub>2</sub>][Zr(HPO<sub>4</sub>)<sub>3</sub>] and 2-D [enH<sub>2</sub>]<sub>0.5</sub>[Zr(PO<sub>4</sub>)(HPO<sub>4</sub>)], crystal structures, **140**, 46
- K<sub>4</sub>Zr<sub>6</sub>Br<sub>18</sub>C, structure, **139**, 85
- KLn<sup>III</sup>Zr<sub>2</sub>F<sub>12</sub> (Ln<sup>III</sup> = Ce-Lu), synthesis and crystal structure, **139**, 248
- tetragonal polycrystalline zirconia, doped and undoped nanopowders, synthesis by spray pyrolysis, **141**, 191
- zirconium phosphate fluorides templated with amines, hydrothermal synthesis and crystal structure, **135**, 293
- Zr<sup>4+</sup>
- dissolved in Ni<sub>1-x</sub>O, defect clusters and superstructures, **140**, 361
  - doping of Na<sub>2</sub>SO<sub>4</sub>, effect on electrical conductivity, **138**, 369
  - Zr<sub>3</sub>Al<sub>3</sub>C<sub>5</sub>, crystal structure, **140**, 396
  - Zr<sub>2.7</sub>Hf<sub>1.3</sub>P<sub>9</sub>, bonding and site preferences, **136**, 221
  - ZrNX (X = Cl,Br,I) system, electronic band structure, **138**, 207
- ZrO<sub>2</sub>
- monoclinic and tetragonal phases, Mo<sup>V</sup> in, EPR study, **136**, 263
  - nondoped sol-gels prepared with hydrolysis catalysts, tetragonal nanophase stabilization, **135**, 28
  - texture properties, effect of supported Na<sup>+</sup>, **138**, 41
  - [(ZrO<sub>2</sub>)<sub>0.92</sub>(Y<sub>2</sub>O<sub>3</sub>)<sub>0.08</sub>]<sub>1-x</sub>(RuO<sub>2</sub>)<sub>x</sub> (0 ≤ x ≤ 0.1) ceramics, preparation and electrical characterization, **141**, 282
  - ZrTe<sub>3</sub>, crystal structure and electronic band structure, **138**, 160
  - Zr<sub>3</sub>Te, crystal structure, **139**, 213
  - Zr<sub>5</sub>Te<sub>4</sub>, crystal structure, **139**, 213
  - Zr<sub>x</sub>Ti<sub>1-x</sub>O<sub>2</sub> (x = 0.22,0.39,0.60) prepared by sol-gel synthesis, thermal decomposition and phase analysis, **139**, 225
  - ZrV<sub>2</sub>O<sub>7</sub>, temperature-dependent phase transitions, *in situ* electron and X-ray diffraction studies, **137**, 161
  - ZrW<sub>2</sub>O<sub>8</sub> and Mo-substituted ZrW<sub>2</sub>O<sub>8</sub>, low-temperature synthesis, **139**, 424