

Cumulative Subject Index for Volumes 149–155¹

A

- Acetone
vanadyl phosphate intercalated with, structural analysis, **150**, 356
- Acid delithiation
partial, effects on electrochemical insertion properties of Ni-stabilized LiMn₂O₄ spinel oxides, **150**, 196
- Activation energy
Fe-doped boron, **154**, 188
- Alkali halides
solid solution, mixing model, **153**, 118
- Alkali-metal amalgams
synthesis and structure, **149**, 419
- Alkoxides
Synroc precursor heated to 800 °C, intermediate cubic phase crystallized from, fluorite structure, **150**, 209
- Alloys
preparation in polyol media, thermodynamic approach, **154**, 405
- Aluminum
 α -AlB₁₂
crystal chemistry, **154**, 168
strength and creep in, **154**, 191
 γ -AlB₁₂, crystal chemistry, **154**, 168
Al₃BC₃, 300-K equation of state and high-pressure phase stability, **154**, 254
AlSr₂YCu₂O₇, crystal growth and structure, **149**, 256
BaAlBO₃F₂, crystal structure, **155**, 354
B₄₈Al₃C₂, interband transitions and optical phonons, **154**, 75
CaAl₁₂Si₄O₂₇ high-pressure phase with Al₆O₁₉ clusters, synthesis and structure, **153**, 391
CaO:Al₂O₃:Nb₂O₅ system, phase equilibria and dielectric properties, **155**, 78
CdAl₂Se₄, zone center frequencies in tetragonal phase, **153**, 317
cryolite–alumina melt, TiB₂ in, chemical and electrochemical behavior, **154**, 107
GdNi₃Al₂, structural, electrical, magnetic, and hydrogen absorption properties, relationship to synthesis conditions, **150**, 62
intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
KAlQ₂ (Q = Se, Te) chalcogenides with stacking faults, synthesis and structure, **149**, 242
La₃Al_{0.44}Si_{0.93}S₇, crystal structure, **155**, 433
Mg–Al hydrotalcites, anion-exchanged, properties of, effects of guest–host interactions, **155**, 332
Mg:Al ratio, effect on borate/nitrate or silicate/nitrate exchange in hydrotalcite, **151**, 272
molten, TiB₂ in, chemical and electrochemical behavior, **154**, 107
Na₂Al₂(BO₃)₂O, crystal structure, comparison with other layered oxyborates and SiP₂O₇, **154**, 344
Na₂SO₄–Al₂O₃
conductivity enhancement, **155**, 154
ionic conductivity, mechanism and role of preparatory parameters, **153**, 287
[N₂C₄H₁₂]Al₂(PO₄)(HPO₄)(C₂O₄)H₂O hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324
[NH₃CH₂CH(OH)CH₃]₃ · Al₃P₄O₁₆, synthesis, racemic isopropanol-amine as solvent and template for, **151**, 145
Ni_{1-x}Cu_xFeAlO₄, Mössbauer effect study, **149**, 434
Pb₅Al_{2.96}Cr_{0.04}F₁₉, ferroelastic phase, crystal structure at 300 K, **155**, 427
Sc₂AlB₆, crystal growth and structure, **154**, 49
SrAl₂B₂O₇, **150**, 404
Ti–Ni–Al–N and Ti–Ni–Al–O systems, experimental studies, **155**, 71
(Y, RE)Al₃(BO₃)₄ solid solutions (RE = Nd, Gd, Ho, Yb, Lu), crystal growth and characterization, **154**, 317
[Zn–Al–Cl] layered double hydroxide, thermally treated, X-ray diffraction pattern simulation, **152**, 568
- Amine phosphates
in preparation of open-framework metal phosphates, **152**, 302
- Ammonium
[(CH₃NH₃)_{0.5}(NH₄)_{1.5}]Sb₈S₁₃ · 2.8H₂O, hydrothermal synthesis and crystal structure, **155**, 409
La(H₂O)₂NH₄(C₂O₄)₂ · H₂O, crystal structure and thermal behavior, **150**, 81
(NH₄)_{0.13}V_{0.13}Mo_{0.87}O₃ solid solution, properties, **152**, 353
quaternary ions R₄N⁺ (R = nPr, nBu, nPen), as structure directors for synthesis of zeolite-like heterobimetallic cyanide frameworks, **152**, 286
- Amorphization
BaCa_{0.393}Nb_{0.606}O_{2.91} at room temperature due to cation loss in aqueous media, **149**, 262
- Amorphous alloys
Co₇₇B₂₃, crystallization mechanism, **154**, 145
- Analytical electron microscopy
paracrystal formation from Ni_{1-x}O and CaO upon interdiffusion, **152**, 421
- Anatase
M₃O₅ intergrowth structures formed during low-temperature oxidation of anosovite, **150**, 128
phase transformations induced by ball-milling, kinetics and mechanisms, **149**, 41
- Anion doping
effects on conductivity of Na₂SO₄, **155**, 154
- Anionic disorder
in Eu₃(BO₃)₂F₃, evidence from Eu³⁺ luminescence: comparison with Ba₂Eu(CO₃)₂F₃, **153**, 270
- Anosovite
oxidation at low temperature, M₃O₅–anatase intergrowth structures formed during, analysis, **150**, 128
1-(9-Anthrylethynyl)-4-chloromethyl-2,5-dimethoxybenzene doped in polymer, photoluminescence and electroluminescence, effect of excimer behavior, **153**, 192
- Anticotunnite
reversible phase transition of antiferromagnetic to, in Li₂S at high pressures, **154**, 603
- Antiferromagnetic ordering
long-range, in BaLaMRuO₆ (M = Mg, Zn), **150**, 383

¹Boldface numbers indicate volume; lightface numbers indicate pagination.

Antiferromagnetic transition

BaLn₂MnS₅ (*Ln* = La,Ce,Pr), **153**, 330

TbBa₄Si_{1.2}, **154**, 223

Antiferromagnetism

in ladder-like Cu(II) coordination polymers, **152**, 183

Antifluorite

reversible phase transition to anticotunnite in Li₂S at high pressures, **154**, 603

Antimony

Ba₈Ga₁₆(GaSb)_xGe_{30-2x} (*x* = 2) with *p*-type thermoelectric cage structure, synthesis and characterization, **151**, 61

[(CH₃NH₃)_{0.5}(NH₄)_{1.5}]Sb₈S₁₃ · 2.8H₂O, hydrothermal synthesis and crystal structure, **155**, 409

Eu₁₆Sb₁₁, synthesis, structure, and properties, **155**, 168

EuSn₃Sb₄ and related metallic Zintl phases, synthesis, structure, and resistivity, **150**, 371

Hg₆Sb₄BiBr₇ and Hg₆Sb₅Br₇, built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350

NaSb₃O₂(PO₄)₂, synthesis and structure, **151**, 21

Na₂Ti₂Sb₂O, powder neutron diffraction: structure–property relationships, **153**, 275

γ-NiSb nanocrystals, synthesis by solvothermal coordination–reduction route at low temperature, **155**, 42

[(Pb,Sb)S]_{2.28}NbS₂, distribution of Pb and Sb atoms in (Pb,Sb)S layers in, scanning tunneling and atomic force microscopic studies, **149**, 370

Rb₂Sb₈S₁₃ · 3.3H₂O, hydrothermal synthesis and crystal structure, **155**, 409

RE₅M₂Sb (*RE* = Y,Gd,Tb,Dy,Ho,Er,Tm,Lu; *M* = Ni,Pd) pnictides, crystal structure and bonding, **152**, 478

Sb₅PO₁₀, synthesis and structure, **155**, 451

Yb₃In₂Sb₆ Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55

Apatite

calcium fluorapatite, conversion into calcium hydroxyapatite under alkaline hydrothermal conditions, **151**, 65

Ca_{9.75}[(PO₄)_{5.5}(CO₃)_{0.5}]CO₃, A-type, structure analysis by single-crystal X-ray diffraction, **155**, 292

Ca₆Sm₂Na₂(PO₄)₆F₂, crystal structure and polarized Raman spectra, **149**, 308

Cd₅(PO₄)₃Br and Cd₅(PO₄)₃I, incommensurate modulation, **150**, 154

La₅Si₂BO₁₃ analog of, synthesis and neutron diffraction study, **155**, 389

related phosphates, synthesis and characterization, **149**, 133

Arsenic

Bi_{6.67}O₄(AsO₄)₄, existence of, **154**, 435

Ga₂S₃(As₂S₃,PbS)–GeS₂–MnS glasses, magnetic susceptibility and local structure, **152**, 388

GdCuAs₂, symmetry-breaking transitions through GdCuAs_{1.15}P_{0.85} to GdCuP_{2.20}, **155**, 259

Hg₆As₄BiCl₇ built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350

β-LiVOAsO₄, synthesis, structure, and physical studies, **150**, 250

[NH₃(CH₂)₃NH₃]_{0.5}[*M*(OH)AsO₄] (*M* = Ga,Fe), synthesis and characterization, **155**, 37

PbBi₆O₄(AsO₄)₄, existence of, **154**, 435

V₃As₂, bonding analysis, **154**, 384

W₅As₄, electronic structure, **154**, 384

Aryloxides

Ti(IV)–aryloxide network materials, synthesis and characterization, **152**, 130

Aryl stacking interactions

structural mimicry by polymorphous one-dimensional tetrapyrrolylporphyrin coordination polymers, **152**, 253

Atomic force microscopy

cation loss from BaCa_{0.393}Nb_{0.606}O_{2.91} in aqueous media leading to amorphization at room temperature, **149**, 262

[(Pb,Sb)S]_{2.28}NbS₂ Franckeite-type misfit compounds: distribution of Pb and Sb atoms in (Pb,Sb)S layers, **149**, 370

Atomic ordering

long-range, in BaLaMRuO₆ (*M* = Mg,Zn), **150**, 383

Atomistic computer simulation

rare-earth oxide pyrochlores, comparison with results of wide-angle CBED, **153**, 16

Atomistic free-energy minimization

analysis of chemical and thermal expansion of (La_{1-x}Ca_x)CrO₃, **149**, 320

Aurivillius phases

low-temperature reaction with halides, **150**, 416

three-layer, cation disorder in, **153**, 66

B

Ball-milling

anatase phase transformations induced by, kinetics and mechanisms, **149**, 41

mechanochemical reactions in Sn–Zn–S system, **153**, 371

(ZrO₂)_{0.8}(α-Fe₂O₃)_{0.2} powder for gas sensing applications, **155**, 320

Band gap

boron–silicon thin film prepared by pulsed laser deposition, **154**, 141

pure and V-doped β-rhombohedral boron, **154**, 307

Band magnetism

A₂T₂Sn (*A* = Ce,U; *T* = Ni,Pd), local spin density functional calculations, **149**, 449

Band structure

CdCr₂S₄ and CdCr₂Se₄ spinels, **155**, 198

Dy₆MTe₂ (*M* = Fe,Co,Ni), **155**, 9

EuSn₃Sb₄ and related Zintl phases, **150**, 371

graphite monofluoride, analysis with 3D cyclic cluster approach, **150**, 286

K_{1.8}Mo₉S₁₁, **155**, 124

La₅Cu₆O₄S₇, **155**, 366

LaTe₂, **149**, 155

A₂Mo₉S₁₁ (*A* = K,Nb), **155**, 124

Rb₅Au₃O₂, **155**, 29

Sr₂NiN₂, **154**, 542

W₃As₄, **154**, 384

Barium

BaBi₃O_{5.5}, crystal growth and structure, **152**, 435

BaMBO₃F₂ (*M* = Ga,Al), crystal structure, **155**, 354

BaCa_{0.393}Nb_{0.606}O_{2.91}, cation loss in aqueous media leading to amorphization at room temperature, **149**, 262

Ba₄Ln₂Cd₃S₁₀ (*Ln* = Sm,Gd,Tb), synthesis and structure, **149**, 384

BaCe_xZr_{1-x}O₃ (0 ≤ *x* ≤ 1) mixed perovskites, high-pressure Raman study, **149**, 298

Ba₂CoNbO₆ perovskite, magnetic transition in, **151**, 294

Ba₈Co₇O₂₁, synthesis and structure, **151**, 77

Ln_{1.85}Ba_{0.15}CuO₄ superconductors, true tolerance factor effects in, **155**, 138

Ba₄Er₂Cu₇O_{15-δ}, structural effects of Au and Al incorporation, **150**, 228

Ba₂Eu(CO₃)₂F₃, optical behavior, comparison with Eu₃(BO₃)₂F₃, **153**, 270

Ba₂FeNbO₆ perovskites, magnetic susceptibility and Mössbauer spectroscopy, **154**, 591

BaGa₂B₂O₇, crystal structures, **154**, 598

Ba₈Ga₁₆(GaSb)_xGe_{30-2x} (*x* = 2) with *p*-type thermoelectric cage structure, synthesis and characterization, **151**, 61

BaGa₂O₄, stuffed framework structure, **154**, 612

Ba₅Ge_{25-x} structure and thermoelectric properties, **153**, 321

Ba₂₄Ge₁₀₀, preparation and structure, **151**, 117

- Ba₆Ge₂₂In₃, structure and thermoelectric properties, **153**, 321
- Ba₆Ge₂₃Sn₂, structure and thermoelectric properties, **153**, 321
- BaHf_{1-x}Zr_x(PO₄)₂, UV-emitting X-ray phosphor, **155**, 229
- BaR_{1-x}Co_xO_{3-δ} ($x = 0.5, 0.7, 0.8$) perovskites, structural chemistry and electronic properties, **152**, 361
- BaLaMRuO₆ ($M = \text{Mg, Zn}$), atomic and magnetic long-range ordering in, **150**, 383
- BaLiF₃ doped with Ce³⁺, optical spectroscopy properties and charge compensation, **150**, 178
- Ba₂LuTaO₆, Yb³⁺ doped in, EPR study, **150**, 31
- BaMnS₂, magnetic properties, **155**, 305
- BaLn₂MnS₅ ($Ln = \text{La, Ce, Pr}$), crystal structures and magnetic properties, **153**, 330
- Ba₄Nd₂Cd₃Se₁₀, synthesis and structure, **149**, 384
- BaRuO₃, bond valence analysis, **151**, 245
- Ba₄Ru₃O₁₀, crystal structure and compressibility, **149**, 137
- Ba₃SiI₂, synthesis, structure, and properties, **152**, 460
- BaSm₄(SiO₄)₃Se, crystal structure, **155**, 433
- Ba_{1-x}Sm_xSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- Ba_{0.93}Sr_{0.07}MnS₂, magnetic properties, **155**, 305
- BaTiO₃, flux additions in, overview and prospects, **155**, 86
- Ba_{1+x}V₈O₂₁ bronze with tunnel structure, hydrothermal synthesis and crystal structure, **150**, 330
- Ba₆[V₁₀O₃₀(H₂O)] · 2.5H₂O with unusual arrangement of V^{IV}-O polyhedra, hydrothermal synthesis and crystal structure, **151**, 130
- Ba₂YbTaO₆ with ordered perovskite structure, magnetic susceptibility, **150**, 31
- in chlorapatite, effects on topotaxial replacement by hydroxyapatite under hydrothermal conditions, **154**, 569
- ErBaSrCu_{3-x}(PO₄)_xO_y ($x = 0.0, 0.10, 0.20$), electron microscopy and neutron diffraction studies, **150**, 188
- LaBaCuGaO₅, phase transition induced by high pressure, **155**, 372
- LaCoO₃-LaMnO₃-BaCoO₂-BaMnO₃ system, phase equilibria, **153**, 205
- NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
- Pr_{1-x}Ba_xCoO₃ perovskite, magnetic order, magnetic circular dichroism spectroscopic study, **152**, 577
- Tl-Hg-Ba-Sr-Ca-Cu-O system, 2212-type superconductors in, XRD studies, **153**, 106
- Tl_{0.75}Sr_{1.8}Ba_{0.2}CuO_y, superstructure derived from, X-ray and neutron-powder diffraction, **155**, 22
- YBa₂Cu₄O₈ superconductor, HRTEM surface profile imaging, **149**, 327
- Base cements
- Mo₂NiB₂, with Cr and V additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263
- Batteries
- electrochemical insertion properties of Ni-stabilized LiMn₂O₄ spinel oxides, effects of partial acid delithiation, **150**, 196
- 1,3,5-Benzenetricarboxylate
- hydrogen bond-directed hexagonal frameworks based on, **152**, 261
- N-Benzyl piperidinium dihydrogenmonophosphate
- crystal structure and phase transitions, **155**, 298
- Beryllium
- intercalation compounds of anionic oxalate complexes with layered double hydroxides, **153**, 301
- Bipyridine
- [Co(4,4'-bipyridine)₂·5(NO₃)₂] · 2phenanthrene, synthesis and crystal structure, **152**, 280
- 4,4'-Bipyridylethane
- coordination polymers with, synthesis and structure, **152**, 113
- Bismuth
- BaBi₃O_{5.5}, crystal growth and structure, **152**, 435
- RE₅M₂Bi ($RE = \text{Y, Gd, Tb, Dy, Ho, Er, Tm, Lu}$; $M = \text{Ni, Pd}$) pnictides, crystal structure and bonding, **152**, 478
- Bi₁₄CrO₂₄, crystal structure, **149**, 209
- A₃Bi₅Cu₂S₁₀ ($A = \text{Rb, Cs}$), structure and conductivity, **155**, 243
- BiCu₃Ti₃FeO₁₂, dielectric constant, **151**, 323
- Bi_{2/3}Cu₃Ti₄O₁₂, dielectric constant, **151**, 323
- Bi_{0.775}La_{0.225}O_{1.5} of rhombohedral Bi-Sr-O type, structure and conductivity optimization by polycationic substitutions for La, **149**, 341
- Bi_{1-y}La_yO_{1.5} monoclinic solid solution, identification and structural relationship to rhombohedral Bi-Sr-O type, **151**, 281
- Bi_{4-x}La_xTi₃O₁₂ ($x = 1, 2$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
- BiMg₂VO₆, variable-temperature X-ray diffraction study, **149**, 143
- Bi₂MoO₆ catalyst, high-temperature incommensurate-to-commensurate phase transition, **155**, 206
- Bi₂Nd₄O₉ monoclinic phase, structure, **153**, 30
- Bi_{2-x}Nd_xRu₂O_{7-y} ($0 < x < 2$) pyrochlores, metal-nonmetal transition in, structural studies, **151**, 25
- (1-x)Bi₂O₃ · xCaO ($0.20 < x < 0.29$) α'₁ and α''₁ fluorite-related phases, electron diffraction and XRD studies, **149**, 218
- Bi₂O₃-MoO₃ system, EDS and TEM study: compounds with structure based on [Bi₁₂O₁₄]_∞ columns, **149**, 276
- Bi_{6.67}O₄(XO₄)₄ ($X = \text{P, V, As}$), existence of, **154**, 435
- Bi₂Pb₂O₇ with pyrochlore structure, hydrothermal synthesis and characterization, **149**, 314
- BiM₄²⁺(PO₄)₃O ($M^{2+} = \text{Ca, Sr}$), synthesis and characterization, **149**, 133
- Bi_{0.85}Pr_{0.105}V_{0.045}O_{1.545} ceramics, sintering and conductivity, effect of particle size, **155**, 273
- BiSeO₃Cl, crystal structure and dielectric and nonlinear optical properties, **149**, 236
- 1201 Bi_{0.4}Sr_{2.6}MnO_{5-δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6-δ} with 1:1 Bi-Sr ordering, synthesis and characterization, **151**, 210
- Bi_{2-x}Sr_{2+x}Ti_{1-x}Nb_{2+x}O₁₂ ($0 < x < 0.8$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
- Bi₂TeO₅, Bi₂Te₂O₇, and α- and β-Bi₂Te₄O₁₁, IR spectra, **152**, 392
- BiZn₂PO₆, crystal structure, **153**, 48
- Ce_{1-y}Bi_yVO₄ with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
- (CH₃NH₃)₃Bi₂Cl₉, low-temperature phase transition and structural relationships, **155**, 286
- Eu₁₆Bi₁₁, synthesis, structure, and properties, **155**, 168
- Hg₆As₄BiCl₇ and Hg₆Sb₄BiBr₇, built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350
- KBi₂CuS₄, structure and conductivity, **155**, 243
- Mo_{0.16}Bi_{0.84}O_{1.74}, high-temperature cubic fluorite-type phase with 3D incommensurate modulation, synthesis and structure, **152**, 573
- PbBi₆O₄(XO₄)₄ ($X = \text{P, V, As}$), existence of, **154**, 435
- Pb₅Bi₁₈P₄O₄₂, crystal structure, **151**, 181
- Sr_{1.25}Bi_{0.75}O₃ and Sr_{0.4}K_{0.6}BiO₃, structure determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
- Sr_{3.75}K_{1.75}Bi₃O₁₂ and Sr_{3.1}Na_{2.9}Bi₃O₁₂, synthesis and characterization, **152**, 492
- Blue bronze
- K_{0.3}MoO₃, interactions of sliding charge-density waves with phonons, **155**, 105
- Bonding
- Dy₆MTe₂ ($M = \text{Fe, Co, Ni}$), **155**, 9
- in FeZn₁₀ and Fe₁₃Zn₃₉, **151**, 85
- GdCuAs₂, GdCuAs_{1.15}P_{0.85}, and GdCuP_{2.20}, **155**, 259
- M₅Ge₄ compounds in Ge-Ta-Zr system, **150**, 347
- in IrIn₂, Ti₃Rh₂In₃, and ZrIn₂, **150**, 19
- rare-earth-rich ternary pnictides RE₅M₂X ($RE = \text{Y, Gd, Tb, Dy, Ho, Er, Tm, Lu}$; $M = \text{Ni, Pd}$; $X = \text{Sb, Bi}$), **152**, 478
- in Ti₅Te₄-related compounds, theoretical study, **154**, 384

- Bond valence
 BaRuO₃, **151**, 245
 ErBaSrCu_{3-x}(PO₄)_xO_y ($x = 0.0, 0.10, 0.20$), **150**, 188
 SmNi_{1-x}Co_xO₃, **150**, 145
 2D misfit compounds, in quantitation of interlayer charge transfer, **155**, 1
- Borate
 exchange with nitrate in hydrotalcite, effect of Mg:Al ratio, **151**, 272
- Borazines
 polymers prepared from, structure, effect on crystallinity of boron nitride, **154**, 137
- Boron
 α -AlB₁₂
 crystal chemistry, **154**, 168
 strength and creep in, **154**, 191
 γ -AlB₁₂, crystal chemistry, **154**, 168
 Al₃BC₃, 300-K equation of state and high-pressure phase stability, **154**, 254
 B₂, electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
 B₉₆ isomers, *ab initio* study: quasicrystals and nanotubes, **154**, 269
 BaMBO₃F₂ ($M = \text{Ga, Al}$), crystal structure, **155**, 354
 B₄₈Al₃C₂, interband transitions and optical phonons, **154**, 75
 BN
 coating of graphite for protection against oxidation, **154**, 162
 crystallinity, effect of molecular precursor structure, **154**, 137
 electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
 films prepared by MOCVD, **154**, 101
 nanotubes, structure and mechanisms of growth and formation, **154**, 214
 phase diagram, **154**, 280
 B₁₂N₁₂, B₂₄N₂₄, and B₆₀N₆₀, semiempirical and molecular dynamics studies, **154**, 214
 BO, electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
 borocarbides
 Ln-M-B-C ($L_n = \text{rare earths, Y; } M = \text{Ni, Pd}$), chemical and superconducting properties, **154**, 114
 R₅B₂C₅ ($R = \text{Y, Ce-Tm}$), structural, electronic, and magnetic properties, **154**, 286
 boron carbides
 BC, electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
 B₄C, strength and creep in, **154**, 191
 enriched in ¹⁰B, ¹¹B, and ¹³C isotopes, IR-active phonons and structure elements, **154**, 79
 lattice dynamics, effects of crystal geometries, **154**, 20
 sintering, **154**, 194
 structural defects, correlation with electronic properties, **154**, 61
 boron phosphide films
 preparation by photo- and thermal chemical vapor deposition processes, **154**, 39
 thermoelectric properties, **154**, 26
 borosilicates, crystallization and structural characteristics, **154**, 312
 B₁₂P₂ wafers, electrical and thermal properties, **154**, 33
 BPO₄ doped with Li, ionic distribution in, NMR study, **153**, 282
 B-Si thin film, preparation by pulsed laser deposition and properties, **154**, 141
 CeB₆
 floating zone growth and high-temperature hardness, **154**, 238
 interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 RCo₄B ($R = \text{Y, Pr, Nd, Sm, Gd, Tb}$), magnetic properties, **154**, 242
 Co₇₇B₂₃ amorphous alloy, crystallization mechanism, **154**, 145
 compounds of, microanalysis with nuclear microprobe, **154**, 301
 (Cr_{1-x}TM_x)₃B₄ ($TM = \text{Ti, V, Nb, Ta, Mo, W}$) large crystals, synthesis and analysis, **154**, 45
 crystals rich in, geometries of, effects on lattice dynamics, **154**, 20
 DyB₆, magnetic entropy, **154**, 275
 EuB₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 Eu₃(BO₃)₂F₃, anionic disorder in, evidence from Eu³⁺ luminescence: comparison with Ba₂Eu(CO₃)₂F₃, **153**, 270
 Fe-doped, physical-mechanical characteristics, **154**, 188
 films
 preparation by photo- and thermal chemical vapor deposition processes, **154**, 39
 thermoelectric properties, **154**, 26
 Mg₂B₂O₇ ($M = \text{Sr, Ba}$), crystal structures, **154**, 598
 GdB₆, magnetic entropy, **154**, 275
 Gd₂O₃-B₂O₃, thermal behavior and structural analysis, **154**, 204
 Hf-B-C system, phase equilibria, calculation by thermodynamic modeling, **154**, 257
 HoB₆, magnetic entropy, **154**, 275
 icosahedral solids rich in, structural defects, correlation with electronic properties, **154**, 61
 LaB₆
 chemical vapor deposition, thermodynamic estimation, **154**, 157
 floating zone growth and high-temperature hardness, **154**, 238
 interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 La₃BSi₂O₁₀, crystallization and structural characteristics, **154**, 312
 LaB₆-(Ti,Zr)B₂ alloys, eutectic crystallization, **154**, 165
 La₅Si₂BO₁₃, synthesis and neutron diffraction study, **155**, 389
 metal borides, solid state structures, molecular models of, **154**, 110
 metal hexaborides, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 MgOs₃B₄, channel structure, **154**, 232
 Mo₂NiB₂ boride base cements with Cr and V additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263
 Na₂M₂(BO₃)₂O ($M = \text{Al, Ga}$), crystal structure, comparison with other layered oxyborates and SiP₂O₇, **154**, 344
 Na₃[B₆O₉(VO₄)], synthesis and crystal structure, **150**, 342
 Na₂O-B₂O₃ glass system, phase separation in, NMR study, **149**, 459
 NbB₂, chemical vapor deposition, thermodynamic estimation, **154**, 157
 NdB₆, floating zone growth and high-temperature hardness, **154**, 238
 R₂NiB₁₀ ($R = \text{Y, Ce-Nd, Sm, Gd-Ho}$), synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 PrB₆, floating zone growth and high-temperature hardness, **154**, 238
 quantitative electron probe microanalysis, **154**, 177
 rare-earth hexaborides, phonon and specific heat analyses, **154**, 275
 Rb₂[B₄O₅(OH)₄]·3.6H₂O, crystal structure and thermal behavior, **149**, 197
 α -rhombohedral, production by amorphous boron crystallization, **154**, 199
 β -rhombohedral
 high-purity, and carbon-doped, modulated photoconductivity, **154**, 93
 high-purity, photoluminescence and steady-state interband photoconductivity, **154**, 68
 isotopically modified, phonon properties, **154**, 296
 metal-doped, thermoelectric properties, **154**, 13
 pure, and V-doped, modulated photocurrent measurements, **154**, 307
 structural defects, correlation with electronic properties, **154**, 61
 Sc₂AlB₆, crystal growth and structure, **154**, 49
 ScB₁₇C_{0.25}, single-crystal XRD and TEM study, **154**, 130

- ScOs₃B₄, channel structure, **154**, 232
sintering, **154**, 194
Sm_{0.8}B₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
SmB₆
floating zone growth and high-temperature hardness, **154**, 238
interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
SrAl₂B₂O₇, **150**, 404
SrMn_{1-y}(B,C)_yO_{3-δ}, order-disorder phenomena, **149**, 226
TaB₂, chemical vapor deposition, thermodynamic estimation, **154**, 157
TbB₆, magnetic entropy, **154**, 275
TbB₄Si_{1.2}, specific heat, **154**, 223
thin film, preparation and thermoelectric power, **154**, 153
three-coordinate organoborons, linear and nonlinear optical properties, **154**, 5
TiB₂
chemical and electrochemical behavior in cryolite-alumina melt and in molten aluminum, **154**, 107
chemical vapor deposition, thermodynamic estimation, **154**, 157
(Y,RE)Al₃(BO₃)₄ solid solutions (RE = Nd,Gd,Ho,Yb,Lu), crystal growth and characterization, **154**, 317
YB₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
YB₆₆, effect of transition metal doping, **154**, 54
YbB₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
YB₄Si_{1.2}, transport phenomena, **154**, 229
ZnO-B₂O₃ fluxes, effects on dielectric properties of BaTiO₃, **155**, 86
ZrB₂, chemical vapor deposition, thermodynamic estimation, **154**, 157
- γ-Brass**
clusters isotypic to, in Mn₃Ga₅, **153**, 398
- Bromine**
Cd₅(PO₄)₃Br apatite, incommensurate modulation, **150**, 154
α- and β-[Cu₂Br(C₅H₃N₂O₂)₂(H₂O)], synthesis and characterization, **152**, 174
Hg₆Sb₄BiBr₇ and Hg₆Sb₅Br₇, built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350
Ni(NH₃)₂Br₂, preparation and crystal structures, **152**, 381
PbBr₂, inert pair effects: crystal structure of SnBr₂, **149**, 28
SnBr₂, crystal structure, **149**, 28
Sr(OH)Br, hydroxide ion disorder in, **151**, 267
- Bronze**
Ba_{1+x}V₈O₂₁, with tunnel structure, hydrothermal synthesis and crystal structure, **150**, 330
Ce_xWO₃, preparation by thermal degradation of polyoxotungstates, **149**, 378
H_xMoO₃, CDW superstructures, **149**, 75
hydrated lithium and sodium vanadium bronzes, synthesis, **149**, 443
K_{0.3}MoO₃, interactions of sliding charge-density waves with phonons, **155**, 105
Nb₇W₁₀O₄₇ tetragonal bronze-type phase, superstructure and twinning, **149**, 428
Th_xWO₃, preparation by thermal degradation of polyoxotungstates, **149**, 378
U_xWO₃, preparation by thermal degradation of polyoxotungstates, **149**, 378
RE_xWO₃ (RE = La,Nd) synthesized under high pressure, X-ray diffraction and electron microscopy, **154**, 466
- Building units**
design and scale chemistry, **152**, 37
- Butanediols**
intercalates with vanadyl and niobyl phosphates, preparation and characterization, **151**, 225
- C**
- Cadmium**
Ba₄Ln₂Cd₃S₁₀ (Ln = Sm,Gd,Tb), synthesis and structure, **149**, 384
Ba₄Nd₂Cd₃Se₁₀, synthesis and structure, **149**, 384
Cd²⁺, systematic tuning of luminescent properties of self-activated ZnGa₂O₄ phosphors by substitution for Zn²⁺, **150**, 204
CdAl₂Se₄, zone center frequencies in tetragonal phase, **153**, 317
CdCl₂, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
CdCr₂S₄ and CdCr₂Se₄ spinels, electronic band structure, **155**, 198
CdCu₃Ti₄O₁₂, dielectric constant, **151**, 323
(Cd_{1-x}Mn_x)Mn₂O₄, synthesis, stoichiometry, and electrical transport properties, **153**, 231
Cd_{1-δ}Mn₂O_y, crystal chemistry, Mn-K edge XAS study, **149**, 252
Cd(OH)Cl, synthesis, crystal structure, and relationship to brucite type, **151**, 308
³/_∞[Cd(pdc)(H₂O)] and ³/_∞[Cd₃(pdc)₂(H₂O)₂], synthesis, structures, and properties, **152**, 236
Cd₅(PO₄)₃Br and Cd₅(PO₄)₃I apatites, incommensurate modulation, **150**, 154
CdSe cubic nanocrystals, room-temperature synthesis in aqueous solution, **151**, 241
Ce₂Ni₂Cd, synthesis, structure refinement, and properties, **150**, 139
mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
seven-coordinated diaquasuccinatocadmium(II) bidimensional polymer, crystal structure and vibrational and thermal behavior, **153**, 1
- Calcium**
BaCa_{0.393}Nb_{0.606}O_{2.91}, cation loss in aqueous media leading to amorphization at room temperature, **149**, 262
(1-x)Bi₂O₃·xCaO (0.20 < x < 0.29) α'₁ and α''₁ fluorite-related phases, electron diffraction and XRD studies, **149**, 218
CaAl₁₂Si₄O₂₇ high-pressure phase with Al₆O₁₉ clusters, synthesis and structure, **153**, 391
CaCu(HCOO)₄ and Ca₂Cu(HCOO)₆ crystals, temperature-dependent Raman study, **154**, 338
Ln_{1.85}Ca_{0.15}CuO₄ superconductors, true tolerance factor effects in, **155**, 138
Ca_{4.78}Cu₆O_{11.60}, crystal structure, **151**, 170
Ca_{3.1}Cu_{0.9}RuO₆, synthesis, structural chemistry, and magnetic properties, **153**, 254
CaCu₃Ti₄O₁₂, dielectric constant, **151**, 323
CaErPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
Ca₂Fe₂O₅, ¹¹⁹Sn dopant atoms in, hyperfine interactions and dynamic characteristics, **151**, 313
CaIn₂O₄ phosphors activated by Pr, luminescence properties, **155**, 441
CaLuPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
Ca_{2-x}Mg_xTl (Tl = Sn,Pb), structure, resistivity, and magnetic susceptibility, **152**, 474
Ln_{0.4}Ca_{0.6}MnO₃ (Ln = La,Pr,Nd,Sm), Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
CaMnO₃, Mn site-doped, colossal magnetoresistance, **149**, 203
Ca₄Nb₂O₉ = 3·Ca(Ca_{1/3}Nb_{2/3})O₃, perovskite-like polymorphs, octahedral tilting and cation ordering in, **150**, 43
CaNdFe_{1/2}Nb_{3/2}O₇ pyrochlore, synthesis, crystal structure, Mössbauer spectrum, and magnetic susceptibility, **154**, 483
CaO:Al₂O₃:Nb₂O₅ system, phase equilibria and dielectric properties, **155**, 78
CaO-MgO and CaO-MnO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357

- Ca_{9.75}[(PO₄)_{5.5}(CO₃)_{0.5}]CO₃, A-type carbonate apatite, structure analysis by single-crystal X-ray diffraction, **155**, 292
- M³⁺Ca₄(PO₄)₃O (M³⁺ = Bi,La), synthesis and characterization, **149**, 133
- [Ca₁₀(PO₄)₆(OH)₂] hydroxyapatite, site preference of rare earth elements in, **149**, 391
- Ca–Rh–O system, chemical potential and Gibbs energy of formation measurements, solid state cells with buffer electrodes for, **150**, 213
- Ca₆Sm₂Na₂(PO₄)₆F₂, crystal structure and polarized Raman spectra, **149**, 308
- Ca₂Ta₂O₇–Sm₂Ti₂O₇ system, syntheses in, structures, and crystal chemistry, **150**, 167
- CaTmPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- CaV₄O₉, spin exchange interactions of, spin dimer analysis, **153**, 263
- CaYbPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- Ce_{1-x}CaVO_{4-0.5x} with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
- in chlorapatite, effects on topotaxial replacement by hydroxyapatite under hydrothermal conditions, **154**, 569
- K₂CaNaTa₃O₁₀ Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
- KCa₂Nb₃O₁₀ layered perovskite, crystal structure, **151**, 40
- K₂Ca₂Ta₂TiO₁₀·0.8H₂O Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
- (La_{1-x}Ca_x)CrO₃, chemical and thermal expansion, **149**, 320
- La_{0.7}Ca_{0.3}MnO₂ ultrafine powders prepared by mechanical alloying, structure and magnetic properties, **152**, 503
- NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
- Ni_{1-x}O/CaO, paracrystal formation upon interdiffusion, **152**, 421
- phosphate formation, effects of Ni, **151**, 163
- Sm_{0.2}Ca_{0.8}MnO₃ doped with Ru, micronanostructures, correlation with magnetic transitions, **155**, 15
- Tl–Hg–Ba–Sr–Ca–Cu–O system, 2212-type superconductors in, XRD studies, **153**, 106
- {[W₄Ag₆S₁₆]·[Ca(DEAC)₆]}_n, **151**, 286
- Calcium fluorapatite
conversion into calcium hydroxyapatite under alkaline hydrothermal conditions, **151**, 65
- Calcium phosphate
formation, effects of Ni, **151**, 163
- Calorimetry
Sr(OH)Br, analysis of hydroxide ion disorder, **151**, 267
- α-Ti(HPO₄)₂·H₂O with intercalated heterocyclic amines, **154**, 557
- Carbon
Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzonitrile, synthesis and structure of molecular and extended complexes, **152**, 247
- Ag(TCNQ) and Ag(TCNQ₄) crystalline polymers, structures and magnetic properties, **152**, 159
- Al₃BC₃, 300-K equation of state and high-pressure phase stability, **154**, 254
- alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271
- Ba₂Eu(CO₃)₂F₃, optical behavior, comparison with Eu₃(BO₃)₂F₃, **153**, 270
- B₄₈Al₃C₂, interband transitions and optical phonons, **154**, 75
- N-benzyl piperidinium dihydrogenmonophosphate, crystal structure and phase transitions, **155**, 298
- borocarbides
Ln–M–B–C (Ln = rare earths, Y; M = Ni,Pd), chemical and superconducting properties, **154**, 114
- R₅B₂C₅ (R = Y,Ce–Tm), structural, electronic, and magnetic properties, **154**, 286
- boron carbides
BC, electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
- B₄C, strength and creep in, **154**, 191
- enriched in ¹⁰B, ¹¹B, and ¹³C isotopes, IR-active phonons and structure elements, **154**, 79
- lattice dynamics, effects of crystal geometries, **154**, 20
- structural defects, correlation with electronic properties, **154**, 61
- CaCu(HCOO)₄ and Ca₂Cu(HCOO)₆ crystals, temperature-dependent Raman study, **154**, 338
- Ca_{9.75}[(PO₄)_{5.5}(CO₃)_{0.5}]CO₃, A-type carbonate apatite, structure analysis by single-crystal X-ray diffraction, **155**, 292
- C(CH₃)₄, system with CCl₄, thermodynamics, **154**, 390
- CCl₄, system with neopentane, thermodynamics, **154**, 390
- ³/₂[Cd(pdC)(H₂O)] and ³/₂[Cd₃(pdC)₂(H₂O)₂], synthesis, structures, and properties, **152**, 236
- CH₄, mixture with H₂, temperature-programmed reaction with, in synthesis of tungsten carbides, **154**, 412
- (R,S)-(C₅H₁₄N₂)Co(HPO₄)₂, one-dimensional cobalt phosphate, synthesis and structure, **153**, 180
- (CH₃NH₃)₃Bi₂Cl₆, low-temperature phase transition and structural relationships, **155**, 286
- [(CH₃NH₃)_{0.5}(NH₄)_{1.5}]Sb₈S₁₃·2.8H₂O, hydrothermal synthesis and crystal structure, **155**, 409
- (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)₂PO₄]·3H₂O, hydrothermal synthesis and characterization, **154**, 514
- (C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
- (C₄H₁₂N₂)[(VO)(VO₂)₂(H₂O)(PO₄)₂], hydrothermal synthesis and characterization, **154**, 514
- [C₂N₂H₁₀]₂Fe₅F₄(PO₄)(HPO₄)₆, hydrothermal synthesis and 3D architecture, **154**, 507
- [C₆N₂H₁₈]²⁺[Zn(HPO₄)(H₂PO₄)₂]²⁻, isolation and transformation to [C₆N₂H₁₈]²⁺[Zn₃(H₂O)₄(HPO₄)₄]²⁻, **150**, 417
- [Co(4,4'-bipyridine)₂,₅(NO₃)₂]·2phenanthrene, synthesis and crystal structure, **152**, 280
- Co(NCS)₂·xH₂O, inorganic–organic coordination polymers generated from, **155**, 143
- coordination polymers with 4,4'-dipyridyldisulfide, synthesis and structure, **152**, 113
- α- and β-[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] (X = Cl,Br), synthesis and characterization, **152**, 174
- [Cu(tripiryldyltriazine)₂Mo₄O₁₃] layered compound, hydrothermal synthesis and structure, **152**, 141
- 1,2-dihydro-N-aryl-4,6-dimethylpyrimidin-2-ones, C–H···O and C–H···N networks in, **152**, 221
- (Fe(CN)₆)³⁻, Mg–Al hydrotalcites exchanged with, properties, effects of guest–host interactions, **155**, 332
- Fe(H₂NCH₂CH₂NH₂)MoO₄, synthesis and structure, **152**, 229
- graphite
intercalated with TaCl₆⁻ and TaOCl₃, structural analysis with molecular simulations, **149**, 68
- oxidation protection by BN coatings, **154**, 162
- graphite monofluoride, structure and properties, analysis with 3D cyclic cluster approach, **150**, 286
- Hf–B–C system, phase equilibria, calculation by thermodynamic modeling, **154**, 257
- (H₃NCH₂CH₂NH₃)[Fe(C₂O₄)MoO₄], synthesis and structure, **152**, 229
- hydrogen bond-directed hexagonal frameworks based on 1,3,5-benzenetricarboxylate, **152**, 261
- La(H₂O)₂M(C₂O₄)₂·H₂O (M = K,NH₄), crystal structure and thermal behavior, **150**, 81
- metal carboxylates, microporous materials, synthesis and gas occlusion properties, **152**, 120

- methylamines, intercalation into TiS_2 , **155**, 326
 $\text{Na}_2[(\text{HO}_3\text{PCH}_2)_3\text{NH}] \cdot 1.5\text{H}_2\text{O}$, synthesis and structure, **151**, 122
 $\text{Na}(\text{O}_2\text{CC}\equiv\text{CH})$, structure and γ -ray-induced solid-state polymerization: effect of bilayer formation on solid-state reactivity, **152**, 99
 $[\text{N}_2\text{C}_4\text{H}_{12}]_2\text{Al}_2(\text{PO}_4)(\text{HPO}_4)(\text{C}_2\text{O}_4)\text{H}_2\text{O}$ hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324
 NCS^- counterion, role in anomalous spin crossover of mechanically strained $\text{Fe}(\text{II})$ -1,10-phenanthroline complexes, **153**, 82
 $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_3]_3 \cdot \text{Al}_3\text{P}_4\text{O}_{16}$, synthesis, racemic isopropanolamine as solvent and template for, **151**, 145
 $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{NH}_3][\text{Co}_2(\text{PO}_4)_2]$ and $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{NH}_3][\text{Co}_2(\text{HPO}_4)_3]$, synthesis and crystal structure, **155**, 62
 $[\text{NH}_3(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{M}(\text{OH})\text{AsO}_4]$ ($M = \text{Ga}, \text{Fe}$), synthesis and characterization, **155**, 37
 $\text{NH}_2(\text{CH}_2)_4\text{NH}_2\text{V}_4\text{O}_9$, spin exchange interactions of, spin dimer analysis, **153**, 263
 $[\text{Pb}_6\text{O}_4](\text{OH})(\text{NO}_3)(\text{CO}_3)$, crystal structure, **153**, 365
polymeric $\text{Ag}(\text{I})$ -hexamethylenetetramine complexes, structure and topological diversity, **152**, 211
polymorphous one-dimensional tetrapyrrolylporphyrin coordination polymers structurally mimicking aryl stacking interactions, **152**, 253
 $(\text{Pr}_4\text{N})_2\text{M}(\text{H}_2\text{O})_5[\text{Re}_6\text{X}_8(\text{CN})_6] \cdot \text{H}_2\text{O}$ ($X = \text{S}, \text{Se}$; $M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 $(\text{Pr}_4\text{N})_2\text{M}(\text{H}_2\text{O})_4[\text{Re}_6\text{S}_8(\text{CN})_6]$ ($M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 β -rhombohedral boron doped with, modulated photoconductivity, **154**, 93
 $\text{ScB}_{1.7}\text{C}_{0.25}$, single-crystal XRD and TEM study, **154**, 130
 SrC_2 , synthesis and crystal structure, **151**, 111
 $\text{Sr}_4\text{Fe}_2\text{O}_6\text{CO}_3$, synthesis, crystal structure, and magnetic order, **152**, 374
 $\text{SrMn}_{1-x}(\text{B}, \text{C})_y\text{O}_{3-\delta}$, order-disorder phenomena, **149**, 226
 $\text{Ti}(\text{IV})$ -aryloxy network materials with 4,4'-biphenoxide and polyphenolic 2D motifs, synthesis and characterization, **152**, 130
 $(\text{V}^{\text{IV}}\text{O})_2(\text{H}_2\text{O})\{\text{O}_3\text{P}-(\text{CH}_2)_3-\text{PO}_3\} \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis, structure, and magnetic behavior, **155**, 238
W carbides, synthesis by temperature programmed reaction with CH_4 - H_2 mixtures, **154**, 412
zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions $R_4\text{N}^+$ ($R = n\text{Pr}, n\text{Bu}, n\text{Pen}$), as structure directors for, **152**, 286
 $\text{Zn}_{(2-x)}\text{Co}_x(\text{HPO}_4)_3 \cdot \text{C}_3\text{N}_2\text{H}_{12}$ ($x \approx 0.05$) with 12 rings, synthesis and crystal structure, **149**, 107
 $\text{Zn}_4(\text{PO}_4)_2(\text{HPO}_4)_2 \cdot 0.5(\text{C}_{10}\text{H}_{28}\text{N}_4) \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **154**, 368
- Carbonate apatite
A-type, structure analysis by single-crystal X-ray diffraction, **155**, 292
- Carbon tetrachloride
system with neopentane, thermodynamics, **154**, 390
- Carburization
 WO_3 by CH_4 - H_2 mixture, **154**, 412
- Cation anti-site disorder
rare earth oxide pyrochlores, **153**, 16
- Cation disorder
in three-layer Aurivillius phases, **153**, 66
- Cation doping
effects on conductivity of Na_2SO_4 , **155**, 154
- Cation loss
from $\text{BaCa}_{0.393}\text{Nb}_{0.606}\text{O}_{2.91}$ in aqueous media, resulting amorphization at room temperature, **149**, 262
- Cation ordering
La and Sr ions on A cationic sites in $\text{Tl}(\text{Ln}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$ ($\text{Ln} = \text{La}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$), **150**, 1
in perovskite-like $\text{Ca}_4\text{Nb}_2\text{O}_9 = 3 \cdot \text{Ca}(\text{Ca}_{1/3}\text{Nb}_{2/3})\text{O}_3$ polymorphs, **150**, 43
- Cavity-containing materials
resorcin[4]arenes based on, design strategies, **152**, 199
- Ceramics
 $\text{Bi}_{0.85}\text{Pr}_{0.105}\text{V}_{0.045}\text{O}_{1.545}$, sintering and conductivity, effect of particle size, **155**, 273
 ZnO , sintered, redox reaction of Pr_2O_3 in, **149**, 349
- Cerium
 $\text{BaCe}_2\text{MnS}_5$, crystal structure and magnetic properties, **153**, 330
 $\text{BaCe}_x\text{Zr}_{1-x}\text{O}_3$ ($0 \leq x \leq 1$) mixed perovskites, high-pressure Raman study, **149**, 298
 Ce^{3+} , BaLiF_3 doped with, optical spectroscopy properties and charge compensation, **150**, 178
- CeB_6
floating zone growth and high-temperature hardness, **154**, 238
interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 $\text{Ce}_{1-y}\text{Bi}_y\text{VO}_4$ with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
 $\text{Ce}_5\text{Mo}_3\text{O}_{5.4}$, with *trans*-capped Mo_8 octahedral clusters and Mo_7 - Mo_{10} - Mo_7 triclusters, synthesis, structure, and properties, **152**, 403
 $\text{Ce}_{1-x}\text{Nd}_x\text{TiO}_3$, magnetic properties, **153**, 145
 $\text{Ce}_2\text{NiB}_{10}$, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 $\text{Ce}_2\text{Ni}_2\text{Cd}$, synthesis, structure refinement, and properties, **150**, 139
 $\text{CeO}_{1.765}$ and $\text{CeO}_{1.800}$, phase transitions, single-crystal neutron diffraction studies, **153**, 218
 CeO_2 nanocrystals, X-ray absorption spectroscopy, **149**, 408
 CePdGe , order of Pd and Ge atoms in, **154**, 329
 $\text{Ce}_{1-x}\text{Sm}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $\text{Ce}_2\text{T}_2\text{Sn}$ ($T = \text{Ni}, \text{Pd}$), band magnetism, local spin density functional calculations, **149**, 449
 CeVO_4 and $\text{Ce}_{1-x}\text{MVO}_{4-0.5x}$ ($M = \text{Ca}, \text{Sr}, \text{Pb}$) with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
 Ce_xWO_3 bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378
 $t'_{\text{meta}}(\text{Ce}_{0.5}\text{Zr}_{0.5})\text{O}_2$ phase prepared by reduction and successive oxidation of t' phase, electrical conductivity, **151**, 253
fluorite-type oxides containing, lattice oxygen transfer in, **155**, 129
 $(\text{Hg}, \text{M})\text{Sr}_2(\text{Ln}, \text{Ce})\text{Cu}_2\text{O}_z$, 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
- Cesium
 $\text{Cs}_7\text{Au}_5\text{O}_2$, synthesis, structure, and properties, **155**, 29
 $\text{Cs}_3\text{Bi}_5\text{Cu}_2\text{S}_{10}$, structure and conductivity, **155**, 243
 Cs_2CoCl_4 , high-pressure studies by X-ray diffraction, **153**, 212
 $\text{CsCo}(\text{ND}_3)_6(\text{ClO}_4)_2\text{Cl}_2$, orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
 Cs_2CuCl_4 , high-pressure studies by X-ray diffraction, **153**, 212
 $\text{Cs}_2\text{CuP}_3\text{S}_9$, chiral compound with chiral screw helices, preparation, structure, and characterization, **151**, 326
 $\text{Cs}_3\text{Hg}_{20}$ and $\text{Cs}_5\text{Hg}_{19}$, synthesis and structure, **149**, 419
 Cs_2KMnF_6 , phase transition
crystal structures of low- and high-temperature modifications, **150**, 399
at high pressure, **153**, 248
 $\text{Cs}_3\text{Mg}_2\text{P}_6\text{O}_{17}\text{N}$, synthesis and crystal structure, **153**, 185
 $\text{Cs}_8\text{Na}_{16}\text{Ge}_{1.36}$ and $\text{Cs}_8\text{Na}_{16}\text{Si}_{1.36}$ clathrates, synthesis and characterization, **153**, 92
 $\text{Cs}_2\text{V}_4\text{O}_9$, spin exchange interactions of, spin dimer analysis, **153**, 263
- Chalcogenides
 Ag_8SnE_6 ($E = \text{S}, \text{Se}$), synthesis and characterization, **149**, 338
complex, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363

- KMQ_2 ($M = \text{Al, Ga}$; $Q = \text{Se, Te}$), with stacking faults, synthesis and structure, **149**, 242
 mesostructured 3D materials based on $[\text{Ge}_4\text{S}_{10}]^{4-}$ and $[\text{Ge}_4\text{Se}_{10}]^{4-}$ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
- Charge compensation
 BaLiF₃ doped with Ce³⁺, **150**, 178
- Charge density wave
 H_xMoO₃ bronze superstructures, **149**, 75
 NiTa₂Se₇ with incommensurately modulated low-temperature structure, **153**, 152
 sliding, interactions with phonons, **155**, 105
- Charge disproportionation
 Pr_{1-x}Sr_xFeO_{3-δ}, **150**, 233
- Charge distribution analysis
 LuFeO₃(ZnO)_m: effect of coordination polyhedra shape on cation distribution, **150**, 96
- Charge ordering
 Sm_{1/3}Sr_{2/3}FeO_{3-δ}, **153**, 140
- Chemical expansion
 (La_{1-x}Ca_x)CrO₃, **149**, 320
- Chemical potential
 Ca-Rh-O system, measurement, solid state cells with buffer electrodes for, **150**, 213
- Chemical vapor deposition
 borides, thermodynamic estimation, **154**, 157
 metalorganic, BN films prepared by, **154**, 101
 photo- and thermal, preparation of boron and boron phosphide films, **154**, 39
- Chevreil phases
 Ni₃Mo₆Se_{8-x}S_x solid solution, single crystal structural studies, **155**, 250
- Chiral solids
 Cs₂CuP₃S₉, with chiral screw helices, preparation, structure, and characterization, **151**, 326
 formation via molecular building block approach, **152**, 68
- Chlorapatites
 metal ions in, effects on topotaxial replacement by hydroxyapatite under hydrothermal conditions, **154**, 569
- Chlorine
 BiSeO₃Cl, crystal structure and dielectric and nonlinear optical properties, **149**, 236
 CCl₄, system with neopentane, thermodynamics, **154**, 390
 Cd(OH)Cl, synthesis, crystal structure, and relationship to brucite type, **151**, 308
 (CH₃NH₃)₃Bi₂Cl₉, low-temperature phase transition and structural relationships, **155**, 286
 Cs₂CoCl₄, high-pressure studies by X-ray diffraction, **153**, 212
 CsCo(ND₃)₆(ClO₄)₂Cl₂, orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
 Cs₂CuCl₄, high-pressure studies by X-ray diffraction, **153**, 212
 α- and β-[Cu₂Cl(C₅H₃N₂O₂)₂(H₂O)], synthesis and characterization, **152**, 174
 Cu(OH)Cl, synthesis and crystal structure, relationship to brucite type, **151**, 308
 divalent transition metal chlorides, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
 Hg₆As₄BiCl₇ built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350
 Ni(NH₃)₂Cl₂, preparation and crystal structures, **152**, 381
 PbCl₂, inert pair effects: crystal structure of SnBr₂, **149**, 28
 Pb₇F₁₂Cl₂, disordered modification of, synthesis and structure, **149**, 56
 SnCl₂, inert pair effects: crystal structure of SnBr₂, **149**, 28
 TaCl₆⁻ and TaOCl₃, compound with intercalated graphite, structural analysis with molecular simulations, **149**, 68
 {V₁₈O₄₂(ClO₄)}, extended solids composed of, synthesis, structure, and physicochemical properties, **152**, 105
 [Zn-Al-Cl] layered double hydroxide, thermally treated, X-ray diffraction pattern simulation, **152**, 568
- Chromate
 Mg-Al hydrotalcites exchanged with, properties, effects of guest-host interactions, **155**, 332
- Chromaticity diagram
 CaIn₂O₄ phosphors activated by Pr, **155**, 441
 ZnGa₂O₄ self-activated phosphors with Cd²⁺ substitution for Zn²⁺, **150**, 204
- Chromium
 Bi₁₄CrO₂₄, crystal structure, **149**, 209
 CdCr₂S₄ and CdCr₂Se₄ spinels, electronic band structure, **155**, 198
 Co-Cu-Mg-Zn-Cr spinel-type mixed oxides, synthesis and properties, **152**, 526
 (Cr_{1-x}TM_x)₃B₄ ($TM = \text{Ti, V, Nb, Ta, Mo, W}$) large crystals, synthesis and analysis, **154**, 45
 Cr ions in rutile TiO₂, redox properties, XRD and EPR study, **152**, 412
 (Cr_{1-x}Ni_x)₃Te₄ with pseudo-NiAs-type structure, magnetic properties, **154**, 356
 (CrO₄)²⁻ and (Cr₂O₇)²⁻, Mg-Al hydrotalcites exchanged with, properties, effects of guest-host interactions, **155**, 332
 (Hg,Cr)Sr₂(Ln,Ce)₂Cu₂O₂ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
 (La_{1-x}Ca_x)CrO₃, chemical and thermal expansion, **149**, 320
 LaCrO₃, structural phase transition, neutron powder diffraction study, **154**, 524
 La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, crystal chemistry and conductivity, **155**, 280
 La_{0.5}Pr_{0.5}CrO₃, magnetization reversal, **155**, 447
 La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, structural characterization, **155**, 455
 Mo₂NiB₂ boride base cements with Cr additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263
 Pb₅Al_{2.96}Cr_{0.04}F₁₉, ferroelastic phase, crystal structure at 300 K, **155**, 427
 β-rhombohedral boron doped with, thermoelectric properties, **154**, 13
 Sr₂CrMoO₆ double perovskite, magnetoresistance, **155**, 233
 Sr_{4.5}Cr_{2.5}O₉, magnetic properties, **154**, 375
- Circular dichroism spectroscopy
 magnetic, analysis of magnetic order in Pr_{1-x}Ba_xCoO₃ perovskite, **152**, 577
- Clathrates
 Ba₈Ga₁₆(GaSb)_xGe_{30-2x} ($x = 2$) with *p*-type thermoelectric cage structure, synthesis and characterization, **151**, 61
 Ba₆Ge_{25-x}, Ba₆Ge₂₃Sn₂, and Ba₆Ge₂₂In₃, structure and thermoelectric properties, **153**, 321
 Ba₂₄Ge₁₀₀, preparation and structure, **151**, 117
 group 14 with alkali metals, synthesis and characterization, **153**, 92
 potential as thermoelectric materials, **149**, 455
- CMR effect, *see* Colossal magnetoresistance
- Cobalt
 Ba₂CoNbO₆ perovskite, magnetic transition in, **151**, 294
 Ba₈Co₇O₂₁, synthesis and structure, **151**, 77
 BaIr_{1-x}Co_xO_{3-δ} ($x = 0.5, 0.7, 0.8$) perovskites, structural chemistry and electronic properties, **152**, 361
 (*R,S*)-(C₃H₁₄N₂)Co(HPO₄)₂, one-dimensional cobalt phosphate, synthesis and structure, **153**, 180
 RCo₄B ($R = \text{Y, Pr, Nd, Sm, Gd, Tb}$), magnetic properties, **154**, 242
 Co₇₇B₂₃ amorphous alloy, crystallization mechanism, **154**, 145

- [Co(4,4'-bipyridine)₂(NO₃)₂]·2phenanthrene, synthesis and crystal structure, **152**, 280
- CoCl₂, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
- Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, synthesis and properties, **152**, 526
- Co(NCS)₂·xH₂O, inorganic–organic coordination polymers generated from, **155**, 143
- Co₂P, solvothermal synthesis, **149**, 88
- Co_{0.844}Se nanocrystals, synthesis in nonaqueous solvent, **152**, 537
- Cs₂CoCl₄, high-pressure studies by X-ray diffraction, **153**, 212
- CsCo(ND₃)₆(ClO₄)₂Cl₂, orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
- Dy₆CoTe₂, synthesis, structure, and bonding, **155**, 9
- LaCoO₃–LaMnO₃–BaCoO₂–BaMnO₃ system, phase equilibria, **153**, 205
- LiFe_{1-x}Co_xO₂ (0 ≤ x ≤ 1), Co in, effect on magnetic properties, **154**, 451
- mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
- Na₄Co₃H₂(PO₄)₄·8H₂O, hydrothermal synthesis, crystal structure, and magnetic properties, **149**, 292
- Nd₄Co₃O_{10+δ}, crystal structure and properties, **151**, 46
- [NH₃CH₂CH(OH)CH₂NH₃][Co₂(PO₄)₂] and [NH₃CH₂CH(OH)CH₂NH₃][Co₂(HPO₄)₃], synthesis and crystal structure, **155**, 62
- NiCo₂O₄, XRD, XANES, EXAFS, and XPS study, **153**, 74
- Pr_{1-x}Ba_xCoO₃ perovskite, magnetic order, magnetic circular dichroism spectroscopic study, **152**, 577
- Pr₂O₃–Co–Co₂O₃ system, thermogravimetric study at 1100 and 1150°C, **151**, 12
- β-rhombohedral boron doped with, thermoelectric properties, **154**, 13
- SmNi_{1-x}Co_xO₃, structure, relationship to physical properties, **150**, 145
- TiCo_{2-x}Cu_xSe₂ (x ~ 1) system, incommensurate Cu/Co ordering in, **151**, 260
- zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions R₄N⁺ (R = nPr, nBu, nPen) as structure directors for, **152**, 286
- Zn_(2-x)Co_x(HPO₄)₃·C₃N₂H₁₂ (x ≈ 0.05) with 12 rings, synthesis and crystal structure, **149**, 107
- Color
- Cr^{VI}-doped Bi₂O₃ phases, **149**, 209
- Colossal magnetoresistance
- CaMnO₃ doped at Mn sites, **149**, 203
- origin in manganites, **155**, 116
- Composite electrolytes
- Na₂SO₄–Al₂O₃, ionic conductivity, mechanism and role of preparatory parameters, **153**, 287
- Compressibility
- BaCe_xZr_{1-x}O₃ (0 ≤ x ≤ 1) mixed perovskites, high-pressure Raman study, **149**, 298
- Ba₄Ru₃O₁₀, **149**, 137
- BN, **154**, 280
- Conductivity, *see also specific type*
- Bi_{0.775}La_{0.225}O_{1.5} of rhombohedral Bi–Sr–O type, optimization by polycationic substitutions for La, **149**, 341
- Na₂SO₄, enhancement, review and current developments, **155**, 154
- Coordination polymers
- Ag(I) complexes of 4-isocyno-3,5-diisopropylbenzonitrile, synthesis and structure, **152**, 247
- Ag(I)-hexamethylenetetramine complexes, self-assembly and supra-molecular interactions, **152**, 211
- alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271
- ³/_∞[Cd(pdc)(H₂O)] and ³/_∞[Cd₃(pdc)₂(H₂O)₂], synthesis, structures, and properties, **152**, 236
- Cu(I)–Cu(II), two- and three-dimensional, synthesis and characterization, **152**, 174
- with 4,4'-dipyridyldisulfide, synthesis and structure, **152**, 113
- inorganic–organic, generated from rigid or flexible bidentate ligands and Co(NCS)₂·xH₂O, **155**, 143
- ladder-like Cu(II) polymers, self-assembly, structures, and magnetic properties, **152**, 183
- metal-ion, porphyrin-based microporous materials, **152**, 87
- neutral molecular railroad, incorporating polycyclic aromatic molecules, synthesis and crystal structure, **152**, 280
- pillared 3D Mn(II) network with rectangular channels, synthesis, X-ray structure, and magnetic properties, **152**, 152
- sodium propynoate polymers, formation induced by gamma radiation and structure, **152**, 99
- tetrapyrrolylporphyrin, polymorphous one-dimensional, structural mimicry of aryl stacking interactions, **152**, 253
- Ti(IV)-aryloxy network materials with 4,4'-biphenoxide and polyphenolic 2D motifs, synthesis and characterization, **152**, 130
- Copper
- alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271
- AlSr₂YCu₂O₇, crystal growth and structure, **149**, 256
- Ba₄Er₂Cu₇O_{15-δ}, structural effects of Au and Al incorporation, **150**, 228
- A₃Bi₅Cu₂S₁₀ (A = Rb, Cs), structure and conductivity, **155**, 243
- CaCu(HCOO)₄ and Ca₂Cu(HCOO)₆ crystals, temperature-dependent Raman study, **154**, 338
- Ca_{4.78}Cu₆O_{11.60}, crystal structure, **151**, 170
- Ca_{3.1}Cu_{0.9}RuO₆, synthesis, structural chemistry, and magnetic properties, **153**, 254
- Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, synthesis and properties, **152**, 526
- Cs₂CuCl₄, high-pressure studies by X-ray diffraction, **153**, 212
- Cs₂CuP₃S₉, chiral compound with chiral screw helices, preparation, structure, and characterization, **151**, 326
- α- and β-[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] (X = Cl, Br), synthesis and characterization, **152**, 174
- CuCl₂, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
- Cu(I)–Cu(II) coordination polymers, two- and three-dimensional, synthesis and characterization, **152**, 174
- Cu(II) dicarboxylates, microporous materials, synthesis and gas occlusion properties, **152**, 120
- Cu_{3-x}Fe_{4+x}(PO₄)₆, synthesis and structure, **150**, 159
- Cu₂FeSn₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363
- Cu₂FeTi₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363
- Cu₂Gd_{2/3}S₂, crystal structure: interlayer short-range order of Gd vacancies, **152**, 332
- CuInO₂ delafossite-type oxide, synthesis, **151**, 16
- Cu(II) ladder-like coordination polymers, self-assembly, structures, and magnetic properties, **152**, 183
- Cu_{0.5}Mn_{0.25}Zr₂(PO₄)₃ Nasicon-type phosphate, structure and luminescence, **152**, 453
- Cu₄Nb₅Si₄, bonding analysis, **154**, 384
- Ln_{1.85}³⁺M_{0.15}²⁺CuO₄ superconductors, true tolerance factor effects in, **155**, 138
- Cu(OH)Cl, synthesis and crystal structure, relationship to brucite type, **151**, 308
- Cu₃P, solvothermal synthesis, **149**, 88
- (RE_{m+n})(Cu₂P₃)_m(Cu₄P₂)_n, relationship to other rhombohedral rare earth copper phosphides, **151**, 150

- Cu-phenanthroline complexes, functionalized MCM-41 containing, synthesis and characterization, **152**, 447
- Cu₂SnS₃ nanocrystals, synthesis, characterization, and properties, **153**, 170
- Cu_{2-x}Te, preparation by microwave heating, **154**, 530
- ACu₃Ti₃FeO₁₂, dielectric constants, **151**, 323
- ACu₃Ti₄O₁₂, dielectric constants, **151**, 323
- [Cu(tripryridyltriazine)₂Mo₄O₁₃] layered compound, hydrothermal synthesis and structure, **152**, 141
- ErBaSrCu_{3-x}(PO₄)_xO_y ($x = 0.0, 0.10, 0.20$), electron microscopy and neutron diffraction studies, **150**, 188
- GdCuAs₂, symmetry-breaking transitions through GdCuAs_{1.15}P_{0.85} to GdCuP_{2.20}, **155**, 259
- (Hg,M)Sr₂(Ln,Ce)₂Cu₂O₂, 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
- Ho₂Cu_{6-x}P_{5-y}, crystal structure and $(RE_{m+n})(Cu_2P_3)_m(Cu_4P_2)_n$ relationship to other rhombohedral rare earth copper phosphides, **151**, 150
- intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
- KBi₂CuS₄, structure and conductivity, **155**, 243
- KCuF₃ and K₂CuF₄, extended magnetic solids, spin exchange interactions in, **151**, 96
- LaBaCuGaO₅, phase transition induced by high pressure, **155**, 372
- La₂CuO₄, extended magnetic solids, spin exchange interactions in, **151**, 96
- La₅Cu₆O₄S₇, synthesis, structure, electrical conductivity, and band structure, **155**, 366
- La_{2-x}Nd_xCuO₄ ($0.6 \leq x \leq 2$), pressure-induced phase transitions, **151**, 231
- La_{0.812}Sr_{0.187}Cu(O,F)_{3- δ} , synthesis and crystal structure, **149**, 189
- Nd₂CuO₄, extended magnetic solids, spin exchange interactions in, **151**, 96
- NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11- δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14- δ} , defect chemistry and electrical properties, **155**, 216
- Ni_{1-x}Cu_xFeAlO₄, Mössbauer effect study, **149**, 434
- Pr₂CuO₄, pressure-induced phase transitions, **151**, 231
- RbLn₂CuSe₄ ($Ln = Sm, Gd, Dy$), synthesis and structures, **151**, 317
- Rb_{1.5}Ln₂Cu_{2.5}Se₅ ($Ln = Gd, Dy$), synthesis and structure, **151**, 317
- Sr₂CuMnO₃S and Sr₄Cu₂Mn₃O_{7.5}Q₂ ($Q = S, Se$), synthesis and structure, **153**, 26
- SrO-Ho₂O₃-CuO_x system, phase relations, **149**, 333
- TiCo_{2-x}Cu_xSe₂ ($x \sim 1$) system, incommensurate Cu/Co ordering in, **151**, 260
- Tl-Hg-Ba-Sr-Ca-Cu-O system, 2212-type superconductors in, XRD studies, **153**, 106
- Tl_{0.75}Sr_{1.8}Ba_{0.2}CuO_y, superstructure derived from, X-ray and neutron powder diffraction, **155**, 22
- YBa₂Cu₄O₈ superconductor, HRTEM surface profile imaging, **149**, 327
- Copper(II) terephthalate
microporous materials, synthesis and gas occlusion properties, **152**, 120
- Counterions
NCS⁻ and PF₆⁻, role in anomalous spin crossover of mechanically strained Fe(II)-1,10-phenanthroline complexes, **153**, 82
- Covalent-metallic bonding conversion
 β -rhombohedral boron doped with metal, **154**, 13
- Cryolite
cryolite-alumina melt, TiB₂ in, chemical and electrochemical behavior, **154**, 107
- Crystal chemistry
 α -AlB₁₂ and γ -AlB₁₂, **154**, 168
- Ca₂Ta₂O₇-Sm₂Ti₂O₇ system polytypes, **150**, 167
- Cd_{1- δ} Mn₂O_y, Mn-K edge XAS study, **149**, 252
- La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, **155**, 280
- oxygen/fluorine ordering in rutile-type FeOF, **155**, 359
- Sm²⁺ in SmSO₄ and solid solutions of M_{1-x}Sm_xSO₄ ($M = Ba, Sr$), **154**, 535
- Crystal growth
AlSr₂YCu₂O₇, **149**, 256
- BaBi₃O_{5.5}, **152**, 435
- complex perovskites, mechanical activation, **154**, 321
- (Cr_{1-x}TM_x)₃B₄ ($TM = Ti, V, Nb, Ta, Mo, W$) large crystals, **154**, 45
- organic supramolecular materials, polarity formation in, **152**, 49
- Sc₂AlB₆, **154**, 49
- UNi_{1.9}Sn single crystals, **149**, 120
- (VO)₂P₂O₇ at 3 GPa, **153**, 124
- (Y,RE)Al₃(BO₃)₄ solid solutions ($RE = Nd, Gd, Ho, Yb, Lu$), **154**, 317
- Crystallinity
BN, effect of molecular precursor structure, **154**, 137
- Crystallization
amorphous boron: production of α -rhombohedral boron, **154**, 199
- borosilicates, **154**, 312
- Co₇₇B₂₃ amorphous alloy, mechanism, **154**, 145
- eutectic, LaB₆-(Ti,Zr)B₂ alloys, **154**, 165
- Crystal structure
Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzotrile, molecular and extended complexes, **152**, 247
- Ag₂NbTi₃P₆S₂₅, **153**, 55
- Ag(TCNQ) and Ag(TCNQF₄) crystalline polymers, **152**, 159
- AgTi₂(PS₄)₃, **153**, 55
- AlSr₂YCu₂O₇, **149**, 256
- BaBi₃O_{5.5}, **152**, 435
- BaMBO₃F₂ ($M = Ga, Al$), **155**, 354
- Ba₄Ln₂Cd₃S₁₀ ($Ln = Sm, Gd, Tb$), **149**, 384
- Ba₂CoNbO₆ perovskite, **151**, 294
- Ba₈Co₇O₂₁, **151**, 77
- Ba₂Er₂Cu₇O_{15- δ} , structural effects of Au and Al incorporation, **150**, 228
- Ba₈Ga₁₆(GaSb)_xGe_{30-2x} ($x = 2$), p -type thermoelectric cage structure, **151**, 61
- Ba₆Ge_{25-x}, **153**, 321
- Ba₂₄Ge₁₀₀, **151**, 117
- Ba₆Ge₂₂In₂, **153**, 321
- Ba₆Ge₂₃Sn₂, **153**, 321
- BaHf_{1-x}Zr_x(PO₄)₂ emitting ultraviolet under X-ray excitation, **155**, 229
- BaIr_{1-x}Co_xO_{3- δ} perovskites ($x = 0.5, 0.7, 0.8$), **152**, 361
- BaLaMRuO₆ ($M = Mg, Zn$), **150**, 383
- BaLn₂MnS₅ ($Ln = La, Ce, Pr$), **153**, 330
- Ba₄Nd₂Cd₃Se₁₀, **149**, 384
- BaRuO₃, derivation from bond valence analysis, **151**, 245
- Ba₄Ru₃O₁₀, **149**, 137
- Ba₃Sil₂, **152**, 460
- BaSm₄(SiO₄)₃Se, **155**, 433
- Ba_{1+x}V₈O₂₁ bronze with tunnel structure, **150**, 330
- Ba₆[V₁₀O₃₀(H₂O)]·2.5H₂O with unusual arrangement of V^{IV}-O polyhedra, **151**, 130
- Ba₂YbTaO₆, ordered perovskite structure, **150**, 31
- N*-benzyl piperidinium dihydrogenmonophosphate, **155**, 298
- Bi₁₄CrO₂₄, **149**, 209
- A₃Bi₅Cu₂S₁₀ ($A = Rb, Cs$), **155**, 243
- BiMg₂VO₆, variable-temperature X-ray diffraction study, **149**, 143
- Bi₂Nd₄O₉ monoclinic phase, **153**, 30
- BiSeO₃Cl, **149**, 236
- 1201 Bi_{0.4}Sr_{2.6}MnO_{5- δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6- δ} with 1:1 Bi-Sr ordering, **151**, 210
- BiZn₂PO₆, **153**, 48
- boron-rich crystal geometry, effect on lattice dynamics, **154**, 20
- borosilicates, **154**, 312

- CaAl₁₂Si₄O₂₇ high-pressure phase with Al₆O₁₉ clusters, **153**, 391
 Ca_{4.78}Cu₆O_{11.60}, **151**, 170
 Ca_{3.1}Cu_{0.9}RuO₆, **153**, 254
 CaErPt₃Sn₅, Yb₂Pt₃Sn₅-type structure, **150**, 112
 CaLuPt₃Sn₅, Yb₂Pt₃Sn₅-type structure, **150**, 112
 CaNdFe_{1/2}Nb_{3/2}O₇ pyrochlore, **154**, 483
 carbonate apatite with A-site substitutions, X-ray diffraction study, **155**, 292
 Ca₆Sm₂Na₂(PO₄)₆F₂, **149**, 308
 Ca₂Ta₂O₇-Sm₂Ti₂O₇ system polytypes, **150**, 167
 CaTmPt₃Sn₅, Yb₂Pt₃Sn₅-type structure, **150**, 112
 CaYbPt₃Sn₅, Yb₂Pt₃Sn₅-type structure, **150**, 112
 Cd(OH)Cl, **151**, 308
³[Cd(pdc)(H₂O)] and ³[Cd₃(pdc)₂(H₂O)₂], **152**, 236
 Cd₅(PO₄)₃Br and Cd₅(PO₄)₃I, incommensurate modulation, **150**, 154
 Ce₂Ni₂Cd, **150**, 139
 (R,S)-(C₅H₁₄N₂)Co(HPO₄)₂ one-dimensional cobalt phosphate, **153**, 180
 (CH₃NH₃)₃Bi₂Cl₉ at low temperature, **155**, 286
 [(CH₃NH₃)_{0.5}(NH₄)_{1.5}][Sb₈S₁₃·2.8H₂O], **155**, 409
 (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄]·3H₂O, **154**, 514
 (C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, **154**, 460
 (C₄H₁₂N₂)[(VO)(VO)₂(H₂O)(PO₄)₂], **154**, 514
 [C₂N₂H₁₀]₂Fe₅F₄(PO₄)(HPO₄)₆, **154**, 507
 RCo₄B (R = Y,Pr,Nd,Sm,Gd,Tb), **154**, 242
 [Co(4,4'-bipyridine)₂(NO₃)₂]·2phenanthrene, **152**, 280
 coordination polymers with 4,4'-dipyridyldisulfide, **152**, 113
 Cs₇Au₅O₂, **155**, 29
 Cs₂CuP₃S₉, chiral compound with chiral screw helices, **151**, 326
 Cs₅Hg₁₉, **149**, 419
 Cs₂KMnF₆, low- and high-temperature modifications, **150**, 399
 Cs₃Mg₂P₆O₁₇N, **153**, 185
 α- and β-[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] (X = Cl,Br), **152**, 174
 Cu_{3-x}Fe_{4+x}(PO₄)₆, **150**, 159
 Cu₂Gd_{2/3}S₂, interlayer short-range order of Gd vacancies, **152**, 332
 CuInO₂ delafossite-type oxide, **151**, 16
 Cu(II) ladder-like coordination polymers, **152**, 183
 Cu_{1.5}Mn_{0.25}Zr₂(PO₄)₃ Nasicon-type phosphate, **152**, 453
 Cu(OH)Cl, **151**, 308
 [Cu(tripyrilidyltriazine)₂Mo₄O₁₃] layered compound, **152**, 141
 1,2-dihydro-N-aryl-4,6-dimethylpyrimidin-2-ones: C-H...O and C-H...N networks, **152**, 221
 N,N'-dimethylpiperazinium(2+) selenate dihydrate, **150**, 305
 Eu₁₆Bi₁₁, **155**, 168
 Eu₁₆Sb₁₁, **155**, 168
 EuSn₃Sb₄ and related Zintl phases, **150**, 371
 extended solids composed of transition metal oxide clusters, **152**, 105
 FeZn₁₀ and Fe₁₃Zn₃₉, **151**, 85
 MGa₂B₂O₇ (M = Sr,Ba), **154**, 598
 GaPO₄, structural phase transformations, **149**, 180
 GdCuAs₂, GdCuAs_{1.15}P_{0.85}, and GdCuP_{2.20}, **155**, 259
 GdNi₃X₂ (X = Al,Ga,Sn), relationship to synthesis conditions, **150**, 62
 M₅Ge₄ compounds in Ge-Ta-Zr system, relationship to composition, **150**, 347
 GeSe₂ three-dimensional crystals, transformations at high pressures and temperatures, **150**, 121
 A₃Hg₂₀ (A = Rb,Cs) and A₇Hg₃₁ (A = K,Rb), **149**, 419
 Hg₆As₄BiCl₇, Hg₆Sb₄BiBr₇, and Hg₆Sb₅Br₇ built of polycationic mercury-pnictide framework with trapped anions, **154**, 350
 Hg₃Se₂I₂ and Hg₃S₂I₂, **151**, 73
 Ho₂Cu_{6-x}P_{5-y}, **151**, 150
 In₄Sn₃O₁₂ substituted with Y and Ti, **153**, 349
 IrIn₂, **150**, 19
 isoelectronically substituted (ZnO)₅In₂O₃, **150**, 221
 KM₂Q₂ (M = Al,Ga; Q = Se,Te) chalcogenides with stacking faults, **149**, 242
 KBi₂CuS₄, **155**, 243
 KCa₂Nb₃O₁₀ layered perovskite, **151**, 40
 K₃Hg₁₁, **149**, 419
 K₂MnF₅·H₂O, neutron diffraction study, **150**, 104
 La₃Al_{0.44}Si_{0.93}S₇, **155**, 433
 LaB₆-(Ti,Zr)B₂ alloys prepared by eutectic crystallization, **154**, 165
 La₅Cu₆O₄S₇, **155**, 366
 La(H₂O)₂M(C₂O₄)₂·H₂O (M = K,NH₄), **150**, 81
 La_{~10.8}Nb₅O₂₀S₁₀, **152**, 348
 La₃Re₃MnO₁₆, **151**, 31
 La_{4.87}Ru₂O₁₂ and La₇Ru₃O₁₈, **155**, 189
 La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, **155**, 455
 La_{0.813}Sr_{0.187}Cu(O,F)_{3-δ}, **149**, 189
 La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ (0 ≤ δ ≤ 0.15), effects of oxygen nonstoichiometry, **151**, 139
 La_{1.2}Sr_{0.8}MnO_{4-δ} with electron doping and La_{1.2}Sr_{0.8}MnO_{4+δ}, **153**, 34
 LaTe₂, **149**, 155
 LaVO₄, **152**, 486
 LaV₃O₉, **152**, 486
 LiH₅TeO₆, **150**, 410
 Li-Mn-Fe-O spinels: computer modeling of Li ion distribution, **153**, 310
 Li_{0.5}Pb_{1.75}GeS₄, isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Na_{0.5}Pb_{1.75}GeS₄, **153**, 158
 Li₂Ti₃O₇, H phase, engineered scavenger compound, **152**, 546
 β-LiVOAsO₄, **150**, 250
 MgOs₃B₄, channel structure, **154**, 232
 Mn₃Ga₅ pseudo-decagonal approximant, **153**, 398
 Mo_{0.16}Bi_{0.84}O_{1.74} high-temperature cubic fluorite-type phase with 3D incommensurate modulation, **152**, 573
 RE₅Mo₃₂O₅₄ (RE = La,Ce,Pr,Nd) with trans-capped Mo₈ octahedral clusters and Mo₇-Mo₁₀-Mo₇ triclusters, **152**, 403
 Na₂M₂(BO₃)₂O (M = Al,Ga), comparison with other layered oxyborates and SiP₂O₇, **154**, 344
 Na₃[B₆O₉(VO₄)], **150**, 342
 Na₄Co₃H₂(PO₄)₄·8H₂O, **149**, 292
 Na₂[(HO₃PCH₂)₃NH]1.5H₂O, **151**, 122
 Na₃In(PO₄)₂ polymorphous modifications, **149**, 99
 Na_{3.64}Mg_{2.18}(P₂O₇)₂, **152**, 323
 Na_{3.64}Ni_{2.18}(P₂O₇)₂, **152**, 323
 Na_{0.5}Pb_{1.75}GeS₄, isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158
 Na_{1.5}Pb_{0.75}PSe₄, isostructural relationship to Na_{0.5}Pb_{1.75}GeS₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158
 NaSb₃O₂(PO₄)₂, **151**, 21
 Na_{1-x}Sr_xTaO₃ (0 < x ≤ 0.4) with perovskite structure, **154**, 427
 Na₂ZnP₂O₇, **152**, 466
 Nb₂N_{0.88}O_{0.12}, **150**, 36
 Nb₁₂O₂₉, correlation with electronic structure, **149**, 176
 Nd₄Co₃O_{10+δ}, **151**, 46
 Nd₄Ni₃O_{10-δ}, **151**, 46
 Nd₁₆Ti₅S₁₇O₁₇, **152**, 554
 [NH₃CH₂CH(OH)CH₂NH₃][Co₂(PO₄)₂] and [NH₃CH₂CH(OH)CH₂NH₃][Co₂(HPO₄)₃], **155**, 62
 [NH₃(CH₂)₃NH₃]_{10.5}[M(OH)AsO₄] (M = Ga,Fe), **155**, 37
 R₂NiB₁₀ (R = Y,Ce-Nd,Sm,Gd-Ho), **154**, 246
 LnNiIn₂ (Ln = Pr,Nd,Sm), **152**, 560
 Ni₃Mo₆Se_{8-x}S_x solid solution, **155**, 250
 Ni(NH₃)₂X₂ (X = Cl,Br,I), **152**, 381
 LnNiO₃ (Ln = Pr,Nd,Sm) polycrystalline compounds prepared via different precursors, **151**, 298

- α -Ni(VO₃)₂ · 2H₂O and Ni(VO₃)₂ · 4H₂O, **152**, 511
 Pb₅Al_{2.96}Cr_{0.04}F₁₉ at 300 K, **155**, 427
 Pb₅Bi₁₈P₄O₄₂, **151**, 181
 Pb₇F₁₂Cl₂: disordered modification, **149**, 56
 [Pb₆O₄](OH)(NO₃)(CO₃), **153**, 365
*Ln*PdGe (*Ln* = La–Nd,Sm,Gd,Tb), **154**, 329
 pillared 3D Mn(II) coordination network with rectangular channels, **152**, 152
 piperazinium(2+) selenate monohydrate, **150**, 305
 RP₅O₁₄ (*R* = La,Nd,Sm,Eu,Gd), **150**, 377
 polymeric Ag(I)-hexamethylenetetramine complexes, **152**, 211
 (Pr₄N)₂M(H₂O)₅[Re₆X₈(CN)₆] · H₂O (*X* = S,Se; *M* = Mn,Ni), **153**, 195
 (Pr₄N)₂M(H₂O)₄[Re₆S₈(CN)₆] (*M* = Mn,Ni), **153**, 195
 PrRhIn, **152**, 560
 Pr_{1-x}Sr_xFeO_{3-δ}, **150**, 233
 rare-earth-rich ternary pnictides RE₅M₂X (*RE* = Y,Gd,Tb,Dy,Ho,Er,Tm,Lu; *M* = Ni,Pd; *X* = Sb,Bi), **152**, 478
 Rb₅Au₃O₂ and Rb₇Au₅O₂, **155**, 29
 Rb₂[B₄O₅(OH)₄] · 3.6H₂O, **149**, 197
 Rb*Ln*₂CuSe₄ (*Ln* = Sm,Gd,Dy), **151**, 317
 Rb_{1.5}*Ln*₂Cu_{2.5}Se₅ (*Ln* = Gd,Dy), **151**, 317
 Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), X-ray single crystal and neutron powder diffraction studies, **149**, 9
 Rb_{2n}(Mo₉S₁₁)(Mo_{6n}S_{6n+2}) (*n* = 1 to 4) superconducting cluster compounds, **155**, 417
 Rb₂Sb₈S₁₃ · 3.3H₂O, **155**, 409
 RbSm₂Ag₃Se₅, **151**, 317
 Sb₅PO₁₀, **155**, 451
 Sc₂AlB₆, **154**, 49
 ScOs₃B₄, channel structure, **154**, 232
 seven-coordinated diaquasuccinatocadmium(II) bidimensional polymer, **153**, 1
*Ln*₂(SiO₄)Te (*Ln* = Nd,Sm), monoclinic and orthorhombic crystals, **155**, 433
 SmNi_{1-x}Co_xO₃, relationship to physical properties, **150**, 145
 SnBr₂, **149**, 28
 SrAl₂B₂O₇, **150**, 404
 Sr_{1.25}Bi_{0.75}O₃, determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
 SrC₂, **151**, 111
 Sr_nFe_nO_{3n-1} (*n* = 2,4,8, ∞), oxygen-vacancy-ordered perovskites, evolution and relationship to electronic and magnetic properties, **151**, 190
 Sr₄Fe₂O₆CO₃, **152**, 374
 β-SrGa₂O₄ and ABW-type γ-SrGa₂O₄, framework structures, **153**, 294
 γ-SrHPO₄, **152**, 428
 Sr_{0.4}K_{0.6}BiO₃, determination as function of temperature from synchrotron X-ray powder diffraction, **150**, 316
 Sr_{3.75}K_{1.75}Bi₃O₁₂, **152**, 492
 Sr_{3.1}Na_{2.9}Bi₃O₁₂, **152**, 492
 Sr₂NiN₂, **154**, 542
 Sr_{1.1}Re₄O₂₄ double oxide, **149**, 49
 Sr₃Ru₂O₇, distortions in, neutron diffraction study, **154**, 361
 Sr_{0.93}(Si_xNb_{1-x})Nb₁₀O₁₉ (*x* = 0.87), **152**, 540
 Sr₂Sn(OH)₈, **151**, 56
 SrV₄O₉ in metastable state, **149**, 414
 superconductors of 2212 type in Tl–Hg–Ba–Sr–Ca–Cu–O system, XRD studies, **153**, 106
 tantalum chloride–graphite intercalation compound, analysis with molecular simulations, **149**, 68
 Ti(IV)–aryloxy network materials with 4,4′-biphenoxide and polyphenolic 2D motifs, **152**, 130
 Ti₃NiAl₂N, **155**, 71
 Ti₃Rh₂In₃, **150**, 19
 TlF, **150**, 266
 Tl₂Nb₂O_{6+x} phases with pyrochlore structure, **155**, 225
 Tl(*Ln*₂Sr₂)Ni₂O₉ (*Ln* = La,Pr,Nd,Sm,Eu,Gd), **150**, 1
 TlTe, **149**, 123
 TlZn(PO₃)₃, **154**, 584
 UFe₃Sn, **154**, 551
 UNi_{1.9}Sn single crystals, **149**, 120
 (UO₂)₃(VO₄)₂ · 5H₂O, **150**, 72
 M₆(UO₂)₅(VO₄)₂O₅ (*M* = Na,K), **155**, 342
 (V^{IV}O)₂(H₂O){O₃P–(CH₂)₃–PO₃} · 2H₂O, **155**, 238
 (VO)₂P₂O₇ phase grown at 3 GPa, **153**, 124
*Ln*₇VO₄Se₈ (*Ln* = Nd,Sm,Gd), **154**, 564
 {[W₄Ag₆S₁₆] · [Ca(DEAC)₆]}_n, **151**, 286
 {[W₂Ag₂S₈] · [Zn(4,4′-bipy)₂(DMF)₂(DMSO)₂]}_n, **151**, 286
 {[W₂Ag₂S₈] · [Zn(4,4′-bipy)₂(DMSO)₄] · (DMSO)}_n, **151**, 286
 W₂O₃ · P₂O₇ with empty tunnel structure, **155**, 112
 (Y,RE)Al₃(BO₃)₄ solid solutions (*RE* = Nd,Gd,Ho,Yb,Lu), **154**, 317
 Yb₅In₂Sb₆ Zintl phase with narrow band gap, **155**, 55
 zeolite-like heterobimetallic cyanide frameworks with quaternary ions R₄N⁺ (*R* = *n*Pr,*n*Bu,*n*Pen) as structure directors, **152**, 286
 Zn_(2-x)Co_x(HPO₄)₃ · C₃N₂H₁₂ (*x* ≅ 0.05) with 12 rings, **149**, 107
 Zn₄(PO₄)₂(HPO₄)₂ · 0.5(C₁₀H₂₈N₄) · 2H₂O, **154**, 368
 ZrIn₂, **150**, 19
 ZrM(OH)₂(NO₃)₃ (*M* = K,Rb), *ab initio* determination from X-ray powder diffraction, **149**, 167
 ZrPOF-*n* family zirconium phosphate fluorides with 2D and 3D structure types, **149**, 21
 Cyclohexaphosphates
 Cs₃Mg₂P₆O₁₇N, synthesis and crystal structure, **153**, 185

D

- DC sputtering
 ZnO and In₂O₃ or ITO targets, films deposited by, structures and physical properties, **155**, 312
 Debye temperature
 B₁₂P₂ wafers, **154**, 33
 Decomposition temperature
 CaRh₂O₄, **150**, 213
 Defect chemistry
 NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, **155**, 216
 Dehydration
 topochemical, Ruddlesden–Popper tantalates and titanotantalates, **155**, 46
 Delafossite
 related CuInO₂, synthesis, **151**, 16
 Delithiation
 partial acid delithiation effects on electrochemical insertion properties of Ni-stabilized LiMn₂O₄ spinel oxides, **150**, 196
 Density functional theory
 R₅B₂C₅ (*R* = Y,Ce–Tm), **154**, 286
 clathrates: potential as thermoelectric materials, **149**, 455
 A₂T₂Sn (*A* = Ce,U; *T* = Ni,Pd): band magnetism calculations, **149**, 449
 Deuterium
 CsCo(ND₃)₆(ClO₄)₂Cl₂, orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
 YMn₂D_{1.15}, structural and magnetic properties, **154**, 398
 YMn₂D₂ single phase, synthesis, study by *in situ* neutron diffraction, **150**, 183
 Diamagnetism
 Hg₆As₄BiCl₇, Hg₆Sb₄BiBr₇, and Hg₆Sb₅Br₇, **154**, 350
 Diamines
 intercalation compounds of SnS₂ single crystals, synthesis and characterization, **150**, 391

- and 5-nitrosalicylaldehyde, Schiff base ligands derived from, mechanochemical reaction with polymeric oxovanadium(IV) complexes, **153**, 9
- trans*-1,4-Diaminocyclohexane
 $[amH_2]_{0.5}[Zr_2(PO_4)(HPO_4)_2F_2] \cdot 0.5H_2O$ and $[amH_2]_{1.5}[Zr_3(PO_4)_3F_6] \cdot 1.5H_2O$, with 2D and 3D structures, synthesis and crystal structures, **149**, 21
- 1,3-Diaminopropane
 $[NH_3(CH_2)_3NH_3]_{0.5}[M(OH)AsO_4]$ ($M = Ga, Fe$), synthesis and characterization, **155**, 37
- Diaquasuccinatocadmium(II)
 seven-coordinated bidimensional polymer, crystal structure structure and vibrational and thermal behavior, **153**, 1
- Dichromate
 Mg–Al hydrotalcites exchanged with, properties, effects of guest–host interactions, **155**, 332
- Dielectric constant
 $ACu_3Ti_4O_{12}$ and $ACu_3Ti_3FeO_{12}$, **151**, 323
- Dielectric properties
 BaTiO₃, effects of flux additions, **155**, 86
N-benzyl piperidinium dihydrogenmonophosphate, **155**, 298
 BiSeO₃Cl, **149**, 236
 CaO:Al₂O₃:Nb₂O₅ system, **155**, 78
- Differential scanning calorimetry
 Sr(OH)Br, analysis of hydroxide ion disorder, **151**, 267
- Differential thermal analysis
 Cs₂CuP₃S₉, chiral compound with chiral screw helices, **151**, 326
- 1,2-Dihydro-*N*-aryl-4,6-dimethylpyrimidin-2-ones
 crystal structures, C–H⋯O and C–H⋯N networks in, **152**, 221
- Dimethylamine
 intercalation into TiS₂, **155**, 326
- 2,2-Dimethyl-1,3-diaminopropane
 $[amH_2]_{0.5}[Zr_3(PO_4)_3(HPO_4)F_2] \cdot 1.5H_2O$, with 2D and 3D structure types, synthesis and crystal structures, **149**, 21
- N,N'*-Dimethylpiperazinium(2+) selenate dihydrate
 crystal structure, vibrational spectra, and thermal behavior, **150**, 305
- Diols
 C₄, intercalates with vanadyl and niobyl phosphates, preparation and characterization, **151**, 225
- Dion–Jacobson niobates
 KCa₂Nb₃O₁₀ layered perovskite, crystal structure, **151**, 40
- 4,4'-Dipyridyldisulfide
 coordination polymers with, synthesis and structure, **152**, 113
- Disorder
 anions in Eu₃(BO₃)₂F₃, evidence from Eu³⁺ luminescence: comparison with Ba₂Eu(CO₃)₂F₃, **153**, 270
 cation anti-site, rare earth oxide pyrochlores, **153**, 16
 cations in three-layer Aurivillius phases, **153**, 66
 M₅Ge₄ compounds in Ge–Ta–Zr system, **150**, 347
 hydroxide ions of Sr(OH)Br, **151**, 267
- Dissociation energy
 graphite monofluoride, analysis with 3D cyclic cluster approach, **150**, 286
- Distortions
 \bar{q} and $2\bar{q}$ distortions in incommensurately modulated low-temperature structure of NiTa₂Se₇, **153**, 152
- 1,10-Dithia-18-crown-6
 alkali cation ligating iodocuprate(I)-based coordination networks with, **152**, 271
- Dynamic shear modulus
 Fe-doped boron, **154**, 188
- Dysprosium
 Dy₅M₂X ($M = Ni, Pd$; $X = Sb, Bi$) pnictides, crystal structure and bonding, **152**, 478
- DyB₆, magnetic entropy, **154**, 275
- Dy_{2/3}Cu₃Ti₄O₁₂, dielectric constant, **151**, 323
- Dy₂NiB₁₀, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
- Dy₆MTe₂ ($M = Fe, Co, Ni$), synthesis, structure, and bonding, **155**, 9
- (Hg,*M*)Sr₂(Dy,Ce)₂Cu₂O₂ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
- NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
- RbDy₂CuSe₄, synthesis and structures, **151**, 317
- Rb_{1.5}Dy₂Cu_{2.5}Se₅, synthesis and structure, **151**, 317
- site preference in hydroxyapatite [Ca₁₀(PO₄)₆(OH)₂], **149**, 391

E

- Editorial, **149**, 1
- Electrical conductivity
 Ba₆Ge_{25-x}Ba₆Ge₂₃Sn₂, and Ba₆Ge₂₂In₃, **153**, 321
 A₃Bi₅Cu₂S₁₀ ($A = Rb, Cs$), **155**, 243
 Bi_{0.85}Pr_{0.105}V_{0.045}O_{1.545} ceramics, effect of particle size, **155**, 273
 boron and boron phosphide films, **154**, 26
 B₁₂P₂ wafers, **154**, 33
 B–Si thin film prepared by pulsed laser deposition, **154**, 141
 CeVO₄, Ce_{1-x}MVO_{4-0.5x} ($M = Ca, Sr, Pb$), and Ce_{1-y}Bi_yVO₄ with zircon-type structure prepared by solid-state reaction in air, **153**, 174
 t'_{meta}-(Ce_{0.5}Zr_{0.5})O₂ phase prepared by reduction and successive oxidation of t' phase, **151**, 253
 Cu₂SnS₃ nanocrystals, **153**, 170
 graphite monofluoride, analysis with 3D cyclic cluster approach, **150**, 286
 In₄Sn₃O₁₂ substituted with Y and Ti, **153**, 349
 IrIn₂, **150**, 19
 KBi₂CuS₄, **155**, 243
 La₅Cu₆O₄S₇, **155**, 366
 La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, **155**, 280
 Mg–Fe–O system, **149**, 33
 β-rhombohedral boron doped with metal, **154**, 13
 Sr(OH)Br, analysis of hydroxide ion disorder, **151**, 267
 Ti₃Rh₂In₃, **150**, 19
 Yb₅In₂Sb₆ Zintl phase with narrow band gap, **155**, 55
 ZrIn₂, **150**, 19
- Electrical properties
 B₁₂P₂ wafers, **154**, 33
 (Cd_{1-x}Mn_x)Mn₂O₄, **153**, 231
 GdCuAs₂, GdCuAs_{1.15}P_{0.85}, and GdCuP_{2.20}, **155**, 259
 GdNi₃X₂ ($X = Al, Ga, Sn$), relationship to synthesis conditions, **150**, 62
 In₂O₃–M₂O₃ ($M = Y, Sc$) solid solutions doped with Sn, **153**, 41
 La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ ($0 \leq \delta \leq 0.15$), effects of oxygen nonstoichiometry, **151**, 139
 RE₅Mo₃₂O₅₄ ($RE = La, Ce, Pr, Nd$) with *trans*-capped Mo₈ octahedral clusters and Mo₇–Mo₁₀–Mo₇ triclusters, **152**, 403
 NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, **155**, 216
 R₂NiB₁₀ ($R = Y, Ce-Nd, Sm, Gd-Ho$), **154**, 246
 PrRhIn, **152**, 560
 SmNi_{1-x}Co_xO₃, relationship to structure, **150**, 145
 Sr₂NiN₂, **154**, 542
 {[W₄Ag₆S₁₆]·[Ca(DEAC)₆]}_n, **151**, 286
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMF)₂(DMSO)₂]}_m, **151**, 286
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMSO)₄·(DMSO)]_n, **151**, 286
 ZnO–In₂O₃ and ZnO–indium oxide (ITO) films deposited by DC sputtering, **155**, 312

Electrical resistivity

- $\text{Ca}_{2-x}\text{Mg}_x\text{Ti}$ ($Ti = \text{Sn, Pb}$), **152**, 474
 $\text{Ce}_2\text{Ni}_2\text{Cd}$, **150**, 139
 $(\text{Cr}_{1-x}\text{TM}_x)_3\text{B}_4$ ($\text{TM} = \text{Ti, V, Nb, Ta, Mo, W}$) large crystals, **154**, 45
 EuSn_3Sb_4 and related Zintl phases, **150**, 371
 $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ ($n = 2, 3$), **152**, 517
 $\text{Na}_2\text{Ti}_2\text{Sb}_2\text{O}_7$, relationship to structure, powder neutron diffraction study, **153**, 275
 $\text{Nd}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
 LnNiO_3 ($\text{Ln} = \text{Pr, Nd, Sm}$) polycrystalline compounds prepared via different precursors, **151**, 298
 $\text{Rb}_{2n}(\text{Mo}_9\text{S}_{11})(\text{Mo}_{6n}\text{S}_{6n+2})$ ($n = 1$ to 4) superconducting cluster compounds, **155**, 417
 $\text{Sm}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-\delta}$, **153**, 140
 $\text{Sm}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
 $\text{Sr}_4\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1, 1.5, 2$) Ruddlesden–Popper phases, **155**, 96
 $\text{Sr}_{0.93}(\text{Si}_x\text{Nb}_{1-x})\text{Nb}_{10}\text{O}_{19}$ ($x = 0.87$), **152**, 540
 $\text{Ti}_2\text{Nb}_2\text{O}_{6+x}$ phases with pyrochlore structure, **155**, 225
 $\text{YB}_{41}\text{Si}_{1,2}$, **154**, 229

Electrochemical synthesis

- $\text{M}_{1-x}\text{Sm}_x\text{SO}_4$ ($M = \text{Ba, Sr}$), **154**, 535

Electrochemistry

- insertion properties of Ni-stabilized LiMn_2O_4 spinel oxides, effects of partial acid delithiation, **150**, 196
 Li insertion into Mg_2Si , reaction mechanism, **153**, 386
 $\text{Li}_{2+x}\text{Ti}_3\text{O}_7$ prepared by, structural study, **153**, 132
 $\beta\text{-LiVOAsO}_4$, **150**, 250
 TiB_2 in cryolite–alumina melt and in molten aluminum, **154**, 107

Electroluminescence

- conjugated molecule doped in polymer, effect of excimer behavior, **153**, 192

- three-coordinate organoboron compounds, **154**, 5

Electron diffraction

- $\text{Ba}_8\text{Co}_7\text{O}_{21}$, **151**, 77
 $(1-x)\text{Bi}_2\text{O}_3 \cdot x\text{CaO}$ ($0.20 < x < 0.29$) α'_1 and α''_1 fluorite-related phases, **149**, 218
 $\text{Cu}_2\text{Gd}_{2/3}\text{S}_2$: interlayer short-range order of Gd vacancies, **152**, 332
 $\text{Li}_{2+x}\text{Ti}_3\text{O}_7$ obtained electrochemically, **153**, 132
 $\text{Mo}_{0.16}\text{Bi}_{0.84}\text{O}_{1.74}$ high-temperature cubic fluorite-type phase with 3D incommensurate modulation, **152**, 573
 $\text{Na}_{1-x}\text{Sr}_x\text{TaO}_3$ ($0 < x \leq 0.4$) with perovskite structure, **154**, 427
 order-disorder phenomena in $\text{SrMn}_{1-y}(\text{B, C})_y\text{O}_{3-\delta}$ perovskite-related oxyborocarbonates, **149**, 226
 oxygen/fluorine ordering in rutile-type FeOF , **155**, 359
 selected area, $\text{Bi}_2\text{O}_3\text{-MoO}_3$ system: compounds with structure based on $[\text{Bi}_{12}\text{O}_{14}]_\infty$ columns, **149**, 276
 $\text{Sm}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-\delta}$: charge ordering and magnetotransport transitions, **153**, 140
 $\text{TiCo}_{2-x}\text{Cu}_x\text{Se}_2$ ($x \sim 1$) system, **151**, 260
 YB_{66} : effects of transition metal doping, **154**, 54

Electron dispersive spectroscopy

- $\text{Bi}_2\text{O}_3\text{-MoO}_3$ system: compounds with structure based on $[\text{Bi}_{12}\text{O}_{14}]_\infty$ columns, **149**, 276

Electronic energies

- boron compounds, quasi-classical determination, **154**, 148

Electronic properties

- $\text{BaIr}_{1-x}\text{Co}_x\text{O}_{3-\delta}$ perovskites ($x = 0.5, 0.7, 0.8$), **152**, 361
 $\text{R}_5\text{B}_2\text{C}_5$ ($R = \text{Y, Ce-Tm}$), **154**, 286
 Ce atoms in CeO_2 nanocrystals, X-ray absorption spectroscopic study, **149**, 408
 icosahedral boron-rich solids, correlation with structural defects, **154**, 61
 $A_2T_2\text{Sn}$ ($A = \text{Ce, U}$; $T = \text{Ni, Pd}$), local spin density functional calculations, **149**, 449

- $\text{Sr}_n\text{Fe}_n\text{O}_{3n-1}$ ($n = 2, 4, 8, \infty$), oxygen-vacancy-ordered perovskites, relationship to crystal structure, **151**, 190

Electronic structure

- $\text{R}_5\text{B}_2\text{C}_5$ ($R = \text{Y, Ce-Tm}$), **154**, 286
 CdCr_2S_4 and CdCr_2Se_4 spinels, **155**, 198
 FeZn_{10} and $\text{Fe}_{13}\text{Zn}_{39}$, **151**, 85
 GdCuAs_2 , $\text{GdCuAs}_{1.15}\text{P}_{0.85}$, and $\text{GdCuP}_{2.20}$, **155**, 259
 graphite monofluoride, analysis with 3D cyclic cluster approach, **150**, 286
 $\text{K}_{1.8}\text{Mo}_9\text{S}_{11}$, **155**, 124
 LaTe_2 , **149**, 155
 $A_2\text{Mo}_9\text{S}_{11}$ ($A = \text{K, Nb}$), **155**, 124
 $\text{Nb}_{12}\text{O}_{29}$, coexistence of localized and delocalized electrons, **149**, 176
 $\text{Rb}_{2n}(\text{Mo}_9\text{S}_{11})(\text{Mo}_{6n}\text{S}_{6n+2})$ ($n = 1$ to 4) superconducting cluster compounds, **155**, 417
 three-coordinate organoboron compounds, **154**, 5
 W_5As_4 , **154**, 384
 $\text{Yb}_5\text{In}_2\text{Sb}_6$ Zintl phase with narrow band gap, **155**, 55
 Electron microscopy, *see also* High-resolution electron microscopy; Transmission electron microscopy
 InSn oxide powders, **154**, 444
 paracrystal formation from Ni_{1-x}O and CaO upon interdiffusion, **152**, 421

Electron paramagnetic resonance

- $\text{La}_{1-x}\text{Eu}_x\text{NiO}_3$ ($0 \leq x \leq 1$), **151**, 1
 TiO_2 rutile solid solutions: redox behavior of VIB transition metal ions, **152**, 412
 $(\text{VO})_2\text{P}_2\text{O}_7$ phase grown at 3 GPa, **153**, 124
 Yb^{3+} doped in $\text{Ba}_2\text{LuTaO}_6$, **150**, 31

Electron–phonon interaction

- β -rhombohedral boron doped with metal, **154**, 13

Electron probe microanalysis

- quantitative, boron, **154**, 177

Electrons, *see also* Lone pair electrons

- counting in compounds structurally related to Ti_5Te_4 , theoretical study, **154**, 384
 delocalized and localized, coexistence in $\text{Nb}_{12}\text{O}_{29}$, **149**, 176

Electron transfer reactions

- solvent equation of state near critical point for, spin-exchange term in, **151**, 102

Elpasolite

- Cs_2KMnF_6 , high-pressure phase transition, **153**, 248

Enthalpy–entropy compensation theory

- carbon tetrachloride–neopentane system, **154**, 390

Entropy of formation

- Ca-Rh-O system, measurement, solid state cells with buffer electrodes for, **150**, 213

Entropy of mixing

- alkali halide solid solution, **153**, 118

Erbium

- $\text{Ba}_4\text{Er}_2\text{Cu}_7\text{O}_{15-\delta}$, structural effects of Au and Al incorporation, **150**, 228
 $\text{CaErPt}_3\text{Sn}_5$, synthesis, $\text{Yb}_2\text{Pt}_3\text{Sn}_5$ -type structure, and magnetic measurements, **150**, 112
 $\text{Er}_3\text{M}_2\text{X}$ ($M = \text{Ni, Pd}$; $X = \text{Sb, Bi}$) pnictides, crystal structure and bonding, **152**, 478
 $\text{ErBaSrCu}_{3-x}(\text{PO}_4)_x\text{O}_y$ ($x = 0.0, 0.10, 0.20$), electron microscopy and neutron diffraction studies, **150**, 188
 $(\text{Hg, M})\text{Sr}_2(\text{Er, Ce})_2\text{Cu}_2\text{O}_z$ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488

Ethylenediamine

- $(\text{C}_2\text{H}_{10}\text{N}_2)[\text{Ni}(\text{H}_2\text{O})_6](\text{HPO}_4)_2$, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
 $[\text{C}_2\text{N}_2\text{H}_{10}]_2\text{Fe}_5\text{F}_4(\text{PO}_4)(\text{HPO}_4)_6$, hydrothermal synthesis and 3D architecture, **154**, 507

- role in solvothermal synthesis of chalcogenides Ag_8SnE_6 ($E = \text{S, Se}$), **149**, 338
- Ethylene glycol
preparation of metallic powders and alloys in, thermodynamic approach, **154**, 405
- Europium
 $\text{Ba}_2\text{Eu}(\text{CO}_3)_2\text{F}_3$, optical behavior, comparison with $\text{Eu}_3(\text{BO}_3)_2\text{F}_3$, **153**, 270
 Eu^{2+} , luminescence in doped crystalline $\text{SrAl}_2\text{B}_2\text{O}_7$, **150**, 404
 EuB_6 , interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 $\text{Eu}_{16}\text{Bi}_{11}$, synthesis, structure, and properties, **155**, 168
 $\text{Eu}_3(\text{BO}_3)_2\text{F}_3$, anionic disorder in, evidence from Eu^{3+} luminescence: comparison with $\text{Ba}_2\text{Eu}(\text{CO}_3)_2\text{F}_3$, **153**, 270
 $\text{EuP}_5\text{O}_{14}$, crystal structure and magnetic properties, **150**, 377
 $\text{Eu}_2\text{Ru}_2\text{O}_7$ pyrochlores, specific heat and ac susceptibility, **152**, 441
 $\text{Eu}_{16}\text{Sb}_{11}$, synthesis, structure, and properties, **155**, 168
 EuSn_3Sb_4 and related metallic Zintl phases, synthesis, structure, and resistivity, **150**, 371
(Hg, M) $\text{Sr}_2(\text{Eu, Ce})_2\text{Cu}_2\text{O}_z$ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 $\text{La}_{1-x}\text{Eu}_x\text{NiO}_3$ ($0 \leq x \leq 1$), metal-insulator transition and magnetic properties, **151**, 1
 $\text{Ti}(\text{Eu}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$, synthesis and structure, **150**, 1
- Exchange inversion
 $\text{Sm}_{(1-x)}\text{Gd}_x\text{TiO}_3$, **154**, 619
- Excimer
formation, effect on photoluminescence and electroluminescence of conjugated molecule doped in polymer, **153**, 192
- Extended solids
frameworks for, geometrical design principles, **152**, 3
- Extended X-ray absorption fine structure
 CeO_2 nanocrystals, **149**, 408
 NiCo_2O_4 , **153**, 74
- F
- Far-infrared spectroscopy
 $\text{Cs}_2\text{CuP}_3\text{S}_9$, chiral compound with chiral screw helices, **151**, 326
- Ferroelastic phases
 $\text{Pb}_5\text{Al}_{2.96}\text{Cr}_{0.04}\text{F}_{19}$, crystal structure at 300 K, **155**, 427
- Ferromagnetism
 $\text{Ln}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$ rich in Mn(IV), induction by Ru doping, **151**, 330
- Figure of merit
boron and boron phosphide films, **154**, 26
 β -rhombohedral boron doped with metal, **154**, 13
 $\text{YB}_4\text{Si}_{1.2}$, **154**, 229
- Floating zone growth
rare-earth hexaboride crystals, **154**, 238
- Fluorapatite
calcium fluorapatite, conversion into calcium hydroxyapatite under alkaline hydrothermal conditions, **151**, 65
- Fluorescence spectroscopy
one-dimensional uranium oxyfluorides built from edge-sharing $[\text{UO}_2\text{F}_5]$ pentagonal bipyramids, **154**, 635
- Fluorine
 $\text{Ag}(\text{TCNQF}_4)$ crystalline polymer, structure and magnetic properties, **152**, 159
 BaMBO_3F_2 ($M = \text{Ga, Al}$), crystal structure, **155**, 354
 $\text{Ba}_2\text{Eu}(\text{CO}_3)_2\text{F}_3$, optical behavior, comparison with $\text{Eu}_3(\text{BO}_3)_2\text{F}_3$, **153**, 270
 BaLiF_3 doped with Ce^{3+} , optical spectroscopy properties and charge compensation, **150**, 178
 $\text{Ca}_6\text{Sm}_2\text{Na}_2(\text{PO}_4)_6\text{F}_2$, crystal structure and polarized Raman spectra, **149**, 308
 $[\text{C}_2\text{N}_2\text{H}_{10}]_2\text{Fe}_5\text{F}_4(\text{PO}_4)(\text{HPO}_4)_6$, hydrothermal synthesis and 3D architecture, **154**, 507
 Cs_2KMnF_6 , phase transition
crystal structures of low- and high-temperature modifications, **150**, 399
at high pressure, **153**, 248
 $\text{Eu}_3(\text{BO}_3)_2\text{F}_3$, anionic disorder in, evidence from Eu^{3+} luminescence: comparison with $\text{Ba}_2\text{Eu}(\text{CO}_3)_2\text{F}_3$, **153**, 270
 FeOF , rutile-type, oxygen/fluorine ordering in, electron diffraction and crystal chemical studies, **155**, 359
graphite monofluoride, structure and properties, analysis with 3D cyclic cluster approach, **150**, 286
 KCuF_3 and K_2CuF_4 , extended magnetic solids, spin exchange interactions in, **151**, 96
 $\text{K}_2\text{MnF}_5 \cdot \text{H}_2\text{O}$, neutron diffraction study, **150**, 104
 KNiF_3 and K_2NiF_4 , extended magnetic solids, spin exchange interactions in, **151**, 96
 $\text{La}_{0.813}\text{Sr}_{0.187}\text{Cu}(\text{O, F})_{3-\delta}$, synthesis and crystal structure, **149**, 189
1D uranium oxyfluorides built from edge-sharing $[\text{UO}_2\text{F}_5]$ pentagonal bipyramids, hydrothermal syntheses, structures, and fluorescence spectroscopy, **154**, 635
 $\text{Pb}_5\text{Al}_{2.96}\text{Cr}_{0.04}\text{F}_{19}$, ferroelastic phase, crystal structure at 300 K, **155**, 427
 $\text{Pb}_7\text{F}_{12}\text{Cl}_2$, disordered modification of, synthesis and structure, **149**, 56
 PF_6^- counterion, role in anomalous spin crossover of mechanically strained Fe(II)-1,10-phenanthroline complexes, **153**, 82
TIF, crystal structures, **150**, 266
ZrPOF- n family with 2D and 3D structure types, synthesis and crystal structures, **149**, 21
- Fluorite
 $(1-x)\text{Bi}_2\text{O}_3 \cdot x\text{CaO}$ ($0.20 < x < 0.29$) α'_1 and α''_1 phases, electron diffraction and XRD studies, **149**, 218
intermediate cubic phase crystallized from Synroc alkoxide precursor at 800 °C, **150**, 209
 $\text{Mo}_{0.16}\text{Bi}_{0.84}\text{O}_{1.74}$, high-temperature cubic phase with 3D incommensurate modulation, synthesis and structure, **152**, 573
related oxides containing Ce, Pr, and/or Tb, lattice oxygen transfer in, **155**, 129
- Flux additions
in BaTiO_3 , overview and prospects, **155**, 86
- Flux growth
 Sm -doped SrSO_4 crystals, **154**, 535
 Sr_2NiN_2 , **154**, 542
- Flux synthesis
 $\text{Li}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$, $\text{Na}_{1.5}\text{Pb}_{0.75}\text{PSe}_4$, and $\text{Na}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$ with cubic structures, **153**, 158
- Formate
 $\text{CaCu}(\text{HCOO})_4$ and $\text{Ca}_2\text{Cu}(\text{HCOO})_6$ crystals, temperature-dependent Raman study, **154**, 338
- Fractional site occupancy
in $M_5\text{Ge}_4$ compounds in Ge-Ta-Zr system, **150**, 347
- Framework topologies
for extended solids, geometrical design principles, **152**, 3
- Franckeite
misfit compound $[(\text{Pb, Sb})\text{S}]_{2.28}\text{NbS}_2$, distribution of Pb and Sb atoms in (Pb, Sb)S layers in, scanning tunneling and atomic force microscopic studies, **149**, 370
- Free energy of mixing
alkali halide solid solution, **153**, 118
- Fulborenes
 $\text{B}_{12}\text{N}_{12}$, $\text{B}_{24}\text{N}_{24}$, and $\text{B}_{60}\text{N}_{60}$, semiempirical and molecular dynamics studies, **154**, 214
- Fulborenites
prediction, lattice parameters, and densities, **154**, 214

Functional crystals

search criteria and design principles, **152**, 191

G

Gadolinium

- Ba₄Gd₂Cd₃S₁₀, synthesis and structure, **149**, 384
 Cu₂Gd_{2/3}S₂, crystal structure: interlayer short-range order of Gd vacancies, **152**, 332
 Gd₅M₂X (M = Ni, Pd; X = Sb, Bi) pnictides, crystal structure and bonding, **152**, 478
 GdB₆, magnetic entropy, **154**, 275
 GdCo₄B, magnetic properties, **154**, 242
 GdCuAs₂, symmetry-breaking transitions through GdCuAs_{1.15}P_{0.85} to GdCuP_{2.20}, **155**, 259
 GdCu₃Ti₃FeO₁₂, dielectric constant, **151**, 323
 GdNi₃X₂ (X = Al, Ga, Sn), structural, electrical, magnetic, and hydrogen absorption properties, relationship to synthesis conditions, **150**, 62
 Gd₂NiB₁₀, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 Gd₂O₃-B₂O₃, thermal behavior and structural analysis, **154**, 204
 GdPdGe, order of Pd and Ge atoms in, **154**, 329
 GdP₅O₁₄, crystal structure and magnetic properties, **150**, 377
 Gd₇VO₄Se₈, synthesis and characterization, **154**, 564
 (Hg, M)Sr₂(Gd, Ce)₂Cu₂O_z 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 RbGd₂CuSe₄, synthesis and structures, **151**, 317
 Rb_{1.5}Gd₂Cu_{2.5}Se₅, synthesis and structure, **151**, 317
 Sm_(1-x)Gd_xTiO₃, magnetism, **154**, 619
 Tl(Gd₂Sr₂)Ni₂O₉, synthesis and structure, **150**, 1
 (Y, Gd)Al₃(BO₃)₄ solid solutions, crystal growth and characterization, **154**, 317

Gallium

- BaGaBO₃F₂, crystal structure, **155**, 354
 Ba₈Ga₁₆(GaSb)_xGe_{30-2x} (x = 2) with *p*-type thermoelectric cage structure, synthesis and characterization, **151**, 61
 BaGa₂O₄, stuffed framework structure, **154**, 612
 MGa₂B₂O₇ (M = Sr, Ba), crystal structures, **154**, 598
 Ga₂O₃-In₂O₃-SnO₂ system, tunneled intergrowth structures, **150**, 294
 GaPO₄, structural phase transformations, **149**, 180
 Ga₂S₃(As₂S₃, PbS)-GeS₂-MnS glasses, magnetic susceptibility and local structure, **152**, 388
 GdNi₃Ga₂, structural, electrical, magnetic, and hydrogen absorption properties, relationship to synthesis conditions, **150**, 62
 intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
 KGaQ₂ (Q = Se, Te) chalcogenides with stacking faults, synthesis and structure, **149**, 242
 LaBaCuGaO₅, phase transition induced by high pressure, **155**, 372
 Mn₃Ga₅ pseudo-decagonal approximant, preparation and crystal structure, **153**, 398
 Na₂Ga₂(BO₃)₂O, crystal structure, comparison with other layered oxyborates and SiP₂O₇, **154**, 344
 [NH₃(CH₂)₃NH₃]_{0.5}[Ga(OH)AsO₄], synthesis and characterization, **155**, 37
 β-SrGa₂O₄ and ABW-type γ-SrGa₂O₄, framework structures, **153**, 294
 ZnGa₂O₄ self-activated phosphors, luminescent properties, systematic tuning by Cd²⁺ substitution, **150**, 204

Gamma radiation

induction of solid-state polymerization of sodium propynoate, **152**, 99

Geometric frustration

La_{4.87}Ru₂O₁₂ and La₇Ru₃O₁₈, **155**, 189

Germanium

Ba₈Ga₁₆(GaSb)_xGe_{30-2x} (x = 2) with *p*-type thermoelectric cage structure, synthesis and characterization, **151**, 61

- Ba₆Ge_{2.5-x}, structure and thermoelectric properties, **153**, 321
 Ba₂₄Ge₁₀₀, preparation and structure, **151**, 117
 Ba₆Ge₂₂In₃, structure and thermoelectric properties, **153**, 321
 Ba₆Ge₂₃Sn₂, structure and thermoelectric properties, **153**, 321
 Cs₈Na₁₆Ge₁₃₆ clathrate, synthesis and characterization, **153**, 92
 Ga₂S₃(As₂S₃, PbS)-GeS₂-MnS glasses, magnetic susceptibility and local structure, **152**, 388
 M₅Ge₄ compounds in Ge-Ta-Zr system, structure-composition relations and fractional site occupancy, **150**, 347
 GeSe₂ three-dimensional crystals, structural transformations at high pressures and temperatures, **150**, 121
 Li_{0.5}Pb_{1.75}GeS₄ with cubic structure, flux synthesis and isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Na_{0.5}Pb_{1.75}GeS₄, **153**, 158
 mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
 Na_{0.5}Pb_{1.75}GeS₄ with cubic structure, flux synthesis and isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158
 LnPdGe (Ln = La-Nd, Sm, Gd, Tb), order of Pd and Ge atoms in, **154**, 329
 Rb₈Na₁₆Ge₁₃₆ clathrate, synthesis and characterization, **153**, 92
 SnO₂ homogeneous substituted with, sol-gel synthesis and characterization, **154**, 579
 Yb₃Pd₄Ge₄, order of Pd and Ge atoms in, **154**, 329
- Gibbs energy of formation
 Ca-Rh-O system, measurement, solid state cells with buffer electrodes for, **150**, 213
 metallic powder and alloy preparation in polyol media, **154**, 405
- Glass
 Ga₂S₃(As₂S₃, PbS)-GeS₂-MnS, magnetic susceptibility and local structure, **152**, 388
 Na₂O-B₂O₃ system, phase separation in, NMR study, **149**, 459
- Gold
 Cs₇Au₅O₂, synthesis, structure, and properties, **155**, 29
 incorporation into Ba₄Er₂Cu₇O_{15-δ}, structural effects, **150**, 228
 Rb₅Au₃O₂ and Rb₇Au₅O₂, syntheses, structures, and properties, **155**, 29
- Graphite
 intercalated with TaCl₆⁻ and TaOCl₃, structural analysis with molecular simulations, **149**, 68
 oxidation protection by BN coatings, **154**, 162
- Graphite monofluoride
 structure and properties, analysis with 3D cyclic cluster approach, **150**, 286
- Grüneisen parameter
 B₁₂P₂ wafers, **154**, 33
- Guest-host interactions
 effects on properties of anion-exchanged Mg-Al hydrotalcites, **155**, 332

H

Hafnium

- BaHf_{1-x}Zr_x(PO₄)₂, UV-emitting X-ray phosphor, **155**, 229
 Hf-B-C system, phase equilibria, calculation by thermodynamic modeling, **154**, 257

Halides

low-temperature reaction with Aurivillius phases, **150**, 416

Hall coefficient

YB₄₁Si_{1.2}, **154**, 229

Hardness

- Al₃BC₃ at high pressure, **154**, 254
 (Cr_{1-x}TM_x)₃B₄ (TM = Ti, V, Nb, Ta, Mo, W) large crystal microhardness, **154**, 45
 rare-earth hexaboride crystals at high temperature, **154**, 238

- Heat capacity
 $B_{12}P_2$ wafers, **154**, 33
 $Nd_{1-x}TiO_3$ perovskites, **155**, 177
 $Sm_{1-x}TiO_3$ perovskites, **155**, 177
- Heterobimetallic cyanide frameworks
zeolite-like, synthesis, quaternary ions R_4N^+ ($R = nPr, nBu, nPen$), as structure directors for, **152**, 286
- Heterocyclic amines
intercalation into α -titanium hydrogenphosphate, structural and calorimetric study, **154**, 557
- Hexacyanoferrate(III)
Mg-Al hydrotalcites exchanged with, properties, effects of guest-host interactions, **155**, 332
- Hexamethylenetetramine
Ag(I) complexes, polymeric, structure and topological diversity, **152**, 211
- High-resolution electron microscopy
A-site cation vacancy ordering in $Sr_{1-3x/2}La_xTiO_3$, **149**, 360
 $BaBi_3O_{5.5}$: crystal growth and structure, **152**, 435
 $Ba_8Co_7O_{21}$, **151**, 77
 Bi_2O_3 - MoO_3 system: compounds with structure based on $[Bi_{12}O_{14}]_\infty$ columns, **149**, 276
1201 $Bi_{0.4}Sr_{2.6}MnO_{5-\delta}$ and 2201 $Bi_{0.9}Sr_{3.1}MnO_{6-\delta}$ with 1:1 Bi-Sr ordering, **151**, 210
 $ErBaSrCu_{3-x}(PO_4)_xO_y$ ($x = 0.0, 0.10, 0.20$), **150**, 188
 $LaBaCuGaO_5$: phase transition induced by high pressure, **155**, 372
order-disorder phenomena in $SrMn_{1-y}(B,C)_yO_{3-\delta}$ perovskite-related oxyborocarbonates, **149**, 226
 $Sm_{0.2}Ca_{0.8}MnO_3$ doped with Ru: correlation of micronanostructure with magnetic transitions, **155**, 15
 RE_xWO_3 ($RE = La, Nd$) synthesized under high pressure, **154**, 466
 $YBa_2Cu_4O_8$ superconductor: surface profile imaging, **149**, 327
- Hole conductivity
Fe-doped boron, **154**, 188
- Holmium
(Hg,M)Sr₂(Ho,Ce)₂Cu₂O_z 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 Ho_5M_2X ($M = Ni, Pd$; $X = Sb, Bi$) pnictides, crystal structure and bonding, **152**, 478
 HoB_6 , magnetic entropy, **154**, 275
 $Ho_2Cu_{6-x}P_{5-y}$, crystal structure and (RE_{m+n})(Cu_2P_3)(Cu_4P_2)_n relationship to other rhombohedral rare earth copper phosphides, **151**, 150
 Ho_2NiB_{10} , synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 SrO - Ho_2O_3 - CuO_x system, phase relations, **149**, 333
(Y,Ho)Al₃(BO₃)₄ solid solutions, crystal growth and characterization, **154**, 317
- Hopping conduction
 β -rhombohedral boron doped with metal, **154**, 13
- Host-guest chemistry
cavity-containing materials based upon resorcin[4]arenes, **152**, 199
quaternary ions R_4N^+ ($R = nPr, nBu, nPen$) as structure directors for synthesis of zeolite-like heterobimetallic cyanide frameworks, **152**, 286
- Hume-Rothery phases
 $FeZn_{10}$ and $Fe_{13}Zn_{39}$, synthesis, crystal structure, and electronic and bonding analysis, **151**, 85
- Hydrogen, *see also* Deuterium
Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzotrile, synthesis and structure of molecular and extended complexes, **152**, 247
Ag(TCNQ) and Ag(TCNQF₄) crystalline polymers, structures and magnetic properties, **152**, 159
alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271
N-benzyl piperidinium dihydrogenmonophosphate, crystal structure and phase transitions, **155**, 298
 $CaCu(HCOO)_4$ and $Ca_2Cu(HCOO)_6$ crystals, temperature-dependent Raman study, **154**, 338
 $C(CH_3)_4$, system with CCl_4 , thermodynamics, **154**, 390
 ${}^3_2[Cd(pdc)(H_2O)]$ and ${}^3_2[Cd_3(pdc)_2(H_2O)_2]$, synthesis, structures, and properties, **152**, 236
 CH_4 , mixture with H_2 , temperature-programmed reaction with, in synthesis of tungsten carbides, **154**, 412
(*R,S*)-(C₅H₁₄N₂)Co(HPO₄)₂, one-dimensional cobalt phosphate, synthesis and structure, **153**, 180
 $(CH_3NH_3)_3Bi_2Cl_9$, low-temperature phase transition and structural relationships, **155**, 286
 $[(CH_3NH_3)_{0.5}(NH_4)_{1.5}]Sb_8S_{13} \cdot 2.8H_2O$, hydrothermal synthesis and crystal structure, **155**, 409
 $(C_4H_{12}N_2)(H_3O)[(VOPO_4)_4(H_2O)H_2PO_4] \cdot 3H_2O$, hydrothermal synthesis and characterization, **154**, 514
 $(C_2H_{10}N_2)[Ni(H_2O)_6](HPO_4)_2$, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
 $(C_4H_{12}N_2)[(VO)(VO)_2(H_2O)(PO_4)_2]$, hydrothermal synthesis and characterization, **154**, 514
 $[C_2N_2H_{10}]_2Fe_5F_4(PO_4)(HPO_4)_6$, hydrothermal synthesis and 3D architecture, **154**, 507
 $[C_6N_2H_{18}]^{2+}[Zn(HPO_4)(H_2PO_4)_2]^{2-}$, isolation and transformation to $[C_6N_2H_{18}]^{2+}[Zn_3(H_2O)_4(HPO_4)_4]^{2-}$, **150**, 417
 $[Co(4,4'-bipyridine)₂,5(NO₃)₂] · 2phenanthrene, synthesis and crystal structure, **152**, 280
coordination polymers with 4,4'-dipyridyldisulfide, synthesis and structure, **152**, 113
 α - and β -[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] ($X = Cl, Br$), synthesis and characterization, **152**, 174
[Cu(triipyridyltriazine)₂Mo₄O₁₃] layered compound, hydrothermal synthesis and structure, **152**, 141
1,2-dihydro-*N*-aryl-4,6-dimethylpyrimidin-2-ones, C-H···O and C-H···N networks in, **152**, 221
 $Fe(H_2NCH_2CH_2NH_2)MoO_4$, synthesis and structure, **152**, 229
 H_2 , mixture with CH_4 , temperature-programmed reaction with, in synthesis of tungsten carbides, **154**, 412
hexagonal frameworks based on 1,3,5-benzenetricarboxylate and directed by hydrogen bonds, **152**, 261
 H_xMoO_3 bronzes, CDW superstructures, **149**, 75
 $(H_3NCH_2CH_2NH_3)[Fe(C_2O_4)MoO_4]$, synthesis and structure, **152**, 229
 LiH_5TeO_6 , preparation, crystal structure, vibrational spectra, and thermal behavior, **150**, 410
metal carboxylates, microporous materials, synthesis and gas occlusion properties, **152**, 120
methylamines, intercalation into TiS_2 , **155**, 326
 $Na_4Co_3H_2(PO_4)_4 \cdot 8H_2O$, hydrothermal synthesis, crystal structure, and magnetic properties, **149**, 292
 $Na_2[(HO_3PCH_2)_3NH]1.5H_2O$, synthesis and structure, **151**, 122
 $Na(O_2CC\equiv CH)$, structure and γ -ray-induced solid-state polymerization: effect of bilayer formation on solid-state reactivity, **152**, 99
 $[N_2C_4H_{12}]Al_2(PO_4)(HPO_4)(C_2O_4)H_2O$ hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324
 $[NH_3CH_2CH(OH)CH_3]_3 \cdot Al_3P_4O_{16}$, synthesis, racemic isopropanolamine as solvent and template for, **151**, 145
 $[NH_3CH_2CH(OH)CH_2NH_3][Co_2(PO_4)_2]$ and $[NH_3CH_2CH(OH)CH_2NH_3][Co_2(HPO_4)_3]$, synthesis and crystal structure, **155**, 62
 $[NH_3(CH_2)_3NH_3]_{0.5}[M(OH)AsO_4]$ ($M = Ga, Fe$), synthesis and characterization, **155**, 37
 $NH_2(CH_2)_4NH_2V_4O_9$, spin exchange interactions of, spin dimer analysis, **153**, 263$

- Ni(NH₃)₂X₂ (X = Cl, Br, I), preparation and crystal structures, **152**, 381
- polymeric Ag(I)-hexamethylenetetramine complexes, structure and topological diversity, **152**, 211
- polymorphous one-dimensional tetrapyrrolylporphyrin coordination polymers structurally mimicking aryl stacking interactions, **152**, 253
- Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), synthesis and structure, X-ray single crystal and neutron powder diffraction studies, **149**, 9
- γ-SrHPO₄, synthesis and crystal structure, **152**, 428
- Ti(IV)-aryloxy network materials with 4,4'-biphenoxide and polyphenolic 2D motifs, synthesis and characterization, **152**, 130
- α-Ti(HPO₄)₂ · H₂O, intercalation of heterocyclic amines into, structural and calorimetric study, **154**, 557
- (V^{IV}O)₂(H₂O){O₃P-(CH₂)₃-PO₃} · 2H₂O, hydrothermal synthesis, structure, and magnetic behavior, **155**, 238
- zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions R₄N⁺ (R = nPr, nBu, nPen), as structure directors for, **152**, 286
- Zn_(2-x)Co_x(HPO₄)₃ · C₃N₂H₁₂ (x ≈ 0.05) with 12 rings, synthesis and crystal structure, **149**, 107
- Zn₄(PO₄)₂(HPO₄)₂ · 0.5(C₁₀H₂₈N₄) · 2H₂O, hydrothermal synthesis and crystal structure, **154**, 368
- ZrPOF-*n* family with 2D and 3D structure types, synthesis and crystal structures, **149**, 21
- Hydrogenation
- GdNi₃X₂ (X = Al, Ga, Sn), effect of synthesis conditions, **150**, 62
- YMn₂, followed by thermal treatment, single-phase YMn₂D₂ synthesis by, *in situ* neutron diffraction study, **150**, 183
- Hydrogen bonds
- cavity-containing materials based upon resorcin[4]arenes, **152**, 199
- 1,2-dihydro-*N*-aryl-4,6-dimethylpyrimidin-2-ones: C-H...O and C-H...N networks, **152**, 221
- hexagonal frameworks directed by, based on coordinated 1,3,5-benzenetricarboxylate, **152**, 261
- in inorganic-organic coordination polymers generated from rigid or flexible bidentate ligands and Co(NCS)₂ · xH₂O, **155**, 143
- ladder-like Cu(II) coordination polymers, **152**, 183
- porphyrin-based microporous materials with, construction, **152**, 87
- γ-SrHPO₄, **152**, 428
- Hydronium
- (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄] · 3H₂O, hydrothermal synthesis and characterization, **154**, 514
- Hydrotalcite
- anion-exchanged Mg-Al hydrotalcites, properties of, effects of guest-host interactions, **155**, 332
- borate/nitrate or silicate/nitrate exchange in, effect of Mg:Al ratio, **151**, 272
- Hydrothermal synthesis
- aluminum phosphate oxalate hybrid open framework with large circular 12-membered channels, **150**, 324
- BaMBO₃F₂ (M = Ga, Al), **155**, 354
- Ba_{1+x}V₈O₂₁ bronze with tunnel structure, **150**, 330
- Ba₆[V₁₀O₃₀(H₂O)] · 2.5H₂O with unusual arrangement of V^{IV}-O polyhedra, **151**, 130
- Bi₂Pb₂O₇ with pyrochlore structure, **149**, 314
- calcium hydroxyapatite from calcium fluorapatite under alkaline conditions, **151**, 65
- $\frac{3}{2}$ [Cd(pdc)(H₂O)] and $\frac{3}{2}$ [Cd₃(pdc)₂(H₂O)₂], **152**, 236
- [(CH₃NH₃)_{0.5}(NH₄)_{1.5}][Sb₈S₁₃ · 2.8H₂O], **155**, 409
- (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄] · 3H₂O, **154**, 514
- (C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, **154**, 460
- (C₄H₁₂N₂)[(VO)(VO₂)₂(H₂O)(PO₄)₂], **154**, 514
- [C₂N₂H₁₀]₂Fe₃F₄(PO₄)(HPO₄)₆, **154**, 507
- [Cu(triptyridyltriazine)₂Mo₄O₁₃] layered compound, **152**, 141
- Fe(H₂NCH₂CH₂NH₂)MoO₄, **152**, 229
- α-Fe₂O₃ substituted with Sn⁴⁺, Ti⁴⁺, and Mg²⁺, **151**, 157
- (H₃NCH₂CH₂NH₃)[Fe(C₂O₄)MoO₄], **152**, 229
- LaVO₄, **152**, 486
- LaV₃O₉, **152**, 486
- Na₄Co₃H₂(PO₄)₄ · 8H₂O, **149**, 292
- [NH₃CH₂CH(OH)CH₂NH₃][Co₂(PO₄)₂] and [NH₃CH₂CH(OH)CH₂NH₃][Co₂(HPO₄)₃], **155**, 62
- [NH₃(CH₂)₃NH₃]_{0.5}[M(OH)AsO₄] (M = Ga, Fe), **155**, 37
- one-dimensional uranium oxyfluorides built from edge-sharing [UO₂F₅] pentagonal bipyramids, **154**, 635
- open-framework metal phosphates from amine phosphates and monomeric four-membered ring phosphate, **152**, 302
- PbVO₂PO₄ with α-layered and β-tunnel structures, **149**, 149
- pillared 3D Mn(II) coordination network with rectangular channels, **152**, 152
- Rb₂Sb₈S₁₃ · 3.3H₂O, **155**, 409
- solid solution series between β-Fe₂(PO₄)O and Fe₄(PO₄)₃(OH)₃, **153**, 237
- γ-SrHPO₄, **152**, 428
- Sr₂Sn(OH)₈, **151**, 56
- SrV₄O₉ in metastable state, **149**, 414
- (V^{IV}O)₂(H₂O){O₃P-(CH₂)₃-PO₃} · 2H₂O, **155**, 238
- Zn₄(PO₄)₂(HPO₄)₂ · 0.5(C₁₀H₂₈N₄) · 2H₂O, **154**, 368
- ZrPOF-*n* family zirconium phosphate fluorides with 2D and 3D structure types, **149**, 21
- Hydroxide
- calcium hydroxyapatite, formation from calcium fluorapatite under alkaline hydrothermal conditions, **151**, 65
- [Ca₁₀(PO₄)₆(OH)₂] hydroxyapatite, site preference of rare earth elements in, **149**, 391
- Cd(OH)Cl, synthesis, crystal structure, and relationship to brucite type, **151**, 308
- Cu(OH)Cl, synthesis and crystal structure, relationship to brucite type, **151**, 308
- Fe₄(PO₄)₃(OH)₃, and β-Fe₂(PO₄)O, solid solution series between, synthesis and phase characterization, **153**, 237
- layered double hydroxides, anionic intercalation of oxalate complexes into, **153**, 301
- [NH₃CH₂CH(OH)CH₃]₃ · Al₃P₄O₁₆, synthesis, racemic isopropanolamine as solvent and template for, **151**, 145
- [NH₃CH₂CH(OH)CH₂NH₃][Co₂(PO₄)₂] and [NH₃CH₂CH(OH)CH₂NH₃][Co₂(HPO₄)₃], synthesis and crystal structure, **155**, 62
- [NH₃(CH₂)₃NH₃]_{0.5}[M(OH)AsO₄] (M = Ga, Fe), synthesis and characterization, **155**, 37
- [Pb₆O₄](OH)(NO₃)(CO₃), crystal structure, **153**, 365
- Rb₂[B₄O₅(OH)₄] · 3.6H₂O, crystal structure and thermal behavior, **149**, 197
- Sr(OH)Br, hydroxide ion disorder in, **151**, 267
- Sr₂Sn(OH)₈, hydrothermal synthesis and structure, **151**, 56
- [Zn-Al-Cl] layered double hydroxide, thermally treated, X-ray diffraction pattern simulation, **152**, 568
- ZrM(OH)₂(NO₃)₃ (M = K, Rb), *ab initio* structure determination from X-ray powder diffraction, **149**, 167
- Hydroxyapatite
- calcium hydroxyapatite, formation from calcium fluorapatite under alkaline hydrothermal conditions, **151**, 65
- [Ca₁₀(PO₄)₆(OH)₂], site preference of rare earth elements in, **149**, 391
- topotaxial replacement of chlorapatite under hydrothermal conditions, effect of metal ions, **154**, 569
- Hyperfine characterization
- pure and doped zircons, **150**, 14
- Hyperfine interactions
- ¹¹⁹Sn dopant atoms in Ca₂Fe₂O₅, **151**, 313

I

Impedance spectroscopy

$\text{Bi}_{0.85}\text{Pr}_{0.105}\text{V}_{0.045}\text{O}_{1.545}$ ceramics: particle sized effects on sintering and conductivity, **155**, 273

Incommensurate modulation

cadmium apatites, **150**, 154

three-dimensional, $\text{Mo}_{0.16}\text{Bi}_{0.84}\text{O}_{1.74}$ high-temperature cubic fluorite-type phase, **152**, 573

Indium

$\text{Ba}_6\text{Ge}_{22}\text{In}_3$, structure and thermoelectric properties, **153**, 321

CaIn_2O_4 phosphors activated by Pr, luminescence properties, **155**, 441

CuInO_2 delafossite-type oxide, synthesis, **151**, 16

Ga_2O_3 - In_2O_3 - SnO_2 system, tunneled intergrowth structures, **150**, 294

$(\text{In}_{0.5}\square_{0.5})[\text{In}_{1.5}\text{Sn}_{0.5}]_4\text{S}_4$, vacant thiospinel, reversible lithiation, pressure-sensitive modeling, **152**, 533

In_2O_3 - $M_2\text{O}_3$ ($M = \text{Y}, \text{Sc}$) solid solutions doped with Sn, electrical, optical, and structural properties, **153**, 41

In_2O_3 - TiO_2 - MgO system at 1100 and 1350°C, phase relations, **150**, 276

$\text{In}_4\text{Sn}_3\text{O}_{12}$ substituted with Y and Ti, structure and thermoelectric properties, **153**, 349

InSn oxide powders, hydrothermally derived, sintering in air, **154**, 444

IrIn_2 , structure, chemical bonding, and properties, **150**, 19

$\text{LiIn}(\text{MoO}_4)_2$, vibrational and X-ray studies, **154**, 498

MgIn_2S_4 microcrystals on wide bandgap MgIn_2O_4 , semiconductor sensitization by, **154**, 476

$\text{Na}_3\text{In}(\text{PO}_4)_2$, polymorphous modifications, structure, **149**, 99

LnNiIn_2 ($\text{Ln} = \text{Pr}, \text{Nd}, \text{Sm}$), synthesis and crystal structure, **152**, 560

PrRhIn , synthesis and properties, **152**, 560

$\text{Ti}_3\text{Rh}_2\text{In}_3$, structure, chemical bonding, and properties, **150**, 19

$\text{Yb}_5\text{In}_2\text{Sb}_6$ Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55

ZnO - In_2O_3 and ZnO -indium oxide (ITO) films deposited by DC sputtering, structures and physical properties, **155**, 312

$(\text{ZnO})_3\text{In}_2\text{O}_3$, isoelectronically substituted, structure and thermoelectric transport properties, **150**, 221

ZrIn_2 , structure, chemical bonding, and properties, **150**, 19

Inert pair effects

in lead and tin dihalides: crystal structure of SnBr_2 , **149**, 28

Infrared spectroscopy

apatite-related phosphates, **149**, 133

$\text{B}_{48}\text{Al}_3\text{C}_2$, phonon spectra and frequencies, **154**, 75

N-benzyl piperidinium dihydrogenmonophosphate, **155**, 298

Bi_2TeO_5 , $\text{Bi}_2\text{Te}_2\text{O}_7$, and α - and β - $\text{Bi}_2\text{Te}_4\text{O}_{11}$, **152**, 392

boron carbide enriched in ^{10}B , ^{11}B , and ^{13}C isotopes, phonon spectra, **154**, 79

N,N'-dimethylpiperazinium(2+) selenate dihydrate, **150**, 305

intercalation compound of 1,10-phenanthroline with layered MnPS_3 , **150**, 281

$\text{K}_{0.3}\text{MoO}_3$, electromodulated transmission spectrum, **155**, 105

LiH_5TeO_6 , **150**, 410

$\text{LiIn}(\text{MoO}_4)_2$, **154**, 498

metal hexaborides, **154**, 87

$\text{Na}_3\text{In}(\text{PO}_4)_2$ polymorphous modifications, **149**, 99

Ni effects on calcium phosphate formation, **151**, 163

piperazinium(2+) selenate monohydrate, **150**, 305

seven-coordinated diaquasuccinatocadmium(II) bidimensional polymer, **153**, 1

vanadyl phosphate intercalated with acetone, **150**, 356

Inorganic polymers with organic spacers

search criteria and design principles for functional crystals, **152**, 191

Insulator-metal transition

$\text{Ln}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$ rich in Mn(IV), induction by Ru doping, **151**, 330

Interband transitions

$\text{B}_{48}\text{Al}_3\text{C}_2$, **154**, 75

metal hexaborides, **154**, 87

Interdiffusion

paracrystal formation from Ni_{1-x}O and CaO , **152**, 421

Intergrowth phases

$\text{Cs}_7\text{Au}_5\text{O}_2$, **155**, 29

Ga_2O_3 - In_2O_3 - SnO_2 system, tunneled structures, **150**, 294

$\text{Rb}_5\text{Au}_3\text{O}_2$ and $\text{Rb}_7\text{Au}_5\text{O}_2$, **155**, 29

Interlayer charge transfer

in 2D misfit compounds, quantitation via bond valence calculation, **155**, 1

Interlayer short-range order

Gd vacancies in $\text{Cu}_2\text{Gd}_{2/3}\text{S}_2$, **152**, 332

Iodine

alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271

Ba_3SiI_2 , synthesis, structure, and properties, **152**, 460

$\text{Cd}_5(\text{PO}_4)_3\text{I}$ apatite, incommensurate modulation, **150**, 154

$\text{Hg}_3\text{Se}_2\text{I}_2$ and $\text{Hg}_3\text{S}_2\text{I}_2$, synthesis and crystal structure, **151**, 73

$\text{Ni}(\text{NH}_3)_2\text{I}_2$, preparation and crystal structures, **152**, 381

Ion exchange

hydroxide ions for fluoride ions in calcium fluorapatite, **151**, 65

topotaxial, hydroxyapatite for chlorapatite, effects of metal ions, **154**, 569

Ionic conductivity

$\text{AgTi}_2(\text{PS}_4)_3$, **153**, 55

$\text{Bi}_2\text{Pb}_2\text{O}_7$ with pyrochlore structure, **149**, 314

Li^+ in β' - and β - $\text{LiZr}_2(\text{PO}_4)_3$, neutron diffraction study, **152**, 340

Na_2SO_4 - Al_2O_3 composite electrolytes, mechanism and role of preparatory parameters, **153**, 287

Iridium

$\text{BaIr}_{1-x}\text{Co}_x\text{O}_{3-\delta}$ ($x = 0.5, 0.7, 0.8$) perovskites, structural chemistry and electronic properties, **152**, 361

IrIn_2 , structure, chemical bonding, and properties, **150**, 19

Iron

boron doped with, physical-mechanical characteristics, **154**, 188

$\text{Ca}_2\text{Fe}_2\text{O}_5$, ^{119}Sn dopant atoms in, hyperfine interactions and dynamic characteristics, **151**, 313

$\text{CaNdFe}_{1/2}\text{Nb}_{3/2}\text{O}_7$ pyrochlore, synthesis, crystal structure, Mössbauer spectrum, and magnetic susceptibility, **154**, 483

$[\text{C}_2\text{N}_2\text{H}_{10}]_2\text{Fe}_5\text{F}_4(\text{PO}_4)(\text{HPO}_4)_6$, hydrothermal synthesis and 3D architecture, **154**, 507

$\text{Cu}_{3-x}\text{Fe}_{4+x}(\text{PO}_4)_6$, synthesis and structure, **150**, 159

$\text{Cu}_2\text{FeSn}_3\text{S}_8$, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363

$\text{Cu}_2\text{FeTi}_3\text{S}_8$, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363

$\text{ACu}_3\text{Ti}_3\text{FeO}_{12}$, dielectric constants, **151**, 323

$\text{Dy}_6\text{Fe}_2\text{Te}_2$, synthesis, structure, and bonding, **155**, 9

$(\text{Fe}(\text{CN})_6)^{3-}$, Mg-Al hydrotalcites exchanged with, properties, effects of guest-host interactions, **155**, 332

$\text{Fe}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)\text{MoO}_4$, synthesis and structure, **152**, 229

A_2FeNbO_6 ($\text{A} = \text{Sr}, \text{Ba}$) perovskites, magnetic susceptibility and Mössbauer spectroscopy, **154**, 591

α - Fe_2O_3 substituted with Sn^{4+} , Ti^{4+} , and Mg^{2+} , structural and magnetic properties, neutron diffraction and Mössbauer spectroscopic studies, **151**, 157

FeOF , rutile-type, oxygen/fluorine ordering in, electron diffraction and crystal chemical studies, **155**, 359

- Fe(II)-1,10-phenanthroline complexes, anomalous spin crossover associated with mechanical strain, role of NCS^- and PF_6^- counterions, **153**, 82
- $\beta\text{-Fe}_2(\text{PO}_4)\text{O}$ and $\text{Fe}_4(\text{PO}_4)_3(\text{OH})_3$, solid solution series between, synthesis and phase characterization, **153**, 237
- FePS_3 , layered compound, intercalation reaction with 1,10-phenanthroline, **150**, 258
- FeZn_{10} and $\text{Fe}_{13}\text{Zn}_{39}$, synthesis, crystal structure, and electronic and bonding analysis, **151**, 85
- $(\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3)[\text{Fe}(\text{C}_2\text{O}_4)\text{MoO}_4]$, synthesis and structure, **152**, 229
- $\text{LiFe}_{1-x}\text{Co}_x\text{O}_2$ ($0 \leq x \leq 1$), magnetic properties, effect of Co, **154**, 451
- Li-Mn-Fe-O spinels, Li ion distribution in, computer modeling, **153**, 310
- $\text{LuFeO}_3(\text{ZnO})_m$, charge distribution analysis: effect of coordination polyhedra shape on cation distribution, **150**, 96
- magnetic iron oxide/mullite nanocomposite with stability up to 1400°C , **155**, 458
- Mg-Fe-O system, phase stability, **149**, 33
- $[\text{NH}_3(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{Fe}(\text{OH})\text{AsO}_4]$, synthesis and characterization, **155**, 37
- $\text{Ni}_{1-x}\text{Cu}_x\text{FeAlO}_4$, Mössbauer effect study, **149**, 434
- $\text{Pr}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$, structure and magnetism, **150**, 233
- β -rhombohedral boron doped with, thermoelectric properties, **154**, 13
- $\text{Sm}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-\delta}$, charge ordering and magnetotransport transitions, **153**, 140
- $\text{Sr}_2\text{Fe}_2\text{O}_5$, structural phase transition under high pressure, **155**, 381
- $\text{Sr}_n\text{Fe}_n\text{O}_{3n-1}$ ($n = 2, 4, 8, \infty$) perovskites, oxygen-vacancy-ordered crystal structure, evolution and relationship to electronic and magnetic properties, **151**, 190
- $\text{Sr}_4\text{Fe}_2\text{O}_6\text{CO}_3$, synthesis, crystal structure, and magnetic order, **152**, 374
- $\text{Sr}_x\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1, 1.5, 2$), Ruddlesden-Popper phases, properties, **155**, 96
- UF_5Sn , synthesis, crystal structure, and magnetic properties, **154**, 551
- zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions $R_4\text{N}^+$ ($R = n\text{Pr}, n\text{Bu}, n\text{Pen}$) as structure directors for, **152**, 286
- $(\text{ZrO}_2)_{0.8}(\alpha\text{-Fe}_2\text{O}_3)_{0.2}$ powder for gas sensing applications, mechanical alloying and thermal decomposition, **155**, 320
- 4-Isocyno-3,5-diisopropylbenzotrile
molecular and extended Ag(I) complexes, synthesis and structures, **152**, 247
- Isopropanolamine
racemic, as solvent and template for synthesis of $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_3]_3 \cdot \text{Al}_3\text{P}_4\text{O}_{16}$, **151**, 145
- Itinerant-electron magnetism
 $\text{Sm}_{(1-x)}\text{Gd}_x\text{TiO}_3$, **154**, 619
- J
- Jahn-Teller distortion
 $\text{Sr}_2\text{CuMnO}_3\text{S}$ and $\text{Sr}_4\text{Cu}_2\text{Mn}_3\text{O}_{7.5}\text{Q}_2$ ($\text{Q} = \text{S}, \text{Se}$), **153**, 26
- K
- Kinetics
phase transformations induced by ball-milling in anatase TiO_2 , **149**, 41
- L
- Ladder-like coordination polymers
Cu(II)-containing, self-assembly, structures, and magnetic properties, **152**, 183
- Landau theory
symmetry-breaking transitions from GdCuAs_2 through $\text{GdCuAs}_{1.15}\text{P}_{0.85}$ to $\text{GdCuP}_{2.20}$, **155**, 259
- Lanthanum
 $\text{BaLa}_2\text{MnS}_5$, crystal structure and magnetic properties, **153**, 330
- BaLaMRuO_6 ($M = \text{Mg}, \text{Zn}$), atomic and magnetic long-range ordering in, **150**, 383
- $\text{Bi}_{0.775}\text{La}_{0.225}\text{O}_{1.5}$ of rhombohedral Bi-Sr-O type, structure and conductivity optimization by polycationic substitutions for La, **149**, 341
- $\text{Bi}_{1-y}\text{La}_y\text{O}_{1.5}$ monoclinic solid solution, identification and structural relationship to rhombohedral Bi-Sr-O type, **151**, 281
- $\text{Bi}_{4-x}\text{La}_x\text{Ti}_3\text{O}_{12}$ ($x = 1, 2$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
- $\text{K}_2\text{SrLaTi}_2\text{TaO}_{10} \cdot 2\text{H}_2\text{O}$ Ruddlesden-Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
- $\text{La}_3\text{Al}_{0.44}\text{Si}_{0.93}\text{S}_7$, crystal structure, **155**, 433
- LaB_6
chemical vapor deposition, thermodynamic estimation, **154**, 157
floating zone growth and high-temperature hardness, **154**, 238
interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
- LaBaCuGaO_5 , phase transition induced by high pressure, **155**, 372
- $\text{La}_3\text{BSi}_2\text{O}_{10}$, crystallization and structural characteristics, **154**, 312
- $\text{LaB}_6\text{-(Ti,Zr)B}_2$ alloys, eutectic crystallization, **154**, 165
- $(\text{La}_{1-x}\text{Ca}_x)\text{CrO}_3$, chemical and thermal expansion, **149**, 320
- $\text{La}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$, Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
- $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_z$ ultrafine powders prepared by mechanical alloying, structure and magnetic properties, **152**, 503
- $\text{LaCoO}_3\text{-LaMnO}_3\text{-BaCoO}_z\text{-BaMnO}_3$ system, phase equilibria, **153**, 205
- LaCrO_3 , structural phase transition, neutron powder diffraction study, **154**, 524
- $\text{La}_{1.85}^+\text{M}_{0.15}^2\text{CuO}_4$ superconductors, true tolerance factor effects in, **155**, 138
- La_2CuO_4 , extended magnetic solids, spin exchange interactions in, **151**, 96
- $\text{La}_5\text{Cu}_6\text{O}_4\text{S}_7$, synthesis, structure, electrical conductivity, and band structure, **155**, 366
- $\text{LaCu}_3\text{Ti}_3\text{FeO}_{12}$, dielectric constant, **151**, 323
- $\text{La}_{2/3}\text{Cu}_3\text{Ti}_4\text{O}_{12}$, dielectric constant, **151**, 323
- $\text{La}_{1-x}\text{Eu}_x\text{NiO}_3$ ($0 \leq x \leq 1$), metal-insulator transition and magnetic properties, **151**, 1
- $\text{La}(\text{H}_2\text{O})_2\text{M}(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$ ($M = \text{K}, \text{NH}_4$), crystal structure and thermal behavior, **150**, 81
- $\text{La}_{0.5+x+y}\text{Li}_{0.5-3x}\text{Ti}_{1-3y}\text{Cr}_3\text{O}_3$, crystal chemistry and conductivity, **155**, 280
- La-Mn-O at 1100°C , phase equilibria, **153**, 336
- $\text{La}_5\text{Mo}_{32}\text{O}_{54}$, with *trans*-capped Mo_8 octahedral clusters and $\text{Mo}_7\text{-Mo}_{10}\text{-Mo}_7$ triclusters, synthesis, structure, and properties, **152**, 403
- $\text{La}_{\sim 10.8}\text{Nb}_5\text{O}_{20}\text{S}_{10}$, synthesis and structure, **152**, 348
- $\text{La}_{2-x}\text{Nd}_x\text{CuO}_4$ ($0.6 \leq x \leq 2$), pressure-induced phase transitions, **151**, 231
- $\text{La}_3\text{Ni}_2\text{O}_7$, neutron diffraction study: structural relationships among phases $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ ($n = 1, 2, 3$), **152**, 517
- LaPdGe , order of Pd and Ge atoms in, **154**, 329
- $\text{LaP}_5\text{O}_{14}$, crystal structure and magnetic properties, **150**, 377
- $\text{LaM}_4^{2+}(\text{PO}_4)_3\text{O}$ ($M^{2+} = \text{Ca}, \text{Sr}$), synthesis and characterization, **149**, 133
- $\text{La}_{0.5}\text{Pr}_{0.5}\text{CrO}_3$, magnetization reversal, **155**, 447
- $\text{La}_5\text{Re}_3\text{MnO}_{16}$, synthesis, structure, and magnetic behavior, **151**, 31
- $\text{La}_{4.87}\text{Ru}_2\text{O}_{12}$ and $\text{La}_7\text{Ru}_3\text{O}_{18}$, geometric frustration in, **155**, 189
- $\text{La}_5\text{Si}_2\text{BO}_{13}$, synthesis and neutron diffraction study, **155**, 389

- La_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145
- La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, structural characterization, **155**, 455
- La_{0.813}Sr_{0.187}Cu(O,F)_{3-δ}, synthesis and crystal structure, **149**, 189
- La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ (0 ≤ δ ≤ 0.15), physical properties, effects of oxygen nonstoichiometry, **151**, 139
- La_{1.2}Sr_{0.8}MnO_{4-δ} with electron doping and La_{1.2}Sr_{0.8}MnO_{4+δ}, synthesis and characterization, **153**, 34
- LaTe₂, crystal and electronic band structure, **149**, 155
- LaVO₄, hydrothermal synthesis and crystal structure, **152**, 486
- LaV₃O₉, hydrothermal synthesis and crystal structure, **152**, 486
- La_xWO₃ bronze synthesized under high pressure, X-ray diffraction and electron microscopy, **154**, 466
- site preference in hydroxyapatite [Ca₁₀(PO₄)₆(OH)₂], **149**, 391
- Sr_{1-3x/2}La_xTiO₃, A-site cation-vacancy ordering in, HRTEM study, **149**, 360
- Tl(La₂Sr₂)Ni₂O₉, synthesis and structure, **150**, 1
- Leaching
from BaCa_{0.393}Nb_{0.606}O_{2.91} in aqueous media, resulting amorphization at room temperature, **149**, 262
- Lead
Bi₂Pb₂O₇ with pyrochlore structure, hydrothermal synthesis and characterization, **149**, 314
- Ca_{2-x}Mg_xPb, structure, resistivity, and magnetic susceptibility, **152**, 474
- Ce_{1-x}PbVO_{4-0.5x} with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
- Ga₂S₃(As₂S₃,PbS)-GeS₂-MnS glasses, magnetic susceptibility and local structure, **152**, 388
- Li_{0.5}Pb_{1.75}GeS₄, Na_{0.5}Pb_{1.75}GeS₄, and Na_{1.5}Pb_{0.75}PSe₄ with cubic structure, flux synthesis and isostructural relationships, **153**, 158
- Pb₅Al_{2.96}Cr_{0.04}F₁₉, ferroelastic phase, crystal structure at 300 K, **155**, 427
- PbBi₆O₄(XO₄)₄ (X = P,V,As), existence of, **154**, 435
- Pb₅Bi₁₈P₄O₄₂, crystal structure, **151**, 181
- PbBr₂ and PbCl₂, inert pair effects: crystal structure of SnBr₂, **149**, 28
- Pb₇F₁₂Cl₂, disordered modification of, synthesis and structure, **149**, 56
- Pb(Mg_{1/3}Nb_{2/3})O₃, formation via mechanically activated nucleation and growth, **154**, 321
- 0.9[0.4Pb(Mg_{1/3}Nb_{2/3})O₃-0.6Pb(Zn_{1/3}Nb_{2/3})O₃]-0.1PbTiO₃, formation via mechanically activated nucleation and growth, **154**, 321
- (Pb(Mn,Nb)_{0.5}(S_{1.5})_{1.15} NbS₂, interlayer charge transfer quantitation via bond valence calculation, **155**, 1
- [Pb₆O₄](OH)(NO₃)(CO₃), crystal structure, **153**, 365
- PbS nanoparticles, sonochemical synthesis, **153**, 342
- [(Pb,Sb)S]_{2.28}NbS₂, distribution of Pb and Sb atoms in (Pb,Sb)S layers in, scanning tunneling and atomic force microscopic studies, **149**, 370
- PbVO₂PO₄, α-layered and β-tunnel structures, **149**, 149
- Pb(Zr_{0.52}Ti_{0.48})O₃, formation via mechanically activated nucleation and growth, **154**, 321
- Linearized muffintin orbital method
electronic band structure of CdCr₂Se₄ spinels, **155**, 198
- Lithiation
reversible, vacant thiospinel (In_{0.5}□_{0.5})[In_{1.5}Sn_{0.5}]S₄, pressure-sensitive modeling, **152**, 533
- Lithium
BaLiF₃ doped with Ce³⁺, optical spectroscopy properties and charge compensation, **150**, 178
- BPO₄ doped with, ionic distribution in, NMR study, **153**, 282
- hydrated lithium vanadium bronze, synthesis, **149**, 443
- insertion into Mg₂Si, reaction mechanism, **153**, 386
- La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, crystal chemistry and conductivity, **155**, 280
- LiFe_{1-x}Co_xO₂ (0 ≤ x ≤ 1), magnetic properties, effect of Co, **154**, 451
- LiH₅TeO₆, preparation, crystal structure, vibrational spectra, and thermal behavior, **150**, 410
- LiIn(MoO₄)₂, vibrational and X-ray studies, **154**, 498
- Li-Mn-Fe-O spinels, Li ion distribution in, computer modeling, **153**, 310
- LiMn₂O₄-based spinels
Ni-stabilized, electrochemical insertion properties of, effects of partial acid delithiation, **150**, 196
- origin of 3.3 V and 4.5 V steps, TEM studies of, **155**, 394
- Li_{0.5}Pb_{1.75}GeS₄ with cubic structure, flux synthesis and isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Na_{0.5}Pb_{1.75}GeS₄, **153**, 158
- Li₂S, reversible antiferroto anticotunnite phase transition at high pressures, **154**, 603
- LiTi₂O₄ superconductor and related compounds, Li site occupancy in, NMR study, **152**, 397
- Li₂Ti₃O₇, H phase, engineered scavenger compound, structural characterization, **152**, 546
- Li_{2+x}Ti₃O₇, electrochemically obtained, structural study, **153**, 132
- β-LiVOAsO₄, synthesis, structure, and physical studies, **150**, 250
- LiZr₂(PO₄)₃, β' and β phases, order-disorder and mobility of Li⁺ in, neutron diffraction study, **152**, 340
- Local spin density functional theory
A₂T₂Sn (A = Ce,U; T = Ni,Pd): band magnetism calculations, **149**, 449
- Lone pair electrons
effect on TIF crystal structure, **150**, 266
- Pb₃Bi₁₈P₄O₄₂, location, **151**, 181
- role in conductivity properties of Bi-La-based oxide conductors of rhombohedral Bi-Sr-O type with polycationic substitutions for La, **149**, 341
- Low-connectivity nets
three-dimensional, basic geometries, **152**, 3
- Luminescence
Ag(I) in Na_{2-x}Ag_xZnP₂O₇, **149**, 284
- BaHf_{1-x}Zr_x(PO₄)₂: UV emission under X-ray excitation, **155**, 229
- BaLiF₃ doped with Ce³⁺, **150**, 178
- CaIn₂O₄ phosphors activated by Pr, **155**, 441
- Cu_{0.5}Mn_{0.25}Zr₂(PO₄)₃ Nasicon-type phosphate, **152**, 453
- Eu²⁺ in doped crystalline SrAl₂B₂O₇, **150**, 404
- Eu³⁺ in Eu₃(BO₃)₂F₃ and Ba₂Eu(CO₃)₂F₃: evidence of anionic disorder in fluoride borate, **153**, 270
- β-rhombohedral boron of high purity, **154**, 68
- TlZn(PO₃)₃, **154**, 584
- ZnGa₂O₄ self-activated phosphors, systematic tuning by Cd²⁺ substitution, **150**, 204
- Lutetium
Ba₂LuTaO₆, Yb³⁺ doped in, EPR study, **150**, 31
- CaLuPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- Lu₅M₂X (M = Ni,Pd; X = Sb,Bi) pnictides, crystal structure and bonding, **152**, 478
- LuFeO₃(ZnO)_m, charge distribution analysis: effect of coordination polyhedra shape on cation distribution, **150**, 96
- Lu₂Ru₂O₇ pyrochlores, specific heat and ac susceptibility, **152**, 441
- (Y,Lu)Al₃(BO₃)₄ solid solutions, crystal growth and characterization, **154**, 317
- 2,6-Lutidine
intercalation into α-titanium hydrogenphosphate, structural and calorimetric study, **154**, 557

M

Magnesium

- BaLaMgRuO₆, atomic and magnetic long-range ordering in, **150**, 383
 BiMg₂VO₆, variable-temperature X-ray diffraction study, **149**, 143
 Ca_{2-x}Mg_xTt (*Tt* = Sn,Pb), structure, resistivity, and magnetic susceptibility, **152**, 474
 CaO–MgO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
 Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, synthesis and properties, **152**, 526
 Cs₃Mg₂P₆O₁₇N, synthesis and crystal structure, **153**, 185
 In₂O₃–TiO₂–MgO system at 1100 and 1350°C, phase relations, **150**, 276
 Mg²⁺, α-Fe₂O₃ substituted with, structural and magnetic properties, neutron diffraction and Mössbauer spectroscopic studies, **151**, 157
 Mg–Al hydrotalcites, anion-exchanged, properties of, effects of guest–host interactions, **155**, 332
 Mg:Al ratio, effect on borate/nitrate or silicate/nitrate exchange in hydrotalcite, **151**, 272
 Mg–Fe–O system, phase stability, **149**, 33
 MgIn₂S₄ microcrystals on wide bandgap MgIn₂O₄, semiconductor sensitization by, **154**, 476
 MgO–MnO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
 MgOs₃B₄, channel structure, **154**, 232
 Mg₂Si, Li insertion into, reaction mechanism, **153**, 386
 Na_{3.64}Mg_{2.18}(P₂O₇)₂, crystal structure, **152**, 323
 Pb(Mg_{1/3}Nb_{2/3})O₃, formation via mechanically activated nucleation and growth, **154**, 321
 0.9[0.4Pb(Mg_{1/3}Nb_{2/3})O₃–0.6Pb(Zn_{1/3}Nb_{2/3})O₃]–0.1PbTiO₃, formation via mechanically activated nucleation and growth, **154**, 321
- Magnetic entropy
 rare-earth hexaborides, **154**, 275
- Magnetic exchange
 Sm_(1-x)Gd_xTiO₃, **154**, 619
- Magnetic nanocomposite
 iron oxide/mullite with stability up to 1400 °C, **155**, 458
- Magnetic order
 Pr_{1-x}Ba_xCoO₃ perovskite, magnetic circular dichroism spectroscopic study, **152**, 577
 short-range ordering induced by isovalent substitution of Sr²⁺ for Ba²⁺ in BaMnS₂, **155**, 305
 Sm_(1-x)Gd_xTiO₃, **154**, 619
 Sr₄Fe₂O₆CO₃, **152**, 374
- Magnetic properties
 Ag(TCNQ) and Ag(TCNQF₄) crystalline polymers, **152**, 159
 Ba₂CoNbO₆ perovskite, **151**, 294
 BaMnS₂, **155**, 305
 BaLn₂MnS₅ (*Ln* = La,Ce,Pr), **153**, 330
 Ba₃SiI₂, **152**, 460
 Ba_{0.93}Sr_{0.07}MnS₂, **155**, 305
 R₅B₂C₅ (*R* = Y,Ce–Tm), **154**, 286
 borocarbides *Ln–M–B–C* (*Ln* = rare earths, Y; *M* = Ni,Pd), **154**, 114
 Ca_{3.1}Cu_{0.9}RuO₆, **153**, 254
 Ce_{1-x}Nd_xTiO₃, **153**, 145
 RCo₄B (*R* = Y,Pr,Nd,Sm,Gd,Tb), **154**, 242
 (Cr_{1-x}Ni_x)₃Te₄ with pseudo-NiAs-type structure, **154**, 356
 α- and β-[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] (*X* = Cl,Br), **152**, 174
 Cu(II) ladder-like coordination polymers, **152**, 183
 Eu₁₆Bi₁₁, **155**, 168
 Eu₁₆Sb₁₁, **155**, 168
 α-Fe₂O₃ substituted with Sn⁴⁺, Ti⁴⁺, and Mg²⁺, **151**, 157
 GdCuAs₂, GdCuAs_{1.15}P_{0.85}, and GdCuP_{2.20}, **155**, 259
 GdNi₃X₂ (*X* = Al,Ga,Sn), relationship to synthesis conditions, **150**, 62

- intercalation compound of 1,10-phenanthroline with layered MnPS₃, **150**, 281
 IrIn₂, **150**, 19
 iron oxide/mullite nanocomposite, **155**, 458
 La_{0.7}Ca_{0.3}MnO₂ ultrafine powders prepared by mechanical alloying, **152**, 503
 La₅Re₃MnO₁₆, **151**, 31
 La_{4.87}Ru₂O₁₂ and La₇Ru₃O₁₈, **155**, 189
 La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ (0 ≤ δ ≤ 0.15), effects of oxygen non-stoichiometry, **151**, 139
 La_{1.2}Sr_{0.8}MnO_{4-δ} with electron doping and La_{1.2}Sr_{0.8}MnO_{4+δ}, **153**, 34
 LiFe_{1-x}Co_xO₂ (0 ≤ x ≤ 1), effect of Co, **154**, 451
 β-LiVOAsO₄, **150**, 250
 RE₅Mo₃₂O₅₄ (*RE* = La,Ce,Pr,Nd) with *trans*-capped Mo₈ octahedral clusters and Mo₇–Mo₁₀–Mo₇ triclusters, **152**, 403
 Na₄Co₃H₂(PO₄)₄·8H₂O, **149**, 292
 Nd₄Co₃O_{10+δ} and Nd₄Ni₃O_{10-δ}, **151**, 46
 R₂NiB₁₀ (*R* = Y,Ce–Nd,Sm,Gd–Ho), **154**, 246
 pillared 3D Mn(II) coordination network with rectangular channels, **152**, 152
 Pr_{1-x}Ba_xCoO₃ perovskite, magnetic circular dichroism spectroscopic study, **152**, 577
 PrRhIn, **152**, 560
 Pr_{1-x}Sr_xFeO_{3-δ}, **150**, 233
 Sm_{0.2}Ca_{0.8}MnO₃ doped with Ru, correlation with micronanostructures, **155**, 15
 SmNi_{1-x}Co_xO₃, relationship to structure, **150**, 145
 Sm_{1/3}Sr_{2/3}FeO_{3-δ}, **153**, 140
 A₂T₂Sn (*A* = Ce,U; *T* = Ni,Pd), local spin density functional calculations, **149**, 449
 Sr_{4.5}Cr_{2.5}O₉, **154**, 375
 Sr_nFe_nO_{3n-1} (*n* = 2,4,8, ∞), oxygen-vacancy-ordered perovskites, relationship to crystal structure, **151**, 190
 Sr₂NiN₂, **154**, 542
 Sr₁₁Re₄O₂₄ double oxide, **149**, 49
 Ln_{1-x}Ln'_xTiO₃ (*Ln* and *Ln'* = La–Sm; 0 ≤ x ≤ 1) solid solutions, **153**, 145
 Ln_{2/3}TiO₃ (*Ln* = Pr,Nd), **149**, 354
 Ti₃Rh₂In₃, **150**, 19
 Tl(Ln₂Sr₂)Ni₂O₉ (*Ln* = La,Pr,Nd,Sm,Eu,Gd), **150**, 1
 UFe₅Sn, **154**, 551
 (V^{IV}O)₂(H₂O){O₃P–(CH₂)₃–PO₃}·2H₂O, **155**, 238
 Ln₇VO₄Se₈ (*Ln* = Nd,Sm,Gd), **154**, 564
 YMn₂D_{1.15}, **154**, 398
 ZrIn₂, **150**, 19
- Magnetic solids
 extended, spin exchange interactions in KCuF₃, K₂CuF₄, KNiF₃, K₂NiF₄, La₂CuO₄, and Nd₂CuO₄, **151**, 96
- Magnetic structure
 Ca_{3.1}Cu_{0.9}RuO₆, **153**, 254
 K₂MnF₅·H₂O, neutron diffraction study, **150**, 104
 Sr₄Fe₂O₆CO₃, **152**, 374
- Magnetic susceptibility
 Ba₂YbTaO₆ with ordered perovskite structure, **150**, 31
 CaErPt₃Sn₅ and CaLuPt₃Sn₅, with Yb₂Pt₃Sn₅-type structure, **150**, 112
 Ca_{2-x}Mg_xTt (*Tt* = Sn,Pb), **152**, 474
 CaNdFe_{1/2}Nb_{3/2}O₇ pyrochlore, **154**, 483
 CaTmPt₃Sn₅ and CaYbPt₃Sn₅, with Yb₂Pt₃Sn₅-type structure, **150**, 112
 Ce₂Ni₂Cd, **150**, 139
 A₂FeNbO₆ (*A* = Sr,Ba) perovskites, **154**, 591
 Ga₂S₃(As₂S₃,PbS)–GeS₂–MnS glasses, **152**, 388
 (Hg,*M*)Sr₂(Ln,Ce)₂Cu₂O₂ 1222-type superconductors, **154**, 488
 La_{1-x}Eu_xNiO₃ (0 ≤ x ≤ 1), **151**, 1

- $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ ($n = 2,3$), **152**, 517
 $\text{Na}_2\text{Ti}_2\text{Sb}_2\text{O}_7$, relationship to structure, powder neutron diffraction study, **153**, 275
 RP_5O_{14} ($R = \text{La}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$), **150**, 377
 $\text{R}_2\text{Ru}_2\text{O}_7$ ($R = \text{rare earths}$) pyrochlores, ac susceptibility, **152**, 441
 $\text{Sm}_{(1-x)}\text{Gd}_x\text{TiO}_3$, **154**, 619
 $\text{Sr}_4\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1, 1.5, 2$) Ruddlesden–Popper phases, **155**, 96
 $\text{Sr}_{0.93}(\text{Si}_x\text{Nb}_{1-x})\text{Nb}_{10}\text{O}_{19}$ ($x = 0.87$), **152**, 540
 $(\text{VO})_2\text{P}_2\text{O}_7$ phase grown at 3 GPa, **153**, 124
Magnetization
 $\text{La}_{0.5}\text{Pr}_{0.5}\text{CrO}_3$, reversal of, **155**, 447
Magnetoresistance
 colossal, *see* Colossal magnetoresistance
 $\text{Sr}_2\text{CrMoO}_6$ double perovskite, **155**, 233
Magnetotransport transitions
 $\text{Sm}_{1/3}\text{Sr}_{2/3}\text{FeO}_{3-\delta}$, **153**, 140
Manganese
 BaMnS_2 , magnetic properties, **155**, 305
 $\text{BaLn}_2\text{MnS}_5$ ($Ln = \text{La}, \text{Ce}, \text{Pr}$), crystal structures and magnetic properties, **153**, 330
 $\text{Ba}_{0.93}\text{Sr}_{0.07}\text{MnS}_2$, magnetic properties, **155**, 305
 $1201 \text{ Bi}_{0.4}\text{Sr}_{2.6}\text{MnO}_{5-\delta}$ and $2201 \text{ Bi}_{0.9}\text{Sr}_{3.1}\text{MnO}_{6-\delta}$ with 1:1 Bi–Sr ordering, synthesis and characterization, **151**, 210
 $\text{Ln}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$ ($Ln = \text{La}, \text{Pr}, \text{Nd}, \text{Sm}$), Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
 CaMnO_3 , Mn site-doped, colossal magnetoresistance, **149**, 203
 CaO–MnO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
 $(\text{Cd}_{1-x}\text{Mn}_x)\text{Mn}_2\text{O}_4$, synthesis, stoichiometry, and electrical transport properties, **153**, 231
 $\text{Cd}_{1-\delta}\text{Mn}_2\text{O}_y$, crystal chemistry, Mn–K edge XAS study, **149**, 252
 Cs_2KMnF_6 , phase transition
 crystal structures of low- and high-temperature modifications, **150**, 399
 at high pressure, **153**, 248
 $\text{Cu}_{0.5}\text{Mn}_{0.25}\text{Zr}_2(\text{PO}_4)_3$ Nasicon-type phosphate, structure and luminescence, **152**, 453
 $\text{Ga}_2\text{S}_3(\text{As}_2\text{S}_3, \text{PbS})\text{–GeS}_2\text{–MnS}$ glasses, magnetic susceptibility and local structure, **152**, 388
 $\text{K}_2\text{MnF}_5 \cdot \text{H}_2\text{O}$, neutron diffraction study, **150**, 104
 $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_z$ ultrafine powders prepared by mechanical alloying, structure and magnetic properties, **152**, 503
 $\text{LaCoO}_3\text{–LaMnO}_3\text{–BaCoO}_2\text{–BaMnO}_3$ system, phase equilibria, **153**, 205
 La–Mn–O at 1100°C , phase equilibria, **153**, 3367
 $\text{La}_5\text{Re}_3\text{MnO}_{16}$, synthesis, structure, and magnetic behavior, **151**, 31
 $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_{3-\delta}$ ($0 \leq \delta \leq 0.15$), physical properties, effects of oxygen nonstoichiometry, **151**, 139
 $\text{La}_{1.2}\text{Sr}_{0.8}\text{MnO}_{4-\delta}$ with electron doping and $\text{La}_{1.2}\text{Sr}_{0.8}\text{MnO}_{4+\delta}$, synthesis and characterization, **153**, 34
 Li–Mn–Fe–O spinels, Li ion distribution in, computer modeling, **153**, 310
 LiMn_2O_4 -based spinels
 Ni-stabilized, electrochemical insertion properties of, effects of partial acid delithiation, **150**, 196
 origin of 3.3 V and 4.5 V steps, TEM studies of, **155**, 394
 manganites, origin of bulk magnetoresistivity, **155**, 116
 MgO–MnO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
 MnCl_2 , effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
 Mn_3Ga_5 pseudo-decagonal approximant, preparation and crystal structure, **153**, 398
 MnO–NiO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
 Mn–phenanthroline complexes, functionalized MCM-41 containing, synthesis and characterization, **152**, 447
 MnPS_3 , intercalation compound with 1,10-phenanthroline, synthesis, characterization, and magnetic properties, **150**, 281
 $(\text{Pb}(\text{Mn}, \text{Nb})_{0.5}\text{S}_{1.5})_{1.15} \text{NbS}_2$, interlayer charge transfer quantitation via bond valence calculation, **155**, 1
 pillared 3D Mn(II) coordination network with rectangular channels, synthesis, X-ray structure, and magnetic properties, **152**, 152
 $(\text{Pr}_4\text{N})_2\text{Mn}(\text{H}_2\text{O})_5[\text{Re}_6\text{X}_8(\text{CN})_6] \cdot \text{H}_2\text{O}$ ($X = \text{S}, \text{Se}$), synthesis and structure, **153**, 195
 $(\text{Pr}_4\text{N})_2\text{Mn}(\text{H}_2\text{O})_4[\text{Re}_6\text{S}_8(\text{CN})_6]$, synthesis and structure, **153**, 195
 $\text{Sm}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ doped with Ru, micronanostructures, correlation with magnetic transitions, **155**, 15
 $\text{Sr}_2\text{CuMnO}_3\text{S}$ and $\text{Sr}_4\text{Cu}_2\text{Mn}_3\text{O}_{7.5}\text{Q}_2$ ($Q = \text{S}, \text{Se}$), synthesis and structure, **153**, 26
 $\text{SrMn}_{1-y}(\text{B}, \text{C})_y\text{O}_{3-\delta}$, order–disorder phenomena, **149**, 226
 $\text{Sr}_4\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1, 1.5, 2$), Ruddlesden–Popper phases, properties, **155**, 96
 $\text{YMn}_2\text{D}_{1.15}$, structural and magnetic properties, **154**, 398
 YMn_2D_2 single phase, synthesis, study by *in situ* neutron diffraction, **150**, 183
Mass spectrometry
 sputtered neutral, cation loss from $\text{BaCa}_{0.393}\text{Nb}_{0.606}\text{O}_{2.91}$ in aqueous media leading to amorphization at room temperature, **149**, 262
MCM-41
 functionalized, with Cu– and Mn–phenanthroline complexes, synthesis and characterization, **152**, 447
Mechanical activation
 complex perovskite formation via nucleation and subsequent growth, **154**, 321
Mechanical alloying
 $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_z$ ultrafine powders prepared by, structure and magnetic properties, **152**, 503
 $(\text{ZrO}_2)_{0.8}\text{–}(x\text{–Fe}_2\text{O}_3)_{0.2}$ powder for gas sensing applications, **155**, 320
Mechanical properties
 Fe-doped boron, **154**, 188
 Mo_2NiB_2 boride base cements with Cr and V additions, effects of Mo/B atomic ratio, **154**, 263
 strength and creep in $\alpha\text{-AlB}_{12}$ and $\gamma\text{-AlB}_{12}$, **154**, 191
Mechanical strain
 in Fe(II)–1,10-phenanthroline, associated anomalous spin crossover, role of NCS^- and PF_6^- counterions, **153**, 82
Mechanochemical reactions
 polymeric oxovanadium(IV) complexes with Schiff base ligands derived from 5-nitrosalicylaldehyde and diamines, **153**, 9
 in Sn–Zn–S system, **153**, 371
Mercury
 $\text{Cs}_5\text{Hg}_{19}$, synthesis and structure, **149**, 419
 A_3Hg_{20} ($A = \text{Rb}, \text{Cs}$) and A_7Hg_{31} ($A = \text{K}, \text{Rb}$), synthesis and structure, **149**, 419
 $\text{Hg}_6\text{As}_4\text{BiCl}_7$ built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350
 HgCl_2 , effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
 HgS nanoparticles, sonochemical synthesis, **153**, 342
 $\text{Hg}_6\text{Sb}_4\text{BiBr}_7$ and $\text{Hg}_6\text{Sb}_5\text{Br}_7$, built of polycationic mercury-pnictide framework with trapped anions, synthesis and crystal structure, **154**, 350
 $\text{Hg}_3\text{Se}_2\text{I}_2$ and $\text{Hg}_3\text{S}_2\text{I}_2$, synthesis and crystal structure, **151**, 73
 $(\text{Hg}, \text{M})\text{Sr}_2(\text{Ln}, \text{Ce})_2\text{Cu}_2\text{O}_z$, 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 HgTe , preparation by microwave heating, **154**, 530

- K_3Hg_{11} , synthesis and structure, **149**, 419
 mesostructured 3D materials based on $[Ge_4S_{10}]^{4-}$ and $[Ge_4Se_{10}]^{4-}$ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
 Tl-Hg-Ba-Sr-Ca-Cu-O system, 2212-type superconductors in, XRD studies, **153**, 106
- Metal carboxylates
 microporous materials, synthesis and gas occlusion properties, **152**, 120
- Metal-insulator transition
 $La_{1-x}Eu_xNiO_3$ ($0 \leq x \leq 1$), **151**, 1
 $LnNiO_3$ ($Ln = Pr, Nd, Sm$) polycrystalline compounds prepared via different precursors, **151**, 298
 pure and V-doped β -rhombohedral boron, **154**, 307
 $SmNi_{1-x}Co_xO_3$, **150**, 145
 in strongly correlated oxides, **155**, 177
- Metallacrowns
 in preparation of chiral solids, **152**, 68
- Metallic powders
 preparation in polyol media, thermodynamic approach, **154**, 405
- Metalloboranes
 solid state structures, molecular models of, **154**, 110
- Metalloporphyrins
 microporous materials, construction, **152**, 87
- Metal-nonmetal transition
 in Ru pyrochlores, structural studies, **151**, 25
- Metamagnetism
 $LiFe_{1-x}Co_xO_2$ ($0 \leq x \leq 1$), effect of Co, **154**, 451
- Metastable phases
 $Bi_2Pb_2O_7$ with pyrochlore structure, hydrothermal synthesis and characterization, **149**, 314
 SrV_4O_9 , synthesis and crystal structure, **149**, 414
- Methane
 mixture with H_2 , temperature-programmed reaction with, in synthesis of tungsten carbides, **154**, 412
- Methylamines
 intercalation into TiS_2 , **155**, 326
- Methylhydrazine
 boron nitride film preparation by MOCVD with, **154**, 101
- Microhardness
 $(Cr_{1-x}TM_x)_3B_4$ ($TM = Ti, V, Nb, Ta, Mo, W$) large crystals, **154**, 45
- Microwave heating
 in preparation of $Cu_{2-x}Te$ and $HgTe$, **154**, 530
- Misfit compounds
 Franckeite-type $[(Pb,Sb)S]_{2.28}NbS_2$, distribution of Pb and Sb atoms in $(Pb,Sb)S$ layers in, scanning tunneling and atomic force microscopic studies, **149**, 370
- Mixing properties
 $MO-M'O$ solid solutions, semi-empirical and *ab initio* calculations, **153**, 357
- Modulated photocurrent
 pure and V-doped β -rhombohedral boron, measurements, **154**, 307
- Molecular dynamics
 BN nanotubes, **154**, 214
 evaluation of thermodynamic properties of nonideal solid solutions, **153**, 118
- Molecular simulation
 tantalum chloride-graphite intercalation compound structure, **149**, 68
 vanadyl phosphate intercalated with acetone, **150**, 356
- Molybdenum
 Bi_2MoO_6 catalyst, high-temperature incommensurate-to-commensurate phase transition, **155**, 206
 Bi_2O_3 - MoO_3 system, EDS and TEM study: compounds with structure based on $[Bi_{12}O_{14}]_z$ columns, **149**, 276
 $(Cr_{1-x}Mo_x)_3B_4$ large crystals, synthesis and analysis, **154**, 45
- $[Cu(\text{tripiryridyltriazine})_2Mo_4O_{13}]$ layered compound, hydrothermal synthesis and structure, **152**, 141
 discrete Mo oxide-based building blocks as synthons, in control of growth of solid-state materials, **152**, 57
 $Fe(H_2NCH_2CH_2NH_2)MoO_4$, synthesis and structure, **152**, 229
 $(Hg,Mo)Sr_2(Ln,Ce)_2Cu_2O_z$ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 H_xMoO_3 bronzes, CDW superstructures, **149**, 75
 $(H_3NCH_2CH_2NH_3)[Fe(C_2O_4)MoO_4]$, synthesis and structure, **152**, 229
 $K_{0.3}MoO_3$, interactions of sliding charge-density waves with phonons, **155**, 105
 $K_{1.8}Mo_9S_{11}$, band structure, **155**, 124
 $LiIn(MoO_4)_2$, vibrational and X-ray studies, **154**, 498
 $Mo_{0.16}Bi_{0.84}O_{1.74}$, high-temperature cubic fluorite-type phase with 3D incommensurate modulation, synthesis and structure, **152**, 573
 Mo(II) dicarboxylates, microporous materials, synthesis and gas occlusion properties, **152**, 120
 Mo ions in rutile TiO_2 , redox properties, XRD and EPR study, **152**, 412
 Mo_2NiB_2 boride base cements with Cr and V additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263
 $RE_5Mo_3O_{5.4}$ ($RE = La, Ce, Pr, Nd$) with *trans*-capped Mo_8 octahedral clusters and Mo_7 - Mo_{10} - Mo_7 triclusters, synthesis, structure, and properties, **152**, 403
 $A_2Mo_9S_{11}$ ($A = K, Nb$), band structure, **155**, 124
 $[Mo_2S_2O_2]^{2+}$ molecular building block, preparation and self-condensation, **152**, 78
 $(NH_4)_{0.13}V_{0.13}Mo_{0.87}O_3$ solid solution, properties, **152**, 353
 $Ni_3Mo_6Se_{8-x}S_x$ solid solution, single crystal structural study, **155**, 250
 $Rb_{2n}(Mo_9S_{11})(Mo_{6n}S_{6n+2})$ ($n = 1$ to 4), superconducting cluster compounds, synthesis, structure, and theoretical studies, **155**, 417
 Sr_2CrMoO_6 double perovskite, magnetoresistance, **155**, 233
- Mössbauer spectroscopy
 $CaNdFe_{1/2}Nb_{3/2}O_7$ pyrochlore, **154**, 483
 $Cu_{3-x}Fe_{4+x}(PO_4)_6$, **150**, 159
 A_2FeNbO_6 ($A = Sr, Ba$) perovskites, **154**, 591
 α - Fe_2O_3 substituted with Sn^{4+} , Ti^{4+} , and Mg^{2+} , **151**, 157
 InSn oxide powders, **154**, 444
 manganites: origin of bulk magnetoresistivity, **155**, 116
 $Ni_{1-x}Cu_xFeAlO_4$, **149**, 434
 $Sm_{1/3}Sr_{2/3}FeO_{3-\delta}$: charge ordering and magnetotransport transitions, **153**, 140
 ^{119}Sn dopant atoms in $Ca_2Fe_2O_5$, **151**, 313
 $Sr_2Fe_2O_5$: structural phase transition under high pressure, **155**, 381
 $Sr_4Mn_{3-x}Fe_xO_{10-\delta}$ ($x = 1, 1.5, 2$) Ruddlesden-Popper phases, **155**, 96
- Mullite
 magnetic iron oxide/mullite nanocomposite with stability up to 1400 °C, **155**, 458

N

- Nanocomposites
 magnetic iron oxide/mullite with stability up to 1400 °C, **155**, 458
- Nanocrystals
 Ag_8SnE_6 ($E = S, Se$) chalcogenides, synthesis and characterization, **149**, 338
 $CdSe$, with cubic structure, room-temperature synthesis in aqueous solution, **151**, 241
 CeO_2 , X-ray absorption spectroscopy, **149**, 408
 $Co_{0.844}Se$, synthesis in nonaqueous solvent, **152**, 537
 Cu_2SnS_3 , synthesis, characterization, and properties, **153**, 170
 metal phosphides (metal = Co, Ni, Cu), solvothermal synthesis, **149**, 88
 γ -NiSb, synthesis by solvothermal coordination-reduction route at low temperature, **155**, 42

- ZrO₂, tetragonal–monoclinic transition, crystallite size effect in, XRD and Raman spectroscopic study, **149**, 399
- Nanoparticles
HgS and PbS, sonochemical synthesis, **153**, 342
- Nanotubes
B₉₆ isomers, *ab initio* study, **154**, 269
BN, structure and mechanisms of growth and formation, **154**, 214
- Negative thermal expansion
in Y₂(WO₄)₃, **149**, 92
- Neodymium
Ba₄Nd₂Cd₃Se₁₀, synthesis and structure, **149**, 384
Bi₂Nd₄O₉, monoclinic phase, structure, **153**, 30
Bi_{2-x}Nd_xRu₂O_{7-y} (0 < x < 2) pyrochlores, metal–nonmetal transition in, structural studies, **151**, 25
CaNdFe_{1/2}Nb_{3/2}O₇ pyrochlore, synthesis, crystal structure, Mössbauer spectrum, and magnetic susceptibility, **154**, 483
Ce_{1-x}Nd_xTiO₃, magnetic properties, **153**, 145
La_{2-x}Nd_xCuO₄ (0.6 ≤ x ≤ 2), pressure-induced phase transitions, **151**, 231
NdB₆, floating zone growth and high-temperature hardness, **154**, 238
Nd_{0.4}Ca_{0.6}MnO₃, Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
NdCo₄B, magnetic properties, **154**, 242
Nd₄Co₃O_{10+δ} and Nd₄Ni₃O_{10-δ}, crystal structure and properties, **151**, 46
Nd_{1.85}M_{0.15}Mo₂⁺CuO₄ superconductors, true tolerance factor effects in, **155**, 138
Nd₂CuO₄, extended magnetic solids, spin exchange interactions in, **151**, 96
NdCu₃Ti₃FeO₁₂, dielectric constant, **151**, 323
NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
Nd₅Mo₃₂O₅₄, with *trans*-capped Mo₈ octahedral clusters and Mo₇–Mo₁₀–Mo₇ triclusters, synthesis, structure, and properties, **152**, 403
Nd₂NiB₁₀, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
NdNiIn₂, synthesis and crystal structure, **152**, 560
NdNiO₃ polycrystalline compounds prepared via different precursors, properties, **151**, 298
NdPdGe, order of Pd and Ge atoms in, **154**, 329
NdP₅O₁₄, crystal structure and magnetic properties, **150**, 377
Nd₂Ru₂O₇ pyrochlores, specific heat and ac susceptibility, **152**, 441
Nd₂(SiO₄)Te, monoclinic and orthorhombic crystals, structure, **155**, 433
Nd_{2/3}TiO₃, synthesis and magnetic properties, **149**, 354
Nd_{1-x}TiO₃ perovskites, metal–insulator phenomena, **155**, 177
Nd₁₆Ti₅S₁₇O₁₇, synthesis and structure, **152**, 554
Nd₇VO₄Se₈, synthesis and characterization, **154**, 564
Nd_xWO₃ bronze synthesized under high pressure, X-ray diffraction and electron microscopy, **154**, 466
Pr_{1-x}Nd_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145
site preference in hydroxyapatite [Ca₁₀(PO₄)₆(OH)₂], **149**, 391
Ti(Nd₂Sr₂)Ni₂O₉, synthesis and structure, **150**, 1
(Y,Nd)Al₃(BO₃)₄ solid solutions, crystal growth and characterization, **154**, 317
- Neopentane
system with carbon tetrachloride, thermodynamics, **154**, 390
- Neutron diffraction, *see also* Powder neutron diffraction
BaBi₃O_{5.5}: crystal growth and structure, **152**, 435
CsCo(ND₃)₆(ClO₄)₂Cl₂, single crystal study of orientational disordering between 20 and 290 K, **149**, 60
phase transitions in CeO_{1.800} and CeO_{1.765}, **153**, 218
YMn₂D_{1.15}, **154**, 398
YMn₂D₂ single phase, synthesis study *in situ*, **150**, 183
- Neutron scattering
Sr₄Fe₂O₆CO₃, **152**, 374
- Nickel
Ce₂Ni₂Cd, synthesis, structure refinement, and properties, **150**, 139
(C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
(Cr_{1-x}Ni_x)₃Te₄ with pseudo-NiAs-type structure, magnetic properties, **154**, 356
Dy₆NiTe₂, synthesis, structure, and bonding, **155**, 9
effects on calcium phosphate formation, **151**, 163
GdNi₃X₂ (X = Al,Ga,Sn), structural, electrical, magnetic, and hydrogen absorption properties, relationship to synthesis conditions, **150**, 62
hydrogen bond-directed hexagonal frameworks based on 1,3,5-benzenetricarboxylate, **152**, 261
KNiF₃ and K₂NiF₄, extended magnetic solids, spin exchange interactions in, **151**, 96
La_{1-x}Eu_xNiO₃ (0 ≤ x ≤ 1), metal–insulator transition and magnetic properties, **151**, 1
La₃Ni₂O₇, neutron diffraction study: structural relationships among phases La_{n+1}Ni_nO_{3n+1} (n = 1,2,3), **152**, 517
LiMn₂O₄ spinel oxides stabilized by, electrochemical insertion properties of, effects of partial acid delithiation, **150**, 196
mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
MnO–NiO solid solutions, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
Mo₂NiB₂ boride base cements with Cr and V additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263
Na_{3.64}Ni_{2.18}(P₂O₇)₂, crystal structure, **152**, 323
Nd₄Ni₃O_{10-δ}, crystal structure and properties, **151**, 46
RE₅Ni₂X (RE = Y,Gd,Tb,Dy,Ho,Er,Tm,Lu; X = Sb,Bi) pnictides, crystal structure and bonding, **152**, 478
R₂NiB₁₀ (R = Y,Ce–Nd,Sm,Gd–Ho), synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
Ln–Ni–B–C (Ln = rare earths, Y), chemical and superconducting properties, **154**, 114
NiCl₂, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
NiCo₂O₄, XRD, XANES, EXAFS, and XPS study, **153**, 74
Ni_{1-x}Cu_xFeAlO₄, Mössbauer effect study, **149**, 434
LnNiIn₂ (Ln = Pr,Nd,Sm), synthesis and crystal structure, **152**, 560
Ni₃Mo₆Se_{8-x}S_x solid solution, single crystal structural study, **155**, 250
Ni(NH₃)₂X₂ (X = Cl,Br,I), preparation and crystal structures, **152**, 381
LnNiO₃ (Ln = Pr,Nd,Sm) polycrystalline compounds prepared via different precursors, properties, **151**, 298
Ni_{1-x}O/CaO, paracrystal formation upon interdiffusion, **152**, 421
Ni₂P, solvothermal synthesis, **149**, 88
γ-NiSb nanocrystals, synthesis by solvothermal coordination–reduction route at low temperature, **155**, 42
A₂Ni₂Sn (A = Ce,U), band magnetism, local spin density functional calculations, **149**, 449
NiTa₂Se₇, with incommensurately modulated low-temperature structure, independent \bar{q} and $2\bar{q}$ distortions in, **153**, 152
α-Ni(VO₃)₂·2H₂O and Ni(VO₃)₂·4H₂O, synthesis and crystal structure, **152**, 511
Pr₂NiO_{4+δ}, oxygen exchange at high temperature and formation of Pr₄Ni₃O_{10-x}, **153**, 381
(Pr₄N)₂Ni(H₂O)₅[Re₆X₈(CN)₆]·H₂O (X = S,Se), synthesis and structure, **153**, 195
(Pr₄N)₂Ni(H₂O)₄[Re₆S₈(CN)₆], synthesis and structure, **153**, 195
SmNi_{1-x}Co_xO₃, structure, relationship to physical properties, **150**, 145

- Sr_2NiN_2 , synthesis, crystal structure, and physical properties, **154**, 542
 Ti–Ni–Al–N and Ti–Ni–Al–O systems, experimental studies, **155**, 71
 $\text{Tl}(\text{Ln}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$ ($\text{Ln} = \text{La, Pr, Nd, Sm, Eu, Gd}$), synthesis and structure, **150**, 1
 $\text{UNi}_{1.9}\text{Sn}$ single crystals, growth, crystal structure, and thermopower, **149**, 120
- Niobium**
 $\text{Ag}_2\text{NbTi}_3\text{P}_6\text{S}_{25}$, crystal structure, **153**, 55
 $\text{BaCa}_{0.393}\text{Nb}_{0.606}\text{O}_{2.91}$, cation loss in aqueous media leading to amorphization at room temperature, **149**, 262
 $\text{Ba}_2\text{CoNbO}_6$ perovskite, magnetic transition in, **151**, 294
 $\text{Bi}_{2-x}\text{Sr}_{2+x}\text{Ti}_{1-x}\text{Nb}_{2+x}\text{O}_{12}$ ($0 < x < 0.8$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
 $\text{Ca}_4\text{Nb}_2\text{O}_9 = 3 \cdot \text{Ca}(\text{Ca}_{1/3}\text{Nb}_{2/3})\text{O}_3$, perovskite-like polymorphs, octahedral tilting and cation ordering in, **150**, 43
 $\text{CaNdFe}_{1/2}\text{Nb}_{3/2}\text{O}_7$ pyrochlore, synthesis, crystal structure, Mössbauer spectrum, and magnetic susceptibility, **154**, 483
 $\text{CaO}:\text{Al}_2\text{O}_3:\text{Nb}_2\text{O}_5$ system, phase equilibria and dielectric properties, **155**, 78
 $(\text{Cr}_{1-x}\text{Nb}_x)_3\text{B}_4$ large crystals, synthesis and analysis, **154**, 45
 $\text{Cu}_4\text{Nb}_5\text{Si}_4$, bonding analysis, **154**, 384
 $A_2\text{FeNbO}_6$ ($A = \text{Sr, Ba}$) perovskites, magnetic susceptibility and Mössbauer spectroscopy, **154**, 591
 $\text{KCa}_2\text{Nb}_3\text{O}_{10}$ layered perovskite, crystal structure, **151**, 40
 $\text{La}_{-10.8}\text{Nb}_5\text{O}_{20}\text{S}_{10}$, synthesis and structure, **152**, 348
 NbB_2 , chemical vapor deposition, thermodynamic estimation, **154**, 157
 $\text{Nb}_2\text{Mo}_9\text{S}_{11}$, band structure, **155**, 124
 $\text{Nb}_2\text{N}_{0.88}\text{O}_{0.12}$, synthesis and crystal structure, **150**, 36
 $\text{Nb}_{12}\text{O}_{29}$, crystal structure and coexistence of localized and delocalized electrons, **149**, 176
 $\text{Nb}_7\text{W}_{10}\text{O}_{47}$ tetragonal bronze-type phase, superstructure and twinning, **149**, 428
 niobyl phosphates, intercalates with C_4 diols, preparation and characterization, **151**, 225
 $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$, formation via mechanically activated nucleation and growth, **154**, 321
 $0.9[0.4\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 - 0.6\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3] - 0.1\text{PbTiO}_3$, formation via mechanically activated nucleation and growth, **154**, 321
 $(\text{Pb}(\text{Mn, Nb})_{0.5}\text{S}_{1.5})_{1.15}\text{NbS}_2$, interlayer charge transfer quantitation via bond valence calculation, **155**, 1
 $[(\text{Pb, Sb})\text{S}]_{2.28}\text{NbS}_2$, distribution of Pb and Sb atoms in (Pb, Sb)S layers in, scanning tunneling and atomic force microscopic studies, **149**, 370
 $\text{Sr}_{0.93}(\text{Si}_x\text{Nb}_{1-x})\text{Nb}_{10}\text{O}_{19}$ ($x = 0.87$), synthesis, crystal structure, and physical properties, **152**, 540
 $\text{Tl}_2\text{Nb}_2\text{O}_{6+x}$ phases with pyrochlore structure, structure and properties, **155**, 225
- Nitrate**
 exchange with borate or silicate in hydrotalcite, effect of Mg:Al ratio, **151**, 272
- Nitrogen**
 Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzotrinitrile, synthesis and structure of molecular and extended complexes, **152**, 247
 Ag(TCNQ) and Ag(TCNQF₄) crystalline polymers, structures and magnetic properties, **152**, 159
N-benzyl piperidinium dihydrogenmonophosphate, crystal structure and phase transitions, **155**, 298
- BN**
 coating of graphite for protection against oxidation, **154**, 162
 crystallinity, effect of molecular precursor structure, **154**, 137
 electronic energies and vibration frequencies, quasi-classical determination, **154**, 148
 films prepared by MOCVD, **154**, 101
 nanotubes, structure and mechanisms of growth and formation, **154**, 214
 phase diagram, **154**, 280
 $\text{B}_{12}\text{N}_{12}$, $\text{B}_{24}\text{N}_{24}$, and $\text{B}_{60}\text{N}_{60}$, semiempirical and molecular dynamics studies, **154**, 214
 $^3[\text{Cd}(\text{pdc})(\text{H}_2\text{O})]$ and $^3[\text{Cd}_3(\text{pdc})_2(\text{H}_2\text{O})_2]$, synthesis, structures, and properties, **152**, 236
 $(R,S)\text{-(C}_3\text{H}_{14}\text{N}_2)\text{Co}(\text{HPO}_4)_2$, one-dimensional cobalt phosphate, synthesis and structure, **153**, 180
 $(\text{CH}_3\text{NH}_3)_3\text{Bi}_2\text{Cl}_9$, low-temperature phase transition and structural relationships, **155**, 286
 $[(\text{CH}_3\text{NH}_3)_{0.5}(\text{NH}_4)_{1.5}]\text{Sb}_8\text{S}_{13} \cdot 2.8\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **155**, 409
 $(\text{C}_4\text{H}_{12}\text{N}_2)(\text{H}_3\text{O})[(\text{VOPO}_4)_4(\text{H}_2\text{O})\text{H}_2\text{PO}_4] \cdot 3\text{H}_2\text{O}$, hydrothermal synthesis and characterization, **154**, 514
 $(\text{C}_2\text{H}_{10}\text{N}_2)[\text{Ni}(\text{H}_2\text{O})_6](\text{HPO}_4)_2$, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
 $(\text{C}_4\text{H}_{12}\text{N}_2)[(\text{VO})(\text{VO})_2(\text{H}_2\text{O})(\text{PO}_4)_2]$, hydrothermal synthesis and characterization, **154**, 514
 $[\text{C}_2\text{N}_2\text{H}_{10}]_2\text{Fe}_5\text{F}_4(\text{PO}_4)(\text{HPO}_4)_6$, hydrothermal synthesis and 3D architecture, **154**, 507
 $[\text{C}_6\text{N}_2\text{H}_{18}]^{2+}[\text{Zn}(\text{HPO}_4)(\text{H}_2\text{PO}_4)_2]^{2-}$, isolation and transformation to $[\text{C}_6\text{N}_2\text{H}_{18}]^{2+}[\text{Zn}_3(\text{H}_2\text{O})_4(\text{HPO}_4)_4]^{2-}$, **150**, 417
 $[\text{Co}(4,4'\text{-bipyridine})_{2.5}(\text{NO}_3)_2] \cdot 2\text{phenanthrene}$, synthesis and crystal structure, **152**, 280
 $\text{Co}(\text{NCS})_2 \cdot x\text{H}_2\text{O}$, inorganic–organic coordination polymers generated from, **155**, 143
 coordination polymers with 4,4'-dipyridyldisulfide, synthesis and structure, **152**, 113
 $\text{CsCo}(\text{ND}_3)_6(\text{ClO}_4)_2\text{Cl}_2$, orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
 $\text{Cs}_3\text{Mg}_2\text{P}_6\text{O}_{17}\text{N}$, synthesis and crystal structure, **153**, 185
 α - and β - $[\text{Cu}_2\text{X}(\text{C}_2\text{H}_3\text{N}_2\text{O}_2)_2(\text{H}_2\text{O})]$ ($\text{X} = \text{Cl, Br}$), synthesis and characterization, **152**, 174
 $[\text{Cu}(\text{tripiryldyltriazine})_2\text{Mo}_4\text{O}_{13}]$ layered compound, hydrothermal synthesis and structure, **152**, 141
 1,2-dihydro-*N*-aryl-4,6-dimethylpyrimidin-2-ones, C–H \cdots O and C–H \cdots N networks in, **152**, 221
 $(\text{Fe}(\text{CN})_6)^{3-}$, Mg–Al hydrotalcites exchanged with, properties, effects of guest–host interactions, **155**, 332
 $\text{Fe}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)\text{MoO}_4$, synthesis and structure, **152**, 229
 $(\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3)[\text{Fe}(\text{C}_2\text{O}_4)\text{MoO}_4]$, synthesis and structure, **152**, 229
 methylamines, intercalation into TiS_2 , **155**, 326
 $\text{Na}_2[(\text{HO}_3\text{PCH}_2)_3\text{NH}]1.5\text{H}_2\text{O}$, synthesis and structure, **151**, 122
 $\text{Nb}_2\text{N}_{0.88}\text{O}_{0.12}$, synthesis and crystal structure, **150**, 36
 $[\text{N}_2\text{C}_4\text{H}_{12}]\text{Al}_2(\text{PO}_4)(\text{HPO}_4)(\text{C}_2\text{O}_4)\text{H}_2\text{O}$ hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324
 NCS^- counterion, role in anomalous spin crossover of mechanically strained Fe(II)–1,10-phenanthroline complexes, **153**, 82
 $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_3]_3 \cdot \text{Al}_3\text{P}_4\text{O}_{16}$, synthesis, racemic isopropanolamine as solvent and template for, **151**, 145
 $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{NH}_3][\text{Co}_2(\text{PO}_4)_2]$ and $[\text{NH}_3\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{NH}_3][\text{Co}_2(\text{HPO}_4)_3]$, synthesis and crystal structure, **155**, 62
 $[\text{NH}_3(\text{CH}_2)_3\text{NH}_3]_{0.5}[\text{M}(\text{OH})\text{AsO}_4]$ ($\text{M} = \text{Ga, Fe}$), synthesis and characterization, **155**, 37
 $\text{NH}_2(\text{CH}_2)_4\text{NH}_2\text{V}_4\text{O}_9$, spin exchange interactions of, spin dimer analysis, **153**, 263
 $\text{Ni}(\text{NH}_3)_2\text{X}_2$ ($\text{X} = \text{Cl, Br, I}$), preparation and crystal structures, **152**, 381
 $[\text{Pb}_6\text{O}_4](\text{OH})(\text{NO}_3)(\text{CO}_3)$, crystal structure, **153**, 365
 polymeric Ag(I)-hexamethylenetetramine complexes, structure and topological diversity, **152**, 211

- polymorphous one-dimensional tetrapyrrolylporphyrin coordination polymers structurally mimicking aryl stacking interactions, **152**, 253
- (Pr₄N)₂M(H₂O)₅[Re₆X₈(CN)₆]·H₂O (*X* = S,Se; *M* = Mn,Ni), synthesis and structure, **153**, 195
- (Pr₄N)₂M(H₂O)₄[Re₆S₈(CN)₆] (*M* = Mn,Ni), synthesis and structure, **153**, 195
- Sr₂NiN₂, synthesis, crystal structure, and physical properties, **154**, 542
- Ti–Ni–Al–N systems, experimental studies, **155**, 71
- zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions R₄N⁺ (*R* = *n*Pr,*n*Bu,*n*Pen), as structure directors for, **152**, 286
- Zn_(2-x)Co_x(HPO₄)₃·C₃N₂H₁₂ (*x* ≈ 0.05) with 12 rings, synthesis and crystal structure, **149**, 107
- Zn₄(PO₄)₂(HPO₄)₂·0.5(C₁₀H₂₈N₄)·2H₂O, hydrothermal synthesis and crystal structure, **154**, 368
- ZrM(OH)₂(NO₃)₃ (*M* = K,Rb), *ab initio* structure determination from X-ray powder diffraction, **149**, 167
- 5-Nitrosalicylaldehyde
and diamines, Schiff base ligands derived from, mechanochemical reaction with polymeric oxovanadium(IV) complexes, **153**, 9
- Nonaqueous solvents
cobalt selenide nanocrystal synthesis in, **152**, 537
- Nuclear magnetic resonance
¹¹B, phase separation in Na₂O–B₂O₃ glass system, **149**, 459
⁷¹Ga, [NH₃(CH₂)₃NH₃]_{0.5}[M(OH)AsO₄] (*M* = Ga,Fe), **155**, 37
⁶Li, lithium site occupancy in superconductor LiTi₂O₄ and related compounds, **152**, 397
⁷Li, ionic distribution in Li-doped BPO₄, **153**, 282
²⁹Si MAS, Y₂Si₂O₇ phase transformations in gel- and mixed-powder-derived polymorphs, **149**, 16
- Nuclear microprobe
microanalysis of light elements, **154**, 301
- Nucleation
mechanically activated, in formation of complex perovskites, **154**, 321
- O
- Obituaries
Erwin Rudy, **154**, 3
Guri Tsagareishvili, **154**, 4
- Octahedral tilting
in perovskite-like Ca₄Nb₂O₉ = 3·Ca(Ca_{1/3}Nb_{2/3})O₃ polymorphs, **150**, 43
- Optical properties
BiSeO₃Cl, nonlinear properties, **149**, 236
Eu₃(BO₃)₂F₃, comparison with Ba₂Eu(CO₃)₂F₃, **153**, 270
In₂O₃–M₂O₃ (*M* = Y,Sc) solid solutions doped with Sn, **153**, 41
three-coordinate organoboron compounds, linear and nonlinear properties, **154**, 5
ZnO–In₂O₃ and ZnO–indium oxide (ITO) films deposited by DC sputtering, **155**, 312
- Optical spectroscopy
BaLiF₃ doped with Ce³⁺, **150**, 178
boron–silicon thin films prepared by pulsed laser deposition, **154**, 141
- Order–disorder phenomena
β- and *β*-LiZr₂(PO₄)₃ ionic conductors, neutron diffraction study, **152**, 340
SrMn_{1-x}(B,C)_yO_{3-δ} perovskite-related oxyborocarbonates, **149**, 226
- Order–disorder transitions
Na in Na_xW₁₈O₄₉, **151**, 220
- Ordering
antiferromagnetic, long-range, in BaLaMRuO₆ (*M* = Mg,Zn), **150**, 383
A-site cation vacancy ordering in Sr_{1-3x/2}La_xTiO₃, HRTEM study, **149**, 360
- 1:1 Bi–Sr, 1201 Bi_{0.4}Sr_{2.6}MnO_{5-δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6-δ} with, synthesis and characterization, **151**, 210
- Ca/Bi metal ions in (1 – *x*)Bi₂O₃·*x*CaO (0.20 < *x* < 0.29) *α*'₁ and *α*''₁ fluorite-related phases, electron diffraction and XRD studies, **149**, 218
- cations in perovskite-like Ca₄Nb₂O₉ = 3·Ca(Ca_{1/3}Nb_{2/3})O₃ polymorphs, **150**, 43
- incommensurate, Cu/Co in TiCo_{2-x}Cu_xSe₂ (*x* ~ 1) system, **151**, 260
- La and Sr ions on *A* cationic sites in Tl(Ln₂Sr₂)Ni₂O₉ (*Ln* = La,Pr,Nd,Sm,Eu,Gd), **150**, 1
- Na in Na_xW₁₈O₄₉: order–disorder transitions, **151**, 220
- oxygen/fluorine, in rutile-type FeOF, electron diffraction and crystal chemical studies, **155**, 359
- short-range, induced by isovalent substitution of Sr²⁺ for Ba²⁺ in BaMnS₂, **155**, 305
- Organic supramolecular materials
polarity, **152**, 49
- Organoborons
three-coordinate, linear and nonlinear optical properties, **154**, 5
- Oriental disordering
CsCo(ND₃)₆(ClO₄)₂Cl₂, single crystal neutron diffraction study between 20 and 290 K, **149**, 60
- Osmium
MgOs₃B₄, channel structure, **154**, 232
ScOs₃B₄, channel structure, **154**, 232
- Oxalato complexes
anionic, intercalation into layered double hydroxides, **153**, 301
- Oxidation
anosovite at low temperature, M₃O₅-anatase intergrowth structures formed during, analysis, **150**, 128
(Cr_{1-x}TM_x)₃B₄ (*TM* = Ti,V,Nb,Ta,Mo,W) large crystals, **154**, 45
graphite, protection by BN coatings, **154**, 162
- Oxide solid solutions
MO–M'O, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
- Oxovanadium(IV) complexes
polymeric, mechanochemical reaction with Schiff base ligands derived from 5-nitrosalicylaldehyde and diamines, **153**, 9
- Oxygen
BaBi₃O_{5.5} conducting, crystal growth and structure, **152**, 435
exchange in Pr₂NiO_{4+δ} at high temperature: formation of Pr₄Ni₃O_{10-x}, **153**, 381
lattice, transfer in fluorite-type oxides containing Ce, Pr, and/or Tb, **155**, 129
nonstoichiometry in La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ (0 ≤ *δ* ≤ 0.15), effects on physical properties, **151**, 139
oxygen/fluorine ordering in rutile-type FeOF, electron diffraction and crystal chemical studies, **155**, 359
partial pressure, effects on phase equilibria of Pr₂O₃–Co–Co₂O₃ system, **151**, 12
- P
- Palladium
RE₅Pd₂X (*RE* = Y,Gd,Tb,Dy,Ho,Er,Tm,Lu; *X* = Sb,Bi) pnictides, crystal structure and bonding, **152**, 478
Ln–Pd–B–C (*Ln* = rare earths, Y), chemical and superconducting properties, **154**, 114
LnPdGe (*Ln* = La–Nd,Sm,Gd,Tb), order of Pd and Ge atoms in, **154**, 329
A₂Pd₂Sn (*A* = Ce,U), band magnetism, local spin density functional calculations, **149**, 449
Yb₃Pd₄Ge₄, order of Pd and Ge atoms in, **154**, 329
- Paracrystals
formation from Ni_{1-x}O and CaO upon interdiffusion, **152**, 421

Paramagnetism

- Ba₆[V₁₀O₃₀(H₂O)]·2.5H₂O with unusual arrangement of V^{IV}-O polyhedra, **151**, 130
 Sr₂NiN₂, **154**, 542

Perovskites

- BaCa_{0.393}Nb_{0.606}O_{2.91}, cation loss in aqueous media leading to amorphization at room temperature, **149**, 262
 BaCe_xZr_{1-x}O₃ (0 ≤ x ≤ 1), high-pressure Raman study, **149**, 298
 Ba₂CoNbO₆, magnetic transition in, **151**, 294
 BaIr_{1-x}Co_xO_{3-δ} (x = 0.5, 0.7, 0.8), structural chemistry and electronic properties, **152**, 361
 BaLaMRuO₆ (M = Mg, Zn), atomic and magnetic long-range ordering in, **150**, 383
 Ba₂YbTaO₆, with ordered structure, magnetic susceptibility, **150**, 31
 Bi_{4-x}La_xTi₃O₁₂ (x = 1, 2) and Bi_{2-x}Sr_{2+x}Ti_{1-x}Nb_{2+x}O₁₂ (0 < x < 0.8), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
 1201 Bi_{0.4}Sr_{2.6}MnO_{5-δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6-δ} with 1:1 Bi-Sr ordering, synthesis and characterization, **151**, 210
 Ca₄Nb₂O₉ = 3·Ca(Ca_{1/3}Nb_{2/3})O₃ polymorphs, octahedral tilting and cation ordering in, **150**, 43
 complex, formation via mechanically activated nucleation and growth, **154**, 321
 A₂FeNbO₆ (A = Sr, Ba), magnetic susceptibility and Mössbauer spectroscopy, **154**, 591
 KCa₂Nb₃O₁₀, crystal structure, **151**, 40
 La_{1-x}Eu_xNiO₃ (0 ≤ x ≤ 1), metal-insulator transition and magnetic properties, **151**, 1
 La_{0.5}Pr_{0.5}CrO₃, magnetization reversal, **155**, 447
 La₅Re₃MnO₁₆, synthesis, structure, and magnetic behavior, **151**, 31
 La_{1-x}Sr_xCr_{1-x}Ti_xO₃ series, structural characterization, **155**, 455
 La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ (0 ≤ δ ≤ 0.15), physical properties, effects of oxygen nonstoichiometry, **151**, 139
 Na_{1-x}Sr_xTaO₃ (0 < x ≤ 0.4), X-ray powder and electron diffraction study, **154**, 427
 NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
 Nd_{1-x}TiO₃, metal-insulator phenomena, **155**, 177
 LnNiO₃ (Ln = Pr, Nd, Sm) polycrystalline compounds prepared via different precursors, properties, **151**, 298
 Pr_{1-x}Ba_xCoO₃, magnetic order, magnetic circular dichroism spectroscopic study, **152**, 577
 Pr_{1-x}Sr_xFeO_{3-δ}, structure and magnetism, **150**, 233
 SmNi_{1-x}Co_xO₃, structure, relationship to physical properties, **150**, 145
 Sm_{1/3}Sr_{2/3}FeO_{3-δ}, charge ordering and magnetotransport transitions, **153**, 140
 Sm_{1-x}TiO₃, metal-insulator phenomena, **155**, 177
 Sr₂CrMoO₆ double perovskite, magnetoresistance, **155**, 233
 Sr_nFe_nO_{3n-1} (n = 2, 4, 8, ∞), oxygen-vacancy-ordered crystal structure, evolution and relationship to electronic and magnetic properties, **151**, 190
 Sr_{1-3x/2}La_xTiO₃, A-site cation-vacancy ordering in, HRTEM study, **149**, 360
 SrMn_{1-y}(B,C)_yO_{3-δ}, order-disorder phenomena, **149**, 226
 Sr₃Ru₂O₇, structural distortions, neutron diffraction study, **154**, 361
 Ln_{2/3}TiO₃ (Ln = Pr, Nd), synthesis and magnetic properties, **149**, 354

Phase diagram

- BaCe_xZr_{1-x}O₃ (0 ≤ x ≤ 1) mixed perovskites, **149**, 298
 BN, **154**, 280
 CaO:Al₂O₃:Nb₂O₅ system, **155**, 78
 Ca-Rh-O system, **150**, 213
 Gd₂O₃-B₂O₃, **154**, 204
 In₂O₃-M₂O₃ (M = Y, Sc) solid solutions doped with Sn, **153**, 41

La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, **155**, 280

Mg-Fe-O system, **149**, 33

Pr₂O₃-Co-Co₂O₃ system, **151**, 12

SrO-Ho₂O₃-CuO_x system, **149**, 333

Ti-Ni-Al-N and Ti-Ni-Al-O systems, experimental studies, **155**, 71

Phase equilibria

CaO:Al₂O₃:Nb₂O₅ system, **155**, 78

Hf-B-C system, calculation by thermodynamic modeling, **154**, 257

LaCoO₃-LaMnO₃-BaCoO₂-BaMnO₃ system, **153**, 205

La-Mn-O at 1100°C, **153**, 3367

Pr₂O₃-Co-Co₂O₃ system, thermogravimetric study at 1100 and 1150°C, **151**, 12

Ti-Ni-Al-N and Ti-Ni-Al-O systems, experimental studies, **155**, 71

Phase relations

In₂O₃-TiO₂-MgO system at 1100 and 1350°C, **150**, 276

Phase separation

in Na₂O-B₂O₃ glass system, NMR study, **149**, 459

Phase stability

Al₃BC₃ at high pressure, **154**, 254

Mg-Fe-O system, **149**, 33

Phase transition

anatase, induced by ball-milling, kinetics and mechanisms, **149**, 41

antifluorite to anticotunnite in Li₂S at high pressures, **154**, 603

N-benzyl piperidinium dihydrogenmonophosphate, **155**, 298

to Bi_{1-y}La_yO_{1.5} monoclinic solid solution, **151**, 281

Bi₂MoO₆ catalyst, high-temperature incommensurate-to-commensurate transition, **155**, 206

BiZn₂PO₆, **153**, 48

CeO_{1.765} and CeO_{1.800}, single-crystal neutron diffraction studies, **153**, 218

t'_{meta}-(Ce_{0.5}Zr_{0.5})O₂ phase prepared by reduction and successive oxidation of t' phase, effect on electrical conductivity, **151**, 253

(CH₃NH₃)₃Bi₂Cl₉ at low temperature, **155**, 286

CsCo(ND₃)₆(ClO₄)₂Cl₂ orientational disordering, single crystal neutron diffraction study between 20 and 290 K, **149**, 60

Cs₂KMnF₆

crystal structures of low- and high-temperature modifications, **150**, 399

at high pressure, **153**, 248

GaPO₄, **149**, 180

GeSe₂ three-dimensional crystals at high pressures and temperatures, **150**, 121

LaBaCuGaO₅ under high pressure, **155**, 372

La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, **155**, 455

LiTi₂O₄ spinel to ramsdellite, Li site occupancy in, NMR study, **152**, 397

Li₂Ti₃O₇, R phase to H phase, **152**, 546

NiTa₂Se₇ with incommensurately modulated low-temperature structure, **153**, 152

orthorhombic LaCrO₃, neutron powder diffraction study, **154**, 524

Pb₅Al_{2.96}Cr_{0.04}F₁₉, ferroelastic phase, **155**, 427

pressure-induced, Ln₂₋₃Nd_xCuO₄ for Ln = La (0.6 ≤ x ≤ 2) and Ln = Pr (x = 0), **151**, 231

SrC₂, **151**, 111

Sr₂Fe₂O₅ under high pressure, **155**, 381

TiTe: crystal structure, **149**, 123

Y₂Si₂O₇, in gel- and mixed-powder-derived polymorphs, X-ray diffraction and ²⁹Si MAS NMR studies, **149**, 16

ZrO₂ nanocrystals, tetragonal-monoclinic transition, crystallite size effect in, XRD and Raman spectroscopic study, **149**, 399

pH-controlled synthesis

³/_∞[Cd(pdc)(H₂O)] and ³/_∞[Cd₃(pdc)₂(H₂O)₂], **152**, 236

Phenanthrene

[Co(4,4'-bipyridine)_{2.5}(NO₃)₂]·2phenanthrene, synthesis and crystal structure, **152**, 280

Phenanthroline

complexes with Cu or Mn, functionalized MCM-41 containing, synthesis and characterization, **152**, 447

1,10-Phenanthroline

complexes with Fe(II), anomalous spin crossover associated with mechanical strain, role of NCS⁻ and PF₆⁻ counterions, **153**, 82

intercalation compound with layered MnPS₃, synthesis, characterization, and magnetic properties, **150**, 281

intercalation reaction with layered FePS₃, **150**, 258

Phonons

analysis in tetragonal CdAl₂Se₄, **153**, 317

boron carbide enriched in ¹⁰B, ¹¹B, and ¹³C isotopes, IR spectra, **154**, 79

electron-phonon interaction in β-rhombohedral boron doped with metal, **154**, 13

interactions with sliding charge-density waves, **155**, 105

metal hexaborides, IR spectra, **154**, 87

optical, B₄₈Al₃C₂, **154**, 75

rare-earth hexaborides, **154**, 275

β-rhombohedral boron modified isotopically, **154**, 296

Phosphors

BaHf_{1-x}Zr_x(PO₄)₂ emitting ultraviolet under X-ray excitation, **155**, 229

CaIn₂O₄, activated by Pr, luminescence properties, **155**, 441

self-activated, ZnGa₂O₄, luminescent properties, systematic tuning by Cd²⁺ substitution, **150**, 204

Phosphorus

Ag₂NbTi₃P₆S₂₅, crystal structure, **153**, 55

AgTi₂(PS₄)₃, crystal structure and ionic conductivity, **153**, 55

apatite-related phosphates, synthesis and characterization, **149**, 133

BaHf_{1-x}Zr_x(PO₄)₂, UV-emitting X-ray phosphor, **155**, 229

N-benzyl piperidinium dihydrogenmonophosphate, crystal structure and phase transitions, **155**, 298

Bi_{6.67}O₄(PO₄)₄, existence of, **154**, 435

BiZn₂PO₆, crystal structure, **153**, 48

boron phosphide films

preparation by photo- and thermal chemical vapor deposition processes, **154**, 39

thermoelectric properties, **154**, 26

B₁₂P₂ wafers, electrical and thermal properties, **154**, 33

BPO₄ doped with Li, ionic distribution in, NMR study, **153**, 282

calcium phosphate, formation, effects of Ni, **151**, 163

Ca_{9.75}(PO₄)_{5.5}(CO₃)_{0.5}CO₃, A-type carbonate apatite, structure analysis by single-crystal X-ray diffraction, **155**, 292

[Ca₁₀(PO₄)₆(OH)₂] hydroxyapatite, site preference of rare earth elements in, **149**, 391

Ca₆Sm₂Na₂(PO₄)₆F₂, crystal structure and polarized Raman spectra, **149**, 308

Cd₅(PO₄)₃Br and Cd₅(PO₄)₃I apatites, incommensurate modulation, **150**, 154

(R,S)-(C₅H₁₄N₂)Co(HPO₄)₂, one-dimensional cobalt phosphate, synthesis and structure, **153**, 180

(C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄]·3H₂O, hydrothermal synthesis and characterization, **154**, 514

(C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460

(C₄H₁₂N₂)[(VO)(VO₂)₂(H₂O)(PO₄)₂], hydrothermal synthesis and characterization, **154**, 514

[C₂N₂H₁₀]₂Fe₅F₄(PO₄)(HPO₄)₆, hydrothermal synthesis and 3D architecture, **154**, 507

[C₆N₂H₁₈]₂²⁺[Zn(HPO₄)(H₂PO₄)₂]²⁻, isolation and transformation to [C₆N₂H₁₈]₂²⁺[Zn₃(H₂O)₄(HPO₄)₄]²⁻, **150**, 417

Cs₂CuP₃S₉, chiral compound with chiral screw helices, preparation, structure, and characterization, **151**, 326

Cs₃Mg₂P₆O₁₇N, synthesis and crystal structure, **153**, 185

Cu_{3-x}Fe_{4+x}(PO₄)₆, synthesis and structure, **150**, 159

Cu_{0.5}Mn_{0.25}Zr₂(PO₄)₃ Nasicon-type phosphate, structure and luminescence, **152**, 453

(RE_{m+n})(Cu₂P₃)_m(Cu₄P₂)_n, relationship to other rhombohedral rare earth copper phosphides, **151**, 150

ErBaSrCu_{3-x}(PO₄)_xO_y (x = 0.0,0.10,0.20), electron microscopy and neutron diffraction studies, **150**, 188

β-Fe₂(PO₄)O and Fe₄(PO₄)₃(OH)₃, solid solution series between, synthesis and phase characterization, **153**, 237

FePS₃, layered compound, intercalation reaction with 1,10-phenanthroline, **150**, 258

GaPO₄, structural phase transformations, **149**, 180

Ho₂Cu_{6-x}P_{5-y}, crystal structure and (RE_{m+n})(Cu₂P₃)_m(Cu₄P₂)_n relationship to other rhombohedral rare earth copper phosphides, **151**, 150

LiZr₂(PO₄)₃, β' and β phases, order-disorder and mobility of Li⁺ in, neutron diffraction study, **152**, 340

metal phosphides (metal = Co,Ni,Cu), solvothermal synthesis, **149**, 88

MnPS₃, intercalation compound with 1,10-phenanthroline, synthesis, characterization, and magnetic properties, **150**, 281

Na_{2-x}Ag_xZnP₂O₇, Ag(I) luminescence in, **149**, 284

Na₄Co₃H₂(PO₄)₄·8H₂O, hydrothermal synthesis, crystal structure, and magnetic properties, **149**, 292

Na₂[(HO₃PCH₂)₃NH]1.5H₂O, synthesis and structure, **151**, 122

Na₃In(PO₄)₂, polymorphous modifications, structure, **149**, 99

Na_{3.64}Mg_{2.18}(P₂O₇)₂, crystal structure, **152**, 323

Na_{3.64}Ni_{2.18}(P₂O₇)₂, crystal structure, **152**, 323

Na_{1.5}Pb_{0.75}PSe₄ with cubic structure, flux synthesis and isostructural relationship to Na_{0.5}Pb_{1.75}GeS₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158

NaSb₃O₂(PO₄)₂, synthesis and structure, **151**, 21

Na₂ZnP₂O₇, crystal structure, **152**, 466

[N₂C₄H₁₂]Al₂(PO₄)(HPO₄)(C₂O₄)H₂O hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324

[NH₃CH₂CH(OH)CH₃]₃·Al₃P₄O₁₆, synthesis, racemic isopropanolamine as solvent and template for, **151**, 145

[NH₃CH₂CH(OH)CH₂NH₃][Co₂(PO₄)₂] and [NH₃CH₂CH(OH)CH₂NH₃][Co₂(HPO₄)₃], synthesis and crystal structure, **155**, 62

niobyl phosphates, intercalates with C₄ diols, preparation and characterization, **151**, 225

open-framework metal phosphates, preparation from amine phosphates and monomeric four-membered ring phosphate, **152**, 302

PbBi₆O₄(PO₄)₄, existence of, **154**, 435

Pb₅Bi₁₈P₄O₄₂, crystal structure, **151**, 181

PbVO₂PO₄, α-layered and β-tunnel structures, **149**, 149

PF₆⁻ counterion, role in anomalous spin crossover of mechanically strained Fe(II)-1,10-phenanthroline complexes, **153**, 82

(P₂O₇)⁴⁻, Mg-Al hydrocalcites exchanged with, properties, effects of guest-host interactions, **155**, 332

RP₅O₁₄ (R = La,Nd,Sm,Eu,Gd), crystal structures and magnetic properties, **150**, 377

Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), synthesis and structure, X-ray single crystal and neutron powder diffraction studies, **149**, 9

Sb₅PO₁₀, synthesis and structure, **155**, 451

SiP₂O₇, comparison with Na₂M₂(BO₃)₂O (M = Al,Ga), **154**, 344

γ-SrHPO₄, synthesis and crystal structure, **152**, 428

α-Ti(HPO₄)₂·H₂O, intercalation of heterocyclic amines into, structural and calorimetric study, **154**, 557

TlZn(PO₃)₃, structure and luminescence, **154**, 584

vanadyl phosphate intercalates

with acetone, structural analysis, **150**, 356

with C₄ diols, preparation and characterization, **151**, 225

(V^{IV}O)₂(H₂O){O₃P-(CH₂)₃-PO₃}·2H₂O, hydrothermal synthesis, structure, and magnetic behavior, **155**, 238

- (VO)₂P₂O₇, single crystal growth at 3 GPa, **153**, 124
 W₂O₃·P₂O₇ with empty tunnel structure, stabilization, **155**, 112
 Zn_(2-x)Co_x(HPO₄)₃·C₃N₂H₁₂ ($x \approx 0.05$) with 12 rings, synthesis and crystal structure, **149**, 107
 Zn₄(PO₄)₂(HPO₄)₂·0.5(C₁₀H₂₈N₄)·2H₂O, hydrothermal synthesis and crystal structure, **154**, 368
 ZrPOF-*n* family with 2D and 3D structure types, synthesis and crystal structures, **149**, 21
- Photoconductivity
 modulated, β -rhombohedral carbon of high purity and doped with carbon, **154**, 93
 steady-state interband, high-purity β -rhombohedral boron, **154**, 68
- Photoluminescence
 BaLiF₃ doped with Ce³⁺, **150**, 178
 CaIn₂O₄ phosphors activated by Pr, **155**, 441
 conjugated molecule doped in polymer, effect of excimer behavior, **153**, 192
 β -rhombohedral boron of high purity, **154**, 68
 ZnGa₂O₄ self-activated phosphors, systematic tuning by Cd²⁺ substitution, **150**, 204
- Piperazine
 (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄]·3H₂O and (C₄H₁₂N₂)[(VO)(VO₂)₂(H₂O)(PO₄)₂], hydrothermal synthesis and characterization, **154**, 514
 intercalation into α -titanium hydrogenphosphate, structural and calorimetric study, **154**, 557
- Piperazinium(2+) selenate monohydrate
 crystal structure, vibrational spectra, and thermal behavior, **150**, 305
- Piperidine
 intercalation into α -titanium hydrogenphosphate, structural and calorimetric study, **154**, 557
- Plasma vibrations
 metal hexaborides, **154**, 87
- Platinum
 Yb₂Pt₃Sn₅-type stannides, synthesis, structure, and magnetic measurements, **150**, 112
- Pnictides
 rare-earth-rich RE₃M₂X ($RE = Y, Gd, Tb, Dy, Ho, Er, Tm, Lu; M = Ni, Pd; X = Sb, Bi$), crystal structure and bonding, **152**, 478
- Point group symmetry
 in design of functional crystals, **152**, 191
- Polarity
 formation in organic supramolecular materials, **152**, 49
- Polycondensation
 [Mo₂S₂O₂]²⁺ molecular building block, **152**, 78
- Polycyclic aromatic molecules
 neutral molecular railroad coordination polymers incorporating, synthesis and crystal structure, **152**, 280
- Polymerization
 solid-state, sodium propynoate, induction by gamma radiation, **152**, 99
- Polymers
 coordination, *see* Coordination polymers
 three-coordinate boron-containing conjugated polymers, linear and nonlinear optical properties, **154**, 5
- Polyol media
 preparation of metallic powders and alloys in, thermodynamic approach, **154**, 405
- Polyoxometalates
 extended solids composed of, synthesis, structure, and physicochemical properties, **152**, 105
 solid preparation from [Mo₂S₂O₂]²⁺ molecular building block, **152**, 78
 synthon-based building blocks for control of growth of solid-state materials, **152**, 57
- Polyoxotungstates
 thermal decomposition, in preparation of tungsten bronzes, **149**, 378
- Polystyrene
 conjugated molecule doped in, photoluminescence and electroluminescence, effect of excimer behavior, **153**, 192
- Polythiometalates
 1-D coordination compounds, synthesis, structure, and electrical properties, **151**, 286
- Porphyrins
 microporous materials, construction, **152**, 87
- Potassium
 Cs₂KMnF₆, phase transition
 crystal structures of low- and high-temperature modifications, **150**, 399
 at high pressure, **153**, 248
 KMQ₂ ($M = Al, Ga; Q = Se, Te$) chalcogenides with stacking faults, synthesis and structure, **149**, 242
 KBi₂CuS₄, structure and conductivity, **155**, 243
 K₂CaNaTa₃O₁₀ Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 KCa₂Nb₃O₁₀ layered perovskite, crystal structure, **151**, 40
 K₂Ca₂Ta₂TiO₁₀·0.8H₂O Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 KCuF₃ and K₂CuF₄, extended magnetic solids, spin exchange interactions in, **151**, 96
 K₃Hg₁₁ and K₇Hg₃₁, synthesis and structure, **149**, 419
 K₂MnF₅·H₂O, neutron diffraction study, **150**, 104
 K_{0.3}MoO₃, interactions of sliding charge-density waves with phonons, **155**, 105
 K_{1.8}Mo₉S₁₁ and K₂Mo₉S₁₁, band structure, **155**, 124
 KNiF₃ and K₂NiF₄, extended magnetic solids, spin exchange interactions in, **151**, 96
 K_{7.62(1)}Si₄₆, synthesis and structure, **154**, 626
 K₂SrLaTi₂TaO₁₀·2H₂O Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 K₆(UO₂)₅(VO₄)₂O₅, synthesis and crystal structure, **155**, 342
 La(H₂O)₂K(C₂O₄)₂·H₂O, crystal structure and thermal behavior, **150**, 81
 Sr_{0.4}K_{0.6}BiO₃, structure determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
 Sr_{3.75}K_{1.75}Bi₃O₁₂, synthesis and characterization, **152**, 492
 ZrK(OH)₂(NO₃)₃, *ab initio* structure determination from X-ray powder diffraction, **149**, 167
- Powder neutron diffraction
 Ca_{4.78}Cu₆O_{11.60} crystal structure, **151**, 170
 ErBaSrCu_{3-x}(PO₄)_xO_y ($x = 0.0, 0.10, 0.20$), **150**, 188
 α -Fe₂O₃ substituted with Sn⁴⁺, Ti⁴⁺, and Mg²⁺, **151**, 157
 intermediate cubic phase crystallized from Synroc alkoxide precursor at 800 °C, **150**, 209
 K₂MnF₅·H₂O, **150**, 104
 LaCrO₃ structural phase transition, **154**, 524
 La₃Ni₂O₇: structural relationships among phases La_{n+1}Ni_nO_{3n+1} ($n = 1, 2, 3$), **152**, 517
 La₅Si₂BO₁₃, **155**, 389
 Li₂Ti₃O₇ H phase engineered scavenger compound, **152**, 546
 β' - and β -LiZr₂(PO₄)₃: order–disorder and mobility of Li⁺, **152**, 340
 Na₂Ti₂Sb₂O: structure–property relationships, **153**, 275
 Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), **149**, 9
 Ru pyrochlores undergoing metal–nonmetal transition, **151**, 25
 Sr₄Fe₂O₆CO₃, **152**, 374
 Sr₃Ru₂O₇: structural distortions, **154**, 361
 TlF, **150**, 266
 Tl_{0.75}Sr_{1.8}Ba_{0.2}CuO_y-derived superstructure, **155**, 22
 Tl(Ln₂Sr₂)Ni₂O₉ ($Ln = La, Pr, Nd, Sm, Eu, Gd$), **150**, 1

Powder X-ray diffraction

- $\text{Cu}_2\text{Gd}_{2/3}\text{S}_2$: interlayer short-range order of Gd vacancies, **152**, 332
 GaPO_4 structural phase transformations, **149**, 180
 $(\text{Hg},M)\text{Sr}_2(\text{Ln},\text{Ce})_2\text{Cu}_2\text{O}_z$ 1222-type superconductors, **154**, 488
intermediate cubic phase crystallized from Synroc alkoxide precursor at 800 °C, **150**, 209
 $\text{La}(\text{H}_2\text{O})_2M(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$ ($M = \text{K}, \text{NH}_4$): crystal structure and thermal behavior, **150**, 81
 $\text{La}_{1-x}\text{Sr}_x\text{Cr}_{1-x}\text{Ti}_x\text{O}_3$ perovskite series, **155**, 455
 Li_2S : reversible antifluorite to anticotunnite phase transition at high pressures, **154**, 603
 $\text{Li}_2\text{Ti}_3\text{O}_7$ H phase engineered scavenger compound, **152**, 546
 $\text{Mo}_{0.16}\text{Bi}_{0.84}\text{O}_{1.74}$ high-temperature cubic fluorite-type phase with 3D incommensurate modulation, **152**, 573
 $\text{Na}_{1-x}\text{Sr}_x\text{TaO}_3$ ($0 < x \leq 0.4$) with perovskite structure, **154**, 427
1,10-phenanthroline intercalation
into FePS_3 layered compound, **150**, 258
into MnPS_3 layered compound, **150**, 281
Ru pyrochlores undergoing metal–nonmetal transition, **151**, 25
 $\text{Sr}_{1.25}\text{Bi}_{0.75}\text{O}_3$ and $\text{Sr}_{0.4}\text{K}_{0.6}\text{BiO}_3$, structure determination as function of temperature, **150**, 316
 SrC_2 , **151**, 111
 $\text{Sr}_2\text{Fe}_2\text{O}_5$: structural phase transition under high pressure, **155**, 381
 $\text{Tl}_{0.75}\text{Sr}_{1.8}\text{Ba}_{0.2}\text{CuO}_y$ -derived superstructure, **155**, 22
 $\text{Tl}(\text{Ln}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$ ($\text{Ln} = \text{La}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}$), **150**, 1
vanadyl phosphate intercalated with acetone, **150**, 356
 RE_xWO_3 ($\text{RE} = \text{La}, \text{Nd}$) synthesized under high pressure, **154**, 466
 $\text{YB}_{6.6}$: effects of transition metal doping, **154**, 54
 $\text{ZrM}(\text{OH})_2(\text{NO}_3)_3$ ($M = \text{K}, \text{Rb}$), *ab initio* structure determination, **149**, 167
- Power factor
 β -rhombohedral boron doped with metal, **154**, 13
- Praseodymium
 $\text{BaPr}_2\text{MnS}_5$, crystal structure and magnetic properties, **153**, 330
 $\text{Bi}_{0.85}\text{Pr}_{0.105}\text{V}_{0.045}\text{O}_{1.545}$ ceramics, sintering and conductivity, effect of particle size, **155**, 273
 CaIn_2O_4 phosphors activated by, luminescence properties, **155**, 441
fluorite-type oxides containing, lattice oxygen transfer in, **155**, 129
 $\text{La}_{0.5}\text{Pr}_{0.5}\text{CrO}_3$, magnetization reversal, **155**, 447
 PrB_6 , floating zone growth and high-temperature hardness, **154**, 238
 $\text{Pr}_{1-x}\text{Ba}_x\text{CoO}_3$ perovskite, magnetic order, magnetic circular dichroism spectroscopic study, **152**, 577
 $\text{Pr}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$, Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
 PrCo_4B , magnetic properties, **154**, 242
 Pr_2CuO_4 , pressure-induced phase transitions, **151**, 231
 $\text{Pr}_5\text{Mo}_3\text{O}_{5.4}$, with *trans*-capped Mo_8 octahedral clusters and Mo_7 – Mo_{10} – Mo_7 triclusters, synthesis, structure, and properties, **152**, 403
 $\text{Pr}_{1-x}\text{Nd}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_5[\text{Re}_6\text{X}_8(\text{CN})_6] \cdot \text{H}_2\text{O}$ ($X = \text{S}, \text{Se}$; $M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_4[\text{Re}_6\text{S}_8(\text{CN})_6]$ ($M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 $\text{Pr}_2\text{NiB}_{10}$, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 PrNiIn_2 , synthesis and crystal structure, **152**, 560
 PrNiO_3 polycrystalline compounds prepared via different precursors, properties, **151**, 298
 $\text{Pr}_2\text{NiO}_{4+\delta}$, oxygen exchange at high temperature and formation of $\text{Pr}_4\text{Ni}_3\text{O}_{10-x}$, **153**, 381
 Pr_2O_3 , redox reaction in ZnO sintered ceramics, **149**, 349
 Pr_2O_3 –Co– Co_2O_3 system, thermogravimetric study at 1100 and 1150 °C, **151**, 12

- PrPdGe , order of Pd and Ge atoms in, **154**, 329
 PrRhIn , synthesis and properties, **152**, 560
 $\text{Pr}_2\text{Ru}_2\text{O}_7$ pyrochlores, specific heat and ac susceptibility, **152**, 441
 $\text{Pr}_{1-x}\text{Sm}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $\text{Pr}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$, structure and magnetism, **150**, 233
 $\text{Pr}_{2/3}\text{TiO}_3$, synthesis and magnetic properties, **149**, 354
 $\text{Tl}(\text{Pr}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$, synthesis and structure, **150**, 1
 ZrSiO_4 doped with, hyperfine characterization, **150**, 14
- Precipitation
CdSe cubic nanocrystals in aqueous solution at room temperature, **151**, 241
- Pressure effects
 Cs_2CoCl_4 and Cs_2CuCl_4 , X-ray diffraction studies, **153**, 212
phase transitions
 LaBaCuGaO_5 under high pressure, **155**, 372
 $\text{Ln}_{2-x}\text{Nd}_x\text{CuO}_4$ for $\text{Ln} = \text{La}$ ($0.6 \leq x \leq 2$) and $\text{Ln} = \text{Pr}$ ($x = 0$), **151**, 231
 $\text{Sr}_2\text{Fe}_2\text{O}_5$ under high pressure, **155**, 381
TlF crystal structure, **150**, 266
- Proceedings of the 13th International Symposium on Boron, Borides, and Related Compounds, preface, **154**, 1
- Proton exchange
Ruddlesden–Popper tantalates and titanotantalates, **155**, 46
p-type thermoelectric
 $\text{Ba}_8\text{Ga}_{16}(\text{GaSb})_x\text{Ge}_{30-2x}$ ($x = 2$), synthesis and characterization, **151**, 61
- Pulsed laser deposition
boron–silicon thin film preparation, **154**, 141
- Pyrazine
intercalation into α -titanium hydrogenphosphate, structural and calorimetric study, **154**, 557
- Pyrazoledicarboxylate
 $^3[\text{Cd}(\text{pdc}(\text{H}_2\text{O}))]$ and $^3[\text{Cd}_3(\text{pdc})_2(\text{H}_2\text{O})_2]$, synthesis, structures, and properties, **152**, 236
- Pyrochlores
 $\text{Bi}_2\text{Pb}_2\text{O}_7$, hydrothermal synthesis and characterization, **149**, 314
 $\text{CaNdFe}_{1/2}\text{Nb}_{3/2}\text{O}_7$, synthesis, crystal structure, Mössbauer spectrum, and magnetic susceptibility, **154**, 483
 In_2O_3 – M_2O_3 ($M = \text{Y}, \text{Sc}$) solid solutions doped with Sn, electrical, optical, and structural properties, **153**, 41
rare-earth oxides, structural determination by wide-angle CBED, comparison with atomistic computer simulation, **153**, 16
Ru pyrochlores
metal–nonmetal transition in, structural studies, **151**, 25
 $\text{R}_2\text{Ru}_2\text{O}_7$ ($R = \text{rare earths}$), specific heat and ac susceptibility, **152**, 441
 $\text{Tl}_2\text{Nb}_2\text{O}_{6+x}$, structure and properties, **155**, 225
- Pyrophosphate
Mg–Al hydroxalicates exchanged with, properties, effects of guest–host interactions, **155**, 332

Q

- Quasicrystals
 B_{96} isomers, *ab initio* study, **154**, 269

R

- Raman spectroscopy
 $\text{BaCe}_x\text{Zr}_{1-x}\text{O}_3$ ($0 \leq x \leq 1$) mixed perovskites, high-pressure study, **149**, 298
 $\text{Ba}_8\text{Al}_3\text{C}_2$, phonon spectra and frequencies, **154**, 75
N-benzyl piperidinium dihydrogenmonophosphate, **155**, 298
 $\text{CaCu}(\text{HCOO})_4$ and $\text{Ca}_2\text{Cu}(\text{HCOO})_6$ crystals, temperature-dependent study, **154**, 338

- $\text{Cs}_2\text{CuP}_3\text{S}_9$, chiral compound with chiral screw helices, **151**, 326
 N,N' -dimethylpiperazinium(2+) selenate dihydrate, **150**, 305
 LiH_5TeO_6 , **150**, 410
 $\text{LiIn}(\text{MoO}_4)_2$, **154**, 498
 Li_2S : reversible antifluorite to anticotunnite phase transition at high pressures, **154**, 603
 piperazinium(2+) selenate monohydrate, **150**, 305
 polarized, $\text{Ca}_6\text{Sm}_2\text{Na}_2(\text{PO}_4)_6\text{F}_2$, **149**, 308
 seven-coordinated diaquasuccinatocadmium(II) bidimensional polymer, **153**, 1
 $\text{Sr}(\text{OH})\text{Br}$, analysis of hydroxide ion disorder, **151**, 267
 ZrO_2 nanocrystals: crystallite size effect on tetragonal-monoclinic transition, **149**, 399
- Ramsdellite**
 LiTi_2O_4 , formation from spinel, Li site occupancy in, NMR study, **152**, 397
 $\text{Li}_{2+x}\text{Ti}_3\text{O}_7$ obtained electrochemically, structural study, **153**, 132
- Redox properties**
 coordination polymers with 4,4'-dipyridyldisulfide, **152**, 113
 $\text{Pr}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$, **150**, 233
 transition metal ions of group VIB in rutile TiO_2 solid solutions, XRD and EPR study, **152**, 412
- Redox reaction**
 Pr_2O_3 in ZnO sintered ceramics, **149**, 349
- Reduction**
 Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, **152**, 526
 WO_3 by CH_4 – H_2 mixture, **154**, 412
- Relaxor ferroelectrics**
 formation via mechanically activated nucleation and growth, **154**, 321
- Resorcin[4]arenes**
 based on cavity-containing materials, design strategies, **152**, 199
- Rhenium**
 $(\text{Hg},\text{Re})\text{Sr}_2(\text{Ln},\text{Ce})_2\text{Cu}_2\text{O}_z$ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 $\text{La}_5\text{Re}_3\text{MnO}_{16}$, synthesis, structure, and magnetic behavior, **151**, 31
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_5[\text{Re}_6X_8(\text{CN})_6] \cdot \text{H}_2\text{O}$ ($X = \text{S},\text{Se}$; $M = \text{Mn},\text{Ni}$), synthesis and structure, **153**, 195
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_4[\text{Re}_6\text{S}_8(\text{CN})_6]$ ($M = \text{Mn},\text{Ni}$), synthesis and structure, **153**, 195
 $\text{Sr}_{11}\text{Re}_4\text{O}_{24}$ double oxide, preparation, structure, and magnetic studies, **149**, 49
- Rhenium chalcocyanide clusters**
 transformation of isolated fragments to infinite chains, **153**, 195
- Rhodium**
 Ca–Rh–O system, chemical potential and Gibbs energy of formation measurements, solid state cells with buffer electrodes for, **150**, 213
 PrRhIn , synthesis and properties, **152**, 560
 Rh(II) monocarboxylate, microporous material, synthesis and gas occlusion properties, **152**, 120
 $\text{Ti}_3\text{Rh}_2\text{In}_3$, structure, chemical bonding, and properties, **150**, 19
- Rubidium**
 $\text{Rb}_5\text{Au}_3\text{O}_2$ and $\text{Rb}_7\text{Au}_5\text{O}_2$, syntheses, structures, and properties, **155**, 29
 $\text{Rb}_3\text{Bi}_3\text{Cu}_2\text{S}_{10}$, structure and conductivity, **155**, 243
 $\text{Rb}_2[\text{B}_4\text{O}_5(\text{OH})_4] \cdot 3.6\text{H}_2\text{O}$, crystal structure and thermal behavior, **149**, 197
 $\text{RbLn}_2\text{CuSe}_4$ ($\text{Ln} = \text{Sm},\text{Gd},\text{Dy}$), synthesis and structures, **151**, 317
 $\text{Rb}_{1.5}\text{Ln}_2\text{Cu}_{2.5}\text{Se}_5$ ($\text{Ln} = \text{Gd},\text{Dy}$), synthesis and structure, **151**, 317
 $\text{Rb}_7\text{Hg}_{20}$ and $\text{Rb}_7\text{Hg}_{31}$, synthesis and structure, **149**, 419
 $\text{Rb}_2(\text{HSO}_4)(\text{H}_2\text{PO}_4)$ and $\text{Rb}_4(\text{HSO}_4)_3(\text{H}_2\text{PO}_4)$, synthesis and structure, X-ray single crystal and neutron powder diffraction studies, **149**, 9
 $\text{Rb}_2\text{Mo}_9\text{S}_{11}$, band structure, **155**, 124
 $\text{Rb}_{2n}(\text{Mo}_9\text{S}_{11})(\text{Mo}_{6n}\text{S}_{6n+2})$ ($n = 1$ to 4), superconducting cluster compounds, synthesis, structure, and theoretical studies, **155**, 417
- $\text{Rb}_8\text{Na}_{16}\text{Ge}_{136}$ and $\text{Rb}_8\text{Na}_{16}\text{Si}_{136}$ clathrates, synthesis and characterization, **153**, 92
 $\text{Rb}_2\text{Sb}_8\text{S}_{13} \cdot 3.3\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **155**, 409
 $\text{Rb}_{6.15(2)}\text{Si}_{46}$, synthesis and structure, **154**, 626
 $\text{RbSm}_2\text{Ag}_3\text{Se}_5$, synthesis and structure, **151**, 317
 $\text{ZrRb}(\text{OH})_2(\text{NO}_3)_3$, *ab initio* structure determination from X-ray powder diffraction, **149**, 167
- Ruddlesden–Popper phases**
 $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ ($n = 1,2,3$), structural relationships among phases, neutron diffraction study, **152**, 517
 $\text{Nd}_4\text{MO}_{10}$ ($M = \text{Co},\text{Ni}$), crystal structure and properties, **151**, 46
 $\text{Sr}_4\text{Fe}_2\text{O}_6\text{CO}_3$, synthesis, crystal structure, and magnetic order, **152**, 374
 $\text{Sr}_4\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1,1.5,2$), properties, **155**, 96
 tantalates and titanotantalates, synthesis, proton exchange, and topochemical dehydration, **155**, 46
- Ruthenium**
 BaLaMRuO_6 ($M = \text{Mg},\text{Zn}$), atomic and magnetic long-range ordering in, **150**, 383
 BaRuO_3 , bond valence analysis, **151**, 245
 $\text{Ba}_4\text{Ru}_3\text{O}_{10}$, crystal structure and compressibility, **149**, 137
 $\text{Ca}_{3.1}\text{Cu}_{0.9}\text{RuO}_6$, synthesis, structural chemistry, and magnetic properties, **153**, 254
 ferromagnetism and metallicity induced by, in Mn(IV)-rich $\text{Ln}_{0.4}\text{Ca}_{0.6}\text{MnO}_3$ ($\text{Ln} = \text{La},\text{Pr},\text{Nd},\text{Sm}$), **151**, 330
 $\text{La}_{4.87}\text{Ru}_2\text{O}_{12}$ and $\text{La}_7\text{Ru}_3\text{O}_{18}$, geometric frustration in, **155**, 189
 Ru dicarboxylates, microporous materials, synthesis and gas occlusion properties, **152**, 120
 Ru pyrochlores
 metal–nonmetal transition in, structural studies, **151**, 25
 $\text{R}_2\text{Ru}_2\text{O}_7$ ($R = \text{rare earths}$), specific heat and ac susceptibility, **152**, 441
 $\text{Sm}_{0.2}\text{Ca}_{0.8}\text{MnO}_3$ doped with, micronanostructures, correlation with magnetic transitions, **155**, 15
 $\text{Sr}_3\text{Ru}_2\text{O}_7$, structural distortions, neutron diffraction study, **154**, 361
- Rutile**
 FeOF , oxygen/fluorine ordering in, electron diffraction and crystal chemical studies, **155**, 359
 Ge-substituted SnO_2 , sol–gel synthesis and characterization, **154**, 579
 solid solutions, redox behavior of VIB transition metal ions in, XRD and EPR study, **152**, 412

- Samarium**
 $\text{Ba}_4\text{Sm}_2\text{Cd}_3\text{S}_{10}$, synthesis and structure, **149**, 384
 $\text{BaSm}_4(\text{SiO}_4)_3\text{Se}$, crystal structure, **155**, 433
 $\text{Ba}_{1-x}\text{Sm}_x\text{SO}_4$, Sm^{2+} crystal chemistry and stability in, **154**, 535
 $\text{Ca}_6\text{Sm}_2\text{Na}_2(\text{PO}_4)_6\text{F}_2$, crystal structure and polarized Raman spectra, **149**, 308
 $\text{Ca}_2\text{Ta}_2\text{O}_7$ – $\text{Sm}_2\text{Ti}_2\text{O}_7$ system, syntheses in, structures, and crystal chemistry, **150**, 167
 $\text{Ce}_{1-x}\text{Sm}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $(\text{Hg},\text{M})\text{Sr}_2(\text{Sm},\text{Ce})_2\text{Cu}_2\text{O}_z$ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 $\text{La}_{1-x}\text{Sm}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $\text{Pr}_{1-x}\text{Sm}_x\text{TiO}_3$ ($0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
 $\text{RbSm}_2\text{Ag}_3\text{Se}_5$, synthesis and structure, **151**, 317
 $\text{RbSm}_2\text{CuSe}_4$, synthesis and structures, **151**, 317
 site preference in hydroxyapatite $[\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2]$, **149**, 391
 SmB_6 , floating zone growth and high-temperature hardness, **154**, 238

- SmB₆ and Sm_{0.8}B₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
- Sm_{0.2}Ca_{0.8}MnO₃ doped with Ru, micronanostructures, correlation with magnetic transitions, **155**, 15
- Sm_{0.4}Ca_{0.6}MnO₃, Mn(IV)-rich, Ru-induced ferromagnetism and metallicity, **151**, 330
- SmCo₄B, magnetic properties, **154**, 242
- SmCu₃Ti₃FeO₁₂, dielectric constant, **151**, 323
- Sm_{2/3}Cu₃Ti₄O₁₂, dielectric constant, **151**, 323
- Sm_(1-x)Gd_xTiO₃, magnetism, **154**, 619
- Sm₂NiB₁₀, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
- SmNi_{1-x}Co_xO₃, structure, relationship to physical properties, **150**, 145
- SmNiIn₂, synthesis and crystal structure, **152**, 560
- SmNiO₃ polycrystalline compounds prepared via different precursors, properties, **151**, 298
- SmPdGe, order of Pd and Ge atoms in, **154**, 329
- SmP₅O₁₄, crystal structure and magnetic properties, **150**, 377
- Sm₂Ru₂O₇ pyrochlores, specific heat and ac susceptibility, **152**, 441
- Sm₂(SiO₄)Te, monoclinic and orthorhombic crystals, structure, **155**, 433
- SmSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- Sm_{1/3}Sr_{2/3}FeO_{3-δ}, charge ordering and magnetotransport transitions, **153**, 140
- Sm_{1-x}Ti_xO₃ perovskites, metal-insulator phenomena, **155**, 177
- Sm₇VO₄Se₈, synthesis and characterization, **154**, 564
- Sr_{1-x}Sm_xSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- Tl(Sm₂Sr₂)Ni₂O₉, synthesis and structure, **150**, 1
- Scale chemistry
with building units, **152**, 37
- Scandium
In₂O₃-Sc₂O₃ solid solutions doped with Sn, electrical, optical, and structural properties, **153**, 41
- Sc₂AlB₆, crystal growth and structure, **154**, 49
- ScB_{1.7}C_{0.25}, single-crystal XRD and TEM study, **154**, 130
- ScO₃B₄, channel structure, **154**, 232
- Scanning electron microscopy
InSn oxide powders, **154**, 444
- Scanning tunneling microscopy
[(Pb,Sb)S]_{2.28}NbS₂ Franckeite-type misfit compounds: distribution of Pb and Sb atoms in (Pb,Sb)S layers, **149**, 370
- Schiff base ligands
derived from 5-nitrosalicylaldehyde and diamines, mechanochemical reaction with polymeric oxovanadium(IV) complexes, **153**, 9
- rigid or flexible, and Co(NCS)₂ · xH₂O, inorganic-organic coordination polymers generated from, **155**, 143
- Seebeck coefficient
NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, **155**, 216
- β-rhombohedral boron doped with metal, **154**, 13
- YB₄₁Si_{1.2}, **154**, 229
- Selected area electron diffraction
Bi₂O₃-MoO₃ system: compounds with structure based on [Bi₁₂O₁₄]_∞ columns, **149**, 276
- Selenium
Ag₈SnSe₆ chalcogenides, synthesis and characterization, **149**, 338
- Ba₄Nd₂Cd₃Se₁₀, synthesis and structure, **149**, 384
- BaSm₄(SiO₄)₃Se, crystal structure, **155**, 433
- BiSeO₃Cl, crystal structure and dielectric and nonlinear optical properties, **149**, 236
- CdAl₂Se₄, zone center frequencies in tetragonal phase, **153**, 317
- CdCr₂Se₄ spinels, electronic band structure, **155**, 198
- CdSe cubic nanocrystals, room-temperature synthesis in aqueous solution, **151**, 241
- Co_{0.844}Se nanocrystals, synthesis in nonaqueous solvent, **152**, 537
- GeSe₂ three-dimensional crystals, structural transformations at high pressures and temperatures, **150**, 121
- Hg₃Se₂I₂, synthesis and crystal structure, **151**, 73
- KMSe₂ (M = Al,Ga) chalcogenides with stacking faults, synthesis and structure, **149**, 242
- mesostructured 3D materials based on [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
- Na_{1.5}Pb_{0.75}PSe₄ with cubic structure, flux synthesis and isostructural relationship to Na_{0.5}Pb_{1.75}GeS₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158
- Ni_yMo₆Se_{8-x}S_x solid solution, single crystal structural study, **155**, 250
- NiTa₂Se₇, with incommensurately modulated low-temperature structure, independent \bar{q} and $2\bar{q}$ distortions in, **153**, 152
- (Pr₄N)₂M(H₂O)₅[Re₆Se₈(CN)₆] · H₂O (M = Mn,Ni), synthesis and structure, **153**, 195
- RbLn₂CuSe₄ (Ln = Sm,Gd,Dy), Rb_{1.5}Ln₂Cu_{2.5}Se₅ (Ln = Gd,Dy), and RbSm₂Ag₃Se₅, synthesis and structures, **151**, 317
- Sr₄Cu₂Mn₃O_{7.5}Se₂, synthesis and structure, **153**, 26
- TlCo_{2-x}Cu_xSe₂ (x ~ 1) system, incommensurate Cu/Co ordering in, **151**, 260
- Ln₇VO₄Se₈ (Ln = Nd,Sm,Gd), synthesis and characterization, **154**, 564
- Semiconductors
mesostructured 3D materials based on [Ge₄Si₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
- p-type, CeVO₄ with zircon-type structure prepared by solid-state reaction in air, **153**, 174
- sensitization by microcrystals of MgIn₂S₄ on wide bandgap MgIn₂O₄, **154**, 476
- Shear compliance
TaS₃, **155**, 105
- Silicate
exchange with nitrate in hydrotalcite, effect of Mg:Al ratio, **151**, 272
- Silicon
Ba₃Si₂, synthesis, structure, and properties, **152**, 460
- BaSm₄(SiO₄)₃Se, crystal structure, **155**, 433
- borosilicates, crystallization and structural characteristics, **154**, 312
- B-Si thin film, preparation by pulsed laser deposition and properties, **154**, 141
- CaAl₁₂Si₄O₂₇ high-pressure phase with Al₆O₁₉ clusters, synthesis and structure, **153**, 391
- Cs₈Na₁₆Si₁₃₆ clathrate, synthesis and characterization, **153**, 92
- Cu₄Nb₅Si₄, bonding analysis, **154**, 384
- K_{7.62(1)}Si₄₆, synthesis and structure, **154**, 626
- La₃Al_{0.44}Si_{0.93}S₇, crystal structure, **155**, 433
- La₃BSi₂O₁₀, crystallization and structural characteristics, **154**, 312
- La₂Si₂BO₁₃, synthesis and neutron diffraction study, **155**, 389
- Mg₂Si, Li insertion into, reaction mechanism, **153**, 386
- Rb₈Na₁₆Si₁₃₆ clathrate, synthesis and characterization, **153**, 92
- Rb_{6.15(2)}Si₄₆, synthesis and structure, **154**, 626
- SiO₂, lamellar silica synthesized by neutral amine route, structure and thermal stability, effect of addition of divalent transition metal chlorides, **149**, 113
- Ln₂(SiO₄)Te (Ln = Nd,Sm), monoclinic and orthorhombic crystals, structure, **155**, 433
- SiP₂O₇, comparison with Na₂M₂(BO₃)₂O (M = Al,Ga), **154**, 344
- Sr_{0.93}(Si_xNb_{1-x})Nb₁₀O₁₉ (x = 0.87), synthesis, crystal structure, and physical properties, **152**, 540
- TbB₄₁Si_{1.2}, specific heat, **154**, 223
- YB₄₁Si_{1.2}, transport phenomena, **154**, 229
- Y₂Si₂O₇, phase transformations in gel- and mixed-powder-derived polymorphs, X-ray diffraction and ²⁹Si MAS NMR studies, **149**, 16
- ZrSiO₄, pure and doped, hyperfine characterization, **150**, 14

- Silver
- Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzotrile, synthesis and structure of molecular and extended complexes, **152**, 247
- Ag(I) in $\text{Na}_{2-x}\text{Ag}_x\text{ZnP}_2\text{O}_7$, luminescence properties, **149**, 284
- $\text{Ag}_2\text{NbTi}_3\text{P}_6\text{S}_{25}$, crystal structure, **153**, 55
- Ag_8SnE_6 ($E = \text{S, Se}$) chalcogenides, synthesis and characterization, **149**, 338
- Ag(TCNQ) and Ag(TCNQF₄) crystalline polymers, structures and magnetic properties, **152**, 159
- $\text{AgTi}_2(\text{PS}_4)_3$, crystal structure and ionic conductivity, **153**, 55
- incorporation into $\text{Ba}_4\text{Er}_2\text{Cu}_7\text{O}_{15-\delta}$, structural effects, **150**, 228
- $\text{Na}_{2-x}\text{Ag}_x\text{ZnP}_2\text{O}_7$, Ag(I) luminescence in, **149**, 284
- polymeric Ag(I)-hexamethylenetetramine complexes, structure and topological diversity, **152**, 211
- $\text{RbSm}_2\text{Ag}_3\text{Se}_5$, synthesis and structure, **151**, 317
- $\{[\text{W}_4\text{Ag}_6\text{S}_{16}] \cdot [\text{Ca}(\text{DEAC})_6]\}_m$, **151**, 286
- $\{[\text{W}_2\text{Ag}_2\text{S}_8] \cdot [\text{Zn}(4,4'\text{-bipy})_2(\text{DMF})_2(\text{DMSO})_2]\}_m$, **151**, 286
- $\{[\text{W}_2\text{Ag}_2\text{S}_8] \cdot [\text{Zn}(4,4'\text{-bipy})_2(\text{DMSO})_4] \cdot (\text{DMSO})\}_m$, **151**, 286
- Sintering
- additive free hydrothermally derived indium tin oxide powders in air, **154**, 444
- $\text{Bi}_{0.85}\text{Pr}_{0.105}\text{V}_{0.045}\text{O}_{1.545}$ ceramics, effect of particle size, **155**, 273
- boron and boron carbide, **154**, 194
- Sodium
- $\text{Ca}_6\text{Sm}_2\text{Na}_2(\text{PO}_4)_6\text{F}_2$, crystal structure and polarized Raman spectra, **149**, 308
- $\text{Cs}_8\text{Na}_{16}\text{Ge}_{136}$ and $\text{Cs}_8\text{Na}_{16}\text{Si}_{136}$ clathrates, synthesis and characterization, **153**, 92
- hydrated sodium vanadium bronze, synthesis, **149**, 443
- $\text{K}_2\text{CaNaTa}_3\text{O}_{10}$ Ruddlesden-Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
- $\text{Na}_{2-x}\text{Ag}_x\text{ZnP}_2\text{O}_7$, Ag(I) luminescence in, **149**, 284
- $\text{Na}_2M_2(\text{BO}_3)_2\text{O}$ ($M = \text{Al, Ga}$), crystal structure, comparison with other layered oxyborates and SiP_2O_7 , **154**, 344
- $\text{Na}_3[\text{B}_6\text{O}_9(\text{VO}_4)]$, synthesis and crystal structure, **150**, 342
- $\text{Na}_4\text{Co}_3\text{H}_2(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$, hydrothermal synthesis, crystal structure, and magnetic properties, **149**, 292
- $\text{Na}_2[(\text{HO}_3\text{PCH}_2)_3\text{NH}]1.5\text{H}_2\text{O}$, synthesis and structure, **151**, 122
- $\text{Na}_3\text{In}(\text{PO}_4)_2$, polymorphous modifications, structure, **149**, 99
- $\text{Na}_{3.64}\text{Mg}_{2.18}(\text{P}_2\text{O}_7)_2$, crystal structure, **152**, 323
- $\text{Na}_{3.64}\text{Ni}_{2.18}(\text{P}_2\text{O}_7)_2$, crystal structure, **152**, 323
- $\text{Na}_2\text{O}-\text{B}_2\text{O}_3$ glass system, phase separation in, NMR study, **149**, 459
- $\text{Na}(\text{O}_2\text{CC}\equiv\text{CH})$, structure and γ -ray-induced solid-state polymerization: effect of bilayer formation on solid-state reactivity, **152**, 99
- $\text{Na}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$ with cubic structure, flux synthesis and isostructural relationship to $\text{Na}_{1.5}\text{Pb}_{0.75}\text{PSe}_4$ and $\text{Li}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$, **153**, 158
- $\text{Na}_{1.5}\text{Pb}_{0.75}\text{PSe}_4$ with cubic structure, flux synthesis and isostructural relationship to $\text{Na}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$ and $\text{Li}_{0.5}\text{Pb}_{1.75}\text{GeS}_4$, **153**, 158
- $\text{NaSb}_3\text{O}_2(\text{PO}_4)_2$, synthesis and structure, **151**, 21
- Na_2SO_4 , conductivity enhancement, review and current developments, **155**, 154
- $\text{Na}_2\text{SO}_4-\text{Al}_2\text{O}_3$ composite electrolytes, ionic conductivity, mechanism and role of preparatory parameters, **153**, 287
- $\text{Na}_{1-x}\text{Sr}_x\text{TaO}_3$ ($0 < x \leq 0.4$) with perovskite structure, X-ray powder and electron diffraction study, **154**, 427
- $\text{Na}_2\text{Ti}_2\text{Sb}_2\text{O}$, powder neutron diffraction: structure-property relationships, **153**, 275
- $\text{Na}_6(\text{UO}_2)_5(\text{VO}_4)_2\text{O}_5$, synthesis and crystal structure, **155**, 342
- $\text{Na}_x\text{W}_{18}\text{O}_{49}$, sodium ordering in, **151**, 220
- $\text{Na}_2\text{ZnP}_2\text{O}_7$, crystal structure, **152**, 466
- $\text{Rb}_8\text{Na}_{16}\text{Ge}_{136}$ and $\text{Rb}_8\text{Na}_{16}\text{Si}_{136}$ clathrates, synthesis and characterization, **153**, 92
- $\text{Sr}_{3.1}\text{Na}_{2.9}\text{Bi}_3\text{O}_{12}$, synthesis and characterization, **152**, 492
- Sodium propynoate
- structure and γ -ray-induced solid-state polymerization: effect of bilayer formation on solid-state reactivity, **152**, 99
- Sol-gel synthesis
- Ge-substituted SnO_2 , **154**, 579
- NiCo_2O_4 prepared by, XRD, XANES, EXAFS, and XPS study, **153**, 74
- LnNiO_3 ($\text{Ln} = \text{Pr, Nd, Sm}$) polycrystalline compounds, **151**, 298
- SiO_2 , lamellar, by neutral amine route, effect of addition of divalent transition metal chlorides, **149**, 113
- Solid solutions
- $\text{Ba}_{0.93}\text{Sr}_{0.07}\text{MnS}_2$, magnetic properties, **155**, 305
- $\text{Bi}_{1-y}\text{La}_y\text{O}_{1.5}$, monoclinic, identification and structural relationship to rhombohedral Bi-Sr-O type, **151**, 281
- $\text{Bi}_{4-x}\text{La}_x\text{Ti}_3\text{O}_{12}$ ($x = 1, 2$) and $\text{Bi}_{2-x}\text{Sr}_{2+x}\text{Ti}_{1-x}\text{Nb}_{2+x}\text{O}_{12}$ ($0 < x < 0.8$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
- $\text{In}_2\text{O}_3-M_2\text{O}_3$ ($M = \text{Y, Sc}$) doped with Sn, electrical, optical, and structural properties, **153**, 41
- $\text{La}_{0.5+x}\text{Li}_{0.5-3x}\text{Ti}_{1-3y}\text{Cr}_{3y}\text{O}_3$, crystal chemistry and conductivity, **155**, 280
- metastable hexagonal vanadium molybdate, properties and limits, **152**, 353
- $\text{MO}-\text{M}'\text{O}$, mixing properties, semi-empirical and *ab initio* calculations, **153**, 357
- $\text{Ni}_y\text{Mo}_6\text{Se}_{8-x}\text{S}_x$, single crystal structural study, **155**, 250
- nonideal, thermodynamic properties, evaluation by molecular dynamics method, **153**, 118
- rutile TiO_2 , redox properties of VIB transition metal ions in, XRD and EPR study, **152**, 412
- series between $\beta\text{-Fe}_2(\text{PO}_4)\text{O}$ and $\text{Fe}_4(\text{PO}_4)_3(\text{OH})_3$, synthesis and phase characterization, **153**, 237
- $\text{M}_{1-x}\text{Sm}_x\text{SO}_4$ ($M = \text{Ba, Sr}$), Sm^{2+} crystal chemistry and stability in, **154**, 535
- $\text{Ln}_{1-x}\text{Ln}'_x\text{TiO}_3$ (Ln and $\text{Ln}' = \text{La-Sm}$; $0 \leq x \leq 1$), magnetic properties, **153**, 145
- $(\text{Y, RE})\text{Al}_3(\text{BO}_3)_4$ ($\text{RE} = \text{Nd, Gd, Ho, Yb, Lu}$), crystal growth and characterization, **154**, 317
- Solvent equation of state
- near critical point for electron transfer reactions, spin-exchange term in, **151**, 102
- Solvothermal synthesis
- Ag_8SnE_6 ($E = \text{S, Se}$) chalcogenides, **149**, 338
- $\text{Co}_{0.844}\text{Se}$ nanocrystals in nonaqueous solvent, **152**, 537
- Cu_2SnS_3 nanocrystals, **153**, 170
- metal phosphides (metal = Co, Ni, Cu), **149**, 88
- γ -NiSb nanocrystals at low temperature, **155**, 42
- pillared 3D Mn(II) coordination network with rectangular channels, **152**, 152
- $\text{Zn}_{(2-x)}\text{Co}_x(\text{HPO}_4)_3 \cdot \text{C}_3\text{N}_2\text{H}_{12}$ ($x \cong 0.05$) with 12 rings, **149**, 107
- Sonochemistry
- synthesis of HgS and PbS nanoparticles, **153**, 342
- Space group symmetry
- in design of functional crystals, **152**, 191
- Specific heat
- B_{12}P_2 wafers, **154**, 33
- $\text{Nd}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
- rare-earth hexaborides, **154**, 275
- $\text{R}_2\text{Ru}_2\text{O}_7$ ($R = \text{rare earths}$) pyrochlores, **152**, 441
- $\text{Sm}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
- $\text{TbB}_{4.1}\text{Si}_{1.2}$, **154**, 223
- Spin crossover
- in Fe(II)-1,10-phenanthroline complexes, anomalies associated with mechanical strain, role of NCS^- and PF_6^- counterions, **153**, 82

- Spin dimer analysis
spin exchange interactions of AV_4O_9 ($A = \text{Ca, Sr, Cs}_2, \text{NH}_2(\text{CH}_2)_4\text{NH}_2$), **153**, 263
- Spinels
CdCr₂S₄ and CdCr₂Se₄, electronic band structure, **155**, 198
(Cd_{1-x}Mn_x)Mn₂O₄, synthesis, stoichiometry, and electrical transport properties, **153**, 231
Co–Cu–Mg–Zn–Cr mixed oxides, synthesis and properties, **152**, 526
Li–Mn–Fe–O, Li ion distribution in, computer modeling, **153**, 310
LiMn₂O₄-based
Ni-stabilized, electrochemical insertion properties of, effects of partial acid delithiation, **150**, 196
origin of 3.3 V and 4.5 V steps, TEM studies of, **155**, 394
LiTi₂O₄, change to ramsdellite, Li site occupancy in, NMR study, **152**, 397
- Spin exchange
in extended magnetic solids KCuF₃, K₂CuF₄, KNiF₃, K₂NiF₄, La₂CuO₄, and Nd₂CuO₄, **151**, 96
spin-exchange term in solvent equation of state near critical point for electron transfer reactions, **151**, 102
AV₄O₉ ($A = \text{Ca, Sr, Cs}_2, \text{NH}_2(\text{CH}_2)_4\text{NH}_2$), spin dimer analysis, **153**, 263
- Spin-glass behavior
SmNi_{1-x}Co_xO₃, **150**, 145
- Split atom model
LuFeO₃(ZnO)_m, **150**, 96
- Spray pyrolysis
magnetic iron oxide/mullite nanocomposite preparation, **155**, 458
- Sputtered neutral mass spectrometry
cation loss from BaCa_{0.393}Nb_{0.606}O_{2.91} in aqueous media leading to amorphization at room temperature, **149**, 262
- Stacking fault
KM₂Q₂ ($M = \text{Al, Ga}$; $Q = \text{Se, Te}$) chalcogenides with, synthesis and structure, **149**, 242
- Stacking interactions
aryl, structural mimicry by polymorphous one-dimensional tetrapyrrolyl-porphyrin coordination polymers, **152**, 253
in ladder-like Cu(II) coordination polymers, **152**, 183
- Strontium
AlSr₂YCu₂O₇, crystal growth and structure, **149**, 256
Ba_{0.93}Sr_{0.07}MnS₂, magnetic properties, **155**, 305
1201 Bi_{0.4}Sr_{2.6}MnO_{5-δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6-δ} with 1:1 Bi–Sr ordering, synthesis and characterization, **151**, 210
Bi_{2-x}Sr_{2+x}Ti_{1-x}Nb_{2+x}O₁₂ ($0 < x < 0.8$), structure: cation disorder in three-layer Aurivillius phases, **153**, 66
Ce_{1-x}SrVO_{4-0.5x} with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
in chlorapatite, effects on topotaxial replacement by hydroxyapatite under hydrothermal conditions, **154**, 569
ErBaSrCu_{3-x}(PO₄)_xO_y ($x = 0.0, 0.10, 0.20$), electron microscopy and neutron diffraction studies, **150**, 188
(Hg, M)Sr₂(Ln, Ce)₂Cu₂O₂, 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
K₂SrLaTi₂TaO₁₀·2H₂O Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, structural characterization, **155**, 455
La_{0.813}Sr_{0.187}Cu(O, F)_{3-δ}, synthesis and crystal structure, **149**, 189
La_{0.7}Sr_{0.3}MnO_{3-δ}□_δ ($0 \leq \delta \leq 0.15$), physical properties, effects of oxygen nonstoichiometry, **151**, 139
La_{1.2}Sr_{0.8}MnO_{4-δ} with electron doping and La_{1.2}Sr_{0.8}MnO_{4+δ}, synthesis and characterization, **153**, 34
Na_{1-x}Sr_xTaO₃ ($0 < x \leq 0.4$) with perovskite structure, X-ray powder and electron diffraction study, **154**, 427
NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216
Pr_{1-x}Sr_xFeO_{3-δ}, structure and magnetism, **150**, 233
Sm_{1/3}Sr_{2/3}FeO_{3-δ}, charge ordering and magnetotransport transitions, **153**, 140
SrAl₂B₂O₇, **150**, 404
Sr_{1.25}Bi_{0.75}O₃, structure determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
SrC₂, synthesis and crystal structure, **151**, 111
Sr₂CrMoO₆ double perovskite, magnetoresistance, **155**, 233
Sr_{4.5}Cr_{2.5}O₉, magnetic properties, **154**, 375
Sr₂CuMnO₃S and Sr₄Cu₂Mn₃O_{7.5}Q₂ ($Q = \text{S, Se}$), synthesis and structure, **153**, 26
Ln_{1.85}Sr_{0.15}CuO₄ superconductors, true tolerance factor effects in, **155**, 138
Sr₂FeNbO₆ perovskites, magnetic susceptibility and Mössbauer spectroscopy, **154**, 591
Sr₂Fe₂O₅, structural phase transition under high pressure, **155**, 381
Sr_nFe_nO_{3n-1} ($n = 2, 4, 8, \infty$) perovskites, oxygen-vacancy-ordered crystal structure, evolution and relationship to electronic and magnetic properties, **151**, 190
Sr₄Fe₂O₆CO₃, synthesis, crystal structure, and magnetic order, **152**, 374
SrGa₂B₂O₇, crystal structures, **154**, 598
β-SrGa₂O₄ and ABW-type γ-SrGa₂O₄, framework structures, **153**, 294
γ-SrHPO₄, synthesis and crystal structure, **152**, 428
Sr_{0.4}K_{0.6}BiO₃, structure determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
Sr_{3.75}K_{1.75}Bi₃O₁₂, synthesis and characterization, **152**, 492
Sr_{1-3x/2}La_xTiO₃, A-site cation-vacancy ordering in, HRTEM study, **149**, 360
SrMn_{1-y}(B, C)_yO_{3-δ}, order–disorder phenomena, **149**, 226
Sr₄Mn_{3-x}Fe_xO_{10-δ} ($x = 1, 1.5, 2$), Ruddlesden–Popper phases, properties, **155**, 96
Sr_{3.1}Na_{2.9}Bi₃O₁₂, synthesis and characterization, **152**, 492
Sr₂NiN₂, synthesis, crystal structure, and physical properties, **154**, 542
Sr(OH)Br, hydroxide ion disorder in, **151**, 267
SrO–Ho₂O₃–CuO_x system, phase relations, **149**, 333
M³⁺Sr₄(PO₄)₃O ($M^{3+} = \text{Bi, La}$), synthesis and characterization, **149**, 133
Sr₁₁Re₄O₂₄ double oxide, preparation, structure, and magnetic studies, **149**, 49
Sr₃Ru₂O₇, structural distortions, neutron diffraction study, **154**, 361
Sr_{0.93}(Si_xNb_{1-x})Nb₁₀O₁₉ ($x = 0.87$), synthesis, crystal structure, and physical properties, **152**, 540
Sr_{1-x}Sm_xSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
Sr₂Sn(OH)₈, hydrothermal synthesis and structure, **151**, 56
SrV₄O₉
in metastable state, synthesis and crystal structure, **149**, 414
spin exchange interactions of, spin dimer analysis, **153**, 263
Tl–Hg–Ba–Sr–Ca–Cu–O system, 2212-type superconductors in, XRD studies, **153**, 106
Tl_{0.75}Sr_{1.8}Ba_{0.2}CuO_y, superstructure derived from, X-ray and neutron-powder diffraction, **155**, 22
Tl(Ln₂Sr₂)Ni₂O₉ ($Ln = \text{La, Pr, Nd, Sm, Eu, Gd}$), synthesis and structure, **150**, 1
Structure, *see also* Band structure; Crystal structure; Electronic structure; Superstructure; Tunnel structure
aluminum phosphate oxalate hybrid open framework with large circular 12-membered channels, **150**, 324
BaGa₂O₄, stuffed framework structure, **154**, 612
R₅B₂C₅ ($R = \text{Y, Ce–Tm}$), **154**, 286
Bi_{0.775}La_{0.225}O_{1.5} of rhombohedral Bi–Sr–O type with polycationic substitutions for La, **149**, 341

- Bi_{1-x}La_xO_{1.5} monoclinic solid solution, relationship to rhombohedral Bi–Sr–O type, **151**, 281
- Bi_{4-x}La_xTi₃O₁₂ ($x = 1,2$): cation disorder in three-layer Aurivillius phases, **153**, 66
- Bi₂Pb₂O₇, **149**, 314
- Bi_{2-x}Sr_{2+x}Ti_{1-x}Nb_{2+x}O₁₂ ($0 < x < 0.8$): cation disorder in three-layer Aurivillius phases, **153**, 66
- BN nanotubes, **154**, 214
- boron carbide enriched in ¹⁰B, ¹¹B, and ¹³C isotopes, **154**, 79
- Ca_{2-x}Mg_xTl ($Tl = Sn, Pb$), **152**, 474
- CoO₂ nanocrystals, X-ray absorption spectroscopic study, **149**, 408
- Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, **152**, 526
- Dy₆MTe₂ ($M = Fe, Co, Ni$), **155**, 9
- Fe(H₂NCH₂CH₂NH₂)MoO₄, **152**, 229
- α -Fe₂O₃ substituted with Sn⁴⁺, Ti⁴⁺, and Mg²⁺, **151**, 157
- framework, β -SrGa₂O₄ and ABW-type γ -SrGa₂O₄, **153**, 294
- Ga₂S₃(As₂S₃, PbS)–GeS₂–MnS glasses, local structure, **152**, 388
- Gd₂O₃–B₂O₃, **154**, 204
- (H₃NCH₂CH₂NH₃)[Fe(C₂O₄)MoO₄], **152**, 229
- icosahedral boron-rich solids, defects, correlation with electronic properties, **154**, 61
- In₂O₃–M₂O₃ ($M = Y, Sc$) solid solutions doped with Sn, **153**, 41
- intermediate cubic phase crystallized from Synroc alkoxide precursor at 800 °C, **150**, 209
- K_{7.62(1)}Si_{4.6}, **154**, 626
- La_{0.7}Ca_{0.3}MnO₂ ultrafine powders prepared by mechanical alloying, **152**, 503
- La_{n+1}Ni_nO_{3n+1} ($n = 1,2,3$), relationships among phases, neutron diffraction study, **152**, 517
- Li_{2+x}Ti₃O₇ obtained electrochemically, **153**, 132
- metal borides, molecular models of, **154**, 110
- Mo₂NiB₂ boride base cements with Cr and V additions, effects of Mo/B atomic ratio, **154**, 263
- Na_{2-x}Ag_xZnP₂O₇, relationship to Ag(I) luminescence, **149**, 284
- Na₂Ti₂Sb₂O, relationship to properties, powder neutron diffraction study, **153**, 275
- NiCo₂O₄, XRD, XANES, EXAFS, and XPS study, **153**, 74
- NiTa₂Se₇, incommensurately modulated at low temperature, independent q' and $2q'$ distortions in, **153**, 152
- one-dimensional uranium oxyfluorides built from edge-sharing [UO₂F₅] pentagonal bipyramids, **154**, 635
- PbBi₆O₄(PO₄)₄, **154**, 435
- rare-earth oxide pyrochlores, determination by wide-angle CBED, comparison with atomistic computer simulation, **153**, 16
- Rb_{6.15(2)}Si_{4.6}, **154**, 626
- Ru pyrochlores undergoing metal–nonmetal transition, **151**, 25
- SiO₂, lamellar silica synthesized by neutral amine route, effect of addition of divalent transition metal chlorides, **149**, 113
- Sm_{0.2}Ca_{0.8}MnO₃ doped with Ru, correlation of micronanostructure with magnetic transitions, **155**, 15
- sodium propynoate, **152**, 99
- Sr₂CuMnO₃S and Sr₄Cu₂Mn₃O_{7.5}Q₂ ($Q = S, Se$), **153**, 26
- α -Ti(HPO₄)₂·H₂O with intercalated heterocyclic amines, **154**, 557
- vanadyl phosphate intercalated with acetone, **150**, 356
- YBa₂Cu₄O₈ superconductor, HRTEM surface profile imaging, **149**, 327
- YMn₂D_{1.15}, **154**, 398
- [Zn–Al–Cl] layered double hydroxide after thermal treatment, **152**, 568
- ZnO–In₂O₃ and ZnO–indium oxide (ITO) films deposited by DC sputtering, **155**, 312
- Sulfur
- Ag₂NbTi₃P₆S₂₅, crystal structure, **153**, 55
- Ag₈Sn₆ chalcogenides, synthesis and characterization, **149**, 338
- AgTi₂(PS₄)₃, crystal structure and ionic conductivity, **153**, 55
- alkali cation ligating iodocuprate(I)-based coordination networks with 1,10-dithia-18-crown-6, **152**, 271
- Ba₄Ln₂Cd₃S₁₀ ($Ln = Sm, Gd, Tb$), synthesis and structure, **149**, 384
- BaMnS₂, magnetic properties, **155**, 305
- BaLn₂MnS₅, crystal structures and magnetic properties, **153**, 330
- Ba_{1-x}Sm_xSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- Ba_{0.93}Sr_{0.07}MnS₂, magnetic properties, **155**, 305
- A₃Bi₅Cu₂S₁₀ ($A = Rb, Cs$), structure and conductivity, **155**, 243
- CdCr₂S₄ spinels, electronic band structure, **155**, 198
- [(CH₃NH₃)_{0.5}(NH₄)_{1.5}]Sb₈S₁₃·2.8H₂O, hydrothermal synthesis and crystal structure, **155**, 409
- Co(NCS)₂·xH₂O, inorganic–organic coordination polymers generated from, **155**, 143
- coordination polymers with 4,4'-dipyridyldisulfide, synthesis and structure, **152**, 113
- Cs₂CuP₃S₉, chiral compound with chiral screw helices, preparation, structure, and characterization, **151**, 326
- Cu₂FeSn₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363
- Cu₂FeTi₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363
- Cu₂Gd_{2/3}S₂, crystal structure: interlayer short-range order of Gd vacancies, **152**, 332
- Cu₂SnS₃ nanocrystals, synthesis, characterization, and properties, **153**, 170
- FeP₃S₃, layered compound, intercalation reaction with 1,10-phenanthroline, **150**, 258
- Ga₂S₃(As₂S₃, PbS)–GeS₂–MnS glasses, magnetic susceptibility and local structure, **152**, 388
- HgS nanoparticles, sonochemical synthesis, **153**, 342
- Hg₃S₂I₂, synthesis and crystal structure, **151**, 73
- (In_{0.5}□_{0.5})[In_{1.5}Sn_{0.5}]S₄, vacant thiospinel, reversible lithiation, pressure-sensitive modeling, **152**, 533
- KBi₂CuS₄, structure and conductivity, **155**, 243
- K_{1.8}Mo₉S₁₁, band structure, **155**, 124
- La₃Al_{0.44}Si_{0.93}S₇, crystal structure, **155**, 433
- La₅Cu₆O₄S₇, synthesis, structure, electrical conductivity, and band structure, **155**, 366
- La_{~10.8}Nb₅O₂₀S₁₀, synthesis and structure, **152**, 348
- Li_{0.5}Pb_{1.75}GeS₄ with cubic structure, flux synthesis and isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Na_{0.5}Pb_{1.75}GeS₄, **153**, 158
- Li₂S, reversible antiferroto anticotunnite phase transition at high pressures, **154**, 603
- mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
- MgIn₂S₄ microcrystals on wide bandgap MgIn₂O₄, semiconductor sensitization by, **154**, 476
- MnPS₃, intercalation compound with 1,10-phenanthroline, synthesis, characterization, and magnetic properties, **150**, 281
- A₂Mo₉S₁₁ ($A = K, Nb$), band structure, **155**, 124
- [Mo₂S₂O₂]²⁺ molecular building block, preparation and self-condensation, **152**, 78
- Na_{0.5}Pb_{1.75}GeS₄ with cubic structure, flux synthesis and isostructural relationship to Na_{1.5}Pb_{0.75}PSe₄ and Li_{0.5}Pb_{1.75}GeS₄, **153**, 158
- Na₂SO₄, conductivity enhancement, review and current developments, **155**, 154
- Na₂SO₄–Al₂O₃ composite electrolytes, ionic conductivity, mechanism and role of preparatory parameters, **153**, 287
- NCS⁻ counterion, role in anomalous spin crossover of mechanically strained Fe(II)–1,10-phenanthroline complexes, **153**, 82
- Nd₁₆Ti₅S₁₇O₁₇, synthesis and structure, **152**, 554
- Ni₃Mo₆Se_{8-x}S_x solid solution, single crystal structural study, **155**, 250

- (Pb(Mn,Nb)_{0.5}S_{1.5})_{1.15}NbS₂, interlayer charge transfer quantitation via bond valence calculation, **155**, 1
- PbS nanoparticles, sonochemical synthesis, **153**, 342
- [(Pb,Sb)S]_{2.28}NbS₂, distribution of Pb and Sb atoms in (Pb,Sb)S layers in, scanning tunneling and atomic force microscopic studies, **149**, 370
- (Pr₄N)₂M(H₂O)₄[Re₆S₈(CN)₆] (*M* = Mn,Ni), synthesis and structure, **153**, 195
- (Pr₄N)₂M(H₂O)₅[Re₆S₈(CN)₆]·H₂O (*M* = Mn,Ni), synthesis and structure, **153**, 195
- Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), synthesis and structure, X-ray single crystal and neutron powder diffraction studies, **149**, 9
- Rb_{2n}(Mo₉S₁₁)(Mo_{6n}S_{6n+2}) (*n* = 1 to 4), superconducting cluster compounds, synthesis, structure, and theoretical studies, **155**, 417
- Rb₂Sb₈S₁₃·3.3H₂O, hydrothermal synthesis and crystal structure, **155**, 409
- SmSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- SnS₂ single crystals, diamine intercalation compounds of, synthesis and characterization, **150**, 391
- Sn–Zn–S system, mechanochemical reactions in, **153**, 371
- Sr₂CuMnO₃S and Sr₄Cu₂Mn₃O_{7.5}S₂, synthesis and structure, **153**, 26
- Sr_{1-x}Sm_xSO₄, Sm²⁺ crystal chemistry and stability in, **154**, 535
- TaS₃, interactions of sliding charge-density waves with phonons, **155**, 105
- TiS₂, intercalation of methylamines into, **155**, 326
- U₃S₅, uranium valency in, **150**, 336
- {V₁₈O₄₂(SO₄)₆}, extended solids composed of, synthesis, structure, and physicochemical properties, **152**, 105
- {[W₄Ag₆S₁₆]·[Ca(DEAC)₆]}_n, **151**, 286
- {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMF)₂(DMSO)₂]}_n, **151**, 286
- {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMSO)₄·(DMSO)]_n, **151**, 286
- Sulfurization
- MgIn₂O₄ to form MgIn₂S₄, **154**, 476
- Superconductivity
- borocarbides *Ln–M–B–C* (*Ln* = rare earths, *Y*; *M* = Ni,Pd), **154**, 114
- Superconductors
- 2212-type, in Tl–Hg–Ba–Sr–Ca–Cu–O system, XRD studies, **153**, 106
- Ln*_{1.85}³⁺*M*_{0.15}²⁺CuO₄, true tolerance factor effects in, **155**, 138
- ErBaSrCu_{3-x}(PO₄)_xO_y (*x* = 0.0,0.10,0.20), electron microscopy and neutron diffraction studies, **150**, 188
- (Hg,*M*)Sr₂(*Ln*,Ce)₂Cu₂O_{2z}, 1222-type, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
- LiTi₂O₄, and related compounds, Li site occupancy in, NMR study, **152**, 397
- Rb_{2n}(Mo₉S₁₁)(Mo_{6n}S_{6n+2}) (*n* = 1 to 4), cluster compounds, synthesis, structure, and theoretical studies, **155**, 417
- Sr_{1.25}Bi_{0.75}O₃ and Sr_{0.4}K_{0.6}BiO₃, structure determination as function of temperature from synchrotron X-ray powder diffraction data, **150**, 316
- YBa₂Cu₄O₈, HRTEM surface profile imaging, **149**, 327
- Superparamagnetism
- manganites, **155**, 116
- Superstructure
- Bi₂Nd₄O₉ monoclinic phase, **153**, 30
- H_xMoO₃ bronzes, CDW superstructures, **149**, 75
- Na_{1-x}Sr_xTaO₃ (*O* < *x* ≤ 0.4) with perovskite structure, **154**, 427
- Nb₇W₁₀O₄₇ tetragonal bronze-type phase, **149**, 428
- Ln*PdGe (*Ln* = La–Nd,Sm,Gd,Tb), **154**, 329
- Sr₂NiN₂, **154**, 542
- Tl_{0.75}Sr_{1.8}Ba_{0.2}CuO_y-derived, X-ray and neutron-powder diffraction, **155**, 22
- Supramolecular interactions
- polymeric Ag(I)-hexamethylenetetramine complexes, **152**, 211
- Supramolecular isomerism
- polymorphous one-dimensional tetrapyrrolylporphyrin coordination polymers, **152**, 253
- Supramolecular materials
- organic, polarity, **152**, 49
- Surfaces
- YBa₂Cu₄O₈ superconductor, profile imaging by HRTEM, **149**, 327
- Symmetry-breaking transitions
- from GdCuAs₂ through GdCuAs_{1.15}P_{0.85} to GdCuP_{2.20}, **155**, 259
- Synchrotron X-ray powder diffraction
- Sr_{1.25}Bi_{0.75}O₃ and Sr_{0.4}K_{0.6}BiO₃, structure determination as function of temperature, **150**, 316
- SrC₂, **151**, 111
- Synroc
- alkoxide precursor heated to 800 °C, intermediate cubic phase crystallized from, fluorite structure, **150**, 209
- Synthesis, *see also* Hydrothermal synthesis; Solvothermal synthesis
- Ag(I) complexes of 4-isocyano-3,5-diisopropylbenzotrile, molecular and extended complexes, **152**, 247
- Ag₂NbTi₃P₆S₂₅ with interlocked structure, **153**, 55
- AgTi₂(PS₄)₃ with interlocked structures, **153**, 55
- apatite-related phosphates, **149**, 133
- Ba₄Ln₂Cd₃S₁₀ (*Ln* = Sm,Gd,Tb), **149**, 384
- Ba₈Co₇O₂₁, **151**, 77
- Ba₈Ga₁₆(GaSb)_xGe_{30-2x} (*x* = 2) with *p*-type thermoelectric cage structure, **151**, 61
- Ba₂₄Ge₁₀₀, **151**, 117
- BaHf_{1-x}Zr_x(PO₄)₂ emitting ultraviolet under X-ray excitation, **155**, 229
- Ba₄Nd₂Cd₃Se₁₀, **149**, 384
- Ba₃Sil₂, **152**, 460
- 1201 Bi_{0.4}Sr_{2.6}MnO_{5-δ} and 2201 Bi_{0.9}Sr_{3.1}MnO_{6-δ} with 1:1 Bi–Sr ordering, **151**, 210
- BN nanotubes, **154**, 214
- CaAl₁₂Si₄O₂₇ phase with Al₆O₁₉ clusters at high pressure, **153**, 391
- Ca_{3.1}Cu_{0.9}RuO₆, **153**, 254
- CaErPt₃Sn₅ and CaLuPt₃Sn₅ with Yb₂Pt₃Sn₅-type structure, **150**, 112
- CaNdFe_{1/2}Nb_{3/2}O₇ pyrochlore, **154**, 483
- in Ca₂Ta₂O₇–Sm₂Ti₂O₇ system, **150**, 167
- CaTmPt₃Sn₅ and CaYbPt₃Sn₅ with Yb₂Pt₃Sn₅-type structure, **150**, 112
- (Cd_{1-x}Mn_x)Mn₂O₄, **153**, 231
- Cd(OH)Cl, **151**, 308
- CdSe cubic nanocrystals at room temperature in aqueous solution, **151**, 241
- Ce₂Ni₂Cd, **150**, 139
- (*R,S*)-(C₅H₁₄N₂)Co(HPO₄)₂ one-dimensional cobalt phosphate, **153**, 180
- clathrates of group 14 with alkali metals, synthesis and characterization, **153**, 92
- [Co(4,4'-bipyridine)_{2.5}(NO₃)₂]·2phenanthrene, **152**, 280
- Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, **152**, 526
- coordination polymers with 4,4'-dipyridyldisulfide, **152**, 113
- (Cr_{1-x}Tm_x)₃B₄ (*TM* = Ti,V,Nb,Ta,Mo,W) large crystals, **154**, 45
- Cs₇Au₅O₂, **155**, 29
- Cs₅Hg₁₉, **149**, 419
- Cs₃Mg₂P₆O₁₇N, **153**, 185
- Cu(I)–Cu(II) coordination polymers of two or three dimensions, **152**, 174
- Cu_{3-x}Fe_{4+x}(PO₄)₆, **150**, 159
- CuInO₂ delafossite-type oxide, **151**, 16
- Cu(OH)Cl, **151**, 308
- diamine intercalation compounds of SnS₂ single crystals, **150**, 391
- Dy₆MTe₂ (*M* = Fe,Co,Ni), **155**, 9
- Eu₁₆Bi₁₁, **155**, 168
- Eu₁₆Sb₁₁, **155**, 168
- EuSn₃Sb₄ and related Zintl phases, **150**, 371

- extended solids composed of transition metal oxide clusters, **152**, 105
 FeZn₁₀ and Fe₁₃Zn₃₉, **151**, 85
 functionalized MCM-41 with Cu- and Mn-phenanthroline complexes, **152**, 447
 GdNi₃X₂ (X = Al, Ga, Sn), conditions for, relationship to structural, electrical, magnetic, and hydrogen absorption properties, **150**, 62
 A₃Hg₂₀ (A = Rb, Cs) and A₇Hg₃₁ (A = K, Rb), **149**, 419
 Hg₆As₄BiCl₇ built of polycationic mercury-pnictide framework with trapped anions, **154**, 350
 HgS nanoparticles, **153**, 342
 Hg₆Sb₄BiBr₇ and Hg₆Sb₅Br₇, built of polycationic mercury-pnictide framework with trapped anions, **154**, 350
 Hg₃Se₂I₂ and Hg₃S₂I₂, **151**, 73
 (Hg, M)Sr₂(Ln, Ce)₂Cu₂O_z 1222-type superconductors, **154**, 488
 hydrated lithium and sodium vanadium bronzes, **149**, 443
 intercalates of vanadyl and niobyl phosphates with C₄ diols, **151**, 225
 intercalation compound of 1,10-phenanthroline with layered MnPS₃, **150**, 281
 KM₂Q₂ (M = Al, Ga; Q = Se, Te) chalcogenides with stacking faults, **149**, 242
 K₃Hg₁₁, **149**, 419
 K_{7.62(1)}Si₄₆, **154**, 626
 La_{0.7}Ca_{0.3}MnO_z ultrafine powders by mechanical alloying, **152**, 503
 La₅Cu₆O₄S₇, **155**, 366
 La_{~10.8}Nb₅O₂₀S₁₀, **152**, 348
 La₂Re₃MnO₁₆, **151**, 31
 La₅Si₂BO₁₃, **155**, 389
 La_{0.813}Sr_{0.187}Cu(O, F)_{3-δ}, **149**, 189
 La_{1.2}Sr_{0.8}MnO_{4-δ} with electron doping and La_{1.2}Sr_{0.8}MnO_{4+δ}, **153**, 34
 Li_{0.5}Pb_{1.75}GeS₄ with cubic structure by flux synthesis, **153**, 158
 β-LiVOAsO₄, **150**, 250
 Mn₃Ga₅ pseudo-decagonal approximant, **153**, 398
 Mo_{0.16}Bi_{0.84}O_{1.74} high-temperature cubic fluorite-type phase with 3D incommensurate modulation, **152**, 573
 from molecular building blocks, **152**, 1
 RE₅Mo₃₂O₅₄ (RE = La, Ce, Pr, Nd) with *trans*-capped Mo₈ octahedral clusters and Mo₇-Mo₁₀-Mo₇ triclusters, **152**, 403
 Na₃[B₆O₆(VO₄)], **150**, 342
 Na₂[(HO₃PCH₂)₃NH]1.5H₂O, **151**, 122
 Na_{0.5}Pb_{1.75}GeS₄ with cubic structure by flux synthesis, **153**, 158
 Na_{1.5}Pb_{0.75}PSe₄ with cubic structure by flux synthesis, **153**, 158
 NaSb₃O₂(PO₄)₂, **151**, 21
 Nb₂N_{0.88}O_{0.12}, **150**, 36
 Nd₁₆Ti₅S₁₇O₁₇, **152**, 554
 [NH₃CH₂CH(OH)CH₃]₃·Al₃P₄O₁₆, racemic isopropanolamine as solvent and template for, **151**, 145
 R₂NiB₁₀ (R = Y, Ce-Nd, Sm, Gd-Ho), **154**, 246
 NiCo₂O₄, **153**, 74
 LnNiIn₂ (Ln = Pr, Nd, Sm), **152**, 560
 LnNiO₃ (Ln = Pr, Nd, Sm) polycrystalline compounds, preparation via different precursors, **151**, 298
 α-Ni(VO₃)₂·2H₂O and Ni(VO₃)₂·4H₂O, **152**, 511
 PbBi₆O₄(XO₄)₄ (X = P, V, As), **154**, 435
 Pb₇F₁₂Cl₂: disordered modification, **149**, 56
 PbS nanoparticles, **153**, 342
 (Pr₄N)₂M(H₂O)₅[Re₆X₈(CN)₆]·H₂O (X = S, Se; M = Mn, Ni), **153**, 195
 (Pr₄N)₂M(H₂O)₄[Re₆S₈(CN)₆] (M = Mn, Ni), **153**, 195
 PrRhIn, **152**, 560
 Rb₅Au₃O₂ and Rb₇Au₅O₂, **155**, 29
 RbLn₂CuSe₄ (Ln = Sm, Gd, Dy), **151**, 317
 Rb_{1.5}Ln₂Cu_{2.5}Se₅ (Ln = Gd, Dy), **151**, 317
 Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄), **149**, 9
 Rb_{2n}(Mo₉S₁₁)(Mo_{6n}S_{6n+2}) (n = 1 to 4) superconducting cluster compounds, **155**, 417
 Rb_{6.15(2)}Si₄₆, **154**, 626
 RbSm₂Ag₃Se₅, **151**, 317
 Ruddlesden-Popper tantalates and titanotantalates, **155**, 46
 Sb₅PO₁₀, **155**, 451
 SrC₂, **151**, 111
 Sr₂CuMnO₃S and Sr₄Cu₂Mn₃O_{7.5}Q₂ (Q = S, Se), **153**, 26
 Sr₄Fe₂O₆CO₃, **152**, 374
 Sr_{3.75}K_{1.75}Bi₃O₁₂, **152**, 492
 Sr_{3.1}Na_{2.9}Bi₃O₁₂, **152**, 492
 Sr₂NiN₂, **154**, 542
 Sr₁₁Re₄O₂₄ double oxide, **149**, 49
 Sr_{0.93}(Si_xNb_{1-x})Nb₁₀O₁₉ (x = 0.87), **152**, 540
 Ti(IV)-aryloxide network materials with 4,4'-biphenoxide and polyphenolic 2D motifs, **152**, 130
 TiB₂, electrochemical synthesis, **154**, 107
 Ln_{2/3}TiO₃ (Ln = Pr, Nd), **149**, 354
 Tl(Ln₂Sr₂)Ni₂O₉ (Ln = La, Pr, Nd, Sm, Eu, Gd), **150**, 1
 UFe₅Sn, **154**, 551
 (UO₂)₃(VO₄)₂·5H₂O, **150**, 72
 M₆(UO₂)₅(VO₄)₂O₅ (M = Na, K), **155**, 342
 (VO)₂P₂O₇ at 3 GPa, **153**, 124
 Ln₇VO₄Se₈ (Ln = Nd, Sm, Gd), **154**, 564
 {[W₄Ag₆S₁₆]·[Ca(DEAC)₆]}_m, **151**, 286
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMF)₂(DMSO)₂]}_m, **151**, 286
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMSO)₄·(DMSO)]_m, **151**, 286
 W carbides by temperature programmed reaction with CH₄-H₂ mixtures, **154**, 412
 W₂O₃·P₂O₇ with empty tunnel structure, **155**, 112
 Yb₅In₂Sb₆ Zintl phase with narrow band gap, **155**, 55
 YMn₂D₂ single phase, *in situ* neutron diffraction study, **150**, 183
 Synthons
 discrete molybdenum oxide-based building blocks as, in control of growth of solid-state materials, **152**, 57
 T
 Tantalum
 Ba₂LuTaO₆, Yb³⁺ doped in, EPR study, **150**, 31
 Ba₂YbTaO₆ with ordered perovskite structure, magnetic susceptibility, **150**, 31
 Ca₂Ta₂O₇-Sm₂Ti₂O₇ system, syntheses in, structures, and crystal chemistry, **150**, 167
 (Cr_{1-x}Ta_x)₃B₄ large crystals, synthesis and analysis, **154**, 45
 Ge-Ta-Zr system, M₅Ge₄ compounds in, structure-composition relations and fractional site occupancy, **150**, 347
 Na_{1-x}Sr_xTaO₃ (0 < x ≤ 0.4) with perovskite structure, X-ray powder and electron diffraction study, **154**, 427
 NiTa₂Se₇, with incommensurately modulated low-temperature structure, independent \bar{q} and $2\bar{q}$ distortions in, **153**, 152
 Ruddlesden-Popper phase tantalates and titanotantalates, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 TaB₂, chemical vapor deposition, thermodynamic estimation, **154**, 157
 TaCl₆⁻ and TaOCl₃, compound with intercalated graphite, structural analysis with molecular simulations, **149**, 68
 TaS₃, interactions of sliding charge-density waves with phonons, **155**, 105
 Tautomerism
 vanadyl phosphate intercalated with acetone, **150**, 356
 Tellurium
 Bi₂TeO₅, Bi₂Te₂O₇, and α- and β-Bi₂Te₄O₁₁, IR spectra, **152**, 392
 (Cr_{1-x}Ni_x)₃Te₄ with pseudo-NiAs-type structure, magnetic properties, **154**, 356

- Cu_{2-x}Te , preparation by microwave heating, **154**, 530
 Dy_6MTe_2 ($M = \text{Fe, Co, Ni}$), synthesis, structure, and bonding, **155**, 9
 HgTe , preparation by microwave heating, **154**, 530
 KMTe_2 ($M = \text{Al, Ga}$) chalcogenides with stacking faults, synthesis and structure, **149**, 242
 LaTe_2 , crystal and electronic band structure, **149**, 155
 LiH_5TeO_6 , preparation, crystal structure, vibrational spectra, and thermal behavior, **150**, 410
 $\text{Ln}_2(\text{SiO}_4)\text{Te}$ ($\text{Ln} = \text{Nd, Sm}$), monoclinic and orthorhombic crystals, structure, **155**, 433
 Ti_5Te_4 , compounds structurally related to, bonding and electron counting in, theoretical study, **154**, 384
 TlTe , phase transition: crystal structure, **149**, 123
 Temperature effects
 $\text{Sr}_{1.25}\text{Bi}_{0.75}\text{O}_3$ and $\text{Sr}_{0.4}\text{K}_{0.6}\text{BiO}_3$ structures, synchrotron X-ray powder diffraction study, **150**, 316
 TlF crystal structure, **150**, 266
 Temperature-programmed reaction
 with $\text{CH}_4\text{-H}_2$ mixtures, in synthesis of tungsten carbides, **154**, 412
 Terbium
 $\text{Ba}_4\text{Tb}_2\text{Cd}_3\text{S}_{10}$, synthesis and structure, **149**, 384
 fluorite-type oxides containing, lattice oxygen transfer in, **155**, 129
 $\text{Tb}_5\text{M}_2\text{X}$ ($M = \text{Ni, Pd}$; $X = \text{Sb, Bi}$) pnictides, crystal structure and bonding, **152**, 478
 TbB_6
 interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 magnetic entropy, **154**, 275
 $\text{TbB}_{4.1}\text{Si}_{1.2}$, specific heat, **154**, 223
 TbCo_4B , magnetic properties, **154**, 242
 $\text{Tb}_2\text{NiB}_{10}$, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 TbPdGe , order of Pd and Ge atoms in, **154**, 329
 7,7,8,8-Tetracyanoquinodimethane
 $\text{Ag}(\text{TCNQ})$ crystalline polymers, structures and magnetic properties, **152**, 159
 2,3,5,6-Tetrafluoro-7,7,8,8-tetracyanoquinodimethane
 $\text{Ag}(\text{TCNQF}_4)$ crystalline polymers, structures and magnetic properties, **152**, 159
 Tetrapyrrolylporphyrin
 polymorphous one-dimensional coordination polymers structurally mimicking aryl stacking interactions, **152**, 253
 Thallium
 $\text{TlCo}_{2-x}\text{Cu}_x\text{Se}_2$ ($x \sim 1$) system, incommensurate Cu/Co ordering in, **151**, 260
 TlF , crystal structures, **150**, 266
 $\text{Tl-Hg-Ba-Sr-Ca-Cu-O}$ system, 2212-type superconductors in, XRD studies, **153**, 106
 $\text{Ti}_2\text{Nb}_2\text{O}_{6+x}$ phases with pyrochlore structure, structure and properties, **155**, 225
 $\text{Tl}_{0.75}\text{Sr}_{1.8}\text{Ba}_{0.2}\text{CuO}_y$, superstructure derived from, X-ray and neutron-powder diffraction, **155**, 22
 $\text{Tl}(\text{Ln}_2\text{Sr}_2)\text{Ni}_2\text{O}_9$ ($\text{Ln} = \text{La, Pr, Nd, Sm, Eu, Gd}$), synthesis and structure, **150**, 1
 TlTe , phase transition: crystal structure, **149**, 123
 $\text{TlZn}(\text{PO}_3)_3$, structure and luminescence, **154**, 584
 Thermal analysis
 anion-exchanged Mg-Al hydrotalcites, effects of guest-host interactions, **155**, 332
 B_{12}P_2 wafers, **154**, 33
 $\text{Cs}_2\text{CuP}_3\text{S}_9$, chiral compound with chiral screw helices, **151**, 326
 N,N' -dimethylpiperazinium(2+) selenate dihydrate, **150**, 305
 GaPO_4 structural phase transformations, **149**, 180
 $\text{Gd}_2\text{O}_3\text{-B}_2\text{O}_3$, **154**, 204
 LiH_5TeO_6 , **150**, 410
 $\text{Nd}_4\text{Co}_3\text{O}_{10+\delta}$ and $\text{Nd}_4\text{Ni}_3\text{O}_{10-\delta}$, **151**, 46
 Ni effects on calcium phosphate formation, **151**, 163
 LnNiO_3 ($\text{Ln} = \text{Pr, Nd, Sm}$) polycrystalline compounds prepared via different precursors, **151**, 298
 piperazinium(2+) selenate monohydrate, **150**, 305
 $\text{Rb}_2[\text{B}_4\text{O}_5(\text{OH})_4] \cdot 3.6\text{H}_2\text{O}$, **149**, 197
 $[\text{Zn-Al-Cl}]$ layered double hydroxide, **152**, 568
 Thermal conductivity
 $\text{Ba}_6\text{Ge}_{25-x}\text{Ba}_6\text{Ge}_{23}\text{Sn}_2$, and $\text{Ba}_6\text{Ge}_{22}\text{In}_3$, **153**, 321
 β -rhombohedral boron modified isotopically, **154**, 296
 $\text{Yb}_5\text{In}_2\text{Sb}_6$ Zintl phase with narrow band gap, **155**, 55
 Thermal decomposition
 carbonates, NiCo_2O_4 prepared by, XRD, XANES, EXAFS, and XPS study, **153**, 74
 intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
 $\text{La}(\text{H}_2\text{O})_2\text{M}(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$ ($M = \text{K, NH}_4$), **150**, 81
 polyoxotungstates, in preparation of tungsten bronzes, **149**, 378
 seven-coordinated diaquasuccinatocadmium(II) bidimensional polymer, **153**, 1
 $(\text{ZrO}_2)_{0.8}-(\alpha\text{-Fe}_2\text{O}_3)_{0.2}$ powder for gas sensing applications, **155**, 320
 Thermal expansion
 $(\text{La}_{1-x}\text{Ca}_x)\text{CrO}_3$, **149**, 320
 negative, in $\text{Y}_2(\text{WO}_4)_3$, **149**, 92
 Thermal stability
 $\text{Bi}_2\text{Pb}_2\text{O}_7$ with pyrochlore structure, **149**, 314
 CaRh_2O_4 , **150**, 213
 $(\text{Cd}_{1-x}\text{Mn}_x)\text{Mn}_2\text{O}_4$, **153**, 231
 $\text{La}_{0.5+x+y}\text{Li}_{0.5-3x}\text{Ti}_{1-3y}\text{Cr}_{3y}\text{O}_3$, **155**, 280
 metastable hexagonal vanadium molybdate solid solutions, **152**, 353
 SiO_2 , lamellar silica synthesized by neutral amine route, effect of addition of divalent transition metal chlorides, **149**, 113
 $(\text{UO}_2)_3(\text{VO}_4)_2 \cdot 5\text{H}_2\text{O}$, **150**, 72
 Thermal treatment
 effect on synthesis of single-phase YMnD_2 , *in situ* neutron diffraction study, **150**, 183
 Thermodynamics
 carbon tetrachloride-neopentane system, **154**, 390
 chemical vapor deposition of borides, **154**, 157
 Hf-B-C system: phase equilibria, **154**, 257
 metallic powder and alloy preparation in polyol media, **154**, 405
 nonideal solid solutions, evaluation by molecular dynamics method, **153**, 118
 Thermoelectric power
 boron and boron phosphide films, **154**, 26
 boron thin film, **154**, 153
 B_{12}P_2 wafers, **154**, 33
 $\text{Nd}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
 $\text{Sm}_{1-x}\text{TiO}_3$ perovskites, **155**, 177
 $\text{Yb}_5\text{In}_2\text{Sb}_6$ Zintl phase with narrow band gap, **155**, 55
 Thermoelectric properties
 $\text{Ba}_6\text{Ge}_{25-x}\text{Ba}_6\text{Ge}_{23}\text{Sn}_2$, and $\text{Ba}_6\text{Ge}_{22}\text{In}_3$, **153**, 321
 boron and boron phosphide films, **154**, 26
 clathrates, **149**, 455
 $\text{In}_4\text{Sn}_3\text{O}_{12}$ substituted with Y and Ti, **153**, 349
 isoelectronically substituted $(\text{ZnO})_5\text{In}_2\text{O}_3$, **150**, 221
 Mg-Fe-O system, **149**, 33
 β -rhombohedral boron doped with metal, **154**, 13
 Thermogravimetry
 Pr_2O_3 redox reaction in ZnO sintered ceramics, **149**, 349
 $\text{Pr}_2\text{O}_3\text{-Co-Co}_2\text{O}_3$ system at 1100 and 1150°C, **151**, 12
 Thermopower
 $\text{UNi}_{1.9}\text{Sn}$ single crystals, **149**, 120

Thin films

- boron, preparation and thermoelectric power, **154**, 153
- boron–silicon, preparation by pulsed laser deposition and properties, **154**, 141

Thiospinels

- (In_{0.5}□_{0.5})[In_{1.5}Sn_{0.5}]S₄, reversible lithiation, pressure-sensitive modeling, **152**, 533

Thorium

- Th_xWO₃ bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378

Thulium

- CaTmPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- Tm₅M₂X (M = Ni, Pd; X = Sb, Bi) pnictides, crystal structure and bonding, **152**, 478

Tight-binding calculations

- Ti₅Te₄-related compounds, **154**, 384

Tin

- Ag₈SnE₆ (E = S, Se) chalcogenides, synthesis and characterization, **149**, 338
- Ba₆Ge₂₃Sn₂, structure and thermoelectric properties, **153**, 321
- CaErPt₃Sn₅ and CaLuPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- Ca_{2-x}Mg_xSn, structure, resistivity, and magnetic susceptibility, **152**, 474
- CaTmPt₃Sn₅ and CaYbPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
- Cu₂FeSn₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363
- Cu₂Sn₃ nanocrystals, synthesis, characterization, and properties, **153**, 170
- EuSn₃Sb₄ and related metallic Zintl phases, synthesis, structure, and resistivity, **150**, 371
- Ga₂O₃–In₂O₃–SnO₂ system, tunneled intergrowth structures, **150**, 294
- GdNi₃Sn₂, structural, electrical, magnetic, and hydrogen absorption properties, relationship to synthesis conditions, **150**, 62
- (In_{0.5}□_{0.5})[In_{1.5}Sn_{0.5}]S₄, vacant thiospinel, reversible lithiation, pressure-sensitive modeling, **152**, 533
- In₂O₃–M₂O₃ (M = Y, Sc) solid solutions doped with, electrical, optical, and structural properties, **153**, 41
- In₄Sn₃O₁₂ substituted with Y and Ti, structure and thermoelectric properties, **153**, 349
- InSn oxide powders, hydrothermally derived, sintering in air, **154**, 444
- Sn⁴⁺, α-Fe₂O₃ substituted with, structural and magnetic properties, neutron diffraction and Mössbauer spectroscopic studies, **151**, 157
- ¹¹⁹Sn, dopant atoms in Ca₂Fe₂O₅, hyperfine interactions and dynamic characteristics, **151**, 313
- A₂T₂Sn (A = Ce, U; T = Ni, Pd), band magnetism, local spin density functional calculations, **149**, 449
- SnBr₂, crystal structure, **149**, 28
- SnCl₂, inert pair effects: crystal structure of SnBr₂, **149**, 28
- SnO₂, homogeneous Ge-substituted, sol–gel synthesis and characterization, **154**, 579
- SnS₂ single crystals, diamine intercalation compounds of, synthesis and characterization, **150**, 391
- Sn–Zn–S system, mechanochemical reactions in, **153**, 371
- Sr₂Sn(OH)₈, hydrothermal synthesis and structure, **151**, 56
- UF₆Sn, synthesis, crystal structure, and magnetic properties, **154**, 551
- UNi_{1.9}Sn single crystals, growth, crystal structure, and thermopower, **149**, 120
- zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions R₄N⁺ (R = nPr, nBu, nPen) as structure directors for, **152**, 286

Titanium

- Ag₂NbTi₃P₆S₂₅, crystal structure, **153**, 55
- AgTi₂(PS₄)₃, crystal structure and ionic conductivity, **153**, 55

BaTiO₃, flux additions in, overview and prospects, **155**, 86

Bi_{4-x}La_xTi₃O₁₂ (x = 1, 2), structure: cation disorder in three-layer Aurivillius phases, **153**, 66

Bi_{2-x}Sr_{2+x}Ti_{1-x}Nb_{2+x}O₁₂ (0 < x < 0.8), structure: cation disorder in three-layer Aurivillius phases, **153**, 66

Ca₂Ta₂O₇–Sm₂Ti₂O₇ system, syntheses in, structures, and crystal chemistry, **150**, 167

Ce_{1-x}Nd_xTiO₃, magnetic properties, **153**, 145

Ce_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145

(Cr_{1-x}Ti_x)₃B₄ large crystals, synthesis and analysis, **154**, 45

Cu₂FeTi₃S₈, local environment in, X-ray absorption spectra as fingerprint of, **150**, 363

ACu₃Ti₃FeO₁₂, dielectric constants, **151**, 323

ACu₃Ti₄O₁₂, dielectric constants, **151**, 323

(Hg,Ti)Sr₂(Ln,Ce)₂Cu₂O_z 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488

In₂O₃–TiO₂–MgO system at 1100 and 1350°C, phase relations, **150**, 276

In₄Sn₃O₁₂ substituted with, structure and thermoelectric properties, **153**, 349

K₂Ca₂Ta₂TiO₁₀·0.8H₂O and K₂SrLaTi₂TaO₁₀·2H₂O Ruddlesden–Popper phases, synthesis, proton exchange, and topochemical dehydration, **155**, 46

LaB₆–(Ti,Zr)B₂ alloys, eutectic crystallization, **154**, 165

La_{0.5+x+y}Li_{0.5-3x}Ti_{1-3y}Cr_{3y}O₃, crystal chemistry and conductivity, **155**, 280

La_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145

La_{1-x}Sr_xCr_{1-x}Ti_xO₃ perovskite series, structural characterization, **155**, 455

LiTi₂O₄ superconductor and related compounds, Li site occupancy in, NMR study, **152**, 397

Li₂Ti₃O₇ H phase, engineered scavenger compound, structural characterization, **152**, 546

Li_{2+x}Ti₃O₇, electrochemically obtained, structural study, **153**, 132

Na₂Ti₂Sb₂O₆, powder neutron diffraction: structure–property relationships, **153**, 275

NdDyBa_{2-x}Sr_xCu_{2+y}Ti_{2-y}O_{11-δ} and NdDyCaBa_{2-x}Sr_xCu_{2+y}Ti_{3-y}O_{14-δ}, defect chemistry and electrical properties, **155**, 216

Nd_{1-x}Ti_xO₃ perovskites, metal–insulator phenomena, **155**, 177

Nd₁₆Ti₅S₁₇O₁₇, synthesis and structure, **152**, 554

0.9[0.4Pb(Mg_{1/3}Nb_{2/3})O₃–0.6Pb(Zn_{1/3}Nb_{2/3})O₃]–0.1PbTiO₃, formation via mechanically activated nucleation and growth, **154**, 321

Pb(Zr_{0.52}Ti_{0.48})O₃, formation via mechanically activated nucleation and growth, **154**, 321

Pr_{1-x}Nd_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145

Pr_{1-x}Sm_xTiO₃ (0 ≤ x ≤ 1) solid solutions, magnetic properties, **153**, 145

Sm_(1-x)Gd_xTiO₃, magnetism, **154**, 619

Sm_{1-x}TiO₃ perovskites, metal–insulator phenomena, **155**, 177

Sr_{1-3x/2}La_xTiO₃, A-site cation–vacancy ordering in, HRTEM study, **149**, 360

Ti⁴⁺, α-Fe₂O₃ substituted with, structural and magnetic properties, neutron diffraction and Mössbauer spectroscopic studies, **151**, 157

Ti(IV)–aryloxide network materials with 4,4'-biphenoxide and polyphenolic 2D motifs, synthesis and characterization, **152**, 130

TiB₂

chemical and electrochemical behavior in cryolite–alumina melt and in molten aluminum, **154**, 107

chemical vapor deposition, thermodynamic estimation, **154**, 157

α-Ti(HPO₄)₂·H₂O, intercalation of heterocyclic amines into, structural and calorimetric study, **154**, 557

Ti–Ni–Al–N and Ti–Ni–Al–O systems, experimental studies, **155**, 71

- TiO₂, anatase
 M₃O₅ intergrowth structures formed during low-temperature oxidation of anosovite, **150**, 128
 phase transformations induced by ball-milling, kinetics and mechanisms, **149**, 41
- TiO₂, rutile solid solutions, redox behavior of VIB transition metal ions in, XRD and EPR study, **152**, 412
- $Ln_{1-x}Ln'_xTiO_3$ (Ln and $Ln' = La-Sm$; $0 \leq x \leq 1$) solid solutions, magnetic properties, **153**, 145
- $Ln_{2/3}TiO_3$ ($Ln = Pr, Nd$), synthesis and magnetic properties, **149**, 354
- Ti₃Rh₂In₃, structure, chemical bonding, and properties, **150**, 19
- TiS₂, intercalation of methylamines into, **155**, 326
- Ti₅Te₄, compounds structurally related to, bonding and electron counting in, theoretical study, **154**, 384
- α -Titanium hydrogenphosphate
 α -Ti(HPO₄)₂ · H₂O, intercalation of heterocyclic amines into, structural and calorimetric study, **154**, 557
- Tolerance factor
 effects in $Ln_{1.85}^+M_{0.15}^+CuO_4$ superconductors, **155**, 138
- Topochemical dehydration
 Ruddlesden–Popper tantalates and titanotantalates, **155**, 46
- Topology
 polymeric Ag(I)-hexamethylenetetramine complexes, **152**, 211
- Transition metals
 doping effects in YB₆₆, **154**, 54
- Transmission electron microscopy
 Bi₂O₃–MoO₃ system: compounds with structure based on [Bi₁₂O₁₄]_∞ columns, **149**, 276
 cation loss from BaCa_{0.393}Nb_{0.606}O_{2.91} in aqueous media leading to amorphization at room temperature, **149**, 262
 LiMn₂O₄-based spinels: origin of 3.3 V and 4.5 V steps, **155**, 394
 Li₂Ti₃O₇ H phase engineered scavenger compound, **152**, 546
 ScB_{1.7}C_{0.25}, **154**, 130
- Trimethylamine
 intercalation into TiS₂, **155**, 326
- Tris(methylammonium)nonachlorodibismuthate (III)
 low-temperature phase transition and structural relationships, **155**, 286
- Tungsten
 Ce_xWO₃ bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378
 (Cr_{1-x}W_x)₃B₄ large crystals, synthesis and analysis, **154**, 45
 (Hg,W)Sr₂(Ln,Ce)₂Cu₂O₂ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 Na_xW₁₈O₄₉, sodium ordering in, **151**, 220
 Nb₇W₁₀O₄₇ tetragonal bronze-type phase, superstructure and twinning, **149**, 428
 Th_xWO₃ bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378
 U_xWO₃ bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378
 {[W₄Ag₆S₁₆] · [Ca(DEAC)₆]}_n, **151**, 286
 {[W₂Ag₂S₈] · [Zn(4,4'-bipy)₂(DMF)₂(DMSO)₂]}_n, **151**, 286
 {[W₂Ag₂S₈] · [Zn(4,4'-bipy)₂(DMSO)₄ · (DMSO)]_n, **151**, 286
 W₅As₄, electronic structure, **154**, 384
- W carbides, synthesis by temperature programmed reaction with CH₄–H₂ mixtures, **154**, 412
- W ions in rutile TiO₂, redox properties, XRD and EPR study, **152**, 412
- WO₃, reduction–carburization by CH₄–H₂ mixture, **154**, 412
- RE_xWO₃ ($RE = La, Nd$) bronze synthesized under high pressure, X-ray diffraction and electron microscopy, **154**, 466
- W₂O₃ · P₂O₇ with empty tunnel structure, stabilization, **155**, 112
- Y₂(WO₄)₃, negative thermal expansion in, **149**, 92
- ZnO–WO₃ fluxes, effects on dielectric properties of BaTiO₃, **155**, 86
- Tunnel structure
 Ba_{1+x}V₈O₂₁ bronze, **150**, 330
 empty, W₂O₃ · P₂O₇ with, stabilization, **155**, 112
 Ga₂O₃–In₂O₃–SnO₂ system, **150**, 294
 PbVO₂PO₄, α -layered and β -tunnel structures, **149**, 149
- Twinning
 Nb₇W₁₀O₄₇ tetragonal bronze-type phase, **149**, 428
- U
- Ultraviolet emission
 by BaHf_{1-x}Zr_x(PO₄)₂ under X-ray excitation, **155**, 229
- Ultraviolet–visible spectroscopy
 (C₂H₁₀N₂)[Ni(H₂O)₆](HPO₄)₂, **154**, 460
 Cs₂CuP₃S₉, chiral compound with chiral screw helices, **151**, 326
 α - and β -[Cu₂X(C₅H₃N₂O₂)₂(H₂O)] ($X = Cl, Br$), **152**, 174
- Uranium
 1D uranium oxyfluorides built from edge-sharing [UO₂F₅] pentagonal bipyramids, hydrothermal syntheses, structures, and fluorescence spectroscopy, **154**, 635
 UFe₃Sn, synthesis, crystal structure, and magnetic properties, **154**, 551
 UNi_{1.9}Sn single crystals, growth, crystal structure, and thermopower, **149**, 120
 (UO₂)₃(VO₄)₂ · 5H₂O, synthesis and crystal structure, **150**, 72
 M₆(UO₂)₅(VO₄)₂O₅ ($M = Na, K$), synthesis and crystal structure, **155**, 342
 U₃S₅, uranium valency in, **150**, 336
 U₂T₂Sn ($T = Ni, Pd$), band magnetism, local spin density functional calculations, **149**, 449
 U_xWO₃ bronze, preparation by thermal degradation of polyoxotungstates, **149**, 378
- V
- Valence
 intermediate, in Ce₂Ni₂Cd, **150**, 139
 uranium in U₃S₅, **150**, 336
- Valence electron count
 in compounds structurally related to Ti₅Te₄, theoretical study, **154**, 384
- Vanadium
 Ba_{1+x}V₈O₂₁ bronze with tunnel structure, hydrothermal synthesis and crystal structure, **150**, 330
 Ba₆[V₁₀O₃₀(H₂O)] · 2.5H₂O with unusual arrangement of V^{IV}–O polyhedra, hydrothermal synthesis and crystal structure, **151**, 130
 BiMg₂VO₆, variable-temperature X-ray diffraction study, **149**, 143
 Bi_{6.67}O₄(VO₄)₄, existence of, **154**, 435
 Bi_{0.85}Pr_{0.105}V_{0.045}O_{1.545} ceramics, sintering and conductivity, effect of particle size, **155**, 273
 Ce_{1-y}Bi_yVO₄ with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
 CeVO₄ and Ce_{1-x}MVO_{4-0.5x} ($M = Ca, Sr, Pb$) with zircon-type structure, preparation by solid-state reaction in air, **153**, 174
 (C₄H₁₂N₂)(H₃O)[(VOPO₄)₄(H₂O)H₂PO₄] · 3H₂O, hydrothermal synthesis and characterization, **154**, 514
 (C₄H₁₂N₂)[(VO)(VO)₂(H₂O)(PO₄)₂], hydrothermal synthesis and characterization, **154**, 514
 (Cr_{1-x}V_x)₃B₄ large crystals, synthesis and analysis, **154**, 45
 (Hg,V)Sr₂(Ln,Ce)₂Cu₂O₂ 1222-type superconductors, synthesis, X-ray diffraction, and magnetic susceptibility, **154**, 488
 hydrated lithium and sodium vanadium bronzes, synthesis, **149**, 443
 LaVO₄, hydrothermal synthesis and crystal structure, **152**, 486
 LaV₃O₉, hydrothermal synthesis and crystal structure, **152**, 486
 β -LiVOAsO₄, synthesis, structure, and physical studies, **150**, 250
 Mo₂NiB₂ boride base cements with V additions, mechanical properties and structure, effects of Mo/B atomic ratio, **154**, 263

$\text{Na}_3[\text{B}_6\text{O}_9(\text{VO}_4)]$, synthesis and crystal structure, **150**, 342
 $(\text{NH}_4)_{0.13}\text{V}_{0.13}\text{Mo}_{0.87}\text{O}_3$ solid solution, properties, **152**, 353
 $\alpha\text{-Ni}(\text{VO}_3)_2 \cdot 2\text{H}_2\text{O}$ and $\text{Ni}(\text{VO}_3)_2 \cdot 4\text{H}_2\text{O}$, synthesis and crystal structure, **152**, 511
 $\text{PbBi}_6\text{O}_4(\text{VO}_4)_4$, existence of, **154**, 435
 PbVO_2PO_4 , α -layered and β -tunnel structures, **149**, 149
 polymeric oxovanadium(IV) complexes, mechanochemical reaction with Schiff base ligands derived from 5-nitrosalicylaldehyde and diamines, **153**, 9
 β -rhombohedral boron doped with modulated photocurrent measurements, **154**, 307
 thermoelectric properties, **154**, 13
 SrV_4O_9 in metastable state, synthesis and crystal structure, **149**, 414
 $(\text{UO}_2)_3(\text{VO}_4)_2 \cdot 5\text{H}_2\text{O}$, synthesis and crystal structure, **150**, 72
 $M_6(\text{UO}_2)_5(\text{VO}_4)_2\text{O}_5$ ($M = \text{Na}, \text{K}$), synthesis and crystal structure, **155**, 342
 vanadyl phosphate intercalates
 with acetone, structural analysis, **150**, 356
 with C_4 diols, preparation and characterization, **151**, 225
 V_3As_2 , bonding analysis, **154**, 384
 $(\text{V}_2\text{O}_7)^{4-}$, Mg–Al hydrotalcites exchanged with, properties, effects of guest–host interactions, **155**, 332
 AV_4O_9 ($A = \text{Ca}, \text{Sr}, \text{Cs}_2, \text{NH}_2(\text{CH}_2)_4\text{NH}_2$), spin exchange interactions of, spin dimer analysis, **153**, 263
 $(\text{V}^{\text{IV}}\text{O})_2(\text{H}_2\text{O})\{\text{O}_3\text{P}-(\text{CH}_2)_3-\text{PO}_3\} \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis, structure, and magnetic behavior, **155**, 238
 $\{\text{V}_{18}\text{O}_{42}(\text{XO}_4)\}$ ($X = \text{V}, \text{S}, \text{Cl}$), extended solids composed of, synthesis, structure, and physicochemical properties, **152**, 105
 $(\text{VO})_2\text{P}_2\text{O}_7$, single crystal growth at 3 GPa, **153**, 124
 $L_n\text{-VO}_4\text{Se}_8$ ($L_n = \text{Nd}, \text{Sm}, \text{Gd}$), synthesis and characterization, **154**, 564
 ZrSiO_4 doped with, hyperfine characterization, **150**, 14
 Vibration frequencies
 boron compounds, quasi-classical determination, **154**, 148

W

Water

$\text{Ba}_6[\text{V}_{10}\text{O}_{30}(\text{H}_2\text{O})] \cdot 2.5\text{H}_2\text{O}$ with unusual arrangement of $\text{V}^{\text{IV}}\text{-O}$ polyhedra, hydrothermal synthesis and crystal structure, **151**, 130
 ${}^3[\text{Cd}(\text{pdc})(\text{H}_2\text{O})]$ and ${}^3[\text{Cd}_3(\text{pdc})_2(\text{H}_2\text{O})_2]$, synthesis, structures, and properties, **152**, 236
 $[(\text{CH}_3\text{NH}_3)_{0.5}(\text{NH}_4)_{1.5}]\text{Sb}_8\text{S}_{13} \cdot 2.8\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **155**, 409
 $(\text{C}_4\text{H}_{12}\text{N}_2)(\text{H}_3\text{O})[(\text{VOPO}_4)_4(\text{H}_2\text{O})_2\text{PO}_4] \cdot 3\text{H}_2\text{O}$, hydrothermal synthesis and characterization, **154**, 514
 $(\text{C}_2\text{H}_{10}\text{N}_2)[\text{Ni}(\text{H}_2\text{O})_6](\text{HPO}_4)_2$, hydrothermal synthesis, crystal structure, and spectroscopic properties, **154**, 460
 $(\text{C}_4\text{H}_{12}\text{N}_2)[(\text{VO})(\text{VO}_2)_2(\text{H}_2\text{O})(\text{PO}_4)_2]$, hydrothermal synthesis and characterization, **154**, 514
 $[\text{C}_6\text{N}_2\text{H}_{18}]^{2+}[\text{Zn}(\text{HPO}_4)(\text{H}_2\text{PO}_4)_2]^{2-}$, isolation and transformation to $[\text{C}_6\text{N}_2\text{H}_{18}]^{2+}[\text{Zn}_3(\text{H}_2\text{O})_4(\text{HPO}_4)_4]^{2-}$, **150**, 417
 $\text{Co}(\text{NCS})_2 \cdot x\text{H}_2\text{O}$, inorganic–organic coordination polymers generated from, **155**, 143
 α - and β - $[\text{Cu}_2\text{X}(\text{C}_5\text{H}_3\text{N}_2\text{O}_2)_2(\text{H}_2\text{O})]$ ($X = \text{Cl}, \text{Br}$), synthesis and characterization, **152**, 174
 hydrated lithium and sodium vanadium bronzes, synthesis, **149**, 443
 $\text{K}_2\text{Ca}_2\text{Ta}_2\text{TiO}_{10} \cdot 0.8\text{H}_2\text{O}$ Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 $\text{K}_2\text{MnF}_5 \cdot \text{H}_2\text{O}$, neutron diffraction study, **150**, 104
 $\text{K}_2\text{SrLaTi}_2\text{TaO}_{10} \cdot 2\text{H}_2\text{O}$ Ruddlesden–Popper phase, synthesis, proton exchange, and topochemical dehydration, **155**, 46
 $\text{La}(\text{H}_2\text{O})_2M(\text{C}_2\text{O}_4)_2 \cdot \text{H}_2\text{O}$ ($M = \text{K}, \text{NH}_4$), crystal structure and thermal behavior, **150**, 81
 $\text{Na}_4\text{Co}_3\text{H}_2(\text{PO}_4)_4 \cdot 8\text{H}_2\text{O}$, hydrothermal synthesis, crystal structure, and magnetic properties, **149**, 292

$\text{Na}_2[(\text{HO}_3\text{PCH}_2)_3\text{NH}]1.5\text{H}_2\text{O}$, synthesis and structure, **151**, 122
 $[\text{N}_2\text{C}_4\text{H}_{12}]\text{Al}_2(\text{PO}_4)(\text{HPO}_4)(\text{C}_2\text{O}_4)\text{H}_2\text{O}$ hybrid open framework with large circular 12-membered channels, synthesis and structure, **150**, 324
 $\alpha\text{-Ni}(\text{VO}_3)_2 \cdot 2\text{H}_2\text{O}$ and $\text{Ni}(\text{VO}_3)_2 \cdot 4\text{H}_2\text{O}$, synthesis and crystal structure, **152**, 511
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_5[\text{Re}_6\text{X}_8(\text{CN})_6] \cdot \text{H}_2\text{O}$ ($X = \text{S}, \text{Se}$; $M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 $(\text{Pr}_4\text{N})_2M(\text{H}_2\text{O})_4[\text{Re}_6\text{S}_8(\text{CN})_6]$ ($M = \text{Mn}, \text{Ni}$), synthesis and structure, **153**, 195
 $\text{Rb}_2[\text{B}_4\text{O}_5(\text{OH})_4] \cdot 3.6\text{H}_2\text{O}$, crystal structure and thermal behavior, **149**, 197
 $\text{Rb}_2\text{Sb}_8\text{S}_{13} \cdot 3.3\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **155**, 409
 $\alpha\text{-Ti}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$, intercalation of heterocyclic amines into, structural and calorimetric study, **154**, 557
 $(\text{UO}_2)_3(\text{VO}_4)_2 \cdot 5\text{H}_2\text{O}$, synthesis and crystal structure, **150**, 72
 $(\text{V}^{\text{IV}}\text{O})_2(\text{H}_2\text{O})\{\text{O}_3\text{P}-(\text{CH}_2)_3-\text{PO}_3\} \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis, structure, and magnetic behavior, **155**, 238
 zeolite-like heterobimetallic cyanide frameworks, synthesis, quaternary ions $R_4\text{N}^+$ ($R = n\text{Pr}, n\text{Bu}, n\text{Pen}$) as structure directors for, **152**, 286
 $\text{Zn}_4(\text{PO}_4)_2(\text{HPO}_4)_2 \cdot 0.5(\text{C}_{10}\text{H}_{28}\text{N}_4) \cdot 2\text{H}_2\text{O}$, hydrothermal synthesis and crystal structure, **154**, 368
 $\text{ZrPOF-}n$ family with 2D and 3D structure types, synthesis and crystal structures, **149**, 21

Wide-angle CBED

rare-earth oxide pyrochlores, comparison with results of atomistic computer simulation, **153**, 16

Workshop on the Present Status and Future Developments of Solid State Chemistry and Materials, **149**, 3

Worm holes

surfactant-templated three-dimensional disordered frameworks performed with, **152**, 21

X

X-ray absorption near-edge structure

CeO_2 nanocrystals, **149**, 408

NiCo_2O_4 , **153**, 74

$\text{Sr}_4\text{Mn}_{3-x}\text{Fe}_x\text{O}_{10-\delta}$ ($x = 1, 1.5, 2$) Ruddlesden–Popper phases, **155**, 96

X-ray absorption spectroscopy

$\text{Cd}_{1-\delta}\text{Mn}_2\text{O}_y$, Mn–K edge study of crystal chemistry, **149**, 252

CeO_2 nanocrystals, **149**, 408

complex chalcogenides, as fingerprint of local environment, **150**, 363

X-ray diffraction, *see also* Powder X-ray diffraction

$\text{BaBi}_3\text{O}_{5.5}$: crystal growth and structure, **152**, 435

BiMg_2VO_6 at different temperatures, **149**, 143

$(1-x)\text{Bi}_2\text{O}_3 \cdot x\text{CaO}$ ($0.20 < x < 0.29$) α'_1 and α''_1 fluorite-related phases, **149**, 218

BN at high pressure, **154**, 280

$\text{Ca}_{4.78}\text{Cu}_6\text{O}_{11.60}$ crystal structure, **151**, 170

carbonate apatite with A-site substitutions, **155**, 292

charge-density-wave state of $\text{NiTa}_{1.98}\text{Nb}_{0.02}\text{Se}_7$, **153**, 152

$[\text{Co}(4,4'\text{-bipyridine})_{2.5}(\text{NO}_3)_2] \cdot 2\text{phenanthrene}$, **152**, 280

Cs_2CoCl_4 at high pressure, **153**, 212

Cs_2CuCl_4 at high pressure, **153**, 212

$\text{Cu}_2\text{Gd}_{2/3}\text{S}_2$: interlayer short-range order of Gd vacancies, **152**, 332

$\text{LiIn}(\text{MoO}_4)_2$, **154**, 498

$\text{Mo}_{0.16}\text{Bi}_{0.84}\text{O}_{1.74}$ high-temperature cubic fluorite-type phase with 3D incommensurate modulation, **152**, 573

Mo_2NiB_2 boride base cements with Cr and V additions: effects of Mo/B atomic ratio, **154**, 263

$\text{Na}_3\text{In}(\text{PO}_4)_2$ polymorphous modifications, **149**, 99

$\text{Na}_{3.64}\text{Mg}_{2.18}(\text{P}_2\text{O}_7)_2$ and $\text{Na}_{3.64}\text{Ni}_{2.18}(\text{P}_2\text{O}_7)_2$, **52**, 323

- [NH₃(CH₂)₃NH₃]_{0.5}[M(OH)AsO₄] (*M* = Ga,Fe), **155**, 37
 NiCo₂O₄, **153**, 74
 Ni effects on calcium phosphate formation, **151**, 163
 pillared 3D Mn(II) coordination network with rectangular channels, **152**, 152
 RP₅O₁₄ (*R* = La,Nd,Sm,Eu,Gd), **150**, 377
 Pr₂O₃ redox reaction in ZnO sintered ceramics at high temperature, **149**, 349
 Rb₂(HSO₄)(H₂PO₄) and Rb₄(HSO₄)₃(H₂PO₄) single crystals, **149**, 9
 ScB_{1.7}C_{0.25}, single-crystal study, **154**, 130
 superconductors of 2212 type in Tl–Hg–Ba–Sr–Ca–Cu–O system, **153**, 106
 TiO₂ rutile solid solutions: redox behavior of VIB transition metal ions, **152**, 412
 (VO)₂P₂O₇ phase grown at 3 GPa, **153**, 124
 Y₂Si₂O₇ phase transformations in gel- and mixed-powder-derived polymorphs, **149**, 16
 [Zn–Al–Cl] layered double hydroxide after thermal treatment, simulation, **152**, 568
 ZrO₂ nanocrystals: crystallite size effect on tetragonal–monoclinic transition, **149**, 399
- X-ray phosphors
 BaHf_{1-x}Zr_x(PO₄)₂ emitting ultraviolet under X-ray excitation, **155**, 229
 X-ray photoelectron spectroscopy
 cation loss from BaCa_{0.393}Nb_{0.606}O_{2.91} in aqueous media leading to amorphization at room temperature, **149**, 262
 NiCo₂O₄, **153**, 74
 U₃S₅: uranium valency, **150**, 336
- Y
- Ytterbium
 Ba₂YbTaO₆ with ordered perovskite structure, magnetic susceptibility, **150**, 31
 CaYbPt₃Sn₅, synthesis, Yb₂Pt₃Sn₅-type structure, and magnetic measurements, **150**, 112
 Yb³⁺ doped in Ba₂LuTaO₆, EPR study, **150**, 31
 YbB₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 Yb₃In₂Sb₆ Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55
 Yb₃Pd₄Ge₄, order of Pd and Ge atoms in, **154**, 329
 (Y,Yb)Al₃(BO₃)₄ solid solutions, crystal growth and characterization, **154**, 317
- Yttrium
 AlSr₂YCu₂O₇, crystal growth and structure, **149**, 256
 In₂O₃–Y₂O₃ solid solutions doped with Sn, electrical, optical, and structural properties, **153**, 41
 In₄Sn₃O₁₂ substituted with, structure and thermoelectric properties, **153**, 349
 Y₅M₂X (*M* = Ni,Pd; *X* = Sb,Bi) pnictides, crystal structure and bonding, **152**, 478
 (Y,RE)Al₃(BO₃)₄ solid solutions (*RE* = Nd,Gd,Ho,Yb,Lu), crystal growth and characterization, **154**, 317
 YB₆, interband transitions, IR-active phonons, and plasma vibrations, **154**, 87
 YB₆₆, effect of transition metal doping, **154**, 54
 YBa₂Cu₄O₈ superconductor, HRTEM surface profile imaging, **149**, 327
 YB₄₁Si_{1.2}, transport phenomena, **154**, 229
 YCo₄B, magnetic properties, **154**, 242
 YCu₃Ti₃FeO₁₂, dielectric constant, **151**, 323
 Y_{2/3}Cu₃Ti₄O₁₂, dielectric constant, **151**, 323
 YMn₂D_{1.15}, structural and magnetic properties, **154**, 398
- YMn₂D₂ single phase, synthesis, study by *in situ* neutron diffraction, **150**, 183
 Y₂NiB₁₀, synthesis, crystal structure, and magnetic and electrical properties, **154**, 246
 Y–Pd–B–C, chemical and superconducting properties, **154**, 114
 Y₂Ru₂O₇ pyrochlores, specific heat and ac susceptibility, **152**, 441
 Y₂Si₂O₇, phase transformations in gel- and mixed-powder-derived polymorphs, X-ray diffraction and ²⁹Si MAS NMR studies, **149**, 16
 Y₂(WO₄)₃, negative thermal expansion in, **149**, 92
- Z
- Zinc
 BaLaZnRuO₆, atomic and magnetic long-range ordering in, **150**, 383
 BiZn₂PO₆, crystal structure, **153**, 48
 [C₆N₂H₁₈]²⁺[Zn(HPO₄)(H₂PO₄)₂]²⁻, isolation and transformation to [C₆N₂H₁₈]²⁺[Zn₃(H₂O)₄(HPO₄)₄]²⁻, **150**, 417
 Co–Cu–Mg–Zn–Cr spinel-type mixed oxides, synthesis and properties, **152**, 526
 FeZn₁₀ and Fe₁₃Zn₃₉, synthesis, crystal structure, and electronic and bonding analysis, **151**, 85
 intercalation compounds of anionic oxalato complexes with layered double hydroxides, **153**, 301
 LuFeO₃(ZnO)_{*m*}, charge distribution analysis: effect of coordination polyhedra shape on cation distribution, **150**, 96
 mesostructured 3D materials based on [Ge₄S₁₀]⁴⁻ and [Ge₄Se₁₀]⁴⁻ units: surfactant templated disordered frameworks perforated with worm holes, **152**, 21
 Na_{2-x}Ag_xZnP₂O₇, Ag(I) luminescence in, **149**, 284
 Na₂ZnP₂O₇, crystal structure, **152**, 466
 0.9[0.4Pb(Mg_{1/3}Nb_{2/3})O₃–0.6Pb(Zn_{1/3}Nb_{2/3})O₃]–0.1PbTiO₃, formation via mechanically activated nucleation and growth, **154**, 321
 Sn–Zn–S system, mechanochemical reactions in, **153**, 371
 TiZn(PO₃)₃, structure and luminescence, **154**, 584
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMF)₂(DMSO)₂]_{*m*}}, **151**, 286
 {[W₂Ag₂S₈]·[Zn(4,4'-bipy)₂(DMSO)₄](DMSO)_{*m*}}, **151**, 286
 [Zn–Al–Cl] layered double hydroxide, thermally treated, X-ray diffraction pattern simulation, **152**, 568
 ZnCl₂, effect on structure and thermal stability of lamellar silica synthesized by neutral amine route, **149**, 113
 Zn_(2-x)Co_x(HPO₄)₃·C₃N₂H₁₂ (*x* ≃ 0.05) with 12 rings, synthesis and crystal structure, **149**, 107
 ZnGa₂O₄ self-activated phosphors, luminescent properties, systematic tuning by Cd²⁺ substitution, **150**, 204
 ZnO, sintered ceramics, redox reaction of Pr₂O₃ in, **149**, 349
 ZnO–B₂O₃ fluxes, effects on dielectric properties of BaTiO₃, **155**, 86
 ZnO–In₂O₃ and ZnO–indium oxide (ITO) films deposited by DC sputtering, structures and physical properties, **155**, 312
 (ZnO)₅In₂O₃, isoelectronically substituted, structure and thermoelectric transport properties, **150**, 221
 ZnO–WO₃ fluxes, effects on dielectric properties of BaTiO₃, **155**, 86
 Zn₄(PO₄)₂(HPO₄)₂·0.5(C₁₀H₂₈N₄)·2H₂O, hydrothermal synthesis and crystal structure, **154**, 368
- Zintl phases
 Ba₆Ge_{25-x}Ba₆Ge₂₃Sn₂, and Ba₆Ge₂₂In₃, structure and thermoelectric properties, **153**, 321
 Ba₃Si₁₂, synthesis, structure, and properties, **152**, 460
 metallic, related to EuSn₃Sb₄, synthesis, structure, and resistivity, **150**, 371
 Yb₅In₂Sb₆, with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55
- Zirconium
 BaCe_xZr_{1-x}O₃ (0 ≤ *x* ≤ 1) mixed perovskites, high-pressure Raman study, **149**, 298

- BaHf_{1-x}Zr_x(PO₄)₂, UV-emitting X-ray phosphor, **155**, 229
- t'_{meta}-(Ce_{0.5}Zr_{0.5})O₂ phase prepared by reduction and successive oxidation of t' phase, electrical conductivity, **151**, 253
- Cu_{0.5}Mn_{0.25}Zr₂(PO₄)₃ Nasicon-type phosphate, structure and luminescence, **152**, 453
- Ge-Ta-Zr system, M₃Ge₄ compounds in, structure-composition relations and fractional site occupancy, **150**, 347
- LaB₆-(Ti,Zr)B₂ alloys, eutectic crystallization, **154**, 165
- LiZr₂(PO₄)₃, β' and β phases, order-disorder and mobility of Li⁺ in, neutron diffraction study, **152**, 340
- Pb(Zr_{0.52}Ti_{0.48})O₃, formation via mechanically activated nucleation and growth, **154**, 321
- β-rhombohedral boron doped with, thermoelectric properties, **154**, 13
- ZrB₂, chemical vapor deposition, thermodynamic estimation, **154**, 157
- ZrIn₂, structure, chemical bonding, and properties, **150**, 19
- ZrO₂ nanocrystals, tetragonal-monoclinic transition, crystallite size effect in, XRD and Raman spectroscopic study, **149**, 399
- (ZrO₂)_{0.8}-(α-Fe₂O₃)_{0.2} powder for gas sensing applications, mechanical alloying and thermal decomposition, **155**, 320
- ZrM(OH)₂(NO₃)₃ (M = K,Rb), *ab initio* structure determination from X-ray powder diffraction, **149**, 167
- ZrPOF-*n* family with 2D and 3D structure types, synthesis and crystal structures, **149**, 21
- ZrSiO₄, pure and doped, hyperfine characterization, **150**, 14
- Zircon-type phases
- CeVO₄, Ce_{1-x}MVO_{4-0.5x} (M = Ca,Sr,Pb), and Ce_{1-y}Bi_yVO₄, preparation by solid-state reaction in air, **153**, 174
- Zone center frequencies
- tetragonal CdAl₂Se₄, **153**, 317