

Cumulative Subject Index for Volumes 156–162<sup>1</sup>

## A

- Absorption spectra  
Nd<sup>3+</sup> in Nd<sub>2</sub>BaCuO<sub>5</sub> and Nd<sub>2</sub>BaZnO<sub>5</sub>, **162**, 42
- Activation energy  
sodium ion motion in Nasicon structures, modeling, **156**, 154
- Aldehydes  
intercalation into VOPO<sub>4</sub>, **157**, 50
- Alkali 4-halogenomethylbenzoates  
solid-state polycondensation reaction in, structural aspects, **156**, 61
- Alkali ions  
effects on amorphous to crystalline phase transition of silica, **161**, 373
- Alkaline aqueous solutions  
synthesis of nanocrystalline binary metal chalcogenides in, **161**, 184
- Alkali titanium oxides  
pseudo-one-dimensional periodic domain boundary structures, **162**, 128
- Alluaudite  
related Ag<sub>2</sub>FeMn<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, neutron diffraction, Mössbauer spectrum, and magnetic behavior, **159**, 46
- Aluminum  
activated surface hydrolysis into AlO(OH)·*α*H<sub>2</sub>O nanocrystals in monoclinic structure, **157**, 40  
Al(CN)<sub>3</sub>, synthesis and structural properties, **159**, 244  
AlF<sub>3</sub>–KF–CsF, ternary phase diagram and compositions for Nocolok flux, **161**, 80  
Al[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>3</sub>N]H<sub>2</sub>O, synthesis and characterization, **160**, 278  
Al–Li–Si system  
Li<sub>8</sub>Al<sub>3</sub>Si<sub>5</sub>-type structure and ternary solid-state phase equilibria, **156**, 500  
polythermal equilibria, experimental study and thermodynamic calculation, **156**, 506  
 $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, NiO dispersion on, **157**, 274  
Al–Ti nanocomposite with lamellar structure, synthesis and characterization, **158**, 134  
Al–Ti–Zr and Al–Zr nanocomposites with hexagonal structure, synthesis and characterization, **158**, 134  
BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub>·H<sub>2</sub>O with six-membered rings, synthesis and characterization, **161**, 243  
boehmite, thermal evolution, dependence on atom bond lengths and crystallite size, **161**, 319  
CaAlGaO<sub>4</sub> and Ca<sub>2</sub>AlGaO<sub>5</sub>, crystal structures, **157**, 62  
[CuAl] layered double hydroxide, platinum complex intercalation into, **161**, 332  
defect in Al-doped Sm-123 high-temperature superconductor, structure of, electron density study, **161**, 396  
fluoroaluminophosphate chain AlPO–CJ10, synthesis and characterization, **161**, 259  
LiAlB<sub>2</sub>O<sub>5</sub>, *ab initio* structure determination, **156**, 181  
linear-chain phosphates, synthesis by reaction of amine phosphates with Al<sup>3+</sup> ions, **156**, 185  
Mg–Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52  
Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249  
[MgAl] layered double hydroxide, platinum complex intercalation into, **161**, 332  
Mg–Fe–Al–O complex oxides, reduction of, analysis by TPR and *in situ* Mössbauer spectroscopy, **161**, 38  
Mn–Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52  
monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225  
Ni–Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52  
Si–Al nanocomposite with hexagonal structure, synthesis and characterization, **158**, 134  
TiAl intermetallics, reaction with nitrogen plasma, **157**, 339  
TiO<sub>2</sub>/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>, NiO dispersion on, **157**, 274  
U<sub>3</sub>Al<sub>2</sub>M'<sub>3</sub> (M' = Si, Ge), magnetotransport and heat capacity, **158**, 227  
Zn–Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52  
[ZnAl] layered double hydroxide, platinum complex intercalation into, **161**, 332
- Amine phosphates  
reaction with Al<sup>3+</sup> ions: synthesis of linear-chain aluminum phosphates, **156**, 185
- Amino acids  
direct intercalation into layered double hydroxides by coprecipitation, **162**, 52
- Ammonium  
H<sub>2</sub>O(NH<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>–(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, polythermal diagram between 0 and 25°C, **156**, 264  
(NH<sub>4</sub>)[Ce<sup>IV</sup>F<sub>2</sub>(PO<sub>4</sub>)], hydrothermal synthesis and characterization, **157**, 180  
(NH<sub>4</sub>)Cl, mixture with HgCl<sub>2</sub>, reactivity with Monel containers, **162**, 254  
(NH<sub>4</sub>)<sub>5</sub>Cl<sub>2</sub>[CuCl<sub>2</sub>][CuCl<sub>4</sub>], preparation and crystal structure, **162**, 254  
NH<sub>4</sub>Ln<sub>3</sub>F<sub>10</sub> (Ln = Dy, Ho, Y, Er, Tm), hydrothermal syntheses and crystal structure, **158**, 358  
(NH<sub>4</sub>)<sub>4</sub>H<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub>, crystal structure below 180 K, **160**, 189  
(NH<sub>4</sub>)<sub>2</sub>(NH<sub>3</sub>)<sub>x</sub>[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], preparation and crystal structure, **162**, 254  
NH<sub>4</sub>(SbO)<sub>3</sub>(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub> nanotubes, synthesis and structure, **162**, 347  
(NH<sub>4</sub>)<sub>7</sub>U<sub>6</sub>F<sub>31</sub>, hydrothermal synthesis, structure, and magnetic properties, **158**, 87  
(NH<sub>4</sub>)<sub>4</sub>[Zn<sub>4</sub>Ga<sub>4</sub>P<sub>8</sub>O<sub>32</sub>] and (NH<sub>4</sub>)<sub>16</sub>[Zn<sub>16</sub>Ga<sub>8</sub>P<sub>24</sub>O<sub>96</sub>], syntheses and structures, **156**, 480  
Rb<sub>1.12</sub>(NH<sub>4</sub>)<sub>0.88</sub>SO<sub>4</sub>·Te(OH)<sub>6</sub>, thermal analysis and crystal structure at 435 K, **161**, 1
- Analcime  
ammonium zinc gallophosphate analog of, synthesis and structure, **156**, 480
- Anatase  
TiO<sub>2</sub> nanocrystals, preparation, characterization, and spectral studies, **158**, 180

<sup>1</sup>Boldface numbers indicate volume; lightface numbers indicate pagination.

- Angular overlap model  
control of magnetic anisotropy in molecular materials, **159**, 253
- Anion-excess fluorite  
related phases in  $LnOF-LnF_3$  systems ( $Ln = Nd, Sm, Eu, Gd$ ), characterization and defect structure, **157**, 134
- Anionic charge order model  
oxide superconductivity, **158**, 139
- Antiferroelectrics  
( $Sr_{1-x}Ca_x$ )TiO<sub>3</sub>, **162**, 20
- Antiferromagnetic chains  
Ba<sub>5</sub>Co<sub>5</sub>ClO<sub>13</sub>, **158**, 175  
spin-1/2 quantum, with tunable exchange interactions, in BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub> system, **156**, 101
- Antiferromagnetic coupling  
[ $M$ (dicyanamide)<sub>2</sub>pyrazine] ( $M = Mn, Fe, Co, Ni, Zn$ ), **159**, 352  
Li<sub>2</sub>Mn<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, **158**, 148  
polynuclear self-assembled Mn(II) and Co(II) cluster complexes, **159**, 308
- Antiferromagnetic insulating phase  
V<sub>2</sub>O<sub>3</sub>, AC conductivity, **159**, 41
- Antiferromagnetic ordering  
CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34
- Antiferromagnetism  
 $\kappa$ -(BETS)<sub>2</sub>FeX<sub>4</sub> ( $X = Cl, Br$ ) with superconducting transitions, **159**, 407  
[C<sub>2</sub>P<sub>2</sub>Mo(dmit)] [Br], ordered antiferromagnetic ground state, **159**, 413  
marokite, **160**, 167  
Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)<sub>2</sub> · H<sub>2</sub>O, **159**, 362  
V<sub>2</sub>O<sub>3</sub>, antiferromagnetic insulator-paramagnetic metal phase transition in V<sub>2</sub>O<sub>3</sub>, conductivity studies, **159**, 41
- Antimony  
Bi<sub>1.1</sub>Sb<sub>0.9</sub>MoO<sub>6</sub>, structure refinement, **159**, 72  
CuSb<sub>2</sub>O<sub>6</sub>, anisotropic spin exchange interaction in, spin dimer analysis, **156**, 110  
FeSb<sub>2</sub>S<sub>4</sub>, crystal structure, Mössbauer spectra, thermal expansion, and phase transition, **162**, 79  
Li<sub>3</sub>CuSbO<sub>5</sub>, crystal structure, **156**, 321  
Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, synthesis and crystal structure, **161**, 129  
Na<sub>2</sub>M<sub>3</sub>Sb<sub>4</sub> ( $M = Sr, Ba$ ), synthesis, structure, and properties, **162**, 327  
Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, synthesis and structure, **160**, 450  
NH<sub>4</sub>(SbO)<sub>3</sub>(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub> nanotubes, synthesis and structure, **162**, 347  
RbUSb<sub>0.33</sub>Te<sub>6</sub>, infinite [Te<sub>x</sub>]<sup>n-</sup> chains in, periodic modulations, **161**, 17  
TbSCh ( $T = Ni, Pd$ ;  $Ch = S, Se, Te$ ), preparation and crystal structure, **162**, 69  
Sb<sub>2</sub>O(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub>, synthesis and layered structure, **162**, 347  
SbSb<sub>x</sub>M<sub>1-x</sub>O<sub>4</sub> ( $M = Nb^V, Ta^V$ ), solid solution behavior and second-harmonic generating properties, **161**, 57  
LnSbS<sub>2</sub>Br<sub>2</sub> ( $Ln = La, Ce$ ), crystal and electronic structures and optical properties, **158**, 218  
Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub>, perovskites, synthesis, structure, and physical properties, **157**, 76  
Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, crystal structure, electrical and magnetic properties, and bonding, **162**, 158  
Ti<sub>11</sub>(Sb, Sn)<sub>8</sub>, structure and physical properties, **157**, 225  
Yb<sub>5</sub>In<sub>2</sub>Sb<sub>6</sub> Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55; *erratum*, **161**, 177
- Antiphase boundaries  
in K<sub>2</sub>In<sub>12</sub>Se<sub>19</sub>, **161**, 385  
Ni<sub>6±x</sub>Se<sub>5</sub>, **162**, 122
- Apatite  
Cd<sub>5-η/2</sub>(PO<sub>4</sub>)<sub>3</sub>Br<sub>1-η</sub> and Cd<sub>5-η/2</sub>(VO<sub>4</sub>)<sub>3</sub>I<sub>1-η</sub>, modified chimney-ladder structures with ladder-ladder and chimney-ladder coupling, **156**, 88  
fluoroapatite and hydroxyapatite materials, electrical properties, comparison, **156**, 57
- Apparent multiplicity  
L-Ta<sub>2</sub>O<sub>5</sub> and related structures, **160**, 62
- Aromatic stacking interactions  
 $\pi$ - $\pi$ , topological control of two-dimensional Co(II) coordination polymers, **159**, 371
- Arsenic  
TAsCh ( $T = Ni, Pd$ ;  $Ch = S, Se, Te$ ), preparation and crystal structure, **162**, 69  
CsH<sub>5</sub>(AsO<sub>4</sub>)<sub>2</sub>, crystal structure and characterization: comparison with CsH<sub>5</sub>(PO<sub>4</sub>)<sub>2</sub> and RbH<sub>5</sub>(AsO<sub>4</sub>)<sub>2</sub>, **161**, 9  
Li-M-As ( $M = V, Nb, Ta$ ), synthesis and crystal structure, **156**, 37  
[Nd(XeF<sub>2</sub>)<sub>n</sub>](AsF<sub>6</sub>)<sub>3</sub> ( $n = 3, 2, 5$ ), synthesis and Raman spectra, and crystal structure of  $n = 2.5$  compound, **162**, 243
- Aurivillius oxides  
Bi<sub>2.5</sub>Me<sub>0.5</sub>Nb<sub>2</sub>O<sub>9</sub> ( $Me = Na, K$ ), crystal structure, powder neutron diffraction study, **157**, 160  
with  $n = 1$ , production by mechanochemical activation, **160**, 54
- B
- Band gap energy  
CuSe and Cu<sub>3</sub>Se<sub>2</sub> thin films, **158**, 49  
KSmP<sub>2</sub>S<sub>7</sub>, NaSmP<sub>2</sub>S<sub>6</sub>, and NaYbP<sub>2</sub>S<sub>6</sub>, **160**, 195  
Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, **161**, 129  
TiO<sub>2</sub> nanocrystalline anatase, **158**, 180
- Band structure  
analysis of low coordination of Ag<sup>+</sup> and Cu<sup>+</sup> in chalcogenide environments, **160**, 212  
IrTe<sub>2</sub> phases prepared under high pressure, calculations, **162**, 63  
Ln<sub>3</sub>T<sub>2</sub>N<sub>6</sub> ( $Ln = La, Ce, Pr$ ;  $T = Ta, Nb$ ), **162**, 90  
Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, **160**, 450  
SrBi<sub>2</sub>Se<sub>4</sub>, **156**, 230  
Sr<sub>9/8</sub>TiS<sub>3</sub> and Sr<sub>8/7</sub>TiS<sub>3</sub>, effects of metal-metal sigma bonding, **162**, 103  
Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, **162**, 158  
TlTe, **157**, 193
- Barium  
Ba<sub>5</sub>Tt<sub>3</sub> ( $Tt = Si, Ge, Sn$ ) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149  
BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub> · H<sub>2</sub>O with six-membered rings, synthesis and characterization, **161**, 243  
BaBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub> ferroelectric oxides, cation disorder in, **160**, 174  
Ba<sub>4</sub>CeNb<sub>10</sub>O<sub>30</sub>, with TTB-type structure, crystal structure, **157**, 1  
Ba<sub>5</sub>Co<sub>5</sub>ClO<sub>13</sub>, synthesis, crystal structure, and magnetic and electrical properties, **158**, 175  
Ba<sub>1.1064</sub>CoO<sub>3</sub>, modulated composite structure with two subsystems, **161**, 300  
(Ba<sub>8</sub>Co<sub>6</sub>O<sub>18</sub>)<sub>x</sub>(Ba<sub>8</sub>Co<sub>8</sub>O<sub>24</sub>)<sub>y</sub> polysomatic series, new members of, **162**, 322  
BaCuO<sub>2</sub>, structure simulation using interatomic potentials, **158**, 162  
M<sub>2</sub>Ba<sub>2</sub>QCu<sub>2</sub>O<sub>6+z</sub> ( $M = Cu, Hg, Tl, Pb$ ;  $Q =$  rare earth, Ca;  $z = 0-1$ ), structure-property relationships, modeling by multivariate analysis methods, **162**, 1  
BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, spin-1/2 quantum antiferromagnetic chains with tunable superexchange interactions in, **156**, 101  
BaCu<sub>2</sub>Te<sub>2</sub>, structure and physical properties, **156**, 44  
BaFe[(CN)<sub>5</sub>NO] · 3H<sub>2</sub>O, oxidative thermal decomposition, BaFeO<sub>2.8-δ</sub> prepared from, ab initio structure solution, **160**, 17  
BaHfO<sub>3</sub> perovskite, Pr<sup>4+</sup> ions doped in, EPR study, **156**, 203  
Ba<sub>7</sub>Ir<sub>6</sub>O<sub>19</sub>, structural relationship to Sr<sub>7</sub>Re<sub>4</sub>O<sub>19</sub>, **160**, 45  
BaKCu<sub>3</sub>MS<sub>4</sub> ( $M = Mn, Co, Ni$ ), electrical and magnetic properties, **157**, 144  
 $nBa(Nb, Zr)O_3 + 3mNbO$  ( $n = 2-5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75

- Ba[N(CN)<sub>2</sub>]<sub>2</sub>, synthesis, vibrational spectroscopy, and crystal structure, **157**, 241
- BaNd<sub>2</sub>MnS<sub>5</sub>, crystal structure and magnetic properties, **159**, 163
- Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub>, 6H-perovskite, crystal structure and magnetic properties, **161**, 113
- Ba<sub>x</sub>BO<sub>3</sub> (*B* = Co, Ni), magnetic properties, structural and electronic factors governing, **160**, 239
- A'[Ba<sub>2</sub>B<sub>3</sub>O<sub>10</sub>] (*A'* = Rb, Cs; *B* = Nb, Ta), Dion-Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279
- Ba<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>X<sub>2</sub> (*X* = F, OH), electrical properties, **156**, 57
- BaLn<sub>2</sub>MS<sub>5</sub> (*Ln* = La, Ce, Pr, Nd; *M* = Co, Zn), crystal structure and magnetic properties, **159**, 163
- Ba[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O), formation, effect of cation, **161**, 416
- BaV<sub>13</sub>O<sub>18</sub>, crystal structure, **158**, 61
- BaZnCl<sub>4</sub>-II:Sm<sup>2+</sup>, crystal structure, thermal behavior, and luminescence, comparison to BaZnCl<sub>4</sub>-I:Sm<sup>2+</sup>, **162**, 237
- CdBa<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, synthesis, crystal structure, and vibrational spectra, **161**, 97
- Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol-gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
- La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, internal chemical pressure effect and magnetic properties, **156**, 117
- Na<sub>2</sub>Ba<sub>3</sub>Sb<sub>4</sub>, synthesis, structure, and properties, **162**, 327
- Nd<sub>2</sub>BaCuO<sub>5</sub> and Nd<sub>2</sub>BaZnO<sub>5</sub>, Nd<sup>3+</sup> in, optical and crystal-field analysis, **162**, 42
- Sr<sub>1-x</sub>Ba<sub>x</sub>ZrO<sub>3</sub> perovskites, effects of composition and temperature, high-resolution powder diffraction study, **161**, 106
- substitution in Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, effect on ferroelectric properties, **157**, 261
- YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ *x* ≤ 0.52), oxygen nonstoichiometry, structures, and physical properties, **156**, 355
- Batteries
- alkaline, nickel-cobalt oxyhydride electrodes of, outcome of cobalt in, **162**, 270
  - electrochemically cycled Si-doped SnO<sub>2</sub>-lithium thin-film battery, microstructural evolution, **160**, 388
  - Li<sub>2</sub>NaV<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, 3.7-V lithium-insertion cathode with rhombohedral NASICON structure, **162**, 176
  - lithium-ion secondary batteries, Li(Mn,*M*)<sub>2</sub>O<sub>4</sub> (*M* = Cr, Co, Ni) 5V cathode materials for, *in situ* XAFS analysis, **156**, 286
- Benzaldehyde
- intercalation into VOPO<sub>4</sub>, **157**, 50
- 1,3,5-Benzenetricarboxylate
- Co<sub>3</sub>BTCA<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>, resonance in nonlinear susceptibilities, **159**, 379
- 2,1,3-Benzothiadiazole
- Co(II) coordination polymers {[CoBr<sub>2</sub>(btd)]<sub>n</sub> and {[CoCl<sub>2</sub>(btd)]<sub>n</sub>}, synthesis, characterization, crystal structure, and magnetic properties, **159**, 371
- Berthierite
- FeSb<sub>2</sub>S<sub>4</sub>, crystal structure, Mössbauer spectra, thermal expansion, and phase transition, **162**, 79
- Beryllium
- Be(CN)<sub>2</sub>, synthesis and structural properties, **159**, 244
- 2,2'-Bipyridine
- [{Cu(2,2'-bpy)<sub>2</sub>}<sub>2</sub>Mo<sub>8</sub>O<sub>26</sub>], hydrothermal synthesis and crystal structure, **161**, 173
- Bipyrimidine
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions: (BEDT-TTF)<sub>2</sub>[Cr(NCS)<sub>4</sub>(bipym)]·0.15H<sub>2</sub>O, **159**, 385
- Bis(ethylenedithio)tetrathiafulvalene
- κ-(BETS)<sub>2</sub>FeX<sub>4</sub> (*X* = Cl, Br) with superconducting transitions, effect of halogen substitution, **159**, 407
- Bis(ethylenedithio) tetrathiafulvalene
- charge transfer salts with thiocyanato-complex anions, **159**, 385
- Bis(isonicotinato)copper(II) dihydrate
- hydrothermal synthesis, crystal structure, and magnetic properties, **158**, 315
- Bismuth
- BiCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255
  - Bi<sub>1-x</sub>Cr<sub>x</sub>O<sub>1.5+1.5x</sub> (0.05 ≤ *x* ≤ 0.15), high-temperature solid solution with 3D incommensurate modulation, **156**, 168
  - Bi<sub>2-x</sub>In<sub>x</sub>Se<sub>3</sub> single crystals, transport properties, **160**, 474
  - Bi<sub>4.86</sub>Li<sub>1.14</sub>O<sub>9</sub> monoclinic structure, *ab initio* determination from powder neutron diffraction data, **162**, 10
  - BiMn<sub>6</sub>PO<sub>12</sub>, preparation, structure, and magnetic properties, **157**, 123
  - Bi<sub>2</sub>MoO<sub>6</sub>, Aurivillius compound, production by mechanochemical activation, **160**, 54
  - Bi<sub>2.5</sub>Me<sub>0.5</sub>Nb<sub>2</sub>O<sub>9</sub> (*Me* = Na, K), crystal structure, powder neutron diffraction study, **157**, 160
  - Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> pyrochlore oxide, sol-gel synthesis in alkaline medium, **161**, 379
  - Bi<sub>1.1</sub>Sb<sub>0.9</sub>MoO<sub>6</sub>, structure refinement, **159**, 72
  - Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, mercuric bromide-intercalated single crystal, polarized X-ray absorption spectroscopy, **160**, 39
  - ABi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub> (*A* = Ca, Sr, Ba) ferroelectric oxides, cation disorder in, **160**, 174
  - Bi<sub>2</sub>TeO<sub>5</sub>, oxidation, thermoanalytical and optical microscopic studies, **161**, 365
  - Bi<sub>2</sub>VO<sub>5</sub> and Bi<sub>2</sub>VO<sub>5.5</sub>, Aurivillius compounds, production by mechanochemical activation, **160**, 54
  - Bi<sub>3.5</sub>V<sub>1.2</sub>O<sub>8.25</sub>, preparation and characterization, **161**, 410
  - Ce<sub>1-x</sub>Bi<sub>x</sub>VO<sub>4</sub> solid solutions
    - Raman and IR spectroscopy, **158**, 254
    - Raman spectroscopy for 0 ≤ *x* ≤ 0.68, **158**, 264  - fluorinated Bi-2201 phases, suppression of modulations in, **156**, 445
  - La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (*x* = 0.1, 0.15, 0.2) perovskite, lattice distortion in, pressure dependence, **160**, 307
  - SrBi<sub>2</sub>Se<sub>4</sub>, synthesis and characterization, **156**, 230
  - Sr<sub>2</sub>ScBiO<sub>6</sub>, synthesis and crystal structure, **162**, 142
  - YNbO<sub>4</sub>:Bi, electronic structure and luminescence properties, **156**, 267
- Bis(*trans*-4-pyridylacrylate)
- interpenetration networks formed with Co(II), Cu(II), and Ni(II), hydrothermal syntheses and crystal structures, **157**, 166
- Bis(salicylaldehyde)ethylenediamine
- [Mn<sup>II</sup>(*t*-Bu)<sub>2</sub>salen]<sub>2</sub>, preparation, magnetic characterization, and reaction with tetracyanoethylene, **159**, 403
- 2,5-Bis(trimethylsilyl)thiophene-S,S-dioxide
- and related materials, structural aspects, **161**, 121
- Boehmite
- crystallite size and bond lengths, relationship, **159**, 32
  - thermal evolution, dependence on atom bond lengths and crystallite size, **161**, 319
- Bonding
- BaV<sub>13</sub>O<sub>18</sub>: V-V (cation-cation) bond, **158**, 61
  - AM<sub>2</sub>B<sub>2</sub>C (*A* = Lu, La, Th; *M* = Ni, Pd), **160**, 93
  - metal-metal sigma bonding, effects on structures and physical properties of Sr<sub>9/8</sub>TiS<sub>3</sub>, Sr<sub>8/7</sub>TiS<sub>3</sub>, and Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]S<sub>3</sub>, **162**, 103
  - R<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub> (*R* = Y, Gd-Er), **160**, 77
  - short Pb-Pb bonds in Ti<sub>6</sub>Pb<sub>4.8</sub>, **159**, 134
  - sigma antibonding, effect on magnetic properties of A<sub>x</sub>BO<sub>3</sub> (*A* = Ca, Sr, Ba; *B* = Co, Ni), **160**, 239
  - Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, **162**, 158
  - TiFeO<sub>3</sub>, comparison with AFeO<sub>3</sub> (*A* = rare earth), **161**, 197
- Bond length
- in boehmite, relationship to crystallite size, **159**, 32
  - role in thermal evolution of boehmite, **161**, 319

## Bond valence

in modeling of ionic conductivity in Nasicon structures, **156**, 154

## Boron

$AM_2B_2C$  ( $A = \text{Lu, La, Th}$ ;  $M = \text{Ni, Pd}$ ), metal–metal distances, electron counts, and superconducting  $T_c$ 's, **160**, 93

$ReB_{2-2}C_2N$  ( $Re = \text{Y, Ho, Er, Tm, Lu}$ ), synthesis and crystal structure, **159**, 174

BN multilayered coatings, deposition onto Hi-Nicalon fibers via continuous LPCVD treatment, **162**, 358

$Co_3[BPO_7]$ , synthesis and characterization, **156**, 281

$[Cp_2Mo(dmit)][BF_4^-]$ , association into dimers, **159**, 413

$\alpha$ - $CsB_5O_8$  and  $\gamma$ - $CsB_5O_8$ , crystal structures, **161**, 205

$CsBSe_3$ , synthesis, crystal structure, and properties, **157**, 206

$LiAlB_2O_5$ , *ab initio* structure determination, **156**, 181

$Li_2Ln_5O_4(BO_3)_3$  ( $Ln = \text{Yb, Lu}$ ), discovery in  $Li_2O$ – $Ln_2O_3$ – $B_2O_3$  phase diagram and structural analysis of Yb phase, **156**, 161

$\beta$ - $RbB_5O_8$ , crystal structure, **161**, 205

$RbBSe_3$ , synthesis, crystal structure, and properties, **157**, 206

$SeB_{1.9+x}Si_3$ , floating zone crystal growth and structure analysis, **160**, 394

$\beta$ - $Tl_2B_4O_7$  containing three-dimensional borate anion, structure, **160**, 139

$TiBSe_3$ , synthesis, crystal structure, and properties, **157**, 206

tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]borane, ground spin states, **159**, 428

## Bromine

$\kappa$ -(BETS) $_2FeBr_4$  with superconducting transitions, effect of halogen substitution, **159**, 407

$Cd_{5-\eta/2}(PO_4)_3Br_{1-\eta}$ , modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88

Co(II) coordination polymer  $\{[CoBr_2(btd)]\}_n$ , synthesis, characterization, crystal structure, and magnetic properties, **159**, 371

$[Cp_2Mo(dmit)][Br]$ , ordered antiferromagnetic ground state, **159**, 413

$CsSn_2Br_5$  compounds, cluster orbital formation in, **160**, 382

$[Cu(H_2NCH_2CH_2NH_2)_2][Cu_2Br_4]$  and  $[Cu(H_2NCH_2CH_2NH_2)_2][Cu_5Br_7]$ , hydrothermal synthesis and X-ray crystal structure, **158**, 55

$HgBr_2$  intercalated  $Bi_2Sr_2CaCu_2O_y$  single crystal, polarized X-ray absorption spectroscopy, **160**, 39

$LaOBr$ , mechanochemical synthesis and solid state solutions, **160**, 469

$Mg(ND_3)_2Br_2$ , uniaxial orientational order–disorder transitions, neutron diffraction study, **156**, 487

monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225

$Na_2NbF_6$ –( $Nb_6Br_4F_{11}$ ), synthesis and crystal structure, **158**, 327

$Nb_6Br_8F_7$ , synthesis and crystal structure, **158**, 327

$LnSbS_2Br_2$  ( $Ln = \text{La, Ce}$ ), crystal and electronic structures and optical properties, **158**, 218

3-Bromo-*trans*-cinnamic acid system

polymorphic phase transformation, **156**, 10

## Bronze

$H_xMoO_3$ , leaching treatments, **159**, 51

hydrogen coinserted hydrated sodium and potassium molybdenum bronzes: characterization and synthesis of purple, blue, and red Mo bronzes, **159**, 87

lead-free relaxor ferroelectrics with tetragonal tungsten bronze structure, solid state chemistry, **162**, 260

$A_xMo_yW_{1-y}O_3$  ( $A = \text{K, Ce}$ ) intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341

tetragonal tungsten bronze structure, Pb–Nb–W–O oxides based on, **161**, 135

*t*-Butanol

$Cd(CN)_2 \cdot 2/3H_2O \cdot t$ -BuOH, structure, **156**, 51

## Butyraldehyde

intercalation into  $VOPO_4$ , **157**, 50

## C

## Cadmium

binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184

$CdBa_3(HPO_4)_2(H_2PO_4)_2$ , synthesis, crystal structure, and vibrational spectra, **161**, 97

$Cd(CN)_2 \cdot 2/3H_2O \cdot t$ -BuOH, structure, **156**, 51

$CdCr_{2-x}Ga_xSe_4$  spinel system, metal ion distribution and magnetic properties, **158**, 34

$CdGa_2Se_4$ , pressure-induced phase transitions, **160**, 205

$Cd_{5-\eta/2}(PO_4)_3Br_{1-\eta}$  modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88

$CdTeMoO_6$ , X-ray and TEM studies: fluorite-type superstructure with cation and anion deficiencies ( $\blacksquare CoTeMo$ )( $\square_2O_6$ ), **160**, 401

$Cd_{5-\eta/2}(VO_4)_3I_{1-\eta}$  modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88

$Cd(VO_2)_4(SeO_3)_3 \cdot H_2O$ , hydrothermal synthesis and crystal structure, **161**, 23

$Cu_xCd_{1-x}(HCOO)_2 \cdot 2H_2O$ , crystal structure and thermal behavior, **157**, 23

$K_4[Cd_3(HPO_4)_4(H_2PO_4)_2]$ , synthesis and layered structure, **162**, 188

$[Mo_{12}CdP_8O_{50}(OH)_{12}Cd[N(CH_3)_4]_2(H_3O)_6] \cdot 5H_2O$ , revised space groups, **159**, 7

open-framework oxalates with channels stabilized by alkali metal ions, **162**, 150

$Rb_2CdSiO_4$ , synthesis and crystal structure, **162**, 214

## Calcium

$Bi_2Sr_2CaCu_2O_y$ , mercuric bromide-intercalated single crystal, polarized X-ray absorption spectroscopy, **160**, 39

$Ca_5Tt_3$  ( $Tt = \text{Si, Ge, Sn}$ ) compounds with  $Cr_5B_3$ -like structures, hydrogen impurity effects in, **159**, 149

$CaAlGaO_4$  and  $Ca_2AlGaO_5$ , crystal structures, **157**, 62

$CaBi_2Ta_2O_9$  ferroelectric oxides, cation disorder in, **160**, 174

$Ca(Ca_{1/3}Nb_{2/3})O_3$  complex perovskite, cation ordering types and dielectric properties, **156**, 122

$Ca_3Co_{1+x}Mn_{1-x}O_6$  quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160**, 293

$[Ca_2CoO_3][CoO_2]_{1.62}$ , misfit layer compounds, 4D structural study, **160**, 322

$Ca_3CuMnO_6$  quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160**, 293

$CaCuO_2$  and  $Ca_2CuO_3$ , structure simulation using interatomic potentials, **158**, 162

$CaLaFeVO_6$  double-perovskite oxide, synthesis, structure, and properties, **162**, 250

$Ca_2MnGaO_{5+\delta}$ , synthesis and crystal structure, **158**, 100

$CaMn_2O_4$  marokite, antiferromagnetism, **160**, 167

$Ca_4Nb_2O_9$ – $CaTiO_3$ , phase equilibria and microstructures, **160**, 257

$Ca[N(CN)_2]_2$ , synthesis, vibrational spectroscopy, and crystal structure, **157**, 241

$Ca_2NF$ , preparation and single-crystal structure analysis, **160**, 134

$Ca_3Ni_8In_4$ , ordered noncentrosymmetric variant of  $BaLi_4$  type, **160**, 415

$CaO$  polycrystals doped with Co, cellular paracrystal formation from, **161**, 341

$Ca_xBO_3$  ( $B = \text{Co, Ni}$ ), magnetic properties, structural and electronic factors governing, **160**, 239

$Ca_{10}(PO_4)_6X_2$  ( $X = \text{F, OH}$ ), electrical properties, **156**, 57

carbonated hydroxyapatite deficient in, crystal structure and thermal decomposition, **160**, 340

$Ca_{2-x}Sr_xRuO_4$ , synthesis and single-crystal growth, **156**, 26

$Ca_{0.5}Sr_{0.5}TiO_3$  perovskite, space group and structure, **160**, 8

$Ca_2Ta_2O_7$  doped with niobia, 5M and 7M polytypes, **161**, 274

$ACa_9(VO_4)_7$  ( $A = \text{Bi, rare earth}$ ), synthesis and structure, **157**, 255

- Ca<sub>1-x</sub>Y<sub>x</sub>MnO<sub>3</sub>, structural phase diagram, **156**, 458
- Ce<sub>1-x</sub>Ca<sub>x</sub>VO<sub>4-0.5x</sub> solid solutions  
Raman and IR spectroscopy, **158**, 254  
Raman spectra for 0 ≤ x ≤ 0.41, **158**, 264
- Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol-gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
- insertion in Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, **162**, 34
- K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub> layered perovskites, pillaring with Fe<sub>2</sub>O<sub>3</sub> nanoparticles, **160**, 435
- La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (x = 0.1, 0.15, 0.2) perovskite, lattice distortion in, pressure dependence, **160**, 307
- (La,Ca)CrO<sub>3</sub>, thermal expansion in, computer simulation, **156**, 394
- La-Ca-Mn-O system, phase equilibrium, **156**, 237
- La<sub>2-x</sub>Ca<sub>1+2x</sub>Mn<sub>2</sub>O<sub>7</sub>, electron-doped layered orthorhombic phase in 0.8 < x < 1.0 composition range, TEM study, **157**, 309
- NaCa<sub>2</sub>GeO<sub>4</sub>F, synthesis and structure, **160**, 33
- Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, synthesis by calcium insertion in Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, **162**, 34
- Nd<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>4</sub> (x = 0.02–0.20), Cr<sup>V</sup>-Cr<sup>VI</sup> mixed valence compounds, synthesis and structure, **156**, 370
- Pr<sub>0.5</sub>Ca<sub>0.5</sub>Mn<sub>0.99</sub>Cr<sub>0.01</sub>O<sub>3</sub>, resistivity under magnetic field, increase by thermal cycling, **160**, 1
- Sr<sub>1.19</sub>Ca<sub>0.73</sub>Cu<sub>2</sub>O<sub>4</sub>, structure simulation using interatomic potentials, **158**, 162
- (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub> with composition (x), evolution of crystallographic phases in, **162**, 20
- substitution in Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, effect on ferroelectric properties, **157**, 261
- Calorimetry  
differential scanning, *see* Differential scanning calorimetry  
PbZr<sub>x</sub>Ti<sub>1-x</sub>O<sub>3</sub> solid solutions: enthalpies of formation, **161**, 402
- Capacitance  
negative, V<sub>2</sub>O<sub>3</sub>, **159**, 41
- Capronaldehyde  
intercalation into VOPO<sub>4</sub>, **157**, 50
- Carbon  
Al(CN)<sub>3</sub>, synthesis and structural properties, **159**, 244  
Al[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>3</sub>N]H<sub>2</sub>O, synthesis and characterization, **160**, 278  
amorphous, C<sub>60</sub> transformation to, under hydrothermal conditions, **160**, 184  
AM<sub>2</sub>B<sub>2</sub>C (A = Lu, La, Th; M = Ni, Pd), metal-metal distances, electron counts, and superconducting T<sub>c</sub>'s, **160**, 93  
ReB<sub>2.2</sub>C<sub>2</sub>N (Re = Y, Ho, Er, Tm, Lu), synthesis and crystal structure, **159**, 174  
Be(CN)<sub>2</sub>, synthesis and structural properties, **159**, 244  
κ-(BETS)<sub>2</sub>FeX<sub>4</sub> (X = Cl, Br) with superconducting transitions, effect of halogen substitution, **159**, 407  
Cd(CN)<sub>2</sub> · 2/3H<sub>2</sub>O · t-BuOH, structure, **156**, 51  
M<sub>4</sub>Cd<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>4</sub> · 4H<sub>2</sub>O (M = Na, K), synthesis, structure, and properties, **162**, 150  
Ce<sub>2</sub>Ni<sub>22</sub>C<sub>2.75</sub>, noninteger Ce valency in, **161**, 63  
charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385  
[(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>] and [(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], synthesis and characterization, **157**, 233  
[(C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>)<sub>3</sub>Fe<sup>III</sup>]<sub>2</sub>[Fe<sup>III</sup>Mo<sub>12</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>O<sub>24</sub>], synthesis and structure, **159**, 209  
C<sub>5</sub>H<sub>12</sub>NPO<sub>4</sub>H<sub>2</sub>, synthesis and crystal structure, **161**, 307  
C<sub>10</sub>H<sub>28</sub>N<sub>4</sub>P<sub>4</sub>O<sub>12</sub> · 4H<sub>2</sub>O, crystal structure, thermal analysis, and vibrational spectra, **156**, 364  
(C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub> · 5H<sub>2</sub>O, hydrothermal synthesis, structure, and magnetic properties, **158**, 87  
(C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)Zr<sub>2</sub>F<sub>10</sub> · H<sub>2</sub>O and (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)ZrF<sub>6</sub> · H<sub>2</sub>O, hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198  
M<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub> (M = Mn, Fe, Co), compounds based on, structural and magnetic study, **159**, 281  
(C<sub>10</sub>N<sub>4</sub>H<sub>28</sub>)[Zn<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>] · 2H<sub>2</sub>O with layer structure, synthesis, crystal structure, and NMR, **162**, 168  
[C<sub>6</sub>N<sub>4</sub>H<sub>22</sub>][Zn<sub>6</sub>(PO<sub>4</sub>)<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>] formed by one-dimensional tubes, synthesis and crystal structure, **157**, 110  
Co<sub>3</sub>BTCA<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>, resonance in nonlinear susceptibilities, **159**, 379  
Co(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166  
Co(II) coordination polymers {[CoBr<sub>2</sub>(btd)]<sub>n</sub>} and {[CoCl<sub>2</sub>(btd)]<sub>n</sub>}, synthesis, characterization, crystal structure, and magnetic properties, **159**, 371  
CoFe(CN)<sub>5</sub>NH<sub>3</sub> · 6H<sub>2</sub>O, photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336  
Co(H<sub>2</sub>O)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343  
Co<sub>2</sub>(OH)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343  
Cp<sub>2</sub>Mo(dmit) with Br<sup>-</sup> or BF<sub>4</sub><sup>-</sup>, isolated dimers and ordered antiferromagnetic ground state, **159**, 413  
[Cr(CN)<sub>6</sub>]<sub>2</sub>[Ni(L)<sub>2</sub>]<sub>3</sub> · 7H<sub>2</sub>O pentanuclear complexes, characterization and magnetic properties, **159**, 302  
[Cr<sub>3</sub>O(O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>Cl)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>][NO<sub>3</sub>], high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321  
[Cr<sub>3</sub>O(O<sub>2</sub>CCMe<sub>3</sub>)<sub>6</sub>][O<sub>2</sub>CCMe<sub>3</sub>], high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321  
Cu(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166  
Cu<sub>x</sub>M<sub>1-x</sub>(HCOO)<sub>2</sub> · 2H<sub>2</sub>O (M = Mn, Co, Ni, Cd), crystal structures and thermal behavior, **157**, 23  
[Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>2</sub>Br<sub>4</sub>] and [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>5</sub>Br<sub>7</sub>], hydrothermal synthesis and X-ray crystal structure, **158**, 55  
[Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub> · 12H<sub>2</sub>O (Ln<sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), synthesis and characterization, **161**, 214  
Cu<sub>3</sub>[(O<sub>3</sub>PCH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>2</sub>, synthesis and characterization, **160**, 278  
[M(dicyanamide)<sub>2</sub>pyrazine] (M = Mn, Fe, Co, Ni, Zn), synthesis, structural isomerism, and magnetism, **159**, 352  
N,N'-dimethylpiperazinium(2+) hydrogen selenite, preparation, crystal structure, vibrational spectra, and thermal behavior, **161**, 312  
Dy<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1  
fullerene hydrothermal behavior: transformation to amorphous carbon and carbon nanotube formation, **160**, 184  
fullerene superconductors, anionic charge order model, **158**, 139  
graphite, LiCoO<sub>2</sub> film fabrication on, in flowing aqueous solutions at 150°C, **162**, 364  
K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>] · 7H<sub>2</sub>O, microstructural changes induced by thermal treatment, **156**, 400  
layered molecule-based magnets formed by decamethylmetallocenium cations, **159**, 391  
[(Me<sub>3</sub>Sn)<sub>3</sub>M(CN)<sub>6</sub>] (M = Co, Ir), metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324  
Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249  
Mg(CN)<sub>2</sub>, synthesis and structural properties, **159**, 244  
[Mn<sup>II</sup>(t-Bu)<sub>2</sub>salen]<sub>2</sub>, preparation, magnetic characterization, and reaction with tetracyanoethylene, **159**, 403  
Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>) · H<sub>2</sub>O, structure and magnetic properties, **159**, 362  
MnCr<sub>6</sub>(CN)<sub>18</sub> and Mn<sub>3</sub>Cr<sub>6</sub>(CN)<sub>18</sub> molecular species and MnCr<sub>3</sub>(CN)<sub>9</sub> chain compound, magnetic properties, **159**, 293  
[Mn(L)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub> · nH<sub>2</sub>O (L = ethylenediamine, n = 4; L = glycine amide, n = 2.5), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328

- $\text{Mn}_3[\text{Cr}(\text{CN})_6]_2 \cdot 12\text{H}_2\text{O}$ , relationship to  $[\text{Mn}(\text{L})]_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), **159**, 328
- $\text{Mn}_6(\text{H}_2\text{O})_2(\text{HPO}_4)_4(\text{PO}_4)_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 32
- $[\text{Mn}_3\text{O}(\text{O}_2\text{CPh})_6(\text{NC}_5\text{H}_5)_2(\text{H}_2\text{O})]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $[\text{Mo}_{12}\text{CdP}_8\text{O}_{50}(\text{OH})_{12}\text{Cd}[\text{N}(\text{CH}_3)_4]_2(\text{H}_3\text{O})_6] \cdot 5\text{H}_2\text{O}$ , revised space groups, **159**, 7
- monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225
- nanotubes, formation from fullerenes under hydrothermal conditions, **160**, 184
- $(\text{NC}_5\text{H}_{12})_2 \cdot \text{Zn}_3(\text{HPO}_3)_4$ , low-density framework built up from fully connected (3,4) net of  $\text{ZnO}_4$  tetrahedra and  $\text{HPO}_3$  pseudo pyramids, **160**, 4
- $M[\text{N}(\text{CN})_2]_2$  ( $M = \text{Mg, Ca, Sr, Ba}$ ), syntheses, vibrational spectroscopy, and crystal structure, **157**, 241
- $[\text{NH}_3(\text{CH}_2)_2\text{NH}_3]_4[\text{Ga}_{4-x}\text{V}_x(\text{HPO}_4)_5(\text{PO}_4)_3\text{H}(\text{OH})_2]$  ( $x = 1.65$ ), synthesis and characterization, **159**, 59
- $\text{NH}_4(\text{SbO})_3(\text{CH}_3\text{PO}_3)_2$  nanotubes, synthesis and structure, **162**, 347
- $\text{Ni}(\text{C}_8\text{H}_6\text{NO}_2)_2(\text{H}_2\text{O})_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $\text{Ni}(\text{HP}_2\text{O}_7)\text{F} \cdot \text{C}_2\text{N}_2\text{H}_{10}$  with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- $\text{Ln}_2\text{O}_2\text{CO}_3$  II ( $\text{Ln} = \text{La, Nd}$ ), **158**, 14
- polyarylmethyl polyradicals as organic spin clusters, **159**, 460
- polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- $[(n\text{Pr}_4\text{N})(\text{Me}_3\text{Sn})_2\text{Ir}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$  and  $[(n\text{Pr}_4\text{P})(\text{Me}_3\text{Sn})_2\text{Co}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$ , crystal structures, **157**, 324
- $\text{Pr}_3\text{Si}_2\text{C}_2$ , subcell structure, **156**, 1
- $\text{R}_3\text{Ru}_2\text{C}_5$  ( $R = \text{Y, Gd-Er}$ ), preparation, properties, and crystal structure, **160**, 77
- $\text{Sb}_2\text{O}(\text{CH}_3\text{PO}_3)_2$ , synthesis and layered structure, **162**, 347
- SiC, Hi-Nicalon fibers, multilayered BN coating deposition onto, via continuous LPCVD treatment, **162**, 358
- $\text{Sr}(\text{HC}_2\text{O}_4) \cdot 1/2(\text{C}_2\text{O}_4) \cdot \text{H}_2\text{O}$ , structure determination from powder X-ray and neutron diffraction studies, **157**, 283
- $\text{Tb}_3\text{Si}_2\text{C}_2$ , subcell and superstructure, **156**, 1
- TiC, formation by combustion reaction during mechanical alloying, mechanism, **158**, 268
- $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$  and  $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_2\text{N}_2\text{H}_{10} \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and structure, **162**, 96
- $\text{Ti}^{\text{IV}}(\text{CN})_4$ , synthesis and structural properties, **159**, 244
- tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]amine, -methyl, and -borane, ground spin states, **159**, 428
- 1,3,5-trithia-2,4,6-triazapentalenyl crystals, magnetic bistability at room temperature, comparison with spin crossover transitions, **159**, 451
- WC, formation by continuous reaction during mechanical alloying, mechanism, **158**, 268
- $\text{Y}_3\text{Si}_2\text{C}_2$ , subcell and superstructure, **156**, 1
- Cathode materials
- $\text{Li}(\text{Mn}, M)_2\text{O}_4$  ( $M = \text{Cr, Co, Ni}$ ), for lithium-ion secondary batteries, *in situ* XAFS analysis, **156**, 286
- Cathodoluminescence spectra
- $\text{SrIn}_2\text{O}_4$  phosphors emitting red light and activated by praseodymium, **156**, 84
- Cation disorder
- in ferroelectric oxides  $\text{ABi}_2\text{Ta}_2\text{O}_9$  ( $A = \text{Ca, Sr, Ba}$ ), **160**, 174
- Cation ordering
- in complex perovskite  $\text{Ca}(\text{Ca}_{1/3}\text{Nb}_{2/3})\text{O}_3$ , effects on dielectric properties, **156**, 122
- Cation vacancy formation
- in  $\text{Ba}_4\text{CeNb}_{10}\text{O}_{30}$  with TTB-type structure, **157**, 1
- Cerium
- $\text{Ba}_4\text{CeNb}_{10}\text{O}_{30}$ , with TTB-type structure, crystal structure, **157**, 1
- $\text{BaCe}_2\text{MS}_5$  ( $M = \text{Co, Zn}$ ), crystal structure and magnetic properties, **159**, 163
- $\text{CeAgMg}$ , synthesis and crystal structures, **161**, 67
- $\text{Ce}_{1-x}\text{Bi}_x\text{VO}_4$  solid solutions
- Raman and IR spectroscopy, **158**, 254
- Raman spectroscopy for  $0 \leq x \leq 0.68$ , **158**, 264
- $\text{Ce}_{1-x}\text{Ca}_x\text{VO}_{4-0.5x}$  ( $0 \leq x \leq 0.41$ ) solid solutions, Raman spectra, **158**, 264
- $\text{CeIrIn}_5$  heavy fermion materials, crystal growth and intergrowth structure, **158**, 25
- $\text{Ce}_3\text{T}_2\text{N}_6$  ( $T = \text{Ta, Nb}$ ), synthesis, structure, and magnetic properties, **162**, 90
- $\text{Ce}_2\text{Ni}_{22}\text{C}_{2.75}$ , noninteger Ce valency in, **161**, 63
- $\text{CeBO}_3$  ( $B = \text{Dy-Lu}$ ) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- $\text{CeRhIn}_5$  heavy fermion materials, crystal growth and intergrowth structure, **158**, 25
- $\text{CeSbS}_2\text{Br}_2$ , crystal and electronic structures and optical properties, **158**, 218
- $\text{CeTi}_{0.5}\text{V}_{0.5}\text{O}_3$ , magnetic properties, **156**, 452
- $\text{Ce}_{1-x}\text{M}_x\text{VO}_{4-0.5x}$  ( $M = \text{Pb, Sr, Ca}$ ) solid solutions, Raman and IR spectroscopy, **158**, 254
- fluorite-type ceria-zirconia solid solution nanoparticles, low-temperature direct synthesis by forced cohydrolysis at  $100^\circ\text{C}$ , **158**, 112
- $(\text{NH}_4)[\text{Ce}^{\text{IV}}\text{F}_2(\text{PO}_4)]$ , hydrothermal synthesis and characterization, **157**, 180
- Cesium
- $\text{AlF}_3\text{-KF-CsF}$ , ternary phase diagram and compositions for Nocokol flux, **161**, 80
- $\text{Ce}_x\text{Mo}_y\text{W}_{1-y}\text{O}_3$  intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341
- $\alpha\text{-CsB}_5\text{O}_8$  and  $\gamma\text{-CsB}_5\text{O}_8$ , crystal structures, **161**, 205
- $\text{CsBSe}_3$ , synthesis, crystal structure, and properties, **157**, 206
- $\text{Cs}_2\text{Co}_3(\text{HPO}_4)(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 242
- $\text{Cs}_2\text{CoSiO}_4$  and  $\text{Cs}_5\text{CoSiO}_6$ , synthesis, crystal structure, and properties, **162**, 204
- $\text{CsGd}_3\text{Ag}_3\text{Se}_5$ , synthesis, structure, and physical properties, **158**, 299
- $\text{Cs}_3\text{Gd}_4\text{Cu}_5\text{Te}_{10}$ , synthesis and structure, **160**, 409
- $\text{CsH}_5(\text{AsO}_4)_2$ , crystal structure and characterization: comparison with  $\text{CsH}_5(\text{PO}_4)_2$  and  $\text{RbH}_5(\text{AsO}_4)_2$ , **161**, 9
- $\text{CsLa}_2\text{CuSe}_4$ , synthesis, structure, and physical properties, **158**, 299
- $\text{CsLa}_2\text{Ti}_2\text{TaO}_{10}$  layered perovskites, structure, **158**, 290
- $\text{CsNO}_3$ , structural phase transitions, molecular dynamics simulation, **160**, 222
- $\text{Cs}[A_2B_3O_{10}]$  ( $A = \text{Sr, Ba}$ ;  $B = \text{Nb, Ta}$ ) Dion-Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279
- $\text{Cs}_3\text{P}_6\text{N}_{11}$ , high-pressure high-temperature synthesis and crystal structure, **156**, 390
- $\text{CsSm}_2\text{CuSe}_4$ , synthesis, structure, and physical properties, **158**, 299
- $\text{CsSn}_2\text{X}_5$  compounds ( $X = \text{Cl, Br}$ ), cluster orbital formation in, **160**, 382
- $\text{CsTb}_2\text{Ag}_3\text{Se}_5$ , synthesis, structure, and physical properties, **158**, 299
- effects on amorphous to crystalline phase transition of silica, **161**, 373
- Chain compound
- fluoroaluminophosphate chain  $\text{AlPO-CJ10}$ , synthesis and characterization, **161**, 259
- $\text{MnCr}_3(\text{CN})_9$  chain compound, magnetic properties, **159**, 293
- Chalcogenide environment
- low coordination of  $\text{Ag}^+$  and  $\text{Cu}^+$  in, **160**, 212
- Charge-carrier localization
- on Mn surface sites in granular  $\text{LaMnO}_{3+\delta}$ , **160**, 123

- Charge ordering  
 anionic charge order model for oxide superconductivity, **158**, 139
- Charge transfer  
 photo- and dehydration-induced, with spin transition on  $\text{CoFe}(\text{CN})_5 \cdot \text{NH}_3 \cdot 6\text{H}_2\text{O}$ , **159**, 336
- Charge transfer salts  
 bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385  
 molecule-based magnets, design and synthesis, **159**, 420
- Chemical bath deposition  
 CuSe and  $\text{Cu}_3\text{Se}_2$  thin films, **158**, 49
- Chemical vapor deposition  
 continuous low-pressure, in deposition of multilayered BN coatings onto Hi-Nicalon fibers, **162**, 358
- Chimney-ladder structures  
 $\text{Cd}_{5-\eta/2}(\text{PO}_4)_3\text{Br}_{1-\eta}$  and  $\text{Cd}_{5-\eta/2}(\text{VO}_4)_3\text{I}_{1-\eta}$ , computer modeling, **156**, 88
- Chirality  
 $\alpha$ -nitronyl nitroxide radicals in solid state, **159**, 440
- Chlorine  
 $\text{Ba}_3\text{Co}_5\text{ClO}_{13}$ , synthesis, crystal structure, and magnetic and electrical properties, **158**, 175  
 $\text{BaZnCl}_4\text{-II}:\text{Sm}^{2+}$ , crystal structure, thermal behavior, and luminescence, comparison to  $\text{BaZnCl}_4\text{-I}:\text{Sm}^{2+}$ , **162**, 237  
 $\kappa$ - $(\text{BETS})_2\text{FeCl}_4$  with superconducting transitions, effect of halogen substitution, **159**, 407  
 charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions:  $(\text{BEDT-TTF})_4[\text{Fe}(\text{NCS})_6] \cdot \text{CH}_2\text{Cl}_2$ , **159**, 385  
 $M_4\text{Cl}_8(\text{THF})_6$  ( $M = \text{Mn}, \text{Fe}, \text{Co}$ ), compounds based on, structural and magnetic study, **159**, 281  
 Co(II) coordination polymer  $\{[\text{CoCl}_2(\text{btd})]\}_n$ , synthesis, characterization, crystal structure, and magnetic properties, **159**, 371  
 $[\text{Cr}_3\text{O}(\text{O}_2\text{CC}_6\text{H}_4\text{Cl})_6(\text{H}_2\text{O})_3][\text{NO}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321  
 $\text{CsSn}_2\text{Cl}_5$  compounds, cluster orbital formation in, **160**, 382  
 $\beta$ - $\text{HfNCl}$ , high-pressure synthesis and crystal structure, **159**, 80  
 $\text{HgCl}_2$ , mixture with  $(\text{NH}_4)\text{Cl}$ , reactivity with Monel containers, **162**, 254  
 $[\text{Hg}_6\text{P}_4](\text{TiCl}_6)\text{Cl}$ , synthesis, structure, and properties, **160**, 88  
 LaOCl, mechanochemical synthesis and solid state solutions, **160**, 469  
 $\text{Mg}(\text{ND}_3)_2\text{Cl}_2$ , uniaxial orientational order-disorder transitions, neutron diffraction study, **156**, 487  
 monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225  
 $(\text{NH}_4)\text{Cl}$ , mixture with  $\text{HgCl}_2$ , reactivity with Monel containers, **162**, 254  
 $(\text{NH}_4)_5\text{Cl}_2[\text{CuCl}_2][\text{CuCl}_4]$ , preparation and crystal structure, **162**, 254  
 $(\text{NH}_4)_2(\text{NH}_3)_x[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , preparation and crystal structure, **162**, 254  
 polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308  
 $(\text{RbCl})_{108}$  clusters, crystal nucleation at 600, 550, and 500 K, molecular dynamics studies, **159**, 10  
 $[\text{Ti}_2\text{Cl}_9]^{-3}$ , magnetic anisotropy, **159**, 268  
 $\beta$ - $\text{ZrNCl}$ , high-pressure synthesis and crystal structure, **159**, 80
- Chromaticity diagram  
 $\text{SrIn}_2\text{O}_4$  phosphors emitting red light and activated by praseodymium, **156**, 84
- Chromium  
 $\text{Bi}_{1-x}\text{Cr}_x\text{O}_{1.5+1.5x}$  ( $0.05 \leq x \leq 0.15$ ), high-temperature solid solution with 3D incommensurate modulation, **156**, 168  
 $\text{CdCr}_{2-x}\text{Ga}_x\text{Se}_4$  spinel system, metal ion distribution and magnetic properties, **158**, 34  
 charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions:  $(\text{BEDT-TTF})_2[\text{Cr}(\text{NCS})_4(\text{bipyrimidine})] \cdot 0.15\text{H}_2\text{O}$ , **159**, 385  
 Cr(VI) photoreduction to Cr(III) over nanosized Pd clusters deposited on titania-modified MCM-41, **162**, 138  
 $\text{CrX}_2$  ( $X = \text{O}, \text{S}$ ) layers, and  $\text{MnF}_5$  chains, compounds consisting of, spin exchange parameters, **156**, 464  
 $[\text{Cr}(\text{CN})_6]_2[\text{Ni}(\text{L})_2]_3 \cdot 7\text{H}_2\text{O}$  pentanuclear complexes, characterization and magnetic properties, **159**, 302  
 $(\text{Cr}, \text{Fe})_2\text{Ti}_{n-2}\text{O}_{2n-1}$  crystallographic shear structure compounds, stability, **161**, 45  
 $\text{LnCrO}_4$  ( $\text{Ln} = \text{Nd}, \text{Sm}, \text{Dy}$ ), magnetic and crystallographic properties, **160**, 362  
 $\text{Cr}_2\text{O}_3$  microcrystal surface, tin probe ions on, impact of HF, Mössbauer study, **162**, 293  
 $[\text{Cr}_3\text{O}(\text{O}_2\text{CC}_6\text{H}_4\text{Cl})_6(\text{H}_2\text{O})_3][\text{NO}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321  
 $[\text{Cr}_3\text{O}(\text{O}_2\text{CCMe}_3)_6][\text{O}_2\text{CCMe}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321  
 $(\text{Cu}_{0.5}\text{Cr}_{0.5})\text{Sr}_2\text{CuO}_x$ , order-disorder transition under high-pressure and high-temperature conditions, **161**, 348  
 $\text{Cu}_{3+1.5x}\text{Cr}_{4-x}(\text{VO}_4)_6$ , phase formation and crystal structures, **156**, 339  
 $\text{Fe}_2\text{O}_3\text{-Cr}_2\text{O}_3\text{-TiO}_2$ , phase relations between 1000 and 1300°C, **161**, 45  
 $\text{GdCrO}_3$  perovskite, magnetic properties, **159**, 204  
 $\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195  
 $(\text{La}, \text{Ca})\text{CrO}_3$ , thermal expansion in, computer simulation, **156**, 394  
 $\text{La}_{1-x}\text{Pr}_x\text{CrO}_3$ , magnetic properties, **162**, 84  
 $\text{Li}(\text{Mn}, \text{Cr})_2\text{O}_4$ , 5V cathode materials for lithium-ion secondary batteries, *in situ* XAFS analysis, **156**, 286  
 $\text{Li}_{0.5}\text{Mn}_{0.5}\text{Ti}_{1.5}\text{Cr}_{0.5}(\text{PO}_4)_3$ , structural and electrochemical study, **158**, 169  
 $\text{MnCr}_6(\text{CN})_{18}$  and  $\text{Mn}_3\text{Cr}_6(\text{CN})_{18}$  molecular species and  $\text{MnCr}_3(\text{CN})_9$  chain compound, magnetic properties, **159**, 293  
 $[\text{Mn}(\text{L})_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328  
 $\text{Mn}_3[\text{Cr}(\text{CN})_6]_2 \cdot 12\text{H}_2\text{O}$ , relationship to  $[\text{Mn}(\text{L})_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), **159**, 328  
 $\text{Na}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195  
 $\text{Nd}_{1-x}\text{Ca}_x\text{CrO}_4$  ( $x = 0.02\text{-}0.20$ ),  $\text{Cr}^{\text{V}}\text{-Cr}^{\text{VI}}$  mixed valence compounds, synthesis and structure, **156**, 370  
 $\text{Pr}_{0.5}\text{Ca}_{0.5}\text{Mn}_{0.99}\text{Cr}_{0.01}\text{O}_3$ , resistivity under magnetic field, increase by thermal cycling, **160**, 1  
 $\text{TiCr}_5\text{S}_{8-y}\text{Se}_y$  ( $y = 1\text{-}7$ ), spin-glass behavior mediated by nonmagnetic sublattice, **158**, 198  
 Zn-Cr layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52
- Circular dichroism  
 $\alpha$ -nitronyl nitroxide radicals: chirality in solid state, **159**, 440
- Clathrates  
 $\text{Sn}_{10}\text{In}_{14}\text{P}_{22}\text{I}_8$  and  $\text{Sn}_{14}\text{In}_{10}\text{P}_{21.2}\text{I}_8$  with clathrate I structure, synthesis and crystal and electronic structures, **161**, 233
- C-line  
 $\text{L-Ta}_2\text{O}_5$  and related structures, **160**, 62
- Cluster excision  
 $M_4\text{Cl}_8(\text{THF})_6$  ( $M = \text{Fe}, \text{Co}$ ), **159**, 281
- Cluster models  
 ionic conductivity of phosphorus oxynitride compounds, **161**, 73
- Cluster orbitals  
 formation in  $\text{CsSn}_2\text{X}_5$  compounds ( $X = \text{Cl}, \text{Br}$ ), **160**, 382

## Cobalt

- Ba<sub>5</sub>Co<sub>5</sub>ClO<sub>13</sub>, synthesis, crystal structure, and magnetic and electrical properties, **158**, 175
- Ba<sub>1.1064</sub>CoO<sub>3</sub>, modulated composite structure with two subsystems, **161**, 300
- (Ba<sub>8</sub>Co<sub>6</sub>O<sub>18</sub>)<sub>α</sub>(Ba<sub>8</sub>Co<sub>8</sub>O<sub>24</sub>)<sub>β</sub> polysomatic series, new members of, **162**, 322
- BaLn<sub>2</sub>CoS<sub>5</sub> (Ln = La,Ce,Pr,Nd), crystal structure and magnetic properties, **159**, 163
- BaKCu<sub>3</sub>CoS<sub>4</sub>, electrical and magnetic properties, **157**, 144
- Ca<sub>3</sub>Co<sub>1+x</sub>Mn<sub>1-x</sub>O<sub>6</sub> quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160**, 293
- [Ca<sub>2</sub>CoO<sub>3</sub>][CoO<sub>2</sub>]<sub>1.62</sub>, misfit layer compounds, 4D structural study, **160**, 322
- CaO polycrystals doped with, cellular paracrystal formation from, **161**, 341
- cobaltites(III) and cobaltites(IV) with perovskite or related structure, spin state behavior, **162**, 282
- Co<sub>3</sub>[BPO<sub>7</sub>], synthesis and characterization, **156**, 281
- Co<sub>3</sub>BTCA<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>, resonance in nonlinear susceptibilities, **159**, 379
- Co(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- Co<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub>, compounds based on, structural and magnetic study, **159**, 281
- [Co(dicyanamide)<sub>2</sub>pyrazine], synthesis, structural isomerism, and magnetism, **159**, 352
- CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336
- Co(H<sub>2</sub>O)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343
- A(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub> (A = La,Nd,Dy,Ho,Yb), phonon modes, **160**, 350
- Co(NH<sub>3</sub>)<sub>6</sub>(V<sub>1.5</sub>P<sub>0.5</sub>)O<sub>6</sub>OH, hydrothermal synthesis and crystal structure, **159**, 239
- A<sub>x</sub>CoO<sub>3</sub> (A = Ca,Sr,Ba), magnetic properties, structural and electronic factors governing, **160**, 239
- Co<sub>2</sub>(OH)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343
- [Co<sup>III</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>], and dexamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- α-Co<sub>2</sub>SiO<sub>4</sub>-α-Ni<sub>2</sub>SiO<sub>4</sub>, vibrational spectroscopic study, **157**, 102
- CoTeMoO<sub>6</sub>, X-ray and TEM studies: fluorite-type superstructure with cation and anion deficiencies (■CoTeMo)(□<sub>2</sub>O<sub>6</sub>), **160**, 401
- TCO<sub>2</sub>Zn<sub>20</sub> (T = Zr,Hf,Nb) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- Cs<sub>2</sub>Co<sub>3</sub>(HPO<sub>4</sub>)(PO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, synthesis and characterization, **156**, 242
- Cs<sub>2</sub>CoSiO<sub>4</sub> and Cs<sub>5</sub>CoSiO<sub>6</sub>, synthesis, crystal structure, and properties, **162**, 204
- Cu<sub>x</sub>Co<sub>1-x</sub>(HCOO)<sub>2</sub>·2H<sub>2</sub>O, crystal structure and thermal behavior, **157**, 23
- K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>]·7H<sub>2</sub>O, microstructural changes induced by thermal treatment, **156**, 400
- LaCoO<sub>3</sub>, spin state transition depending on temperature or Sr doping, XAS study, **158**, 208
- (La,Sr)(Co,Fe)O<sub>3</sub>, thermal expansion in, computer simulation, **156**, 394
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, electronic and magnetic properties due to Co ions, **159**, 215
- LiCo<sub>1-x</sub>Fe<sub>x</sub>O<sub>2</sub> system, lithium-ion conductors of, preparation and structure, **156**, 470
- LiCoO<sub>2</sub> films, direct fabrication on substrates in flowing aqueous solutions at 150°C, **162**, 364
- Li(Mn,Co)<sub>2</sub>O<sub>4</sub>, 5V cathode materials for lithium-ion secondary batteries, *in situ* XAFS analysis, **156**, 286
- Li<sub>x</sub>Ni<sub>0.70</sub>Fe<sub>0.15</sub>Co<sub>0.15</sub>O<sub>2</sub> system, X-ray diffraction and Mössbauer study, **159**, 103
- [(Me<sub>3</sub>Sn)<sub>3</sub>Co(CN)<sub>6</sub>], metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324

- Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, structure and magnetic properties, **159**, 362
- outcome in nickel-cobalt oxyhydride electrodes of alkaline batteries, **162**, 270
- polynuclear self-assembled Co(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- [(nPr<sub>4</sub>P)(Me<sub>3</sub>Sn)<sub>2</sub>Co(CN)<sub>6</sub>·2H<sub>2</sub>O], crystal structures, **157**, 324
- SrCoO<sub>3</sub>, electronic structure, **162**, 282
- Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub>, perovskites, synthesis, structure, and physical properties, **157**, 76
- Sr<sub>3</sub>Fe<sub>2-x</sub>Co<sub>x</sub>O<sub>7-δ</sub> (0 ≤ x ≤ 0.8), synthesis, crystal chemistry, and electrical and magnetic properties, **158**, 307
- Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, crystal structure, electrical and magnetic properties, and bonding, **162**, 158
- TlSr<sub>2</sub>CoO<sub>5</sub>, electronic structure, **162**, 282
- two-dimensional coordination polymers, topological control by π-π stacking interactions, **159**, 371
- YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ x ≤ 0.52), oxygen nonstoichiometry, structures, and physical properties, **156**, 355
- Colossal magnetoresistance
- La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, **156**, 117
- Combustion
- during mechanical alloying, mechanism, **158**, 268
- Complex impedance
- fluoroapatite and hydroxyapatite materials, comparison, **156**, 57
- Conformational diastereoisomerism
- α-nitronyl nitroxide radicals in solid state, **159**, 440
- Coordination complex
- [[Cu(2,2'-bpy)<sub>2</sub>]<sub>2</sub>Mo<sub>8</sub>O<sub>26</sub>], hydrothermal synthesis and crystal structure, **161**, 173
- Coordination polymers
- Co(II), Cu(II), and Ni(II) with bis(*trans*-4-pyridylacrylate), hydrothermal syntheses and crystal structures, **157**, 166
- Co(II), two-dimensional, topological control by π-π stacking interactions, **159**, 371
- Cu(II) networks with chessboard tunnels, hydrothermal synthesis, crystal structure, and magnetic properties, **158**, 315
- [M(dicyanamide)<sub>2</sub>pyrazine] (M = Mn,Fe,Co,Ni,Zn), synthesis, structural isomerism, and magnetism, **159**, 352
- noncluster vanadium(IV), solvothermal synthesis, crystal structure, and ion exchange, **160**, 118
- Copper
- AgCuO<sub>2</sub>, synthesis, crystal structure, and structural relationships with CuO and Ag<sup>I</sup>Ag<sup>III</sup>O<sub>2</sub>, **162**, 220
- Ag<sub>2</sub>Cu<sub>2</sub>O<sub>3</sub>, high-pressure synthesis and electrochemistry, **158**, 82
- BaCuO<sub>2</sub>, structure simulation using interatomic potentials, **158**, 162
- BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, spin-1/2 quantum antiferromagnetic chains with tunable superexchange interactions in, **156**, 101
- BaCu<sub>2</sub>Te<sub>2</sub>, structure and physical properties, **156**, 44
- BaKCu<sub>3</sub>MS<sub>4</sub> (M = Mn,Co,Ni), electrical and magnetic properties, **157**, 144
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>7</sub>, mercuric bromide-intercalated single crystal, polarized X-ray absorption spectroscopy, **160**, 39
- Bi<sub>2</sub>Sr<sub>1.6</sub>La<sub>0.4</sub>CuO<sub>6.33-x</sub>F<sub>2+x</sub>, suppression of modulations in, **156**, 445
- Ca<sub>3</sub>CuMnO<sub>6</sub> quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160**, 293
- CaCuO<sub>2</sub> and Ca<sub>2</sub>CuO<sub>3</sub>, structure simulation using interatomic potentials, **158**, 162
- Cs<sub>3</sub>Gd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409
- CsLa<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- CsSm<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- Cu<sup>+</sup>, low coordination in chalcogenide environments, **160**, 212



- [CuAl] layered double hydroxide, platinum complex intercalation into, **161**, 332
- [{Cu(2,2'-bpy)<sub>2</sub>}<sub>2</sub>Mo<sub>8</sub>O<sub>26</sub>], hydrothermal synthesis and crystal structure, **161**, 173
- Cu(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- Cu(II) complexes with imino nitroxyl diradical, magnetic properties, **159**, 455
- Cu(II) coordination networks with chessboard tunnels, hydrothermal synthesis, crystal structure, and magnetic properties, **158**, 315
- (Cu<sub>0.5</sub>Cr<sub>0.5</sub>)Sr<sub>2</sub>CuO<sub>x</sub>, order-disorder transition under high-pressure and high-temperature conditions, **161**, 348
- CuM<sup>IV</sup>F<sub>6</sub> (M<sup>IV</sup> = Pd,Pt,Sn), preparation, magnetic properties, and pressure-induced transitions, **162**, 333
- Cu<sub>x</sub>M<sub>1-x</sub>(HCOO)<sub>2</sub>·2H<sub>2</sub>O (M = Mn,Co,Ni,Cd), crystal structures and thermal behavior, **157**, 23
- [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>2</sub>Br<sub>4</sub>] and [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>3</sub>Br<sub>7</sub>], hydrothermal synthesis and X-ray crystal structure, **158**, 55
- CuInS<sub>2</sub> nanorods, hydrothermal synthesis and characterization, **161**, 179
- CuO, structural relationship with AgCuO<sub>2</sub>, **162**, 220
- CuM<sub>2</sub>O<sub>6</sub> (M = Sb,V,Nb), anisotropic spin exchange interaction in, spin dimer analysis, **156**, 110
- MA<sub>2</sub>QCu<sub>2</sub>O<sub>6+z</sub> (M = Cu,Hg,Tl/Pb; A = Ba,Sr; Q = rare earth, Ca; z = 0-1), structure-property relationships, modeling by multivariate analysis methods, **162**, 1
- [Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (Ln<sup>III</sup> = Sm<sup>III</sup>,Gd<sup>III</sup>), synthesis and characterization, **161**, 214
- Cu<sub>3</sub>[(O<sub>3</sub>PCH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>2</sub>, synthesis and characterization, **160**, 278
- cuprate superconductors, anionic charge order model, **158**, 139
- [Cu<sup>II</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>], and decamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- CuSe and Cu<sub>3</sub>Se<sub>2</sub> thin films, chemical deposition and characterization, **158**, 49
- Cu<sub>5.52(8)</sub>Si<sub>1.04(8)</sub>□<sub>1.44</sub>Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub> thiospinel, crystal structure, Mössbauer studies, and electrical properties, **161**, 327
- Cu<sub>3+1.5x</sub>R<sub>4-x</sub>(VO<sub>4</sub>)<sub>6</sub> (R = Fe,Cr), phase formation and crystal structures, **156**, 339
- Eu<sub>2</sub>O<sub>3</sub>-SrO-CuO system, compounds and phase relations, **156**, 247
- fluorinated Nd<sub>2</sub>CuO<sub>4</sub>, HREM study, **157**, 56
- Gd<sub>3</sub>Cu<sub>2</sub>Te<sub>7</sub>, synthesis and structure, **159**, 186
- Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol-gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
- K<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> (Ln = Sm,Gd,Er), synthesis and structure, **160**, 409
- La<sub>8</sub>Cu<sub>7</sub>O<sub>19</sub> five-leg spin ladder compound, crystal growth, structure, and transport properties, **156**, 422
- La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, oxidation states of Cu and Ru in, determination by XANES measurements, **156**, 194
- Li<sub>3</sub>CuSbO<sub>5</sub>, crystal structure, **156**, 321
- Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> (0.130 ≤ x ≤ 0.166), synthesis and crystal structure, **160**, 251
- Nd<sub>2</sub>BaCuO<sub>5</sub>, Nd<sup>3+</sup> in, optical and crystal-field analysis, **162**, 42
- (NH<sub>4</sub>)<sub>2</sub>Cl<sub>2</sub>[CuCl<sub>2</sub>][CuCl<sub>4</sub>], preparation and crystal structure, **162**, 254
- oxidation state in La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, determination by XANES measurements, **156**, 194
- polynuclear self-assembled Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- Rb<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> (Ln = Nd,Gd), synthesis and structure, **160**, 409
- RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299
- Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, synthesis, structure, and physical properties, **158**, 299
- RbNd<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- RbSm<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- Sr<sub>1.19</sub>Ca<sub>0.73</sub>Cu<sub>2</sub>O<sub>4</sub>, structure simulation using interatomic potentials, **158**, 162
- SrCuO<sub>3</sub>, structure simulation using interatomic potentials, **158**, 162
- U<sub>2</sub>Cu<sub>0.78</sub>Te<sub>6</sub>, synthesis and structure, **159**, 186
- YCuO<sub>2+x</sub> delafossite, fine structure determination by synchrotron powder diffraction and electron microscopy, **156**, 428
- Coprecipitation
- amino acid intercalation into layered double hydroxides, **162**, 52
- Crystal chemistry
- Na<sub>x</sub>MnO<sub>2+δ</sub> prepared by reduction of aqueous sodium permanganate by sodium iodide, **156**, 331
  - Sr<sub>3</sub>Fe<sub>2-x</sub>Co<sub>x</sub>O<sub>7-δ</sub> (0 ≤ x ≤ 0.8), **158**, 307
- Crystal field calculations
- Nd<sup>3+</sup> in Nd<sub>2</sub>BaCuO<sub>5</sub> and Nd<sub>2</sub>BaZnO<sub>5</sub>, **162**, 42
- Crystal field stabilization energy
- α-Co<sub>2</sub>SiO<sub>4</sub>-α-Ni<sub>2</sub>SiO<sub>4</sub>, vibrational spectroscopic study, **157**, 102
- Crystal growth
- Ca<sub>2-x</sub>Sr<sub>x</sub>RuO<sub>4</sub> single crystals, **156**, 26
  - CeIrIn<sub>5</sub> and CeRhIn<sub>5</sub> heavy fermion materials, **158**, 25
  - floating zone, ScB<sub>19+x</sub>Si<sub>y</sub>, **160**, 394
  - La<sub>8</sub>Cu<sub>7</sub>O<sub>19</sub> five-leg spin ladder compound, **156**, 422
  - Li<sub>1-z</sub>Ni<sub>1+z</sub>O<sub>2</sub> (z = 0.075) single crystals, **160**, 178
  - SrBi<sub>2</sub>Se<sub>4</sub>, **156**, 230
- Crystallite size
- relationship to bond length in boehmite, **159**, 32
  - role in thermal evolution of boehmite, **161**, 319
- Crystallization
- Bi<sub>3.5</sub>V<sub>1.2</sub>O<sub>8.25</sub> in triclinic symmetry, **161**, 410
  - Eu<sub>4</sub>Mo<sub>7</sub>O<sub>27</sub> and Eu<sub>6</sub>Mo<sub>10</sub>O<sub>39</sub>, **161**, 85
  - β-Ga<sub>2</sub>O<sub>3</sub>-In<sub>2</sub>O<sub>3</sub> conducting solid solutions with composition gradients, induction by laser impact, **157**, 94
  - MoS<sub>2</sub> at different pressures, **159**, 170
  - V<sub>2</sub>O<sub>5</sub> nanocrystals, **159**, 181
  - ZrO<sub>2</sub> in sol-gel system, **158**, 349
- Crystallographic properties
- LnCrO<sub>4</sub> (Ln = Nd,Sm,Dy), **160**, 362
- Crystallographic shear structure compounds
- (Cr,Fe)<sub>2</sub>Ti<sub>n-2</sub>O<sub>2n-1</sub>, stability, **161**, 45
- Crystal morphology
- α-MnO<sub>2</sub> open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292
- Crystal nucleation
- (RbCl)<sub>108</sub> clusters at 600, 550, and 500 K, molecular dynamics studies, **159**, 10
- Crystal orbital Hamiltonian population function
- TlTe, **157**, 193
- Crystal structure
- AgCuO<sub>2</sub>, **162**, 220
  - REAgMg (RE = La,Ce,Nd,Eu,Gd,Tb,Ho,Tm,Yb), **161**, 67
  - Al(CN)<sub>3</sub>, **159**, 244
  - alkaline earth cuprates, simulation using interatomic potentials, **158**, 162
  - AlO(OH)·αH<sub>2</sub>O monoclinic nanocrystals formed by activated surface hydrolysis of Al metal, XRD and IR studies, **157**, 40
  - BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub>·H<sub>2</sub>O with six-membered rings, **161**, 243
  - Ba<sub>4</sub>CeNb<sub>10</sub>O<sub>30</sub> with TTB-type structure, **157**, 1
  - Ba<sub>5</sub>Co<sub>5</sub>ClO<sub>13</sub>, **158**, 175
  - Ba<sub>1.1064</sub>CoO<sub>3</sub>, modulated composite structure with two subsystems, **161**, 300
  - BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, **156**, 101
  - BaCu<sub>2</sub>Te<sub>2</sub>, **156**, 44
  - BaFeO<sub>2.8-δ</sub> prepared from oxidative thermal decomposition of BaFe[(CN)<sub>5</sub>NO]·3H<sub>2</sub>O, ab initio solution, **160**, 17
  - BaKCu<sub>3</sub>MS<sub>4</sub> (M = Mn,Co,Ni), **157**, 144

- $n\text{Ba}(\text{Nb,Zr})\text{O}_3 + 3m\text{NbO}$  ( $n = 2-5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75
- $\text{BaNd}_2\text{MnS}_5$ , **159**, 163
- $\text{Ba}_3\text{NdRu}_2\text{O}_9$  6H-perovskite, **161**, 113
- $\text{BaLn}_2\text{MS}_5$  ( $Ln = \text{La,Ce,Pr,Nd}$ ;  $M = \text{Co,Zn}$ ), **159**, 163
- $\text{BaV}_{1.3}\text{O}_{18}$ , **158**, 61
- $\text{BaZnCl}_4\text{-II:Sm}^{2+}$ , comparison to  $\text{BaZnCl}_4\text{-I:Sm}^{2+}$ , **162**, 237
- $\text{ReB}_{2.2}\text{C}_2\text{N}$  ( $Re = \text{Y,Ho,Er,Tm,Lu}$ ), **159**, 174
- $\text{Be}(\text{CN})_2$ , **159**, 244
- $\text{Bi}_{4.86}\text{Li}_{1.14}\text{O}_9$ , *ab initio* determination from powder neutron diffraction data, **162**, 10
- $\text{BiMn}_6\text{PO}_{12}$ , **157**, 123
- $\text{Bi}_{2.5}\text{Me}_{0.5}\text{Nb}_2\text{O}_9$  ( $Me = \text{Na,K}$ ), powder neutron diffraction study, **157**, 160
- $\text{Bi}_{1.1}\text{Sb}_{0.9}\text{MoO}_6$ , **159**, 72
- 2,5-bis(trimethylsilyl)thiophene-S,S-dioxide and related materials, **161**, 121
- $\text{ABi}_2\text{Ta}_2\text{O}_9$  ( $A = \text{Ca,Sr,Ba}$ ) ferroelectric oxides, cation disorder in, **160**, 174
- $\text{CaAlGaO}_4$  and  $\text{Ca}_2\text{AlGaO}_5$ , **157**, 62
- $\text{Ca}_3\text{Co}_{1+x}\text{Mn}_{1-x}\text{O}_6$  quasi-one-dimensional oxides, **160**, 293
- $[\text{Ca}_2\text{CoO}_3][\text{CoO}_2]_{1.62}$  misfit layer compounds, analysis in 4D super-space formalism, **160**, 322
- $\text{Ca}_3\text{CuMnO}_6$  quasi-one-dimensional oxides, **160**, 293
- calcium-deficient carbonated hydroxyapatite, **160**, 340
- $\text{Ca}_2\text{MnGaO}_{5+\delta}$ , **158**, 100
- $\text{Ca}_2\text{NF}$  single crystals, **160**, 134
- $\text{Ca}_3\text{Ni}_8\text{In}_4$ , ordered noncentrosymmetric variant of  $\text{BaLi}_4$  type, **160**, 415
- $\text{Ca}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$  perovskite, space group assignment, **160**, 8
- $\text{Ca}_2\text{Ta}_2\text{O}_7$  doped with niobia, 5M and 7M polytypes, **161**, 274
- $\text{ACa}_9(\text{VO}_4)_7$  ( $A = \text{Bi,rare earth}$ ), **157**, 255
- $\text{Ca}_{1-x}\text{Y}_x\text{MnO}_3$ , phase characterization, **156**, 458
- $\text{CdBa}_3(\text{HPO}_4)_2(\text{H}_2\text{PO}_4)_2$ , **161**, 97
- $\text{Cd}(\text{CN})_2 \cdot 2/3\text{H}_2\text{O} \cdot t\text{-BuOH}$ , **156**, 51
- $\text{M}_4\text{Cd}_2(\text{C}_2\text{O}_4)_4 \cdot 4\text{H}_2\text{O}$  ( $M = \text{Na,K}$ ), open-framework structure, **162**, 150
- $\text{Cd}(\text{VO}_2)_4(\text{SeO}_3)_3 \cdot \text{H}_2\text{O}$ , **161**, 23
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385
- $[(\text{S})\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2]$  and  $[(\text{S})\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2(\text{H}_2\text{O})_2]$ , **157**, 233
- $[(\text{C}_{12}\text{H}_8\text{N}_2)_3\text{Fe}^{\text{II}}]_2[\text{Fe}^{\text{III}}\text{Mo}_2(\text{H}_2\text{PO}_4)_6(\text{PO}_4)_2(\text{OH})_6\text{O}_{24}]$ , **159**, 209
- $\text{C}_5\text{H}_{12}\text{NPO}_4\text{H}_2$ , **161**, 307
- $\text{C}_{10}\text{H}_{28}\text{N}_4\text{P}_4\text{O}_{12} \cdot 4\text{H}_2\text{O}$ , **156**, 364
- $(\text{C}_5\text{H}_{14}\text{N}_2)_2\text{U}_2\text{F}_{12} \cdot 5\text{H}_2\text{O}$ , **158**, 87
- $\text{M}_4\text{Cl}_8(\text{THF})_6$ -based compounds with  $M = \text{Mn,Fe,Co}$ , **159**, 281
- $(\text{C}_{10}\text{H}_4\text{H}_{28})[\text{Zn}_6(\text{HPO}_4)_2(\text{PO}_4)_4] \cdot 2\text{H}_2\text{O}$ , layer structure, **162**, 168
- $[\text{C}_6\text{N}_4\text{H}_{22}][\text{Zn}_6(\text{PO}_4)_4(\text{HPO}_4)_2]$  formed by one-dimensional tubes, **157**, 110
- $\text{Co}_3[\text{BPO}_7]$ , **156**, 281
- $\text{Co}(\text{C}_8\text{H}_6\text{NO}_2)_2$  interpenetration networks, **157**, 166
- $\text{Co}(\text{II})$  coordination polymers  $\{[\text{CoBr}_2(2,1,3\text{-benzothiadiazole})]_n\}$  and  $\{[\text{CoCl}_2(\text{btd})]_m\}$ , **159**, 371
- $\text{Co}(\text{H}_2\text{O})_2\text{O}_2\text{CC}_6\text{H}_4\text{CO}_2$ , **159**, 343
- $\text{Co}(\text{NH}_3)_6(\text{V}_{1.5}\text{P}_{0.5})\text{O}_6\text{OH}$ , **159**, 239
- $\text{Co}_2(\text{OH}_2)\text{O}_2\text{CC}_6\text{H}_4\text{CO}_2$ , **159**, 343
- $\text{LnCrO}_4$  ( $Ln = \text{Nd,Sm,Dy}$ ), **160**, 362
- $\alpha\text{-CsB}_5\text{O}_8$  and  $\gamma\text{-CsB}_5\text{O}_8$ , **161**, 205
- $\text{CsBSe}_3$ , **157**, 206
- $\text{Cs}_2\text{Co}_3(\text{HPO}_4)(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ , **156**, 242
- $\text{Cs}_2\text{CoSiO}_4$  and  $\text{Cs}_5\text{CoSiO}_6$ , **162**, 204
- $\text{CsGd}_2\text{Ag}_3\text{Se}_5$ , **158**, 299
- $\text{Cs}_3\text{Gd}_4\text{Cu}_5\text{Te}_{10}$ , **160**, 409
- $\text{CsH}_5(\text{AsO}_4)_2$ , comparison with  $\text{CsH}_5(\text{PO}_4)_2$  and  $\text{RbH}_5(\text{AsO}_4)_2$ , **161**, 9
- $\text{CsLa}_2\text{CuSe}_4$ , **158**, 299
- $\text{Cs}_3\text{P}_6\text{N}_{11}$ , **156**, 390
- $\text{CsSm}_2\text{CuSe}_4$ , **158**, 299
- $\text{CsSn}_2\text{X}_5$  compounds ( $X = \text{Cl,Br}$ ): cluster orbital formation, **160**, 382
- $\text{CsTb}_2\text{Ag}_3\text{Se}_5$ , synthesis, structure, and physical properties, **158**, 299
- $[\{\text{Cu}(2,2'\text{-bpy})_2\}_2\text{Mo}_8\text{O}_{26}]$ , **161**, 173
- $\text{Cu}(\text{C}_8\text{H}_6\text{NO}_2)_2(\text{H}_2\text{O})_2$  interpenetration networks, **157**, 166
- $\text{Cu}(\text{II})$  coordination networks with chessboard tunnels, **158**, 315
- $\text{Cu}_{4.05}\text{Cr}_{3.3}(\text{VO}_4)_6$ , **156**, 339
- $\text{Cu}_{2.5}\text{Fe}_{4.333}(\text{VO}_4)_6$ , **156**, 339
- $\text{Cu}_4\text{Fe}_{3.333}(\text{VO}_4)_6$ , **156**, 339
- $\text{Cu}_x\text{M}_{1-x}(\text{HCOO})_2 \cdot 2\text{H}_2\text{O}$  ( $M = \text{Mn,Co,Ni,Cd}$ ), **157**, 23
- $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\{\text{Cu}_2\text{Br}_4\}]$  and  $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\{\text{Cu}_5\text{Br}_7\}]$ , **158**, 55
- $[\text{Cu}_{12}\text{Ln}_6(\mu_3\text{-OH})_{24}(\text{C}_5\text{H}_5\text{NCH}_2\text{CO}_2)_{12}(\text{H}_2\text{O})_{18}(\mu_9\text{-NO}_3)(\text{PF}_6)_{10}(\text{NO}_3)_7 \cdot 12\text{H}_2\text{O}$  ( $\text{Ln}^{\text{III}} = \text{Sm}^{\text{III}},\text{Gd}^{\text{III}}$ ), **161**, 214
- $\text{Cu}_{5.52(8)}\text{Si}_{1.04(8)}\square_{1.44}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  thiospinel, **161**, 327
- $N,N'$ -dimethylpiperazinium(2+) hydrogen selenite, **161**, 312
- $\text{Dy}_3\text{Si}_2\text{C}_2$ , **156**, 1
- $\text{Eu}_2\text{GeS}_4$ : evidence for ferroelectricity, **158**, 343
- $\text{Eu}_4\text{Mo}_7\text{O}_{27}$  and  $\text{Eu}_6\text{Mo}_{10}\text{O}_{39}$ , **161**, 85
- $\text{Eu}_2\text{O}_3\text{-SrO-CuO}$  system-derived solid solutions and compounds, **156**, 247
- $\alpha\text{-Fe}_2\text{O}_3$ , effect of Zn doping, **156**, 408
- $\text{FeSb}_2\text{S}_4$ , **162**, 79
- fluoroaluminophosphate chain  $\text{AlPO-CJ10}$ , **161**, 259
- fluorocyclohexane/thiourea inclusion compounds, temperature-dependent properties, **156**, 16
- $\text{Gd}_3\text{Cu}_2\text{Te}_7$ , **159**, 186
- $\text{Gd}_4\text{TiSe}_4\text{O}_4$ , **162**, 182
- $\gamma\text{-GeP}_2\text{O}_7$ , **156**, 213
- goethite, change in methane oxidation, *in situ* XRD and IR study, **156**, 225
- $\beta\text{-HfNCl}$  under high pressure, **159**, 80
- $(\text{Hg}_3)_2(\text{HgO}_2)(\text{PO}_4)_2$ , **157**, 68
- $(\text{Hg}_3)_3(\text{PO}_4)_4$ , **157**, 68
- $[\text{Hg}_6\text{P}_4](\text{TiCl}_6)\text{Cl}$ , **160**, 88
- $\text{Hg}_{0.75}\text{Re}_{0.25}\text{Ba}_{2-x}\text{Sr}_x\text{Ca}_2\text{Cu}_3\text{O}_{8+\delta}$  superconductors grown by sol-gel and sealed quartz tube synthesis, **161**, 355
- $\text{Hg}_4\text{VO}(\text{PO}_4)_2$  containing  $\text{Hg}_2^{2+}$  dumbbells, **158**, 94
- $(\text{H}_2\text{O})[\text{V}^{\text{III}}\text{F}_6]$  and  $\text{Pyr-VF}_3$  of pyrochlore type, **162**, 266
- $\text{In}(\text{Fe}_{1-x}\text{Ti}_x)\text{O}_{3+x/2}$ , orthorhombic phase with  $0.50 \leq x \leq 0.69$  and monoclinic phase with  $0.73 \leq x \leq 0.75$  at  $1300^\circ\text{C}$  in air, **157**, 13
- $\text{K}_4[\text{Cd}_3(\text{HPO}_4)_4(\text{H}_2\text{PO}_4)_2]$ , layered structure, **162**, 188
- $\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, **162**, 195
- $\text{K}_3\text{Ln}_4\text{Cu}_5\text{Te}_{10}$  ( $Ln = \text{Sm,Gd,Er}$ ), **160**, 409
- $\delta\text{-KMo}_2\text{P}_3\text{O}_{13}$ , revised space groups, **159**, 7
- $\text{KSmP}_2\text{S}_7$ , **160**, 195
- $\text{K}_2\text{TiSi}_6\text{O}_{15}$  with corrugated  $[\text{Si}_6\text{O}_{15}]_{\infty}$  layers, **156**, 135
- $\text{La}_2\text{Ca}_2\text{MnO}_7$ , **156**, 237
- $\text{La}_8\text{Cu}_7\text{O}_{19}$  five-leg spin ladder compound, **156**, 422
- $\text{ALaFeVO}_6$  ( $A = \text{Ca,Sr}$ ) double-perovskite oxides, **162**, 250
- $\text{La}_{24}\text{Li}_{20}\text{Ti}_5\text{O}_{56}$ , pseudo-close-packed columnar intergrowth structure, **162**, 379
- $\text{LaMn}_{1-x}\text{Li}_x\text{O}_3$  perovskites, **159**, 68
- $\text{LaMnO}_{3+\delta}$ , **160**, 123
- $\text{La}_2\text{Mo}_4\text{O}_{15}$ , *ab initio* determination from X-ray and neutron powder diffraction, **159**, 228
- $\text{La}_4\text{Ti}_2\text{O}_4\text{Se}_5$  and  $\text{La}_6\text{Ti}_3\text{O}_5\text{Se}_9$ , **157**, 289
- $\text{MLa}_2\text{Ti}_2\text{TaO}_{10}$  ( $M = \text{Cs,Rb}$ ) layered perovskites, **158**, 290
- $\alpha\text{-La}_2\text{W}_2\text{O}_9$ , *ab initio* determination from X-ray and neutron powder diffraction, **159**, 223
- $\text{Li-M-X}$  systems ( $M = \text{V,Nb,Ta}$ ;  $X = \text{P,As}$ ), **156**, 37
- $\text{Li}_8\text{Al}_3\text{Si}_5$ -type, in  $\text{Al-Li-Si}$  system, **156**, 500

- LiCo<sub>1-x</sub>Fe<sub>x</sub>O<sub>2</sub> system, **156**, 470  
 Li<sub>3</sub>CuSbO<sub>5</sub>, **156**, 321  
 Li<sub>2</sub>Mn<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, **158**, 148  
 Li<sub>0.5</sub>Mn<sub>0.5</sub>Ti<sub>1.5</sub>Cr<sub>0.5</sub>(PO<sub>4</sub>)<sub>3</sub>, **158**, 169  
 Li<sub>1-z</sub>Ni<sub>1+z</sub>O<sub>2</sub> ( $z = 0.075$ ) single crystals, **160**, 178  
 Li<sub>2</sub>Yb<sub>5</sub>O<sub>4</sub>(BO<sub>3</sub>)<sub>3</sub> discovered in Li<sub>2</sub>O-Ln<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub> phase diagram, **156**, 161  
 Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, **162**, 29  
 Mg(CN)<sub>2</sub>, **159**, 244  
 Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> ( $0.130 \leq x \leq 0.166$ ), **160**, 251  
 MgPd<sub>2</sub>, MgPd<sub>3</sub>, and Mg<sub>3</sub>Pd<sub>5</sub>, **159**, 113  
 Mn<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>(HPO<sub>4</sub>)<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O, **156**, 32  
 $\alpha$ -MnO<sub>2</sub> open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292  
 [Mo<sub>0.12</sub>CdP<sub>8</sub>O<sub>50</sub>(OH)<sub>12</sub>Cd[N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>(H<sub>3</sub>O)<sub>6</sub>]·5H<sub>2</sub>O, revised space groups, **159**, 7  
 Mo-Ni-P ternary phases, **160**, 156  
 mono-L-valinium nitrate, **158**, 1  
 Ln<sub>3</sub>T<sub>2</sub>N<sub>6</sub> ( $Ln = \text{La, Ce, Pr; } T = \text{Ta, Nb}$ ), **162**, 90  
 NaCa<sub>2</sub>GeO<sub>4</sub>F, **160**, 33  
 Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, **162**, 34  
 Na<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>S<sub>12</sub> one-dimensional compounds, **162**, 195  
 Na<sub>3</sub>Fe(PO<sub>4</sub>)<sub>2</sub>, glaserite-like structure, **160**, 377  
 Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, **161**, 129  
 NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O, **156**, 415  
 Na<sub>2</sub>In<sub>2</sub>[PO<sub>3</sub>(OH)]<sub>4</sub>·H<sub>2</sub>O, **157**, 213  
 NaLa<sub>6</sub>(Os)I<sub>12</sub>, **161**, 161  
 NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub>·xH<sub>2</sub>O ( $x = 2, 0.9, 0$ ) layered perovskites, **158**, 290  
 Na<sub>2</sub>MgInF<sub>7</sub>, **159**, 234  
 Na<sub>x</sub>MnO<sub>2+ $\delta$</sub>  prepared by reduction of aqueous sodium permanganate by sodium iodide, **156**, 331  
 Na<sub>2</sub>NbF<sub>6</sub>-(Nb<sub>6</sub>Br<sub>4</sub>F<sub>11</sub>), **158**, 327  
 Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, **156**, 415  
 Na<sub>2</sub>M<sub>3</sub>Sb<sub>4</sub> ( $M = \text{Sr, Ba}$ ), **162**, 327  
 NaSmP<sub>2</sub>S<sub>6</sub>, **160**, 195  
 NaYbP<sub>2</sub>S<sub>6</sub>, **160**, 195  
 NaYFPO<sub>4</sub>, **157**, 8  
 Nb<sub>6</sub>Br<sub>8</sub>F<sub>7</sub>, **158**, 327  
 Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, **160**, 450  
 (NC<sub>5</sub>H<sub>12</sub>)<sub>2</sub>·Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub> low-density framework built up from fully connected (3,4) net of ZnO<sub>4</sub> tetrahedra and HPO<sub>3</sub> pseudo pyramids, **160**, 4  
 M[N(CN)<sub>2</sub>]<sub>2</sub> ( $M = \text{Mg, Ca, Sr, Ba}$ ), **157**, 241  
 Nd<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>4</sub> ( $x = 0.02-0.20$ ), Cr<sup>V</sup>-Cr<sup>VI</sup> mixed valence compounds, **156**, 370  
 (ND<sub>4</sub>)<sub>4</sub>D<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub> below 180 K, **160**, 189  
 [Nd(XeF<sub>2</sub>)<sub>2.5</sub>](AsF<sub>6</sub>)<sub>3</sub>, **162**, 243  
 neptunium-germanium binary system, **156**, 313  
 (NH<sub>4</sub>)[Ce<sup>IV</sup>F<sub>2</sub>(PO<sub>4</sub>)], **157**, 180  
 [NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] ( $x = 1.65$ ), **159**, 59  
 (NH<sub>4</sub>)<sub>5</sub>Cl<sub>2</sub>[CuCl<sub>2</sub>][CuCl<sub>4</sub>], **162**, 254  
 NH<sub>4</sub>Ln<sub>3</sub>F<sub>10</sub> ( $Ln = \text{Dy, Ho, Y, Er, Tm}$ ), **158**, 358  
 (NH<sub>4</sub>)<sub>4</sub>H<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub> below 180 K, **160**, 189  
 (NH<sub>4</sub>)<sub>2</sub>(NH<sub>3</sub>)<sub>3</sub>[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], **162**, 254  
 NH<sub>4</sub>(SbO)<sub>3</sub>(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub> nanotubes, **162**, 347  
 (NH<sub>4</sub>)<sub>7</sub>U<sub>6</sub>F<sub>31</sub>, **158**, 87  
 (NH<sub>4</sub>)<sub>4</sub>[Zn<sub>4</sub>Ga<sub>4</sub>P<sub>8</sub>O<sub>32</sub>] and (NH<sub>4</sub>)<sub>16</sub>[Zn<sub>16</sub>Ga<sub>8</sub>P<sub>24</sub>O<sub>96</sub>], **156**, 480  
 Ni(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, **157**, 166  
 Ni(HP<sub>2</sub>O<sub>7</sub>)F·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub> with chain structure, **158**, 68  
 noncluster vanadium(IV) coordination polymers, **160**, 118  
 A'[A<sub>2</sub>B<sub>3</sub>O<sub>10</sub>]' ( $A' = \text{Rb, Cs; } A = \text{Sr, Ba; } B = \text{Nb, Ta}$ ) Dion-Jacobson-type layered perovskites, **158**, 279  
 Ln<sub>2</sub>O<sub>2</sub>CO<sub>3</sub> II ( $Ln = \text{La, Nd}$ ), **158**, 14  
 Pb<sub>3</sub>O<sub>2</sub>(OH)(NO<sub>3</sub>), **158**, 78  
 Pb<sub>13</sub>O<sub>8</sub>(OH)<sub>6</sub>(NO<sub>3</sub>)<sub>4</sub>, **158**, 74  
 PbVOP<sub>2</sub>O<sub>7</sub>, intersecting tunnel structure, **162**, 354  
 polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, **159**, 308  
 [(nPr<sub>4</sub>N)(Me<sub>3</sub>Sn)<sub>2</sub>Ir(CN)<sub>6</sub>·2H<sub>2</sub>O] and [(nPr<sub>4</sub>P)(Me<sub>3</sub>Sn)<sub>2</sub>Co(CN)<sub>6</sub>·2H<sub>2</sub>O], **157**, 324  
 Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, **156**, 1  
 Pr<sub>0.7-x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> perovskites, effect of Pr deficiency, **156**, 68  
 $\beta$ -RbB<sub>5</sub>O<sub>8</sub>, **161**, 205  
 RbBSe<sub>3</sub>, **157**, 206  
 Rb<sub>2</sub>CdSiO<sub>4</sub>, **162**, 214  
 Rb<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> ( $Ln = \text{Nd, Gd}$ ), **160**, 409  
 RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>, **158**, 299  
 Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, **158**, 299  
 RbNd<sub>2</sub>Cu<sub>4</sub>S<sub>4</sub>, **158**, 299  
 Rb<sub>1.12</sub>(NH<sub>4</sub>)<sub>0.88</sub>SO<sub>4</sub>·Te(OH)<sub>6</sub> at 435 K, **161**, 1  
 Rb<sub>3</sub>O<sub>2</sub>(MoO)<sub>4</sub>(PO<sub>4</sub>)<sub>4</sub>, revised space groups, **159**, 7  
 Rb<sub>3</sub>P<sub>6</sub>N<sub>11</sub>, **156**, 390  
 RbSm<sub>2</sub>CuS<sub>4</sub>, **158**, 299  
 Re<sub>3</sub>O<sub>10</sub>, **160**, 317  
 rhodamine B in lactone form, **156**, 325  
 R<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub> ( $R = \text{Y, Gd-Er}$ ), **160**, 77  
 Sb<sub>2</sub>O(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub>, layered structure, **162**, 347  
 LnSbS<sub>2</sub>Br<sub>2</sub> ( $Ln = \text{La, Ce}$ ), **158**, 218  
 ScB<sub>19+x</sub>Si<sub>y</sub>, **160**, 394  
 REE<sub>2</sub>Si<sub>2</sub>O<sub>7</sub> ( $REE = \text{Nd, Sm, Eu, Gd}$ ), type K structure at high pressure, **161**, 166  
 Sn<sub>10</sub>In<sub>14</sub>P<sub>22</sub>I<sub>8</sub> and Sn<sub>14</sub>In<sub>10</sub>P<sub>21.2</sub>I<sub>8</sub> with clathrate I structure, **161**, 233  
 Sn<sub>1+x</sub>Nb<sub>2</sub>O<sub>6+x</sub> ( $x = 0.0, 0.5, 1.0$ ), synthesis and characterization, **156**, 349  
 SrBi<sub>2</sub>Se<sub>4</sub>, **156**, 230  
 (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub> with composition (x): evolution of crystallographic phases, **162**, 20  
 Sr<sub>2</sub>CoSbO<sub>6- $\delta$</sub>  and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub> perovskites, **157**, 76  
 Sr<sub>2</sub>Fe<sub>2</sub>O<sub>5</sub> at elevated temperature, **156**, 292  
 SrFe<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub> and Sr<sub>9</sub>Fe<sub>1.5</sub>(PO<sub>4</sub>)<sub>7</sub>, **162**, 113  
 Sr<sub>3</sub>Ga<sub>2</sub>O<sub>6</sub>, **160**, 421  
 Sr<sub>10</sub>Ga<sub>6</sub>O<sub>19</sub>, **160**, 421  
 Sr(HC<sub>2</sub>O<sub>4</sub>)·1/2(C<sub>2</sub>O<sub>4</sub>)·H<sub>2</sub>O, powder X-ray and neutron diffraction studies, **157**, 283  
 (Sr<sub>1-x</sub>La<sub>1+x</sub>)Zn<sub>1-x</sub>O<sub>3.5-x/2</sub> ( $0.01 \leq x \leq 0.03$ ), **159**, 19  
 Sr<sub>2</sub>MnGaO<sub>5+ $\delta$</sub> , **160**, 353  
 Sr<sub>7</sub>Re<sub>4</sub>O<sub>19</sub>, **160**, 45  
 Sr<sub>2</sub>ScBiO<sub>6</sub>, **162**, 142  
 Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]<sub>3</sub>, effects of metal-metal sigma bonding, **162**, 103  
 SrTiO<sub>3</sub>-SrZrO<sub>3</sub> solid solution, **156**, 255  
 Tb<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, **156**, 1  
 Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, **162**, 158  
 Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, **162**, 96  
 Ti<sub>6</sub>Pb<sub>4.8</sub>: short Pb-Pb bonds, **159**, 134  
 Ti<sub>11</sub>(Sb,Sn)<sub>8</sub>, **157**, 225  
 $\beta$ -Ti<sub>2</sub>B<sub>4</sub>O<sub>7</sub> containing three-dimensional borate anion, **160**, 139  
 TiBSe<sub>3</sub>, **157**, 206  
 TiFeO<sub>3</sub>, distortion, comparison with AFeO<sub>3</sub> ( $A = \text{rare earth}$ ), **161**, 197  
 Ti<sup>IV</sup>(CN)<sub>4</sub>, **159**, 244  
 TPnCh ( $T = \text{Ni, Pd; } Pn = \text{P, As, Sb; } Ch = \text{S, Se, Te}$ ), **162**, 69  
 U<sub>2</sub>Cu<sub>0.78</sub>Te<sub>6</sub>, **159**, 186  
 Yb<sub>5</sub>In<sub>2</sub>Sb<sub>6</sub> Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**, 177  
 YCuO<sub>2+x</sub> delafossite, fine structure determination by synchrotron powder diffraction and electron microscopy, **156**, 428  
 Y<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, **156**, 1

- $TT'Zn_{20}$  ( $T = Zr, Hf, Nb$ ;  $T' = Mn, Fe, Ru, Co, Rh, Ni$ ):  $CeCr_2Al_{20}$ -type structure, **161**, 288
- $\beta$ -ZrNCl under high pressure, **159**, 80
- Crystal twinning  
fluorocyclohexane/thiourea inclusion compounds, **156**, 16
- Curie–Weiss relation  
 $La_{0.9}Sr_{0.1}Fe_{1-x}Co_xO_3$ , **159**, 215
- Cyanide  
 $Al(CN)_3$ , synthesis and structural properties, **159**, 244  
 $BaFe[(CN)_5NO] \cdot 3H_2O$ , oxidative thermal decomposition,  $BaFeO_{2.8-8}$  prepared from, ab initio structure solution, **160**, 17  
 $Be(CN)_2$ , synthesis and structural properties, **159**, 244  
 $Cd(CN)_2 \cdot 2/3H_2O \cdot t\text{-BuOH}$ , structure, **156**, 51  
 $CoFe(CN)_5NH_3 \cdot 6H_2O$ , photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336  
 $[M(\text{dicyanamide})_2\text{pyrazine}]$  ( $M = Mn, Fe, Co, Ni, Zn$ ), synthesis, structural isomerism, and magnetism, **159**, 352  
 $K_{0.2}Co_{1.4}[Fe(CN)_6] \cdot 7H_2O$ , microstructural changes induced by thermal treatment, **156**, 400  
 $[(Me_3Sn)_3M(CN)_6]$  ( $M = Co, Ir$ ), metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324  
 $Mg(CN)_2$ , synthesis and structural properties, **159**, 244  
 $MnCr_6(CN)_{18}$  and  $Mn_3Cr_6(CN)_{18}$  molecular species and  $MnCr_3(CN)_9$  chain compound, magnetic properties, **159**, 293  
 $[Mn(L)]_3[Cr(CN)_6]_2 \cdot nH_2O$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328  
 $Mn_3[Cr(CN)_6]_2 \cdot 12H_2O$ , relationship to  $[Mn(L)]_3[Cr(CN)_6]_2 \cdot nH_2O$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), **159**, 328  
 $M[N(CN)_2]_2$  ( $M = Mg, Ca, Sr, Ba$ ), syntheses, vibrational spectroscopy, and crystal structure, **157**, 241  
pentanuclear complexes bridged by, with high spin ground states  $S = 6$  and  $S = 9$ , characterization and magnetic properties, **159**, 302  
 $[(nPr_4N)(Me_3Sn)_2Ir(CN)_6 \cdot 2H_2O]$  and  $[(nPr_4P)(Me_3Sn)_2Co(CN)_6 \cdot 2H_2O]$ , crystal structures, **157**, 324  
 $Tl^IVTi^III(CN)_4$ , synthesis and structural properties, **159**, 244
- Cyclopentadienyl  
 $Cp_2Mo(\text{dmit})$  with  $Br^-$  or  $BF_4^-$ , isolated dimers and ordered antiferromagnetic ground state, **159**, 413
- D
- Decamethylmetallocenium cations  
layered molecule-based magnets formed by, **159**, 391
- Decomposition  
 $Bi_{3.5}V_{1.2}O_{8.25}$ , **161**, 410  
 $MgF_2$  in transmission electron microscope, **157**, 30  
molecular, in synthesis of yttria-stabilized zirconia nanoparticles, **157**, 149  
thermal, *see* Thermal decomposition
- Defect chemistry model  
pyrochlore  $A_2B_2O_7$  transformation to fluorite structure  $AO_2$ , **160**, 25
- Defect structure  
Al defect in Al-doped Sm-123 high-temperature superconductor, electron density study, **161**, 396  
anion-excess fluorite-related phases in  $LnOF-LnF_3$  systems ( $Ln = Nd, Sm, Eu, Gd$ ), **157**, 134  
 $Ni^{2+}$ - and  $Mn^{2+}$ -doped sol-gel  $SiO_2$  glass, **160**, 272
- Dehydration  
induction of charge transfer processes with spin transition on  $CoFe(CN)_5NH_3 \cdot 6H_2O$ , **159**, 336
- Deintercalation  
electrochemical,  $Ag_2Cu_2O_3$ , **158**, 82
- Delafossite  
structural relationship to  $In(Fe_{1-x}Ti_x)O_{3+x/2}$ : at 1300°C in air, **157**, 13  
 $YCuO_{2+x}$ , fine structure determination by synchrotron powder diffraction and electron microscopy, **156**, 428
- Density functional theory  
ionic conductivity of phosphorus oxynitride compounds, **161**, 73  
spin state behavior of cobaltites(III) and cobaltites(IV) with perovskite or related structure, **162**, 282  
TlTe, **157**, 193  
 $YNbO_4$  and  $YNbO_4:Bi$ , **156**, 267
- Deuterium  
 $Mg(ND_3)_2Br_2$  and  $Mg(ND_3)_2Cl_2$ , uniaxial orientational order–disorder transitions, neutron diffraction study, **156**, 487  
 $(ND_4)_4D_2(SeO_4)_3$ , crystal structure below 180 K, **160**, 189  
 $Pd_3MnD_{0.7}$ , magnetic structures, high-pressure neutron diffraction studies, **161**, 93
- Diastereoisomerism  
conformational,  $\alpha$ -nitronyl nitroxide radicals in solid state, **159**, 440
- Dicyanamide  
 $[M(\text{dicyanamide})_2\text{pyrazine}]$  ( $M = Mn, Fe, Co, Ni, Zn$ ), synthesis, structural isomerism, and magnetism, **159**, 352
- Dielectric properties  
 $Ca(Ca_{1/3}Nb_{2/3})O_3$  complex perovskite, effects of type of cation ordering, **156**, 122  
 $Ca_2Ta_2O_7$  doped with niobia, 5M and 7M polytypes, **161**, 274  
 $Pb_5Ta_{10}O_{30}$ , effect of cationic substitutions, **157**, 261  
 $Rb_{1.12}(NH_4)_{0.88}SO_4 \cdot Te(OH)_6$ , **161**, 1  
 $V_2O_3$ , **159**, 41
- Dielectrics  
 $Ca_4Nb_2O_9-CaTiO_3$ , phase equilibria and microstructures, **160**, 257  
Differential scanning calorimetry  
 $Bi_2TeO_5$  oxidation, **161**, 365  
 $CsH_5(AsO_4)_2$ , **161**, 9  
 $Li_2Zn(HPO_4)_2 \cdot 0.66H_2O$ , **162**, 29  
mono-L-valinin nitrate, **158**, 1  
 $Rb_{1.12}(NH_4)_{0.88}SO_4 \cdot Te(OH)_6$ , **161**, 1
- Differential thermal analysis  
 $LiKSO_4$ , **148**, 316; comments, **156**, 251, 253
- Diffuse scattering  
in  $K_2In_{12}Se_{19}$ , **161**, 385  
 $N,N'$ -Dimethylpiperazinium(2+) hydrogen selenite  
preparation, crystal structure, vibrational spectra, and thermal behavior, **161**, 312
- 2,2-Dinitropropane-1,3-diol  
structure–energy changes, induction by temperature variations, **157**, 296
- Dion–Jacobson-type perovskites  
 $MLa_2Ti_2TaO_{10}$  ( $M = Cs, Rb$ ) and  $NaLa_2Ti_2TaO_{10} \cdot xH_2O$  ( $x = 2, 0.9, 0$ ), structure, **158**, 290  
 $A'[A_2B_3O_{10}]$  ( $A' = Rb, Cs$ ;  $A = Sr, Ba$ ;  $B = Nb, Ta$ ), synthesis, structure, and electrical conductivity, **158**, 279
- Disorder  
 $LiVO_3$  structure, neutron powder diffraction study from 340 to 890 K, **156**, 379
- Dispersion  
 $NiO$  on  $\gamma-Al_2O_3$  and  $TiO_2/\gamma-Al_2O_3$  supports, **157**, 274
- Dysprosium  
 $Dy(Co_{1/2}Mn_{1/2})O_3$ , phonon modes, **160**, 350  
 $DyCrO_4$ , magnetic and crystallographic properties, **160**, 362  
 $Dy_3Ru_2C_5$ , preparation, properties, and crystal structure, **160**, 77  
 $Dy_3Si_2C_2$ , subcell and superstructure, **156**, 1  
 $KDyTiO_4$ , Ruddlesden–Popper phases synthesized by ion exchange of  $HLnTiO_4$ , **161**, 225  
 $NH_4Dy_3F_{10}$ , hydrothermal syntheses and crystal structure, **158**, 358

- E**
- Editorial  
special issue honoring Paul Hagenmuller, **162**, 149
- Electrical conductivity  
AC, in antiferromagnetic insulating phase of  $V_2O_3$  system, **159**, 41  
 $Bi_{2-x}In_xSe_3$  single crystals, **160**, 474  
 $ALaFeVO_6$  ( $A = Ca, Sr$ ) double-perovskite oxides, **162**, 250  
 $Ln_{1.33}Na_xMn_xTi_{2-x}O_6$  ( $Ln = Pr, x = 0.66; Ln = Nd, x = 0.66, 0.55$ ), **161**, 294  
 $A'[A_2B_3O_{10}]$  ( $A' = Rb, Cs; A = Sr, Ba; B = Nb, Ta$ ) Dion-Jacobson-type layered perovskites, **158**, 279  
 $R_3Ru_2C_5$  ( $R = Y, Gd-Er$ ), **160**, 77  
 $SrFeO_y$  at high temperature, **158**, 320  
 $Yb_5In_2Sb_6$  Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**, 177
- Electrical properties  
 $Ba_5Co_5ClO_{13}$ , **158**, 175  
 $BaCu_2Te_2$ , **156**, 44  
 $BaKCu_3MS_4$  ( $M = Mn, Co, Ni$ ), **157**, 144  
 $Cu_{5.52(8)}Si_{1.04(8)}\square_{1.44}Fe_4Sn_{12}S_{32}$  thiospinel, **161**, 327  
fluoroapatite and hydroxyapatite materials, comparison, **156**, 57  
 $Na_{1.1}Ca_{1.8}Mn_9O_{18}$ , **162**, 34  
 $Pr_{0.7-x}\square_{x}Sr_{0.3}MnO_3$  perovskites, effect of Pr deficiency, **156**, 68  
 $SrBi_2Se_4$ , **156**, 230  
 $Sr_2CoSbO_{6-\delta}$  and  $Sr_3CoSb_2O_9$  perovskites, **157**, 76  
 $Sr_3Fe_{2-x}Co_xO_{7-\delta}$  ( $0 \leq x \leq 0.8$ ), **158**, 307  
 $Th_3Co_3Sb_4$ , **162**, 158
- Electrical resistivity  
 $Ce_2Ni_{22}C_{2.75}$ , **161**, 63  
 $HgBr_2$  intercalated  $Bi_2Sr_2CaCu_2O_y$  single crystal, polarized X-ray absorption spectroscopy, **160**, 39  
 $La_8Cu_7O_{19}$  five-leg spin ladder compound, **156**, 422  
 $Na_2M_3Sb_4$  ( $M = Sr, Ba$ ), **162**, 327  
 $Pr_{0.5}Ca_{0.5}Mn_{0.99}Cr_{0.01}O_3$  under magnetic field, increase by thermal cycling, **160**, 1  
 $Ln_3RuO_7$  ( $Ln = Sm, Eu$ ), **158**, 245  
 $Ti_{11}(Sb, Sn)_8$ , **157**, 225
- Electrochemical cycling  
Si-doped  $SnO_2$ -lithium thin-film battery, microstructural evolution in, **160**, 388
- Electrochemistry  
 $Ag_2Cu_2O_3$ , **158**, 82  
 $Li_{0.5}Mn_{0.5}Ti_{1.5}Cr_{0.5}(PO_4)_3$ , **158**, 169
- Electroluminescence  
molecularly doped polymer system, **158**, 242
- Electron counts  
in  $AM_2B_2C$  ( $A = Lu, La, Th; M = Ni, Pd$ ), **160**, 93
- Electron density study  
structure of Al defect in Al-doped Sm-123 high-temperature superconductor, **161**, 396
- Electron diffraction  
 $(Ba_8Co_6O_{18})_x(Ba_8Co_8O_{24})_y$  polysomatic series, **162**, 322  
 $Ca_{0.5}Sr_{0.5}TiO_3$  perovskite: space group and structure, **160**, 8  
 $K_2In_{12}Se_{19}$ , **161**, 385  
 $\alpha$ - $MnO_2$  open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292  
 $Ni_{1+x}Se_2$  and  $Ni_{1+x}Te_2$   $CdI_2/NiAs$  type solid solution phases, **161**, 266  
nonstoichiometric rutile-type solid solutions in  $Fe^{II}F_2$ - $Fe^{III}OF$  system, **161**, 31  
 $Pb-Nb-W-O$  oxides based on tetragonal tungsten bronze structure, **161**, 135  
rare earth sesquioxide-stabilized cubic zirconias: strain-driven pyrochlore to defect fluorite phase transition, **159**, 121  
 $(Sr_{1-x}Ca_x)TiO_3$  with composition (x): evolution of crystallographic phases, **162**, 20  
 $(Sr_{1-x}La_{1+x})Zn_{1-x}O_{3.5-x/2}$  ( $0.01 \leq x \leq 0.03$ ), **159**, 19  
temperature-dependent, symmetry characterization of 3-D incommensurately modulated cubic phase in  $ZrP_2O_7$ , **157**, 186
- Electron energy loss spectroscopy  
 $MgF_2$  decomposition in transmission electron microscope, **157**, 30
- Electronic properties  
 $La_{0.9}Sr_{0.1}Fe_{1-x}Co_xO_3$ , due to Co ions, **159**, 215
- Electronic structure  
 $AM_2B_2C$  ( $A = Lu, La, Th; M = Ni, Pd$ ), **160**, 93  
 $Cs_2CoSiO_4$  and  $Cs_5CoSiO_6$ , **162**, 204  
 $HgBr_2$  intercalated  $Bi_2Sr_2CaCu_2O_y$  single crystal, polarized X-ray absorption spectroscopy, **160**, 39  
 $[Hg_6P_4](TiCl_6)Cl$ , **160**, 88  
 $Li-M-X$  systems ( $M = V, Nb, Ta; X = P, As$ ), **156**, 37  
 $Li_{1+x}V_3O_8$  prepared by mechanochemical synthesis, **160**, 444  
 $LnSbS_2Br_2$  ( $Ln = La, Ce$ ), **158**, 218  
 $Sn_{10}In_{14}P_{22}I_8$  and  $Sn_{14}In_{10}P_{21.2}I_8$  with clathrate I structure, **161**, 233  
 $SrCoO_3$ , **162**, 282  
 $Ti_6Pb_{4.8}$ , **159**, 134  
 $TiSr_2CoO_5$ , **162**, 282  
TlTe, **157**, 193  
tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]amine, -methyl, and -borane, **159**, 428  
 $Yb_5In_2Sb_6$  Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**, 177  
 $YNbO_4$  and  $YNbO_4:Bi$ , **156**, 267
- Electron microdiffraction  
 $(Sr_{1-x}Ca_x)TiO_3$  with composition (x): evolution of crystallographic phases, **162**, 20
- Electron microscopy, *see also* High-resolution electron microscopy  
 $\alpha$ - $MnO_2$  open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292  
 $A_xMo_yW_{1-y}O_3$  ( $A = K, Ce$ ) intergrowth tungsten bronzes, **162**, 341  
 $YCuO_{2+x}$  delafossite: fine structure determination, **156**, 428
- Electron paramagnetic resonance  
Co(II) coordination polymers  $\{[CoBr_2(2,1,3\text{-benzothiadiazole})]_n\}$  and  $\{[CoCl_2(btd)]_m\}$ , **159**, 371  
 $Li_{1+x}V_3O_8$ : reduction processes in mechanochemical synthesis, **160**, 444  
 $Pr^{4+}$  ions doped in  $BaHfO_3$  perovskite, **156**, 203
- Electron probe microanalysis  
Mo-Ni-P ternary phases, **160**, 156  
nonstoichiometric rutile-type solid solutions in  $Fe^{II}F_2$ - $Fe^{III}OF$  system, **161**, 31
- Energy-dispersive X-ray diffraction  
 $La_{0.5-x}Bi_xCa_{0.5}MnO_3$  ( $x = 0.1, 0.15, 0.2$ ) perovskite: lattice distortion under high pressure, **160**, 307
- Energy-dispersive X-ray spectroscopy  
 $Pb-Nb-W-O$  oxides based on tetragonal tungsten bronze structure, **161**, 135
- Enthalpy of formation  
lead zirconate titanate solid solution, **161**, 402
- Epitaxial films  
 $AgS_2$ , growth on cleaved surface of  $MgO(001)$ , **157**, 86  
 $La_{1-x}Sr_xMnO_{3+\delta}$  excess oxygen in, **156**, 143  
PZT pyrochlores, support-promoted stabilization, **158**, 40
- EPR, *see* Electron paramagnetic resonance
- Erbium  
 $ErB_{22}C_2N$ , synthesis and crystal structure, **159**, 174  
 $ErCa_9(VO_4)_7$ , synthesis and structure, **157**, 255  
 $AErO_3$  ( $A = La-Nd$ ) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173  
 $Er_3Ru_2C_5$ , preparation, properties, and crystal structure, **160**, 77  
 $K_3Er_4Cu_5Te_{10}$ , synthesis and structure, **160**, 409

- NH<sub>4</sub>Er<sub>3</sub>F<sub>10</sub>, hydrothermal syntheses and crystal structure, **158**, 358  
 RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299
- Ethanol thermal route  
 preparation and morphology control of rod-like nanocrystalline tin sulfides, **161**, 190
- Ethylenediamine  
 [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][{Cu<sub>2</sub>Br<sub>4</sub>}] and [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][{Cu<sub>5</sub>Br<sub>7</sub>}], hydrothermal synthesis and X-ray crystal structure, **158**, 55
- Europium  
 Eu<sub>5</sub>Tt<sub>3</sub> (Tt = Si, Ge, Sn) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149  
 EuAgMg, synthesis and crystal structures, **161**, 67  
 EuCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
 Eu<sub>2</sub>GeS<sub>4</sub>, structural evidence for ferroelectricity, **158**, 343  
 Eu<sub>4</sub>Mo<sub>7</sub>O<sub>27</sub> and Eu<sub>6</sub>Mo<sub>10</sub>O<sub>39</sub>, crystallization and structural characterization, **161**, 85  
 EuOF–EuF<sub>3</sub> systems, anion-excess fluorite-related phases in, characterization and defect structure, **157**, 134  
 Eu<sub>2</sub>O<sub>3</sub>–SrO–CuO system, compounds and phase relations, **156**, 247  
 EuPd<sub>3</sub>S<sub>4</sub>, Mössbauer effects and magnetic properties, **157**, 117  
 Eu<sub>3</sub>RuO<sub>7</sub>, magnetic and thermal properties, **158**, 245  
 Eu<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>, type K structure at high pressure, **161**, 166  
 KEuTiO<sub>4</sub>, Ruddlesden–Popper phases synthesized by ion exchange of HLnTiO<sub>4</sub>, **161**, 225
- EXAFS, *see* Extended X-ray absorption fine structure
- Exchange splittings  
 Nd<sup>3+</sup> in Nd<sub>2</sub>BaCuO<sub>5</sub> and Nd<sub>2</sub>BaZnO<sub>5</sub>, **162**, 42
- Extended Hückel tight binding calculations  
 spin state behavior of cobaltites(III) and cobaltites(IV) with perovskite or related structure, **162**, 282
- Extended networks  
 three-dimensional, formation by self-assembly of molecular magnets, **159**, 262
- Extended X-ray absorption fine structure  
 W<sub>x</sub>Mo<sub>(1-x)</sub>S<sub>2</sub>, lamellar solid solutions: detection of two cation disulfide layers, **160**, 147  
 Zn doping effects on α-Fe<sub>2</sub>O<sub>3</sub>, **156**, 408
- F
- Faradaic efficiency  
 Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub> (x = 0.2–0.8), **156**, 437
- Far-infrared spectroscopy  
 phonon modes of A(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub> (A = La, Nd, Dy, Ho, Yb), **160**, 350
- Fermion materials  
 heavy, CeIrIn<sub>5</sub> and CeRhIn<sub>5</sub>, crystal growth and intergrowth structure, **158**, 25
- Ferrimagnets  
 [Mn(L)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·nH<sub>2</sub>O (L = ethylenediamine, n = 4; L = glycine amide, n = 2.5), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328
- Ferrite–superconductor composites  
 thermally treated multiphase materials, chemical degradation, **160**, 332
- Ferroelectric oxides  
 ABi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub> (A = Ca, Sr, Ba), cation disorder in, **160**, 174
- Ferroelectric properties  
 Eu<sub>2</sub>GeS<sub>4</sub>, structural evidence, **158**, 343  
 Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, effect of cationic substitutions, **157**, 261
- Ferroelectrics  
 lead-free relaxors, solid state chemistry, **162**, 260  
 PZT pyrochlore epitaxial films, support-promoted stabilization, **158**, 40  
 quantum, (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub>, **162**, 20
- Ferromagnetic coupling  
 polynuclear self-assembled Cu(II) cluster complexes, **159**, 308
- Ferromagnetic interaction  
 between paramagnetic metal ion and coordinated ligand in metal complexes with imino nitroxyl diradical, **159**, 455
- Ferromagnetic ordering  
 CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34  
 short-range, La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, **159**, 215
- Ferromagnetic transition  
 La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, **156**, 117
- Ferromagnetism  
 [Cr(CN)<sub>6</sub>]<sub>2</sub>[Ni(L)<sub>2</sub>]<sub>3</sub>·7H<sub>2</sub>O pentanuclear complexes, **159**, 302  
 LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, **159**, 68
- Films  
 epitaxial, *see* Epitaxial films  
 LiCoO<sub>2</sub>, direct fabrication on substrates in flowing aqueous solutions at 150°C, **162**, 364
- Floating zone crystal growth  
 ScB<sub>1.9+x</sub>Si<sub>y</sub>, **160**, 394
- Fluorination  
 Bi-2201 phases, suppression of modulations, **156**, 445  
 Nd<sub>2</sub>CuO<sub>4</sub>, HREM study, **157**, 56
- Fluorine  
 AlF<sub>3</sub>–KF–CsF, ternary phase diagram and compositions for Nocokol flux, **161**, 80  
 Bi<sub>2</sub>Sr<sub>1.6</sub>La<sub>0.4</sub>CuO<sub>6.33-x</sub>F<sub>2+x</sub>, suppression of modulations in, **156**, 445  
 Ca<sub>2</sub>NF, preparation and single-crystal structure analysis, **160**, 134  
 (C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub>·5H<sub>2</sub>O, hydrothermal synthesis, structure, and magnetic properties, **158**, 87  
 (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)Zr<sub>2</sub>F<sub>10</sub>·H<sub>2</sub>O and (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)ZrF<sub>6</sub>·H<sub>2</sub>O, hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198  
 [Cp<sub>2</sub>Mo(dmit)][BF<sub>4</sub><sup>-</sup>], association into dimers, **159**, 413  
 [Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (Ln<sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), synthesis and characterization, **161**, 214  
 F<sup>-</sup>, chemical treatment of silica xerogels catalyzed by, **162**, 371  
 M<sup>II</sup>M<sup>IV</sup>F<sub>6</sub> (M<sup>II</sup> = Ni, Pd, Cu; M<sup>IV</sup> = Pd, Pt, Sn), preparation, magnetic properties, and pressure-induced transitions, **162**, 333  
 fluoroaluminophosphate chain AlPO–CJ10, synthesis and characterization, **161**, 259  
 HF, impact on tin probe ions located on Cr<sub>2</sub>O<sub>3</sub> microcrystal surface, Mössbauer study, **162**, 293  
 (H<sub>2</sub>O)[V<sup>III</sup>F<sub>6</sub>] and Pyr-VF<sub>3</sub> of pyrochlore type, hydrothermal synthesis, structure, and magnetic characterization, **162**, 266  
 MgF<sub>2</sub>, decomposition in transmission electron microscope, **157**, 30  
 MnF<sub>5</sub> chains, and CrX<sub>2</sub> (X = O, S) layers, compounds consisting of, spin exchange parameters, **156**, 464  
 monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225  
 NaCa<sub>2</sub>GeO<sub>4</sub>F, synthesis and structure, **160**, 33  
 NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O, synthesis and crystal structure, **156**, 415  
 Na<sub>2</sub>MgInF<sub>7</sub>, crystal structure, **159**, 234  
 Na<sub>2</sub>NbF<sub>6</sub>–(Nb<sub>6</sub>Br<sub>4</sub>F<sub>11</sub>), synthesis and crystal structure, **158**, 327  
 Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, synthesis and crystal structure, **156**, 415  
 NaYFPO<sub>4</sub>, hydrothermal synthesis and crystal structure, **157**, 8  
 Nb<sub>6</sub>Br<sub>8</sub>F<sub>7</sub>, synthesis and crystal structure, **158**, 327  
 [Nd(XeF<sub>2</sub>)<sub>n</sub>](AsF<sub>6</sub>)<sub>3</sub> (n = 3, 2.5), synthesis and Raman spectra, and crystal structure of n = 2.5 compound, **162**, 243  
 (NH<sub>4</sub>)[Ce<sup>IV</sup>F<sub>2</sub>(PO<sub>4</sub>)], hydrothermal synthesis and characterization, **157**, 180  
 NH<sub>4</sub>Ln<sub>3</sub>F<sub>10</sub> (Ln = Dy, Ho, Y, Er, Tm), hydrothermal syntheses and crystal structure, **158**, 358  
 (NH<sub>4</sub>)<sub>7</sub>U<sub>6</sub>F<sub>31</sub>, hydrothermal synthesis, structure, and magnetic properties, **158**, 87

- Ni(HP<sub>2</sub>O<sub>7</sub>)F·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub> with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- LnOF–LnF<sub>3</sub>* systems (*Ln* = Nd,Sm,Eu,Gd), anion-excess fluorite-related phases in, characterization and defect structure, **157**, 134
- M*<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>F<sub>2</sub> (*M* = Ca,Pb,Ba), electrical properties, **156**, 57
- Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, hydrothermal synthesis and structure, **162**, 96
- Fluorite  
anion-excess, related phases in *LnOF–LnF<sub>3</sub>* systems (*Ln* = Nd,Sm,Eu,Gd), characterization and defect structure, **157**, 134  
strain-driven pyrochlore to defect fluorite phase transition in rare earth sesquioxide-stabilized cubic zirconias, **159**, 121  
structure *AO<sub>2</sub>*, pyrochlore *A<sub>2</sub>B<sub>2</sub>O<sub>7</sub>* transformation to, Raman spectroscopy and defect chemistry modeling, **160**, 25
- Fluoroapatite  
and hydroxyapatite materials, electrical properties, comparison, **156**, 57
- Fluorocyclohexane/thiourea inclusion compounds  
temperature-dependent structural properties and crystal twinning, **156**, 16
- Free energy minimization  
simulation of thermal expansion in La-based perovskites, **156**, 394
- Fullerenes  
hydrothermal behavior: transformation to amorphous carbon and carbon nanotube formation, **160**, 184  
superconductors, anionic charge order model, **158**, 139
- Full-potential linearized augmented plane waves  
band structure calculations for analysis of low coordination of Ag<sup>+</sup> and Cu<sup>+</sup> in chalcogenide environments, **160**, 212
- G**
- Gadolinium  
CsGd<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299  
Cs<sub>3</sub>Gd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409  
[Cu<sub>12</sub>Gd<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O, synthesis and characterization, **161**, 214  
GdAgMg, synthesis and crystal structures, **161**, 67  
GdCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
GdCrO<sub>3</sub> perovskite, magnetic properties, **159**, 204  
Gd<sub>3</sub>Cu<sub>2</sub>Te<sub>7</sub>, synthesis and structure, **159**, 186  
GdOF–GdF<sub>3</sub> systems, anion-excess fluorite-related phases in, characterization and defect structure, **157**, 134  
Gd<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub>, preparation, properties, and crystal structure, **160**, 77  
Gd<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>, type K structure at high pressure, **161**, 166  
Gd<sub>4</sub>TiSe<sub>4</sub>O<sub>4</sub>, crystal structure and magnetic properties, **162**, 182  
K<sub>3</sub>Gd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409  
KGdTiO<sub>4</sub>, Ruddlesden–Popper phases synthesized by ion exchange of *HLnTiO<sub>4</sub>*, **161**, 225  
Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, synthesis and crystal structure, **161**, 129  
Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, synthesis, structure, and physical properties, **158**, 299  
Rb<sub>3</sub>Gd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409  
ZrO<sub>2</sub>–Gd<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub>, phase relations at 1500°C, **160**, 302
- Gallium  
CaAlGaO<sub>4</sub> and Ca<sub>2</sub>AlGaO<sub>5</sub>, crystal structures, **157**, 62  
Ca<sub>2</sub>MnGaO<sub>5+δ</sub>, synthesis and crystal structure, **158**, 100  
CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, metal ion distribution and magnetic properties, **158**, 34  
CdGa<sub>2</sub>Se<sub>4</sub>, pressure-induced phase transitions, **160**, 205  
β-Ga<sub>2</sub>O<sub>3</sub>–In<sub>2</sub>O<sub>3</sub> conducting solid solutions with composition gradients, formation by laser impact, **157**, 94  
[NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] (*x* = 1.65), synthesis and characterization, **159**, 59  
(NH<sub>4</sub>)<sub>4</sub>[Zn<sub>4</sub>Ga<sub>4</sub>P<sub>8</sub>O<sub>32</sub>] and (NH<sub>4</sub>)<sub>16</sub>[Zn<sub>16</sub>Ga<sub>8</sub>P<sub>24</sub>O<sub>96</sub>], syntheses and structures, **156**, 480
- Sr<sub>3</sub>Ga<sub>2</sub>O<sub>6</sub>, crystal structure, **160**, 421  
Sr<sub>10</sub>Ga<sub>6</sub>O<sub>19</sub>, crystal structure, **160**, 421  
Sr<sub>2</sub>MnGaO<sub>5+δ</sub>, synthesis, crystal structure, and magnetic properties, **160**, 353  
U<sub>3</sub>Ga<sub>2</sub>M'<sub>3</sub> (*M'* = Si,Ge), magnetotransport and heat capacity, **158**, 227
- Genetic algorithm  
structural analysis of 2,5-bis(trimethylsilyl)thiophene-*S,S*-dioxide and related materials, **161**, 121
- Germanium  
BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, spin-1/2 quantum antiferromagnetic chains with tunable superexchange interactions in, **156**, 101  
Eu<sub>2</sub>GeS<sub>4</sub>, structural evidence for ferroelectricity, **158**, 343  
*A*<sub>5</sub>Ge<sub>3</sub> (*A* = Ca,Sr,Ba,Eu) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149  
germanium pyrophosphates, syntheses, structures, and thermal expansion, **156**, 213  
NaCa<sub>2</sub>GeO<sub>4</sub>F, synthesis and structure, **160**, 33  
neptunium–germanium binary system, structural chemistry, **156**, 313  
U<sub>3</sub>M<sub>2</sub>Ge<sub>3</sub> (*M* = Al,Ga), magnetotransport and heat capacity, **158**, 227
- Giant magnetoresistance  
LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, **159**, 68
- Glaserite  
related structure of Na<sub>3</sub>Fe(PO<sub>4</sub>)<sub>2</sub>, **160**, 377
- Glass  
sol-gel SiO<sub>2</sub> glass doped with Ni<sup>2+</sup> and Mn<sup>2+</sup>, defects and photoluminescence, **160**, 272
- Goethite  
structural change in methane oxidation, *in situ* XRD and IR study, **156**, 225
- Gold  
(Fe@Au) nanoparticles, synthesis, characterization, and magnetic field-induced self-assembly, **159**, 26
- Graphite  
LiCoO<sub>2</sub> film fabrication on, in flowing aqueous solutions at 150°C, **162**, 364
- H**
- Hafnium  
BaHfO<sub>3</sub> perovskite, Pr<sup>4+</sup> ions doped in, EPR study, **156**, 203  
β-HfNCl, high-pressure synthesis and crystal structure, **159**, 80  
HfT'<sub>2</sub>Zn<sub>20</sub> (*T'* = Mn,Fe,Ru,Co,Rh,Ni) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288  
SrHfO<sub>3</sub>, hyperfine interaction at, temperature dependence, **159**, 1
- Hall constant  
Bi<sub>2-x</sub>In<sub>x</sub>Se<sub>3</sub> single crystals, **160**, 474
- Heat capacity  
TiO<sub>2</sub> nanocrystalline ultrafine powder at low temperature, **156**, 220  
U<sub>3</sub>M<sub>2</sub>M'<sub>3</sub> (*M* = Al,Ga; *M'* = Si,Ge), **158**, 227
- Heat of mixing  
lead zirconate titanate solid solution, **161**, 402
- Heat of phase transition  
VO<sub>2</sub> nanopowders, **156**, 274
- Heisenberg antiferromagnetic chains  
BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, **156**, 101
- Hexacyanoferrate  
Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- High-resolution electron microscopy  
(Ba<sub>8</sub>Co<sub>6</sub>O<sub>18</sub>)<sub>α</sub>(Ba<sub>8</sub>Co<sub>8</sub>O<sub>24</sub>)<sub>β</sub> polysomatic series, **162**, 322  
fluorinated Nd<sub>2</sub>CuO<sub>4</sub>, **157**, 56  
K<sub>2</sub>In<sub>12</sub>Se<sub>19</sub>, **161**, 385  
Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, **162**, 34

- order-disorder transition in  $(\text{Cu}_{0.5}\text{Cr}_{0.5})\text{Sr}_2\text{CuO}_x$  under high-pressure and high-temperature conditions, **161**, 348
- Pb-Nb-W-O oxides based on tetragonal tungsten bronze structure, **161**, 135
- $\text{WO}_{3-x}$  phases leading to  $\text{WS}_2$  formation, **162**, 300
- High spin molecules
- pentanuclear cyanide-bridged complexes with ground states  $S = 6$  and  $S = 9$ , characterization and magnetic properties, **159**, 302
- Hi-Nicalon fibers
- multilayered BN coating deposition onto, via continuous LPCVD treatment, **162**, 358
- Holmium
- $\text{HoAgMg}$ , synthesis and crystal structures, **161**, 67
- $\text{HoB}_{22}\text{C}_2\text{N}$ , synthesis and crystal structure, **159**, 174
- $\text{HoCa}_9(\text{VO}_4)_7$ , synthesis and structure, **157**, 255
- $\text{Ho}(\text{Co}_{1/2}\text{Mn}_{1/2})\text{O}_3$ , phonon modes, **160**, 350
- $\text{AHO}_3$  ( $A = \text{La-Nd}$ ) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- $\text{Ho}_3\text{Ru}_2\text{C}_5$ , preparation, properties, and crystal structure, **160**, 77
- $\text{NH}_4\text{Ho}_3\text{F}_{10}$ , hydrothermal syntheses and crystal structure, **158**, 358
- Hopping energy
- $\text{La}_{0.9}\text{Sr}_{0.1}\text{Fe}_{1-x}\text{Co}_x\text{O}_3$ , **159**, 215
- Host-guest interactions
- $[\text{Hg}_6\text{P}_4](\text{TiCl}_6)\text{Cl}$ , **160**, 88
- Hydrogen
- $\text{Al}[(\text{HO}_3\text{PCH}_2)_3\text{N}]\text{H}_2\text{O}$ , synthesis and characterization, **160**, 278
- $\kappa$ -(BETS) $_2\text{FeX}_4$  ( $X = \text{Cl, Br}$ ) with superconducting transitions, effect of halogen substitution, **159**, 407
- $\text{CdBa}_3(\text{HPO}_4)_2(\text{H}_2\text{PO}_4)_2$ , synthesis, crystal structure, and vibrational spectra, **161**, 97
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385
- $[(S)\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2]$  and  $[(S)\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2(\text{H}_2\text{O})_2]$ , synthesis and characterization, **157**, 233
- $[(\text{C}_{12}\text{H}_8\text{N}_2)_3\text{Fe}^{\text{II}}]_2[\text{Fe}^{\text{II}}\text{Mo}_2(\text{H}_2\text{PO}_4)_6(\text{PO}_4)_2(\text{OH})_6\text{O}_{24}]$ , synthesis and structure, **159**, 209
- $\text{C}_5\text{H}_{12}\text{NPO}_4\text{H}_2$ , synthesis and crystal structure, **161**, 307
- $\text{C}_{10}\text{H}_{28}\text{N}_4\text{P}_4\text{O}_{12} \cdot 4\text{H}_2\text{O}$ , crystal structure, thermal analysis, and vibrational spectra, **156**, 364
- $(\text{C}_5\text{H}_{14}\text{N}_2)_2\text{U}_2\text{F}_{12} \cdot 5\text{H}_2\text{O}$ , hydrothermal synthesis, structure, and magnetic properties, **158**, 87
- $(\text{C}_2\text{H}_{10}\text{N}_2)\text{Zr}_2\text{F}_{10} \cdot \text{H}_2\text{O}$  and  $(\text{C}_4\text{H}_{12}\text{N}_2)\text{ZrF}_6 \cdot \text{H}_2\text{O}$ , hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198
- $\text{M}_4\text{Cl}_8(\text{THF})_6$  ( $M = \text{Mn, Fe, Co}$ ), compounds based on, structural and magnetic study, **159**, 281
- $(\text{C}_{10}\text{H}_4\text{N}_2)_2[\text{Zn}_6(\text{HPO}_4)_2(\text{PO}_4)_4] \cdot 2\text{H}_2\text{O}$  with layer structure, synthesis, crystal structure, and NMR, **162**, 168
- $[\text{C}_6\text{N}_4\text{H}_{22}][\text{Zn}_6(\text{PO}_4)_4(\text{HPO}_4)_2]$  formed by one-dimensional tubes, synthesis and crystal structure, **157**, 110
- $\text{Co}_3\text{BTCA}_2(\text{H}_2\text{O})_4$ , resonance in nonlinear susceptibilities, **159**, 379
- $\text{Co}(\text{C}_8\text{H}_6\text{NO}_2)_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $\text{Co}(\text{II})$  coordination polymers  $\{[\text{CoBr}_2(\text{btd})]_n\}$  and  $\{[\text{CoCl}_2(\text{btd})]_n\}$ , synthesis, characterization, crystal structure, and magnetic properties, **159**, 371
- $\text{CoFe}(\text{CN})_5\text{NH}_3 \cdot 6\text{H}_2\text{O}$ , photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336
- $\text{Co}(\text{H}_2\text{O})_2\text{O}_2\text{CC}_6\text{H}_4\text{CO}_2$ , synthesis, crystal structure, and magnetic properties, **159**, 343
- $\text{Co}(\text{NH}_3)_6(\text{V}_{1.5}\text{P}_{0.5})\text{O}_6\text{OH}$ , hydrothermal synthesis and crystal structure, **159**, 239
- $\text{Co}_2(\text{OH})_2\text{O}_2\text{CC}_6\text{H}_4\text{CO}_2$ , synthesis, crystal structure, and magnetic properties, **159**, 343
- $\text{Cp}_2\text{Mo}(\text{dmit})$  with  $\text{Br}^-$  or  $\text{BF}_4^-$ , isolated dimers and ordered antiferromagnetic ground state, **159**, 413
- $[\text{Cr}_3\text{O}(\text{O}_2\text{CC}_6\text{H}_4\text{Cl})_6(\text{H}_2\text{O})_3][\text{NO}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $[\text{Cr}_3\text{O}(\text{O}_2\text{CCMe}_3)_6][\text{O}_2\text{CCMe}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $\text{Cs}_2\text{Co}_3(\text{HPO}_4)(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 242
- $\text{CsH}_5(\text{AsO}_4)_2$ , crystal structure and characterization: comparison with  $\text{CsH}_5(\text{PO}_4)_2$  and  $\text{RbH}_5(\text{AsO}_4)_2$ , **161**, 9
- $\text{Cu}(\text{C}_8\text{H}_6\text{NO}_2)_2(\text{H}_2\text{O})_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $\text{Cu}_x\text{M}_{1-x}(\text{HCOO})_2 \cdot 2\text{H}_2\text{O}$  ( $M = \text{Mn, Co, Ni, Cd}$ ), crystal structures and thermal behavior, **157**, 23
- $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\{\text{Cu}_2\text{Br}_4\}]$  and  $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\{\text{Cu}_5\text{Br}_7\}]$ , hydrothermal synthesis and X-ray crystal structure, **158**, 55
- $[\text{Cu}_{12}\text{Ln}_6(\mu_3\text{-OH})_{24}(\text{C}_5\text{H}_5\text{NCH}_2\text{CO}_2)_{12}(\text{H}_2\text{O})_{18}(\mu_9\text{-NO}_3)](\text{PF}_6)_{10}(\text{NO}_3)_7 \cdot 12\text{H}_2\text{O}$  ( $\text{Ln}^{\text{III}} = \text{Sm}^{\text{III}}, \text{Gd}^{\text{III}}$ ), synthesis and characterization, **161**, 214
- $\text{Cu}_3[(\text{O}_3\text{PCH}_2)_2\text{NH}_2]_2$ , synthesis and characterization, **160**, 278
- $[\text{M}(\text{dicyanamide})_2\text{pyrazine}]$  ( $M = \text{Mn, Fe, Co, Ni, Zn}$ ), synthesis, structural isomerism, and magnetism, **159**, 352
- $N,N'$ -dimethylpiperazinium(2+) hydrogen selenite, preparation, crystal structure, vibrational spectra, and thermal behavior, **161**, 312
- fused silica reduction in, kinetics, flow and diffusion analysis, **160**, 247
- HF, impact on tin probe ions located on  $\text{Cr}_2\text{O}_3$  microcrystal surface, Mössbauer study, **162**, 293
- $\text{H}_x\text{MoO}_3$  bronze, leaching treatments, **159**, 51
- $\text{H}_2\text{O}(\text{NH}_4)_2\text{HPO}_4\text{-}(\text{NH}_4)_2\text{SO}_4$ , polythermal diagram between 0 and  $25^\circ\text{C}$ , **156**, 264
- hydrogen coinserted hydrated sodium and potassium molybdenum bronzes, direct synthesis and characterization, **159**, 87
- impurity effects in  $A_5Tt_3$  ( $A = \text{Ca, Sr, Ba, Eu}$ ;  $Tt = \text{Si, Ge, Sn}$ ) compounds with  $\text{Cr}_5\text{B}_3$ -like structures, **159**, 149
- $\text{K}_4[\text{Cd}_3(\text{HPO}_4)_4(\text{H}_2\text{PO}_4)_2]$ , synthesis and layered structure, **162**, 188
- layered molecule-based magnets formed by decamethylmetallocenium cations, **159**, 391
- $\text{Li}_2\text{Zn}(\text{HPO}_4)_2 \cdot 0.66\text{H}_2\text{O}$ , synthesis and characterization, **162**, 29
- $[\text{Mn}^{\text{II}}(t\text{-Bu})_2\text{salen}]_2$ , preparation, magnetic characterization, and reaction with tetracyanoethylene, **159**, 403
- $\text{Mn}_x\text{Co}_{1-x}(\text{O}_3\text{PC}_6\text{H}_5) \cdot \text{H}_2\text{O}$ , structure and magnetic properties, **159**, 362
- $[\text{Mn}(\text{L})_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $L = \text{ethylenediamine}$ ,  $n = 4$ ;  $L = \text{glycine amide}$ ,  $n = 2.5$ ), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328
- $\text{Mn}_6(\text{H}_2\text{O})_2(\text{HPO}_4)_4(\text{PO}_4)_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 32
- $[\text{Mn}_3\text{O}(\text{O}_2\text{CPh})_6(\text{NC}_5\text{H}_5)_2(\text{H}_2\text{O})]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $[\text{Mo}_{12}\text{CdP}_8\text{O}_{50}(\text{OH})_{12}\text{Cd}[\text{N}(\text{CH}_3)_4]_2(\text{H}_3\text{O})_6] \cdot 5\text{H}_2\text{O}$ , revised space groups, **159**, 7
- monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225
- $\text{NaHPO}_3 \cdot 2.5\text{H}_2\text{O}$ , synthesis and crystal structure, **156**, 415
- $(\text{NC}_5\text{H}_{12})_2 \cdot \text{Zn}_3(\text{HPO}_3)_4$ , low-density framework built up from fully connected (3,4) net of  $\text{ZnO}_4$  tetrahedra and  $\text{HPO}_3$  pseudo pyramids, **160**, 4
- $[\text{NH}_3(\text{CH}_2)_2\text{NH}_3]_4[\text{Ga}_{4-x}\text{V}_x(\text{HPO}_4)_5(\text{PO}_4)_3\text{H}(\text{OH})_2]$  ( $x = 1.65$ ), synthesis and characterization, **159**, 59
- $(\text{NH}_4)_4\text{H}_2(\text{SeO}_4)_3$ , crystal structure below 180 K, **160**, 189
- $(\text{NH}_4)_2(\text{NH}_3)_x[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , preparation and crystal structure, **162**, 254
- $\text{NH}_4(\text{SbO})_3(\text{CH}_3\text{PO}_3)_2$  nanotubes, synthesis and structure, **162**, 347



- Ni(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- Ni(HP<sub>2</sub>O<sub>7</sub>)·F·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub> with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- polyarylmethyl polyradicals as organic spin clusters, **159**, 460
- polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- Sb<sub>2</sub>O(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub>, synthesis and layered structure, **162**, 347
- α-Sn(HPO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, solid-state synthetic reaction and characterization, **159**, 130
- Sr(HC<sub>2</sub>O<sub>4</sub>)·1/2(C<sub>2</sub>O<sub>4</sub>)·H<sub>2</sub>O, structure determination from powder X-ray and neutron diffraction studies, **157**, 283
- Th<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>·H<sub>2</sub>O, hydrothermal synthesis and characterization, **159**, 139
- Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, hydrothermal synthesis and structure, **162**, 96
- tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]amine, -methyl, and -borane, ground spin states, **159**, 428
- 1,3,5-trithia-2,4,6-triazapentalenyl crystals, magnetic bistability at room temperature, comparison with spin crossover transitions, **159**, 451
- Hydrogen bonds
- Cd(CN)<sub>2</sub>·2/3H<sub>2</sub>O·*t*-BuOH, **156**, 51
- C<sub>10</sub>H<sub>28</sub>N<sub>4</sub>P<sub>4</sub>O<sub>12</sub>·4H<sub>2</sub>O, **156**, 364
- CsH<sub>5</sub>(AsO<sub>4</sub>)<sub>2</sub>, **161**, 9
- 2,2-dinitropropane-1,3-diol, temperature dependence, **157**, 296
- NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O and Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, **156**, 415
- α-nitronyl nitroxide radicals, **159**, 440
- Hydrogen fluoride
- impact on tin probe ions located on Cr<sub>2</sub>O<sub>3</sub> microcrystal surface, Mössbauer study, **162**, 293
- Hydrolysis
- Al metal surface into AlO(OH)·αH<sub>2</sub>O nanocrystals in monoclinic structure, **157**, 40
- forced cohydrolysis at 100°C: direct synthesis of fluorite-type ceria-zirconia solid solution nanoparticles at low temperature, **158**, 112
- Hydrothermal synthesis
- amorphous carbon and carbon nanotubes from C<sub>60</sub>, **160**, 184
- BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub>·H<sub>2</sub>O with six-membered rings, **161**, 243
- Cd(VO<sub>2</sub>)<sub>4</sub>(SeO<sub>3</sub>)<sub>3</sub>·H<sub>2</sub>O, **161**, 23
- (C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub>·5H<sub>2</sub>O, **158**, 87
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)Zr<sub>2</sub>F<sub>10</sub>·H<sub>2</sub>O and (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)ZrF<sub>6</sub>·H<sub>2</sub>O, **159**, 198
- [C<sub>6</sub>N<sub>4</sub>H<sub>22</sub>][Zn<sub>6</sub>(PO<sub>4</sub>)<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>] formed by one-dimensional tubes, **157**, 110
- Co(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub> interpenetration networks, **157**, 166
- Co(NH<sub>3</sub>)<sub>6</sub>(V<sub>1.5</sub>P<sub>0.5</sub>)O<sub>6</sub>OH, **159**, 239
- Cs<sub>2</sub>Co<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, **156**, 242
- [{Cu(2,2'-bpy)<sub>2</sub>}<sub>2</sub>Mo<sub>8</sub>O<sub>26</sub>], **161**, 173
- Cu(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, **157**, 166
- Cu(II) coordination networks with chessboard tunnels, **158**, 315
- [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][{Cu<sub>2</sub>Br<sub>4</sub>}] and [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][{Cu<sub>5</sub>Br<sub>7</sub>}], **158**, 55
- CuInS<sub>2</sub> nanorods, **161**, 179
- (Hg<sub>3</sub>)<sub>2</sub>(HgO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub> and (Hg<sub>3</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>4</sub>, **157**, 68
- (H<sub>2</sub>O)[V<sub>2</sub>F<sub>6</sub>] and Pyr-VF<sub>3</sub> of pyrochlore type, **162**, 266
- K<sub>4</sub>[Cd<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>] with layered structure, **162**, 188
- K<sub>2</sub>TiSi<sub>6</sub>O<sub>15</sub> with corrugated [Si<sub>6</sub>O<sub>15</sub>]<sub>∞∞</sub> layers, **156**, 135
- Mn<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>(HPO<sub>4</sub>)<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O, **156**, 32
- MoS<sub>2</sub>, **159**, 170
- Na<sub>2</sub>In<sub>2</sub>[PO<sub>3</sub>(OH)]<sub>4</sub>·H<sub>2</sub>O, **157**, 213
- NaYFPO<sub>4</sub>, **157**, 8
- (NH<sub>4</sub>)[Ce<sup>IV</sup>F<sub>2</sub>(PO<sub>4</sub>)], **157**, 180
- NH<sub>4</sub>L<sub>n</sub>F<sub>10</sub> (L<sub>n</sub> = Dy, Ho, Y, Er, Tm), **158**, 358
- (NH<sub>4</sub>)<sub>7</sub>U<sub>6</sub>F<sub>31</sub>, **158**, 87
- (NH<sub>4</sub>)<sub>4</sub>[Zn<sub>4</sub>Ga<sub>4</sub>P<sub>8</sub>O<sub>32</sub>] and (NH<sub>4</sub>)<sub>16</sub>[Zn<sub>16</sub>Ga<sub>8</sub>P<sub>24</sub>O<sub>96</sub>], **156**, 480
- Ni(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, **157**, 166
- open-framework cadmium oxalates with channels stabilized by alkali metal ions, **162**, 150
- PbSnS<sub>3</sub> nanorods via iodine transport, **160**, 50
- rhodamine B in lactone form, **156**, 325
- Th<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>·H<sub>2</sub>O, Th(OH)PO<sub>4</sub>, and Th<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, **159**, 139
- Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, **162**, 96
- A<sub>2</sub>[(UO<sub>2</sub>)<sub>3</sub>(IO<sub>3</sub>)<sub>4</sub>O<sub>2</sub>] (A = K, Rb, Tl) and AE[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O) (AE = Sr, Ba, Pb), effects of cations, **161**, 416
- VO<sub>2</sub>·H<sub>2</sub>O needle-like nanocrystals, **157**, 250
- Hydroxide
- AlO(OH)·αH<sub>2</sub>O, monoclinic nanocrystals formed by activated surface hydrolysis of Al metal, XRD and IR studies, **157**, 40
- amino acid intercalation into layered double hydroxide by coprecipitation, **162**, 52
- BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub>·H<sub>2</sub>O with six-membered rings, synthesis and characterization, **161**, 243
- [(C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>)<sub>3</sub>Fe<sup>II</sup>]<sub>2</sub>[Fe<sup>III</sup>Mo<sup>V</sup><sub>12</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>O<sub>24</sub>], synthesis and structure, **159**, 209
- Co(NH<sub>3</sub>)<sub>6</sub>(V<sub>1.5</sub>P<sub>0.5</sub>)O<sub>6</sub>OH, hydrothermal synthesis and crystal structure, **159**, 239
- Co<sub>2</sub>(OH)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343
- [Cu<sub>12</sub>L<sub>n</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (L<sub>n</sub><sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), synthesis and characterization, **161**, 214
- goethite, structural change in methane oxidation, *in situ* XRD and IR study, **156**, 225
- Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- [Mo<sub>12</sub>CdP<sub>8</sub>O<sub>50</sub>(OH)<sub>12</sub>Cd[N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>(H<sub>3</sub>O)<sub>6</sub>]·5H<sub>2</sub>O, revised space groups, **159**, 7
- Na<sub>2</sub>In<sub>2</sub>[PO<sub>3</sub>(OH)]<sub>4</sub>·H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **157**, 213
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] (x = 1.65), synthesis and characterization, **159**, 59
- Pb<sub>3</sub>O<sub>2</sub>(OH)(NO<sub>3</sub>), crystal structure, **158**, 78
- Pb<sub>13</sub>O<sub>8</sub>(OH)<sub>6</sub>(NO<sub>3</sub>)<sub>4</sub>, crystal structure, **158**, 74
- M<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>(OH)<sub>2</sub> (M = Ca, Pb, Ba), electrical properties, **156**, 57
- Rb<sub>1.12</sub>(NH<sub>4</sub>)<sub>0.88</sub>SO<sub>4</sub>·Te(OH)<sub>6</sub>, thermal analysis and crystal structure at 435 K, **161**, 1
- Th(OH)PO<sub>4</sub>, hydrothermal synthesis and characterization, **159**, 139
- Hydroxyapatite
- carbonated, deficient in calcium, crystal structure and thermal decomposition, **160**, 340
- and fluoroapatite materials, electrical properties, comparison, **156**, 57
- thermal decomposition during plasma-spray procedure, **160**, 460
- Hyperfine interaction
- at <sup>181</sup>Ta in SrHfO<sub>3</sub>, temperature dependence, **159**, 1
- Hypervalent bonding
- short Pb-Pb bonds in Ti<sub>6</sub>Pb<sub>4.8</sub>, **159**, 134
- I
- Imino nitroxyl diradical
- metal complexes with, magnetic properties, **159**, 455
- Impedance
- ac, A'[A<sub>2</sub>B<sub>3</sub>O<sub>10</sub>] (A' = Rb, Cs; A = Sr, Ba; B = Nb, Ta) Dion-Jacobson-type layered perovskites, **158**, 279
- complex, fluoroapatite and hydroxyapatite materials, comparison, **156**, 57

- Impedance spectroscopy  
 chemical degradation of thermally treated ferrite–superconductor multi-phase materials, **160**, 332
- Inclusion compounds  
 fluorocyclohexane/thiourea, temperature-dependent structural properties and crystal twinning, **156**, 16
- Incommensurate modulation  
 $\text{Bi}_{1-x}\text{Cr}_x\text{O}_{1.5+1.5x}$  ( $0.05 \leq x \leq 0.15$ ) high-temperature phase, **156**, 168  
 $\text{Ni}_{6\pm x}\text{Se}_5$ , **162**, 122  
 $\text{ZrP}_2\text{O}_7$  cubic phase, **157**, 186
- Indium  
 $\text{Bi}_{2-x}\text{In}_x\text{Se}_3$  single crystals, transport properties, **160**, 474  
 $\text{Ca}_3\text{Ni}_8\text{In}_4$ , ordered noncentrosymmetric variant of  $\text{BaLi}_4$  type, **160**, 415  
 $\text{CeIrIn}_5$  and  $\text{CeRhIn}_5$  heavy fermion materials, crystal growth and intergrowth structure, **158**, 25  
 $\text{CuInS}_2$  nanorods, hydrothermal synthesis and characterization, **161**, 179  
 $\beta\text{-Ga}_2\text{O}_3\text{-In}_2\text{O}_3$  conducting solid solutions with composition gradients, formation by laser impact, **157**, 94  
 $\text{In}(\text{Fe}_{1-x}\text{Ti}_x)\text{O}_{3+x/2}$ , orthorhombic phase with  $0.50 \leq x \leq 0.69$  and monoclinic phase with  $0.73 \leq x \leq 0.75$  at  $1300^\circ\text{C}$  in air, synthesis and crystal structures, **157**, 13  
 $\text{In}_2\text{O}_3\text{-ZnO}$  transparent conducting thin films made by pulsed laser deposition, structures and textures, TEM study, **158**, 119  
 $\text{K}_2\text{In}_{12}\text{Se}_{19}$ , microdomains and diffuse scattering in, **161**, 385  
 $\text{KIn}(\text{WO}_4)_2$ , phase transitions, vibrational study, **158**, 334  
 $\text{Na}_2\text{In}_2[\text{PO}_3(\text{OH})]_4 \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and crystal structure, **157**, 213  
 $\text{Na}_2\text{MgInF}_7$ , crystal structure, **159**, 234  
 $\text{Sn}_{10}\text{In}_{14}\text{P}_{22}\text{I}_8$  and  $\text{Sn}_{14}\text{In}_{10}\text{P}_{21.2}\text{I}_8$  with clathrate I structure, synthesis and crystal and electronic structures, **161**, 233  
 $\text{SrIn}_2\text{O}_4$  red-emitting phosphors activated by praseodymium, luminescent properties, **156**, 84  
 $\text{Yb}_5\text{In}_2\text{Sb}_6$  Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55; *erratum*, **161**, 177
- Infrared spectroscopy  
 activated surface hydrolysis of Al metal into  $\text{AlO}(\text{OH}) \cdot \alpha\text{H}_2\text{O}$  nanocrystals in monoclinic structure, **157**, 40  
 $\text{CdBa}_3(\text{HPO}_4)_2(\text{H}_2\text{PO}_4)_2$ , **161**, 97  
 $\text{Ce}_{1-x}\text{Bi}_x\text{VO}_4$  and  $\text{Ce}_{1-x}\text{M}_x\text{VO}_{4-0.5x}$  ( $M = \text{Pb}, \text{Sr}, \text{Ca}$ ) solid solutions, **158**, 254  
 $\text{C}_{10}\text{H}_{28}\text{N}_4\text{P}_4\text{O}_{12} \cdot 4\text{H}_2\text{O}$ , **156**, 364  
 $\text{Co}(\text{II})$  coordination polymers  $\{[\text{CoBr}_2(2,1,3\text{-benzothiadiazole})]_n\}$  and  $\{[\text{CoCl}_2(\text{btd})]_m\}$ , **159**, 371  
 $\alpha\text{-Co}_2\text{SiO}_4\text{-}\alpha\text{-Ni}_2\text{SiO}_4$ , **157**, 102  
 $\text{CsBSe}_3$ , **157**, 206  
 $\text{CsH}_5(\text{AsO}_4)_2$ , **161**, 9  
 $N,N'$ -dimethylpiperazinium(2+) hydrogen selenite, **161**, 312  
 goethite structural change in methane oxidation, *in situ* study, **156**, 225  
 $\text{KIn}(\text{WO}_4)_2$ , **158**, 334  
 $\text{LiMn}_2\text{O}_4$  spinel cathode prepared by tartaric acid gel process, **160**, 368  
 $\text{Li}_2\text{Zn}(\text{HPO}_4)_2 \cdot 0.66\text{H}_2\text{O}$ , **162**, 29  
 local structure in heat-treated oxyhydroxyapatite microcrystals, **160**, 460  
 mono-L-valinium nitrate, **158**, 1  
 $\text{Na}_3\text{Fe}(\text{PO}_4)_2$ : glaserite-like structure, **160**, 377  
 $M[\text{N}(\text{CN})_2]_2$  ( $M = \text{Mg}, \text{Ca}, \text{Sr}, \text{Ba}$ ), **157**, 241  
 physical and chemical interactions between Mg:Al layered double hydroxide and hexacyanoferrate, **161**, 249  
 $\text{RbBSe}_3$ , **157**, 206  
 $\text{SrFe}_2(\text{PO}_4)_2$  and  $\text{Sr}_9\text{Fe}_{1.5}(\text{PO}_4)_7$ , **162**, 113  
 $\text{Th}_2(\text{PO}_4)_2\text{HPO}_4 \cdot \text{H}_2\text{O}$ ,  $\text{Th}(\text{OH})\text{PO}_4$ , and  $\text{Th}_2\text{O}(\text{PO}_4)_2$ , **159**, 139  
 $\text{TlBSe}_3$ , **157**, 206  
 $\text{VO}_2$  nanopowders, **156**, 274  
 $\text{V}_2\text{O}_5$  nanocrystals, **159**, 181
- Interatomic potential  
 for structure simulation of alkaline earth cuprates, **158**, 162  
 in thermal expansion simulation in La-based perovskites, **156**, 394
- Interfacial free energy  
 at liquid–solid boundary, derivation from nucleation rates, **159**, 10
- Intergrowth phases  
 $n\text{Ba}(\text{Nb}, \text{Zr})\text{O}_3 + 3m\text{NbO}$  ( $n = 2\text{--}5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75  
 $\text{CeIrIn}_5$  and  $\text{CeRhIn}_5$  heavy fermion materials, structure, **158**, 25  
 $\text{La}_{24}\text{Li}_{20}\text{Ti}_5\text{O}_{56}$ , pseudo-close-packed columnar intergrowth structure, **162**, 379  
 $A_x\text{Mo}_y\text{W}_{1-y}\text{O}_3$  ( $A = \text{K}, \text{Ce}$ ), intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341
- Intermetallics  
 $\text{REAgMg}$  ( $\text{RE} = \text{La}, \text{Ce}, \text{Nd}, \text{Eu}, \text{Gd}, \text{Tb}, \text{Ho}, \text{Tm}, \text{Yb}$ ), synthesis and crystal structures, **161**, 67  
 $\text{TiAl}$ , reaction with nitrogen plasma, **157**, 339
- Internal chemical pressure effect  
 $\text{La}_{0.6}(\text{Sr}_{0.4-x}\text{Ba}_x)\text{MnO}_3$ , **156**, 117
- Interpenetration networks  
 $\text{Co}(\text{II})$ ,  $\text{Cu}(\text{II})$ , and  $\text{Ni}(\text{II})$  with bis(*trans*-4-pyridylacrylate), hydrothermal syntheses and crystal structures, **157**, 166
- Iodine  
 catalysis of  $\text{MgPd}_2$  formation, kinetics, **159**, 113  
 $\text{Cd}_{5-n/2}(\text{VO}_4)_3\text{I}_{1-n}$ , modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88  
 monoalkyl aluminum(III) compounds, reduction, Na/K alloy for, **162**, 225  
 $\text{NaLa}_6(\text{Os})\text{I}_{12}$ , synthesis and structure, **161**, 161  
 $\text{Sn}_{10}\text{In}_{14}\text{P}_{22}\text{I}_8$  and  $\text{Sn}_{14}\text{In}_{10}\text{P}_{21.2}\text{I}_8$  with clathrate I structure, synthesis and crystal and electronic structures, **161**, 233  
 $A_2[(\text{UO}_2)_3(\text{IO}_3)_4\text{O}_2]$  ( $A = \text{K}, \text{Rb}, \text{Tl}$ ) and  $AE[(\text{UO}_2)_2(\text{IO}_3)_2\text{O}_2](\text{H}_2\text{O})$  ( $AE = \text{Sr}, \text{Ba}, \text{Pb}$ ), formation, effects of cations, **161**, 416
- Iodine transport  
 in hydrothermal preparation of  $\text{PbSnS}_3$  nanorods, **160**, 50
- Ion exchange  
 $\text{Li}_2\text{NaV}_2(\text{PO}_4)_3$  3.7-V lithium-insertion cathode with rhombohedral NASICON structure prepared by, **162**, 176  
 $\text{MnO}_2 \cdot 0.22\text{H}_2\text{O}$  and  $\text{MnO}_2 \cdot 0.70\text{H}_2\text{O}$  synthesis from monoclinic-type  $\text{LiMnO}_2$ , **160**, 69  
 noncluster vanadium(IV) coordination polymers, **160**, 118  
 synthesis of  $\text{KLnTiO}_4$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}, \text{Dy}$ ) Ruddlesden–Popper phases by ion exchange of  $\text{HLnTiO}_4$ , **161**, 225
- Ionic conductivity  
 fluoroapatite and hydroxyapatite materials, comparison, **156**, 57  
 $\text{LiVO}_3$ , neutron powder diffraction study from 340 to 890 K, **156**, 379  
 in Nasicon structures, modeling, **156**, 154  
 phosphorus oxynitride compounds, **161**, 73  
 $\text{Sr}_{0.97}\text{Ti}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$  ( $x = 0.2\text{--}0.8$ ), **156**, 437
- Iridium  
 $\text{Ba}_7\text{Ir}_6\text{O}_{19}$ , structural relationship to  $\text{Sr}_7\text{Re}_4\text{O}_{19}$ , **160**, 45  
 $\text{CeIrIn}_5$  heavy fermion materials, crystal growth and intergrowth structure, **158**, 25  
 $\text{IrTe}_2$ , preparation under high pressure, theoretical study, **162**, 63  
 $[(\text{Me}_3\text{Sn})_3\text{Ir}(\text{CN})_6]$ , metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324  
 $[(n\text{Pr}_4\text{N})(\text{Me}_3\text{Sn})_2\text{Ir}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$ , crystal structure, **157**, 324
- Iron  
 $\text{Ag}_2\text{FeMn}_2(\text{PO}_4)_3$  with alluaudite-like structure, neutron diffraction, Mössbauer spectrum, and magnetic behavior, **159**, 46  
 $\text{BaFe}[(\text{CN})_5\text{NO}] \cdot 3\text{H}_2\text{O}$ , oxidative thermal decomposition,  $\text{BaFeO}_{2.8-\delta}$  prepared from, *ab initio* structure solution, **160**, 17  
 $\kappa\text{-(BETS)}_2\text{FeX}_4$  ( $X = \text{Cl}, \text{Br}$ ) with superconducting transitions, effect of halogen substitution, **159**, 407

- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, (BEDT-TTF)<sub>4</sub>[Fe(NCS)<sub>6</sub>]·CH<sub>2</sub>Cl<sub>2</sub>, **159**, 385
- [(S)-C<sub>3</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>] and [(S)-C<sub>3</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], synthesis and characterization, **157**, 233
- [(C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>)<sub>3</sub>Fe<sup>II</sup>]<sub>2</sub>[Fe<sup>II</sup>Mo<sub>12</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>O<sub>24</sub>], synthesis and structure, **159**, 209
- CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336
- (Cr,Fe)<sub>2</sub>Ti<sub>n-2</sub>O<sub>2n-1</sub> crystallographic shear structure compounds, stability, **161**, 45
- Cu<sub>3+1.5x</sub>Fe<sub>4-x</sub>(VO<sub>4</sub>)<sub>6</sub>, phase formation and crystal structures, **156**, 339
- Cu<sub>5.52(8)</sub>Si<sub>1.04(8)</sub>□<sub>1.44</sub>Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub> thiospinel, crystal structure, Mössbauer studies, and electrical properties, **161**, 327
- (Fe@Au) nanoparticles, synthesis, characterization, and magnetic field-induced self-assembly, **159**, 26
- Fe<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub>, compounds based on, structural and magnetic study, **159**, 281
- [Fe(dicyanamide)<sub>2</sub>pyrazine], synthesis, structural isomerism, and magnetism, **159**, 352
- Fe<sub>2</sub>O<sub>3</sub> nanoparticles, pillaring of K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub> layered perovskites with, **160**, 435
- α-Fe<sub>2</sub>O<sub>3</sub>, structure and magnetic properties, effects of Zn doping, **156**, 408
- Fe<sub>2</sub>O<sub>3</sub>-Cr<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, phase relations between 1000 and 1300°C, **161**, 45
- ferrite-superconductor multiphase materials, thermally treated, chemical degradation, **160**, 332
- [Fe<sup>II</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>], and decamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- FeSb<sub>2</sub>S<sub>4</sub>, crystal structure, Mössbauer spectra, thermal expansion, and phase transition, **162**, 79
- TFe<sub>2</sub>Zn<sub>20</sub> (T = Zr, Hf, Nb) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- goethite, structural change in methane oxidation, *in situ* XRD and IR study, **156**, 225
- In(Fe<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3+x/2</sub>, orthorhombic phase with 0.50 ≤ x ≤ 0.69 and monoclinic phase with 0.73 ≤ x ≤ 0.75 at 1300°C in air, synthesis and crystal structures, **157**, 13
- K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>]·7H<sub>2</sub>O, microstructural changes induced by thermal treatment, **156**, 400
- ALaFeVO<sub>6</sub> (A = Ca, Sr) double-perovskite oxides, synthesis, structure, and properties, **162**, 250
- (La, Sr)(Co, Fe)O<sub>3</sub>, thermal expansion in, computer simulation, **156**, 394
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, electronic and magnetic properties due to Co ions, **159**, 215
- LiCo<sub>1-x</sub>Fe<sub>x</sub>O<sub>2</sub> system, lithium-ion conductors of, preparation and structure, **156**, 470
- Li-Fe-Mn-O spinel solid solutions, preparation and characterization, **161**, 152
- Li-Fe-tartrate gels (molar ratio Li/Fe ≤ 1/5), thermal behavior, **160**, 100
- Li<sub>2</sub>FeTi(PO<sub>4</sub>)<sub>3</sub> and Li<sub>2</sub>FeZr(PO<sub>4</sub>)<sub>3</sub>, mixed α/β superstructures, **156**, 305
- Li<sub>x</sub>Ni<sub>0.70</sub>Fe<sub>0.15</sub>Co<sub>0.15</sub>O<sub>2</sub> system, X-ray diffraction and Mössbauer study, **159**, 103
- Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- Mg-Fe-O and Mg-Fe-Al-O complex oxides, reduction of, analysis by TPR and *in situ* Mössbauer spectroscopy, **161**, 38
- Na<sub>3</sub>Fe(PO<sub>4</sub>)<sub>2</sub>, glaserite-like structure, **160**, 377
- Sr<sub>3</sub>Fe<sub>2-x</sub>Co<sub>x</sub>O<sub>7-δ</sub> (0 ≤ x ≤ 0.8), synthesis, crystal chemistry, and electrical and magnetic properties, **158**, 307
- SrFeO<sub>3</sub>, electrical properties at high temperature, **158**, 320
- Sr<sub>2</sub>Fe<sub>2</sub>O<sub>5</sub>, crystal and magnetic structures at elevated temperatures, **156**, 292
- SrFe<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub> and Sr<sub>9</sub>Fe<sub>1.5</sub>(PO<sub>4</sub>)<sub>7</sub>, synthesis and characterization, **162**, 113
- Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub> (x = 0.2-0.8), transport properties and thermal expansion, **156**, 437
- Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]<sub>3</sub>S<sub>3</sub>, structure and physical properties, effects of metal-metal sigma bonding, **162**, 103
- TlFeO<sub>3</sub>, structural distortion and chemical bonding, comparison with AFeO<sub>3</sub> (A = rare earth), **161**, 197
- Isomerism
- [M(dicyanamide)<sub>2</sub>pyrazine] (M = Mn, Fe, Co, Ni, Zn), **159**, 352
- J
- Jahn-Teller distortion
- La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (x = 0.1, 0.15, 0.2) perovskite, pressure dependence, **160**, 307
- Ni<sup>3+</sup>-O octahedron in Li(Mn, Ni)<sub>2</sub>O<sub>4</sub> 5V cathode materials for lithium-ion secondary batteries, **156**, 286
- role in resistivity increase by thermal cycling under magnetic field in Pr<sub>0.5</sub>Ca<sub>0.5</sub>Mn<sub>0.99</sub>Cr<sub>0.01</sub>O<sub>3</sub>, **160**, 1
- Jahn-Teller effect
- M<sup>II</sup>M<sup>IV</sup>F<sub>6</sub> (M<sup>II</sup> = Ni, Pd, Cu; M<sup>IV</sup> = Pd, Pt, Sn), **162**, 333
- K
- Kinetics
- chemical degradation of thermally treated ferrite-superconductor multiphase materials, **160**, 332
- fused silica reduction in hydrogen, flow and diffusion analysis, **160**, 247
- iodine-catalyzed MgPd<sub>2</sub> formation, **159**, 113
- phase changes in clusters, molecular dynamics studies, **159**, 10
- L
- Lanthanum
- BaLa<sub>2</sub>MS<sub>5</sub> (M = Co, Zn), crystal structure and magnetic properties, **159**, 163
- Bi<sub>4.86</sub>Li<sub>1.14</sub>O<sub>9</sub> monoclinic structure, *ab initio* determination from powder neutron diffraction data, **162**, 10
- Bi<sub>2</sub>Sr<sub>1.6</sub>La<sub>0.4</sub>CuO<sub>6.33-x</sub>F<sub>2+x</sub>, suppression of modulations in, **156**, 445
- CsLa<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub> layered perovskites, pillaring with Fe<sub>2</sub>O<sub>3</sub> nanoparticles, **160**, 435
- KLaTiO<sub>4</sub>, Ruddlesden-Popper phases synthesized by ion exchange of HLnTiO<sub>4</sub>, **161**, 225
- La<sup>3+</sup>, substitution in Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, effect on ferroelectric properties, **157**, 261
- LaAgMg, synthesis and crystal structures, **161**, 67
- LaM<sub>2</sub>B<sub>2</sub>C (M = Ni, Pd), metal-metal distances, electron counts, and superconducting T<sub>c</sub>'s, **160**, 93
- La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (x = 0.1, 0.15, 0.2) perovskite, lattice distortion in, pressure dependence, **160**, 307
- La-Ca-Mn-O system, phase equilibrium, **156**, 237
- La<sub>2-x</sub>Ca<sub>1+2x</sub>Mn<sub>2</sub>O<sub>7</sub>, electron-doped layered orthorhombic phase in 0.8 < x < 1.0 composition range, TEM study, **157**, 309
- LaCa<sub>6</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255
- La(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub>, phonon modes, **160**, 350
- LaCoO<sub>3</sub>, spin state transition depending on temperature or Sr doping, XAS study, **158**, 208
- La<sub>8</sub>Cu<sub>7</sub>O<sub>19</sub> five-leg spin ladder compound, crystal growth, structure, and transport properties, **156**, 422
- ALaFeVO<sub>6</sub> (A = Ca, Sr) double-perovskite oxides, synthesis, structure, and properties, **162**, 250

- La<sub>2.4</sub>Li<sub>2.0</sub>Ti<sub>5</sub>O<sub>56</sub>, crystal structure: pseudo-close-packed columnar intergrowth structure, **162**, 379
- LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, synthesis, structure, and properties, **159**, 68
- LaMnO<sub>3+δ</sub>, granular, charge-carrier localization on Mn surface sites in, **160**, 123
- La<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub>, crystal structure, *ab initio* determination from X-ray and neutron powder diffraction, **159**, 228
- La<sub>3</sub>T<sub>2</sub>N<sub>6</sub> (*T* = Ta, Nb), synthesis, structure, and magnetic properties, **162**, 90
- LaOX (*X* = Cl, Br), and solid state solutions of, mechanochemical synthesis, **160**, 469
- LaBO<sub>3</sub> (*B* = Dy–Lu) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- La<sub>2</sub>O<sub>2</sub>CO<sub>3</sub> II, crystal structure, **158**, 14
- La<sub>1-x</sub>Pr<sub>x</sub>CrO<sub>3</sub>, magnetic properties, **162**, 84
- LaSbS<sub>2</sub>Br<sub>2</sub>, crystal and electronic structures and optical properties, **158**, 218
- La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, internal chemical pressure effect and magnetic properties, **156**, 117
- La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, oxidation states of Cu and Ru in, determination by XANES measurements, **156**, 194
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, electronic and magnetic properties due to Co ions, **159**, 215
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3+δ</sub> epitaxial films, excess oxygen in, **156**, 143
- La<sub>4</sub>Ti<sub>2</sub>O<sub>4</sub>Se<sub>5</sub> and La<sub>6</sub>Ti<sub>3</sub>O<sub>5</sub>Se<sub>9</sub>, syntheses and crystal structures, **157**, 289
- MLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> (*M* = Cs, Rb) layered perovskites, structure, **158**, 290
- α-La<sub>2</sub>W<sub>2</sub>O<sub>9</sub>, *ab initio* structure determination from X-ray and neutron powder diffraction, **159**, 223
- NaLa<sub>6</sub>(Os)I<sub>12</sub>, synthesis and structure, **161**, 161
- NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> · xH<sub>2</sub>O (*x* = 2, 0.9, 0) layered perovskites, structure, **158**, 290
- perovskites based on, thermal expansion in, computer simulations, **156**, 394
- (Sr<sub>1-x</sub>La<sub>1+x</sub>)Zn<sub>1-x</sub>O<sub>3.5-x/2</sub> (0.01 ≤ *x* ≤ 0.03), synthesis and crystal structure, **159**, 19
- Lasers**
- induction of formation of conducting β-Ga<sub>2</sub>O<sub>3</sub>–In<sub>2</sub>O<sub>3</sub> solid solutions with composition gradients, **157**, 94
- Laser–solid–liquid ablation**
- synthesis of Ag<sub>2</sub>Se nanoparticles, **160**, 430
- Layered double hydroxide**
- amino acid intercalation by coprecipitation, **162**, 52
- intercalation of platinum complex in, **161**, 332
- Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- Lead**
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- Ce<sub>1-x</sub>Pb<sub>x</sub>VO<sub>4-0.5x</sub> solid solutions, Raman and IR spectroscopy, **158**, 254
- Pb–Nb–W–O oxides based on tetragonal tungsten bronze structure, **161**, 135
- β-PbO, and other lead(II) oxides, correlation and relativistic effects: quantum *ab initio* explanation of <sup>207</sup>Pb NMR and XANES spectra, **157**, 220
- Pb<sub>3</sub>O<sub>2</sub>(OH)(NO<sub>3</sub>), crystal structure, **158**, 78
- Pb<sub>13</sub>O<sub>8</sub>(OH)<sub>6</sub>(NO<sub>3</sub>)<sub>4</sub>, crystal structure, **158**, 74
- Pb<sub>2</sub>(M<sub>2-y</sub>Pb<sub>y</sub>)O<sub>7-δ</sub> (0.0 < *y* < 0.8; *M* = Nb, Ta) pyrochlores, X-ray structure refinements and strain analysis, **156**, 207
- Pb<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>X<sub>2</sub> (*X* = F, OH), electrical properties, **156**, 57
- PbSnS<sub>3</sub> nanorods prepared via iodine transport hydrothermal method, characterization, **160**, 50
- Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, ferroelectric properties, effect of cationic substitutions, **157**, 261
- Pb[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O), formation, effect of cation, **161**, 416
- PbVOP<sub>2</sub>O<sub>7</sub> with intersecting tunnel structure, **162**, 354
- PbZr<sub>x</sub>Ti<sub>1-x</sub>O<sub>3</sub> solid solutions, enthalpies of formation, **161**, 402
- PZT pyrochlore metastable phase, support-promoted stabilization by epitaxial thin film growth, **158**, 40
- Ti<sub>6</sub>Pb<sub>4.8</sub>, short Pb–Pb bonds in, **159**, 134
- (Ti, Pb)<sub>2</sub>QCu<sub>2</sub>O<sub>6+z</sub> (*A* = Ba, Sr; *Q* = rare earth, Ca; *z* = 0–1), structure–property relationships, modeling by multivariate analysis methods, **162**, 1
- Lead-free relaxor ferroelectrics**
- solid state chemistry, **162**, 260
- Ligand field**
- control of magnetic anisotropy in molecular materials, **159**, 253
- Lithium**
- Al–Li–Si system
- Li<sub>8</sub>Al<sub>3</sub>Si<sub>5</sub>-type structure and ternary solid-state phase equilibria, **156**, 500
- polythermal equilibria, experimental study and thermodynamic calculation, **156**, 506
- effects on amorphous to crystalline phase transition of silica, **161**, 373
- electrochemically cycled Si-doped SnO<sub>2</sub>–lithium thin-film battery, microstructural evolution, **160**, 388
- intercalation in cation-deficient spinels with formula close to Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>, **160**, 108
- La<sub>2.4</sub>Li<sub>2.0</sub>Ti<sub>5</sub>O<sub>56</sub>, crystal structure: pseudo-close-packed columnar intergrowth structure, **162**, 379
- LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, synthesis, structure, and properties, **159**, 68
- Li–*M*–*X* systems (*M* = V, Nb, Ta; *X* = P, As), synthesis and crystal structure, **156**, 37
- LiAlB<sub>2</sub>O<sub>5</sub>, *ab initio* structure determination, **156**, 181
- LiCo<sub>1-x</sub>Fe<sub>x</sub>O<sub>2</sub> system, lithium-ion conductors of, preparation and structure, **156**, 470
- LiCoO<sub>2</sub> films, direct fabrication on substrates in flowing aqueous solutions at 150°C, **162**, 364
- Li<sub>3</sub>CuSbO<sub>5</sub>, crystal structure, **156**, 321
- Li–Fe–Mn–O spinel solid solutions, preparation and characterization, **161**, 152
- Li–Fe–tartrate gels (molar ratio Li/Fe ≤ 1/5), thermal behavior, **160**, 100
- Li<sub>2</sub>FeTi(PO<sub>4</sub>)<sub>3</sub> and Li<sub>2</sub>FeZr(PO<sub>4</sub>)<sub>3</sub>, mixed α/β superstructures, **156**, 305
- LiKSO<sub>4</sub>, thermal analysis and X-ray diffraction studies of phase transitions, **148**, 316; comments, **156**, 251, 253
- LiMnO<sub>2</sub>, monoclinic-type, MnO<sub>2</sub> · 0.22H<sub>2</sub>O and MnO<sub>2</sub> · 0.70H<sub>2</sub>O synthesis from, **160**, 69
- LiMn<sub>2</sub>O<sub>4</sub> spinel cathode prepared by tartaric acid gel process, NMR and FTIR studies, **160**, 368
- Li(Mn, M)<sub>2</sub>O<sub>4</sub> (*M* = Cr, Co, Ni), 5V cathode materials for lithium-ion secondary batteries, *in situ* XAFS analysis, **156**, 286
- Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>, cation-deficient spinels with formula close to, topotactic reactions, structure, and Li intercalation, **160**, 108
- Li<sub>2</sub>Mn<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, crystal structure and magnetic properties, **158**, 148
- Li<sub>0.5</sub>Mn<sub>0.5</sub>Ti<sub>1.5</sub>Cr<sub>0.5</sub>(PO<sub>4</sub>)<sub>3</sub>, structural and electrochemical study, **158**, 169
- Li<sub>2</sub>NaV<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, 3.7-V lithium-insertion cathode with rhombohedral NASICON structure, **162**, 176
- Li<sub>x</sub>Ni<sub>0.70</sub>Fe<sub>0.15</sub>Co<sub>0.15</sub>O<sub>2</sub> system, X-ray diffraction and Mössbauer study, **159**, 103
- Li<sub>1-z</sub>Ni<sub>1+z</sub>O<sub>2</sub> (*z* = 0.075), single-crystal growth and structural chemistry, **160**, 178
- Li<sub>1-z-x</sub>Ni<sub>1+z</sub>O<sub>2</sub>, structure, neutron diffraction study, **158**, 187
- Li<sub>2</sub>Ln<sub>2</sub>O<sub>4</sub>(BO<sub>3</sub>)<sub>3</sub> (*Ln* = Yb, Lu), discovery in Li<sub>2</sub>O–Ln<sub>2</sub>O<sub>3</sub>–B<sub>2</sub>O<sub>3</sub> phase diagram and structural analysis of Yb phase, **156**, 161
- γ-Li<sub>3</sub>PO<sub>4</sub>, ionic conductivity, theoretical study, **161**, 73
- γ-Li<sub>2.88</sub>PO<sub>3.73</sub>N<sub>0.14</sub>, ionic conductivity, theoretical study, **161**, 73

- LiVO<sub>3</sub>, structural disorder and ionic conductivity, neutron powder diffraction study from 340 to 890 K, **156**, 379
- Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>, mechanochemical synthesis, reduction processes in, **160**, 444
- Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, synthesis and characterization, **162**, 29
- Lone pair electrons
- distortion of Pb<sub>3</sub>O<sub>2</sub>(OH)(NO<sub>3</sub>) crystal structure, **158**, 78
- localization in Bi<sub>4.86</sub>Li<sub>1.14</sub>O<sub>9</sub> monoclinic structure, **162**, 10
- Low-pressure chemical vapor deposition
- continuous, in deposition of multilayered BN coatings onto Hi-Nicalon fibers, **162**, 358
- Luminescence
- BaZnCl<sub>4</sub>-II:Sm<sup>2+</sup>, comparison to BaZnCl<sub>4</sub>-I:Sm<sup>2+</sup>, **162**, 237
- SrIn<sub>2</sub>O<sub>4</sub> red-emitting phosphors activated by praseodymium, **156**, 84
- voltage-dependent, molecularly doped polymer system, **158**, 242
- YNbO<sub>4</sub> and YNbO<sub>4</sub>:Bi, **156**, 267
- Lutetium
- Li<sub>2</sub>Lu<sub>5</sub>O<sub>4</sub>(BO<sub>3</sub>)<sub>3</sub>, discovery in Li<sub>2</sub>O-Ln<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub> phase diagram, **156**, 161
- LuM<sub>2</sub>B<sub>2</sub>C (*M* = Ni, Pd), metal-metal distances, electron counts, and superconducting *T<sub>c</sub>*'s, **160**, 93
- LuB<sub>2.2</sub>C<sub>2</sub>N, synthesis and crystal structure, **159**, 174
- LuCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255
- ALuO<sub>3</sub> (*A* = La-Nd) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- M
- Magnesium
- REAgMg (*RE* = La, Ce, Nd, Eu, Gd, Tb, Ho, Tm, Yb), synthesis and crystal structures, **161**, 67
- Mg-Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52
- Mg:Al layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- [MgAl] layered double hydroxide, platinum complex intercalation into, **161**, 332
- Mg(CN)<sub>2</sub>, synthesis and structural properties, **159**, 244
- Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> (0.130 ≤ *x* ≤ 0.166), synthesis and crystal structure, **160**, 251
- MgF<sub>2</sub>, decomposition in transmission electron microscope, **157**, 30
- Mg-Fe-O and Mg-Fe-Al-O complex oxides, reduction of, analysis by TPR and *in situ* Mössbauer spectroscopy, **161**, 38
- Mg[N(CN)<sub>2</sub>]<sub>2</sub>, synthesis, vibrational spectroscopy, and crystal structure, **157**, 241
- Mg(ND<sub>3</sub>)<sub>2</sub>Br<sub>2</sub> and Mg(ND<sub>3</sub>)<sub>2</sub>Cl<sub>2</sub>, uniaxial orientational order-disorder transitions, neutron diffraction study, **156**, 487
- MgO(001), cleaved surface, epitaxial growth of AgS<sub>2</sub> film on, **157**, 86
- MgPd<sub>2</sub>, MgPd<sub>3</sub>, and Mg<sub>3</sub>Pd<sub>5</sub>, structure and thermal stability, and kinetics of iodine-catalyzed MgPd<sub>2</sub> formation, **159**, 113
- Na<sub>2</sub>MgInF<sub>7</sub>, crystal structure, **159**, 234
- Magnetic anisotropy
- control in molecular materials, **159**, 253
- in magnetic exchange between orbitally degenerate metal ions, **159**, 268
- Magnetic bistability
- organic crystals at room temperature, comparison with spin crossover transitions, **159**, 451
- Magnetic exchange
- between orbitally degenerate metal ions, associated magnetic anisotropy, **159**, 268
- Magnetic field
- (Fe@Au) nanoparticle self-assembly induced by, **159**, 26
- Pr<sub>0.5</sub>Ca<sub>0.5</sub>Mn<sub>0.99</sub>Cr<sub>0.01</sub>O<sub>3</sub> resistivity under, increase by thermal cycling, **160**, 1
- Magnetic *g*-factors
- Nd<sup>3+</sup> in Nd<sub>2</sub>BaCuO<sub>5</sub> and Nd<sub>2</sub>BaZnO<sub>5</sub>, **162**, 42
- Magnetic properties
- Ag<sub>2</sub>FeMn<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> with alluaudite-like structure, **159**, 46
- Ba<sub>3</sub>Co<sub>5</sub>ClO<sub>13</sub>, **158**, 175
- BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, **156**, 101
- BaKCu<sub>3</sub>MS<sub>4</sub> (*M* = Mn, Co, Ni), **157**, 144
- BaNd<sub>2</sub>MnS<sub>5</sub>, **159**, 163
- Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub>, 6H-perovskite, **161**, 113
- BaLn<sub>2</sub>MS<sub>5</sub> (*Ln* = La, Ce, Pr, Nd; *M* = Co, Zn), **159**, 163
- BaV<sub>13</sub>O<sub>18</sub>, **158**, 61
- BiMn<sub>6</sub>PO<sub>12</sub>, **157**, 123
- Ca<sub>3</sub>Co<sub>1+x</sub>Mn<sub>1-x</sub>O<sub>6</sub> quasi-one-dimensional oxides, **160**, 293
- Ca<sub>3</sub>CuMnO<sub>6</sub> quasi-one-dimensional oxides, **160**, 293
- CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34
- (C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub>·5H<sub>2</sub>O, **158**, 87
- M<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub>-based compounds with *M* = Mn, Fe, Co, **159**, 281
- Co<sub>3</sub>[BPO<sub>7</sub>], **156**, 281
- Co(II) coordination polymers {[CoBr<sub>2</sub>(2,1,3-benzothiadiazole)]<sub>n</sub> and [CoCl<sub>2</sub>(btd)]<sub>m</sub>}, **159**, 371
- CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, effects of dehydration and photo-irradiation, **159**, 336
- Co(H<sub>2</sub>O)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, **159**, 343
- A(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub> (*A* = La, Nd, Dy, Ho, Yb), correlation with phonon mode behavior, **160**, 350
- Co<sub>2</sub>(OH<sub>2</sub>)O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, **159**, 343
- Cp<sub>2</sub>Mo(dmit) with Br<sup>-</sup> or BF<sub>4</sub><sup>-</sup>, **159**, 413
- LnCrO<sub>4</sub> (*Ln* = Nd, Sm, Dy), **160**, 362
- Cs<sub>2</sub>CoSiO<sub>4</sub> and Cs<sub>5</sub>CoSiO<sub>6</sub>, **162**, 204
- Cu(II) coordination networks with chessboard tunnels, **158**, 315
- [Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (*Ln*<sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), **161**, 214
- [M(dicyanamide)<sub>2</sub>pyrazine] (*M* = Mn, Fe, Co, Ni, Zn), **159**, 352
- EuPd<sub>3</sub>S<sub>4</sub>, **157**, 117
- M<sup>II</sup>M<sup>IV</sup>F<sub>6</sub> (*M*<sup>II</sup> = Ni, Pd, Cu; *M*<sup>IV</sup> = Pd, Pt, Sn), **162**, 333
- (Fe@Au) nanoparticles, **159**, 26
- α-Fe<sub>2</sub>O<sub>3</sub>, effect of Zn doping, **156**, 408
- GdCrO<sub>3</sub> perovskite, **159**, 204
- Gd<sub>4</sub>TiSe<sub>4</sub>O<sub>4</sub>, **162**, 182
- [Hg<sub>6</sub>P<sub>4</sub>](TiCl<sub>6</sub>)Cl, **160**, 88
- Hg<sub>4</sub>VO(PO<sub>4</sub>)<sub>2</sub> containing Hg<sub>2</sub><sup>2+</sup> dumbbells, **158**, 94
- (H<sub>2</sub>O)[V<sup>VI</sup>F<sub>6</sub>] and Pyr-VF<sub>3</sub> of pyrochlore type, **162**, 266
- K<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>S<sub>12</sub> one-dimensional compounds, **162**, 195
- LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, **159**, 68
- LaMnO<sub>3+δ</sub>, **160**, 123
- La<sub>1-x</sub>Pr<sub>x</sub>CrO<sub>3</sub>, **162**, 84
- La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, **156**, 117
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, due to Co ions, **159**, 215
- layered molecule-based magnets formed by decamethylmetallocenium cations and [M<sup>III</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>] (*M*<sup>III</sup> = Mn, Fe, Co, Cu, Zn), **159**, 391
- Li<sub>2</sub>Mn<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, **158**, 148
- metal complexes with imino nitroxyl diradical, **159**, 455
- [Mn<sup>II</sup>(*t*-Bu)<sub>4</sub>salen]<sub>2</sub>, **159**, 403
- Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, **159**, 362
- MnCr<sub>6</sub>(CN)<sub>18</sub> and Mn<sub>3</sub>Cr<sub>6</sub>(CN)<sub>18</sub> molecular species and MnCr<sub>3</sub>(CN)<sub>9</sub> chain compound, **159**, 293
- [Mn(*L*)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·*n*H<sub>2</sub>O (*L* = ethylenediamine, *n* = 4; *L* = glycine amide, *n* = 2.5), **159**, 328
- Mn<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>(HPO<sub>4</sub>)<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O, **156**, 32
- Ln<sub>3</sub>T<sub>2</sub>N<sub>6</sub> (*Ln* = La, Ce, Pr; *T* = Ta, Nb), **162**, 90
- Na<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>S<sub>12</sub> one-dimensional compounds, **162**, 195
- Na<sub>x</sub>MnO<sub>2+δ</sub> prepared by reduction of aqueous sodium permanganate by sodium iodide, **156**, 331

- $Ln_{1.33}Na_xMn_xTi_{2-x}O_6$  ( $Ln = Pr, x = 0.66; Ln = Nd, x = 0.66, 0.55$ ), **161, 294**  
 $(NH_4)_7U_6F_{31}$ , **158, 87**  
 $A_xBO_3$  ( $A = Ca, Sr, Ba; B = Co, Ni$ ), structural and electronic factors governing, **160, 239**  
 pentanuclear cyanide-bridged complexes with high spin ground states  $S = 6$  and  $S = 9$ , **159, 302**  
 polyarylmethyl polyradicals, **159, 460**  
 polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, **159, 308**  
 $Pr_{0.7-x}Sr_{0.3}MnO_3$  perovskites, effect of Pr deficiency, **156, 68**  
 $RbEr_2Cu_3S_5$ , **158, 299**  
 $Rb_2Gd_4Cu_4S_9$ , **158, 299**  
 $R_3Ru_2C_5$  ( $R = Y, Gd-Er$ ), **160, 77**  
 $Ln_3RuO_7$  ( $Ln = Sm, Eu$ ), **158, 245**  
 $Sr_2CoSbO_{6-\delta}$  and  $Sr_3CoSb_2O_9$  perovskites, **157, 76**  
 $Sr_3Fe_{2-x}Co_xO_{7-\delta}$  ( $0 \leq x \leq 0.8$ ), **158, 307**  
 $Sr_2MnGaO_{5+\delta}$ , **160, 353**  
 $Sr_7Re_4O_{19}$ , **160, 45**  
 $Th_3Co_3Sb_4$ , **162, 158**  
 $LnTi_{0.5}V_{0.5}O_3$  ( $Ln = Ce, Pr$ ), **156, 452**  
 $TlCr_5S_{8-y}Se_y$  ( $y = 1-7$ ): spin-glass behavior mediated by nonmagnetic sublattice, **158, 198**  
 $TlFeO_3$ , comparison with  $AFeO_3$  ( $A = \text{rare earth}$ ), **161, 197**  
 1,3,5-trithia-2,4,6-triazapentalenyl crystals at room temperature, **159, 451**  
 $V_5S_8$ , effects of metal-atom clustering, **160, 287**  
 $YBaCo_2O_{5+x}$  ( $0.00 \leq x \leq 0.52$ ), **156, 355**
- Magnetic solids**  
 molecule-based, preface to special issue on, **159, 251**  
 with several unpaired electrons per spin site, antiferromagnetic spin exchange interactions, spin dimer analysis, **156, 464**
- Magnetic structure**  
 $Ba_3NdRu_2O_9$  6H-perovskite, **161, 113**  
 marokite, **160, 167**  
 $Pd_3Mn$  and  $Pd_3MnD_{0.7}$ , high-pressure neutron diffraction studies, **161, 93**  
 $Sr_2Fe_2O_5$  at elevated temperature, **156, 292**
- Magnetic susceptibility**  
 $Ba_3NdRu_2O_9$  6H-perovskite, **161, 113**  
 $\kappa$ -(BETS) $_2FeX_4$  ( $X = Cl, Br$ ) with superconducting transitions, effect of halogen substitution, **159, 407**  
 $Ce_2Ni_{22}C_{2.75}$ , **161, 63**  
 charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159, 385**  
 $LnCrO_4$  ( $Ln = Nd, Sm, Dy$ ), **160, 362**  
 $Cs_2Co_3(HPO_4)(PO_4)_2 \cdot H_2O$ , **156, 242**  
 $ALaFeVO_6$  ( $A = Ca, Sr$ ) double-perovskite oxides, **162, 250**  
 marokite, **160, 167**  
 $NaLa_6(Os)I_{12}$ , **161, 161**  
 $Na_2M_3Sb_4$  ( $M = Sr, Ba$ ), **162, 327**  
 nonlinear,  $Co_3BTCA_2(H_2O)_4$ , resonance in, **159, 379**  
 $ABO_3$  ( $A = La-Nd; B = Dy-Lu$ ) interlanthanide perovskites, **157, 173**  
 $SrFe_2(PO_4)_2$  and  $Sr_9Fe_{1.5}(PO_4)_7$ , **162, 113**  
 $Sr_{9/8}TiS_3$ ,  $Sr_{8/7}TiS_3$ , and  $Sr_{8/7}[Ti_{6/7}Fe_{1/7}]S_3$ , effects of metal-metal sigma bonding, **162, 103**  
 $Ti_{11}(Sb, Sn)_8$ , **157, 225**
- Magnetization**  
 negative,  $GdCrO_3$  perovskite, **159, 204**
- Magnetoresistivity**  
 $U_3M_2M'_3$  ( $M = Al, Ga; M' = Si, Ge$ ), **158, 227**
- Manganese**  
 $Ag_2FeMn_2(PO_4)_3$  with alluaudite-like structure, neutron diffraction, Mössbauer spectrum, and magnetic behavior, **159, 46**  
 $BaKCu_3MnS_4$ , electrical and magnetic properties, **157, 144**  
 $BaNd_2MnS_5$ , crystal structure and magnetic properties, **159, 163**  
 $BiMn_6PO_{12}$ , preparation, structure, and magnetic properties, **157, 123**  
 $Ca_3Co_{1+x}Mn_{1-x}O_6$  quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160, 293**  
 $Ca_3CuMnO_6$  quasi-one-dimensional oxides, synthesis, crystal structure, and magnetic properties, **160, 293**  
 $Ca_2MnGaO_{5+\delta}$ , synthesis and crystal structure, **158, 100**  
 $CaMn_2O_4$  marokite, antiferromagnetism, **160, 167**  
 $Ca_{1-x}Y_xMnO_3$ , structural phase diagram, **156, 458**  
 $A(Co_{1/2}Mn_{1/2})O_3$  ( $A = La, Nd, Dy, Ho, Yb$ ), phonon modes, **160, 350**  
 $Cu_xMn_{1-x}(HCOO)_2 \cdot 2H_2O$ , crystal structure and thermal behavior, **157, 23**  
 $La_{0.5-x}Bi_xCa_{0.5}MnO_3$  ( $x = 0.1, 0.15, 0.2$ ) perovskite, lattice distortion in, pressure dependence, **160, 307**  
 $La-Ca-Mn-O$  system, phase equilibrium, **156, 237**  
 $La_{2-x}Ca_{1+2x}Mn_2O_7$ , electron-doped layered orthorhombic phase in  $0.8 < x < 1.0$  composition range, TEM study, **157, 309**  
 $LaMn_{1-x}Li_xO_3$  perovskites, synthesis, structure, and properties, **159, 68**  
 $LaMnO_{3+\delta}$ , granular, charge-carrier localization on Mn surface sites in, **160, 123**  
 $La_{0.6}(Sr_{0.4-x}Ba_x)MnO_3$ , internal chemical pressure effect and magnetic properties, **156, 117**  
 $La_{1-x}Sr_xMnO_{3+\delta}$  epitaxial films, excess oxygen in, **156, 143**  
 $Li-Fe-Mn-O$  spinel solid solutions, preparation and characterization, **161, 152**  
 $LiMnO_2$ , monoclinic-type,  $MnO_2 \cdot 0.22H_2O$  and  $MnO_2 \cdot 0.70H_2O$  synthesis from, **160, 69**  
 $LiMn_2O_4$  spinel cathode prepared by tartaric acid gel process, NMR and FTIR studies, **160, 368**  
 $Li(Mn, M)_2O_4$  ( $M = Cr, Co, Ni$ ), 5V cathode materials for lithium-ion secondary batteries, *in situ* XAFS analysis, **156, 286**  
 $Li_2Mn_4O_9$ , cation-deficient spinels with formula close to, topotactic reactions, structure, and Li intercalation, **160, 108**  
 $Li_2Mn_2(SO_4)_3$ , crystal structure and magnetic properties, **158, 148**  
 $Li_{0.5}Mn_{0.5}Ti_{1.5}Cr_{0.5}(PO_4)_3$ , structural and electrochemical study, **158, 169**  
 $Mn^{2+}$ , sol-gel  $SiO_2$  glass doped with, defects and photoluminescence, **160, 272**  
 $Mn-Al$  layered double hydroxide, amino acid intercalation by coprecipitation, **162, 52**  
 $[Mn^II(t-Bu)_4salen]_2$ , preparation, magnetic characterization, and reaction with tetracyanoethylene, **159, 403**  
 $Mn_4Cl_8(THF)_6$ , compounds based on, structural and magnetic study, **159, 281**  
 $Mn_xCo_{1-x}(O_3PC_6H_5) \cdot H_2O$ , structure and magnetic properties, **159, 362**  
 $MnCr_6(CN)_{18}$  and  $Mn_3Cr_6(CN)_{18}$  molecular species and  $MnCr_3(CN)_9$  chain compound, magnetic properties, **159, 293**  
 $[Mn(L)]_3[Cr(CN)_6]_2 \cdot nH_2O$  ( $L = \text{ethylenediamine}, n = 4; L = \text{glycine amide}, n = 2.5$ ), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159, 328**  
 $Mn_3[Cr(CN)_6]_2 \cdot 12H_2O$ , relationship to  $[Mn(L)]_3[Cr(CN)_6]_2 \cdot nH_2O$  ( $L = \text{ethylenediamine}, n = 4; L = \text{glycine amide}, n = 2.5$ ), **159, 328**  
 $[Mn(\text{dicyanamide})_2\text{pyrazine}]$ , synthesis, structural isomerism, and magnetism, **159, 352**  
 $MnF_5$  chains, and  $CrX_2$  ( $X = O, S$ ) layers, compounds consisting of, spin exchange parameters, **156, 464**  
 $Mn_6(H_2O)_2(HPO_4)_4(PO_4)_2 \cdot C_4N_2H_{12} \cdot H_2O$ , synthesis and characterization, **156, 32**  
 $\alpha$ - $MnO_2$ , open tunnel oxide precipitated by ozone oxidation, preparation and characterization, **159, 94; erratum, 160, 292**  
 $MnO_2 \cdot 0.22H_2O$  and  $MnO_2 \cdot 0.70H_2O$ , synthesis from monoclinic-type  $LiMnO_2$ , **160, 69**

- [Mn<sub>3</sub>O(O<sub>2</sub>CPh)<sub>6</sub>(NC<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(H<sub>2</sub>O)], high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- [Mn<sup>II</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>], and decamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- TMn<sub>2</sub>Zn<sub>20</sub> (*T* = Zr, Hf, Nb) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, synthesis by calcium insertion in Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, **162**, 34
- Na<sub>x</sub>MnO<sub>2+δ</sub>, synthesis by reduction of aqueous sodium permanganate with sodium iodide, **156**, 331
- Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, calcium insertion in, **162**, 34
- Ln*<sub>1.33</sub>Na<sub>x</sub>Mn<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub> (*Ln* = Pr, *x* = 0.66; *Ln* = Nd, *x* = 0.66, 0.55), conductivity and magnetic properties, **161**, 294
- Nd–Mn–O system, phase equilibrium at 1100°C, **158**, 236
- Pd<sub>3</sub>Mn and Pd<sub>3</sub>MnD<sub>0.7</sub>, magnetic structures, high-pressure neutron diffraction studies, **161**, 93
- polynuclear self-assembled Mn(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- Pr<sub>0.5</sub>Ca<sub>0.5</sub>Mn<sub>0.99</sub>Cr<sub>0.01</sub>O<sub>3</sub>, resistivity under magnetic field, increase by thermal cycling, **160**, 1
- Pr<sub>0.7-x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> perovskites, physical properties, effect of Pr deficiency, **156**, 68
- Sr<sub>2</sub>MnGaO<sub>5+δ</sub>, synthesis, crystal structure, and magnetic properties, **160**, 353
- surface sites in granular LaMnO<sub>3+δ</sub>, charge-carrier localization on, **160**, 123
- Marokite  
antiferromagnetism, **160**, 167
- MCM-41  
phase transformation in mother liquid at moderate temperature, **160**, 311
- titania-modified, nanosized Pd clusters deposited on, synthesis, characterization, and photoactivity, **162**, 138
- Mechanical alloying  
combustion and continuous reactions during, mechanisms, **158**, 268
- Mechanical resistance  
microporous materials prepared by pyrolysis, estimation, **160**, 13
- Mechanical stability  
microporous materials prepared by pyrolysis, estimation, **160**, 13
- Mechanochemical activation  
Aurivillius oxide production with *n* = 1, **160**, 54
- Mechanochemical synthesis  
LaOX (*X* = Cl, Br) and solid state solutions, **160**, 469
- Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>, reduction processes in, **160**, 444
- Melting point  
V<sub>2</sub>O<sub>5</sub> nanocrystals, **159**, 181
- Mercury  
HgBr<sub>2</sub> intercalated Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>7</sub>, single crystal, polarized X-ray absorption spectroscopy, **160**, 39
- HgCl<sub>2</sub>, mixture with (NH<sub>4</sub>)Cl, reactivity with Monel containers, **162**, 254
- HgA<sub>2</sub>QCu<sub>2</sub>O<sub>6+z</sub> (*A* = Ba, Sr; *Q* = rare earth, Ca; *z* = 0–1), structure–property relationships, modeling by multivariate analysis methods, **162**, 1
- (Hg<sub>3</sub>)<sub>2</sub>(HgO<sub>2</sub>)(PO<sub>4</sub>)<sub>2</sub>, synthesis, crystal structure, and thermal behavior, **157**, 68
- (Hg<sub>3</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>4</sub>, synthesis, crystal structure, and thermal behavior, **157**, 68
- [Hg<sub>6</sub>P<sub>4</sub>(TiCl<sub>6</sub>)Cl], synthesis, structure, and properties, **160**, 88
- Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol–gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
- Hg<sub>4</sub>VO(PO<sub>4</sub>)<sub>2</sub> containing Hg<sub>2</sub><sup>2+</sup> dumbbells, crystal structure and thermal and magnetic properties, **158**, 94
- Metal-atom clustering  
in V<sub>5</sub>S<sub>8</sub>, effects on magnetic properties, **160**, 287
- Metal–insulator transition  
cobaltites(III) and cobaltites(IV) with perovskite or related structure, **162**, 282
- YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ *x* ≤ 0.52), **156**, 355
- Metal ions  
orbitally degenerate, magnetic exchange between, associated magnetic anisotropy, **159**, 268
- Metallocene charge-transfer salts  
design and synthesis, **159**, 420
- Metal–metal distance  
in AM<sub>2</sub>B<sub>2</sub>C (*A* = Lu, La, Th; *M* = Ni, Pd), **160**, 93
- Metal–metal sigma bonding  
effects on structures and physical properties of Sr<sub>9/8</sub>TiS<sub>3</sub>, Sr<sub>8/7</sub>TiS<sub>3</sub>, and Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]S<sub>3</sub>, **162**, 103
- Metal–organic frameworks  
Co(II), Cu(II), and Ni(II) with bis(*trans*-4-pyridylacrylate), hydrothermal syntheses and crystal structures, **157**, 166
- Cu(II) coordination networks with chessboard tunnels, hydrothermal synthesis, crystal structure, and magnetic properties, **158**, 315
- Metal triangles  
high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- Metamagnetism  
A(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub> (*A* = La, Nd, Dy, Ho, Yb), **160**, 350
- Fe<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub>-based compound, **159**, 281
- layered cobaltous terephthalate, **159**, 343
- Metathesis reactions  
[(Me<sub>3</sub>Sn)<sub>3</sub>M(CN)<sub>6</sub>] (*M* = Co, Ir) with tetrapropylammonium and -phosphonium ions, **157**, 324
- Methane  
oxidation, structural change of goethite in, *in situ* XRD and IR study, **156**, 225
- 4-Methylbenzaldehyde  
intercalation into VOPO<sub>4</sub>, **157**, 50
- Microdomains  
in K<sub>2</sub>In<sub>1.2</sub>Se<sub>1.9</sub>, **161**, 385
- Microporous materials  
prepared by pyrolysis, mechanical stability and resistance, estimation, **160**, 13
- Misfit layer compounds  
[Ca<sub>2</sub>CoO<sub>3</sub>][CoO<sub>2</sub>]<sub>1.62</sub>, 4D structural study, **160**, 322
- Mixed-valence compounds  
synthesis, **159**, 51
- Modules  
L-Ta<sub>2</sub>O<sub>5</sub> and related structures, **160**, 62
- Molecular clusters  
M<sub>4</sub>Cl<sub>8</sub>(THF)<sub>6</sub> (*M* = Mn, Fe, Co), compounds based on, structural and magnetic study, **159**, 281
- formation by self-assembly of molecular magnets, **159**, 262
- Mn–Cr–CN, magnetic properties, **159**, 293
- Molecular dynamics  
kinetics of phase changes in clusters: crystal nucleation of (RbCl)<sub>108</sub> clusters at 600, 550, and 500 K, **159**, 10
- simulation of structural phase transitions in RbNO<sub>3</sub> and CsNO<sub>3</sub>, **160**, 222
- simulation of thermal expansion in La-based perovskites, **156**, 394
- Molecular magnets  
library of, design and synthesis by charge-transfer salt approach, **159**, 420
- magnetic anisotropy in, control, **159**, 253
- α-nitronyl nitroxide radicals, chirality in solid state, **159**, 440

- preface to special issue on, **159**, 251  
 self-assembly, versatile building blocks for, **159**, 262
- Molybdenum**  
 $\text{Bi}_2\text{MoO}_6$  Aurivillius compound, production by mechanochemical activation, **160**, 54  
 $\text{Bi}_{1.1}\text{Sb}_{0.9}\text{MoO}_6$ , structure refinement, **159**, 72  
 $\text{CdTeMoO}_6$ , X-ray and TEM studies: fluorite-type superstructure with cation and anion deficiencies ( $\blacksquare\text{CoTeMo}(\square_2\text{O}_6)$ ), **160**, 401  
 $[(\text{C}_{12}\text{H}_8\text{N}_2)_3\text{Fe}^{\text{II}}]_2[\text{Fe}^{\text{II}}\text{Mo}_{12}(\text{H}_2\text{PO}_4)_6(\text{PO}_4)_2(\text{OH})_6\text{O}_{24}]$ , synthesis and structure, **159**, 209  
 $\text{CoTeMoO}_6$ , X-ray and TEM studies: fluorite-type superstructure with cation and anion deficiencies ( $\blacksquare\text{CoTeMo}(\square_2\text{O}_6)$ ), **160**, 401  
 $\text{Cp}_2\text{Mo}(\text{dmit})$  with  $\text{Br}^-$  or  $\text{BF}_4^-$ , isolated dimers and ordered antiferromagnetic ground state, **159**, 413  
 $[\{\text{Cu}(2,2\text{'-bpy})_2\}_2\text{Mo}_8\text{O}_{26}]$ , hydrothermal synthesis and crystal structure, **161**, 173  
 $\text{Eu}_4\text{Mo}_7\text{O}_{27}$  and  $\text{Eu}_6\text{Mo}_{10}\text{O}_{39}$ , crystallization and structural characterization, **161**, 85  
 $\text{H}_x\text{MoO}_3$  bronze, leaching treatments, **159**, 51  
 hydrogen coinserted hydrated sodium and potassium molybdenum bronzes, direct synthesis and characterization, **159**, 87  
 $\delta\text{-KMo}_2\text{P}_3\text{O}_{13}$ , revised space groups, **159**, 7  
 $\text{La}_2\text{Mo}_4\text{O}_{15}$ , crystal structure, *ab initio* determination from X-ray and neutron powder diffraction, **159**, 228  
 $[\text{Mo}_{12}\text{CdP}_8\text{O}_{50}(\text{OH})_{12}\text{Cd}[\text{N}(\text{CH}_3)_4]_2(\text{H}_3\text{O})_6] \cdot 5\text{H}_2\text{O}$ , revised space groups, **159**, 7  
 Mo–Ni–P system, ternary phases in, synthesis and crystal structures, **160**, 156  
 $\text{MoS}_2$ , hydrothermal synthesis and pressure-related crystallization, **159**, 170  
 $\text{A}_x\text{Mo}_y\text{W}_{1-x}\text{O}_3$  ( $\text{A} = \text{K}, \text{Ce}$ ), intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341  
 $\text{Rb}_3\text{O}_2(\text{MoO})_4(\text{PO}_4)_4$ , revised space groups, **159**, 7  
 $\text{W}_x\text{Mo}_{(1-x)}\text{S}_2$  lamellar solid solution, two cation disulfide layers in, **160**, 147
- Monel containers**  
 $(\text{NH}_4)\text{Cl}/\text{HgCl}_2$  mixture reactivity in, **162**, 254
- Monoalkyl aluminum(III) compounds**  
 reduction, Na/K alloy for, **162**, 225
- Mono-L-valinium nitrate**  
 crystal structure and vibrational spectra, **158**, 1
- Mössbauer spectroscopy**  
 $\text{Ag}_2\text{FeMn}_2(\text{PO}_4)_3$  with alluaudite-like structure, **159**, 46  
 $[\text{CoCp}_2^*][\text{FeRu}(\text{C}_2\text{O}_4)_3]$ , **159**, 391  
 $\text{Cu}_{5.52(8)}\text{Si}_{1.04(8)}\square_{1.44}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  thiospinel, **161**, 327  
 $\text{Cu}_{3+1.5x}\text{R}_{4-x}(\text{VO}_4)_6$  ( $\text{R} = \text{Fe}, \text{Cr}$ ), **156**, 339  
 $\text{EuPd}_3\text{S}_4$ , **157**, 117  
 $\text{Eu}_3\text{RuO}_7$ , **158**, 245  
 $M^{\text{II}}M^{\text{IV}}\text{F}_6$  ( $M^{\text{II}} = \text{Ni}, \text{Pd}, \text{Cu}$ ;  $M^{\text{IV}} = \text{Pd}, \text{Pt}, \text{Sn}$ ), **162**, 333  
 $[\text{FeCp}_2^*][\text{FeRu}(\text{C}_2\text{O}_4)_3]$ , **159**, 391  
 $\text{FeSb}_2\text{S}_4$ , **162**, 79  
 hydrogen fluoride impact on tin probe ions located on  $\text{Cr}_2\text{O}_3$  microcrystal surface, **162**, 293  
 $\text{Li}_x\text{Ni}_{0.70}\text{Fe}_{0.15}\text{Co}_{0.15}\text{O}_2$  system, **159**, 103  
 Mg–Fe–O and Mg–Fe–Al–O complex oxides: analysis of reduction reaction, **161**, 38  
 $\text{Na}_3\text{Fe}(\text{PO}_4)_2$ : glaserite-like structure, **160**, 377  
 $\text{Sn}_{1+x}\text{Nb}_2\text{O}_{6+x}$  ( $x = 0.0, 0.5, 1.0$ ), **156**, 349  
 $\text{SrFe}_2(\text{PO}_4)_2$  and  $\text{Sr}_9\text{Fe}_{1.5}(\text{PO}_4)_7$ , **162**, 113  
 $\text{TlFeO}_3$ : structural distortion and chemical bonding, **161**, 197  
 Zn doping effects on  $\alpha\text{-Fe}_2\text{O}_3$ , **156**, 408
- Multivariate data analysis**  
 modeling structure–property relationships of superconductive cuprates, **162**, 1
- N**
- Nanocomposites**  
 Al–Ti, Al–Ti–Zr, Al–Zr, Si–Al, Si–Ti, and Si–Zr with lamellar or hexagonal structure, synthesis and characterization, **158**, 134
- Nanocrystals**  
 $\text{Ag}_2\text{Te}$  and  $\text{Ag}_7\text{Te}_4$ , sonochemical synthesis, **158**, 260  
 $\text{AlO}(\text{OH}) \cdot \alpha\text{H}_2\text{O}$ , monoclinic crystals formed by activated surface hydrolysis of Al metal, XRD and IR studies, **157**, 40  
 binary metal chalcogenides, synthesis in alkaline aqueous solution, **161**, 184
- TiO<sub>2</sub>**  
 anatase, preparation, characterization, and spectral studies, **158**, 180  
 ultrafine powder, preparation, characterization, and low-temperature heat capacities, **156**, 220  
 $\text{VO}_2$  powder, preparation and characterization, **156**, 274  
 $\text{V}_2\text{O}_5$ , preparation and characterization, **159**, 181  
 $\text{VO}_2 \cdot \text{H}_2\text{O}$  with needle-like structure, metastable phase and phase transformation, **157**, 250
- Nanoparticles**  
 $\text{Ag}_2\text{Se}$ , synthesis by laser–solid–liquid ablation, **160**, 430  
 $(\text{Fe}@\text{Au})$ , synthesis, characterization, and magnetic field-induced self-assembly, **159**, 26  
 $\text{Fe}_2\text{O}_3$ , pillaring of  $\text{K}_{1-x}\text{La}_x\text{Ca}_{2-x}\text{Nb}_3\text{O}_{10}$  layered perovskites with, **160**, 435  
 fluorite-type ceria–zirconia solid solutions, low-temperature direct synthesis by forced cohydrolysis at  $100^\circ\text{C}$ , **158**, 112  
 Pd clusters deposited on titania-modified mesoporous MCM-41, synthesis, characterization, and photoactivity, **162**, 138  
 $\text{WO}_{3-x}$  structure and reduction leading to  $\text{WS}_2$  formation, **162**, 300  
 yttria-stabilized zirconia, synthesis by molecular decomposition process, **157**, 149
- Nanorods**  
 $\text{CuInS}_2$ , hydrothermal synthesis and characterization, **161**, 179  
 $\text{PbSnS}_3$ , prepared via iodine transport hydrothermal method, characterization, **160**, 50  
 tin sulfide, preparation and morphology control via ethanol thermal route, **161**, 190
- Nanotubes**  
 carbon, formation from fullerenes under hydrothermal conditions, **160**, 184  
 $\text{NH}_4(\text{SbO})_3(\text{CH}_3\text{PO}_3)_2$ , synthesis and structure, **162**, 347  
 $\text{WS}_2$ , formation via  $\text{WO}_{3-x}$  reduction, **162**, 300
- NASICON structures**  
 ionic conductivity in, modeling, **156**, 154  
 mixed  $\alpha/\beta$  superstructure, **156**, 305  
 rhombohedral,  $\text{Li}_2\text{NaV}_2(\text{PO}_4)_3$ , 3.7-V lithium-insertion cathode with, **162**, 176
- Negative capacitance**  
 $\text{V}_2\text{O}_3$ , **159**, 41
- Negative magnetization**  
 $\text{GdCrO}_3$  perovskite, **159**, 204
- Neodymium**  
 $\text{BaNd}_2\text{MnS}_5$ , crystal structure and magnetic properties, **159**, 163  
 $\text{Ba}_3\text{NdRu}_2\text{O}_9$  6H-perovskite, crystal structure and magnetic properties, **161**, 113  
 $\text{BaNd}_2\text{MS}_5$  ( $M = \text{Co}, \text{Zn}$ ), crystal structure and magnetic properties, **159**, 163  
 fluorinated  $\text{Nd}_2\text{CuO}_4$ , HREM study, **157**, 56  
 $\text{KNdTiO}_4$ , Ruddlesden–Popper phases synthesized by ion exchange of  $\text{HLnTiO}_4$ , **161**, 225  
 $\text{NdAgMg}$ , synthesis and crystal structures, **161**, 67  
 $\text{Nd}_2\text{BaCuO}_5$  and  $\text{Nd}_2\text{BaZnO}_5$ ,  $\text{Nd}^{3+}$  in, optical and crystal-field analysis, **162**, 42



- Nd<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>4</sub> ( $x = 0.02-0.20$ ), Cr<sup>V</sup>-Cr<sup>VI</sup> mixed valence compounds, synthesis and structure, **156**, 370
- NdCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255
- Nd(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub>, phonon modes, **160**, 350
- NdCrO<sub>4</sub>, magnetic and crystallographic properties, **160**, 362
- Nd-Mn-O system, phase equilibrium at 1100°C, **158**, 236
- Nd<sub>1.33</sub>Na<sub>x</sub>Mn<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub> ( $x = 0.66, 0.55$ ), conductivity and magnetic properties, **161**, 294
- NdB<sub>3</sub> ( $B = \text{Dy-Lu}$ ) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- Nd<sub>2</sub>O<sub>2</sub>CO<sub>3</sub> II, crystal structure, **158**, 14
- NdOF-NdF<sub>3</sub> systems, anion-excess fluorite-related phases in, characterization and defect structure, **157**, 134
- Nd<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>, type K structure at high pressure, **161**, 166
- [Nd(XeF<sub>2</sub>)<sub>n</sub>](AsF<sub>6</sub>)<sub>3</sub> ( $n = 3, 2.5$ ), synthesis and Raman spectra, and crystal structure of  $n = 2.5$  compound, **162**, 243
- RbNd<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299
- Rb<sub>3</sub>Nd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409
- Neptunium  
neptunium-germanium binary system, structural chemistry, **156**, 313
- Neutron diffraction, *see also* Powder neutron diffraction  
Ca<sub>3</sub>Co<sub>1+x</sub>Mn<sub>1-x</sub>O<sub>6</sub> and Ca<sub>3</sub>CuMnO<sub>6</sub> quasi-one-dimensional oxides, **160**, 293
- CeIrIn<sub>5</sub> and CeRhIn<sub>5</sub> heavy fermion materials, **158**, 25
- superconductive cuprates: structure-property relationships, **162**, 1
- TiCr<sub>5</sub>S<sub>8-y</sub>Se<sub>y</sub> ( $y = 1-7$ ): spin-glass behavior mediated by nonmagnetic sublattice, **158**, 198
- Nickel  
BaKCu<sub>3</sub>NiS<sub>4</sub>, electrical and magnetic properties, **157**, 144
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- Ca<sub>3</sub>Ni<sub>8</sub>In<sub>4</sub>, ordered noncentrosymmetric variant of BaLi<sub>4</sub> type, **160**, 415
- Ce<sub>2</sub>Ni<sub>2</sub>C<sub>2.75</sub>, noninteger Ce valency in, **161**, 63
- $\alpha$ -Co<sub>2</sub>SiO<sub>4</sub>- $\alpha$ -Ni<sub>2</sub>SiO<sub>4</sub>, vibrational spectroscopic study, **157**, 102
- [Cr(CN)<sub>6</sub>]<sub>2</sub>[Ni(L)<sub>2</sub>]<sub>3</sub>·7H<sub>2</sub>O pentanuclear complexes, characterization and magnetic properties, **159**, 302
- Cu<sub>x</sub>Ni<sub>1-x</sub>(HCOO)<sub>2</sub>·2H<sub>2</sub>O, crystal structure and thermal behavior, **157**, 23
- LiCoO<sub>2</sub> film fabrication on, in flowing aqueous solutions at 150°C, **162**, 364
- Li(Mn,Ni)<sub>2</sub>O<sub>4</sub>, 5V cathode materials for lithium-ion secondary batteries, *in situ* XAFS analysis, **156**, 286
- Li<sub>x</sub>Ni<sub>0.70</sub>Fe<sub>0.15</sub>Co<sub>0.15</sub>O<sub>2</sub> system, X-ray diffraction and Mössbauer study, **159**, 103
- Li<sub>1-z</sub>Ni<sub>1+z</sub>O<sub>2</sub> ( $z = 0.075$ ), single-crystal growth and structural chemistry, **160**, 178
- Li<sub>1-z-x</sub>Ni<sub>1+z</sub>O<sub>2</sub>, structure, neutron diffraction study, **158**, 187
- Mo-Ni-P system, ternary phases in, synthesis and crystal structures, **160**, 156
- Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, synthesis and structure, **160**, 450
- (NH<sub>4</sub>)<sub>3</sub>(NH<sub>3</sub>)<sub>x</sub>[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], preparation and crystal structure, **162**, 254
- Ni<sup>2+</sup>, sol-gel SiO<sub>2</sub> glass doped with, defects and photoluminescence, **160**, 272
- NiPnCh ( $Pn = \text{P,As,Sb}$ ;  $Ch = \text{S,Se,Te}$ ), preparation and crystal structure, **162**, 69
- Ni-Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52
- ANi<sub>2</sub>B<sub>2</sub>C ( $A = \text{Lu,La,Th}$ ), metal-metal distances, electron counts, and superconducting  $T_c$ 's, **160**, 93
- Ni(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- nickel-cobalt oxyhydroxide electrodes of alkaline batteries, outcome of cobalt in, **162**, 270
- Ni(II) complexes with imino nitroxyl diradical, magnetic properties, **159**, 455
- [Ni(dicyanamide)<sub>2</sub>pyrazine], synthesis, structural isomerism, and magnetism, **159**, 352
- NiM<sup>IV</sup>F<sub>6</sub> ( $M^{\text{IV}} = \text{Pd,Pt,Sn}$ ), preparation, magnetic properties, and pressure-induced transitions, **162**, 333
- Ni(HP<sub>2</sub>O<sub>7</sub>)F·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub> with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- NiO, dispersion on  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> and TiO<sub>2</sub>/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> supports, **157**, 274
- A<sub>x</sub>NiO<sub>3</sub> ( $A = \text{Ca,Sr,Ba}$ ), magnetic properties, structural and electronic factors governing, **160**, 239
- Ni<sub>1+x</sub>Se<sub>5</sub> CdI<sub>2</sub>/NiAs type solid solution phase, electron and X-ray diffraction, **161**, 266
- Ni<sub>6±x</sub>Se<sub>5</sub>, incommensurate interface modulated structure, **162**, 122
- Ni<sub>1+x</sub>Sn ( $0.35 < x < 0.45$ ) NiAs/Ni<sub>2</sub>In-type phase with incommensurate occupational ordering of Ni, **159**, 191
- Ni<sub>1+x</sub>Te<sub>2</sub> CdI<sub>2</sub>/NiAs type solid solution phase, electron and X-ray diffraction, **161**, 266
- TNi<sub>2</sub>Zn<sub>20</sub> ( $T = \text{Zr,Hf,Nb}$ ) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- Niobium  
Ba<sub>4</sub>CeNb<sub>10</sub>O<sub>30</sub>, with TTB-type structure, crystal structure, **157**, 1
- nBa(Nb,Zr)O<sub>3</sub> + 3mNbO ( $n = 2-5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75
- Bi<sub>2.5</sub>Me<sub>0.5</sub>Nb<sub>2</sub>O<sub>9</sub> ( $Me = \text{Na,K}$ ), crystal structure, powder neutron diffraction study, **157**, 160
- Ca(Ca<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> complex perovskite, cation ordering types and dielectric properties, **156**, 122
- Ca<sub>4</sub>Nb<sub>2</sub>O<sub>9</sub>-CaTiO<sub>3</sub>, phase equilibria and microstructures, **160**, 257
- Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub>-Ca<sub>2</sub>Nb<sub>2</sub>O<sub>7</sub>, 5M and 7M polytypes, **161**, 274
- CuNb<sub>2</sub>O<sub>6</sub>, anisotropic spin exchange interaction in, spin dimer analysis, **156**, 110
- K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub> layered perovskites, pillaring with Fe<sub>2</sub>O<sub>3</sub> nanoparticles, **160**, 435
- Li-Nb-X systems ( $X = \text{P,As}$ ), synthesis and crystal structure, **156**, 37
- Na<sub>2</sub>NbF<sub>6</sub>-(Nb<sub>6</sub>Br<sub>4</sub>F<sub>11</sub>), synthesis and crystal structure, **158**, 327
- Nb<sub>6</sub>Br<sub>8</sub>F<sub>7</sub>, synthesis and crystal structure, **158**, 327
- Ln<sub>3</sub>Nb<sub>2</sub>N<sub>6</sub> ( $Ln = \text{La,Ce,Pr}$ ), synthesis, structure, and magnetic properties, **162**, 90
- Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, synthesis and structure, **160**, 450
- A'[A<sub>2</sub>Nb<sub>3</sub>O<sub>10</sub>] ( $A' = \text{Rb,Cs}$ ;  $A = \text{Sr,Ba}$ ) Dion-Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279
- NbOPO<sub>4</sub>, with orthorhombic structure, negative thermal expansion, **160**, 230
- NbT'<sub>2</sub>Zn<sub>20</sub> ( $T' = \text{Mn,Fe,Ru,Co,Rh,Ni}$ ) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- Pb<sub>2</sub>(Nb<sub>2-y</sub>Pb<sub>y</sub>)O<sub>7- $\delta$</sub>  ( $0.0 < y < 0.8$ ) pyrochlores, X-ray structure refinements and strain analysis, **156**, 207
- Pb-Nb-W-O oxides based on tetragonal tungsten bronze structure, **161**, 135
- SbSb<sub>x</sub>Nb<sub>1-x</sub>O<sub>4</sub>, solid solution behavior and second-harmonic generating properties, **161**, 57
- Sn<sub>1+x</sub>Nb<sub>2</sub>O<sub>6+x</sub> ( $x = 0.0, 0.5, 1.0$ ), synthesis and characterization, **156**, 349
- YNbO<sub>4</sub> and YNbO<sub>4</sub>:Bi, electronic structures and luminescence properties, **156**, 267
- Nitrogen  
Al(CN)<sub>3</sub>, synthesis and structural properties, **159**, 244
- Al[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>3</sub>N]H<sub>2</sub>O, synthesis and characterization, **160**, 278
- BaFe[(CN)<sub>6</sub>NO]·3H<sub>2</sub>O, oxidative thermal decomposition, BaFeO<sub>2.8- $\delta$</sub>  prepared from, ab initio structure solution, **160**, 17
- ReB<sub>2.2</sub>C<sub>2</sub>N ( $Re = \text{Y,Ho,Er,Tm,Lu}$ ), synthesis and crystal structure, **159**, 174
- Be(CN)<sub>2</sub>, synthesis and structural properties, **159**, 244

- BN multilayered coatings, deposition onto Hi-Nicalon fibers via continuous LPCVD treatment, **162**, 358
- $\text{Ca}_2\text{NF}$ , preparation and single-crystal structure analysis, **160**, 134
- $\text{Cd}(\text{CN})_2 \cdot 2/3\text{H}_2\text{O} \cdot t\text{-BuOH}$ , structure, **156**, 51
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385
- $[(S)\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2]$  and  $[(S)\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2(\text{H}_2\text{O})_2]$ , synthesis and characterization, **157**, 233
- $[(\text{C}_{12}\text{H}_8\text{N}_2)_3\text{Fe}^{\text{II}}]_2[\text{Fe}^{\text{II}}\text{Mo}_2(\text{H}_2\text{PO}_4)_6(\text{PO}_4)_2(\text{OH})_6\text{O}_{24}]$ , synthesis and structure, **159**, 209
- $\text{C}_5\text{H}_{12}\text{NPO}_4\text{H}_2$ , synthesis and crystal structure, **161**, 307
- $\text{C}_{10}\text{H}_{28}\text{N}_4\text{P}_4\text{O}_{12} \cdot 4\text{H}_2\text{O}$ , crystal structure, thermal analysis, and vibrational spectra, **156**, 364
- $(\text{C}_5\text{H}_{14}\text{N}_2)_2\text{U}_2\text{F}_{12} \cdot 5\text{H}_2\text{O}$ , hydrothermal synthesis, structure, and magnetic properties, **158**, 87
- $(\text{C}_2\text{H}_{10}\text{N}_2)\text{Zr}_2\text{F}_{10} \cdot \text{H}_2\text{O}$  and  $(\text{C}_4\text{H}_{12}\text{N}_2)\text{ZrF}_6 \cdot \text{H}_2\text{O}$ , hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198
- $(\text{C}_{10}\text{N}_4\text{H}_{28})[\text{Zn}_6(\text{HPO}_4)_2(\text{PO}_4)_4] \cdot 2\text{H}_2\text{O}$  with layer structure, synthesis, crystal structure, and NMR, **162**, 168
- $[\text{C}_6\text{N}_4\text{H}_{22}][\text{Zn}_6(\text{PO}_4)_4(\text{HPO}_4)_2]$  formed by one-dimensional tubes, synthesis and crystal structure, **157**, 110
- $\text{Co}(\text{C}_8\text{H}_6\text{NO}_2)_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $\text{Co}(\text{II})$  coordination polymers  $\{[\text{CoBr}_2(\text{btd})]_n\}$  and  $\{[\text{CoCl}_2(\text{btd})]_n\}$ , synthesis, characterization, crystal structure, and magnetic properties, **159**, 371
- $\text{CoFe}(\text{CN})_5\text{NH}_3 \cdot 6\text{H}_2\text{O}$ , photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336
- $\text{Co}(\text{NH}_3)_6(\text{V}_{1.5}\text{P}_{0.5})\text{O}_6\text{OH}$ , hydrothermal synthesis and crystal structure, **159**, 239
- $[\text{Cr}(\text{CN})_6]_2[\text{Ni}(\text{L})_2]_3 \cdot 7\text{H}_2\text{O}$  pentanuclear complexes, characterization and magnetic properties, **159**, 302
- $[\text{Cr}_3\text{O}(\text{O}_2\text{CC}_6\text{H}_4\text{Cl})_6(\text{H}_2\text{O})_3][\text{NO}_3]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $\text{CsNO}_3$ , structural phase transitions, molecular dynamics simulation, **160**, 222
- $\text{Cs}_3\text{P}_6\text{N}_{11}$ , high-pressure high-temperature synthesis and crystal structure, **156**, 390
- $\text{Cu}(\text{C}_8\text{H}_6\text{NO}_2)_2(\text{H}_2\text{O})_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\text{Cu}_2\text{Br}_4]$  and  $[\text{Cu}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2][\text{Cu}_5\text{Br}_7]$ , hydrothermal synthesis and X-ray crystal structure, **158**, 55
- $[\text{Cu}_{12}\text{Ln}_6(\mu_3\text{-OH})_{24}(\text{C}_5\text{H}_5\text{NCH}_2\text{CO}_2)_{12}(\text{H}_2\text{O})_{18}(\mu_9\text{-NO}_3)](\text{PF}_6)_{10}(\text{NO}_3)_7 \cdot 12\text{H}_2\text{O}$  ( $\text{Ln}^{\text{III}} = \text{Sm}^{\text{III}}, \text{Gd}^{\text{III}}$ ), synthesis and characterization, **161**, 214
- $\text{Cu}_3[(\text{O}_3\text{PCH}_2)_2\text{NH}_2]_2$ , synthesis and characterization, **160**, 278
- $[\text{M}(\text{dicyanamide})_2\text{pyrazine}]$  ( $\text{M} = \text{Mn}, \text{Fe}, \text{Co}, \text{Ni}, \text{Zn}$ ), synthesis, structural isomerism, and magnetism, **159**, 352
- $N,N'$ -dimethylpiperazinium(2+) hydrogen selenite, preparation, crystal structure, vibrational spectra, and thermal behavior, **161**, 312
- $\beta\text{-HfNCl}$ , high-pressure synthesis and crystal structure, **159**, 80
- $\text{K}_{0.2}\text{Co}_{1.4}[\text{Fe}(\text{CN})_6] \cdot 7\text{H}_2\text{O}$ , microstructural changes induced by thermal treatment, **156**, 400
- $\gamma\text{-Li}_{2.88}\text{PO}_{3.73}\text{N}_{0.14}$ , ionic conductivity, theoretical study, **161**, 73
- $[(\text{Me}_3\text{Sn}_3\text{M}(\text{CN})_6)]$  ( $\text{M} = \text{Co}, \text{Ir}$ ), metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324
- metal complexes with imino nitroxyl diradical, magnetic properties, **159**, 455
- $\text{Mg}:\text{Al}$  layered double hydroxide and hexacyanoferrate, physical and chemical interactions between, **161**, 249
- $\text{Mg}(\text{CN})_2$ , synthesis and structural properties, **159**, 244
- $\text{Mg}(\text{ND}_3)_2\text{Br}_2$  and  $\text{Mg}(\text{ND}_3)_2\text{Cl}_2$ , uniaxial orientational order-disorder transitions, neutron diffraction study, **156**, 487
- $[\text{Mn}^{\text{II}}(t\text{-Bu})_4\text{salen}]_2$ , preparation, magnetic characterization, and reaction with tetracyanoethylene, **159**, 403
- $\text{MnCr}_6(\text{CN})_{18}$  and  $\text{Mn}_3\text{Cr}_6(\text{CN})_{18}$  molecular species and  $\text{MnCr}_3(\text{CN})_9$  chain compound, magnetic properties, **159**, 293
- $[\text{Mn}(\text{L})_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $\text{L} = \text{ethylenediamine}$ ,  $n = 4$ ;  $\text{L} = \text{glycine amide}$ ,  $n = 2.5$ ), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328
- $\text{Mn}_3[\text{Cr}(\text{CN})_6]_2 \cdot 12\text{H}_2\text{O}$ , relationship to  $[\text{Mn}(\text{L})_3[\text{Cr}(\text{CN})_6]_2 \cdot n\text{H}_2\text{O}$  ( $\text{L} = \text{ethylenediamine}$ ,  $n = 4$ ;  $\text{L} = \text{glycine amide}$ ,  $n = 2.5$ ), **159**, 328
- $\text{Mn}_6(\text{H}_2\text{O})_2(\text{HPO}_4)_4(\text{PO}_4)_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 32
- $[\text{Mn}_3\text{O}(\text{O}_2\text{CPh})_6(\text{NC}_5\text{H}_5)_2(\text{H}_2\text{O})]$ , high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- $[\text{Mo}_{12}\text{CdP}_8\text{O}_{50}(\text{OH})_{12}\text{Cd}[\text{N}(\text{CH}_3)_4]_2(\text{H}_3\text{O})_6] \cdot 5\text{H}_2\text{O}$ , revised space groups, **159**, 7
- $\text{Ln}_3\text{T}_2\text{N}_6$  ( $\text{Ln} = \text{La}, \text{Ce}, \text{Pr}$ ;  $\text{T} = \text{Ta}, \text{Nb}$ ), synthesis, structure, and magnetic properties, **162**, 90
- $(\text{NC}_5\text{H}_7)_2 \cdot \text{Zn}_3(\text{HPO}_3)_4$ , low-density framework built up from fully connected (3,4) net of  $\text{ZnO}_4$  tetrahedra and  $\text{HPO}_3$  pseudo pyramids, **160**, 4
- $\text{M}[\text{N}(\text{CN})_2]_2$  ( $\text{M} = \text{Mg}, \text{Ca}, \text{Sr}, \text{Ba}$ ), syntheses, vibrational spectroscopy, and crystal structure, **157**, 241
- $(\text{ND}_4)_4\text{D}_2(\text{SeO}_4)_3$ , crystal structure below 180 K, **160**, 189
- $[\text{NH}_3(\text{CH}_2)_2\text{NH}_3]_4[\text{Ga}_{4-x}\text{V}_x(\text{HPO}_4)_5(\text{PO}_4)_3\text{H}(\text{OH})_2]$  ( $x = 1.65$ ), synthesis and characterization, **159**, 59
- $(\text{NH}_4)_2(\text{NH}_3)_x[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , preparation and crystal structure, **162**, 254
- $\text{Ni}(\text{C}_8\text{H}_6\text{NO}_2)_2(\text{H}_2\text{O})_2$  interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- $\text{Ni}(\text{HP}_2\text{O}_7)\text{F} \cdot \text{C}_2\text{N}_2\text{H}_{10}$  with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- nitride superconductors, anionic charge order model, **158**, 139
- $\alpha$ -nitronyl nitroxide radicals, chirality in solid state, **159**, 440
- $\text{Pb}_3\text{O}_2(\text{OH})(\text{NO}_3)$ , crystal structure, **158**, 78
- $\text{Pb}_{13}\text{O}_8(\text{OH})_6(\text{NO}_3)_4$ , crystal structure, **158**, 74
- plasma, reaction with TiAl intermetallics, **157**, 339
- polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- $[(n\text{Pr}_4\text{N})(\text{Me}_3\text{Sn})_2\text{Ir}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$  and  $[(n\text{Pr}_4\text{P})(\text{Me}_3\text{Sn})_2\text{Co}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$ , crystal structures, **157**, 324
- $\text{RbNO}_3$ , structural phase transitions, molecular dynamics simulation, **160**, 222
- $\text{Rb}_3\text{P}_6\text{N}_{11}$ , high-pressure high-temperature synthesis and crystal structure, **156**, 390
- $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$  and  $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_2\text{N}_2\text{H}_{10} \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and structure, **162**, 96
- $\text{Ti}^{\text{I}}\text{Ti}^{\text{III}}(\text{CN})_4$ , synthesis and structural properties, **159**, 244
- tris[ $p$ -( $N$ -oxyl- $N$ -*tert*-butylamino)phenyl]amine, -methyl, and -borane, ground spin states, **159**, 428
- 1,3,5-trithia-2,4,6-triazapentalenyl crystals, magnetic bistability at room temperature, comparison with spin crossover transitions, **159**, 451
- $\beta\text{-ZrNCl}$ , high-pressure synthesis and crystal structure, **159**, 80
- Nitrogen adsorption isotherm
- $\alpha\text{-MnO}_2$  open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292
- $\alpha$ -Nitronyl nitroxide radicals
- chirality in solid state, **159**, 440
- Nocolok flux
- $\text{AlF}_3\text{-KF-CsF}$  compositions for, **161**, 80
- Nuclear magnetic resonance
- $(\text{C}_{10}\text{N}_4\text{H}_{28})[\text{Zn}_6(\text{HPO}_4)_2(\text{PO}_4)_4] \cdot 2\text{H}_2\text{O}$  with layer structure, **162**, 168
- hydrogen coinserted hydrated sodium and potassium molybdenum bronzes, **159**, 87

- LiMn<sub>2</sub>O<sub>4</sub> spinel cathode prepared by tartaric acid gel process, **160**, 368  
 local structure in heat-treated oxyhydroxyapatite microcrystals, **160**, 460  
 $\beta$ -PbO, quantum *ab initio* explanation, **157**, 220  
 polyoxovanadates synthesized from aqueous solution, **162**, 315  
 rhodamine B in lactone form, **156**, 325  
 Sn<sub>1+x</sub>Nb<sub>2</sub>O<sub>6+x</sub> ( $x = 0.0, 0.5, 1.0$ ), **156**, 349  
 structural aspects of solid-state polycondensation reaction in alkali 4-halogenomethylbenzoates, **156**, 61
- Nucleation  
 (RbCl)<sub>108</sub> clusters at 600, 550, and 500 K, molecular dynamics studies, **159**, 10
- O
- Octacyanometalate complexes  
 as building blocks for self-assembly of molecular magnets, **159**, 262
- Optical microscopy  
 Bi<sub>2</sub>TeO<sub>5</sub> oxidation studies, **161**, 365
- Optical properties  
 RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub> and Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, **158**, 299  
 LnSbS<sub>2</sub>Br<sub>2</sub> ( $Ln = \text{La, Ce}$ ), **158**, 218
- Orbital degeneracy  
 metal ions with, magnetic exchange between, associated magnetic anisotropy, **159**, 268
- Order-disorder transitions  
 (Cu<sub>0.5</sub>Cr<sub>0.5</sub>)Sr<sub>2</sub>CuO<sub>x</sub> under high-pressure and high-temperature conditions, **161**, 348  
 uniaxial orientational, in Mg(ND<sub>3</sub>)<sub>2</sub>Cl<sub>2</sub> and Mg(ND<sub>3</sub>)<sub>2</sub>Br<sub>2</sub>, neutron diffraction study, **156**, 487
- Ordering  
 cation ordering types in complex perovskite Ca(Ca<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>, effects on dielectric properties, **156**, 122  
 CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34  
 incommensurate occupational, Ni in Ni<sub>1+x</sub>Sn ( $0.35 < x < 0.45$ ) NiAs/Ni<sub>2</sub>In-type phase, **159**, 191  
 MLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> ( $M = \text{Cs, Rb}$ ) and NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> · xH<sub>2</sub>O ( $x = 2.0, 9.0$ ) perovskites, **158**, 290  
 short-range ferromagnetic, La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, **159**, 215
- Organic antiferromagnetic metals  
 $\kappa$ -(BETS)<sub>2</sub>FeX<sub>4</sub> ( $X = \text{Cl, Br}$ ) with superconducting transitions, effect of halogen substitution, **159**, 407
- Organic-cation cyclotetraphosphate  
 C<sub>10</sub>H<sub>28</sub>N<sub>4</sub>P<sub>4</sub>O<sub>12</sub> · 4H<sub>2</sub>O, crystal structure, thermal analysis, and vibrational spectra, **156**, 364
- Organo-inorganic hybrid compounds  
 nitrilophosphonates of Al and Cu, synthesis and characterization, **160**, 278
- Osmium  
 NaLa<sub>6</sub>(Os)I<sub>12</sub>, synthesis and structure, **161**, 161
- Oxalate  
 [(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>] and [(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], synthesis and characterization, **157**, 233  
 [M<sup>II</sup>Ru<sup>III</sup>(ox)<sub>3</sub>] ( $M^{\text{II}} = \text{Mn, Fe, Co, Cu, Zn}$ ), and decamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- Oxidation  
 Bi<sub>2</sub>TeO<sub>5</sub>, thermoanalytical and optical microscopic studies, **161**, 365  
 methane, structural change of goethite in, *in situ* XRD and IR study, **156**, 225
- Oxidation state  
 Cu and Ru in La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4- $\delta$</sub> , determination by XANES measurements, **156**, 194
- Oxidative thermal decomposition  
 BaFe[(CN)<sub>5</sub>NO] · 3H<sub>2</sub>O, BaFeO<sub>2.8- $\delta$</sub>  prepared from, *ab initio* structure solution, **160**, 17
- Oxygen  
 excess, in low Sr doping La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3+ $\delta$</sub>  epitaxial films, **156**, 143  
 nonstoichiometry in YBaCo<sub>2</sub>O<sub>5+x</sub> ( $0.00 \leq x \leq 0.52$ ), **156**, 355  
 permeation of Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3- $\delta$</sub>  ( $x = 0.2-0.8$ ), **156**, 437
- Oxyhydroxyapatite  
 heat-treated microcrystals, local structure in, solid state NMR, XRD, and IR studies, **160**, 460
- Ozone  
 oxidation,  $\alpha$ -MnO<sub>2</sub> open tunnel oxide precipitated by, preparation and characterization, **159**, 94; *erratum*, **160**, 292
- P
- Palladium  
 EuPd<sub>3</sub>S<sub>4</sub>, Mössbauer effects and magnetic properties, **157**, 117  
 MgPd<sub>2</sub>, MgPd<sub>3</sub>, and Mg<sub>3</sub>Pd<sub>5</sub>, structure and thermal stability, and kinetics of iodine-catalyzed MgPd<sub>2</sub> formation, **159**, 113  
 nanosized clusters deposited on titania-modified mesoporous MCM-41, synthesis, characterization, and photoactivity, **162**, 138  
 Pd*PnCh* ( $Pn = \text{P, As, Sb}$ ;  $Ch = \text{S, Se, Te}$ ), preparation and crystal structure, **162**, 69  
 APd<sub>2</sub>B<sub>2</sub>C ( $A = \text{Lu, La, Th}$ ), metal-metal distances, electron counts, and superconducting  $T_c$ 's, **160**, 93  
 PdM<sup>IV</sup>F<sub>6</sub> ( $M^{\text{IV}} = \text{Pd, Pt, Sn}$ ) and M<sup>II</sup>PdF<sub>6</sub> ( $M^{\text{II}} = \text{Ni, Pd, Cu}$ ), preparation, magnetic properties, and pressure-induced transitions, **162**, 333  
 Pd<sub>3</sub>Mn and Pd<sub>3</sub>MnD<sub>0.7</sub>, magnetic structures, high-pressure neutron diffraction studies, **161**, 93
- Paracelsian  
 ammonium zinc gallophosphate analog of, synthesis and structure, **156**, 480
- Paracrystals  
 cellular, formation from Co-doped CaO polycrystals, **161**, 341
- Paramagnetic transition  
 La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, **156**, 117
- Pechini process  
 Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> pyrochlore oxide synthesis in alkaline medium, **161**, 379
- Peierls distortion  
 infinite [Te<sub>x</sub>]<sup>n-</sup> chains in RbUSb<sub>0.33</sub>Te<sub>6</sub>, **161**, 17
- Pentanuclear complexes  
 cyanide-bridged, with high spin ground states  $S = 6$  and  $S = 9$ , characterization and magnetic properties, **159**, 302
- Periodic domain boundary  
 alkali titanium oxides, **162**, 128
- Perovskites  
 (Ba<sub>8</sub>Co<sub>6</sub>O<sub>18</sub>) <sub>$\alpha$</sub> (Ba<sub>8</sub>Co<sub>8</sub>O<sub>24</sub>) <sub>$\beta$</sub>  polysomatic series, new members of, **162**, 322  
 BaHfO<sub>3</sub>, Pr<sup>4+</sup> ions doped in, EPR study, **156**, 203  
 nBa(Nb,Zr)O<sub>3</sub> + 3mNbO ( $n = 2-5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75  
 Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub> 6H-perovskite, crystal structure and magnetic properties, **161**, 113  
 Ca(Ca<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>, cation ordering types and dielectric properties, **156**, 122  
 Ca<sub>0.5</sub>Sr<sub>0.5</sub>TiO<sub>3</sub>, space group and structure, **160**, 8  
 cobaltites(III) and cobaltites(IV), spin state behavior, **162**, 282  
 Dion-Jacobson-type, layered, A'[A<sub>2</sub>B<sub>3</sub>O<sub>10</sub>] ( $A' = \text{Rb, Cs}$ ;  $A = \text{Sr, Ba}$ ;  $B = \text{Nb, Ta}$ ), synthesis, structure, and electrical conductivity, **158**, 279  
 GdCrO<sub>3</sub>, magnetic properties, **159**, 204  
 K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub>, pillaring with Fe<sub>2</sub>O<sub>3</sub> nanoparticles, **160**, 435  
 La-based, thermal expansion in, computer simulations, **156**, 394  
 La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> ( $x = 0.1, 0.15, 0.2$ ), lattice distortion in, pressure dependence, **160**, 307

- La<sub>2</sub>Ca<sub>2</sub>MnO<sub>7</sub>, detection in La–Ca–Mn–O system, **156**, 237  
 ALaFeVO<sub>6</sub> (*A* = Ca,Sr) double-perovskite oxide, synthesis, structure, and properties, **162**, 250  
 LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub>, synthesis, structure, and properties, **159**, 68  
 La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, oxidation states of Cu and Ru in, determination by XANES measurements, **156**, 194  
 MLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> (*M* = Cs,Rb) layered perovskites, structure, **158**, 290  
 lead-free relaxor ferroelectrics, solid state chemistry, **162**, 260  
 NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub>·*x*H<sub>2</sub>O (*x* = 2,0.9,0) layered perovskites, structure, **158**, 290  
 Ln<sub>1.33</sub>Na<sub>x</sub>Mn<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub> (*Ln* = Pr, *x* = 0.66; *Ln* = Nd, *x* = 0.66,0.55), conductivity and magnetic properties, **161**, 294  
 ABO<sub>3</sub> (*A* = La–Nd; *B* = Dy–Lu), preparation, magnetic susceptibility, and specific heat, **157**, 173  
 A<sub>x</sub>BO<sub>3</sub> (*A* = Ca,Sr,Ba; *B* = Co,Ni), magnetic properties, structural and electronic factors governing, **160**, 239  
 Pr<sub>0.7-x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub>, physical properties, effect of Pr deficiency, **156**, 68  
 Sr<sub>1-x</sub>Ba<sub>x</sub>ZrO<sub>3</sub>, effects of composition and temperature, high-resolution powder diffraction study, **161**, 106  
 (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub> with composition (*x*), evolution of crystallographic phases in, **162**, 20  
 Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub>, synthesis, structure, and physical properties, **157**, 76  
 Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub> (*x* = 0.2–0.8), transport properties and thermal expansion, **156**, 437  
 SrTiO<sub>3</sub>–SrZrO<sub>3</sub> solid solution, crystal structure and phase transitions, **156**, 255  
 Sr<sub>9/8</sub>TiS<sub>3</sub>, Sr<sub>8/7</sub>TiS<sub>3</sub>, and Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]S<sub>3</sub>, structures and physical properties, effects of metal–metal sigma bonding, **162**, 103  
 LnTi<sub>0.5</sub>V<sub>0.5</sub>O<sub>3</sub> (*Ln* = Ce,Pr), magnetic properties, **156**, 452  
 TiFeO<sub>3</sub>, structural distortion and chemical bonding, comparison with AFeO<sub>3</sub> (*A* = rare earth), **161**, 197
- pH  
 effect on properties of sol–gel Rh/SiO<sub>2</sub>, **158**, 154
- Phase diagram  
 AlF<sub>3</sub>–KF–CsF, **161**, 80  
 Al–Li–Si system in solid state, **156**, 500  
 Ca<sub>1-x</sub>Y<sub>x</sub>MnO<sub>3</sub>, **156**, 458  
 Eu<sub>2</sub>O<sub>3</sub>–SrO–CuO system, **156**, 247  
 La–Ca–Mn–O system, **156**, 237  
 Li<sub>2</sub>O–Ln<sub>2</sub>O<sub>3</sub>–B<sub>2</sub>O<sub>3</sub> (*Ln* = Yb,Lu): discovery of Li<sub>2</sub>Ln<sub>5</sub>O<sub>4</sub>(BO<sub>3</sub>)<sub>3</sub> and structural analysis of Yb phase, **156**, 161  
 magnetic, Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, **159**, 362  
 Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> (0.130 ≤ *x* ≤ 0.166), **160**, 251  
 Mo–Ni–P ternary phases, **160**, 156  
 NH<sub>4</sub>Ln<sub>3</sub>F<sub>10</sub> (*Ln* = Dy,Ho,Y,Er,Tm), **158**, 358  
 YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ *x* ≤ 0.52), **156**, 355
- Phase equilibrium  
 Al–Li–Si system in solid state, **156**, 500  
 Ca<sub>4</sub>Nb<sub>2</sub>O<sub>9</sub>–CaTiO<sub>3</sub>, **160**, 257  
 La–Ca–Mn–O system, **156**, 237  
 Nd–Mn–O system at 1100°C, **158**, 236
- Phase relations  
 in Fe<sub>2</sub>O<sub>3</sub>–Cr<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> between 1000 and 1300°C, **161**, 45  
 ZrO<sub>2</sub>–Gd<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub> at 1500°C, **160**, 302
- Phase separation  
 YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ *x* ≤ 0.52), **156**, 355
- Phase transition  
 antiferromagnetic, CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34  
 antiferromagnetic insulator–paramagnetic, V<sub>2</sub>O<sub>3</sub> undergoing, conductivity studies, **159**, 41  
 Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub>, 6H-perovskite, **161**, 113  
 BaZnCl<sub>4</sub>–II:Sm<sup>2+</sup>, **162**, 237  
 κ-(BETS)<sub>2</sub>FeX<sub>4</sub> (*X* = Cl,Br), effect of halogen substitution, **159**, 407  
 CdGa<sub>2</sub>Se<sub>4</sub>, induced by pressure, **160**, 205  
 in clusters, kinetics, molecular dynamics studies, **159**, 10  
 CsNO<sub>3</sub>, molecular dynamics simulation, **160**, 222  
 2,2-dinitropropane-1,3-diol, **157**, 296  
 ferroelectric, detection in Eu<sub>2</sub>GeS<sub>4</sub>, **158**, 343  
 FeSb<sub>2</sub>S<sub>4</sub>, **162**, 79  
 KIn(WO<sub>4</sub>)<sub>2</sub>, vibrational study, **158**, 334  
 La<sub>2-x</sub>Ca<sub>1+2x</sub>Mn<sub>2</sub>O<sub>7</sub> electron-doped layered phase, **157**, 309  
 LiKSO<sub>4</sub>, thermal analysis and X-ray diffraction study, **148**, 316; comments, **156**, 251, 253  
 LiVO<sub>3</sub>, solid–liquid, neutron powder diffraction study from 340 to 890 K, **156**, 379  
 magnetic bistability in organic crystals at room temperature, comparison with spin crossover transitions, **159**, 451  
 MCM-41 in mother liquid at moderate temperature, **160**, 311  
 mono-L-valinium nitrate at low temperature, DSC, FTIR, and XRD study, **158**, 1  
 NbOPO<sub>4</sub> with orthorhombic structure, **160**, 230  
 (ND<sub>4</sub>)<sub>4</sub>D<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub> and (NH<sub>4</sub>)<sub>4</sub>H<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub>, **160**, 189  
 Pierels-type, TTe, **157**, 193  
 polymorphic, in 3-bromo-*trans*-cinnamic acid system, **156**, 10  
 RbNO<sub>3</sub>, molecular dynamics simulation, **160**, 222  
 Ln<sub>3</sub>RuO<sub>7</sub> (*Ln* = Sm,Eu), **158**, 245  
 SiO<sub>2</sub>, amorphous phase to crystalline phase, effects of alkali ions, **161**, 373  
 Sr<sub>2</sub>Fe<sub>2</sub>O<sub>5</sub> at elevated temperatures, **156**, 292  
 SrHfO<sub>3</sub>; temperature dependence of hyperfine interaction at <sup>181</sup>Ta probe, **159**, 1  
 SrTiO<sub>3</sub>–SrZrO<sub>3</sub> solid solution, **156**, 255  
 strain-driven, pyrochlore to defect fluorite in rare earth sesquioxide-stabilized cubic zirconias, **159**, 121  
 VO<sub>2</sub>·H<sub>2</sub>O needle-like nanocrystals, **157**, 250  
 ZrO<sub>2</sub> crystallization in sol–gel system, **158**, 349  
 ZrP<sub>2</sub>O<sub>7</sub>, 3-D incommensurately modulated cubic phase, **157**, 186
- Phonon modes  
 A(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub> (*A* = La,Nd,Dy,Ho,Yb), **160**, 350
- Phosphors  
 SrIn<sub>2</sub>O<sub>4</sub>, emitting red light and activated by praseodymium, luminescent properties, **156**, 84  
 YNbO<sub>4</sub> and YNbO<sub>4</sub>:Bi, electronic structures and luminescence properties, **156**, 267
- Phosphorus  
 Ag<sub>2</sub>FeMn<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> with alluaudite-like structure, neutron diffraction, Mössbauer spectrum, and magnetic behavior, **159**, 46  
 Al[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>3</sub>N]H<sub>2</sub>O, synthesis and characterization, **160**, 278  
 BiMn<sub>6</sub>PO<sub>12</sub>, preparation, structure, and magnetic properties, **157**, 123  
 CdBa<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, synthesis, crystal structure, and vibrational spectra, **161**, 97  
 Cd<sub>5-η/2</sub>(PO<sub>4</sub>)<sub>3</sub>Br<sub>1-η</sub>, modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88  
 [(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>] and [(S)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], synthesis and characterization, **157**, 233  
 [(C<sub>12</sub>H<sub>8</sub>N<sub>2</sub>)<sub>3</sub>Fe<sup>II</sup>]<sub>2</sub>[Fe<sup>III</sup>Mo<sub>12</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>O<sub>24</sub>], synthesis and structure, **159**, 209  
 C<sub>5</sub>H<sub>12</sub>NPO<sub>4</sub>H<sub>2</sub>, synthesis and crystal structure, **161**, 307  
 C<sub>10</sub>H<sub>28</sub>N<sub>4</sub>P<sub>4</sub>O<sub>12</sub>·4H<sub>2</sub>O, crystal structure, thermal analysis, and vibrational spectra, **156**, 364  
 (C<sub>10</sub>N<sub>4</sub>H<sub>28</sub>)[Zn<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>]·2H<sub>2</sub>O with layer structure, synthesis, crystal structure, and NMR, **162**, 168  
 [C<sub>6</sub>N<sub>4</sub>H<sub>22</sub>][Zn<sub>6</sub>(PO<sub>4</sub>)<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>] formed by one-dimensional tubes, synthesis and crystal structure, **157**, 110  
 Co<sub>3</sub>[BPO<sub>7</sub>], synthesis and characterization, **156**, 281  
 Co(NH<sub>3</sub>)<sub>6</sub>(V<sub>1.5</sub>P<sub>0.5</sub>)O<sub>6</sub>OH, hydrothermal synthesis and crystal structure, **159**, 239

- $\text{Cs}_2\text{Co}_3(\text{HPO}_4)(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 242
- $\text{Cs}_3\text{P}_6\text{N}_{11}$ , high-pressure high-temperature synthesis and crystal structure, **156**, 390
- $[\text{Cu}_{12}\text{Ln}_6(\mu_3\text{-OH})_{24}(\text{C}_5\text{H}_5\text{NCH}_2\text{CO}_2)_{12}(\text{H}_2\text{O})_{18}(\mu_9\text{-NO}_3)](\text{PF}_6)_{10}(\text{NO}_3)_7 \cdot 12\text{H}_2\text{O}$  ( $\text{Ln}^{\text{III}} = \text{Sm}^{\text{III}}, \text{Gd}^{\text{III}}$ ), synthesis and characterization, **161**, 214
- $\text{Cu}_3[(\text{O}_3\text{PCH}_2)_2\text{NH}_2]_2$ , synthesis and characterization, **160**, 278
- fluoroaluminophosphate chain AIPO-CJ10, synthesis and characterization, **161**, 259
- germanium pyrophosphates, syntheses, structures, and thermal expansion, **156**, 213
- $(\text{Hg}_3)_2(\text{HgO}_2)(\text{PO}_4)_2$ , synthesis, crystal structure, and thermal behavior, **157**, 68
- $(\text{Hg}_3)_3(\text{PO}_4)_4$ , synthesis, crystal structure, and thermal behavior, **157**, 68
- $[\text{Hg}_6\text{P}_4](\text{TiCl}_6)\text{Cl}$ , synthesis, structure, and properties, **160**, 88
- $\text{Hg}_4\text{VO}(\text{PO}_4)_2$  containing  $\text{Hg}_2^{2+}$  dumbbells, crystal structure and thermal and magnetic properties, **158**, 94
- $\text{H}_2\text{O}(\text{NH}_4)_2\text{HPO}_4\text{-}(\text{NH}_4)_2\text{SO}_4$ , polythermal diagram between 0 and  $25^\circ\text{C}$ , **156**, 264
- $\text{K}_4[\text{Cd}_3(\text{HPO}_4)_4(\text{H}_2\text{PO}_4)_2]$ , synthesis and layered structure, **162**, 188
- $\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195
- $\delta\text{-KMo}_2\text{P}_3\text{O}_{13}$ , revised space groups, **159**, 7
- $\text{KSmP}_2\text{S}_7$ , structure modification, **160**, 195
- $\text{Li}_2\text{FeTi}(\text{PO}_4)_3$  and  $\text{Li}_2\text{FeZr}(\text{PO}_4)_3$ , mixed  $\alpha/\beta$  superstructures, **156**, 305
- $\text{Li}_{0.5}\text{Mn}_{0.5}\text{Ti}_{1.5}\text{Cr}_{0.5}(\text{PO}_4)_3$ , structural and electrochemical study, **158**, 169
- $\text{Li}_2\text{NaV}_2(\text{PO}_4)_3$ , 3.7-V lithium-insertion cathode with rhombohedral NASICON structure, **162**, 176
- linear-chain aluminum phosphates, synthesis by reaction of amine phosphates with  $\text{Al}^{3+}$  ions, **156**, 185
- $\text{Li-M-P}$  ( $M = \text{V}, \text{Nb}, \text{Ta}$ ), synthesis and crystal structure, **156**, 37
- $\gamma\text{-Li}_3\text{PO}_4$ , ionic conductivity, theoretical study, **161**, 73
- $\gamma\text{-Li}_{2.88}\text{PO}_{3.73}\text{N}_{0.14}$ , ionic conductivity, theoretical study, **161**, 73
- $\text{Li}_2\text{Zn}(\text{HPO}_4)_2 \cdot 0.66\text{H}_2\text{O}$ , synthesis and characterization, **162**, 29
- $\text{Mn}_x\text{Co}_{1-x}(\text{O}_3\text{PC}_6\text{H}_5) \cdot \text{H}_2\text{O}$ , structure and magnetic properties, **159**, 362
- $\text{Mn}_6(\text{H}_2\text{O})_2(\text{HPO}_4)_4(\text{PO}_4)_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$ , synthesis and characterization, **156**, 32
- $[\text{Mo}_{12}\text{CdP}_8\text{O}_{50}(\text{OH})_{12}\text{Cd}[\text{N}(\text{CH}_3)_4]_2(\text{H}_3\text{O})_6] \cdot 5\text{H}_2\text{O}$ , revised space groups, **159**, 7
- Mo-Ni-P system, ternary phases in, synthesis and crystal structures, **160**, 156
- $\text{Na}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195
- $\text{Na}_3\text{Fe}(\text{PO}_4)_2$ , glaserite-like structure, **160**, 377
- $\text{NaHPO}_3\text{F} \cdot 2.5\text{H}_2\text{O}$ , synthesis and crystal structure, **156**, 415
- $\text{Na}_2\text{In}_2[\text{PO}_3(\text{OH})]_4 \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and crystal structure, **157**, 213
- $\text{Na}_2\text{PO}_3\text{F} \cdot 10\text{H}_2\text{O}$ , synthesis and crystal structure, **156**, 415
- $\text{NaSmP}_2\text{S}_6$ , structure modification, **160**, 195
- $\text{NaYbP}_2\text{S}_6$ , structure modification, **160**, 195
- $\text{NaYFPO}_4$ , hydrothermal synthesis and crystal structure, **157**, 8
- $\text{NbOPO}_4$ , with orthorhombic structure, negative thermal expansion, **160**, 230
- $(\text{NC}_5\text{H}_{12})_2 \cdot \text{Zn}_3(\text{HPO}_3)_4$ , low-density framework built up from fully connected (3,4) net of  $\text{ZnO}_4$  tetrahedra and  $\text{HPO}_3$  pseudo pyramids, **160**, 4
- $(\text{NH}_4)[\text{Ce}^{\text{IV}}\text{F}_2(\text{PO}_4)]$ , hydrothermal synthesis and characterization, **157**, 180
- $[\text{NH}_3(\text{CH}_2)_2\text{NH}_3]_4[\text{Ga}_{4-x}\text{V}_x(\text{HPO}_4)_5(\text{PO}_4)_3\text{H}(\text{OH})_2]$  ( $x = 1.65$ ), synthesis and characterization, **159**, 59
- $\text{NH}_4(\text{SbO})_3(\text{CH}_3\text{PO}_3)_2$  nanotubes, synthesis and structure, **162**, 347
- $(\text{NH}_4)_4[\text{Zn}_4\text{Ga}_4\text{P}_8\text{O}_{32}]$  and  $(\text{NH}_4)_{16}[\text{Zn}_{16}\text{Ga}_8\text{P}_{24}\text{O}_{96}]$ , syntheses and structures, **156**, 480
- $\text{Ni}(\text{HP}_2\text{O}_7)\text{F} \cdot \text{C}_2\text{N}_2\text{H}_{10}$  with chain structure, solvothermal synthesis and crystal structure, **158**, 68
- $\text{TPCh}$  ( $T = \text{Ni}, \text{Pd}$ ;  $\text{Ch} = \text{S}, \text{Se}, \text{Te}$ ), preparation and crystal structure, **162**, 69
- $\text{PbVOP}_2\text{O}_7$  with intersecting tunnel structure, **162**, 354
- $\text{M}_{10}(\text{PO}_4)_6\text{X}_2$  ( $M = \text{Ca}, \text{Pb}, \text{Ba}$ ;  $X = \text{F}, \text{OH}$ ), electrical properties, **156**, 57
- $[(n\text{Pr}_4\text{P})(\text{Me}_3\text{Sn})_2\text{Co}(\text{CN})_6 \cdot 2\text{H}_2\text{O}]$ , crystal structures, **157**, 324
- $\text{Rb}_3\text{O}_2(\text{MoO}_4)(\text{PO}_4)_4$ , revised space groups, **159**, 7
- $\text{Rb}_3\text{P}_6\text{N}_{11}$ , high-pressure high-temperature synthesis and crystal structure, **156**, 390
- $\text{Sb}_2\text{O}(\text{CH}_3\text{PO}_3)_2$ , synthesis and layered structure, **162**, 347
- $\alpha\text{-Sn}(\text{HPO}_4)_2 \cdot \text{H}_2\text{O}$ , solid-state synthetic reaction and characterization, **159**, 130
- $\text{Sn}_{10}\text{In}_{14}\text{P}_{22}\text{I}_8$  and  $\text{Sn}_{14}\text{In}_{10}\text{P}_{21.2}\text{I}_8$  with clathrate I structure, synthesis and crystal and electronic structures, **161**, 233
- $\text{SrFe}_2(\text{PO}_4)_2$  and  $\text{Sr}_9\text{Fe}_{1.5}(\text{PO}_4)_7$ , synthesis and characterization, **162**, 113
- $\text{Th}_2(\text{PO}_4)_2\text{HPO}_4 \cdot \text{H}_2\text{O}$ ,  $\text{Th}(\text{OH})\text{PO}_4$ , and  $\text{Th}_2\text{O}(\text{PO}_4)_2$ , hydrothermal synthesis and characterization, **159**, 139
- $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$  and  $\text{Ti}_4(\text{HPO}_4)_2(\text{PO}_4)_4\text{F}_2 \cdot \text{C}_2\text{N}_2\text{H}_{10} \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and structure, **162**, 96
- $\text{VOPO}_4$ , aldehyde intercalation into, **157**, 50
- $\text{ZrP}_2\text{O}_7$ , 3-D incommensurately modulated cubic phase in, symmetry characterization via temperature-dependent electron diffraction, **157**, 186
- Photoactivity
- Pd nanosized clusters deposited on titania-modified mesoporous MCM-41, **162**, 138
- Photoirradiation
- induction of charge transfer processes with spin transition on  $\text{CoFe}(\text{CN})_5\text{NH}_3 \cdot 6\text{H}_2\text{O}$ , **159**, 336
- Photoluminescence spectra
- $\text{Ni}^{2+}$ - and  $\text{Mn}^{2+}$ -doped sol-gel  $\text{SiO}_2$  glass, **160**, 272
  - $\text{SrIn}_2\text{O}_4$  phosphors emitting red light and activated by praseodymium, **156**, 84
- Piezosensors
- $M^{\text{II}}M^{\text{IV}}\text{F}_6$  ( $M^{\text{II}} = \text{Ni}, \text{Pd}, \text{Cu}$ ;  $M^{\text{IV}} = \text{Pd}, \text{Pt}, \text{Sn}$ ), **162**, 333
- Pillaring
- $\text{K}_{1-x}\text{La}_x\text{Ca}_{2-x}\text{Nb}_3\text{O}_{10}$  layered perovskites with  $\text{Fe}_2\text{O}_3$  nanoparticles, **160**, 435
- Piperazine
- manganese phosphate templated by, synthesis and characterization, **156**, 32
- Plasma-spray procedure
- thermal decomposition of hydroxyapatite during, **160**, 460
- Platinum
- $\text{LiCoO}_2$  film fabrication on, in flowing aqueous solutions at  $150^\circ\text{C}$ , **162**, 364
  - Pt complex, intercalation in LDH compounds, **161**, 332
  - $M^{\text{II}}\text{PtF}_6$  ( $M^{\text{II}} = \text{Ni}, \text{Pd}, \text{Cu}$ ), preparation, magnetic properties, and pressure-induced transitions, **162**, 333
- Pnictogenides
- $\text{Li-M-X}$  systems ( $M = \text{V}, \text{Nb}, \text{Ta}$ ;  $X = \text{P}, \text{As}$ ), synthesis and crystal structure, **156**, 37
- Polyarylmethyl polyradicals
- as organic spin clusters, **159**, 460
- Polycondensation
- solid-state, in alkali 4-halogenomethylbenzoates, structural aspects, **156**, 61
- Polymer capping
- effect on  $\text{TiO}_2$  nanoparticles, **158**, 180

## Polymers

molecularly doped system, voltage-dependent luminescence properties, **158**, 242

## Polyoxovanadates

synthesis from aqueous solution, **162**, 315

## Polysomatic series

$(\text{Ba}_8\text{Co}_6\text{O}_{18})_z(\text{Ba}_8\text{Co}_8\text{O}_{24})_\beta$ , new members of, **162**, 322

## Polythermal diagram

Al-Li-Si system, experimental study and thermodynamic calculation, **156**, 506

$\text{H}_2\text{O}(\text{NH}_4)_2\text{HPO}_4-(\text{NH}_4)_2\text{SO}_4$  between 0 and 25°C, **156**, 264

## Potassium

$\text{AlF}_3$ -KF-CsF, ternary phase diagram and compositions for Nocolok flux, **161**, 80

$\text{BaKCu}_3\text{MS}_4$  ( $M = \text{Mn, Co, Ni}$ ), electrical and magnetic properties, **157**, 144

$\text{Bi}_{2.5}\text{K}_{0.5}\text{Nb}_2\text{O}_9$ , crystal structure, powder neutron diffraction study, **157**, 160

effects on amorphous to crystalline phase transition of silica, **161**, 373

hydrogen coinserted hydrated potassium molybdenum bronzes, direct synthesis and characterization, **159**, 87

$\text{K}_4\text{Cd}_2(\text{C}_2\text{O}_4)_4 \cdot 4\text{H}_2\text{O}$ , synthesis, structure, and properties, **162**, 150

$\text{K}_4[\text{Cd}_3(\text{HPO}_4)_4(\text{H}_2\text{PO}_4)_2]$ , synthesis and layered structure, **162**, 188

$\text{K}_{0.2}\text{Co}_{1.4}[\text{Fe}(\text{CN})_6] \cdot 7\text{H}_2\text{O}$ , microstructural changes induced by thermal treatment, **156**, 400

$\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195

$\text{K}_3\text{Ln}_4\text{Cu}_5\text{Te}_{10}$  ( $\text{Ln} = \text{Sm, Gd, Er}$ ), synthesis and structure, **160**, 409

$\text{K}_2\text{In}_{12}\text{Se}_{19}$ , microdomains and diffuse scattering in, **161**, 385

$\text{KIn}(\text{WO}_4)_2$ , phase transitions, vibrational study, **158**, 334

$\text{K}_{1-x}\text{La}_x\text{Ca}_{2-x}\text{Nb}_3\text{O}_{10}$  layered perovskites, pillaring with  $\text{Fe}_2\text{O}_3$  nanoparticles, **160**, 435

$\delta$ - $\text{KMo}_2\text{P}_3\text{O}_{13}$ , revised space groups, **159**, 7

$\text{K}_x\text{Mo}_y\text{W}_{1-y}\text{O}_3$  intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341

$\text{KSmP}_2\text{S}_7$ , structure modification, **160**, 195

$\text{KLnTiO}_4$  ( $\text{Ln} = \text{La, Nd, Sm, Eu, Gd, Dy}$ ), Ruddlesden-Popper phases synthesized by ion exchange of  $\text{HLnTiO}_4$ , **161**, 225

$\text{K}_2\text{TiSi}_6\text{O}_{15}$  with corrugated  $[\text{Si}_6\text{O}_{15}]_\infty$  layers, synthesis and crystal structure, **156**, 135

$\text{K}_2[(\text{UO}_2)_3(\text{IO}_3)_4\text{O}_2]$ , formation, effect of cation, **161**, 416

$\text{LiKSO}_4$ , thermal analysis and X-ray diffraction studies of phase transitions, **148**, 316; comments, **156**, 251, 253

Na/K alloy for reduction of monoalkyl aluminum(III) compounds, **162**, 225

substitution in  $\text{Pb}_5\text{Ta}_{10}\text{O}_{30}$ , effect on ferroelectric properties, **157**, 261

## Potential energy calculations

in structural analysis of 2,5-bis(trimethylsilyl)thiophene-S,S-dioxide and related materials, **161**, 121

## Powder neutron diffraction

$\text{Ag}_2\text{FeMn}_2(\text{PO}_4)_3$  with alluaudite-like structure, **159**, 46

$\text{Bi}_{4.86}\text{Li}_{1.14}\text{O}_9$ , *ab initio* monoclinic structure determination, **162**, 10

$\text{Bi}_{2.5}\text{Me}_{0.5}\text{Nb}_2\text{O}_9$  ( $\text{Me} = \text{Na, K}$ ): crystal structure, **157**, 160

$\text{Bi}_{1.1}\text{Sb}_{0.9}\text{MoO}_6$ , **159**, 72

$\text{Ca}_{0.5}\text{Sr}_{0.5}\text{TiO}_3$  perovskite: space group and structure, **160**, 8

cation-deficient spinels with formula close to  $\text{Li}_2\text{Mn}_4\text{O}_9$ : topotactic reactions, structure, and Li intercalation, **160**, 108

$\text{La}_2\text{Mo}_4\text{O}_{15}$ : *ab initio* crystal structure determination, **159**, 228

$\alpha$ - $\text{La}_2\text{W}_2\text{O}_9$ : *ab initio* structure determination, **159**, 223

$\text{Li}_2\text{FeTi}(\text{PO}_4)_3$  and  $\text{Li}_2\text{FeZr}(\text{PO}_4)_3$ : mixed  $\alpha/\beta$  superstructures, **156**, 305

$\text{Li}_{1-x}\text{Ni}_{1+x}\text{O}_2$ : structural study, **158**, 187

$\text{LiVO}_3$ : analysis of structural disorder and ionic conductivity from 340 to 890 K, **156**, 379

marokite: antiferromagnetic characteristics, **160**, 167

$\text{Pd}_3\text{Mn}$  and  $\text{Pd}_3\text{MnD}_{0.7}$  at high pressure: analysis of magnetic structures, **161**, 93

$(\text{Sr}_{1-x}\text{Ca}_x)\text{TiO}_3$  with composition ( $x$ ): evolution of crystallographic phases, **162**, 20

$\text{Sr}_2\text{Fe}_2\text{O}_5$ : crystal and magnetic structures at elevated temperatures, **156**, 292

$\text{Sr}(\text{HC}_2\text{O}_4) \cdot 1/2(\text{C}_2\text{O}_4) \cdot \text{H}_2\text{O}$ , **157**, 283

$(\text{Sr}_{1-x}\text{La}_{1+x})\text{Zn}_{1-x}\text{O}_{3.5-x/2}$  ( $0.01 \leq x \leq 0.03$ ), **159**, 19

uniaxial orientational order-disorder transitions in  $\text{Mg}(\text{ND}_3)_2\text{Br}_2$  and  $\text{Mg}(\text{ND}_3)_2\text{Cl}_2$ , **156**, 487

Powder X-ray diffraction, *see also* Synchrotron powder X-ray diffraction  $\text{ReB}_{2.2}\text{C}_2\text{N}$  ( $\text{Re} = \text{Y, Ho, Er, Tm, Lu}$ ), **159**, 174

$\text{Bi}_{1.1}\text{Sb}_{0.9}\text{MoO}_6$ , **159**, 72

2,5-bis(trimethylsilyl)thiophene-S,S-dioxide and related materials, **161**, 121

calcium-deficient carbonated hydroxyapatite, **160**, 340

$\text{CdTeMoO}_6$  and  $\text{CoTeMoO}_6$ : fluorite-type superstructure with cation and anion deficiencies ( $\blacksquare\text{CoTeMo}(\square_2\text{O}_6)$ ), **160**, 401

$\text{CsBSe}_3$ , **157**, 206

germanium pyrophosphates, **156**, 213

$\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, **162**, 195

$\text{K}_2\text{TiSi}_6\text{O}_{15}$  with corrugated  $[\text{Si}_6\text{O}_{15}]_\infty$  layers, **156**, 135

$\text{La}_2\text{Mo}_4\text{O}_{15}$ : *ab initio* crystal structure determination, **159**, 228

$\alpha$ - $\text{La}_2\text{W}_2\text{O}_9$ : *ab initio* structure determination, **159**, 223

$\text{LiAlB}_2\text{O}_5$ : *ab initio* structure determination, **156**, 181

Li-Fe-Mn-O spinel solid solutions, **161**, 152

$\text{Li}_x\text{Ni}_{0.70}\text{Fe}_{0.15}\text{Co}_{0.15}\text{O}_2$  system, **159**, 103

$\text{Li}_2\text{Zn}(\text{HPO}_4)_2 \cdot 0.66\text{H}_2\text{O}$ , **162**, 29

$\text{Mg}_{1-x}\text{Cu}_{2+x}\text{O}_3$  ( $0.130 \leq x \leq 0.166$ ), **160**, 251

$\text{MgPd}_2$ ,  $\text{MgPd}_3$ , and  $\text{Mg}_3\text{Pd}_5$ , **159**, 113

$\alpha$ - $\text{MnO}_2$  open tunnel oxide precipitated by ozone oxidation, **159**, 94; *erratum*, **160**, 292

$\text{Na}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, **162**, 195

$\text{Na}_3\text{Fe}(\text{PO}_4)_2$ : glaserite-like structure, **160**, 377

$M[\text{N}(\text{CN})_2]_2$  ( $M = \text{Mg, Ca, Sr, Ba}$ ), **157**, 241

$\text{Ni}_{1+x}\text{Se}_2$  *CdI\_2/NiAs* type solid solution phase, **161**, 266

$\text{Ni}_{1+x}\text{Sn}$  ( $0.35 < x < 0.45$ ) *NiAs/Ni\_2In*-type phase with incommensurate occupational ordering of Ni, **159**, 191

$\text{Ni}_{1+x}\text{Te}_2$  *CdI\_2/NiAs* type solid solution phase, **161**, 266

nonstoichiometric rutile-type solid solutions in  $\text{Fe}^{\text{II}}\text{F}_2$ - $\text{Fe}^{\text{III}}\text{OF}$  system, **161**, 31

order-disorder transition in  $(\text{Cu}_{0.5}\text{Cr}_{0.5})\text{Sr}_2\text{CuO}_x$  under high-pressure and high-temperature conditions, **161**, 348

$\text{RbBSe}_3$ , **157**, 206

rhodamine B in lactone form, **156**, 325

$\text{SbSb}_x\text{M}_{1-x}\text{O}_4$  ( $M = \text{Nb}^{\text{V}}, \text{Ta}^{\text{V}}$ ), **161**, 57

$\text{Sr}_{1-x}\text{Ba}_x\text{ZrO}_3$ , effects of temperature and composition, **161**, 106

$(\text{Sr}_{1-x}\text{Ca}_x)\text{TiO}_3$  with composition ( $x$ ): evolution of crystallographic phases, **162**, 20

$\text{Sr}(\text{HC}_2\text{O}_4) \cdot 1/2(\text{C}_2\text{O}_4) \cdot \text{H}_2\text{O}$ , **157**, 283

$(\text{Sr}_{1-x}\text{La}_{1+x})\text{Zn}_{1-x}\text{O}_{3.5-x/2}$  ( $0.01 \leq x \leq 0.03$ ), **159**, 19

$\text{Sr}_7\text{Re}_4\text{O}_{19}$ , **160**, 45

$\text{Th}_2(\text{PO}_4)_2\text{HPO}_4 \cdot \text{H}_2\text{O}$ ,  $\text{Th}(\text{OH})\text{PO}_4$ , and  $\text{Th}_2\text{O}(\text{PO}_4)_2$ , **159**, 139

$\text{TlBSe}_3$ , **157**, 206

$\text{ZrO}_2$  crystallization in sol-gel system, **158**, 349

## Praseodymium

$\text{BaPr}_2\text{MS}_5$  ( $M = \text{Co, Zn}$ ), crystal structure and magnetic properties, **159**, 163

$\text{La}_{1-x}\text{Pr}_x\text{CrO}_3$ , magnetic properties, **162**, 84

$\text{Pr}^{4+}$  ions doped in  $\text{BaHfO}_3$  perovskite, EPR study, **156**, 203

- Pr<sub>0.5</sub>Ca<sub>0.5</sub>Mn<sub>0.99</sub>Cr<sub>0.01</sub>O<sub>3</sub>, resistivity under magnetic field, increase by thermal cycling, **160**, 1
- PrCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255
- Pr<sub>3</sub>T<sub>2</sub>N<sub>6</sub> (*T* = Ta,Nb), synthesis, structure, and magnetic properties, **162**, 90
- Pr<sub>1.33</sub>Na<sub>0.66</sub>Mn<sub>0.66</sub>Ti<sub>1.33</sub>O<sub>6</sub>, conductivity and magnetic properties, **161**, 294
- [(*n*Pr<sub>4</sub>N)(Me<sub>3</sub>Sn)<sub>2</sub>Ir(CN)<sub>6</sub>·2H<sub>2</sub>O] and [(*n*Pr<sub>4</sub>P)(Me<sub>3</sub>Sn)<sub>2</sub>Co(CN)<sub>6</sub>·2H<sub>2</sub>O], crystal structures, **157**, 324
- PrBO<sub>3</sub> (*B* = Dy–Lu) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell structure, **156**, 1
- Pr<sub>0.7–x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> perovskites, physical properties, effect of Pr deficiency, **156**, 68
- PrTi<sub>0.5</sub>V<sub>0.5</sub>O<sub>3</sub>, magnetic properties, **156**, 452
- SrIn<sub>2</sub>O<sub>4</sub> red-emitting phosphors activated by, luminescent properties, **156**, 84
- Pressure
- electronic transition induced by, in *M*<sup>II</sup>*M*<sup>IV</sup>F<sub>6</sub> (*M*<sup>II</sup> = Ni,Pd,Cu; *M*<sup>IV</sup> = Pd,Pt,Sn), **162**, 333
  - induction of phase transitions in CdGa<sub>2</sub>Se<sub>4</sub>, **160**, 205
  - lattice distortion in perovskite La<sub>0.5–x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (*x* = 0.1,0.15,0.2) under high pressure, **160**, 307
- Principal component analysis
- modeling structure–property relationships of superconductive cuprates, **162**, 1
- Propionaldehyde
- intercalation into VOPO<sub>4</sub>, **157**, 50
- Prussian blue
- analogue Mn<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·12H<sub>2</sub>O, relationship to [Mn(*L*)<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·*n*H<sub>2</sub>O (*L* = ethylenediamine, *n* = 4; *L* = glycine amide, *n* = 2.5), **159**, 328
  - related building blocks for self-assembly of molecular magnets, **159**, 262
- Pseudo-fcc cell
- Bi<sub>3.5</sub>V<sub>1.2</sub>O<sub>8.25</sub> superstructure based on, **161**, 410
- Pulsed laser deposition
- PZT pyrochlore thin films on CeO<sub>2</sub> buffered R-plane sapphire substrates, **158**, 40
  - transparent conducting In<sub>2</sub>O<sub>3</sub>–ZnO thin films made by, structures and textures, TEM study, **158**, 119
- Pyrazine
- [*M*(dicyanamide)<sub>2</sub>pyrazine] (*M* = Mn,Fe,Co,Ni,Zn), synthesis, structural isomerism, and magnetism, **159**, 352
- Pyridine-iminonitroxide radical
- [Cr(CN)<sub>6</sub>]<sub>2</sub>[Ni(IM2-py)<sub>2</sub>]<sub>3</sub>·7H<sub>2</sub>O pentanuclear complexes, characterization and magnetic properties, **159**, 302
- Pyrochlores
- Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub>, sol–gel synthesis in alkaline medium, **161**, 379
  - (H<sub>2</sub>O)[V<sup>III</sup>F<sub>6</sub>] and Pyr-VF<sub>3</sub>, hydrothermal synthesis, structure, and magnetic characterization, **162**, 266
  - A<sub>2</sub>B<sub>2</sub>O<sub>7</sub> transformation to fluorite structure AO<sub>2</sub>, Raman spectroscopy and defect chemistry modeling, **160**, 25
  - Pb<sub>2</sub>(M<sub>2–y</sub>Pb<sub>y</sub>)O<sub>7–δ</sub> (0.0 < *y* < 0.8; *M* = Nb,Ta), X-ray structure refinements and strain analysis, **156**, 207
  - PZT pyrochlore metastable phase, support-promoted stabilization by epitaxial thin film growth, **158**, 40
  - Sn<sub>2</sub>Nb<sub>2</sub>O<sub>7</sub>, synthesis and characterization, **156**, 349
  - strain-driven phase transition to defect fluorite in rare earth sesquioxide-stabilized cubic zirconias, **159**, 121
  - structural relationship to In(Fe<sub>1–x</sub>Ti<sub>x</sub>)O<sub>3+x/2</sub>: at 1300°C in air, **157**, 13
- Pyrolysis
- microporous materials prepared by, mechanical stability and resistance, estimation, **160**, 13
- Q
- Quadrupole hyperfine interaction
    - at <sup>181</sup>Ta in SrHfO<sub>3</sub>, temperature dependence, **159**, 1
  - Quantum ferroelectrics
    - (Sr<sub>1–x</sub>Ca<sub>x</sub>)TiO<sub>3</sub>, **162**, 20
  - Quantum size effect
    - TiO<sub>2</sub> nanoparticles, **158**, 180
  - Quantum tunneling
    - effects in single-molecule magnets, determination, **159**, 253
- R
- Raman spectroscopy
    - CdBa<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>2</sub>, **161**, 97
    - Ce<sub>1–x</sub>Bi<sub>x</sub>VO<sub>4</sub> solid solutions, **158**, 254, 264
    - Ce<sub>1–x</sub>Ca<sub>x</sub>VO<sub>4–x</sub> (0 ≤ *x* ≤ 0.41) solid solutions, **158**, 264
    - Ce<sub>1–x</sub>M<sub>x</sub>VO<sub>4–0.5x</sub> (*M* = Pb,Sr,Ca) solid solutions, **158**, 254
    - α-Co<sub>2</sub>SiO<sub>4</sub>–α-Ni<sub>2</sub>SiO<sub>4</sub>, **157**, 102
    - CsBSe<sub>3</sub>, **157**, 206
    - CsH<sub>3</sub>(AsO<sub>4</sub>)<sub>2</sub>, **161**, 9
    - N,N'*-dimethylpiperazinium(2+) hydrogen selenite, **161**, 312
    - β-Ga<sub>2</sub>O<sub>3</sub>–In<sub>2</sub>O<sub>3</sub> conducting solid solutions with composition gradients formed by laser impact, **157**, 94
    - hydrogen coinserted hydrated sodium and potassium molybdenum bronzes, **159**, 87
    - KIn(WO<sub>4</sub>)<sub>2</sub>, **158**, 334
    - mono-*L*-valinium nitrate, **158**, 1
    - M*[N(CN)<sub>2</sub>]<sub>2</sub> (*M* = Mg,Ca,Sr,Ba), **157**, 241
    - Nd<sub>1–x</sub>Ca<sub>x</sub>CrO<sub>4</sub> (*x* = 0.02–0.20), Cr<sup>V</sup>–Cr<sup>VI</sup> mixed valence compounds, **156**, 370
    - [Nd(XeF<sub>2</sub>)<sub>*n*</sub>](AsF<sub>6</sub>)<sub>3</sub> (*n* = 3,2.5), **162**, 243
    - PbSnS<sub>3</sub> nanorods prepared via iodine transport hydrothermal method, **160**, 50
    - pyrochlore A<sub>2</sub>B<sub>2</sub>O<sub>7</sub> transformation to fluorite structure AO<sub>2</sub>, **160**, 25
    - RbBSe<sub>3</sub>, **157**, 206
    - TiBSe<sub>3</sub>, **157**, 206
    - WO<sub>3–x</sub> phases leading to WS<sub>2</sub> formation, **162**, 300
  - Rare earths
    - rare earth sesquioxide-stabilized cubic zirconias, strain-driven pyrochlore to defect fluorite phase transition, **159**, 121
  - Reactive plasma process
    - reaction of TiAl intermetallics with nitrogen plasma, **157**, 339
  - Reduction
    - in mechanochemical synthesis of Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>, **160**, 444
    - Mg–Fe–O and Mg–Fe–Al–O complex oxides, analysis by TPR and *in situ* Mössbauer spectroscopy, **161**, 38
    - monoalkyl aluminum(III) compounds, Na/K alloy for, **162**, 225
  - Relativistic effects
    - in β-PbO and other lead(II) oxides: quantum *ab initio* explanation of <sup>207</sup>Pb NMR and XANES spectra, **157**, 220
  - Relaxor behavior
    - generation by cationic substitutions in Pb<sub>5</sub>Ta<sub>10</sub>O<sub>30</sub>, **157**, 261
  - Relaxor ferroelectrics
    - lead-free, solid state chemistry, **162**, 260
  - Resonance effects
    - in nonlinear susceptibilities of Co<sub>3</sub>BTCA<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>, **159**, 379
  - Reverse micelle method
    - (Fe@Au) nanoparticle synthesis, **159**, 26
  - Rhenium
    - Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2–x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol–gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
    - Re<sub>3</sub>O<sub>10</sub>, preparation and crystal structure, **160**, 317

- Sr<sub>7</sub>Re<sub>4</sub>O<sub>19</sub>, preparation, crystal structure, magnetic properties, and relationship to Ba<sub>7</sub>Ir<sub>6</sub>O<sub>19</sub> structure, **160**, 45
- Rhodamine B  
lactone form, synthesis, characterization, and crystal structure, **156**, 325
- Rhodium  
CeRhIn<sub>5</sub> heavy fermion materials, crystal growth and intergrowth structure, **158**, 25  
Rh/SiO<sub>2</sub> sol-gel, properties of, effects of pH and metal loading, **158**, 154  
TRh<sub>2</sub>Zn<sub>20</sub> (*T* = Zr, Hf, Nb) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- Rubidium  
β-RbB<sub>5</sub>O<sub>8</sub>, crystal structure, **161**, 205  
RbBSe<sub>3</sub>, synthesis, crystal structure, and properties, **157**, 206  
Rb<sub>2</sub>CdSiO<sub>4</sub>, synthesis and crystal structure, **162**, 214  
(RbCl)<sub>108</sub> clusters, crystal nucleation at 600, 550, and 500 K, molecular dynamics studies, **159**, 10  
Rb<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> (*Ln* = Nd, Gd), synthesis and structure, **160**, 409  
RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299  
Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, synthesis, structure, and physical properties, **158**, 299  
RbLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> layered perovskites, structure, **158**, 290  
RbNd<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
Rb<sub>1.12</sub>(NH<sub>4</sub>)<sub>0.88</sub>SO<sub>4</sub> · Te(OH)<sub>6</sub>, thermal analysis and crystal structure at 435 K, **161**, 1  
RbNO<sub>3</sub>, structural phase transitions, molecular dynamics simulation, **160**, 222  
Rb[*A*<sub>3</sub>*B*<sub>3</sub>O<sub>10</sub>] (*A* = Sr, Ba; *B* = Nb, Ta) Dion-Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279  
Rb<sub>3</sub>O<sub>2</sub>(MoO)<sub>4</sub>(PO<sub>4</sub>)<sub>4</sub>, revised space groups, **159**, 7  
Rb<sub>3</sub>P<sub>6</sub>N<sub>11</sub>, high-pressure high-temperature synthesis and crystal structure, **156**, 390  
RbSm<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
Rb<sub>2</sub>[(UO<sub>2</sub>)<sub>3</sub>(IO<sub>3</sub>)<sub>4</sub>O<sub>2</sub>], formation, effect of cation, **161**, 416  
RbUSb<sub>0.33</sub>Te<sub>6</sub>, infinite [Te<sub>x</sub>]<sup>n-</sup> chains in, periodic modulations, **161**, 17
- Ruddlesden-Popper phases  
KLnTiO<sub>4</sub> (*Ln* = La, Nd, Sm, Eu, Gd, Dy), synthesized by ion exchange of HLnTiO<sub>4</sub>, **161**, 225  
La<sub>2-x</sub>Ca<sub>1+2x</sub>Mn<sub>2</sub>O<sub>7</sub>, electron-doped layered phase, TEM study, **157**, 309
- Ruthenium  
Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub> 6H-perovskite, crystal structure and magnetic properties, **161**, 113  
Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> pyrochlore oxide, sol-gel synthesis in alkaline medium, **161**, 379  
Ca<sub>2-x</sub>Sr<sub>x</sub>RuO<sub>4</sub>, synthesis and single-crystal growth, **156**, 26  
oxidation state in La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, determination by XANES measurements, **156**, 194  
R<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub> (*R* = Y, Gd-Er), preparation, properties, and crystal structure, **160**, 77  
Ln<sub>3</sub>RuO<sub>7</sub> (*Ln* = Sm, Eu), magnetic and thermal properties, **158**, 245  
[M<sup>III</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>] (M<sup>III</sup> = Mn, Fe, Co, Cu, Zn), and decamethylmetalocenium cations, layered molecule-based magnets formed by, **159**, 391  
TRu<sub>2</sub>Zn<sub>20</sub> (*T* = Zr, Hf, Nb) with CeCr<sub>2</sub>Al<sub>20</sub>-type structure, **161**, 288
- S
- Samarium  
BaZnCl<sub>4</sub>-II:Sm<sup>2+</sup>, crystal structure, thermal behavior, and luminescence, comparison to BaZnCl<sub>4</sub>-I:Sm<sup>2+</sup>, **162**, 237  
CsSm<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
[Cu<sub>12</sub>Sm<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub> · 12H<sub>2</sub>O, synthesis and characterization, **161**, 214  
K<sub>3</sub>Sm<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, synthesis and structure, **160**, 409  
KSmp<sub>2</sub>S<sub>7</sub>, structure modification, **160**, 195  
KSmTiO<sub>4</sub>, Ruddlesden-Popper phases synthesized by ion exchange of HLnTiO<sub>4</sub>, **161**, 225  
NaSmP<sub>2</sub>S<sub>6</sub>, structure modification, **160**, 195  
RbSm<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
Sm-123 high-temperature superconductor doped with Al, structure of Al defect in, electron density study, **161**, 396  
SmCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
SmCrO<sub>4</sub>, magnetic and crystallographic properties, **160**, 362  
SmOF-SmF<sub>3</sub> systems, anion-excess fluorite-related phases in, characterization and defect structure, **157**, 134  
Sm<sub>3</sub>RuO<sub>7</sub>, magnetic and thermal properties, **158**, 245  
Sm<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>, type K structure at high pressure, **161**, 166
- Scandium  
ScB<sub>19+x</sub>Si<sub>y</sub>, floating zone crystal growth and structure analysis, **160**, 394  
ScCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
Sr<sub>2</sub>ScBiO<sub>6</sub>, synthesis and crystal structure, **162**, 142
- Scanning electron microscopy  
Aurivillius oxides with *n* = 1 produced by mechanochemical activation, **160**, 54  
chemical degradation of thermally treated ferrite-superconductor multiphase materials, **160**, 332  
Th<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub> · H<sub>2</sub>O, Th(OH)PO<sub>4</sub>, and Th<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, **159**, 139  
ZrO<sub>2</sub> crystallization in sol-gel system, **158**, 349
- Sealed quartz tube synthesis  
Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors, **161**, 355
- Second-harmonic generating properties  
SbSb<sub>x</sub>M<sub>1-x</sub>O<sub>4</sub> (*M* = Nb<sup>V</sup>, Ta<sup>V</sup>), **161**, 57
- Seebeck coefficient  
Bi<sub>2-x</sub>In<sub>x</sub>Se<sub>3</sub> single crystals, **160**, 474
- Selenium  
Ag<sub>2</sub>Se nanoparticles, synthesis by laser-solid-liquid ablation, **160**, 430  
Bi<sub>2-x</sub>In<sub>x</sub>Se<sub>3</sub> single crystals, transport properties, **160**, 474  
binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184  
CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, metal ion distribution and magnetic properties, **158**, 34  
CdGa<sub>2</sub>Se<sub>4</sub>, pressure-induced phase transitions, **160**, 205  
Cd(VO<sub>2</sub>)<sub>4</sub>(SeO<sub>3</sub>)<sub>3</sub> · H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **161**, 23  
CsBSe<sub>3</sub>, synthesis, crystal structure, and properties, **157**, 206  
CsGd<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299  
CsLa<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
CsSm<sub>2</sub>CuSe<sub>4</sub>, synthesis, structure, and physical properties, **158**, 299  
CsTb<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299  
CuSe and Cu<sub>3</sub>Se<sub>2</sub> thin films, chemical deposition and characterization, **158**, 49  
*N,N'*-dimethylpiperazinium(2+) hydrogen selenite, preparation, crystal structure, vibrational spectra, and thermal behavior, **161**, 312  
Gd<sub>4</sub>TiSe<sub>4</sub>O<sub>4</sub>, crystal structure and magnetic properties, **162**, 182  
K<sub>2</sub>In<sub>12</sub>Se<sub>19</sub>, microdomains and diffuse scattering in, **161**, 385  
La<sub>4</sub>Ti<sub>2</sub>O<sub>4</sub>Se<sub>5</sub> and La<sub>6</sub>Ti<sub>3</sub>O<sub>5</sub>Se<sub>9</sub>, syntheses and crystal structures, **157**, 289  
(ND<sub>4</sub>)<sub>4</sub>D<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub> and (NH<sub>4</sub>)<sub>4</sub>H<sub>2</sub>(SeO<sub>4</sub>)<sub>3</sub>, crystal structure below 180 K, **160**, 189  
Ni<sub>1+x</sub>Se<sub>2</sub> CdI<sub>2</sub>/NiAs type solid solution phase, electron and X-ray diffraction, **161**, 266  
Ni<sub>6±x</sub>Se<sub>5</sub>, incommensurate interface modulated structure, **162**, 122  
RbBSe<sub>3</sub>, synthesis, crystal structure, and properties, **157**, 206  
*TPnSe* (*T* = Ni, Pd; *Pn* = P, As, Sb), preparation and crystal structure, **162**, 69  
SrBi<sub>2</sub>Se<sub>4</sub>, synthesis and characterization, **156**, 230  
TiBSe<sub>3</sub>, synthesis, crystal structure, and properties, **157**, 206  
TiCr<sub>5</sub>S<sub>8-y</sub>Se<sub>y</sub> (*y* = 1-7), spin-glass behavior mediated by nonmagnetic sublattice, **158**, 198



## Semiconductors

- BaCu<sub>2</sub>Te<sub>2</sub>, structure and properties, **156**, 44  
 CdGa<sub>2</sub>Se<sub>4</sub>, pressure-induced phase transitions, **160**, 205  
 Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, synthesis and crystal structure, **161**, 129  
 Ln<sub>1.33</sub>Na<sub>x</sub>Mn<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub> (*Ln* = Pr, *x* = 0.66; *Ln* = Nd, *x* = 0.66,0.55), conductivity and magnetic properties, **161**, 294

## Silicon

## Al-Li-Si system

- Li<sub>8</sub>Al<sub>3</sub>Si<sub>5</sub>-type structure and ternary solid-state phase equilibria, **156**, 500  
 polythermal equilibria, experimental study and thermodynamic calculation, **156**, 506

BaCu<sub>2</sub>(Si<sub>1-x</sub>Ge<sub>x</sub>)<sub>2</sub>O<sub>7</sub>, spin-1/2 quantum antiferromagnetic chains with tunable superexchange interactions in, **156**, 101

$\alpha$ -Co<sub>2</sub>SiO<sub>4</sub>- $\alpha$ -Ni<sub>2</sub>SiO<sub>4</sub>, vibrational spectroscopic study, **157**, 102

Cs<sub>2</sub>CoSiO<sub>4</sub> and Cs<sub>5</sub>CoSiO<sub>6</sub>, synthesis, crystal structure, and properties, **162**, 204

Cu<sub>5.52(8)</sub>Si<sub>1.04(8)</sub>□<sub>1.44</sub>Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub> thiospinel, crystal structure, Mössbauer studies, and electrical properties, **161**, 327

Dy<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1

electrochemically cycled SnO<sub>2</sub>-lithium thin-film battery doped with, microstructural evolution, **160**, 388

K<sub>2</sub>TiSi<sub>6</sub>O<sub>15</sub> with corrugated [Si<sub>6</sub>O<sub>15</sub>] <sub>$\infty$</sub>  layers, synthesis and crystal structure, **156**, 135

Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell structure, **156**, 1

Rb<sub>2</sub>CdSiO<sub>4</sub>, synthesis and crystal structure, **162**, 214

Rh/SiO<sub>2</sub> sol-gel, properties of, effects of pH and metal loading, **158**, 154

ScB<sub>1.9+x</sub>Si<sub>y</sub>, floating zone crystal growth and structure analysis, **160**, 394

A<sub>5</sub>Si<sub>3</sub> (*A* = Ca, Sr, Ba, Eu) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149

Si-Al nanocomposite with hexagonal structure, synthesis and characterization, **158**, 134

SiC, Hi-Nicalon fibers, multilayered BN coating deposition onto, via continuous LPCVD treatment, **162**, 358

SiO<sub>2</sub>

amorphous to crystalline phase transition, effects of alkali ions, **161**, 373

fused, kinetics of reduction in hydrogen, flow and diffusion analysis, **160**, 247

sol-gel glass doped with Ni<sup>2+</sup> and Mn<sup>2+</sup>, defects and photoluminescence, **160**, 272

xerogels, modification by fluoride ion-catalyzed treatment, **162**, 371

REE<sub>2</sub>Si<sub>2</sub>O<sub>7</sub> (*REE* = Nd, Sm, Eu, Gd), type K structure at high pressure, **161**, 166

Si-Ti and Si-Zr nanocomposites with lamellar structure, synthesis and characterization, **158**, 134

Tb<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1

U<sub>3</sub>M<sub>2</sub>Si<sub>3</sub> (*M* = Al, Ga), magnetotransport and heat capacity, **158**, 227

Y<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1

ZrO<sub>2</sub>-SiO<sub>2</sub>, crystallization in, **158**, 349

## Silver

Ag<sup>+</sup>, low coordination in chalcogenide environments, **160**, 212

AgCuO<sub>2</sub>, synthesis, crystal structure, and structural relationships with CuO and Ag<sup>I</sup>Ag<sup>III</sup>O<sub>2</sub>, **162**, 220

Ag<sub>2</sub>Cu<sub>2</sub>O<sub>3</sub>, high-pressure synthesis and electrochemistry, **158**, 82

Ag<sub>2</sub>FeMn<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub> with alluaudite-like structure, neutron diffraction, Mössbauer spectrum, and magnetic behavior, **159**, 46

REAgMg (*RE* = La, Ce, Nd, Eu, Gd, Tb, Ho, Tm, Yb), synthesis and crystal structures, **161**, 67

Ag<sub>2</sub>S film, epitaxial growth on cleaved surface of MgO(001), **157**, 86

Ag<sub>2</sub>Se nanoparticles, synthesis by laser-solid-liquid ablation, **160**, 430

Ag<sub>2</sub>Te and Ag<sub>7</sub>Te<sub>4</sub> nanocrystals, sonochemical synthesis, **158**, 260

binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184

CsGd<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299

CsTb<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299

## Size effect

boehmite crystallite, relationship to bond length, **159**, 32

V<sub>2</sub>O<sub>5</sub> nanocrystal preparation and properties, **159**, 181

## Small-angle X-ray scattering

alkali ion effects on amorphous to crystalline phase transition of silica, **161**, 373

## Small polaron

La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, **159**, 215

## Sodium

Bi<sub>2.5</sub>Na<sub>0.5</sub>Nb<sub>2</sub>O<sub>9</sub>, crystal structure, powder neutron diffraction study, **157**, 160

effects on amorphous to crystalline phase transition of silica, **161**, 373

hydrogen coinserted hydrated sodium molybdenum bronzes, direct synthesis and characterization, **159**, 87

ionic conductivity in Nasicon structures, modeling, **156**, 154

Li<sub>2</sub>NaV<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, 3.7-V lithium-insertion cathode with rhombohedral NASICON structure, **162**, 176

NaCa<sub>2</sub>GeO<sub>4</sub>F, synthesis and structure, **160**, 33

Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, synthesis by calcium insertion in Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, **162**, 34

Na<sub>4</sub>Cd<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>4</sub>·4H<sub>2</sub>O, synthesis, structure, and properties, **162**, 150

Na<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>Si<sub>12</sub> one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195

Na<sub>3</sub>Fe(PO<sub>4</sub>)<sub>2</sub>, glaserite-like structure, **160**, 377

Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, synthesis and crystal structure, **161**, 129

NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O, synthesis and crystal structure, **156**, 415

Na<sub>2</sub>In<sub>2</sub>[PO<sub>3</sub>(OH)]<sub>4</sub>·H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **157**, 213

Na/K alloy for reduction of monoalkyl aluminum(III) compounds, **162**, 225

NaLa<sub>6</sub>(Os)<sub>12</sub>, synthesis and structure, **161**, 161

NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub>·*x*H<sub>2</sub>O (*x* = 2,0,9,0) layered perovskites, structure, **158**, 290

Na<sub>2</sub>MgInF<sub>7</sub>, crystal structure, **159**, 234

Na<sub>x</sub>MnO<sub>2+ $\delta$</sub> , synthesis by reduction of aqueous sodium permanganate with sodium iodide, **156**, 331

Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> tunnel structure, calcium insertion in, **162**, 34

Ln<sub>1.33</sub>Na<sub>x</sub>Mn<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub> (*Ln* = Pr, *x* = 0.66; *Ln* = Nd, *x* = 0.66,0.55), conductivity and magnetic properties, **161**, 294

Na<sub>2</sub>NbF<sub>6</sub>-(Nb<sub>6</sub>Br<sub>4</sub>F<sub>11</sub>), synthesis and crystal structure, **158**, 327

Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, synthesis and crystal structure, **156**, 415

Na<sub>2</sub>M<sub>3</sub>Sb<sub>4</sub> (*M* = Sr, Ba), synthesis, structure, and properties, **162**, 327

NaSmP<sub>2</sub>S<sub>6</sub>, structure modification, **160**, 195

NaYbP<sub>2</sub>S<sub>6</sub>, structure modification, **160**, 195

NaYFPO<sub>4</sub>, hydrothermal synthesis and crystal structure, **157**, 8

## Sodium iodide

reduction of aqueous sodium permanganate, in synthesis of Na<sub>x</sub>MnO<sub>2+ $\delta$</sub> , **156**, 331

## Sodium permanganate

aqueous, reduction with sodium iodide, in synthesis of Na<sub>x</sub>MnO<sub>2+ $\delta$</sub> , **156**, 331

## Sol-gel synthesis

Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> pyrochlore oxide in alkaline medium, **161**, 379

Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+ $\delta$</sub>  superconductors, **161**, 355

Li-Fe-Mn-O spinel solid solutions, **161**, 152

rhodamine B in lactone form, **156**, 325

Rh/SiO<sub>2</sub> prepared by, properties of, effects of pH and metal loading, **158**, 154

TiO<sub>2</sub> nanocrystalline ultrafine powder, **156**, 220

## Solid solutions

Bi<sub>1-x</sub>Cr<sub>x</sub>O<sub>1.5+1.5x</sub> (0.05 ≤ *x* ≤ 0.15), high-temperature solution with 3D incommensurate modulation, **156**, 168

- Bi<sub>4.86</sub>Li<sub>1.14</sub>O<sub>9</sub>-related, characterization, **162**, 10
- Bi<sub>2-x</sub>Sb<sub>x</sub>MoO<sub>6</sub>: structure refinement of Bi<sub>1.1</sub>Sb<sub>0.9</sub>MoO<sub>6</sub>, **159**, 72
- Ce<sub>1-x</sub>Bi<sub>x</sub>VO<sub>4</sub> and Ce<sub>1-x</sub>M<sub>x</sub>VO<sub>4-0.5x</sub> (*M* = Pb,Sr,Ca), Raman and IR spectroscopy, **158**, 254
- β-Ga<sub>2</sub>O<sub>3</sub>-In<sub>2</sub>O<sub>3</sub>, with composition gradients, formation by laser impact, **157**, 94
- In(Fe<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3+x/2</sub>, orthorhombic phase with 0.50 ≤ *x* ≤ 0.69 and monoclinic phase with 0.73 ≤ *x* ≤ 0.75 at 1300°C in air, synthesis and crystal structures, **157**, 13
- La-Ca-Mn-O system, phase equilibrium, **156**, 237
- LaOX (*X* = Cl,Br), synthesis and lattice parameters, **160**, 469
- Li-Fe-Mn-O spinels, preparation and characterization, **161**, 152
- Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> (0.130 ≤ *x* ≤ 0.166), synthesis and crystal structure, **160**, 251
- Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, structure and magnetic properties, **159**, 362
- Ni<sub>6±x</sub>Se<sub>5</sub>, incommensurate interface modulated structure, **162**, 122
- nonstoichiometric rutile-type, in Fe<sup>II</sup>F<sub>2</sub>-Fe<sup>III</sup>OF system, **161**, 31
- PbZr<sub>x</sub>Ti<sub>1-x</sub>O<sub>3</sub>, enthalpies of formation, **161**, 402
- SbSb<sub>x</sub>M<sub>1-x</sub>O<sub>4</sub> (*M* = Nb<sup>V</sup>,Ta<sup>V</sup>), behavior and second-harmonic generating properties, **161**, 57
- Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub> (*x* = 0.2-0.8), transport properties and thermal expansion, **156**, 437
- SrTiO<sub>3</sub>-SrZrO<sub>3</sub>, crystal structure and phase transitions, **156**, 255
- LnTi<sub>0.5</sub>V<sub>0.5</sub>O<sub>3</sub> (*Ln* = Ce,Pr), magnetic properties, **156**, 452
- W<sub>x</sub>Mo<sub>(1-x)</sub>S<sub>2</sub>, lamellar, two cation disulfide layers in, **160**, 147
- Solvothermal synthesis
- fluoroaluminophosphate chain AlPO-CJ10, **161**, 259
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] (*x* = 1.65), **159**, 59
- Ni(HP<sub>2</sub>O<sub>7</sub>)F·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub> with chain structure, **158**, 68
- noncluster vanadium(IV) coordination polymers, **160**, 118
- Sonochemical synthesis
- Ag<sub>2</sub>Te and Ag<sub>7</sub>Te<sub>4</sub> nanocrystals, **158**, 260
- Space group
- Ca<sub>0.5</sub>Sr<sub>0.5</sub>TiO<sub>3</sub> perovskite, **160**, 8
- Specific heat
- Ba<sub>3</sub>NdRu<sub>2</sub>O<sub>9</sub> 6H-perovskite, **161**, 113
- κ-(BETS)<sub>2</sub>FeCl<sub>4</sub>, **159**, 407
- LnCrO<sub>4</sub> (*Ln* = Nd,Sm,Dy), **160**, 362
- EuPd<sub>3</sub>S<sub>4</sub>, **157**, 117
- ABO<sub>3</sub> (*A* = La-Nd; *B* = Dy-Lu) interlanthanide perovskites, **157**, 173
- Ln<sub>3</sub>RuO<sub>7</sub> (*Ln* = Sm,Eu), **158**, 245
- Spectroscopy
- Cs<sub>2</sub>CoSiO<sub>4</sub> and Cs<sub>5</sub>CoSiO<sub>6</sub>, **162**, 204
- Spin crossover
- cobaltites(III) and cobaltites(IV) with perovskite or related structure, **162**, 282
- 1,3,5-trithia-2,4,6-triazapentalenyl crystals, comparison with room-temperature, magnetic bistability, **159**, 451
- Spin dimer analysis
- anisotropic spin exchange interaction in CuM<sub>2</sub>O<sub>6</sub> (*M* = Sb,V,Nb), **156**, 110
- antiferromagnetic spin exchange interactions of magnetic solids with several unpaired electrons per spin site, **156**, 464
- Spinel
- cation-deficient, with formula close to Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>, topotactic reactions, structure, and Li intercalation, **160**, 108
- CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub>, metal ion distribution and magnetic properties, **158**, 34
- Li-Fe-Mn-O solid solutions, preparation and characterization, **161**, 152
- LiMn<sub>2</sub>O<sub>4</sub> cathode prepared by tartaric acid gel process, NMR and FTIR studies, **160**, 368
- Spin exchange interactions
- anisotropic, in CuM<sub>2</sub>O<sub>6</sub> (*M* = Sb,V,Nb), spin dimer analysis, **156**, 110
- antiferromagnetic, magnetic solids with several unpaired electrons per spin site, spin dimer analysis, **156**, 464
- Spin glasses
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, electronic and magnetic properties due to Co ions, **159**, 215
- Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub> perovskites, synthesis, structure, and physical properties, **157**, 76
- LnTi<sub>0.5</sub>V<sub>0.5</sub>O<sub>3</sub> (*Ln* = Ce,Pr), formation, **156**, 452
- TlCr<sub>5</sub>S<sub>8-y</sub>Se<sub>y</sub> (*y* = 1-7), behavior mediated by nonmagnetic sublattice, **158**, 198
- Spin ladder compounds
- La<sub>8</sub>Cu<sub>7</sub>O<sub>19</sub>, crystal growth, structure, and transport properties, **156**, 422
- Spin states
- cobaltites(III) and cobaltites(IV) with perovskite or related structure, **162**, 282
- tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]amine, -methyl, and -borane, ground states, **159**, 428
- Spin state transition
- in LaCoO<sub>3</sub> depending on temperature or Sr doping, XAS study, **158**, 208
- photo- and dehydration-induced charge transfer processes with, on CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, **159**, 336
- Stereochemistry
- Bi<sub>1.1</sub>Sb<sub>0.9</sub>MoO<sub>6</sub>, **159**, 72
- Strain analysis
- Pb<sub>2</sub>(M<sub>2-y</sub>Pb<sub>y</sub>)O<sub>7-δ</sub> (0.0 < *y* < 0.8; *M* = Nb,Ta) pyrochlores, **156**, 207
- Strontium
- Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8</sub>, mercuric bromide-intercalated single crystal, polarized X-ray absorption spectroscopy, **160**, 39
- Bi<sub>2</sub>Sr<sub>1.6</sub>La<sub>0.4</sub>CuO<sub>6.33-x</sub>F<sub>2+x</sub>, suppression of modulations in, **156**, 445
- Ca<sub>2-x</sub>Sr<sub>x</sub>RuO<sub>4</sub>, synthesis and single-crystal growth, **156**, 26
- Ca<sub>0.5</sub>Sr<sub>0.5</sub>TiO<sub>3</sub> perovskite, space group and structure, **160**, 8
- Ce<sub>1-x</sub>Sr<sub>x</sub>VO<sub>4-0.5x</sub> solid solutions, Raman and IR spectroscopy, **158**, 254
- (Cu<sub>0.5</sub>Cr<sub>0.5</sub>)Sr<sub>2</sub>CuO<sub>x</sub>, order-disorder transition under high-pressure and high-temperature conditions, **161**, 348
- doping of LaCoO<sub>3</sub>, associated spin state transition, XAS study, **158**, 208
- Eu<sub>2</sub>O<sub>3</sub>-SrO-CuO system, compounds and phase relations, **156**, 247
- Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol-gel and sealed quartz tube synthesis, structural and superconducting properties, **161**, 355
- La<sub>0.6</sub>(Sr<sub>0.4-x</sub>Ba<sub>x</sub>)MnO<sub>3</sub>, internal chemical pressure effect and magnetic properties, **156**, 117
- (La,Sr)(Co,Fe)O<sub>3</sub>, thermal expansion in, computer simulation, **156**, 394
- La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, oxidation states of Cu and Ru in, determination by XANES measurements, **156**, 194
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, electronic and magnetic properties due to Co ions, **159**, 215
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3+δ</sub> epitaxial films, excess oxygen in, **156**, 143
- Na<sub>2</sub>Sr<sub>3</sub>Sb<sub>4</sub>, synthesis, structure, and properties, **162**, 327
- Pr<sub>0.7-x</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> perovskites, physical properties, effect of Pr deficiency, **156**, 68
- Sr<sub>5</sub>Tl<sub>3</sub> (*Tt* = Si,Ge,Sn) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149
- Sr<sub>1-x</sub>Ba<sub>x</sub>ZrO<sub>3</sub> perovskites, effects of composition and temperature, high-resolution powder diffraction study, **161**, 106
- SrBi<sub>2</sub>Se<sub>4</sub>, synthesis and characterization, **156**, 230
- SrBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub> ferroelectric oxides, cation disorder in, **160**, 174
- Sr<sub>1.19</sub>Ca<sub>0.73</sub>Cu<sub>2</sub>O<sub>4</sub>, structure simulation using interatomic potentials, **158**, 162
- (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub> with composition (*x*), evolution of crystallographic phases in, **162**, 20
- SrCoO<sub>3</sub>, electronic structure, **162**, 282
- Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub> perovskites, synthesis, structure, and physical properties, **157**, 76

- SrCuO<sub>3</sub>, structure simulation using interatomic potentials, **158**, 162
- MSr<sub>2</sub>QCu<sub>2</sub>O<sub>6+z</sub> (*M* = Cu, Hg, Tl/Pb; *Q* = rare earth, Ca; *z* = 0–1), structure–property relationships, modeling by multivariate analysis methods, **162**, 1
- Sr<sub>3</sub>Fe<sub>2–x</sub>Co<sub>x</sub>O<sub>7–δ</sub> (0 ≤ *x* ≤ 0.8), synthesis, crystal chemistry, and electrical and magnetic properties, **158**, 307
- SrFeO<sub>3</sub>, electrical properties at high temperature, **158**, 320
- Sr<sub>2</sub>Fe<sub>2</sub>O<sub>5</sub>, crystal and magnetic structures at elevated temperatures, **156**, 292
- SrFe<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub> and Sr<sub>9</sub>Fe<sub>1.5</sub>(PO<sub>4</sub>)<sub>7</sub>, synthesis and characterization, **162**, 113
- Sr<sub>3</sub>Ga<sub>2</sub>O<sub>6</sub>, crystal structure, **160**, 421
- Sr<sub>10</sub>Ga<sub>6</sub>O<sub>19</sub>, crystal structure, **160**, 421
- Sr(HC<sub>2</sub>O<sub>4</sub>)·1/2(C<sub>2</sub>O<sub>4</sub>)·H<sub>2</sub>O, structure determination from powder X-ray and neutron diffraction studies, **157**, 283
- SrHfO<sub>3</sub>, hyperfine interaction at, temperature dependence, **159**, 1
- SrIn<sub>2</sub>O<sub>4</sub> red-emitting phosphors activated by praseodymium, luminescent properties, **156**, 84
- SrLaFeVO<sub>6</sub> double-perovskite oxide, synthesis, structure, and properties, **162**, 250
- (Sr<sub>1–x</sub>La<sub>1+x</sub>)Zn<sub>1–x</sub>O<sub>3.5–x/2</sub> (0.01 ≤ *x* ≤ 0.03), synthesis and crystal structure, **159**, 19
- Sr<sub>2</sub>MnGaO<sub>5+δ</sub>, synthesis, crystal structure, and magnetic properties, **160**, 353
- Sr[N(CN)<sub>2</sub>]<sub>2</sub>, synthesis, vibrational spectroscopy, and crystal structure, **157**, 241
- Sr<sub>x</sub>BO<sub>3</sub> (*B* = Co, Ni), magnetic properties, structural and electronic factors governing, **160**, 239
- A′[Sr<sub>2</sub>B<sub>3</sub>O<sub>10</sub>] (*A′* = Rb, Cs; *B* = Nb, Ta), Dion–Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279
- Sr<sub>7</sub>Re<sub>4</sub>O<sub>19</sub>, preparation, crystal structure, magnetic properties, and relationship to Ba<sub>7</sub>Ir<sub>6</sub>O<sub>19</sub> structure, **160**, 45
- Sr<sub>2</sub>SeBiO<sub>6</sub>, synthesis and crystal structure, **162**, 142
- Sr<sub>0.97</sub>Ti<sub>1–x</sub>Fe<sub>x</sub>O<sub>3–δ</sub> (*x* = 0.2–0.8), transport properties and thermal expansion, **156**, 437
- SrTiO<sub>3</sub>–SrZrO<sub>3</sub> solid solution, crystal structure and phase transitions, **156**, 255
- Sr<sub>9/8</sub>TiS<sub>3</sub>, Sr<sub>8/7</sub>TiS<sub>3</sub>, and Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]S<sub>3</sub>, structures and physical properties, effects of metal–metal sigma bonding, **162**, 103
- Sr[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O), formation, effect of cation, **161**, 416
- TiSr<sub>2</sub>CoO<sub>5</sub>, electronic structure, **162**, 282
- Structure, *see also* Band structure; Crystal structure; Defect structure; Electronic structure; Magnetic structure; Superstructure
- alkali titanium oxides, pseudo-one-dimensional periodic domain boundary structures, **162**, 128
- AM<sub>2</sub>B<sub>2</sub>C (*A* = Lu, La, Th; *M* = Ni, Pd), **160**, 93
- Bi<sub>1–x</sub>Cr<sub>x</sub>O<sub>1.5+1.5x</sub> (0.05 ≤ *x* ≤ 0.15), high-temperature solid solution with 3D incommensurate modulation, **156**, 168
- Ca<sub>4</sub>Nb<sub>2</sub>O<sub>9</sub>–CaTiO<sub>3</sub> microstructure, **160**, 257
- in cation-deficient spinels with formula close to Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>, **160**, 108
- Cd<sub>5–η/2</sub>(PO<sub>4</sub>)<sub>3</sub>Br<sub>1–η</sub>, modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88
- Cd<sub>5–η/2</sub>(VO<sub>4</sub>)<sub>3</sub>I<sub>1–η</sub>, modified chimney–ladder structures with ladder–ladder and chimney–ladder coupling, **156**, 88
- CeIrIn<sub>5</sub> and CeRhIn<sub>5</sub> heavy fermion materials, intergrowth structure, **158**, 25
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)Zr<sub>2</sub>F<sub>10</sub>·H<sub>2</sub>O and (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)ZrF<sub>6</sub>·H<sub>2</sub>O, **159**, 198
- CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, effects of dehydration and photo-irradiation, **159**, 336
- Cp<sub>2</sub>Mo(dmit) with Br<sup>–</sup> or BF<sub>4</sub><sup>–</sup>, **159**, 413
- Cr<sub>3</sub>B<sub>3</sub>-like, A<sub>5</sub>Tt<sub>3</sub> (*A* = Ca, Sr, Ba, Eu; *Tt* = Si, Ge, Sn) compounds with, hydrogen impurity effects in, **159**, 149
- CuSe and Cu<sub>3</sub>Se<sub>2</sub> thin films, **158**, 49
- [*M*(dicyanamide)<sub>2</sub>pyrazine] (*M* = Mn, Fe, Co, Ni, Zn), isomerism, **159**, 352
- Dy<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1
- electrochemically cycled Si-doped SnO<sub>2</sub>–lithium thin-film battery, microstructural evolution, **160**, 388
- and energy, changes in 2,2-dinitropropane-1,3-diol molecules and crystals, induction by temperature variations, **157**, 296
- In<sub>2</sub>O<sub>3</sub>–ZnO transparent conducting thin films made by pulsed laser deposition, TEM study, **158**, 119
- K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>]·7H<sub>2</sub>O, microstructural changes induced by thermal treatment, **156**, 400
- LiAlB<sub>2</sub>O<sub>5</sub>, *ab initio* determination, **156**, 181
- Li<sub>1–z–x</sub>Ni<sub>1+z</sub>O<sub>2</sub>, neutron diffraction study, **158**, 187
- LiVO<sub>3</sub>, disorder in, neutron powder diffraction study from 340 to 890 K, **156**, 379
- local, in heat-treated oxyhydroxyapatite microcrystals, solid state NMR, XRD, and IR studies, **160**, 460
- Mn<sub>x</sub>Co<sub>1–x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, **159**, 362
- [Mn(*L*)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·*n*H<sub>2</sub>O (*L* = ethylenediamine, *n* = 4; *L* = glycine amide, *n* = 2.5), 3D network, **159**, 328
- Ni<sub>1+x</sub>Se<sub>2</sub> CdI<sub>2</sub>/NiAs type solid solution phase, electron and X-ray diffraction studies, **161**, 266
- Ni<sub>6±x</sub>Se<sub>5</sub>, incommensurate interface modulated structure, **162**, 122
- Ni<sub>1+x</sub>Sn (0.35 < *x* < 0.45) NiAs/Ni<sub>2</sub>In-type phase with incommensurate occupational ordering of Ni, **159**, 191
- Ni<sub>1+x</sub>Te<sub>2</sub> CdI<sub>2</sub>/NiAs type solid solution phase, electron and X-ray diffraction studies, **161**, 266
- A<sub>x</sub>BO<sub>3</sub> (*A* = Ca, Sr, Ba; *B* = Co, Ni), role in magnetic properties, **160**, 239
- Pb<sub>2</sub>(M<sub>2–y</sub>Pb<sub>y</sub>)O<sub>7–δ</sub> (0.0 < *y* < 0.8; *M* = Nb, Ta) pyrochlores, X-ray structure refinements, **156**, 207
- products of high-temperature reactions of metal triangles, effects of counterion, ligand, and metal, **159**, 321
- Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell structure, **156**, 1
- pyrochlore A<sub>2</sub>B<sub>2</sub>O<sub>7</sub> transformation to fluorite structure AO<sub>2</sub>, Raman spectroscopy and defect chemistry modeling, **160**, 25
- related aspects solid-state polycondensation reaction in alkali 4-halogenomethylbenzoates, **156**, 61
- superconductive cuprates, relationship to properties, modeling by multivariate analysis methods, **162**, 1
- Tb<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1
- TTB-type, Ba<sub>4</sub>CeNb<sub>10</sub>O<sub>30</sub> with, crystal structure, **157**, 1
- W<sub>x</sub>Mo<sub>(1–x)</sub>S<sub>2</sub>, lamellar solid solutions, two cation disulfide layers in, **160**, 147
- Y<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1
- ZrP<sub>2</sub>O<sub>7</sub>, 3-D incommensurately modulated cubic phase, **157**, 186
- Subcell structure
- Dy<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, Pr<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, Tb<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, and Y<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, **156**, 1
- Sulfur
- AgS<sub>2</sub> film, epitaxial growth on cleaved surface of MgO(001), **157**, 86
- BaKCu<sub>3</sub>MS<sub>4</sub> (*M* = Mn, Co, Ni), electrical and magnetic properties, **157**, 144
- BaNd<sub>2</sub>MnS<sub>5</sub>, crystal structure and magnetic properties, **159**, 163
- BaLn<sub>2</sub>MS<sub>5</sub> (*Ln* = La, Ce, Pr, Nd; *M* = Co, Zn), crystal structure and magnetic properties, **159**, 163
- κ-(BETS)<sub>2</sub>FeX<sub>4</sub> (*X* = Cl, Br) with superconducting transitions, effect of halogen substitution, **159**, 407
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions, **159**, 385
- Co(II) coordination polymers {[CoBr<sub>2</sub>(btd)]<sub>n</sub> and {[CoCl<sub>2</sub>(btd)]<sub>n</sub>} synthesis, characterization, crystal structure, and magnetic properties, **159**, 371

- $\text{Cp}_2\text{Mo}(\text{dmit})$  with  $\text{Br}^-$  or  $\text{BF}_4^-$ , isolated dimers and ordered antiferromagnetic ground state, **159**, 413
- $\text{CrS}_2$  layers, and  $\text{MnF}_5$  chains, compounds consisting of, spin exchange parameters, **156**, 464
- $\text{CuInS}_2$  nanorods, hydrothermal synthesis and characterization, **161**, 179
- $\text{Cu}_{5.52(8)}\text{Si}_{1.04(8)}\square_{1.44}\text{Fe}_4\text{Sn}_{12}\text{S}_{32}$  thiospinel, crystal structure, Mössbauer studies, and electrical properties, **161**, 327
- $\text{Eu}_2\text{GeS}_4$ , structural evidence for ferroelectricity, **158**, 343
- $\text{EuPd}_3\text{S}_4$ , Mössbauer effects and magnetic properties, **157**, 117
- $\text{FeSb}_2\text{S}_4$ , crystal structure, Mössbauer spectra, thermal expansion, and phase transition, **162**, 79
- $\text{H}_2\text{O}(\text{NH}_4)_2\text{HPO}_4-(\text{NH}_4)_2\text{SO}_4$ , polythermal diagram between 0 and  $25^\circ\text{C}$ , **156**, 264
- $\text{K}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195
- $\text{KSmp}_2\text{S}_7$ , structure modification, **160**, 195
- $\text{LiKSO}_4$ , thermal analysis and X-ray diffraction studies of phase transitions, **148**, 316; comments, **156**, 251, 253
- $\text{Li}_2\text{Mn}_2(\text{SO}_4)_3$ , crystal structure and magnetic properties, **158**, 148
- $\text{MoS}_2$ , hydrothermal synthesis and pressure-related crystallization, **159**, 170
- $\text{Na}_3\text{Cr}_2\text{P}_3\text{S}_{12}$  one-dimensional compounds, synthesis, structure, and magnetic properties, **162**, 195
- $\text{Na}_9\text{Gd}_5\text{Sb}_8\text{S}_{26}$ , synthesis and crystal structure, **161**, 129
- $\text{NaSmP}_2\text{S}_6$ , structure modification, **160**, 195
- $\text{NaYbP}_2\text{S}_6$ , structure modification, **160**, 195
- $\text{PbSnS}_3$  nanorods prepared via iodine transport hydrothermal method, characterization, **160**, 50
- $\text{RbEr}_2\text{Cu}_3\text{S}_5$ , synthesis, structure, and physical properties, **158**, 299
- $\text{Rb}_2\text{Gd}_4\text{Cu}_4\text{S}_9$ , synthesis, structure, and physical properties, **158**, 299
- $\text{RbNd}_2\text{CuS}_4$ , synthesis, structure, and physical properties, **158**, 299
- $\text{Rb}_{1.12}(\text{NH}_4)_{0.88}\text{SO}_4 \cdot \text{Te}(\text{OH})_6$ , thermal analysis and crystal structure at  $435\text{ K}$ , **161**, 1
- $\text{RbSm}_2\text{CuS}_4$ , synthesis, structure, and physical properties, **158**, 299
- $\text{TPnS}$  ( $T = \text{Ni, Pd}$ ;  $Pn = \text{P, As, Sb}$ ), preparation and crystal structure, **162**, 69
- $\text{LnSbS}_2\text{Br}_2$  ( $\text{Ln} = \text{La, Ce}$ ), crystal and electronic structures and optical properties, **158**, 218
- $\text{Sr}_{9/8}\text{TiS}_3$ ,  $\text{Sr}_{8/7}\text{TiS}_3$ , and  $\text{Sr}_{8/7}[\text{Ti}_{6/7}\text{Fe}_{1/7}]\text{S}_3$ , structures and physical properties, effects of metal-metal sigma bonding, **162**, 103
- tin sulfide rod-like nanocrystals, preparation and morphology control via ethanol thermal route, **161**, 190
- $\text{TiCr}_5\text{S}_{8-y}\text{Se}_y$  ( $y = 1-7$ ), spin-glass behavior mediated by nonmagnetic sublattice, **158**, 198
- 1,3,5-trithia-2,4,6-triazapentalenyl crystals, magnetic bistability at room temperature, comparison with spin crossover transitions, **159**, 451
- $\text{V}_5\text{S}_8$ , magnetic properties, effects of metal-atom clustering, **160**, 287
- $\text{W}_x\text{Mo}_{(1-x)}\text{S}_2$  lamellar solid solution, two cation disulfide layers in, **160**, 147
- $\text{WS}_2$  nanotube formation via  $\text{WO}_{3-x}$  reduction, **162**, 300
- Superconductivity
- cuprates, structure-property relationships, modeling by multivariate analysis methods, **162**, 1
- $\text{Hg}_{0.75}\text{Re}_{0.25}\text{Ba}_{2-x}\text{Sr}_x\text{Ca}_2\text{Cu}_3\text{O}_{8+\delta}$  grown by sol-gel and sealed quartz tube synthesis, **161**, 355
- oxide, anionic charge order model, **158**, 139
- Superconductors
- in  $\text{AM}_2\text{B}_2\text{C}$  ( $A = \text{Lu, La, Th}$ ;  $M = \text{Ni, Pd}$ ),  $T_C$ 's, **160**, 93
- ferrite-superconductor multiphase materials, thermally treated, chemical degradation, **160**, 332
- $\text{Sm-123}$  high-temperature superconductor doped with Al, structure of Al defect in, electron density study, **161**, 396
- Superexchange interactions
- tunable, spin-1/2 quantum antiferromagnetic chains with, in  $\text{BaCu}_2(\text{Si}_{1-x}\text{Ge}_x)_2\text{O}_7$ , **156**, 101
- Superstructure
- $\text{Bi}_{3.5}\text{V}_{1.2}\text{O}_{8.25}$ , **161**, 410
- $\text{Ca}_3\text{Ni}_8\text{In}_4$ , ordered noncentrosymmetric variant of  $\text{BaLi}_4$  type, **160**, 415
- $\text{CdTeMoO}_6$  and  $\text{CoTeMoO}_6$ : fluorite-type structure with cation and anion deficiencies ( $\blacksquare\text{CoTeMo}(\square_2\text{O}_6)$ ), **160**, 401
- $\text{Dy}_3\text{Si}_2\text{C}_2$ , **156**, 1
- $\gamma\text{-GeP}_2\text{O}_7$ , **156**, 213
- mixed  $\alpha/\beta$ , in NASICON ionic conductors, **156**, 305
- $\text{Ni}_{1+x}\text{Sn}$  ( $0.35 < x < 0.45$ )  $\text{NiAs}/\text{Ni}_2\text{In}$ -type phase with incommensurate occupational ordering of Ni, **159**, 191
- $\text{Pb-Nb-W-O}$  oxides based on tetragonal tungsten bronze structure, **161**, 135
- $\text{RbUSb}_{0.33}\text{Te}_6$ : periodic modulations of infinite  $[\text{Te}_x]^{n-}$  chains, **161**, 17
- $\text{Tb}_3\text{Si}_2\text{C}_2$ , **156**, 1
- $\text{YBaCo}_2\text{O}_{5+x}$  ( $0.00 \leq x \leq 0.52$ ), **156**, 355
- $\text{Y}_3\text{Si}_2\text{C}_2$ , **156**, 1
- Synchrotron powder X-ray diffraction
- $\text{BaFeO}_{2.8-\delta}$  prepared from oxidative thermal decomposition of  $\text{BaFe}[(\text{CN})_5\text{NO}] \cdot 3\text{H}_2\text{O}$ , **160**, 17
- $\text{Mn}_6(\text{H}_2\text{O})_2(\text{HPO}_4)_4(\text{PO}_4)_2 \cdot \text{C}_4\text{N}_2\text{H}_{12} \cdot \text{H}_2\text{O}$ , **156**, 32
- $\text{SrTiO}_3\text{-SrZrO}_3$  solid solution, **156**, 255
- structural aspects of solid-state polycondensation reaction in alkali 4-halogenomethylbenzoates, **156**, 61
- $\text{YCuO}_{2+x}$  delafossite: fine structure determination, **156**, 428
- Synthesis, *see also* Hydrothermal synthesis; Sol-gel synthesis; Solvothermal synthesis
- $\text{AgCuO}_2$ , **162**, 220
- $\text{Ag}_2\text{Cu}_2\text{O}_3$  at high pressure, **158**, 82
- $\text{REAgMg}$  ( $\text{RE} = \text{La, Ce, Nd, Eu, Gd, Tb, Ho, Tm, Yb}$ ), **161**, 67
- $\text{Ag}_2\text{Se}$  nanoparticles by laser-solid-liquid ablation, **160**, 430
- $\text{Ag}_2\text{Te}$  and  $\text{Ag}_7\text{Te}_4$  nanocrystals, **158**, 260
- $\text{Al}(\text{CN})_3$ , **159**, 244
- Al-Ti nanocomposite with lamellar structure, **158**, 134
- Al-Ti-Zr and Al-Zr nanocomposites with hexagonal structure, **158**, 134
- $\text{Ba}_5\text{Co}_5\text{ClO}_{13}$ , **158**, 175
- $\text{BaCu}_2(\text{Si}_{1-x}\text{Ge}_x)_2\text{O}_7$ , **156**, 101
- $\text{ReB}_{2.2}\text{C}_2\text{N}$  ( $\text{Re} = \text{Y, Ho, Er, Tm, Lu}$ ), **159**, 174
- $\text{Be}(\text{CN})_2$ , **159**, 244
- $\text{Bi}_{1-x}\text{Cr}_x\text{O}_{1.5+1.5x}$  ( $0.05 \leq x \leq 0.15$ ) high-temperature solid solution with 3D incommensurate modulation, **156**, 168
- $\text{BiMn}_6\text{PO}_{12}$ , **157**, 123
- binary metal chalcogenide nanocrystals in alkaline aqueous solution, **161**, 184
- $\text{Ca}_3\text{Co}_{1+x}\text{Mn}_{1-x}\text{O}_6$  quasi-one-dimensional oxides, **160**, 293
- $[\text{Ca}_2\text{CoO}_3][\text{CoO}_2]_{1.62}$  misfit layer compounds, **160**, 322
- $\text{Ca}_3\text{CuMnO}_6$  quasi-one-dimensional oxides, **160**, 293
- $\text{Ca}_2\text{MnGaO}_{5+\delta}$ , **158**, 100
- $\text{Ca}_2\text{NF}$ , **160**, 134
- $\text{Ca}_{2-x}\text{Sr}_x\text{RuO}_4$ , **156**, 26
- $\text{ACa}_9(\text{VO}_4)_7$  ( $A = \text{Bi, rare earth}$ ), **157**, 255
- $\text{CdBa}_3(\text{HPO}_4)_2(\text{H}_2\text{PO}_4)_2$ , **161**, 97
- $[(\text{S})\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2]$  and  $[(\text{S})\text{-C}_5\text{H}_{14}\text{N}_2][\text{Fe}_4(\text{C}_2\text{O}_4)_3(\text{HPO}_4)_2(\text{H}_2\text{O})_2]$ , **157**, 233
- $[(\text{C}_{12}\text{H}_8\text{N}_2)_3\text{Fe}^{\text{II}}]_2[\text{Fe}^{\text{II}}\text{Mo}_2\text{O}_{12}(\text{H}_2\text{PO}_4)_6(\text{PO}_4)_2(\text{OH})_6\text{O}_{24}]$  in presence of  $\text{Fe}(\text{II})(1,10\text{-phenanthroline})_3$  complex, **159**, 209
- $\text{C}_5\text{H}_{12}\text{NPO}_4\text{H}_2$ , **161**, 307
- $(\text{C}_{10}\text{N}_4\text{H}_2)_8[\text{Zn}_6(\text{HPO}_4)_2(\text{PO}_4)_4] \cdot 2\text{H}_2\text{O}$  with layer structure, **162**, 168
- $\text{Co}_3[\text{BPO}_7]$ , **156**, 281
- $\text{Co}(\text{II})$  coordination polymers  $\{[\text{CoBr}_2(2,1,3\text{-benzothiadiazole})]\}_n$  and  $\{[\text{CoCl}_2(\text{btd})]\}_m$ , **159**, 371

- Co(H<sub>2</sub>O)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, **159**, 343  
 Co<sub>2</sub>(OH)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, **159**, 343  
 CsBSe<sub>3</sub>, **157**, 206  
 Cs<sub>2</sub>CoSiO<sub>4</sub> and Cs<sub>5</sub>CoSiO<sub>6</sub>, **162**, 204  
 CsGd<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, **158**, 299  
 Cs<sub>3</sub>Gd<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub>, **160**, 409  
 CsLa<sub>2</sub>CuSe<sub>4</sub>, **158**, 299  
 Cs<sub>3</sub>P<sub>6</sub>N<sub>11</sub> at high pressure and temperature, **156**, 390  
 CsSm<sub>2</sub>CuSe<sub>4</sub>, **158**, 299  
 CsTb<sub>2</sub>Ag<sub>3</sub>Se<sub>5</sub>, synthesis, structure, and physical properties, **158**, 299  
 [Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>  
 (NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (*Ln*<sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), **161**, 214  
 [*M*(dicyanamide)<sub>2</sub>pyrazine] (*M* = Mn, Fe, Co, Ni, Zn), **159**, 352  
*N,N'*-dimethylpiperazinium(2+) hydrogen selenite, **161**, 312  
*M*<sup>II</sup>*M*<sup>IV</sup>F<sub>6</sub> (*M*<sup>II</sup> = Ni, Pd, Cu; *M*<sup>IV</sup> = Pd, Pt, Sn), **162**, 333  
 (Fe@Au) nanoparticles, **159**, 26  
 Gd<sub>3</sub>Cu<sub>2</sub>Te<sub>7</sub>, **159**, 186  
 germanium pyrophosphates, **156**, 213  
 β-HfNCl under high pressure, **159**, 80  
 [Hg<sub>6</sub>P<sub>4</sub>](TiCl<sub>6</sub>)Cl, **160**, 88  
 Hg<sub>0.75</sub>Re<sub>0.25</sub>Ba<sub>2-x</sub>Sr<sub>x</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8+δ</sub> superconductors grown by sol-gel  
 and sealed quartz tubes, **161**, 355  
 hydrogen coinserted hydrated sodium and potassium molybdenum  
 bronzes, **159**, 87  
 In(Fe<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3+x/2</sub>, orthorhombic phase with 0.50 ≤ *x* ≤ 0.69 and  
 monoclinic phase with 0.73 ≤ *x* ≤ 0.75 at 1300°C in air, **157**, 13  
 K<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>S<sub>12</sub> one-dimensional compounds, **162**, 195  
 K<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> (*Ln* = Sm, Gd, Er), **160**, 409  
 KSmP<sub>2</sub>S<sub>7</sub>, **160**, 195  
 KLnTiO<sub>4</sub> (*Ln* = La, Nd, Sm, Eu, Gd, Dy) Ruddlesden-Popper phases by  
 ion exchange of HLnTiO<sub>4</sub>, **161**, 225  
 K<sub>2</sub>TiSi<sub>6</sub>O<sub>15</sub> with corrugated [Si<sub>6</sub>O<sub>15</sub>]<sub>∞∞</sub> layers, **156**, 135  
 ALaFeVO<sub>6</sub> (*A* = Ca, Sr) double-perovskite oxides, **162**, 250  
 LaMn<sub>1-x</sub>Li<sub>x</sub>O<sub>3</sub> perovskites, **159**, 68  
 La<sub>4</sub>Ti<sub>2</sub>O<sub>4</sub>Se<sub>5</sub> and La<sub>6</sub>Ti<sub>3</sub>O<sub>5</sub>Se<sub>9</sub>, **157**, 289  
 Li-*M-X* systems (*M* = V, Nb, Ta; *X* = P, As), **156**, 37  
 LiCo<sub>1-x</sub>Fe<sub>x</sub>O<sub>2</sub> system, **156**, 470  
 linear-chain aluminum phosphates by reaction of amine phosphates with  
 Al<sup>3+</sup> ions, **156**, 185  
 Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, **162**, 29  
 Mg(CN)<sub>2</sub>, **159**, 244  
 Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> (0.130 ≤ *x* ≤ 0.166), **160**, 251  
 mixed-valence compounds, **159**, 51  
 α-MnO<sub>2</sub>, open tunnel oxide precipitated by ozone oxidation, **159**, 94;  
*erratum*, **160**, 292  
 MnO<sub>2</sub>·0.22H<sub>2</sub>O and MnO<sub>2</sub>·0.70H<sub>2</sub>O, from monoclinic-type LiMnO<sub>2</sub>,  
**160**, 69  
 molecule-based magnets by charge-transfer salt approach, **159**, 420  
 Mo-Ni-P ternary phases, **160**, 156  
 A<sub>x</sub>Mo<sub>y</sub>W<sub>1-y</sub>O<sub>3</sub> (*A* = K, Ce) intergrowth tungsten bronzes, **162**, 341  
 Ln<sub>3</sub>T<sub>2</sub>N<sub>6</sub> (*Ln* = La, Ce, Pr; *T* = Ta, Nb), **162**, 90  
 NaCa<sub>2</sub>GeO<sub>4</sub>F, **160**, 33  
 Na<sub>1.1</sub>Ca<sub>1.8</sub>Mn<sub>9</sub>O<sub>18</sub>, **162**, 34  
 Na<sub>3</sub>Cr<sub>2</sub>P<sub>3</sub>S<sub>12</sub> one-dimensional compounds, **162**, 195  
 Na<sub>3</sub>Fe(PO<sub>4</sub>)<sub>2</sub> with glaserite-like structure, **160**, 377  
 Na<sub>9</sub>Gd<sub>5</sub>Sb<sub>8</sub>S<sub>26</sub>, **161**, 129  
 NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O, **156**, 415  
 NaLa<sub>6</sub>(Os)I<sub>12</sub>, **161**, 161  
 Na<sub>x</sub>MnO<sub>2+δ</sub> by reduction of aqueous sodium permanganate with  
 sodium iodide, **156**, 331  
 Na<sub>2</sub>NbF<sub>6</sub>-(Nb<sub>6</sub>Br<sub>4</sub>F<sub>11</sub>), **158**, 327  
 Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, **156**, 415  
 Na<sub>2</sub>M<sub>3</sub>Sb<sub>4</sub> (*M* = Sr, Ba), **162**, 327  
 NaSmP<sub>2</sub>S<sub>6</sub>, **160**, 195  
 NaYbP<sub>2</sub>S<sub>6</sub>, **160**, 195  
 Nb<sub>6</sub>Br<sub>8</sub>F<sub>7</sub>, **158**, 327  
 Nb<sub>28</sub>Ni<sub>33.5</sub>Sb<sub>12.5</sub>, **160**, 450  
 (NC<sub>5</sub>H<sub>12</sub>)<sub>2</sub>·Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub> low-density framework built up from fully con-  
 nected (3,4) net of ZnO<sub>4</sub> tetrahedra and HPO<sub>3</sub> pseudo pyramids,  
**160**, 4  
*M*[N(CN)<sub>2</sub>]<sub>2</sub> (*M* = Mg, Ca, Sr, Ba), **157**, 241  
 Nd<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>4</sub> (*x* = 0.02–0.20), Cr<sup>V</sup>-Cr<sup>VI</sup> mixed valence compounds,  
**156**, 370  
 [Nd(XeF<sub>2</sub>)<sub>*n*</sub>](AsF<sub>6</sub>)<sub>3</sub> (*n* = 3, 2.5), **162**, 243  
 NH<sub>4</sub>(SbO)<sub>3</sub>(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub> nanotubes, **162**, 347  
 ABO<sub>3</sub> (*A* = La–Nd; *B* = Dy–Lu) interlanthanide perovskites, **157**,  
 173  
 A'[A<sub>2</sub>B<sub>3</sub>O<sub>10</sub>'] (*A'* = Rb, Cs; *A* = Sr, Ba; *B* = Nb, Ta) Dion-Jacobson-type  
 layered perovskites, **158**, 279  
 PbVOP<sub>2</sub>O<sub>7</sub> with intersecting tunnel structure, **162**, 354  
 Pd nanosized clusters deposited on titania-modified mesoporous  
 MCM-41, **162**, 138  
 polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes,  
**159**, 308  
 polyoxovanadates from aqueous solution, **162**, 315  
 RbBSe<sub>3</sub>, **157**, 206  
 Rb<sub>2</sub>CdSiO<sub>4</sub>, **162**, 214  
 Rb<sub>3</sub>Ln<sub>4</sub>Cu<sub>5</sub>Te<sub>10</sub> (*Ln* = Nd, Gd), **160**, 409  
 RbEr<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>, **158**, 299  
 Rb<sub>2</sub>Gd<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>, **158**, 299  
 RbNd<sub>2</sub>CuS<sub>4</sub>, **158**, 299  
 Rb<sub>3</sub>P<sub>6</sub>N<sub>11</sub> at high pressure and temperature, **156**, 390  
 RbSm<sub>2</sub>CuS<sub>4</sub>, **158**, 299  
 Re<sub>3</sub>O<sub>10</sub>, **160**, 317  
 R<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub> (*R* = Y, Gd–Er), **160**, 77  
 Sb<sub>2</sub>O(CH<sub>3</sub>PO<sub>3</sub>)<sub>2</sub> with layered structure, **162**, 347  
 Si–Al nanocomposite with hexagonal structure, **158**, 134  
 Si–Ti nanocomposite with lamellar structure, **158**, 134  
 Si–Zr nanocomposite with lamellar structure, **158**, 134  
 α-Sn(HPO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, **159**, 130  
 Sn<sub>10</sub>In<sub>14</sub>P<sub>22</sub>I<sub>8</sub> and Sn<sub>14</sub>In<sub>10</sub>P<sub>21.2</sub>I<sub>8</sub> with clathrate I structure, **161**,  
 233  
 Sn<sub>1+x</sub>Nb<sub>2</sub>O<sub>6+x</sub> (*x* = 0.0, 0.5, 1.0), **156**, 349  
 SrBi<sub>2</sub>Se<sub>4</sub>, **156**, 230  
 Sr<sub>2</sub>CoSbO<sub>6-δ</sub> and Sr<sub>3</sub>CoSb<sub>2</sub>O<sub>9</sub> perovskites, **157**, 76  
 Sr<sub>3</sub>Fe<sub>2-x</sub>Co<sub>x</sub>O<sub>7-δ</sub> (0 ≤ *x* ≤ 0.8), **158**, 307  
 SrFe<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub> and Sr<sub>9</sub>Fe<sub>1.5</sub>(PO<sub>4</sub>)<sub>7</sub>, **162**, 113  
 (Sr<sub>1-x</sub>La<sub>1+x</sub>)Zn<sub>1-x</sub>O<sub>3.5-x/2</sub> (0.01 ≤ *x* ≤ 0.03), **159**, 19  
 Sr<sub>2</sub>MnGaO<sub>5+δ</sub>, **160**, 353  
 Sr<sub>7</sub>Re<sub>4</sub>O<sub>19</sub>, **160**, 45  
 Sr<sub>2</sub>ScBiO<sub>6</sub>, **162**, 142  
 Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]<sub>3</sub>, **162**, 103  
 Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, **162**, 158  
 tin sulfide rod-like nanocrystals via ethanol thermal route, **161**, 190  
 TiO<sub>2</sub> nanocrystalline anatase, **158**, 180  
 TiBSe<sub>3</sub>, **157**, 206  
 Ti<sup>IV</sup>(CN)<sub>4</sub>, **159**, 244  
*TPnCh* (*T* = Ni, Pd; *Pn* = P, As, Sb; *Ch* = S, Se, Te), **162**, 69  
 U<sub>2</sub>Cu<sub>0.78</sub>Te<sub>6</sub>, **159**, 186  
 VO<sub>2</sub> nanopowders, **156**, 274  
 YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ *x* ≤ 0.52), **156**, 355  
 Yb<sub>5</sub>In<sub>2</sub>Sb<sub>6</sub> Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**,  
 177  
 yttria-stabilized zirconia nanoparticles, by molecular decomposition  
 process, **157**, 149  
*TT'*<sub>2</sub>Zn<sub>20</sub> (*T* = Zr, Hf, Nb; *T'* = Mn, Fe, Ru, Co, Rh, Ni) with CeCr<sub>2</sub>Al<sub>20</sub>-  
 type structure, **161**, 288  
 β-ZrNCl under high pressure, **159**, 80

- T
- Tantalum
- $ABi_2Ta_2O_9$  ( $A = Ca, Sr, Ba$ ) ferroelectric oxides, cation disorder in, **160**, 174
- $Ca_2Ta_2O_7$  doped with niobia, 5M and 7M polytypes, **161**, 274
- $MLa_2Ti_2TaO_{10}$  ( $M = Cs, Rb$ ) layered perovskites, structure, **158**, 290
- Li-Ta-X systems ( $X = P, As$ ), synthesis and crystal structure, **156**, 37
- $NaLa_2Ti_2TaO_{10} \cdot xH_2O$  ( $x = 2, 0.9, 0$ ) layered perovskites, structure, **158**, 290
- $Pb_5Ta_{10}O_{30}$ , ferroelectric properties, effect of cationic substitutions, **157**, 261
- $Pb_2(Ta_{2-y}Pb_y)O_{7-\delta}$  ( $0.0 < y < 0.8$ ) pyrochlores, X-ray structure refinements and strain analysis, **156**, 207
- $SbSb_xTa_{1-x}O_4$ , solid solution behavior and second-harmonic generating properties, **161**, 57
- $^{181}Ta$  probes in  $SrHfO_3$ , hyperfine interaction at, temperature dependence, **159**, 1
- $Ln_3Ta_2N_6$  ( $Ln = La, Ce, Pr$ ), synthesis, structure, and magnetic properties, **162**, 90
- L-Ta $_2$ O $_5$ , and related structures, Moser's C-line, apparent multiplicity  $m'$ , and modules, **160**, 62
- $A'[A_2Ta_3O_{10}]$  ( $A' = Rb, Cs$ ;  $A = Sr, Ba$ ) Dion-Jacobson-type layered perovskites, synthesis, structure, and electrical conductivity, **158**, 279
- Tartaric acid gel process
- $LiMn_2O_4$  spinel cathode prepared by, NMR and FTIR studies, **160**, 368
- Tartrate
- Li-Fe-tartrate gels (molar ratio  $Li/Fe \leq 1/5$ ), thermal behavior, **160**, 100
- Tellurium
- $Ag_2Te$  and  $Ag_7Te_4$  nanocrystals, sonochemical synthesis, **158**, 260
- $BaCu_2Te_2$ , structure and physical properties, **156**, 44
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- $Bi_2TeO_5$ , oxidation, thermoanalytical and optical microscopic studies, **161**, 365
- $CdTeMoO_6$  and  $CoTeMoO_6$ , X-ray and TEM studies: fluorite-type superstructure with cation and anion deficiencies ( $\blacksquare CoTeMo$ ) ( $\square_2 O_6$ ), **160**, 401
- $Cs_3Gd_4Cu_5Te_{10}$ , synthesis and structure, **160**, 409
- $Gd_3Cu_2Te_7$ , synthesis and structure, **159**, 186
- $IrTe_2$ , preparation under high pressure, theoretical study, **162**, 63
- $K_3Ln_4Cu_5Te_{10}$  ( $Ln = Sm, Gd, Er$ ), synthesis and structure, **160**, 409
- $Ni_{1+x}Te_2$   $CdI_2/NiAs$  type solid solution phase, electron and X-ray diffraction, **161**, 266
- $Rb_3Ln_4Cu_5Te_{10}$  ( $Ln = Nd, Gd$ ), synthesis and structure, **160**, 409
- $Rb_{1.12}(NH_4)_{0.88}SO_4 \cdot Te(OH)_6$ , thermal analysis and crystal structure at 435 K, **161**, 1
- $RbUSb_{0.33}Te_6$ , infinite  $[Te_x]^{n-}$  chains in, periodic modulations, **161**, 17
- $TPnTe$  ( $T = Ni, Pd$ ;  $Pn = P, As, Sb$ ), preparation and crystal structure, **162**, 69
- TlTe, electronic band structure, **157**, 193
- $U_2Cu_{0.78}Te_6$ , synthesis and structure, **159**, 186
- Temperature effects
- $Bi_{2-x}In_xSe_3$  transport properties in single crystals, **160**, 474
- 2,2-dinitropropane-1,3-diol molecules and crystals: structure-energy changes, **157**, 296
- hyperfine interaction at  $^{181}Ta$  in  $SrHfO_3$ , **159**, 1
- spin state transition in  $LaCoO_3$ , XAS study, **158**, 208
- $Sr_{1-x}Ba_xZrO_3$  perovskites, high-resolution powder diffraction study, **161**, 106
- Temperature-programmed reduction
- Mg-Fe-O and Mg-Fe-Al-O complex oxides, **161**, 38
- Terbium
- $CsTb_2Ag_3Se_5$ , synthesis, structure, and physical properties, **158**, 299
- $TbAgMg$ , synthesis and crystal structures, **161**, 67
- $TbCa_6(VO_4)_7$ , synthesis and structure, **157**, 255
- $Tb_3Ru_2C_5$ , preparation, properties, and crystal structure, **160**, 77
- $Tb_3Si_2C_2$ , subcell and superstructure, **156**, 1
- Terephthalate
- layered cobaltous terephthalate, synthesis, crystal structure, and magnetic properties, **159**, 343
- Tetracyanoethylene
- reaction with  $[Mn^{II}(t-Bu)_4salen]_2$ , **159**, 403
- Tetrahydrofuran
- $M_4Cl_8(THF)_6$  ( $M = Mn, Fe, Co$ ), compounds based on, structural and magnetic study, **159**, 281
- Tetrapropylammonium ions
- metathesis reactions with  $[(Me_3Sn)_3M(CN)_6]$  ( $M = Co, Ir$ ), **157**, 324
- Tetrapropylphosphonium ions
- metathesis reactions with  $[(Me_3Sn)_3M(CN)_6]$  ( $M = Co, Ir$ ), **157**, 324
- Thallium
- $\beta$ - $Tl_2B_4O_7$  containing three-dimensional borate anion, structure, **160**, 139
- $TlBSe_3$ , synthesis, crystal structure, and properties, **157**, 206
- $TlCr_5S_{8-y}Se_y$  ( $y = 1-7$ ), spin-glass behavior mediated by nonmagnetic sublattice, **158**, 198
- $TlFeO_3$ , structural distortion and chemical bonding, comparison with  $AFeO_3$  ( $A =$  rare earth), **161**, 197
- $(Ti, Pb)_2QCu_2O_{6+z}$  ( $A = Ba, Sr$ ;  $Q =$  rare earth, Ca;  $z = 0-1$ ), structure-property relationships, modeling by multivariate analysis methods, **162**, 1
- $TlSr_2CoO_5$ , electronic structure, **162**, 282
- TlTe, electronic band structure, **157**, 193
- $Tl^I Tl^{III}(CN)_4$ , synthesis and structural properties, **159**, 244
- $Tl_2[(UO_2)_3(IO_3)_4O_2]$ , formation, effect of cation, **161**, 416
- Thermal analysis
- $C_{10}H_{28}N_4P_4O_{12} \cdot 4H_2O$ , **156**, 364
- $(C_2H_{10}N_2)Zr_2F_{10} \cdot H_2O$  and  $(C_4H_{12}N_2)ZrF_6 \cdot H_2O$ , **159**, 198
- $Cu_xM_{1-x}(HCOO)_2 \cdot 2H_2O$  ( $M = Mn, Co, Ni, Cd$ ), **157**, 23
- $(Hg_3)_2(HgO_2)(PO_4)_2$  and  $(Hg_3)_3(PO_4)_4$ , **157**, 68
- $LiKSO_4$ , **148**, 316; comments, **156**, 251, 253
- $(NH_4)[Ce^{IV}F_2(PO_4)]$ , **157**, 180
- $Rb_{1.12}(NH_4)_{0.88}SO_4 \cdot Te(OH)_6$ , **161**, 1
- $ZrO_2$  crystallization in sol-gel system, **158**, 349
- Thermal conductivity
- $Bi_{2-x}In_xSe_3$  single crystals, **160**, 474
- $Yb_5In_2Sb_6$  Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**, 177
- Thermal cycling
- effect on  $Pr_{0.5}Ca_{0.5}Mn_{0.99}Cr_{0.01}O_3$  resistivity under magnetic field, **160**, 1
- Thermal decomposition
- calcium-deficient carbonated hydroxyapatite, **160**, 340
- $[Eu_2(H_2O)_{12}Mo_8O_{27}]$ : formation of  $Eu_4Mo_7O_{27}$  and  $Eu_6Mo_{10}O_{39}$ , **161**, 85
- hydroxyapatite during plasma-spray procedure, **160**, 460
- oxidative,  $BaFe[(CN)_5NO] \cdot 3H_2O$ ,  $BaFeO_{2.8-\delta}$  prepared from, ab initio structure solution, **160**, 17
- Thermal expansion
- $FeSb_2S_4$ , **162**, 79
- $\gamma$ - $GeP_2O_7$ , **156**, 213
- La-based perovskites, computer simulations, **156**, 394
- negative, in orthorhombic  $NbOPO_4$ , **160**, 230
- $Sr_{0.97}Ti_{1-x}Fe_xO_{3-\delta}$  ( $x = 0.2-0.8$ ), **156**, 437
- Thermal properties
- $BaZnCl_4-II:Sm^{2+}$ , comparison to  $BaZnCl_4-I:Sm^{2+}$ , **162**, 237

- $\kappa$ -(BETS)<sub>2</sub>FeX<sub>4</sub> ( $X = \text{Cl, Br}$ ) with superconducting transitions, effect of halogen substitution, **159**, 407
- boehmite, dependence on atom bond lengths and crystallite size, **161**, 319
- $N,N'$ -dimethylpiperazinium(2+) hydrogen selenite, **161**, 312
- Hg<sub>4</sub>VO(PO<sub>4</sub>)<sub>2</sub> containing Hg<sub>2</sub><sup>2+</sup> dumbbells, **158**, 94
- Li-Fe-tartrate gels (molar ratio Li/Fe  $\leq 1/5$ ), **160**, 100
- $Ln_3\text{RuO}_7$  ( $Ln = \text{Sm, Eu}$ ), **158**, 245
- Thermal stability
- MgPd<sub>2</sub>, MgPd<sub>3</sub>, and Mg<sub>3</sub>Pd<sub>5</sub>, **159**, 113
- Thermal treatment
- ferrite-superconductor multiphase materials, associated chemical degradation, **160**, 332
- K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>]·7H<sub>2</sub>O, associated microstructural changes, **156**, 400
- Thermodynamics
- mechanical stability and resistance of microporous materials prepared by pyrolysis, **160**, 13
- polythermal equilibria in Al-Li-Si system, **156**, 506
- Thermoelectric materials
- SrBi<sub>2</sub>Se<sub>4</sub>, synthesis and characterization, **156**, 230
- Thermoelectric power
- Yb<sub>3</sub>In<sub>2</sub>Sb<sub>6</sub> Zintl phase with narrow band gap, **155**, 55; *erratum*, **161**, 177
- Thermogravimetry
- Bi<sub>2</sub>TeO<sub>5</sub> oxidation, **161**, 365
- LiKSO<sub>4</sub>, **148**, 316; comments, **156**, 251, 253
- Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, **162**, 29
- Mg<sub>1-x</sub>Cu<sub>2+x</sub>O<sub>3</sub> ( $0.130 \leq x \leq 0.166$ ), **160**, 251
- Nd-Mn-O system: phase equilibrium at 1100°C, **158**, 236
- Thermopower
- LaMnO<sub>3+ $\delta$</sub> , **160**, 123
- La<sub>0.9</sub>Sr<sub>0.1</sub>Fe<sub>1-x</sub>Co<sub>x</sub>O<sub>3</sub>, **159**, 215
- SrFeO<sub>y</sub> at high temperature, **158**, 320
- Thin films
- CuSe and Cu<sub>3</sub>Se<sub>2</sub>, chemical deposition and characterization, **158**, 49
- In<sub>2</sub>O<sub>3</sub>-ZnO transparent conducting films made by pulsed laser deposition, structures and textures, TEM study, **158**, 119
- La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3+ $\delta$</sub>  epitaxial films, excess oxygen in, **156**, 143
- molecularly doped polymer system, voltage-dependent luminescence properties, **158**, 242
- PZT pyrochlore epitaxial films, support-promoted stabilization, **158**, 40
- Thiocyanato-complex anions
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with, **159**, 385
- Thiospinels
- Cu<sub>5.52(8)</sub>Si<sub>1.04(8)</sub>□<sub>1.44</sub>Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub>, crystal structure, Mössbauer studies, and electrical properties, **161**, 327
- Thiourea
- fluorocyclohexane/thiourea inclusion compounds, temperature-dependent structural properties and crystal twinning, **156**, 16
- 2-Thioxo-1,3-dithiole-4,5-dithiolate
- Cp<sub>2</sub>Mo(dmit) with Br<sup>-</sup> or BF<sub>4</sub><sup>-</sup>, isolated dimers and ordered antiferromagnetic ground state, **159**, 413
- Thorium
- ThM<sub>2</sub>B<sub>2</sub>C ( $M = \text{Ni, Pd}$ ), metal-metal distances, electron counts, and superconducting  $T_c$ 's, **160**, 93
- Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>, crystal structure, electrical and magnetic properties, and bonding, **162**, 158
- Th<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>·H<sub>2</sub>O, Th(OH)PO<sub>4</sub>, and Th<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>, hydrothermal synthesis and characterization, **159**, 139
- Thulium
- NH<sub>4</sub>Tm<sub>3</sub>F<sub>10</sub>, hydrothermal syntheses and crystal structure, **158**, 358
- TmAgMg, synthesis and crystal structures, **161**, 67
- TmB<sub>22</sub>C<sub>2</sub>N, synthesis and crystal structure, **159**, 174
- ATmO<sub>3</sub> ( $A = \text{La-Nd}$ ) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- Tilt transitions
- (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub>, **162**, 20
- Tin
- binary metal chalcogenide nanocrystals, synthesis in alkaline aqueous solution, **161**, 184
- CsSn<sub>2</sub>X<sub>5</sub> compounds ( $X = \text{Cl, Br}$ ), cluster orbital formation in, **160**, 382
- Cu<sub>5.52(8)</sub>Si<sub>1.04(8)</sub>□<sub>1.44</sub>Fe<sub>4</sub>Sn<sub>12</sub>S<sub>32</sub> thiospinel, crystal structure, Mössbauer studies, and electrical properties, **161**, 327
- electrochemically cycled Si-doped SnO<sub>2</sub>-lithium thin-film battery, microstructural evolution, **160**, 388
- [(Me<sub>3</sub>Sn<sub>3</sub>)<sub>3</sub>M(CN)<sub>6</sub>] ( $M = \text{Co, Ir}$ ), metathesis reactions with tetrapropylammonium and -phosphonium ions, **157**, 324
- Ni<sub>1+x</sub>Sn ( $0.35 < x < 0.45$ ) NiAs/Ni<sub>2</sub>In-type phase with incommensurate occupational ordering of Ni, **159**, 191
- PbSnS<sub>3</sub> nanorods prepared via iodine transport hydrothermal method, characterization, **160**, 50
- [(nPr<sub>4</sub>N)(Me<sub>3</sub>Sn)<sub>2</sub>Ir(CN)<sub>6</sub>]·2H<sub>2</sub>O] and [(nPr<sub>4</sub>P)(Me<sub>3</sub>Sn)<sub>2</sub>Co(CN)<sub>6</sub>]·2H<sub>2</sub>O], crystal structures, **157**, 324
- probe ions located on Cr<sub>2</sub>O<sub>3</sub> microcrystal surface, impact of HF, Mössbauer study, **162**, 293
- A<sub>5</sub>Sn<sub>3</sub> ( $A = \text{Ca, Sr, Ba, Eu}$ ) compounds with Cr<sub>5</sub>B<sub>3</sub>-like structures, hydrogen impurity effects in, **159**, 149
- M<sup>II</sup>SnF<sub>6</sub> ( $M^{\text{II}} = \text{Ni, Pd, Cu}$ ), preparation, magnetic properties, and pressure-induced transitions, **162**, 333
- $\alpha$ -Sn(HPO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, solid-state synthetic reaction and characterization, **159**, 130
- Sn<sub>10</sub>In<sub>14</sub>P<sub>22</sub>I<sub>8</sub> and Sn<sub>14</sub>In<sub>10</sub>P<sub>21.2</sub>I<sub>8</sub> with clathrate I structure, synthesis and crystal and electronic structures, **161**, 233
- Sn<sub>1+x</sub>Nb<sub>2</sub>O<sub>6+x</sub> ( $x = 0.0, 0.5, 1.0$ ), synthesis and characterization, **156**, 349
- tin sulfide rod-like nanocrystals, preparation and morphology control via ethanol thermal route, **161**, 190
- Ti<sub>11</sub>(Sb,Sn)<sub>8</sub>, structure and physical properties, **157**, 225
- Titanium
- alkali titanium oxides, pseudo-one-dimensional periodic domain boundary structures, **162**, 128
- Al-Ti nanocomposite with lamellar structure, synthesis and characterization, **158**, 134
- Al-Ti-Zr nanocomposite with hexagonal structure, synthesis and characterization, **158**, 134
- Ca<sub>4</sub>Nb<sub>2</sub>O<sub>9</sub>-CaTiO<sub>3</sub>, phase equilibria and microstructures, **160**, 257
- Ca<sub>0.5</sub>Sr<sub>0.5</sub>TiO<sub>3</sub> perovskite, space group and structure, **160**, 8
- (Cr,Fe)<sub>2</sub>Ti<sub>n-2</sub>O<sub>2n-1</sub> crystallographic shear structure compounds, stability, **161**, 45
- Fe<sub>2</sub>O<sub>3</sub>-Cr<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, phase relations between 1000 and 1300°C, **161**, 45
- Gd<sub>4</sub>TiSe<sub>4</sub>O<sub>4</sub>, crystal structure and magnetic properties, **162**, 182
- [Hg<sub>6</sub>P<sub>4</sub>](TiCl<sub>6</sub>)Cl, synthesis, structure, and properties, **160**, 88
- In(Fe<sub>1-x</sub>Ti<sub>x</sub>)O<sub>3+x/2</sub>, orthorhombic phase with  $0.50 \leq x \leq 0.69$  and monoclinic phase with  $0.73 \leq x \leq 0.75$  at 1300°C in air, synthesis and crystal structures, **157**, 13
- KLnTiO<sub>4</sub> ( $Ln = \text{La, Nd, Sm, Eu, Gd, Dy}$ ), Ruddlesden-Popper phases synthesized by ion exchange of HLnTiO<sub>4</sub>, **161**, 225
- K<sub>2</sub>TiSi<sub>6</sub>O<sub>15</sub> with corrugated [Si<sub>6</sub>O<sub>15</sub>] <sub>$\infty$</sub>  layers, synthesis and crystal structure, **156**, 135
- La<sub>24</sub>Li<sub>20</sub>Ti<sub>5</sub>O<sub>56</sub>, crystal structure: pseudo-close-packed columnar intergrowth structure, **162**, 379
- La<sub>4</sub>Ti<sub>2</sub>O<sub>4</sub>Se<sub>5</sub> and La<sub>6</sub>Ti<sub>3</sub>O<sub>5</sub>Se<sub>9</sub>, syntheses and crystal structures, **157**, 289
- MLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub> ( $M = \text{Cs, Rb}$ ) layered perovskites, structure, **158**, 290
- Li<sub>2</sub>FeTi(PO<sub>4</sub>)<sub>3</sub>, mixed  $\alpha/\beta$  superstructures, **156**, 305
- Li<sub>0.5</sub>Mn<sub>0.5</sub>Ti<sub>1.5</sub>Cr<sub>0.5</sub>(PO<sub>4</sub>)<sub>3</sub>, structural and electrochemical study, **158**, 169

- NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub>·xH<sub>2</sub>O ( $x = 2, 0.9, 0$ ) layered perovskites, structure, **158**, 290
- $Ln_{1.33}Na_xMn_xTi_{2-x}O_6$  ( $Ln = Pr, x = 0.66; Ln = Nd, x = 0.66, 0.55$ ), conductivity and magnetic properties, **161**, 294
- PbZr<sub>x</sub>Ti<sub>1-x</sub>O<sub>3</sub> solid solutions, enthalpies of formation, **161**, 402
- PZT pyrochlore metastable phase, support-promoted stabilization by epitaxial thin film growth, **158**, 40
- Si-Ti nanocomposite with lamellar structure, synthesis and characterization, **158**, 134
- (Sr<sub>1-x</sub>Ca<sub>x</sub>)TiO<sub>3</sub> with composition ( $x$ ), evolution of crystallographic phases in, **162**, 20
- Sr<sub>0.97</sub>Ti<sub>1-x</sub>Fe<sub>x</sub>O<sub>3-δ</sub> ( $x = 0.2-0.8$ ), transport properties and thermal expansion, **156**, 437
- SrTiO<sub>3</sub>-SrZrO<sub>3</sub> solid solution, crystal structure and phase transitions, **156**, 255
- Sr<sub>9/8</sub>TiS<sub>3</sub>, Sr<sub>8/7</sub>TiS<sub>3</sub>, and Sr<sub>8/7</sub>[Ti<sub>6/7</sub>Fe<sub>1/7</sub>]S<sub>3</sub>, structures and physical properties, effects of metal-metal sigma bonding, **162**, 103
- TiAl intermetallics, reaction with nitrogen plasma, **157**, 339
- TiC, formation by combustion reaction during mechanical alloying, mechanism, **158**, 268
- [Ti<sub>2</sub>Cl<sub>9</sub>]<sup>-3</sup>, magnetic anisotropy, **159**, 268
- Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, hydrothermal synthesis and structure, **162**, 96
- TiO<sub>2</sub>, mesoporous MCM-41 modified by, nanosized Pd clusters on, synthesis, characterization, and photoactivity, **162**, 138
- TiO<sub>2</sub> nanocrystals  
anatase, preparation, characterization, and spectral studies, **158**, 180  
ultrafine powder, preparation, characterization, and low-temperature heat capacities, **156**, 220
- TiO<sub>2</sub>/γ-Al<sub>2</sub>O<sub>3</sub>, NiO dispersion on, **157**, 274
- Ti<sub>6</sub>Pb<sub>4.8</sub>, short Pb-Pb bonds in, **159**, 134
- Ti<sub>11</sub>(Sb,Sn)<sub>8</sub>, structure and physical properties, **157**, 225
- $LnTi_{0.5}V_{0.5}O_3$  ( $Ln = Ce, Pr$ ), magnetic properties, **156**, 452
- Y<sub>2</sub>TiO<sub>5</sub>, Raman spectroscopy, **160**, 25
- Y<sub>2</sub>Ti<sub>2-y</sub>Zr<sub>y</sub>O<sub>7</sub> pyrochlore, transformation to fluorite structure, **160**, 25
- ZrO<sub>2</sub>-Gd<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, phase relations at 1500°C, **160**, 302
- Topotactic reactions  
in cation-deficient spinels with formula close to Li<sub>2</sub>Mn<sub>4</sub>O<sub>9</sub>, **160**, 108
- Transmission electron microscopy  
alkali titanium oxides: pseudo-one-dimensional periodic domain boundary structures, **162**, 128
- Aurivillius oxides with  $n = 1$  produced by mechanochemical activation, **160**, 54
- ReB<sub>2</sub>C<sub>2</sub>N ( $Re = Y, Ho, Er, Tm, Lu$ ), **159**, 174
- Ca<sub>4</sub>Nb<sub>2</sub>O<sub>9</sub>-CaTiO<sub>3</sub>, **160**, 257
- CdTeMoO<sub>6</sub> and CoTeMoO<sub>6</sub>: fluorite-type superstructure with cation and anion deficiencies (■CoTeMo)(□<sub>2</sub>O<sub>6</sub>), **160**, 401
- electron-doped layered La<sub>2-x</sub>Ca<sub>1+2x</sub>Mn<sub>2</sub>O<sub>7</sub> orthorhombic phase in 0.8 <  $x$  < 1.0 composition range, **157**, 309
- In<sub>2</sub>O<sub>3</sub>-ZnO transparent conducting thin films made by pulsed laser deposition: structures and textures, **158**, 119
- MgF<sub>2</sub> decomposition in, **157**, 30
- Tris-oxalato transition metals  
as building blocks for self-assembly of molecular magnets, **159**, 262
- Tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]amine  
ground spin states, **159**, 428
- Tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]borane  
ground spin states, **159**, 428
- Tris[*p*-(*N*-oxyl-*N*-*tert*-butylamino)phenyl]methyl  
ground spin states, **159**, 428
- 1,3,5-Trithia-2,4,6-triazapentalenyl  
crystals at room temperature, magnetic bistability, comparison with spin crossover transitions, **159**, 451
- Tungsten  
KIn(WO<sub>4</sub>)<sub>2</sub>, phase transitions, vibrational study, **158**, 334
- α-La<sub>2</sub>W<sub>2</sub>O<sub>9</sub>, *ab initio* structure determination from X-ray and neutron powder diffraction, **159**, 223
- lead-free relaxor ferroelectrics with tetragonal tungsten bronze structure, solid state chemistry, **162**, 260
- A<sub>x</sub>Mo<sub>y</sub>W<sub>1-y</sub>O<sub>3</sub> ( $A = K, Ce$ ) intergrowth tungsten bronzes, synthesis and microanalysis, **162**, 341
- Pb-Nb-W-O oxides based on tetragonal tungsten bronze structure, **161**, 135
- WC, formation by continuous reaction during mechanical alloying, mechanism, **158**, 268
- W<sub>x</sub>Mo<sub>(1-x)</sub>S<sub>2</sub> lamellar solid solution, two cation disulfide layers in, **160**, 147
- WO<sub>3-x</sub>, structure and reduction leading to WS<sub>2</sub> formation, **162**, 300
- WS<sub>2</sub> nanotube formation via WO<sub>3-x</sub> reduction, **162**, 300
- Tunnel structure  
Na<sub>4</sub>Mn<sub>9</sub>O<sub>18</sub> with, calcium insertion in, **162**, 34
- PbVOP<sub>2</sub>O<sub>7</sub>, intersecting tunnel structure, **162**, 354
- Twinning  
crystal, fluorocyclohexane/thiourea inclusion compounds, **156**, 16
- U
- Ultraviolet-visible spectroscopy  
Co(II) coordination polymers {[CoBr<sub>2</sub>(2,1,3-benzothiadiazole)]<sub>n</sub> and [CoCl<sub>2</sub>(btd)]<sub>m</sub>}, **159**, 371
- TiO<sub>2</sub> nanocrystalline anatase, **158**, 180
- Uranium  
(C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub>·5H<sub>2</sub>O, hydrothermal synthesis, structure, and magnetic properties, **158**, 87
- (NH<sub>4</sub>)<sub>2</sub>U<sub>6</sub>F<sub>31</sub>, hydrothermal synthesis, structure, and magnetic properties, **158**, 87
- RbUSb<sub>0.33</sub>Te<sub>6</sub>, infinite [Te<sub>x</sub>]<sup>n-</sup> chains in, periodic modulations, **161**, 17
- U<sub>3</sub>M<sub>2</sub>M'<sub>3</sub> ( $M = Al, Ga; M' = Si, Ge$ ), magnetotransport and heat capacity, **158**, 227
- U<sub>2</sub>Cu<sub>0.78</sub>Te<sub>6</sub>, synthesis and structure, **159**, 186
- α-U<sub>3</sub>O<sub>8</sub>, module based on, in description of L-Ta<sub>2</sub>O<sub>5</sub> and related structures, **160**, 62
- A<sub>2</sub>[(UO<sub>2</sub>)<sub>3</sub>(IO<sub>3</sub>)<sub>4</sub>O<sub>2</sub>] ( $A = K, Rb, Tl$ ) and AE[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O) ( $AE = Sr, Ba, Pb$ ), formation, effects of cations, **161**, 416
- V
- Valence  
nonintegral, Ce in Ce<sub>2</sub>Ni<sub>22</sub>C<sub>2.75</sub>, **161**, 63
- Valeraldehyde  
intercalation into VOPO<sub>4</sub>, **157**, 50
- Vanadium  
BaV<sub>13</sub>O<sub>18</sub>, crystal structure, **158**, 61
- Bi<sub>2</sub>VO<sub>5</sub> and Bi<sub>2</sub>VO<sub>5.5</sub>, Aurivillius compounds, production by mechanochemical activation, **160**, 54
- Bi<sub>3.5</sub>V<sub>1.2</sub>O<sub>8.25</sub>, preparation and characterization, **161**, 410
- ACa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub> ( $A = Bi, rare earth$ ), synthesis and structure, **157**, 255
- Cd<sub>5-η/2</sub>(VO<sub>4</sub>)<sub>3</sub>I<sub>1-η</sub>, modified chimney-ladder structures with ladder-ladder and chimney-ladder coupling, **156**, 88
- Cd(VO<sub>2</sub>)<sub>4</sub>(SeO<sub>3</sub>)<sub>3</sub>·H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **161**, 23
- Ce<sub>1-x</sub>Bi<sub>x</sub>VO<sub>4</sub> solid solutions  
Raman and IR spectroscopy, **158**, 254  
Raman spectroscopy for 0 ≤  $x$  ≤ 0.68, **158**, 264
- Ce<sub>1-x</sub>Ca<sub>x</sub>VO<sub>4-x</sub> (0 ≤  $x$  ≤ 0.41) solid solutions, Raman spectra, **158**, 264
- Ce<sub>1-x</sub>M<sub>x</sub>VO<sub>4-0.5x</sub> ( $M = Pb, Sr, Ca$ ) solid solutions, Raman and IR spectroscopy, **158**, 254



- Co(NH<sub>3</sub>)<sub>6</sub>(V<sub>1.5</sub>P<sub>0.5</sub>)O<sub>6</sub>OH, hydrothermal synthesis and crystal structure, **159**, 239
- CuV<sub>2</sub>O<sub>6</sub>, anisotropic spin exchange interaction in, spin dimer analysis, **156**, 110
- Cu<sub>3+1.5x</sub>R<sub>4-x</sub>(VO<sub>4</sub>)<sub>6</sub> (*R* = Fe,Cr), phase formation and crystal structures, **156**, 339
- Hg<sub>4</sub>VO(PO<sub>4</sub>)<sub>2</sub> containing Hg<sub>2</sub><sup>2+</sup> dumbbells, crystal structure and thermal and magnetic properties, **158**, 94
- (H<sub>2</sub>O)[V<sub>2</sub><sup>III</sup>F<sub>6</sub>] and Pyr-VF<sub>3</sub> of pyrochlore type, hydrothermal synthesis, structure, and magnetic characterization, **162**, 266
- ALaFeVO<sub>6</sub> (*A* = Ca,Sr) double-perovskite oxides, synthesis, structure, and properties, **162**, 250
- Li<sub>2</sub>NaV<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>, 3.7-V lithium-insertion cathode with rhombohedral NASICON structure, **162**, 176
- Li-V-*X* systems (*X* = P,As), synthesis and crystal structure, **156**, 37
- LiVO<sub>3</sub>, structural disorder and ionic conductivity, neutron powder diffraction study from 340 to 890 K, **156**, 379
- Li<sub>1+x</sub>V<sub>3</sub>O<sub>8</sub>, mechanochemical synthesis, reduction processes in, **160**, 444
- [NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] (*x* = 1.65), synthesis and characterization, **159**, 59
- noncluster vanadium(IV) coordination polymers, solvothermal synthesis, crystal structure, and ion exchange, **160**, 118
- PbVOP<sub>2</sub>O<sub>7</sub> with intersecting tunnel structure, **162**, 354
- polyoxovanadates, synthesis from aqueous solution, **162**, 315
- Ln*Ti<sub>0.5</sub>V<sub>0.5</sub>O<sub>3</sub> (*Ln* = Ce,Pr), magnetic properties, **156**, 452
- VO<sub>2</sub> nanopowders, preparation and characterization, **156**, 274
- V<sub>2</sub>O<sub>3</sub>, antiferromagnetic insulating phase of, AC conductivity, **159**, 41
- V<sub>2</sub>O<sub>5</sub> nanocrystals, preparation and characterization, **159**, 181
- VO<sub>2</sub>·H<sub>2</sub>O needle-like nanocrystals, metastable phase and phase transformation, **157**, 250
- VOPO<sub>4</sub>, aldehyde intercalation into, **157**, 50
- V<sub>5</sub>S<sub>8</sub>, magnetic properties, effects of metal-atom clustering, **160**, 287
- Vernier modulated phases  
anion-excess fluorite-related phases in *Ln*OF-*Ln*F<sub>3</sub> systems (*Ln* = Nd, Sm, Eu, Gd), **157**, 134
- Vibronic interaction  
effect on magnetic anisotropy, **159**, 268
- Voltammetry  
Li-Fe-Mn-O spinel solid solutions, **161**, 152
- Volume compensation  
in cellular paracrystal formation from Co-doped CaO polycrystals, **161**, 341
- W
- Water  
Al[(HO<sub>3</sub>PCH<sub>2</sub>)<sub>3</sub>N]H<sub>2</sub>O, synthesis and characterization, **160**, 278
- AlO(OH)·*x*H<sub>2</sub>O, monoclinic nanocrystals formed by activated surface hydrolysis of Al metal, XRD and IR studies, **157**, 40
- BaAl<sub>2</sub>O<sub>3</sub>(OH)<sub>2</sub>·H<sub>2</sub>O with six-membered rings, synthesis and characterization, **161**, 243
- BaFe[(CN)<sub>5</sub>NO]·3H<sub>2</sub>O, oxidative thermal decomposition, BaFeO<sub>2.8-δ</sub> prepared from, ab initio structure solution, **160**, 17
- Cd(CN)<sub>2</sub>·2/3H<sub>2</sub>O·*t*-BuOH, structure, **156**, 51
- M*<sub>4</sub>Cd<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>4</sub>·4H<sub>2</sub>O (*M* = Na,K), synthesis, structure, and properties, **162**, 150
- Cd(VO<sub>2</sub>)<sub>4</sub>(SeO<sub>3</sub>)<sub>3</sub>·H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **161**, 23
- charge transfer salts of bis(ethylenedithio) tetrathiafulvalene with thiocyanato-complex anions: (BEDT-TTF)<sub>2</sub>[Cr(NCS)<sub>4</sub>(bipyrimidine)]·0.15H<sub>2</sub>O, **159**, 385
- [(*S*)-C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>][Fe<sub>4</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>], synthesis and characterization, **157**, 233
- C<sub>10</sub>H<sub>8</sub>N<sub>4</sub>P<sub>4</sub>O<sub>12</sub>·4H<sub>2</sub>O, crystal structure, thermal analysis, and vibrational spectra, **156**, 364
- (C<sub>5</sub>H<sub>14</sub>N<sub>2</sub>)<sub>2</sub>U<sub>2</sub>F<sub>12</sub>·5H<sub>2</sub>O, hydrothermal synthesis, structure, and magnetic properties, **158**, 87
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)Zr<sub>2</sub>F<sub>10</sub>·H<sub>2</sub>O and (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)ZrF<sub>6</sub>·H<sub>2</sub>O, hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198
- (C<sub>10</sub>N<sub>4</sub>H<sub>28</sub>)[Zn<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>]·2H<sub>2</sub>O with layer structure, synthesis, crystal structure, and NMR, **162**, 168
- Co<sub>3</sub>BTCA<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>, resonance in nonlinear susceptibilities, **159**, 379
- CoFe(CN)<sub>5</sub>NH<sub>3</sub>·6H<sub>2</sub>O, photo- and dehydration-induced charge transfer processes with spin transition, **159**, 336
- Co(H<sub>2</sub>O)<sub>2</sub>O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>, synthesis, crystal structure, and magnetic properties, **159**, 343
- [Cr(CN)<sub>6</sub>]<sub>2</sub>[Ni(L)<sub>2</sub>]<sub>3</sub>·7H<sub>2</sub>O pentanuclear complexes, characterization and magnetic properties, **159**, 302
- [Cr<sub>3</sub>O(O<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>Cl)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>][NO<sub>3</sub>], high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- Cs<sub>2</sub>Co<sub>3</sub>(HPO<sub>4</sub>)(PO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, synthesis and characterization, **156**, 242
- Cu(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- Cu<sub>x</sub>M<sub>1-x</sub>(HCOO)<sub>2</sub>·2H<sub>2</sub>O (*M* = Mn, Co, Ni, Cd), crystal structures and thermal behavior, **157**, 23
- [Cu<sub>12</sub>Ln<sub>6</sub>(μ<sub>3</sub>-OH)<sub>24</sub>(C<sub>5</sub>H<sub>5</sub>NCH<sub>2</sub>CO<sub>2</sub>)<sub>12</sub>(H<sub>2</sub>O)<sub>18</sub>(μ<sub>9</sub>-NO<sub>3</sub>)](PF<sub>6</sub>)<sub>10</sub>(NO<sub>3</sub>)<sub>7</sub>·12H<sub>2</sub>O (*Ln*<sup>III</sup> = Sm<sup>III</sup>, Gd<sup>III</sup>), synthesis and characterization, **161**, 214
- H<sub>2</sub>O(NH<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>-(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, polythermal diagram between 0 and 25°C, **156**, 264
- (H<sub>2</sub>O)[V<sub>2</sub><sup>III</sup>F<sub>6</sub>] of pyrochlore type, hydrothermal synthesis, structure, and magnetic characterization, **162**, 266
- hydrogen coinserted hydrated sodium and potassium molybdenum bronzes, direct synthesis and characterization, **159**, 87
- K<sub>0.2</sub>Co<sub>1.4</sub>[Fe(CN)<sub>6</sub>]·7H<sub>2</sub>O, microstructural changes induced by thermal treatment, **156**, 400
- Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, synthesis and characterization, **162**, 29
- Mn<sub>x</sub>Co<sub>1-x</sub>(O<sub>3</sub>PC<sub>6</sub>H<sub>5</sub>)·H<sub>2</sub>O, structure and magnetic properties, **159**, 362
- [Mn(L)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·*n*H<sub>2</sub>O (*L* = ethylenediamine, *n* = 4; *L* = glycine amide, *n* = 2.5), 3D network structure, magnetic properties, and relevance to Prussian blue analogue, **159**, 328
- Mn<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·12H<sub>2</sub>O, relationship to [Mn(L)]<sub>3</sub>[Cr(CN)<sub>6</sub>]<sub>2</sub>·*n*H<sub>2</sub>O (*L* = ethylenediamine, *n* = 4; *L* = glycine amide, *n* = 2.5), **159**, 328
- Mn<sub>6</sub>(H<sub>2</sub>O)<sub>2</sub>(HPO<sub>4</sub>)<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O, synthesis and characterization, **156**, 32
- MnO<sub>2</sub>·0.22H<sub>2</sub>O and MnO<sub>2</sub>·0.70H<sub>2</sub>O, synthesis from monoclinic-type LiMnO<sub>2</sub>, **160**, 69
- [Mn<sub>3</sub>O(O<sub>2</sub>CPh)<sub>6</sub>(NC<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(H<sub>2</sub>O)], high-temperature reactions, effects of counterion, ligand, and metal, **159**, 321
- [Mo<sub>12</sub>CdP<sub>8</sub>O<sub>50</sub>(OH)<sub>12</sub>Cd[N(CH<sub>3</sub>)<sub>4</sub>]<sub>2</sub>(H<sub>3</sub>O)<sub>6</sub>]·5H<sub>2</sub>O, revised space groups, **159**, 7
- NaHPO<sub>3</sub>F·2.5H<sub>2</sub>O, synthesis and crystal structure, **156**, 415
- Na<sub>2</sub>In<sub>2</sub>[PO<sub>3</sub>(OH)]<sub>4</sub>·H<sub>2</sub>O, hydrothermal synthesis and crystal structure, **157**, 213
- NaLa<sub>2</sub>Ti<sub>2</sub>TaO<sub>10</sub>·*x*H<sub>2</sub>O (*x* = 2, 0.9, 0) layered perovskites, structure, **158**, 290
- Na<sub>2</sub>PO<sub>3</sub>F·10H<sub>2</sub>O, synthesis and crystal structure, **156**, 415
- Ni(C<sub>8</sub>H<sub>6</sub>NO<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub> interpenetration networks, hydrothermal synthesis and crystal structure, **157**, 166
- polynuclear self-assembled Mn(II), Co(II), and Cu(II) cluster complexes, synthesis, structure, and magnetism, **159**, 308
- [(*n*Pr<sub>4</sub>N)(Me<sub>3</sub>Sn)<sub>2</sub>Ir(CN)<sub>6</sub>·2H<sub>2</sub>O] and [(*n*Pr<sub>4</sub>P)(Me<sub>3</sub>Sn)<sub>2</sub>Co(CN)<sub>6</sub>·2H<sub>2</sub>O], crystal structures, **157**, 324
- α-Sn(HPO<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O, solid-state synthetic reaction and characterization, **159**, 130

- Sr(HC<sub>2</sub>O<sub>4</sub>)·1/2(C<sub>2</sub>O<sub>4</sub>)·H<sub>2</sub>O, structure determination from powder X-ray and neutron diffraction studies, **157**, 283
- Th<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>·H<sub>2</sub>O, hydrothermal synthesis and characterization, **159**, 139
- Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>4</sub>N<sub>2</sub>H<sub>12</sub>·H<sub>2</sub>O and Ti<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>F<sub>2</sub>·C<sub>2</sub>N<sub>2</sub>H<sub>10</sub>·H<sub>2</sub>O, hydrothermal synthesis and structure, **162**, 96
- AE[(UO<sub>2</sub>)<sub>2</sub>(IO<sub>3</sub>)<sub>2</sub>O<sub>2</sub>](H<sub>2</sub>O) (AE = Sr, Ba, Pb), formation, effects of cations, **161**, 416
- VO<sub>2</sub>·H<sub>2</sub>O needle-like nanocrystals, metastable phase and phase transformation, **157**, 250
- Weberite  
Na<sub>2</sub>MgInF<sub>7</sub>, crystal structure, **159**, 234
- X
- Xenon  
[Nd(XeF<sub>2</sub>)<sub>n</sub>](AsF<sub>6</sub>)<sub>3</sub> (n = 3, 2.5), synthesis and Raman spectra, and crystal structure of n = 2.5 compound, **162**, 243
- Xerogels  
silica, modification by fluoride ion-catalyzed treatment, **162**, 371
- X-ray absorption fine structure  
Li(Mn, M)<sub>2</sub>O<sub>4</sub> (M = Cr, Co, Ni) 5V cathode materials for lithium-ion secondary batteries, *in situ* study, **156**, 286
- X-ray absorption near-edge structure  
oxidation state determination for Cu and Ru in La<sub>2-x</sub>Sr<sub>x</sub>Cu<sub>1-y</sub>Ru<sub>y</sub>O<sub>4-δ</sub>, **156**, 194  
β-PbO, quantum *ab initio* explanation, **157**, 220  
pillaring of K<sub>1-x</sub>La<sub>x</sub>Ca<sub>2-x</sub>Nb<sub>3</sub>O<sub>10</sub> layered perovskites with Fe<sub>2</sub>O<sub>3</sub> nanoparticles, **160**, 435
- X-ray absorption spectroscopy  
Ce<sub>2</sub>Ni<sub>22</sub>C<sub>2.75</sub>, L<sub>m</sub>-XAS study, **161**, 63  
charge-carrier localization on Mn surface sites in granular LaMnO<sub>3+δ</sub>, **160**, 123  
polarized, mercuric bromide intercalated Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>y</sub> single crystal, **160**, 39  
spin state transition in LaCoO<sub>3</sub> depending on temperature or Sr doping, **158**, 208
- X-ray diffraction, *see also* Powder X-ray diffraction  
activated surface hydrolysis of Al metal into AlO(OH)·αH<sub>2</sub>O nanocrystals in monoclinic structure, **157**, 40  
nBa(Nb, Zr)O<sub>3</sub> + 3mNbO (n = 2-5; m = 1), **156**, 75  
BaV<sub>13</sub>O<sub>18</sub>, **158**, 61  
Ca<sub>3</sub>Co<sub>1+x</sub>Mn<sub>1-x</sub>O<sub>6</sub> and Ca<sub>3</sub>CuMnO<sub>6</sub> quasi-one-dimensional oxides, **160**, 293  
CdCr<sub>2-x</sub>Ga<sub>x</sub>Se<sub>4</sub> spinel system, **158**, 34  
CeIrIn<sub>5</sub> and CeRhIn<sub>5</sub> heavy fermion materials, **158**, 25  
Cp<sub>2</sub>Mo(dmit) with Br<sup>-</sup> or BF<sub>4</sub><sup>-</sup>, isolated dimers and ordered antiferromagnetic ground state, **159**, 413  
CsH<sub>5</sub>(AsO<sub>4</sub>)<sub>2</sub>, **161**, 9  
[Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>2</sub>Br<sub>4</sub>] and [Cu(H<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>][Cu<sub>5</sub>Br<sub>7</sub>], **158**, 55  
energy-dispersive, La<sub>0.5-x</sub>Bi<sub>x</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> (x = 0.1, 0.15, 0.2) perovskite: lattice distortion under high pressure, **160**, 307  
fluorocyclohexane/thiourea inclusion compounds: temperature-dependent structural properties and crystal twinning, **156**, 16  
goethite structural change in methane oxidation, *in situ* study, **156**, 225  
K<sub>2</sub>In<sub>12</sub>Se<sub>19</sub>, **161**, 385  
LiKSO<sub>4</sub>, **148**, 316; comments, **156**, 251, 253  
Li<sub>1-z</sub>Ni<sub>1+z</sub>O<sub>2</sub> (z = 0.075) single crystals, **160**, 178  
local structure in heat-treated oxyhydroxyapatite microcrystals, **160**, 460  
mono-L-valinium nitrate, **158**, 1  
NaYFPO<sub>4</sub>, **157**, 8  
[NH<sub>3</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>3</sub>]<sub>4</sub>[Ga<sub>4-x</sub>V<sub>x</sub>(HPO<sub>4</sub>)<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>H(OH)<sub>2</sub>] (x = 1.65), **159**, 59
- Pb<sub>2</sub>(M<sub>2-y</sub>Pb<sub>y</sub>)O<sub>7-δ</sub> (0.0 < y < 0.8; M = Nb, Ta) pyrochlores: structural refinements, **156**, 207  
products of high-temperature reactions of metal triangles, effects of counterion, ligand, and metal, **159**, 321  
WO<sub>3-x</sub> phases leading to WS<sub>2</sub> formation, **162**, 300
- X-ray photoelectron spectroscopy  
Nd<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>4</sub> (x = 0.02-0.20), Cr<sup>V</sup>-Cr<sup>VI</sup> mixed valence compounds, **156**, 370
- Y
- Ytterbium  
Li<sub>2</sub>Yb<sub>5</sub>O<sub>4</sub>(BO<sub>3</sub>)<sub>3</sub> discovered in Li<sub>2</sub>O-Ln<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub> phase diagram, structural analysis, **156**, 161  
NaYbP<sub>2</sub>S<sub>6</sub>, structure modification, **160**, 195  
YbAgMg, synthesis and crystal structures, **161**, 67  
YbCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
Yb(Co<sub>1/2</sub>Mn<sub>1/2</sub>)O<sub>3</sub>, phonon modes, **160**, 350  
Yb<sub>5</sub>In<sub>2</sub>Sb<sub>6</sub> Zintl phase with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55; *erratum*, **161**, 177  
AYbO<sub>3</sub> (A = La-Nd) perovskites, preparation, magnetic susceptibility, and specific heat, **157**, 173
- Yttrium  
Ca<sub>1-x</sub>Y<sub>x</sub>MnO<sub>3</sub>, structural phase diagram, **156**, 458  
NaYFPO<sub>4</sub>, hydrothermal synthesis and crystal structure, **157**, 8  
NH<sub>4</sub>Y<sub>3</sub>F<sub>10</sub>, hydrothermal syntheses and crystal structure, **158**, 358  
YBaCo<sub>2</sub>O<sub>5+x</sub> (0.00 ≤ x ≤ 0.52), oxygen nonstoichiometry, structures, and physical properties, **156**, 355  
YB<sub>22</sub>C<sub>2</sub>N, synthesis and crystal structure, **159**, 174  
YCa<sub>9</sub>(VO<sub>4</sub>)<sub>7</sub>, synthesis and structure, **157**, 255  
YCuO<sub>2+x</sub> delafossite, fine structure determination by synchrotron powder diffraction and electron microscopy, **156**, 428  
YNbO<sub>4</sub> and YNbO<sub>4</sub>:Bi, electronic structures and luminescence properties, **156**, 267  
Y<sub>3</sub>Ru<sub>2</sub>C<sub>5</sub>, preparation, properties, and crystal structure, **160**, 77  
Y<sub>3</sub>Si<sub>2</sub>C<sub>2</sub>, subcell and superstructure, **156**, 1  
Y<sub>2</sub>TiO<sub>5</sub>, Raman spectroscopy, **160**, 25  
Y<sub>2</sub>Ti<sub>2-y</sub>Zr<sub>y</sub>O<sub>7</sub> pyrochlore, transformation to fluorite structure, **160**, 25  
yttria-stabilized zirconia nanoparticles, synthesis by molecular decomposition process, **157**, 149
- Z
- Zinc  
BaZnCl<sub>4</sub>-II:Sm<sup>2+</sup>, crystal structure, thermal behavior, and luminescence, comparison to BaZnCl<sub>4</sub>-I:Sm<sup>2+</sup>, **162**, 237  
BaLn<sub>2</sub>ZnS<sub>5</sub> (Ln = La, Ce, Pr, Nd), crystal structure and magnetic properties, **159**, 163  
(C<sub>10</sub>N<sub>4</sub>H<sub>28</sub>)[Zn<sub>6</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>4</sub>]·2H<sub>2</sub>O with layer structure, **162**, 168  
[C<sub>6</sub>N<sub>4</sub>H<sub>22</sub>][Zn<sub>6</sub>(PO<sub>4</sub>)<sub>4</sub>(HPO<sub>4</sub>)<sub>2</sub>] formed by one-dimensional tubes, synthesis and crystal structure, **157**, 110  
doping of α-Fe<sub>2</sub>O<sub>3</sub>, effects on structure and magnetic properties, **156**, 408  
In<sub>2</sub>O<sub>3</sub>-ZnO transparent conducting thin films made by pulsed laser deposition, structures and textures, TEM study, **158**, 119  
Li<sub>2</sub>Zn(HPO<sub>4</sub>)<sub>2</sub>·0.66H<sub>2</sub>O, synthesis and characterization, **162**, 29  
(NC<sub>5</sub>H<sub>12</sub>)<sub>2</sub>·Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub>, low-density framework built up from fully connected (3,4) net of ZnO<sub>4</sub> tetrahedra and HPO<sub>3</sub> pseudo pyramids, **160**, 4  
Nd<sub>2</sub>BaZnO<sub>5</sub>, Nd<sup>3+</sup> in, optical and crystal-field analysis, **162**, 42  
(NH<sub>4</sub>)<sub>4</sub>[Zn<sub>4</sub>Ga<sub>4</sub>P<sub>8</sub>O<sub>32</sub>] and (NH<sub>4</sub>)<sub>16</sub>[Zn<sub>16</sub>Ga<sub>8</sub>P<sub>24</sub>O<sub>96</sub>], syntheses and structures, **156**, 480  
(Sr<sub>1-x</sub>La<sub>1+x</sub>)Zn<sub>1-x</sub>O<sub>3.5-x/2</sub> (0.01 ≤ x ≤ 0.03), synthesis and crystal structure, **159**, 19

- $TT'Zn_{20}$  ( $T = \text{Zr, Hf, Nb}$ ;  $T' = \text{Mn, Fe, Ru, Co, Rh, Ni}$ ) with  $\text{CeCr}_2\text{Al}_{20}$ -type structure, **161**, 288
- Zn–Al layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52
- [ZnAl] layered double hydroxide, platinum complex intercalation into, **161**, 332
- Zn(II) complexes with imino nitroxyl diradical, magnetic properties, **159**, 455
- Zn–Cr layered double hydroxide, amino acid intercalation by coprecipitation, **162**, 52
- [Zn(dicyanamide)<sub>2</sub>pyrazine], synthesis, structural isomerism, and magnetism, **159**, 352
- [Zn<sup>II</sup>Ru<sup>III</sup>(oxalate)<sub>3</sub>], and decamethylmetallocenium cations, layered molecule-based magnets formed by, **159**, 391
- Zintl phases
- $\text{Na}_2\text{Ba}_3\text{Sb}_4$ , **162**, 327
- $\text{Yb}_5\text{In}_2\text{Sb}_6$ , with narrow band gap, synthesis, crystal structure, thermoelectric properties, and electronic structure, **155**, 55; *erratum*, **161**, 177
- Zirconium
- Al–Ti–Zr and Al–Zr nanocomposites with hexagonal structure, synthesis and characterization, **158**, 134
- $n\text{Ba}(\text{Nb, Zr})\text{O}_3 + 3m\text{NbO}$  ( $n = 2-5$ ;  $m = 1$ ), single-crystal X-ray diffraction studies, **156**, 75
- $(\text{C}_2\text{H}_{10}\text{N}_2)\text{Zr}_2\text{F}_{10} \cdot \text{H}_2\text{O}$  and  $(\text{C}_4\text{H}_{12}\text{N}_2)\text{ZrF}_6 \cdot \text{H}_2\text{O}$ , hydrothermal syntheses, structural relationships, and thermal behavior, **159**, 198
- fluorite-type ceria–zirconia solid solution nanoparticles, low-temperature direct synthesis by forced cohydrolysis at 100°C, **158**, 112
- $\text{Li}_2\text{FeZr}(\text{PO}_4)_3$ , mixed  $\alpha/\beta$  superstructures, **156**, 305
- $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$  solid solutions, enthalpies of formation, **161**, 402
- PZT pyrochlore metastable phase, support-promoted stabilization by epitaxial thin film growth, **158**, 40
- rare earth sesquioxide-stabilized cubic zirconias, strain-driven pyrochlore to defect fluorite phase transition, **159**, 121
- Si–Zr nanocomposite with lamellar structure, synthesis and characterization, **158**, 134
- $\text{Sr}_{1-x}\text{Ba}_x\text{ZrO}_3$  perovskites, effects of composition and temperature, high-resolution powder diffraction study, **161**, 106
- $\text{SrTiO}_3$ – $\text{SrZrO}_3$  solid solution, crystal structure and phase transitions, **156**, 255
- $\text{Y}_2\text{Ti}_{2-y}\text{Zr}_y\text{O}_7$  pyrochlore, transformation to fluorite structure, **160**, 25
- yttria-stabilized zirconia nanoparticles, synthesis by molecular decomposition process, **157**, 149
- $\beta$ -ZrNCl, high-pressure synthesis and crystal structure, **159**, 80
- $\text{ZrO}_2$ , crystallization in sol–gel system, **158**, 349
- $\text{ZrO}_2$ – $\text{Gd}_2\text{O}_3$ – $\text{TiO}_2$ , phase relations at 1500°C, **160**, 302
- $\text{ZrP}_2\text{O}_7$ , 3-D incommensurately modulated cubic phase in, symmetry characterization via temperature-dependent electron diffraction, **157**, 186
- $\text{ZrT}'_2\text{Zn}_{20}$  ( $T' = \text{Mn, Fe, Ru, Co, Rh, Ni}$ ) with  $\text{CeCr}_2\text{Al}_{20}$ -type structure, **161**, 288