



ACADEMIC  
PRESS

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Solid State Chemistry 176 (2003) 673–721

JOURNAL OF  
**SOLID STATE  
CHEMISTRY**

<http://elsevier.com/locate/jssc>

## Cumulative Subject Index for Volumes 170–176<sup>1</sup>

### A

- Absorption  
hydrogen by  $\text{LaNi}_{5-x}\text{Pt}_x$ , **173**, 379
- Absorption spectroscopy  
 $\text{UBr}_3$  and  $\text{UCl}_3$  at low temperature, crystal-field analysis, **170**, 443
- Acidity  
aluminosilicates prepared by sol–gel process, **174**, 482  
pure and transition metal-doped zeolites, **176**, 496  
silica-zirconia mesoporous molecular sieve surfaces, **175**, 159
- Acid sites  
 $\text{La/paligorskite}$ , analysis with *n*-butylamine, **171**, 217
- Actinides  
separation with room-temperature ionic liquids, **171**, 109
- Adamantanoïd  
 $\text{As}_4\text{O}_6$  cubic crystals, Raman spectroscopy, **173**, 54
- Adsorption  
atomic and molecular oxygen on transition metal oxide surfaces, **176**, 633  
by *N,N,N',N'*-tetramethylmalonamide chelating resin, **171**, 353
- Alkali metal nitrates  
WC reaction in, synthesis of divalent metal tungstates by, **174**, 1
- Alkenes  
epoxidation on titanosilicate catalysts, computational study, **176**, 496
- Alloying  
 $\text{Yb-Cu}$  and  $\text{Yb-Ag}$  using liquid ammonia metal solutions of Yb, **171**, 254
- Aluminophosphates  
framework stability and catalytic activity, modeling of, **176**, 496
- Aluminum  
 $\text{Al}_3\text{BC}_3$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609  
 $\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x=0,0.020,0.50,0.80,1.00$ ) low-cristobalite phase, preparation, phase transition, and thermal expansion, **176**, 37  
 $\text{MAl}_2\text{O}_4$ ,  $\text{Eu}^{2+}$ -,  $\text{R}^{3+}$ -doped, persistent luminescence phenomena, **171**, 114  
 $\text{AlPO}_4$ -11, microporous, rigid unit modes of distortion, local crystal chemistry, and inherent displacive flexibility, **172**, 431  
aluminosilicates prepared by sol–gel process, surface and structural properties, effects of Al/Si ratio, **174**, 482  
 $\text{REAu}_3\text{Al}_7$  ( $\text{RE}$ =rare earth) grown from aluminum flux, synthesis and properties, **170**, 48
- $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}-\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}:\text{Eu}^{2+}$  solid solution, defect chemistry and VUV optical properties, **173**, 359
- $\text{Ba}_{14}\text{Zn}_{5-x}\text{Al}_{22+x}$ , polar intermetallic compound with 2D network, synthesis and crystal and electronic structures, **170**, 94
- $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$   
crystallographic, electronic, and magnetic studies, **174**, 471  
polar intermetallic with heavy fermion behavior, theoretical studies, **176**, 538
- $\text{CeO}_2-\text{ZrO}_2-\text{Al}_2\text{O}_3$  nanocomposites for advanced automotive de-pollution catalysts, **171**, 19
- cerium nickel aluminides, polar intermetallics with heavy fermion behavior, theoretical studies, **176**, 538
- $\text{Co}_2\text{Cr}_{0.6}\text{Fe}_{0.4}\text{Al}$ , large negative magnetoresistance effects in, **176**, 646
- $\text{CuO}/\gamma\text{-Al}_2\text{O}_3$  catalysts, surface interactions, effect of  $\text{TiO}_2$ , **170**, 48
- $\text{La}(\text{Ni},\text{Al})_5$  nanocrystal synthesis, **171**, 30
- $\text{MgAl}_2\text{O}_4$  spinel nanoparticles, normal micelle synthesis and characterization, **175**, 59
- $\text{MnAl}$  ferromagnet, electronic structure, chemical bonding, and spin polarization, **176**, 390
- $\text{Na}_2\text{LiAlF}_6$  synthetic simmonsite, crystal structure, **172**, 95
- $\text{NiO}/\gamma\text{-Al}_2\text{O}_3$  catalysts, surface interactions, effect of  $\text{TiO}_2$ , **170**, 48
- $\text{Si}_{6-x}\text{Al}_2\text{O}_7\text{N}_{8-x}$  spinels, cohesive properties, electronic structure calculation of, **176**, 549
- $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4:\text{Eu}-\text{R}$  ( $\text{R}=\text{Nd},\text{Dy}$ ) pigments, optical study, **171**, 273
- $\text{Sr}_{3-x}\text{A}_x\text{AlO}_4\text{F}$  ( $\text{A}=\text{Ba},\text{Ca}$ ) layered oxyfluorides, cation and anion ordering in, **172**, 89
- $\text{Sr}_{1-x}\text{La}_{1+x}\text{Al}_{1-x}\text{Mg}_x\text{O}_4$  ( $0 \leq x \leq 0.7$ ), structural distortion, detection with CBED and crystallographic image processing, **172**, 243
- substitution effects on magnetic properties of compounds of Sm–Fe system, **171**, 339
- $\text{TbPdAl}$ , structure and electronic properties, EXAFS and XANES measurements, **171**, 291
- $\text{U}_2\text{Co}_6\text{Al}_{19}$ , synthesis, crystal structure, and magnetic properties, **174**, 152
- $\text{UFe}_7\text{Al}_5$ , crystal structure and magnetic properties, **174**, 302
- Amine-templated metal squarates  
synthesis and characterization, **174**, 60
- Ammonia  
liquid, metal solutions of Yb in, for alloying of Yb–Ag and Yb–Cu, **171**, 254
- Ammonia trimethylalane  
molecular motion in solid, **176**, 120
- Ammonium  
 $\text{Li}[\text{K}_x(\text{NH}_4)_{1-x}]\text{SO}_4$  and  $\text{Li}_2\text{KNH}_4(\text{SO}_4)_2$ , structural and vibrational studies, **173**, 69
- $\text{NH}_4[\text{N}(\text{CN})_2]$ , structural and dynamic properties, X-ray and neutron powder diffraction and vibrational and solid-state NMR spectroscopy, **176**, 180
- $(\text{NH}_4)_2(\text{NH}_3)[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , crystal structure, re-interpretation in terms of  $(\text{NH}_4)_{2-2z}[\text{Ni}(\text{NH}_3)_2]_z[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , **176**, 198
- $(\text{NH}_4)[\text{V}(\text{PO}_4)\text{F}]$ , with ferromagnetic interactions, **173**, 101
- Ammonium oxovanadium (IV) carbonato hydroxide  
pyrolysis, preparation of spherical  $\text{V}_2\text{O}_3$  nanopowder by, **170**, 221
- Ammonolysis  
thermal, synthesis of ionic-covalent rare-earth oxynitride powders, **171**, 143
- Anatase  
 $\text{ZrO}_2$ -doped nanoparticles formed by hydrolysis under hydrothermal conditions, photoactivity and phase stability, **170**, 39
- Angular overlap model  
 $\text{Pr}_3X[\text{Si}_4]_2$  ( $X=\text{Cl},\text{Br},\text{I}$ ) magnetism, **176**, 288
- Anionic conductors  
 $\text{Y}_2\text{B}_{2-x}\text{B}'_x\text{O}_7$  ( $B,B'=\text{Sn},\text{Ti},\text{Zr}$ ), local oxygen environment in,  $^{17}\text{O}$  MAS NMR study, **175**, 110

<sup>1</sup>Boldface numbers indicate volume; lightface numbers indicate pagination.

- Anion ordering  
in  $\text{Sr}_{3-x}\text{A}_x\text{AlO}_4\text{F}$  ( $A = \text{Ba}, \text{Ca}$ ) layered oxyfluorides, **172**, 89
- Annealing  
 $\text{Eu}^{3+}:\text{Y}_2\text{O}_3$  nanophosphors prepared by gas-phase condensation, **171**, 12
- Antiferromagnetism  
 $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , **174**, 159  
 $\text{RCrO}_4$  ( $R = \text{Nd}, \text{Er}, \text{Tm}$ ), **171**, 161  
 $4f$  system  $\text{NdMg}$ , **171**, 69  
 $\text{Na}_3\text{Fe}_2\text{Mo}_5\text{O}_{16}$  containing  $\text{Mo}_3\text{O}_{13}$  clusters, **176**, 192  
 $\text{Sr}_3\text{Mn}_2\text{O}_{6+x}$  reduced double-layer manganite, **175**, 188  
 $\text{YBa}_2\text{Fe}_3\text{O}_8$  with  $\text{Co}^{3+}$  substitution, **172**, 73
- Antiferromagnets  
half-metallic multifunctional materials, computational design, **176**, 615  
heavy-fermion,  $\text{CePdGa}_6$ , synthesis, structure, and magnetism, **174**, 296  
 $\text{Y}_3\text{Re}_2\text{O}_{12}$  one-dimensional antiferromagnet with  $S=1/2$ , **172**, 451
- Antimony  
 $\text{Ba}_3\text{Ga}_4\text{Sb}_5$  Zintl phase, Ga–Ga bonding and tunnel framework, **175**, 310  
 $\text{Ba}_6\text{Sb}_2\text{Na}_2\text{X}_2\text{O}_{17}$  ( $X = \text{V}, \text{Cr}, \text{Mn}, \text{P}, \text{As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
 $\text{Ho}_2\text{Sb}_5$ , crystallization with  $\text{Dy}_2\text{Sb}_5$ -type structure, **173**, 259  
 $\text{La}_{12}\text{Ga}_{3.5}\text{Mn}_{0.5}\text{Sb}_{23.5}$ , synthesis and structure, **171**, 137  
 $\text{Nd}_3\text{Sb}_{12}$ , crystal structure, **173**, 259  
[ $\text{Ni}(\text{dien})_2\text{Sb}_4\text{S}_7 \cdot \text{H}_2\text{O}$ ] layered and [ $\text{Ni}(\text{dien})_2\text{Sb}_{12}\text{S}_{21} \cdot \text{H}_2\text{O}$ ] 3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264  
 $\text{Pr}_5\text{Sb}_{12}$ , crystal structure, **173**, 259  
 $\text{PtSiSb}$ , synthesis and structure, **175**, 231  
 $\text{TiSnSb}$ , Sn/Sb atom ordering in, **176**, 329
- Antlerite  
made of triple chains of spins  $s=1/2$ , magnetic structure and properties, **170**, 255
- Apatite  
Ca-deficient, incorporation of formate: Rietveld structure refinement, **174**, 132  
carbonated, type A, synthesized at high pressure,  $P\bar{3}$  space group and channel carbonate ion orientation, **174**, 412
- L-Arginine  
rare-earth picrate complexes with, synthesis, characterization, spectroscopy, and thermal analysis, **171**, 212
- Arsenic  
 $\text{As}_4\text{O}_6$  cubic crystals, Raman spectroscopy, **173**, 54  
 $\text{Ba}_6\text{M}_2\text{Na}_2\text{As}_2\text{O}_{17}$  ( $M = \text{Ru}, \text{Nb}, \text{Ta}, \text{Sb}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
Cs uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, **175**, 372  
 $\text{CuVO}_2(4,4'\text{-bpy})(\text{AsO}_4)$  mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194  
 $\text{Ga}_2(4,4'\text{-bpy})(\text{AsO}_4)_2$  organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 252  
 $\text{K}_3\text{Cr}_3(\text{AsO}_4)_4$ , synthesis, structure, IR spectroscopy, and ionic behavior, **173**, 273  
 $\text{Na}_4\text{Ba}_3\text{As}_6$  Zintl phase with isolated  $\text{As}_3^{5-}$  anions, synthesis and characterization, **175**, 306  
 $\text{Nb}_5\text{Pd}_4\text{As}_4$ , structure determination from  $5 \times 5 \times 5 \mu\text{m}^3$  crystal with synchrotron radiation, **172**, 232  
 $\text{R}_3\text{Ni}_7\text{As}_5$  ( $R = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}$ ), crystal structure and physical properties, **172**, 265  
Rb uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, **175**, 372
- $\text{Re}_4\text{As}_6\text{S}_3$  thio-spinel-related cluster system, synthesis and crystal structure, **172**, 446  
triarany diarsenate hydrates with framework structures, **176**, 18
- $\beta\text{-VOAsO}_4$  systems, DFT study, **176**, 556
- [ $\text{V}_4\text{O}_7(\text{HAsO}_4)_2(o\text{-phen})_2$ ] layered network decorated with directly coordinated organonitrogen ligands, **175**, 146
- Atomic force microscopy  
silica-zirconia mesoporous molecular sieves, **175**, 159
- Atomic layer deposition  
rare earth oxides, **171**, 170
- Atomistic modeling  
 $\text{CaSO}_4$  hydration, **174**, 141
- Auger photoelectron spectroscopy  
 $\text{LaNi}_5$ -type nanocrystalline electrode materials for  $\text{Ni}-\text{MH}_x$  batteries, **171**, 30
- Aurivillius phase  
ferroelectric,  $\text{Bi}_3\text{LaTi}_3\text{O}_{12}$ , monoclinic distortion in, **172**, 389
- Automotive de-pollution catalysts  
advanced, nanostructured materials for, **171**, 19
- B**
- Band gap energy  
 $\text{CdSe}$   
photoexcited nanocrystals in thin film form, **174**, 276  
semiconducting quantum dots chemically deposited in thin film form, **172**, 381  
 $\text{CeMn}_{0.5}\text{OSe}$ , **176**, 170  
 $\text{La}_4\text{MnCu}_6\text{S}_{10}$ , **172**, 127
- Band magnetism  
potentials in density functional theory and importance of sum rules, **176**, 652
- Band structure  
 $\text{REAu}_3\text{Al}_7$  ( $\text{RE}$ =rare earth) grown from aluminum flux, **170**, 48  
 $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$ , ab initio calculations, **174**, 471  
cerium nickel aluminides, ab initio calculations: polar intermetallics with heavy fermion behavior, **176**, 538
- $d^0$  transition metal oxides of perovskite family, **175**, 94
- flat band in, origin, **176**, 412
- $\text{GaMn}$ , ab initio calculations, **173**, 137
- $\text{GdCl}_3$ , spin density functional theory calculations:  $d$ -electron-mediated  $4f^7-4f^7$  exchange in Gd-rich compounds, **176**, 294
- low-dimensional transition metal oxides and bronzes, **176**, 375
- poly(dicarbon monofluoride), semi-empirical INDO study, **174**, 233
- $\text{PtQ}_2$  ( $Q = \text{O}, \text{S}, \text{Se}, \text{Te}$ ) layered compounds, **173**, 114
- $\text{PtSiSb}$ , **175**, 231
- $\text{ALnTe}_4$  and  $\text{ALn}_3\text{Te}_8$  ( $A = \text{alkali metal}$ ;  $\text{Ln} = \text{lanthanoid}$ ), **176**, 594
- $\beta\text{-VOXO}_4$  systems ( $X = \text{P}, \text{As}, \text{S}$ ), DFT study, **176**, 556
- Barium  
 $\text{BaBiO}_2\text{X}$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- ( $\text{Ba}_{0.87}\text{Ca}_{0.13}\text{La}_{0.001}$ ) $_{1.000}(\text{Ti}_{0.85}\text{Zr}_{0.14}\text{Mn}_{0.01})_{1.003}\text{O}_3$ -based ceramics sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226
- $\text{Ba}_3\text{CrS}_5$  and  $\text{Ba}_3\text{Cr}_2\text{S}_6$  one-dimensional chain structures, high-pressure synthesis and structures, **176**, 206
- $\text{BaCuSF}$  doped with potassium, P-type conductivity, **175**, 34
- $\text{Ba}_3\text{Ga}_4\text{Sb}_5$  Zintl phase, Ga–Ga bonding and tunnel framework, **175**, 310
- $\text{BaKFeO}_3$  with 1-D ferrate chains, synthesis and structure, **172**, 261
- ( $\text{Ba}_{1-x}\text{La}_x\text{In}_2\text{O}_{5+x}$ ) ( $0 \leq x \leq 0.6$ ), oxygen/vacancy ordering in, TEM, XRD, and crystal chemical studies, **170**, 247
- $\text{Ba}_7\text{Li}_3\text{Ru}_4\text{O}_{20}$  oxygen-deficient layered perovskite, crystal growth, **175**, 39
- $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}-\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}:\text{Eu}^{2+}$  solid solution, defect chemistry and VUV optical properties, **173**, 359

- $\text{Ba}_6M_2\text{Na}_2X_2\text{O}_{17}$  ( $M=\text{Ru,Nb,Ta,Sb}; X=\text{V,Cr,Mn,P,As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137
- $\text{Ba}_5\text{Nb}_4\text{O}_{15}$ – $\text{BaTiO}_3$  system cation-deficient perovskite-related  $A_nB_{n-\delta}\text{O}_{3n}$  ( $n \geq 4\delta$ ) micro-phases in, HRTEM study, **173**, 91 hexagonal perovskites in, superspace description as modulated layered structures, **174**, 209
- $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , specific heat and neutron diffraction study, **174**, 159
- $\text{Ba}(L\text{n}^{\text{III}}_{2/3}\text{B}^{\text{VI}}_{1/3})\text{O}_3$  ( $L\text{n}^{\text{III}}=\text{Dy,Gd,Sm}; B^{\text{VI}}=\text{Mo,W}$ ) complex perovskites, synthesis and structure, **175**, 299
- $\text{BaO-Nd}_2\text{O}_3-\text{CuO}_x$ , subsolidus equilibria under carbonate-free conditions at  $p\text{O}_2 = 100$  Pa and  $p\text{O}_2 = 21$  kPa, **173**, 476
- $\text{BaP}_8$ , high-pressure synthesis and structural characterization, **173**, 449
- $\text{Ba}_{14}\text{Pd}_3\text{Ir}_8\text{O}_{33}$ , synthesis and structural characterization, **174**, 96
- $\text{Ba}_{8-\delta}\text{Si}_{46-x}\text{Ge}_x$  ( $0 \leq x \leq 23$ ) solid solutions with Type I clathrate structure, superconductivity and crystal structure, **175**, 237
- $\text{Ba}_7[\text{SiO}_4][\text{BO}_3]_3\text{CN}$ , high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- $\text{Ba}_{2-x}\text{Sr}_x\text{Fe}_4\text{O}_8$ , cationic conduction, **170**, 435
- $\text{Ba}[(\text{UO}_2)(\text{SeO}_3)_2]$ , variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455
- $\text{BaVS}_3$ , structural, electrical, and magnetic properties, **175**, 384
- $\text{BaWO}_4$ , synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- $\text{Ba}_{14}\text{Zn}_{5-x}\text{Al}_{22+x}$ , polar intermetallic compound with 2D network, synthesis and crystal and electronic structures, **170**, 94
- $\text{BaZrO}_3$ – $\text{CaZrO}_3$  system, phase equilibria, crystal structures, and dielectric anomaly, **175**, 170
- $\text{GdBaCo}_2\text{O}_{5.5}$ , spin-state and metal–insulator transitions, **171**, 349
- $\text{GdBaFe}_2\text{O}_{5+w}$ , Verwey-type transitions and structure, effects of oxygen nonstoichiometry and distribution, **170**, 9
- $\text{La}_4\text{BaCu}_{5-x}M_x\text{O}_{13+\delta}$  ( $M=\text{Fe,Co,Ni,Zn}$ ), synthesis and characterization, **170**, 1
- $\text{La}_4\text{BaCu}_5\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1
- $\text{La}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329
- $\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $0.02 \leq x \leq 0.35$ ), high-temperature thermopower and conductivity, **172**, 1
- $\text{LiBaF}_3$  synthesis by solvothermal process and optical spectroscopic properties of  $\text{LiBaF}_3:M$  ( $M=\text{Eu,Ce}$ ), **175**, 284
- $\text{Na}_4\text{Ba}_3\text{As}_6$  Zintl phase with isolated  $\text{As}_3^{5-}$  anions, synthesis and characterization, **175**, 306
- $\text{NdBaCo}_2\text{O}_{5+\delta}$ , structural and magnetic chemistry, **170**, 339
- $\text{Nd}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329
- $\text{Sr}_{3-x}\text{Ba}_x\text{AlO}_4\text{F}$  layered oxyfluorides, cation and anion ordering in, **172**, 89
- $\text{Sr}_{0.53}\text{Ba}_{0.47}\text{CuN}$ , synthesis and crystal structure, **170**, 265
- $\text{Sr}_{1-x-y}\text{Ca}_x\text{Ba}_y\text{MnO}_3$  perovskites, tolerance factor rules for, **170**, 154
- $\text{YBa}_2\text{Fe}_3\text{O}_8$ ,  $\text{Co}^{3+}$  substitution in, **172**, 73
- $\text{YBa}_2\text{Fe}_3\text{O}_{8+w}$ , oxidized and reduced, nuclear and magnetic structures, neutron powder diffraction study, **174**, 87
- Basic carbonate  $\text{Gd}_2\text{O}_3$  monodispersed fine spherical particles prepared from, X-ray powder diffraction and Rietveld refinement, **171**, 420
- Batteries lithium, DFT study: application to  $\beta\text{-VO}_X\text{O}_4$  systems ( $X=\text{P,As,S}$ ), **176**, 556
- $\text{Ni-MH}_x$ ,  $\text{LaNi}_5$ -type nanocrystalline electrode materials for, **171**, 30
- Benzene-polycarboxylic acids Eu(III) complexes with, structure, **171**, 44
- Benzene-1,2,4,5-tetracarboxylate  $\mu_4$ -bridging, coordination polymers based on, hydrothermal synthesis, structures, and properties, **173**, 32
- 4,4'-Biphenylene-dicarboxylate  $\text{Zn}_3(\text{bbdc})(4,4'\text{-bipy})\cdot 2(\text{DMF})\cdot 4(\text{H}_2\text{O})$  3-D inorganic–organic hybrid framework porous material, synthesis and characterization, **176**, 1
- 4,4'-Biphenyldicarboxylate CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- Bipyridine  $\text{Ga}_2(4,4'\text{-bipy})(\text{XO}_4)_2$  ( $X=\text{P,As}$ ) organic–inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 252
- rectangular grid coordination polymers based on prismatic [ $M_8$  (isophthalate)<sub>8</sub>(4,4'-bipy)<sub>8</sub>] building blocks [ $M=\text{Ni(II),Cd(II)}$ ], hydrothermal syntheses and crystal structures, **170**, 130
- 2,2'-Bipyridine two-dimensional compounds incorporating  $M_2\text{F}_2(2,2'\text{-bipy})(\text{HPO}_4)_2(\text{H}_2\text{O})$  ( $M=\text{Fe,Ga}$ ), synthesis and characterization, **172**, 6
- [ $\text{V}_4\text{O}_7(2,2'\text{-bipy})_2(\text{HPO}_4)_2$ ] inorganic–organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- 4,4'-Bipyridine CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- $\text{CuVO}_2(4,4'\text{-bipy})(\text{XO}_4)$  ( $X=\text{P,As}$ ) mixed metal organic–inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194
- $\text{Zn}_3(\text{bbdc})(4,4'\text{-bipy})\cdot 2(\text{DMF})\cdot 4(\text{H}_2\text{O})$  3-D inorganic–organic hybrid framework porous material, synthesis and characterization, **176**, 1
- 1,6-Bis(benzylsulfinyl)hexane dinuclear  $\text{Cd(II)}$  and  $\text{Cu(II)}$  complexes with, extended chains via hydrogen bond linkages, **173**, 20
- Bismuth  $\text{Bi}_{\sim 3}\text{Cd}_{\sim 1.28}M_{\sim 1.28}\text{O}_5(\text{PO}_4)_3$  ( $M=\text{Co,Cu,Zn}$ ), double ( $n=2$ ) and triple ( $n=3$ ) [ $M_4\text{Bi}_{2n-2}\text{O}_{2n}]^{X+}$  polycationic ribbons in, **176**, 221
- $\text{Bi}_{\sim 6.2}\text{Cu}_{\sim 6.2}\text{O}_8(\text{PO}_4)_5$  disordered compound with wide polycationic ribbons and 2- and 3-O( $\text{Bi,Cu}_4$ ) tetrahedra, **172**, 327
- $[\text{Bi}_3\text{I}(\text{C}_4\text{H}_8\text{O}_3\text{H}_2)_2(\text{C}_4\text{H}_8\text{O}_3\text{H})_5]_2\text{Bi}_8\text{I}_{30}$  containing  $[\text{Bi}_8\text{I}_{30}]^{6-}$ , preparation and crystal structure, **172**, 53
- $\text{Bi}_3\text{LaTi}_3\text{O}_{12}$  ferroelectric Aurivillius phase, monoclinic distortion in, **172**, 389
- $L^{\text{I}}_{0.5}\text{Bi}_{1.5}\text{O}_2X$  and  $L^{\text{II}}\text{BiO}_2X$  ( $L^{\text{I}}=\text{Li,Na}; L^{\text{II}}=\text{Ca,Sr,Ba}; X=\text{Cl,Br,I}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- $\text{Bi}_{14}\text{MO}_{24}$  ( $M=\text{Cr,Mo,W}$ ) phases, structural chemistry: discrete  $\text{MO}_4$  tetrahedra, **175**, 197
- $[\text{Bi}_6\text{O}_{4.5}(\text{OH})_{3.5}]_2(\text{NO}_3)_{11}$ , synthesis and structure determination from twinned crystals, **176**, 127
- $\text{Bi}_{1.5}(\text{Pb}_{7.3}\text{Mn}_{0.7})(\text{PO}_4)_6\text{O}_{1.3}$ , formed by Mn substitution in  $\text{Bi}_2\text{Pb}_{8-x}(\text{PO}_4)_6\text{O}_{2-x}$  solid solutions, crystal structure, **173**, 374
- $\text{Bi-Sr-MnO}_3$ , charge and orbital order, **171**, 84
- $\text{BiTa}_{1-x}\text{Nb}_x\text{O}_4$ , structural and spectroscopic studies, **174**, 310
- $\text{BiY}_{1-x}\text{R}_x\text{GeO}_5$ ,  $\text{Eu}^{3+}$  energy levels in, crystal-field analysis, **171**, 262
- $[(\text{CH}_3)_2\text{NH}_2]_3[\text{Bi}_2\text{Cl}_9]$ , crystal structure, phase transitions, and ferroelastic properties, **173**, 425
- $\text{Cs}_2\text{Bi}_2\text{CdS}_5$ ,  $\text{Cs}_2\text{Bi}_2\text{MnS}_5$ ,  $\text{Cs}_2\text{Bi}_2\text{ZnS}_5$ , syntheses, structures, optical properties, and theoretical calculations, **174**, 334
- $\text{CsBiNb}_2\text{O}_7$  layered perovskites, structural distortions, **173**, 309
- $\text{Pb}_{0.6}\text{Bi}_{1.4}\text{Rb}_{0.6}\text{O}_2\text{Z}_2$  ( $Z=\text{Cl,Br,I}$ ), crystal structure, **173**, 83
- $\text{Rb}_6\text{Bi}_4(\text{PO}_4)_2(\text{P}_2\text{O}_7)_3$  layered monodiphosphates, crystal structure and cation transport properties, **173**, 342
- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  fluorite-like nanophasse in  $\text{SrO-Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, **173**, 209
- $\text{SrO-Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, fluorite-like nano- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  phase in, **173**, 209
- $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$ , crystallization from molten hydroxide, **173**, 203

- Bis(pentamethylene)urea  
complexes with lanthanide nitrates, synthesis, characterization, and properties, **171**, 242
- Bond angles  
 $\text{Ca}_3(\text{PO}_4)_2$ , neutron powder diffraction study, **175**, 272
- Bonding  
 $\text{Eu}_5\text{Ga}_9$ , **176**, 567  
flat band origin, **176**, 412  
 $\text{Ga}-\text{Ga}$ , in  $\text{Ba}_3\text{Ga}_4\text{Sb}_5$  Zintl phase, **175**, 310  
in metal hydrides, full-potential density functional calculations, **176**, 338  
 $\text{Mg}_x\text{Ir}_3\text{Sn}_{7-x}$  ( $x=0$ – $1.67$ ), **173**, 418  
 $\text{MnAl}$  ferromagnet, **176**, 390  
 $\text{Pt}Q_2$  ( $Q=\text{O,S,Se,Te}$ ) layered compounds, **173**, 114
- Bond lengths  
 $\text{Ca}_3(\text{PO}_4)_2$ , neutron powder diffraction study, **175**, 272  
rutile  $\text{SnO}_2$  nanoparticles, **174**, 241  
transition metal oxoperovskites, fluctuations in, **175**, 116
- Bond valence  
 $\text{Ca}_3(\text{PO}_4)_2$ , neutron powder diffraction study, **175**, 272  
 $\text{CeCuOS}$ , **170**, 182
- Bone  
type A carbonate ion orientation in, **174**, 412
- Boron  
 $\text{Al}_3\text{BC}_3$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609  
 $\text{Ba}_7[\text{SiO}_4]_2[\text{BO}_3]_3\text{CN}$ , high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221  
 $\text{MB}_2\text{C}_2$  ( $M=\text{Ca,La}$ , etc.), electronic structure, quantitative and qualitative approaches to, **176**, 375  
borophosphate with 1-D structure, solvothermal synthesis using ionic liquid as medium and structural study, **176**, 33  
 $\text{RE}_{1-x}\text{B}_{12}\text{Si}_{3.3-\delta}$  ( $\text{RE}=\text{Y,Gd-Lu}$ ) ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- Co–B–O system, crystallographic study, **174**, 189
- $\alpha$ - $\text{CsB}_9\text{O}_{14}$ , crystal structure refinement, **175**, 348
- $\beta$ - $\text{Dy}_2\text{Ba}_9$ , high-pressure preparation, crystal structure, and properties, **170**, 320
- $\text{LnFe}_3(\text{BO}_3)_4$  ( $\text{Ln}=\text{Y,La-Nd,Sm-Ho}$ ), magnetic and calorimetric studies, **172**, 438
- $\text{La}_3(\text{B}_2\text{N}_4)$ , electronic structure, relevance of  $[\text{B}_2\text{N}_4]$  substructure, **176**, 306
- $\text{Lu}_3\text{BC}_3$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609
- $\text{MoB}$ , nanosized, thermo-synthesis from  $\text{MoO}_3$ ,  $\text{KBH}_4$ , and  $\text{CCl}_4$ , **170**, 135
- $\text{Sc}_2\text{BC}_2$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609
- $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4\text{:Eu-R}$  ( $R=\text{Nd,Dy}$ ) pigments, optical study, **171**, 273
- $\text{SrO}-\text{Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, fluorite-like nano- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  phase in, **173**, 209
- $\text{Sr}_7[\text{SiO}_4]_2[\text{BO}_3]_3\text{CN}$ , high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- $\text{YBO}_3\text{:Eu}^{3+}$  hexagonal nanocrystals with improved luminescent properties, hydrothermal homogeneous urea precipitation, **175**, 245
- $[\text{Zn}(\text{NH}_3)_4](\text{BF}_4)_2$ , phase transitions, structural changes, and molecular motions, **174**, 357
- $A^{\text{I}}[(\text{Zr}_6\text{B})\text{Cl}_x\text{I}_{14-x}]$  ( $A^{\text{I}}=\text{Na,Cs}; 0 \leq x \leq 4$ ) cluster phases, syntheses and structures, **170**, 273
- Brannerite  
Y-doped  $(\text{U}_{1-x}\text{Y}_x\text{Ti}_2\text{O}_6)$ , synthesis, crystal chemistry and structures, **174**, 329
- Bremsstrahlung isochromat spectra  
full-potential density functional calculations, **176**, 338
- Broken symmetry approach  
 $d$ -electron-mediated  $4f^7-4f^7$  exchange in Gd-rich compounds, **176**, 294
- Bromine  
 $L_0^{\text{I}}\text{Bi}_{1.5}\text{O}_2\text{Br}$  and  $L^{\text{II}}\text{BiO}_2\text{Br}$  ( $L^{\text{I}}=\text{Li,Na}; L^{\text{II}}=\text{Ca,Sr,Ba}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- $\text{CH}_3\text{ND}_3\text{PbBr}_3$  perovskite, phase transitions, **176**, 97
- $\text{Hg}_3E_2[M\text{Br}_6]$  ( $E=\text{S,Se}; M=\text{Zr,Hf}$ ), expanded polycationic mercury–chalcogen networks in, **172**, 12
- $\text{In}_4\text{Br}_7$ , phase evolution, temperature-dependent diffraction studies, **174**, 349
- $\text{LaBr}_3$  single crystals,  $\text{U}^{3+}$  ions doped in, electron–phonon coupling strengths, **173**, 59
- $\text{Pb}_{0.6}\text{Bi}_{1.4}\text{Rb}_{0.6}\text{O}_2\text{Br}_2$ , crystal structure, **173**, 83
- $\text{Pr}_3\text{Br}[\text{SiS}_4]_2$ , magnetism, **176**, 288
- $\text{UBr}_3$ , low-temperature absorption spectra, crystal-field analysis, **170**, 443
- Bronsted acidity  
aluminosilicates prepared by sol–gel process, **174**, 482
- Bronzes  
band structure and Fermi surface, **176**, 375
- $\text{Na}_x\text{MnO}_2$ ,  $P2$ -type, ion-exchange properties: retention of layer structure, **174**, 365
- tungsten, hexagonal, superconducting properties: analysis of Rb–W–O system, **172**, 148
- Brownmillerite  
 $\text{Sr}_2\text{Co}_{2-x}\text{Ga}_x\text{O}_5$  ( $0.3 \leq x \leq 0.8$ ), synthesis and structural studies, **173**, 395
- $\text{Sr}_2\text{MnGaO}_5$ , ordering of tetrahedral chains in, **174**, 319
- $n$ -Butylamine  
in determination of relative acid strength of La/paligorskyte, **171**, 217
- 1,4-Butylene diamine  
selenites of, preparation, crystal structure, vibrational spectra, and thermal behavior, **170**, 390
- C
- Cadmium  
amine-templated metal squarates, synthesis and characterization, **174**, 60
- $\text{Bi}_{\sim 3}\text{Cd}_{\sim 3.72}\text{M}_{\sim 1.28}\text{O}_5(\text{PO}_4)_3$  ( $\text{M}=\text{Co,Cu,Zn}$ ), double ( $n=2$ ) and triple ( $n=3$ )  $[\text{M}_4\text{Bi}_{2n-2}\text{O}_{2n}]^{x+}$  polycationic ribbons in, **176**, 221
- cadmium (II) amino-diphosphonates, hydrothermal syntheses, characterizations, and crystal structures, **176**, 62
- cadmium–zirconium–sodium oxalate with open framework, crystal structure, solid-state NMR, and thermal behavior, **170**, 330
- $\text{CdI}_2$ , related structure in  $\text{PtO}_2$ , **175**, 353
- $\text{Cd}_3\text{In}_2(\text{C}_2\text{O}_4)_6 \cdot 9\text{H}_2\text{O}$ , crystal structure and thermal behavior, **173**, 387
- $\text{Cd}_3(\text{OH})_2\text{L}_2$  ( $\text{H}_2\text{L}=\text{HOOC}(\text{CH}_2)_2\text{COOH}$ ) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- $[\text{Cd}(\text{phen})_3] \cdot \text{C}_6\text{H}_5\text{PO}_3\text{H} \cdot \text{Cl} \cdot 7\text{H}_2\text{O}$ , structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- $\text{CdS}$   
beltlike nanocrystals, solvothermal synthesis, **172**, 480  
nanoparticles, ultrasound-assisted synthesis, **172**, 102  
nanorod-based materials of different shapes, surfactant–ligand co-assisted solvothermal synthesis, **175**, 322
- $\text{CdSe}$   
nanoparticles, ultrasound-assisted synthesis, **172**, 102  
photoexcited nanocrystals in thin film form, photoelectrical properties and relaxation dynamics, **174**, 276  
semiconducting quantum dots, chemical deposition in thin film form and optical and electrical properties, **172**, 381
- $\text{CdVO}_3$  exhibiting ferromagnetism, spin exchange interactions, first principles analysis and qualitative electronic structure calculations, **175**, 341
- $\text{CeCd}_4\text{Cl}_{11} \cdot 13\text{H}_2\text{O}$ , crystal structure and thermal study, **173**, 328

- Cs<sub>2</sub>Bi<sub>2</sub>CdS<sub>5</sub>**, synthesis, structure, optical properties, and theoretical calculations, **174**, 334
- dinuclear Cd(II) complexes with flexible disulfoxide ligand, extended chains via hydrogen bond linkages, **173**, 20
- [enH<sub>2</sub>][Cd(H<sub>2</sub>O)<sub>2</sub>(SeO<sub>4</sub>)<sub>2</sub>], synthesis and structure, **174**, 386
- La<sub>0.7</sub>(Ca<sub>0.3-x</sub>Cd<sub>x</sub>)MnO<sub>3</sub> CMR manganites, correlation between structure and magnetic properties, **174**, 52
- rectangular grid coordination polymers based on prismatic [Cd(II)<sub>8</sub>(isophthalate)<sub>8</sub>(4,4'-bipy)<sub>8</sub>] building blocks, hydrothermal syntheses and crystal structures, **170**, 130
- Calcination**
- (ZrO<sub>2</sub>)<sub>0.85</sub>(REO<sub>1.5</sub>)<sub>0.15</sub> (RE=Sc,Y) solid solutions prepared via Pechini-type gel route, **171**, 434
- Calcination–rehydration**
- intercalation of pentoses into Mg–Al and Zn–Al double hydroxides, **174**, 342
- Calcium**
- Ag-added La<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub>, granular, enhanced ferromagnetic transition and magnetoresistance, **174**, 257
- apatite deficient in, incorporation of formate: Rietveld structure refinement, **174**, 132
- (Ba<sub>0.87</sub>Ca<sub>0.13</sub>)<sub>1.000</sub>(Ti<sub>0.85</sub>Zr<sub>0.14</sub>Mn<sub>0.01</sub>)<sub>1.003</sub>O<sub>3</sub>-based ceramics sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226
- BaZrO<sub>3</sub>–CaZrO<sub>3</sub> system, phase equilibria, crystal structures, and dielectric anomaly, **175**, 170
- Ca<sup>2+</sup>, ceria doped with, for sunscreen cosmetics, **171**, 7
- Ca<sub>2</sub>AuN, correlation of crystal and electronic structures, **176**, 375
- CaB<sub>2</sub>C<sub>2</sub>, electronic structure, quantitative and qualitative approaches to, **176**, 375
- CaBiO<sub>2</sub>X (X=Cl,Br,I) quaternary layered compounds of Sillén X1 type, **175**, 316
- Ca<sub>3</sub>Co<sub>1.34</sub>Rh<sub>0.66</sub>O<sub>6</sub>, Ca<sub>3</sub>CuRhO<sub>6</sub>, and Ca<sub>3</sub>FeRhO<sub>6</sub>, crystal growth and structure and magnetic properties, **173**, 122
- R–Ca–Cu–O (R=Nd,Sm,Gd,Tm) systems, subsolidus phase relations and crystal structures, **173**, 164
- CaFeO<sub>2</sub>Cl and Ca<sub>2</sub>FeO<sub>3</sub>Cl with higher space group symmetry, letter to editor, **174**, 165
- (Ca<sub>0.801</sub>La<sub>0.199</sub>)La<sub>6</sub>I<sub>12</sub>Co, preparation and characterization, **172**, 132
- calcium undecanoate, structural and thermal study, **172**, 471
- CaMn<sub>2</sub>O<sub>4</sub> marokite, pressure-induced phase transformation, Raman scattering study, **170**, 382
- Ca<sub>n+1</sub>Mn<sub>n</sub>O<sub>3n+1</sub> (n=2,3) Ruddlesden–Popper compounds, transmission electron microscopy, **174**, 418
- Ca<sub>3</sub>Nb<sub>2</sub>O<sub>8</sub> perovskite phase, octahedral tilt system in, **172**, 178
- CaNiN, quasi-one-dimensional materials, **176**, 311
- Ca/P atomic ratio of amorphous phase in plasma-sprayed hydroxyapatite coatings, **172**, 339
- Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, crystal structure analysis by neutron powder diffraction, **175**, 272
- Ca<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>[(CO<sub>3</sub>)<sub>x</sub>(OH)<sub>2-2x</sub>] synthesized at high pressure, *P*<sub>3</sub> space group and channel carbonate ion orientation, **174**, 412
- Ca<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>F:Eu<sup>3+</sup> phosphor, charge compensating mechanism in, **175**, 218
- CaSO<sub>4</sub>, hydration of, atomistic modeling, **174**, 141
- Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub>, doped 3T and 4M polytypes, structural relations with doped 3T CaZrTi<sub>2</sub>O<sub>7</sub>, **174**, 285
- CaTiO<sub>3</sub>, Pr<sup>3+</sup>-doped nanophosphor, synthesis from polymer precursor and red luminescence, **174**, 69
- Ca[(UO<sub>2</sub>)(SeO<sub>3</sub>)<sub>2</sub>], variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455
- Ca<sub>0.5</sub>V<sub>3</sub>O<sub>8</sub>, synthesis, structure and Li insertion behavior, **172**, 116
- CaWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- CaZrO<sub>3</sub> perovskite, compressibility, comparison with Ca-oxide perovskites, **172**, 123
- CaZrTi<sub>2</sub>O<sub>7</sub>, doped 3T polytype, structural relations with doped 3T and 4M Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub>, **174**, 285
- Ce<sub>1-x</sub>Ca<sub>x</sub>VO<sub>4+δ</sub>, zircon-type, stability and oxygen ionic conductivity, **176**, 47
- Eu<sub>2-x</sub>Ca<sub>x</sub>IrH<sub>5</sub>, order-disorder transition in, X-ray and neutron powder diffraction study, **174**, 35
- [Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> (0.6≤x≤0.90; 0≤y≤2 b<sub>1</sub>/b<sub>2</sub>=1.63–1.79), structure, HRTEM studies, and transport properties, **170**, 374
- La–Ca manganites near optimal doping concentrations, transport properties and magnetoresistance, **171**, 76
- La<sub>0.7</sub>(Ca<sub>0.3-x</sub>Cd<sub>x</sub>)MnO<sub>3</sub> CMR manganites, correlation between structure and magnetic properties, **174**, 52
- La<sub>1-x</sub>Ca<sub>x</sub>CrO<sub>3-δ</sub>, phase stability in oxidizing atmosphere, **170**, 68
- LaCaGaO<sub>4</sub>, synthesis and structure, **172**, 59
- La<sub>2</sub>Ca<sub>2</sub>MnO<sub>6</sub>(O<sub>2</sub>) related to hexagonal perovskite-type structure, synthesis, crystal structure, and magnetic properties, **175**, 124
- Nd<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub>, charge ordering and phase separation in, <sup>57</sup>Fe Mössbauer study, **174**, 74
- (Nd,Ce)<sub>2+x</sub>CaCu<sub>2</sub>O<sub>6+y</sub>, high-pressure synthesis, crystal structure, and magnetic properties, **170**, 24
- Pr<sub>1-x</sub>Ca<sub>1+x</sub>MnO<sub>4</sub> 2D manganites, charge–orbital ordering above room temperature, **170**, 361
- Sr<sub>3-x</sub>Ca<sub>x</sub>AlO<sub>4</sub>F layered oxyfluorides, cation and anion ordering in, **172**, 89
- Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub> perovskites, tolerance factor rules for, **170**, 154
- Sr<sub>8</sub>CaRe<sub>3</sub>Cu<sub>4</sub>O<sub>24</sub> ferromagnets with ordered perovskite structure, **175**, 366
- Zr(Nb,Ti)(Ca)O<sub>2-δ</sub>, ionic conductivity, comparison with systems with R=Y and Gd, **172**, 277
- Calorimetry**
- Ln*Fe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub> (*Ln*=Y,La–Nd,Sm–Ho), **172**, 438
- Tl<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub> elpasolite-related oxyfluoride by DSC technique, **174**, 44
- Carbon**
- Al<sub>3</sub>BC<sub>3</sub> with finite linear BC<sub>2</sub> units, first-principles study, **176**, 609
- alkenes, epoxidation on titanosilicate catalysts, computational study, **176**, 496
- amine-templated metal squareates, synthesis and characterization, **174**, 60
- ammonia trimethylalane, molecular motion in, **176**, 120
- basic carbonate, Gd<sub>2</sub>O<sub>3</sub> monodispersed fine spherical particles prepared from, X-ray powder diffraction and Rietveld refinement, **171**, 420
- Ba<sub>2</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]CN, high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- MB<sub>2</sub>C<sub>2</sub> (*M*=Ca,La, etc.), electronic structure, quantitative and qualitative approaches to, **176**, 375
- [Bi<sub>3</sub>I(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H<sub>2</sub>)<sub>2</sub>(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H)<sub>5</sub>]<sub>2</sub>Bi<sub>8</sub>I<sub>30</sub> containing [Bi<sub>8</sub>I<sub>30</sub>]<sup>6-</sup>, preparation and crystal structure, **172**, 53
- bis(pentamethylene)urea complexes with lanthanide nitrates, synthesis, characterization, and properties, **171**, 242
- n*-butylamine, in determination of relative acid strength of La/paligorskite, **171**, 217
- cadmium (II) amino-diphosphonates, hydrothermal syntheses, characterizations, and crystal structures, **176**, 62
- cadmium–zirconium–sodium oxalate with open framework, crystal structure, solid-state NMR, and thermal behavior, **170**, 330
- calcium undecanoate, structural and thermal study, **172**, 471
- Ca<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>[(CO<sub>3</sub>)<sub>x</sub>(OH)<sub>2-2x</sub>] synthesized at high pressure, *P*<sub>3</sub> space group and channel carbonate ion orientation, **174**, 412
- Cd<sub>3</sub>In<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>6</sub>·9H<sub>2</sub>O, crystal structure and thermal behavior, **173**, 387
- Cd<sub>3</sub>(OH)<sub>2</sub>L<sub>2</sub> (H<sub>2</sub>L=HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- [Cd(phen)<sub>3</sub>]·C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub>H·Cl·7H<sub>2</sub>O, structure with hydrogen-bonded layers of phosphonate anions, **174**, 116

- [CH<sub>3</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>NH<sub>3</sub>]·[Zn<sub>2</sub>(HPO<sub>3</sub>)<sub>3</sub>]·H<sub>2</sub>O organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- CH<sub>3</sub>ND<sub>3</sub>PbBr<sub>3</sub> perovskite, phase transitions, **176**, 97
- (C<sub>6</sub>H<sub>18</sub>N<sub>2</sub>)Ge<sub>2</sub>V<sub>4</sub>O<sub>12</sub>(OH)<sub>2</sub>·2H<sub>2</sub>O, hydrothermal synthesis, **175**, 13
- [(CH<sub>3</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>3</sub>[Bi<sub>2</sub>Cl<sub>9</sub>], crystal structure, phase transitions, and ferroelastic properties, **173**, 425
- [C<sub>4</sub>H<sub>8</sub>(NH<sub>2</sub>)<sub>2</sub>][Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>], synthesis and structure, **172**, 212
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)[(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>], synthesis and crystal structure, **170**, 106
- (C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, synthesis and crystal structure, **170**, 106
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>4</sub>O<sub>6</sub>H(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated *trans*-1,4-diaminocyclohexane, hydrothermal synthesis and structure, **170**, 303
- [C<sub>4</sub>N<sub>3</sub>H<sub>16</sub>][La(SO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O, synthesis and structure, **174**, 381
- [Co(en)<sub>3</sub>][Ga<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(HPO<sub>4</sub>)<sub>3</sub>] layered compound templated by cobalt complex, synthesis and characterization, **170**, 176
- [Co(imidazole)<sub>2</sub>(μ<sub>4</sub>-benzene-1,2,4,5-tetracarboxylate)<sub>1/2</sub>]<sub>n</sub>, hydrothermal synthesis, structures, and properties, **173**, 32
- [Co<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>3</sub>][Ge<sub>9</sub>O<sub>18</sub>(OH)<sub>4</sub>], organically templated open-framework germanate, synthesis and structure, **170**, 124
- CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- [Cu<sub>10</sub>H<sub>2</sub>I<sub>6</sub>]<sup>4+</sup> with [Ni<sup>II</sup>(phen)<sub>3</sub>]<sup>2+</sup> as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- {[Cu(1,10-phenanthroline)(μ<sub>4</sub>-benzene-1,2,4,5-tetracarboxylate)<sub>1/2</sub>]·H<sub>2</sub>O}<sub>n</sub>, hydrothermal synthesis, structures, and properties, **173**, 32
- {[Cu(phen)<sub>2</sub>(V<sup>V</sup>O<sub>2</sub>)<sub>2</sub>V<sup>IV</sup>O<sub>2</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>2</sub>] inorganic-organic hybrids, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69}
- CuVO<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>) (*X*=P,As) mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194
- diethanolamine-stabilized magnesium methoxide, synthesis of MgO nano-sized particles and thin film from, **175**, 278
- dilithium *N,N'*-dimethylpiperazinium(2+) dilithium piperazinium(2+) selenate tetrahydrates, crystal structure, vibrational spectra, and thermal behavior, **170**, 308
- dinuclear Cd(II) and Cu(II) complexes with flexible disulfoxide ligand, extended chains via hydrogen bond linkages, **173**, 20
- [Dy<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>{Fe(CN)<sub>5</sub>(NO)}<sub>2</sub>]<sub>n</sub>·8H<sub>2</sub>O, synthesis and structural and magnetic characterization, **171**, 201
- ethene, hydrogenation, catalytic enhancement by alloying of Yb–Cu and Yb–Ag, **171**, 254
- Eu(III) complexes with cyclohexyl and benzenopolycarboxylic acids, structure, **171**, 44
- Eu<sup>3+</sup>-β-diketonate complex doped into epoxy resin, optical characteristics of the, **171**, 412
- Eu(fod)<sub>3</sub>phen-NO complex, synthesis, sparkle model, intensity parameters and spectroscopic studies, **171**, 183
- Eu(III)-triflate interactions in water and aqueous methanol, UV-vis and luminescence studies, **171**, 225
- formate, incorporation in structure of Ca-deficient apatite, Rietveld structure refinement, **174**, 132
- Ga<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>)<sub>2</sub> (*X*=P,As) organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 252
- n*-heptane, oxidation, catalysis by cerium-modified MCM-41, **171**, 371
- (H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>[(VO)(SeO<sub>3</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **172**, 205
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>6</sub>NH<sub>3</sub>]<sub>2</sub>[Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub>] organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- [HN(C<sub>2</sub>H<sub>4</sub>)<sub>3</sub>N][(VO)<sub>2</sub>(HPO<sub>3</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)]·H<sub>2</sub>O, hydrothermal synthesis and characterization, **172**, 464
- In(C<sub>2</sub>O<sub>4</sub>)<sub>2.5</sub>(C<sub>3</sub>N<sub>2</sub>H<sub>12</sub>)(H<sub>2</sub>O)<sub>3</sub> and In(C<sub>2</sub>O<sub>4</sub>)<sub>1.5</sub>(H<sub>2</sub>O)<sub>3</sub> layered oxalates with 12-membered apertures, hydrothermal synthesis, **173**, 435
- ionic liquids, as solvents for *f*-element separations and associated solution chemistry, **171**, 109
- Li<sub>2</sub>CO<sub>3</sub>, high-pressure structure, **173**, 13
- Lu<sub>3</sub>BC<sub>3</sub> with finite linear BC<sub>2</sub> units, first-principles study, **176**, 609
- MnC<sub>2</sub>O<sub>4</sub>·2H<sub>2</sub>O, synthesis and structure, **172**, 212
- Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)(OH)<sub>2</sub>, synthesis and structure, **172**, 212
- Mn<sub>5</sub>(OH)<sub>2</sub>L<sub>4</sub> (H<sub>2</sub>L=HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- Mo<sub>2</sub>C, nanosized, thermo-synthesis from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135
- molecular hexagonal perovskite organic-inorganic hybrid conductor, synthesis, structure, and properties, **176**, 243
- Na<sub>2</sub>[{Mn(phen)<sub>2</sub>(H<sub>2</sub>O)}{Mn(phen)<sub>2</sub>}<sub>3</sub>{MnMo<sup>V</sup><sub>12</sub>O<sub>24</sub>(HPO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>6</sub>}]<sub>n</sub>·4H<sub>2</sub>O, hydrothermal synthesis and structure, **170**, 192
- M*[N(CN)<sub>2</sub>]<sub>n</sub> (*M*=Cr(II),Mn(II),Fe(II),Co(II),Ni(II),Cu(II)), exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- [NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>CH<sub>3</sub>]<sup>2+</sup>[FeF(HPO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup> one-dimensional iron phosphate, synthesis, structure, and magnetic characterization, **173**, 367
- (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>1.5</sub>[(VO)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- NH<sub>4</sub>[N(CN)<sub>2</sub>], structural and dynamic properties, X-ray and neutron powder diffraction and vibrational and solid-state NMR spectroscopy, **176**, 180
- (NH<sub>4</sub>)<sub>5</sub>[(VO)<sub>6</sub>(CO<sub>3</sub>)<sub>4</sub>(OH)<sub>9</sub>]<sub>n</sub>·10H<sub>2</sub>O, pyrolysis, preparation of spherical V<sub>2</sub>O<sub>3</sub> nanopowder by, **170**, 221
- [Ni(dien)<sub>2</sub>]Sb<sub>4</sub>S<sub>7</sub>·H<sub>2</sub>O layered and [Ni(dien)<sub>2</sub>]<sub>3</sub>Sb<sub>12</sub>S<sub>21</sub>·H<sub>2</sub>O 3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264
- sec*-nonylphenoxy acetic acid, extraction of ytterbium, mass-transfer kinetics, **171**, 362
- S*-octyl phenoxy acetic acid, high-performance centrifugal partition chromatography with, for separation of Sc, Y, and La, **171**, 358
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, comparison, **175**, 63
- organically templated linear metal selenate, synthesis and structure, **174**, 386
- Pb<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>PO<sub>3</sub>) inorganic-organic hybrid materials, synthesis and crystal structure determination from powder diffraction data, **173**, 293
- pentoses, intercalation in layered double hydroxide, **174**, 342
- [M(phen)<sub>3</sub>]<sub>n</sub>·C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub>·11H<sub>2</sub>O [*M*=Co(1),Ni(2),Cu(3)], structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- poly[bis(thiocyanato-*N*)-bis(μ<sub>2</sub>-pyrazine-*N,N'*)-manganese(II)] and poly[bis(μ<sub>2</sub>-thiocyanato-*N,S*)-(μ<sub>2</sub>-pyrazine-*N,N'*)Mn(II)], synthesis and properties, **176**, 259
- poly[diaqua-(μ<sub>2</sub>-squarato-*O,O'*)-(μ<sub>2</sub>-4,4'-bipyridine-*N,N'*)Me(II)] hydrate (*Me*=Co,Ni,Fe), synthesis, crystal structures, and dehydration, **175**, 328
- poly(dicarbon monofluoride), structure and electronic properties, semi-empirical INDO study, **174**, 233
- polystyrene plastic, solid-phase photocatalytic degradation with TiO<sub>2</sub> as photocatalyst, **174**, 104

- pyridine analogs of chalcone, structural changes during [2+2]-photodimerization, **174**, 459
- quasi-one-dimensional materials, **176**, 311
- rare-earth picrate complexes with L-arginine, synthesis, characterization, spectroscopy, and thermal analysis, **171**, 212
- rectangular grid coordination polymers based on prismatic  $[M_8(\text{isophthalate})_8(4,4'\text{-bipy})_8]$  building blocks [ $M=\text{Ni}(\text{II}),\text{Cd}(\text{II})$ ], hydrothermal syntheses and crystal structures, **170**, 130
- $\text{Sc}_2\text{BC}_2$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609
- selenites of 1,4-butylenediamine, preparation, crystal structure, vibrational spectra, and thermal behavior, **170**, 390
- silver(I)-hexamethylenetetramine coordination polymers, crystal structures, effect of synthetic conditions, **172**, 45
- $[\text{Sm}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2]$ , synthesis and structural and magnetic characterization, **171**, 201
- $\text{Sn}_2\text{O}(\text{C}_4\text{O}_4)(\text{H}_2\text{O})$ , hydrothermal synthesis and structure, comparison with  $\text{Sn}_2[\text{Sn}_2\text{O}_2\text{F}_4]$ , **173**, 49
- $\text{Sr}_4(\text{Fe}_{2-x}\text{Mn}_x)_{1+y}(\text{CO}_3)_{1-3y}\text{O}_{6(1+y)}$ , nanostructure, microstructure, and average structure, **170**, 424
- $\text{Sr}_7[\text{SiO}_4]\text{[BO}_3]_3\text{CN}$ , high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- sulfur-bridged phenoxide and naphthyoxyde-based ligands for lanthanide chemistry and catalysis, **171**, 90
- supramolecules  $\beta$ -diketonates of Eu(III) and crown ethers as ligands, synthesis and luminescent properties, **171**, 189
- $N,N,N',N'$ -tetramethylmalonamide chelating resin, synthesis, characterization, and adsorption properties, **171**, 353
- two-dimensional compounds incorporating  $M_2\text{F}_2(2,2'\text{-bipy})(\text{HPO}_4)_2(\text{H}_2\text{O})$  ( $M=\text{Fe},\text{Ga}$ ), synthesis and characterization, **172**, 6
- uranyl nitrate complexes
- diphenylsulfoxide and dibenzylsulfoxide, characterization, luminescence, and structures, **171**, 230
  - cis-1,3-dithiane-1,3-dioxide, preparation, oxidation of cis-DTSO<sub>2</sub> during, **171**, 221
- $[\text{V}_4\text{O}_7(2,2'\text{-bipy})_2(\text{HPO}_4)_2]$  inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- $[\text{V}_4\text{O}_7(\text{HASO}_4)_2(o\text{-phen})_2]$  layered network decorated with directly coordinated organonitrogen ligands, **175**, 146
- water-soluble porphyrins, in  $\text{H}_2\text{O}_2$  chemiluminescence system with *d*- and *f*-electron metals, emission spectroscopic properties, **171**, 208
- WC, reaction in molten alkali metal nitrates, synthesis of divalent metal tungstates by, **174**, 1
- $\text{Y}_2\text{C}_2\text{I}_2$  layered superconductors,  $T_c$  of, pressure dependence: lattice versus electronic effects, **171**, 367
- $\text{Zn}_3(\text{bbdc})_3(4,4'\text{-bipy})\cdot 2(\text{DMF})\cdot 4(\text{H}_2\text{O})$  3-D inorganic-organic hybrid framework porous material, synthesis and characterization, **176**, 1
- ZrC-SiC composites, preparation by microwave route, **173**, 196
- Carbonate apatite
- type A, synthesized at high pressure,  $P\bar{3}$  space group and channel carbonate ion orientation, **174**, 412
- Carbonate ion
- type A, orientation in bone and enamel, **174**, 412
- Carbothermal reaction
- effect on pore growth of barium titanate-based ceramics sintered in reducing atmosphere, **175**, 226
- Carboxylate
- and cyanide,  $L_n\text{M}_2$  clusters simultaneously bridged by, **171**, 201
- Cathodoluminescence
- high-spatial-resolution, tetrapod ZnO nanostructures, **173**, 109
- Cation distribution
- in  $\text{Ni}_x\text{Mn}_{1-y-x}\text{Fe}_{2+y}\text{O}_4$  ferrites, thermodynamic determination, **176**, 279
- Cation ordering
- $L^{\text{I}}_{0.5}\text{Bi}_{1.5}\text{O}_2X$  and  $L^{\text{II}}\text{BiO}_2X$  ( $L^{\text{I}}=\text{Li},\text{Na}; L^{\text{II}}=\text{Ca},\text{Sr},\text{Ba}; X=\text{Cl},\text{Br},\text{I}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- in  $\text{Pb}_{0.6}\text{Bi}_{1.4}\text{Rb}_{0.6}\text{O}_2\text{Z}_2$  ( $Z=\text{Cl},\text{Br},\text{I}$ ), **173**, 83
- in  $\text{Sr}_{3-x}A_x\text{AlO}_4\text{F}$  ( $A=\text{Ba},\text{Ca}$ ) layered oxyfluorides, **172**, 89
- Cation transport
- $\text{Rb}_6\text{Bi}_4(\text{PO}_4)_2(\text{P}_2\text{O}_7)_3$  layered monodiphosphates, **173**, 342
- Cation vacancy
- $\text{La}_{1-\delta}\text{Mn}_{3+\delta}$ , **173**, 299
- Centroid shift
- $4f^n-15d$ , in lanthanides, relation with anion polarizability, cova- lency, and cation electronegativity, **171**, 133
- Ceramics
- barium titanate-based, sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226
  - $\text{La}_{1-x}\text{Nd}_x\text{NiO}_{3-\delta}$  ( $0 \leq x \leq 0.5$ ), synthesis and characterization, **171**, 195
  - $\text{V}^{4+}\text{-ZrO}_2$  monoclinic solid solutions obtained from gels, X-ray powder diffraction, **173**, 40
  - ZrC-SiC composites, preparation by microwave route, **173**, 196
- Cerium
- $\text{Ce}^{3+}$
  - centroid shift in 5*d*-configuration, **171**, 133
  - separation from acidic media with  $N,N,N',N'$ -tetramethylmalon- amide chelating resin, **171**, 353
  - $\text{CeAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, **170**, 48
  - $\text{CeCd}_4\text{Cl}_{11}\cdot 13\text{H}_2\text{O}$ , crystal structure and thermal study, **173**, 328
  - $\text{CeCuOS}$ , preparation and crystal structure, **170**, 182
  - $\text{CeFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438
  - $\text{Ce}_3\text{Ga}_9\text{Ge}$ , with open three-dimensional polygallide framework synthesized from liquid gallium, **173**, 280
  - $\text{CeMn}_{0.5}\text{OSe}$ , synthesis, crystal structure, and optical properties, **176**, 170
  - $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$
  - crystallographic, electronic, and magnetic studies, **174**, 471
  - polar intermetallic with heavy fermion behavior, theoretical studies, **176**, 538
  - $\text{Ce}_3\text{Ni}_7\text{As}_5$ , crystal structure and physical properties, **172**, 265
  - $\text{CeO}_2$
    - for sunscreen cosmetics, **171**, 7
    - thin films, low-temperature deposition and crystallization, **175**, 84
    - $\text{CeO}_2\text{-YO}_{1.5}$  nanocrystalline solid solution, fractal behavior, **176**, 57
    - $\text{CeO}_2\text{-ZrO}_2$ , promotion of three-way catalysts, **171**, 19
    - $\text{CeO}_2\text{-ZrO}_2\text{-Al}_2\text{O}_3$  nanocomposites for advanced automotive de- pollution catalysts, **171**, 19
    - $\text{CePdGa}_6$ , heavy-fermion antiferromagnet, synthesis, structure, and magnetism, **174**, 296
    - ceria-lanthana-based TWC promoters prepared by sol-gel routes, EXAFS study, **175**, 289
    - cerium nickel aluminides, polar intermetallics with heavy fermion behavior, theoretical studies, **176**, 538
    - $(\text{Ce},\text{Sm})\text{O}_2$  thin films, low-temperature deposition and crystallization, **175**, 84
    - $\text{Ce}_{1-x}A_x\text{VO}_{4+\delta}$  ( $A=\text{Ca},\text{Sr}$ ), zircon-type, stability and oxygen ionic conductivity, **176**, 47
    - $(\text{Ce},\text{Zr}_{1-x})_{4/4-x}\text{Nb}(\text{PO}_4)_3$  solid electrolyte conducting cerium ion, **171**, 387
    - $\text{CoSr}_2(\text{Y},\text{Ce})_s\text{Cu}_2\text{O}_{5+2s}$  ( $s=1-3$ ), structural order and disorder in, **176**, 213
    - in geothermal waters from Oregon, Nevada, and California, **171**, 246
    - ions, electrolyte conducting, **171**, 387
    - $\text{La}_{1-x}\text{Ce}_x\text{Y}_2\text{Ni}_9$  ( $x_{\text{Ce}}=0,0.5,1$ ), crystallographic and hydriding properties, **173**, 236
    - $\text{LiBaF}_3\text{:Ce}$ , optical spectroscopic properties, **175**, 284
    - MCM-41 modified with, synthesis, characterization, and catalytic application, **171**, 371
    - $(\text{Nd},\text{Ce})_{2+x}\text{CaCu}_2\text{O}_{6+y}$ , high-pressure synthesis, crystal structure, and magnetic properties, **170**, 24

- photoxidative extraction from La/Ce/Nd mixture, **171**, 101
- $ZrO_2$ -containing nano-sized particle materials doped with, preparation, crystal structure, and electrorheological performance, **176**, 273
- Cesium
- $Cs_2Bi_2CdS_5$ ,  $Cs_2Bi_2MnS_5$ ,  $Cs_2Bi_2ZnS_5$ , syntheses, structures, optical properties, and theoretical calculations, **174**, 334
  - $\alpha$ - $CsB_9O_{14}$ , crystal structure refinement, **175**, 348
  - $CsGeV_2O_6(OH)$ , hydrothermal synthesis, **175**, 13
  - $CsANb_2O_7$  ( $A = Nd, Bi$ ) layered perovskites, structural distortions, **173**, 309
  - $CsLnTe_4$  ( $Ln = Pr, Nd, Gd$ ), electronic band structure and physical properties, **176**, 594
  - $Cs_2TeW_3O_{12}$ , synthesis, structure, and second-harmonic generating properties, **175**, 3
  - $CsTmCl_2[SeO_3]$ , synthesis and structure of quinary phase in system  $CsCl/TmOCl/SeO_2$ , **171**, 429
  - $Cs_7(UO_2)_8(VO_4)_2O_8Cl$  layered compounds, synthesis and crystal structure, **172**, 351
  - Cs uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, **175**, 372
  - $Cs[(Zr_6B)Cl_xI_{14-x}]$  ( $0 \leq x \leq 4$ ) cluster phases, syntheses and structures, **170**, 273
  - selectivity for, in Nb-substituted titanosilicate with sitinakite topology, **175**, 72
- Chain structure
- dinuclear Cd(II) and Cu(II) complexes with flexible disulfoxide ligand forming extended chains via hydrogen bond linkages, **173**, 20
  - one-dimensional,  $Ba_3CrS_5$  and  $Ba_3Cr_2S_6$  with, high-pressure synthesis and structures, **176**, 206
  - quasi-one-dimensional materials, **176**, 311
- Chalcone
- pyridine analogs, structural changes during [2 + 2]-photodimerization, and reaction in hydroxy derivatives, **174**, 459
- Channel structure
- $NaY_3S_3[SiS_4]$ , **171**, 382
- Charge carriers
- mobility, role in high-temperature thermopower and conductivity of  $La_{1-x}Ba_xMnO_3$  ( $0.02 \leq x \leq 0.35$ ), **172**, 1
- Charge compensation
- $Ca_5(PO_4)_3F:Eu^{3+}$  phosphor, mechanism, **175**, 218
- Charge disorder
- effects in 3d transition metal oxide perovskites, **173**, 456
- Charge–orbital ordering
- in 2D  $Pr_{1-x}Ca_{1+x}MnO_4$  above room temperature, **170**, 361
- Charge ordering
- $GdBaFe_2O_{5+\bar{w}}$ , effects of oxygen nonstoichiometry and distribution, **170**, 9
  - in  $Nd_{0.5}Ca_{0.5}MnO_3$  and  $Nd_{0.5}Sr_{0.5}MnO_3$ ,  $^{57}Fe$  Mössbauer study, **174**, 74
  - perovskite-like oxides, full-potential density functional calculations, **176**, 338
  - rare-earth and Bi manganites, comparison, **171**, 84
- Charge transfer
- in photochromism of  $K_{12}[EuP_5W_{30}O_{110}]/polyvinylpyrrolidone$  nanocomposite films, **172**, 458
- Chelating resins
- $N,N,N',N'$ -tetramethylmalonamide, synthesis, characterization, and adsorption properties, **171**, 353
- Chemical deposition
- semiconducting cadmium selenide quantum dots in thin film form, **172**, 381
- Chemical potential diagrams
- $Ln$ –Fe–O ( $Ln = Eu, Gd$ ) systems, analysis with solid-state electrochemical cells, **172**, 370
- Chemical vapor transport
- tin sulfides obtained by, XRD, XPS and  $^{119}Sn$  NMR study, **175**, 359
- Chemiluminescence
- water-soluble porphyrins in  $H_2O_2$  chemiluminescence system with  $d$ - and  $f$ -electron metals, **171**, 208
- Chevrel phases
- $M_yMo_6Se_8$ , delocalization  $M = 3d$ -elements (Ti, Fe, Co) in channels network of, **170**, 281
- Chlorine
- ( $Ag_3MoO_3F_3$ ) $(Ag_3MoO_4)Cl$ , alignment of acentric  $MoO_3F_3^{3-}$  anions in, **175**, 27
  - $L_{0.5}^I Bi_{1.5}O_2Cl$  and  $L^{II}BiO_2Cl$  ( $L^I = Li, Na; L^{II} = Ca, Sr, Ba$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
  - $CaFeO_2Cl$  and  $Ca_2FeO_3Cl$  with higher space group symmetry, letter to editor, **174**, 165
  - $[Cd(phen)_3] \cdot C_6H_5PO_3H \cdot Cl \cdot 7H_2O$ , structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
  - $CeCd_4Cl_{11} \cdot 13H_2O$ , crystal structure and thermal study, **173**, 328
  - $[(CH_3)_2NH_2]_3[Bi_2Cl_9]$ , crystal structure, phase transitions, and ferroelastic properties, **173**, 425
  - $CoCl_2 \cdot MgCl_2 \cdot 8H_2O$  double salt, formation of  $[CoCl_4(H_2O)]^{2-}$  complex: structural and energetic properties of  $[MCl_4(H_2O)]^{2-}$  and  $[M(H_2O)]^{2+}$  ( $M = Mg, Co$ ), **174**, 182
  - $CsTmCl_2[SeO_3]$ , synthesis and structure of quinary phase in system  $CsCl/TmOCl/SeO_2$ , **171**, 429
  - $ErSeO_3Cl$ , hydrothermal synthesis and crystal structure, **174**, 111
  - $GdCl_3$ , spin density functional theory calculations:  $d$ -electron-mediated  $4f^7$ – $4f^7$  exchange in Gd-rich compounds, **176**, 294
  - $Hg_3E_2[MCl_6]$  ( $E = S, Se; M = Zr, Hf$ ), expanded polycationic mercury–chalcogen networks in, **172**, 12
  - $LaCl_3$  single crystals,  $U^{3+}$  and  $Nd^{3+}$  ions doped in, electron–phonon coupling strengths, **173**, 59
  - $(MnCl)LaNb_2O_7$  layered perovskite, structural, thermal, and magnetic characterization, **175**, 88
  - $(NH_4)_2(NH_3)[Ni(NH_3)_2Cl_4]$ , crystal structure, re-interpretation in terms of  $(NH_4)_{2-2z}[Ni(NH_3)_2]_z[Ni(NH_3)_2Cl_4]$ , **176**, 198
  - $Pb_{0.6}Bi_{1.4}Rb_{0.6}O_2Cl_2$ , crystal structure, **173**, 83
  - $Pr_3Cl[SiS_4]_2$ , magnetism, **176**, 288
  - $A_5Ti_8Nb_{18}Cl_{53}O_{12}$  ( $A = K, In$ ) layered cluster compounds with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, **175**, 46
  - $UCl_3$ , low-temperature absorption spectra, crystal-field analysis, **170**, 443
  - $M_7(UO_2)_8(VO_4)_2O_8Cl$  ( $M = Rb, Cs$ ) layered compounds, synthesis and crystal structure, **172**, 351
  - $A_2VNb_6Cl_{18}$  ( $A = Rb, In, Tl$ ) cluster compounds, synthesis, crystal structure, and magnetic properties, **170**, 227
  - $A^I[(Zr_6B)Cl_xI_{14-x}]$  ( $A^I = Na, Cs; 0 \leq x \leq 4$ ) cluster phases, syntheses and structures, **170**, 273
- Chromium
- $Ba_3CrS_5$  and  $Ba_3Cr_2S_6$  one-dimensional chain structures, high-pressure synthesis and structures, **176**, 206
  - $Ba_6M_2Na_2Cr_2O_{17}$  ( $M = Ru, Nb, Ta, Sb$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137
  - $Bi_{14}CrO_{24}$ , structural chemistry: discrete  $MO_4$  tetrahedra, **175**, 197
  - $Co_2Cr_{0.6}Fe_{0.4}Al$ , large negative magnetoresistance effects in, **176**, 646
  - $Cr(II)[N(CN)_2]_2$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
  - $RCrO_4$  ( $R = Nd, Er, Tm$ ), structural and magnetic characterization, **171**, 161
  - $K_3Cr_3(AsO_4)_4$ , synthesis, structure, IR spectroscopy, and ionic behavior, **173**, 273
  - $La_{1-x}Ca_xCrO_{3-\delta}$ , phase stability in oxidizing atmosphere, **170**, 68
  - $La_{1.33}Li_xCr_xTi_{2-x}O_6$ , structural characterization and physical properties, **173**, 130
  - $LaMn_{0.9}Cr_{0.1}O_{3+\delta}$  ( $3.00 \leq 3+\delta \leq 3.12$ ), crystal structure, evolution with oxygen content, **170**, 404

- $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) perovskite prepared by hydrazine method, formation, sintering, and electrical conductivity, **174**, 80
- Clathrates  
 $\text{Ba}_{8-\delta}\text{Si}_{46-\delta}\text{Ge}_\delta$  ( $0 \leq \delta \leq 23$ ) solid solutions with Type I clathrate structure, superconductivity and crystal structure, **175**, 237
- Claudetite  
 $\text{As}_4\text{O}_6$  cubic crystals, Raman spectroscopy, **173**, 54
- Clay  
sugar-anionic clay composites with pentoses intercalated in layered double hydroxide, **174**, 342
- Cluster analysis  
ferromagnetism in transition metal alloys, **176**, 587
- Cluster compounds  
 $\text{Re}_4\text{As}_6\text{S}_3$ , thio-spinel-related system, synthesis and crystal structure, **172**, 446
- $\text{A}_5\text{Ti}_8\text{Nb}_{18}\text{Cl}_{53}\text{O}_{12}$  ( $A = \text{K}, \text{In}$ ), layered, with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, **175**, 46
- $\text{A}_2\text{VNb}_6\text{Cl}_{18}$  ( $A = \text{Rb}, \text{In}, \text{Tl}$ ), synthesis, crystal structure, and magnetic properties, **170**, 227
- $\text{A}^{\text{I}}[(\text{Zr}_6\text{B})\text{Cl}_x\text{I}_{14-x}]$  ( $\text{A}^{\text{I}} = \text{Na}, \text{Cs}; 0 \leq x \leq 4$ ), syntheses and structures, **170**, 273
- Cobalt  
amine-templated metal squarates, synthesis and characterization, **174**, 60
- $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , specific heat and neutron diffraction study, **174**, 159
- $\text{Bi}_{\sim 3}\text{Cd}_{\sim 3.72}\text{Co}_{\sim 1.28}\text{O}_5(\text{PO}_4)_3$ , double ( $n=2$ ) and triple ( $n=3$ )  $[\text{M}_4\text{Bi}_{2n-2}\text{O}_{2n}]^{x+}$  polycationic ribbons in, **176**, 221
- $\text{Ca}_3\text{Co}_{1.34}\text{Rh}_{0.66}\text{O}_6$ , crystal growth and structure and magnetic properties, **173**, 122
- $(\text{Ca}_{0.801}\text{La}_{0.199})\text{La}_6\text{I}_{12}\text{Co}$ , preparation and characterization, **172**, 132
- $\text{Co}^{3+}$ , substitution into  $\text{YBa}_2\text{Fe}_3\text{O}_8$ , **172**, 73
- Co–B–O system, crystallographic study, **174**, 189
- $\text{CoCl}_2 \cdot \text{MgCl}_2 \cdot 8\text{H}_2\text{O}$  double salt, formation of  $[\text{CoCl}_4(\text{H}_2\text{O})_2]^{2-}$  complex: structural and energetic properties of  $[\text{MCl}_4(\text{H}_2\text{O})_2]^{2-}$  and  $[\text{M}(\text{H}_2\text{O})_6]^{2+}$  ( $\text{M} = \text{Mg}, \text{Co}$ ), **174**, 182
- $\text{Co}_2\text{Cr}_{0.6}\text{Fe}_{0.4}\text{Al}$ , large negative magnetoresistance effects in, **176**, 646
- $[\text{Co}(\text{en})_3][\text{Ga}_3(\text{H}_2\text{PO}_4)_6(\text{HPO}_4)_3]$  layered compound templated by cobalt complex, synthesis and characterization, **170**, 176
- $[\text{Co}(\text{imidazole})_2(\mu_4\text{-benzene-1,2,4,5-tetracarboxylate})_{1/2}]_n$ , hydrothermal synthesis, structures, and properties, **173**, 32
- $\text{Co}(\text{II})[\text{N}(\text{CN})_2]_2$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- $[\text{Co}_2(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_3][\text{Ge}_9\text{O}_{18}(\text{OH})_4]$ , organically templated open-framework germanate, synthesis and structure, **170**, 124
- $[\text{Co}(\text{phen})_3] \cdot \text{C}_6\text{H}_5\text{PO}_3 \cdot 11\text{H}_2\text{O}$ , structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- $\text{CoSr}_2(\text{Y}, \text{Ce}), \text{Cu}_2\text{O}_{5+2s}$  ( $s=1-3$ ), structural order and disorder in, **176**, 213
- delocalization in channels network of ternary  $\text{Co}_y\text{Mo}_6\text{Se}_8$  Chevrel phases, **170**, 281
- $\text{GdBaCo}_2\text{O}_{5.5}$ , spin-state and metal–insulator transitions, **171**, 349
- $[\text{Hg}_{1-x}\text{Co}_x\text{Sr}_{2-y}\text{Ca}_y\text{O}_3]^{\text{RS}}[\text{CoO}_2]_{b_1/b_2}$  ( $0.6 \leq x \leq 0.90$   $0 \leq y \leq 2$   $b_1/b_2 = 1.63-1.79$ ), structure, HREM studies, and transport properties, **170**, 374
- $\text{La}_4\text{BaCu}_{5-x}\text{Co}_x\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1
- $\text{La}(\text{Ni}, \text{Co})_5$  nanocrystal synthesis, **171**, 30
- $\text{La}_5\text{Re}_3\text{CoO}_{16}$  pillared perovskites, synthesis, structure, and magnetic properties, **170**, 165
- $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-z}\text{Mn}_z\text{O}_{3-\delta}$  ( $x=0.3$ ;  $z=0, 0.25$ ), conductivity and carrier traps in, **172**, 296
- $\text{LaSrMnCoO}_6$  cubic double perovskite oxide, synthesis, structure, and properties, **173**, 350
- $\text{Li}_2\text{CoTiO}_4$ , cation-disordered rocksalt oxide exhibiting oxidative deintercalation of Li, synthesis and characterization, **172**, 171
- $\text{NaCoO}_2$ , single-crystal growth and crystal and electronic structures, **172**, 22
- $\text{NdBa}_2\text{O}_{5+\delta}$ , structural and magnetic chemistry, **170**, 339
- $\text{Nd}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-x)}\text{Co}_x\text{O}_3$  perovskites, insulator–metal transition, **170**, 368
- $\text{Ni}_{2-x}\text{Co}_x\text{Mo}_3\text{N}$  ( $0 \leq x \leq 1.5$ ) with filled  $\beta$ -manganese structure, synthesis, **172**, 138
- poly[diaqua-( $\mu_2$ -squarato- $O, O'$ )-( $\mu_2$ -4,4'-bipyridine- $N, N'$ ) $\text{Co}(\text{II})$ ] hydrate coordination polymer, synthesis, crystal structure, and dehydration, **175**, 328
- $\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$  perovskites, effects of Co doping, **174**, 466
- $\text{Sr}_2\text{Co}_{2-x}\text{Ga}_x\text{O}_5$  ( $0.3 \leq x \leq 0.8$ ), synthesis and structural studies, **173**, 395
- $\text{Ln}_{0.33}\text{Sr}_{0.67}\text{CoO}_{3-\delta}$  ( $\text{Ln} = \text{Y}^{3+}, \text{Ho}^{3+}, \text{Dy}^{3+}$ ), atomic ordering, **174**, 198
- $\text{U}_2\text{Co}_6\text{Al}_{19}$ , synthesis, crystal structure, and magnetic properties, **174**, 152
- Color  
ionic-covalent rare-earth oxynitride powders, **171**, 143
- Colossal magnetoresistance  
 $\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$ : correlation between structure and magnetic properties, **174**, 52
- La–Ca manganites near optimal doping concentrations, **171**, 76
- Combinatorial topology  
uranyl molybdate sheets: syntheses and crystal structures of  $(\text{C}_6\text{H}_{14}\text{N}_2)_3[(\text{UO}_2)_5(\text{MoO}_4)_8](\text{H}_2\text{O})_4$  and  $(\text{C}_2\text{H}_{10}\text{N}_2)[(\text{UO}_2)_5(\text{MoO}_4)_2]$ , **170**, 106
- Composite crystals  
 $\text{Gd}_{2-x}\text{Y}_x\text{O}_3:\text{Eu}$  nanocrystals, structure transitions and enhanced photoluminescence, **171**, 304
- Composite powders  
 $\text{ZrC}-\text{SiC}$ , preparation by microwave route, **173**, 196
- Composite structure  
 $\text{Cu}_{2.33-x}\text{V}_4\text{O}_{11}$ , **172**, 319
- Compressibility  
 $\text{CaZrO}_3$  perovskite, comparison with Ca-oxide perovskites, **172**, 123
- Computational design  
multifunctional materials, **176**, 615
- Condensation  
gas-phase,  $\text{Eu}^{3+}:\text{Y}_2\text{O}_3$  nanophosphors prepared by, structure, particle size, and annealing, **171**, 12
- Convergent beam electron diffraction  
 $\text{Bi}_3\text{LaTi}_3\text{O}_{12}$  ferroelectric Aurivillius phase: monoclinic distortion, **172**, 389
- $\text{Sr}_{1-x}\text{La}_{1+x}\text{Al}_{1-x}\text{Mg}_x\text{O}_4$  ( $0 \leq x \leq 0.7$ ): detection of structural distortion, **172**, 243
- Coordination complexes  
dinuclear Cd(II) and Cu(II) complexes with flexible disulfoxide ligand, extended chains via hydrogen bond linkages, **173**, 20
- $\text{Na}_2\{\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}\{\text{Mn}(\text{phen})_2\}_3[\text{MnMo}_2^{\text{V}}\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH})_6]\cdot 4\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **170**, 192
- Coordination polymers  
based on  $\mu_4$ -bridging benzene-1,2,4,5-tetracarboxylate, hydrothermal synthesis, structures, and properties, **173**, 32
- $\text{Cd}_3(\text{OH})_2\text{L}_2$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ), succinato-pillared, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- mixed ligand, CPO-5, synthesis and characterization, **175**, 182
- $\text{Mn}_5(\text{OH})_2\text{L}_4$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ), succinato-pillared, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- poly[diaqua-( $\mu_2$ -squarato- $O, O'$ )-( $\mu_2$ -4,4'-bipyridine- $N, N'$ ) $\text{Me}(\text{II})$ ] hydrate ( $\text{Me} = \text{Co}, \text{Ni}, \text{Fe}$ ), synthesis, crystal structures, and dehydration, **175**, 328
- preparation by thermal decomposition, **176**, 259

- rectangular grid, based on prismatic  $[M_8(\text{isophthalate})_8(4,4'\text{-bipy})_8]$  building blocks [ $M=\text{Ni(II),Cd(II)}$ ], hydrothermal syntheses and crystal structures, **170**, 130
- silver(I)-hexamethylenetetramine, crystal structures, effect of synthetic conditions, **172**, 45
- Copper**
- $\text{Ag}_2\text{Cu}_2\text{O}_3$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
  - $\text{BaCuSF}$  doped with potassium, P-type conductivity, **175**, 34
  - $\text{BaO}-\text{Nd}_2\text{O}_3-\text{CuO}_x$ , subsolidus equilibria under carbonate-free conditions at  $p\text{O}_2 = 100 \text{ Pa}$  and  $p\text{O}_2 = 21 \text{ kPa}$ , **173**, 476
  - $\text{Bi}_{\sim 3}\text{Cd}_{\sim 3.72}\text{Cu}_{\sim 1.28}\text{O}_5(\text{PO}_4)_3$ , double ( $n=2$ ) and triple ( $n=3$ )  $[\text{M}_4\text{Bi}_{2n-2}\text{O}_{2n}]^{x+}$  polycationic ribbons in, **176**, 221
  - $\text{Bi}_{\sim 6.2}\text{Cu}_{\sim 6.2}\text{O}_8(\text{PO}_4)_5$  disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
  - $R\text{-Ca-Cu-O}$  ( $R=\text{Nd,Sm,Gd,Tm}$ ) systems, subsolidus phase relations and crystal structures, **173**, 164
  - $\text{Ca}_3\text{CuRhO}_6$ , crystal growth and structure and magnetic properties, **173**, 122
  - $\text{CeCuOS}$ , preparation and crystal structure, **170**, 182
  - $\text{CoSr}_2(\text{Y,Ce})_x\text{Cu}_5\text{O}_{5+2s}$  ( $s=1-3$ ), structural order and disorder in, **176**, 213
  - $\text{Cu}(\text{II}), \text{H}_2\text{O}_2$  chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
  - $\text{Cu}_2\text{Fe}_2\text{Ge}_4\text{O}_{13}$  with four tetrahedra oligomer, crystal structure and mixed-spin system properties, **176**, 175
  - $\text{CuGeO}_3$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
  - $[\text{Cu}_{10}\text{H}_2\text{I}_{16}]^{4-}$  with  $[\text{Ni}^{\text{II}}(\text{phen})_3]^{2+}$  as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
  - $(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), silver ionic transport in, **170**, 142
  - (Cu,Mg) internally oxidized alloys, interfacial chemistry in, **173**, 172
  - $\text{Cu}(\text{II})[\text{N}(\text{CN})_2]_2$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
  - $3\text{R-CuMO}_{2+\delta}$  ( $M=\text{Ga,Sc,In}$ ), synthesis, **173**, 355
  - $\text{CuO}/\gamma\text{-Al}_2\text{O}_3$  catalysts, surface interactions, effect of  $\text{TiO}_2$ , **170**, 48
  - $\text{Cu}_3(\text{OH})_4\text{SO}_4$  made of triple chains of spins  $s=1/2$ , magnetic structure and properties, **170**, 255
  - $\{[\text{Cu}(1,10\text{-phenanthroline})(\mu_4\text{-benzene-1,2,4,5-tetracarboxylate})_{1/2}]\cdot\text{H}_2\text{O}\}_n$ , hydrothermal synthesis, structures, and properties, **173**, 32
  - $[\text{Cu}(\text{phen})_3]\cdot\text{C}_6\text{H}_5\text{PO}_3\cdot11\text{H}_2\text{O}$ , structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
  - $\{[\text{Cu}(\text{phen})_2(\text{V}^{\text{V}}\text{O}_2)_2\text{V}^{\text{IV}}\text{O}_2(\text{H}_2\text{O})(\text{PO}_4)_2]\}$  inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
  - cuprates
    - strongly correlated electron systems, density functional applications to, **176**, 482
    - superconductors, charge disorder effects, **173**, 456
  - $\text{CuSc}_{1-x}\text{Mg}_x\text{O}_{2+y}$  thin films, P-type conductivity, **175**, 34
  - $\text{CuSm}_3\text{Se}_4[\text{Se}_2]$ , synthesis and structure, **171**, 424
  - (Cu,V)-based high- $T_c$  superconductors, x-ray emission spectra of V atoms in, **170**, 188
  - $\text{Cu}_{2.33-x}\text{V}_4\text{O}_{11}$ , composite structure, **172**, 319
  - $\text{CuVO}_2(4,4'\text{-bpy})(\text{XO}_4)$  ( $X=\text{P,As}$ ) mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194
  - $\text{CuWO}_4$ , synthesis by reaction of WC in molten alkali nitrates, **174**, 1
  - dinuclear Cu(II) complexes with flexible disulfoxide ligand, extended chains via hydrogen bond linkages, **173**, 20
  - $\text{DyCu}_x$  ( $x=4.5,4.3,5$ ), single-crystal X-ray and HRTEM study, **174**, 125
  - $\text{EuCu}_2\text{MS}_4$  ( $M=\text{Ge,Sn}$ ), physical and optical properties, **173**, 78
- $\text{KL}_2\text{CuS}_4$  ( $Ln=\text{Y,Nd,Sm,Tb,Ho}$ ) and  $\text{K}_2\text{Ln}_4\text{Cu}_4\text{S}_9$  ( $Ln=\text{Dy,Ho}$ ), syntheses, structures, physical properties, and electronic structures, **176**, 5
- $\text{La}_4\text{BaCu}_{5-x}\text{M}_x\text{O}_{13+\delta}$  ( $M=\text{Fe,Co,Ni,Zn}$ ), synthesis and characterization, **170**, 1
- $\text{La}_4\text{BaCu}_5\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1
- $\text{La}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329
- $\text{La}_3\text{CuO}_2\text{S}_3$ , synthesis, structure, and optical properties, **172**, 257
- $\text{La}_4\text{MnCu}_6\text{S}_{10}$ , synthesis and characterization, **172**, 127
- $\text{Nd}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329
- $(\text{Nd,Ce})_{2+x}\text{CaCu}_2\text{O}_{6+y}$ , high-pressure synthesis, crystal structure, and magnetic properties, **170**, 24
- Ni-Cu particles, synthesis and characterization, **172**, 111
- $\text{Sr}_{0.53}\text{Ba}_{0.47}\text{CuN}$ , synthesis and crystal structure, **170**, 265
- $\text{Sr}_8\text{Cu}_3\text{In}_4\text{N}_5$ , synthesis and crystal structure, **170**, 265
- $\text{Sr}_4\text{CuMn}_2\text{O}_9$ , crystal and magnetic structure, **176**, 88
- $\text{SrCu}_2\text{MS}_4$  ( $M=\text{Ge,Sn}$ ), physical and optical properties, **173**, 78
- $\text{Sr}_8\text{ARe}_3\text{Cu}_4\text{O}_{24}$  ( $A=\text{Sr,Ca}$ ) ferromagnets with ordered perovskite structure, **175**, 366
- $\text{Yb-Cu}$ , alloying using liquid ammonia metal solutions of Yb, **171**, 254
- Cordierite**
- $\text{Eu}^{3+}$ -doped, sol-gel synthesis and optical properties, **171**, 375
- Correlated electron systems**
- density functional applications, **176**, 482
- Covalency**
- relationship to  $4f^n-15d$  centroid shift in lanthanides, **171**, 133
- CPO-5**
- synthesis and characterization, **175**, 182
- Cristobalite**
- $\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x=0.0,0.20,0.50,0.80,1.00$ ), preparation, phase transition, and thermal expansion, **176**, 37
- Crown ethers**
- as extractants for actinides, **171**, 109
  - supramolecules of  $\beta$ -diketonates and Eu(III) and crown ethers as ligands, synthesis and luminescent properties, **171**, 189
- Cryolite**
- $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$  crystallization from molten hydroxide, **173**, 203
- Crystal chemistry**
- $\text{AlPO}_4\cdot11$ , in microporous state, **172**, 431
  - $(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$  ( $0 \leq x \leq 0.6$ ): oxygen/vacancy ordering, **170**, 247
  - $\text{Ba}_{2-x}\text{Sr}_x\text{Fe}_4\text{O}_8$  cationic conductors, **170**, 435
  - local, in  $\text{K}_3\text{MoO}_3\text{F}_3$ , **170**, 211
  - rare earth nitrides, ternary and higher order compounds, **171**, 143
  - $\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2]\cdot2\text{H}_2\text{O}$ , **168**, 358; erratum, **171**, 455
  - $(\text{Th}_{1-x}\text{Y}_x\text{Ti}_2\text{O}_{6-\delta})$  Y-doped thorutite phase, **174**, 329
  - $AE[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $AE=\text{Ca,Ba}$ ), **168**, 358; erratum, **171**, 455
  - $(\text{U}_{1-x}\text{Y}_x\text{Ti}_2\text{O}_6)$  Y-doped brannerite phase, **174**, 329
- Crystal-field analysis**
- $\text{Eu}^{3+}$  energy levels in  $\text{BiY}_{1-x}\text{R}_x\text{GeO}_5$ , **171**, 262
  - low-temperature  $\text{UBr}_3$  and  $\text{UCl}_3$  absorption spectra, **170**, 443
  - $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4\text{:Eu-R}$  ( $R=\text{Nd,Dy}$ ) pigments, **171**, 273
- Crystal growth**
- $\text{Ba}_7\text{Li}_3\text{Ru}_4\text{O}_{20}$  oxygen-deficient layered perovskite, **175**, 39
  - $RE_{1-x}\text{B}_{12}\text{Si}_{3.3-\delta}$  ( $RE=\text{Y,Gd-Lu}$ ) ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), **170**, 75
  - $\text{Ca}_3\text{Co}_{1.34}\text{Rh}_{0.66}\text{O}_6$ ,  $\text{Ca}_3\text{CuRhO}_6$ , and  $\text{Ca}_3\text{FeRhO}_6$ , **173**, 122
  - $\text{K}_3\text{RESi}_2\text{O}_7$  ( $RE=\text{Gd,Tb,Dy,Ho,Er,Tm,Yb,Lu}$ ), **170**, 203
  - $\text{NaCoO}_2$  single crystals, **172**, 22
  - $\text{Pb}_2\text{Mo}_2\text{O}(\text{PO}_4)_2\text{P}_2\text{O}_7$  with tunnel structure, **172**, 412
- Crystallization**
- $\text{CeO}_2$  and  $(\text{Ce,Sm})\text{O}_2$  thin films at low temperature, **175**, 84
  - $\text{MgO}$  nano-sized powder, effect of diethanolamine addition, **175**, 278

- Nd<sub>5</sub>Sb<sub>12</sub> and Pr<sub>5</sub>Sb<sub>12</sub> with new structure type and Ho<sub>2</sub>Sb<sub>5</sub> with Dy<sub>2</sub>Sb<sub>5</sub>-type structure, **173**, 259
- Sr<sub>18</sub>Ru<sub>1.9</sub>Bi<sub>4.1</sub>O<sub>33</sub> from molten hydroxide, **173**, 203
- Crystallographic image processing
- Sr<sub>1-x</sub>La<sub>1+x</sub>Al<sub>1-x</sub>Mg<sub>x</sub>O<sub>4</sub> (0≤x≤0.7): detection of structural distortion, **172**, 243
- Crystallography
- Ca<sub>n+1</sub>Mn<sub>n</sub>O<sub>3n+1</sub> (n=2,3) Ruddlesden–Popper compounds, transmission electron microscopic study, **174**, 418
- Ce<sub>4</sub>Ni<sub>6</sub>Al<sub>23</sub>, **174**, 471
- Co–B–O system, **174**, 189
- Crystal nucleation
- Fe<sub>331</sub> nanoparticle, **176**, 234
- Crystal orbital Hamilton population method
- MnAl ferromagnet: electronic structure, chemical bonding, and spin polarization, **176**, 390
- ALnTe<sub>4</sub> and ALn<sub>3</sub>Te<sub>8</sub> (A=alkali metal; Ln=lanthanoid): electronic band structure and physical properties, **176**, 594
- Crystal structure
- Ag<sub>2</sub>MnSn<sub>3</sub>S<sub>8</sub>, **174**, 229
- AlPO<sub>4</sub>-11, in microporous state, **172**, 431
- amine-templated metal squareates, **174**, 60
- Ba<sub>3</sub>CrS<sub>5</sub> and Ba<sub>3</sub>Cr<sub>2</sub>S<sub>6</sub> one-dimensional chain structures synthesized at high pressure, **176**, 206
- BaKFeO<sub>3</sub> with 1-D ferrate chains, **172**, 261
- Ba<sub>6</sub>M<sub>2</sub>Na<sub>2</sub>X<sub>2</sub>O<sub>17</sub> (M=Ru,Nb,Ta,Sb; X=V,Cr,Mn,P,As) 12H hexagonal perovskite-related oxides, **176**, 137
- Ba(Ln<sub>2/3</sub><sup>III</sup>B<sub>1/3</sub><sup>VI</sup>)O<sub>3</sub> (Ln<sup>III</sup>=Dy,Gd,Sm; B<sup>VI</sup>=Mo,W) complex perovskites, **175**, 299
- BaP<sub>8</sub> synthesized at high pressure, **173**, 449
- Ba<sub>8-δ</sub>Si<sub>46-x</sub>Ge<sub>x</sub> (0≤x≤23) solid solutions with Type I clathrate structure, **175**, 237
- Ba<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN and, **174**, 221
- BaVS<sub>3</sub>, **175**, 384
- Ba<sub>14</sub>Zn<sub>5-x</sub>Al<sub>22+x</sub> polar intermetallic compound with 2D network, **170**, 94
- BaZrO<sub>3</sub>–CaZrO<sub>3</sub> system, **175**, 170
- Bi<sub>~3</sub>Cd<sub>~3.72</sub>Zn<sub>~1.28</sub>O<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub> (M=Co,Cu,Zn), double (n=2) and triple (n=3) [M<sub>4</sub>Bi<sub>2n-2</sub>O<sub>2n</sub>]<sup>x+</sup> polycationic ribbons in, **176**, 221
- Bi<sub>~6.2</sub>Cu<sub>~6.2</sub>O<sub>8</sub>(PO<sub>4</sub>)<sub>5</sub> disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
- [Bi<sub>3</sub>I(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H<sub>2</sub>)(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H)<sub>5</sub>]<sub>2</sub>Bi<sub>8</sub>I<sub>30</sub> containing [Bi<sub>8</sub>I<sub>30</sub>]<sup>6-</sup>, **172**, 53
- Bi<sub>3</sub>LaTi<sub>3</sub>O<sub>12</sub> ferroelectric Aurivillius phase, monoclinic distortion in, **172**, 389
- L<sup>I</sup><sub>0.5</sub>Bi<sub>1.5</sub>O<sub>2</sub>X and L<sup>II</sup>BiO<sub>2</sub>X (L<sup>I</sup>=Li,Na; L<sup>II</sup>=Ca,Sr,Ba; X=Cl,Br,I) quaternary layered compounds of Sillén X1 type, **175**, 316
- [Bi<sub>6</sub>O<sub>4.5</sub>(OH)<sub>3.5</sub>]<sub>2</sub>(NO<sub>3</sub>)<sub>11</sub>, determination from twinned crystals, **176**, 127
- Bi<sub>1.5</sub>(Pb<sub>7.3</sub>Mn<sub>0.7</sub>)(PO<sub>4</sub>)<sub>6</sub>O<sub>1.3</sub>, formed by Mn substitution in Bi<sub>2</sub>Pb<sub>8-x</sub>(PO<sub>4</sub>)<sub>6</sub>O<sub>2-x</sub> solid solutions, **173**, 374
- bis(pentamethylene)urea complexes with lanthanide nitrates, **171**, 242
- BiTa<sub>1-x</sub>Nb<sub>x</sub>O<sub>4</sub>, **174**, 310
- borophosphate with 1-D structure synthesized using ionic liquid as medium, **176**, 33
- RE<sub>1-x</sub>B<sub>12</sub>Si<sub>3.3-δ</sub> (RE=Y,Gd–Lu) (0≤x≤0.5,δ≈0.3), **170**, 75
- Ca<sub>2</sub>AuN, correlation with electronic structure, **176**, 375
- Ca<sub>3</sub>Co<sub>1.34</sub>Rh<sub>0.66</sub>O<sub>6</sub>, Ca<sub>3</sub>CuRhO<sub>6</sub>, and Ca<sub>3</sub>FeRhO<sub>6</sub>, **173**, 122
- R–Ca–Cu–O (R=Nd,Sm,Gd,Tm) systems, **173**, 164
- Ca-deficient apatite with incorporated formate, **174**, 132
- cadmium (II) amino-diphosphonates prepared by hydrothermal synthesis, **176**, 62
- cadmium–zirconium–sodium oxalate with open framework, **170**, 330
- CaFe<sub>2</sub>O<sub>3</sub>Cl and Ca<sub>2</sub>FeO<sub>3</sub>Cl with higher space group symmetry, letter to editor, **174**, 165
- Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, neutron powder diffraction analysis, **175**, 272
- carbonate apatite type A synthesized at high pressure: P $\bar{3}$  space group and channel carbonate ion orientation, **174**, 412
- Ca<sub>0.5</sub>V<sub>3</sub>O<sub>8</sub>, **172**, 116
- Cd<sub>3</sub>In<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>6</sub>·9H<sub>2</sub>O, **173**, 387
- Cd<sub>3</sub>(OH)<sub>2</sub>L<sub>2</sub> (H<sub>2</sub>L=HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, **172**, 288
- CeCd<sub>4</sub>Cl<sub>11</sub>·13H<sub>2</sub>O, **173**, 328
- CeCuOS, **170**, 182
- CeMn<sub>0.5</sub>OSe, **176**, 170
- CePdGa<sub>6</sub> heavy-fermion antiferromagnet, **174**, 296
- [CH<sub>3</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>3</sub>[Bi<sub>2</sub>Cl<sub>9</sub>], **173**, 425
- [C<sub>4</sub>H<sub>8</sub>(NH<sub>2</sub>)<sub>2</sub>][Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>], **172**, 212
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)[(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>], **170**, 106
- (C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, **170**, 106
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>4</sub>O<sub>6</sub>H(HPO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, **172**, 424
- (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated trans-1,4-diaminocyclohexane, **170**, 303
- [C<sub>4</sub>N<sub>3</sub>H<sub>16</sub>]<sub>3</sub>[La(SO<sub>4</sub>)<sub>3</sub>]<sub>2</sub>·H<sub>2</sub>O, **174**, 381
- CoCl<sub>2</sub>·MgCl<sub>2</sub>·8H<sub>2</sub>O double salt, formation of [CoCl<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>]<sup>2-</sup> complex, **174**, 182
- [Co(en)<sub>3</sub>][Ga<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(HPO<sub>4</sub>)<sub>3</sub>] layered compound templated by cobalt complex, **170**, 176
- [Co<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>3</sub>][Ge<sub>9</sub>O<sub>18</sub>(OH)<sub>4</sub>] organically templated open-framework germanite, **170**, 124
- coordination polymers based on μ<sub>4</sub>-bridging benzene-1,2,4,5-tetra-carboxylate, **173**, 32
- correlation with electric field gradients in fluorite- and pyrochlore-type compounds in Gd<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> system, **176**, 105
- CoSr<sub>2</sub>(Y,Ce)<sub>s</sub>Cu<sub>2</sub>O<sub>5+2s</sub> (s=1–3), order and disorder in, **176**, 213
- CPO-5 mixed ligand coordination polymer, **175**, 182
- RCrO<sub>4</sub> (R=Nd,Er,Tm), **171**, 161
- Cs<sub>2</sub>Bi<sub>2</sub>CdS<sub>5</sub>, Cs<sub>2</sub>Bi<sub>2</sub>MnS<sub>5</sub>, Cs<sub>2</sub>Bi<sub>2</sub>ZnS<sub>5</sub>, **174**, 334
- α-Cs<sub>9</sub>O<sub>14</sub>, refinement of, **175**, 348
- CsANb<sub>2</sub>O<sub>7</sub> (A=Nd,Bi) layered perovskites, distortions in, **173**, 309
- CsTmCl<sub>2</sub>[SeO<sub>3</sub>] quinary phase in system CsCl/TmOCl/SeO<sub>2</sub>, **171**, 429
- Cs uranyl arsenate, **175**, 372
- Cu<sub>2</sub>Fe<sub>2</sub>Ge<sub>4</sub>O<sub>13</sub> with four tetrahedra oligomer, **176**, 175
- [Cu<sub>10</sub>Fe<sub>16</sub>]<sup>4+</sup> with [Ni<sup>II</sup>(phen)<sub>3</sub>]<sup>2+</sup> as template, **175**, 152
- Cu<sub>3</sub>(OH)<sub>4</sub>SO<sub>4</sub> made of triple chains of spins s=1/2, **170**, 255
- [{Cu(phen)<sub>2VO)<sub>2</sub>V<sup>IV</sup>O<sub>2</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>2</sub>} inorganic–organic hybrid materials, **176**, 69</sub>
- CuSm<sub>3</sub>Se<sub>4</sub>[Se<sub>2</sub>], **171**, 424
- CuVO<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>) (X=P,As) mixed metal organic–inorganic hybrid compounds with pillared layer structure, **172**, 194
- dilithium piperazinium(2+) selenate tetrahydrate and dilithium N,N'-dimethylpiperazinium(2+) selenate tetrahydrate, **170**, 308
- divalent transition metal phosphonates with hydrogen-bonded layers of phosphonate anions, **174**, 116
- [Dy<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>[Fe(CN)<sub>5</sub>(NO)<sub>2</sub>]<sub>2</sub>]<sub>2</sub>·8H<sub>2</sub>O, **171**, 201
- β-Dy<sub>2</sub>B<sub>4</sub>O<sub>9</sub> synthesized at high pressure, **170**, 320
- DyCu<sub>x</sub> (x=4.5,4.3,5), **174**, 125
- ErSeO<sub>3</sub>Cl, **174**, 111
- Eu<sub>1-x</sub>Dy<sub>x</sub>TiO<sub>3</sub>, **171**, 345
- Eu<sub>5</sub>Ga<sub>9</sub>, **176**, 567
- Eu<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> nanophosphors prepared by gas-phase condensation, **171**, 12
- Fe<sub>331</sub> nanoparticle, **176**, 234
- Ga<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>)<sub>2</sub> (X=P,As) organic–inorganic hybrid compounds with pillared layer structure, **172**, 252
- GaMn, **173**, 137
- GdBaFe<sub>2</sub>O<sub>5+ω</sub> effects of oxygen nonstoichiometry and distribution, **170**, 9
- Gd<sub>5</sub>(Si<sub>x</sub>Ge<sub>1-x</sub>)<sub>4</sub> system, variation near x=0.5, effects on magnetism, electronic structure, and thermodynamics, **171**, 57
- Gd<sub>4</sub>[SiS<sub>4</sub>]<sub>3</sub>, **172**, 417

- Gd<sub>2</sub>TeO<sub>6</sub>, **171**, 408
- Hg<sub>3</sub>E<sub>2</sub>[MX<sub>6</sub>] (*E*=S,Se; *M*=Zr,Hf; *X*=Cl,Br); expanded polycationic mercury-chalcogen networks, **172**, 12
- [Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> (0.6≤*x*≤0.90; 0≤*y*≤2 *b*<sub>1</sub>/*b*<sub>2</sub>=1.63–1.79), **170**, 374
- Hg<sub>2</sub>SeO<sub>3</sub> α-, β- and γ-modifications, **172**, 35
- (H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)[(VO)(SeO<sub>3</sub>)<sub>2</sub>], **172**, 205
- [HN(C<sub>2</sub>H<sub>4</sub>)<sub>3</sub>N][{(VO)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)}·H<sub>2</sub>O], **172**, 464
- Ho<sub>3</sub>Ru<sub>4</sub>Ga<sub>15</sub>, **172**, 27
- Ho<sub>2</sub>Sb<sub>5</sub>, Dy<sub>2</sub>Sb<sub>5</sub>-type structure, **173**, 259
- R*(R<sub>6</sub>I<sub>12</sub>Z) rare-earth-metal cluster iodides altered through cation substitution, **172**, 132
- In<sub>4</sub>Br<sub>7</sub>: phase evolution, **174**, 349
- In(C<sub>2</sub>O<sub>4</sub>)<sub>2.5</sub>(C<sub>3</sub>N<sub>2</sub>H<sub>12</sub>)(H<sub>2</sub>O)<sub>3</sub> and In(C<sub>2</sub>O<sub>4</sub>)<sub>1.5</sub>(H<sub>2</sub>O)<sub>3</sub> layered oxalates with 12-membered apertures, **173**, 435
- InTbGe<sub>2</sub>O<sub>7</sub>, **170**, 418
- K<sub>3</sub>Cr<sub>3</sub>(AsO<sub>4</sub>)<sub>4</sub>, **173**, 273
- KLn<sub>2</sub>CuS<sub>4</sub> (*Ln*=Y,Nd,Sm,Tb,Ho) and K<sub>2</sub>Ln<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub> (*Ln*=Dy,Ho), **176**, 5
- K<sub>2</sub>FeZrP<sub>3</sub>O<sub>12</sub> with langbeinite structure, **173**, 314
- KMg<sub>0.5</sub>H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>·H<sub>2</sub>O acidic pyrophosphate, **176**, 27
- K<sub>3</sub>RESi<sub>2</sub>O<sub>7</sub> (*RE*=Gd,Tb,Dy,Ho,Er,Tm,Yb,Lu), **170**, 203
- K<sub>4</sub>M<sub>2</sub>Si<sub>6</sub>O<sub>18</sub> (*M*=Sn,Ti), **175**, 258
- K<sub>2</sub>(UO<sub>2</sub>)(MoO<sub>4</sub>)O<sub>2</sub> and K<sub>8</sub>(UO<sub>2</sub>)<sub>8</sub>(MoO<sub>5</sub>)<sub>3</sub>O<sub>6</sub>, **174**, 19
- K<sub>5</sub>Yb(MoO<sub>4</sub>)<sub>4</sub> polymorphs, **176**, 76
- La<sub>4</sub>BaCu<sub>5-x</sub>M<sub>x</sub>O<sub>13+δ</sub> (*M*=Fe,Co,Ni,Zn), **170**, 1
- La<sub>4</sub>BaCu<sub>5</sub>O<sub>13+δ</sub>, **170**, 1
- La<sub>0.7</sub>(Ca<sub>0.3-x</sub>Cd<sub>x</sub>)MnO<sub>3</sub> CMR manganites, correlation with magnetic properties, **174**, 52
- LaCaGaO<sub>4</sub>, **172**, 59
- La<sub>2</sub>Ca<sub>2</sub>MnO<sub>6</sub>(O<sub>2</sub>) related to hexagonal perovskite-type structure, **175**, 124
- La<sub>3</sub>CuO<sub>2</sub>S<sub>3</sub>, **172**, 257
- La<sub>12</sub>Ga<sub>3.5</sub>Mn<sub>0.5</sub>Sb<sub>23.5</sub>, **171**, 137
- La<sub>1.33</sub>Li<sub>x</sub>Cr<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub>, **173**, 130
- La<sub>2</sub>LiRuO<sub>6</sub>, **175**, 20
- LaMn<sub>0.9</sub>Cr<sub>0.1</sub>O<sub>3+δ</sub> (3.00≤*δ*≤3+*δ*≤3.12), evolution with oxygen content, **170**, 404
- La<sub>4</sub>MnCu<sub>6</sub>S<sub>10</sub>, **172**, 127
- La<sub>1-x</sub>Mn<sub>1-y</sub>O<sub>3</sub> nanocrystalline powders, related magnetic properties, **173**, 216
- LaP<sub>5</sub> synthesized at high pressure, **173**, 449
- La<sub>5</sub>Re<sub>3</sub>MO<sub>16</sub> (*M*=Mg, Fe, Co, Ni) pillared perovskites, **170**, 165
- La<sub>2</sub>RuO<sub>5</sub>, XRPD *ab initio* determination, **170**, 294
- La<sub>1-x</sub>Sr<sub>x</sub>Ga<sub>1-2x</sub>Mg<sub>2x</sub>O<sub>3-y</sub> (*x*=0.05,0.1) anisotropic single crystals, **172**, 396
- LaSrMnCoO<sub>6</sub> cubic double perovskite oxide, **173**, 350
- LaTeNbO<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>6</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, **175**, 264
- Li<sub>2</sub>CO<sub>3</sub> at high pressure, **173**, 13
- Li[K<sub>x</sub>(NH<sub>4</sub>)<sub>1-x</sub>]SO<sub>4</sub> and Li<sub>2</sub>KNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>, **173**, 69
- LiMoS<sub>2</sub> nanocrystalline materials, synergetic theoretical and experimental determination, **175**, 380
- Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>6</sub><sup>10-</sup>, **172**, 166
- Mg<sub>x</sub>Ir<sub>3</sub>Sn<sub>7-x</sub> (*x*=0–1.67), **173**, 418
- MnC<sub>2</sub>O<sub>4</sub>·2H<sub>2</sub>O, **172**, 212
- Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)(OH)<sub>2</sub>, **172**, 212
- Mn<sub>5</sub>(OH)<sub>2</sub>L<sub>4</sub> (H<sub>2</sub>L=HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, **172**, 288
- molecular hexagonal perovskite organic-inorganic hybrid conductor, **176**, 243
- R<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> (*R*=La,Nd,Sm), **173**, 407
- Na<sub>4</sub>Ba<sub>3</sub>As<sub>6</sub> Zintl phase with isolated As<sub>3</sub><sup>5-</sup> anions, **175**, 306
- NaCoO<sub>2</sub>, **172**, 22
- Na<sub>3</sub>Fe<sub>2</sub>Mo<sub>5</sub>O<sub>16</sub> containing Mo<sub>3</sub>O<sub>13</sub> clusters, **176**, 192
- Na<sub>2</sub>LiAlF<sub>6</sub> synthetic simmonsite, **172**, 95
- Na<sub>4</sub>Mg<sub>2</sub>(H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>)<sub>4</sub>·8H<sub>2</sub>O, **172**, 160
- NaPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}$ [PdPS<sub>4</sub>]<sup>-</sup> chains soluble in polar solvents, **175**, 133
- Na<sub>2</sub>SrV<sub>3</sub>O<sub>9</sub>, **173**, 244
- Na<sub>10</sub>(UO<sub>2</sub>)<sub>8</sub>(W<sub>5</sub>O<sub>20</sub>)O<sub>8</sub>, **172**, 305
- NaY<sub>3</sub>S<sub>3</sub>[SiS<sub>4</sub>] with channel structure, **171**, 382
- Nb<sub>5</sub>Pd<sub>4</sub>As<sub>4</sub>, determination from 5×5×5 μm<sup>3</sup> crystal with synchrotron radiation, **172**, 232
- NdBaCo<sub>2</sub>O<sub>5+δ</sub>, **170**, 339
- (Nd,Ce)<sub>2+x</sub>CaCu<sub>2</sub>O<sub>6+y</sub>, **170**, 24
- Nd<sub>3</sub>ReO<sub>7</sub>, ordered defect fluorite structure, **171**, 317
- Nd<sub>5</sub>Sb<sub>12</sub>, **173**, 259
- [NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>CH<sub>3</sub>]<sup>2+</sup>[FeF(HPO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup> one-dimensional iron phosphate, **173**, 367
- (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>1.5</sub>[(VO)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)] layered vanadium phosphate templated with organic diamine, **172**, 424
- NH<sub>4</sub>[N(CN)<sub>2</sub>], X-ray and neutron powder diffraction and vibrational and solid-state NMR spectroscopy, **176**, 180
- (NH<sub>4</sub>)<sub>2</sub>(NH<sub>3</sub>)[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], re-interpretation in terms of (NH<sub>4</sub>)<sub>2-z</sub>[Ni(NH<sub>3</sub>)<sub>2</sub>]<sub>z</sub>[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], **176**, 198
- (NH<sub>4</sub>)<sub>2</sub>[V(PO<sub>4</sub>)F] with ferromagnetic interactions, **173**, 101
- R<sub>3</sub>Ni<sub>7</sub>As<sub>5</sub> (*R*=La,Ce,Pr,Nd,Sm), **172**, 265
- [Ni(dien)<sub>2</sub>]Sb<sub>4</sub>S<sub>7</sub>·H<sub>2</sub>O layered compound and [Ni(dien)<sub>2</sub>]Sb<sub>12</sub>S<sub>21</sub>·H<sub>2</sub>O 3-D compound, **174**, 264
- [{(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)Ti<sub>2</sub>}<sub>n</sub>]<sup>5n-</sup>, chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, **170**, 232
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, **175**, 63
- Pb<sub>0.6</sub>Bi<sub>1.4</sub>Rb<sub>0.6</sub>O<sub>2</sub>Z<sub>2</sub> (*Z*=Cl,Br,I), **173**, 83
- Pb<sub>2</sub>Mo<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> with tunnel structure, **172**, 412
- Pb<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>PO<sub>3</sub>) inorganic-organic hybrid materials, **173**, 293
- poly[bis(thiocyanato-*N*)-bis(μ<sub>2</sub>-pyrazine-*N,N'*)-manganese(II)] and poly[bis(μ<sub>2</sub>-thiocyanato-*N,S*)-(μ<sub>2</sub>-pyrazine-*N,N'*-manganese(II))], **176**, 259
- poly[diaqua-(μ<sub>2</sub>-squarato-*O,O'*)-(μ<sub>2</sub>-4,4'-bipyridine-*N,N'*)Me(II)] hydrate (*Me*=Co,Ni,Fe) coordination polymers, **175**, 328
- Pr<sub>3</sub>ReO<sub>7</sub>, ordered defect fluorite structure, **171**, 317
- Pr<sub>5</sub>Sb<sub>12</sub>, **173**, 259
- Pr<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-w</sub>, **173**, 148
- PtSiSb, **175**, 231
- pyridine analogs of chalcone during [2+2]-photodimerization, **174**, 459
- Rb<sub>6</sub>Bi<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub> layered monodiphosphates, **173**, 342
- RbPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}$ [PdPS<sub>4</sub>]<sup>-</sup> chains soluble in polar solvents and cubic RbPdPS<sub>4</sub>{Rb<sub>0.33</sub>P<sub>0.4</sub>S<sub>2.23</sub>O<sub>x</sub>}, **175**, 133
- RbTi<sub>0.927</sub>Nb<sub>0.056</sub>Er<sub>0.017</sub>OPO<sub>4</sub>, **171**, 257
- Rb uranyl arsenate, **175**, 372
- Rb<sub>6</sub>U<sub>5</sub>V<sub>2</sub>O<sub>23</sub> layered compounds, α and β forms, **173**, 1
- Re<sub>4</sub>As<sub>6</sub>S<sub>3</sub> thio-spinel-related cluster system, **172**, 446
- rectangular grid coordination polymers based on prismatic [M<sub>8</sub>(isophthalate)<sub>8</sub>(4,4'-bipy)<sub>8</sub>] building blocks [*M*=Ni(II),Cd(II)], **170**, 130
- seLENites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, **170**, 390
- A<sub>2</sub>SeMoO<sub>6</sub> (*A*=Na<sup>+</sup>,K<sup>+</sup>,Rb<sup>+</sup>), **174**, 441
- silver(I)-hexamethylenetetramine coordination polymers, effect of synthetic conditions, **172**, 45
- [Sm<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>{Fe(CN)<sub>5</sub>(NO)}<sub>2</sub>], **171**, 201
- SnO<sub>2</sub>, rutile nanoparticles, deformation in, **174**, 241
- Sn<sub>2</sub>O(C<sub>4</sub>O<sub>4</sub>)(H<sub>2</sub>O), comparison with Sn<sub>2</sub>[Sn<sub>2</sub>O<sub>2</sub>F<sub>4</sub>], **173**, 49
- Sr<sub>0.53</sub>Ba<sub>0.47</sub>CuN, **170**, 265
- Sr<sub>2</sub>Co<sub>2-x</sub>Ga<sub>x</sub>O<sub>5</sub> (0.3≤*x*≤0.8), **173**, 395
- Sr<sub>8</sub>Cu<sub>3</sub>In<sub>4</sub>N<sub>5</sub>, **170**, 265
- SrFe<sub>2/3</sub>B'<sub>1/3</sub>O<sub>3</sub> (*B'*=Mo,W,Te,U) tetragonal double perovskites, **175**, 252
- Sr<sub>3</sub>Mn<sub>2</sub>O<sub>6+x</sub> reduced double-layer manganite, **175**, 188

- Sr<sub>4</sub>MMn<sub>2</sub>O<sub>9</sub> ( $M = \text{Cu}, \text{Zn}$ )**, **176**, 88  
 **$\alpha$ -SrP<sub>3</sub>** synthesized at high pressure, **173**, 449  
**Sr<sub>8</sub>ARe<sub>3</sub>Cu<sub>4</sub>O<sub>24</sub> ( $A = \text{Sr}, \text{Ca}$ )** ferromagnets with ordered perovskite structure, **175**, 366  
**Sr<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN**, **174**, 221  
**Sr[(UO<sub>2</sub>)(SeO<sub>3</sub>)<sub>2</sub>]·2H<sub>2</sub>O**, **168**, 358; *erratum*, **171**, 455  
**L-Ta<sub>2</sub>O<sub>5</sub>**, effects of heat treatment, XRPD and HRTEM study, **176**, 250  
**TbPdAl**, EXAFS and XANES measurements, **171**, 291  
 **$A_2\text{TeW}_3\text{O}_{12}$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ )**, **175**, 3  
**(Th<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6- $\delta$</sub> )** Y-doped thorutite phase, **174**, 329  
 **$A_5\text{Ti}_8\text{Nb}_{18}\text{Cl}_{53}\text{O}_{12}$  ( $A = \text{K}, \text{In}$ )** layered cluster compounds with six-member ring opening channels, **175**, 46  
**TiSnSb**: Sn/Sb atom ordering, **176**, 329  
**titanoniobate isopolyanion**, **176**, 111  
**triruanyl diarsenate hydrates with framework structures**, **176**, 18  
**U<sub>2</sub>Co<sub>6</sub>Al<sub>19</sub>**, **174**, 152  
**UFe<sub>4</sub>Al<sub>5</sub>**, **174**, 302  
 **$AE[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $AE = \text{Ca}, \text{Ba}$ )**, **168**, 358; *erratum*, **171**, 455  
**M<sub>7</sub>(UO<sub>2</sub>)<sub>8</sub>(VO<sub>4</sub>)<sub>2</sub>O<sub>8</sub>Cl** ( $M = \text{Rb}, \text{Cs}$ ) layered compounds, **172**, 351  
**M<sub>2</sub>(UO<sub>2</sub>)(W<sub>2</sub>O<sub>8</sub>)** ( $M = \text{Na}, \text{K}$ ), **172**, 305  
**M<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(WO<sub>5</sub>)O** ( $M = \text{K}, \text{Rb}$ ), **172**, 305  
**U<sub>2</sub>(PO<sub>4</sub>)(P<sub>3</sub>O<sub>10</sub>)** orthorhombic crystals, **172**, 66  
**(U<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6</sub>)** Y-doped brannerite phase, **174**, 329  
**(V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub>** above and below metal/insulator transition, effects of doping and temperature, **174**, 431  
 **$A_2\text{VNB}_6\text{Cl}_{18}$  ( $A = \text{Rb}, \text{In}, \text{Tl}$ )**, **170**, 227  
**[V<sub>4</sub>O<sub>7</sub>(2,2'-bipy)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>]** inorganic–organic hybrid materials, **176**, 69  
**[V<sub>4</sub>O<sub>7</sub>(HASO<sub>4</sub>)<sub>2</sub>(*o*-phen)<sub>2</sub>]** layered network decorated with directly coordinated organonitrogen ligands, **175**, 146  
**{[VO(OH)(H<sub>2</sub>O)](SeO<sub>3</sub>)<sub>4</sub>}·2H<sub>2</sub>O**, **172**, 205  
**V<sub>4</sub>Te<sub>4</sub>O<sub>18</sub>** with 3D framework, **176**, 159  
weberite and zirconolite polytypes: refinements of doped 3T and 4M Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub> and 3T CaZr<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>, **174**, 285  
Yb(ReO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>O)<sub>4</sub> in monoclinic modification, **172**, 200  
Y<sub>5</sub>Re<sub>2</sub>O<sub>12</sub> one-dimensional antiferromagnet with  $S=1/2$ , **172**, 451  
Zn<sub>3</sub>(bbdc)<sub>3</sub>(4,4'-bipy)·2(DMF)·4(H<sub>2</sub>O) 3-D inorganic–organic hybrid framework porous material, **176**, 1  
[Zn(NH<sub>3</sub>)<sub>4</sub>](BF<sub>4</sub>)<sub>2</sub>, neutron scattering, X-ray powder diffraction, and NMR studies, **174**, 357  
A<sup>I</sup>[(Zr<sub>6</sub>B)Cl<sub>x</sub>I<sub>14-x</sub>] ( $A^I = \text{Na}, \text{Cs}; 0 \leq x \leq 4$ ) cluster phases, **170**, 273  
ZrO<sub>2</sub>-containing nano-sized particle materials, **176**, 273
- Cyanide**  
and carboxylate, *Ln*<sub>2</sub>M<sub>2</sub> clusters simultaneously bridged by, **171**, 201  
Cyclohexylpolycarboxylic acids  
Eu(III) complexes with, structure, **171**, 44
- D**
- d–d spectra**  
local many-electron states in transition metal oxides, **176**, 633
- Decision tree**  
in analysis of ferromagnetism in transition metal alloys, **176**, 587
- Defect chemistry**  
BaMgAl<sub>10</sub>O<sub>17</sub>·Eu<sup>2+</sup>–Ba<sub>0.75</sub>Al<sub>11</sub>O<sub>17.25</sub>·Eu<sup>2+</sup> solid solution, **173**, 359  
La<sub>1-4</sub>MnO<sub>3+ $\delta$</sub> , **173**, 299  
(NH<sub>4</sub>)<sub>2</sub>(NH<sub>3</sub>)[Ni(NH<sub>3</sub>)<sub>2</sub>Cl<sub>4</sub>], **176**, 198
- Defect structure**  
fluorite, Nd<sub>3</sub>ReO<sub>7</sub> and Pr<sub>3</sub>ReO<sub>7</sub> with, **171**, 317
- Dehydration**  
poly[diaqua-(μ<sub>2</sub>-squarato-*O*,*O'*)-(μ<sub>2</sub>-4,4'-bipyridine-*N*,*N'*)*M*e(II)] hydrate (*M*e = Co, Ni, Fe) coordination polymers, **175**, 328
- Deintercalation**  
lithium, Li<sub>2</sub>MTiO<sub>4</sub> ( $M = \text{Mn}, \text{Fe}, \text{Co}$ ) cation-disordered rocksalt oxides exhibiting, synthesis, **172**, 171
- d-electron metals**  
H<sub>2</sub>O<sub>2</sub> chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
- Delocalization**  
*M* = 3d-elements (Ti, Fe, Co) in channels network of ternary *M*<sub>x</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel phases, **170**, 281
- Density functional theory**  
calculations with LAPW and WIEN2k, **176**, 319  
*d*-electron-mediated 4f<sup>7</sup>–4f<sup>7</sup> exchange in Gd-rich compounds, **176**, 294  
exchange coupling constants in transition metal compounds, calculation using localized atomic orbital basis sets, **176**, 400  
full-potential, ground- and excited-state properties of inorganic solids, **176**, 338
- LiMoS<sub>2</sub>** nanocrystalline materials: structural study, **175**, 380  
lithium battery materials, application to β-VO<sub>4</sub> systems (*X* = P, As, S), **176**, 556
- MnAl ferromagnet**: electronic structure, chemical bonding, and spin polarization, **176**, 390
- multifunctional material design**, **176**, 615
- potentials in, and importance of sum rules**, **176**, 652
- strongly correlated electron systems**, **176**, 482
- structure of stoichiometric and Mn-deficient MnO<sub>2</sub>**, **173**, 462
- ternary metal borocarbides containing finite linear BC<sub>2</sub> units**, **176**, 609
- Deuterium**  
CH<sub>3</sub>ND<sub>3</sub>PbBr<sub>3</sub> perovskite, phase transitions, **176**, 97  
Ti<sub>0.33</sub>V<sub>0.67</sub>H<sub>x</sub>D<sub>y</sub> ( $x+y \approx 0.9$ ), hydrogen isotope diffusion and mutual perturbation in, <sup>1</sup>H and <sup>2</sup>H NMR studies, **170**, 82
- trans-1,4-Diaminocyclohexane**  
diprotonated, (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>H<sub>2</sub>O layered zinc phosphite templated by, hydrothermal synthesis and structure, **170**, 303
- Dibenzylsulfoxide**  
uranyl nitrate complexes with, characterization, luminescence, and structures, **171**, 230
- Dielectric properties**  
BaZrO<sub>3</sub>–CaZrO<sub>3</sub> system, **175**, 170  
LaTeNbO<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>6</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, **175**, 264  
SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> fluorite-like nanophasse in SrO–Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub>–Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, **173**, 209
- Diethanolamine**  
magnesium methoxide stabilized by, synthesis of MgO nano-sized particles and thin film from, **175**, 278
- Diethylenetriamine**  
[C<sub>4</sub>N<sub>3</sub>H<sub>10</sub>][La(SO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O, synthesis and structure, **174**, 381  
[Ni(dien)<sub>2</sub>]Sb<sub>4</sub>S<sub>7</sub>·H<sub>2</sub>O layered and [Ni(dien)<sub>2</sub>]<sub>3</sub>Sb<sub>12</sub>S<sub>21</sub>·H<sub>2</sub>O 3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264
- Differential scanning calorimetry**  
Tl<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub> elpasolite-related oxyfluoride, **174**, 44
- Diffuse scattering**  
structured, in K<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub>, **170**, 211
- Diffusion**  
hydrogen isotopes in Ti<sub>0.33</sub>V<sub>0.67</sub>H<sub>x</sub>D<sub>y</sub> ( $x+y \approx 0.9$ ), <sup>1</sup>H and <sup>2</sup>H NMR studies, **170**, 82  
in reactivity of solids, quantum chemistry, **176**, 575
- β-Diketonates**  
Eu<sup>3+</sup>–β-diketonate complex doped into epoxy resin, optical properties, **171**, 412  
supramolecules of Eu(III) and crown ethers as ligands, synthesis and luminescent properties, **171**, 189
- Dilithium *N,N'*-dimethylpiperazinium(2+)** selenate tetrahydrate crystal structure, vibrational spectra, and thermal behavior, **170**, 308
- Dilithium piperazinium(2+)** selenate tetrahydrate crystal structure, vibrational spectra, and thermal behavior, **170**, 308

## Dimensionality

$\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2] \cdot 2\text{H}_2\text{O}$ , **168**, 358; *erratum*, **171**, 455  
 $\text{AE}[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $\text{AE} = \text{Ca}, \text{Ba}$ ), **168**, 358; *erratum*, **171**, 455

*N,N*-Dimethylformamide

$\text{Zn}_3(\text{bbdc})_3(4,4'\text{-bpy}) \cdot 2(\text{DMF}) \cdot 4(\text{H}_2\text{O})$  3-D inorganic–organic hybrid framework porous material, synthesis and characterization, **176**, 1

## Diphenylsulfoxide

uranyl nitrate complexes with, characterization, luminescence, and structures, **171**, 230

## Dipole moment

acentric  $\text{MoO}_3\text{F}_3^{3-}$  anions in polar material, **175**, 27

## Disorder

along lithium diffusion pathway in cubically stabilized lithium manganese spinel

molecular dynamics calculation, **174**, 175

synchrotron X-ray studies, **174**, 167

charge, effects in 3d transition metal oxide perovskites, **173**, 456

$\text{Mo(VI)}$  and  $\text{W(VI)}$  complex perovskites prepared by polymeric precursors method, structural analysis, **173**, 319

$\text{L-Ta}_2\text{O}_5$ , effects of heat treatment, **176**, 250

transition metal alloys exhibiting, ferromagnetism of, analysis by machine-learning methods, **176**, 587

## Displacive flexibility

inherent, microporous  $\text{AlPO}_4$ -11, **172**, 431

*cis*-1,3-Dithiane-1,3-dioxide

oxidation during preparation of uranyl nitrate complex, **171**, 221

## Divalent transition metal phosphonates

structure with hydrogen-bonded layers of phosphonate anions, **174**, 116

## Doping

effects on  $(\text{V}_{1-x}\text{Mo}_x)_2\text{O}_3$  crystal structure above and below metal/insulator transition, **174**, 431

with  $R^{3+}$  rare earths, local perturbations due to, **171**, 282

## DOTA-tetra(amides)

lanthanide complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38

## Dysprosium

$\text{Ba}(\text{Dy}_{2/3}\text{Y}_{1/3})\text{O}_3$  ( $B^{\text{VI}} = \text{Mo}, \text{W}$ ) complex perovskites, synthesis and structural characterization, **175**, 299

$\text{Dy}^{3+}$  complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38

$[\text{Dy}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2] \cdot 8\text{H}_2\text{O}$ , synthesis and structural and magnetic characterization, **171**, 201

$\text{DyAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, **170**, 48

$\beta$ - $\text{Dy}_2\text{B}_4\text{O}_9$ , high-pressure preparation, crystal structure, and properties, **170**, 320

$\text{Dy}_{1-x}\text{B}_{12}\text{Si}_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75

$\text{DyCu}_x$  ( $x = 4.5, 4, 3.5$ ), single-crystal X-ray and HRTEM study, **174**, 125

$\text{DyFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438

$\text{DyFe}_4\text{P}_{12}$  filled skutterudites, systematic high-pressure synthesis, **174**, 32

$\text{Dy–Mn–O}$  system, phase equilibrium at  $1100^\circ\text{C}$ , **174**, 249

$\text{Dy}_3\text{Ru}_4\text{Ga}_{15}$ , preparation and lattice constants, **172**, 27

$\text{Dy}_{0.33}\text{Sr}_{0.67}\text{CoO}_{3-\delta}$ , atomic ordering, **174**, 198

$\text{Eu}_{1-x}\text{Dy}_x\text{TiO}_3$ , structure and magnetism, **171**, 345

in geothermal waters from Oregon, Nevada, and California, **171**, 246

$\text{K}_2\text{Dy}_4\text{Cu}_4\text{S}_9$ , synthesis, structure, physical properties, and electronic structure, **176**, 5

$\text{K}_3\text{DySi}_2\text{O}_7$ , crystal growth, structure, and optical properties, **170**, 203

$\text{NaDyO}_2$ , magnetic properties, **176**, 266

$\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4$ :Eu–Dy pigments, optical study, **171**, 273

## E

## Editorial

impact of theoretical methods on solid-state chemistry, **176**, 285

## Effective crystal field method

local many-electron states in transition metal oxides, **176**, 633

## Effective magnetic moment

$\text{CeCuOS}$ , **170**, 182

## Elastic properties

inorganic solids, full-potential density functional calculations, **176**, 338

## Electrical conductivity

$\text{Ba}_{2-x}\text{Sr}_x\text{Fe}_2\text{O}_8$ : cationic conduction, **170**, 435

$(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), **170**, 142

$\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $0.02 \leq x \leq 0.35$ ) at high temperature, **172**, 1

$\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-z}\text{Mn}_z\text{O}_{3-\delta}$  ( $x = 0.3$ ;  $z = 0, 0.25$ ), **172**, 296

$\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-2x}\text{Mg}_{2x}\text{O}_{3-y}$  ( $x = 0.05, 0.1$ ) anisotropic single crystals, **172**, 396

poly(dicarbon monofluoride), semi-empirical INDO study, **174**, 233

$\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) perovskite prepared by hydrazine method, **174**, 80

## Electrical properties

$\text{BaVS}_3$ , **175**, 384

$\text{CdSe}$  semiconducting quantum dots chemically deposited in thin film form, **172**, 381

$\text{EuCu}_2\text{MS}_4$  ( $M = \text{Ge}, \text{Sn}$ ), **173**, 78

$\text{LaSrMnCo}_6$  cubic double perovskite oxide, **173**, 350

$\text{LiSi}$  prepared by high-pressure synthesis, **173**, 251

molecular hexagonal perovskite organic–inorganic hybrid conductor, **176**, 243

$\text{Na}_3\text{MoO}_3\text{F}_3$ , **174**, 450

$\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$  perovskites, effects of Co doping, **174**, 466

$\text{SrCu}_2\text{MS}_4$  ( $M = \text{Ge}, \text{Sn}$ ), **173**, 78

$(\text{ZrO}_2)_{0.85}(\text{REO}_{1.5})_{0.15}$  ( $\text{RE} = \text{Sc}, \text{Y}$ ) prepared via Pechini-type gel routes, **171**, 439

## Electrical resistivity

$\text{Eu}_5\text{Ga}_9$ , **176**, 567

$[\text{Hg}_{1-x}\text{Co}_x\text{Sr}_{2-y}\text{Ca}_y\text{O}_3]^{\text{RS}}[\text{CoO}_2]_{b_1/b_2}$  ( $0.6 \leq x \leq 0.90; 0 \leq y \leq 2$   $b_1/b_2 = 1.63–1.79$ ), **170**, 374

$(\text{La}_{1-x}\text{Pb}_x)_{1-y}\text{MnO}_3$ , effects of vacancy concentration, **175**, 52

$\text{Na}_4\text{Ba}_3\text{As}_6$  Zintl phase with isolated  $\text{As}_3^{5-}$  anions, **175**, 306

$R_3\text{Ni}_7\text{As}_5$  ( $R = \text{La, Ce, Pr, Nd, Sm}$ ), **172**, 265

$ALn\text{Te}_4$  and  $ALn_2\text{Te}_8$  ( $A$  = alkali metal;  $Ln$  = lanthanoid), **176**, 594

$\text{TiSnSb}$ : Sn/Sb atom ordering, **176**, 329

## Electric field gradients

correlation with crystal structure in fluorite- and pyrochlore-type compounds in  $\text{Gd}_2\text{O}_3$ – $\text{ZrO}_2$  system, **176**, 105

## Electric quadrupole excitation

X-ray absorption and resonant X-ray emission spectra by, in light rare-earth systems, **171**, 295

## Electrochemical cells

solid-state, thermodynamic analysis of  $Ln$ –Fe–O ( $Ln = \text{Eu, Gd}$ ) systems, **172**, 370

## Electrochemical potential

$\beta$ - $\text{VO}_2\text{XO}_4$  systems ( $X = \text{P, As, S}$ ), DFT study, **176**, 556

## Electrochemical properties

$\text{Ag}_2\text{MnSn}_3\text{S}_8$ , **174**, 229

nanoporous ultrathin multilayer films based on molybdenum polyoxometalate, preparation and characterization, **176**, 13

## Electrodes

Ni– $MH_x$  batteries, LaNi<sub>5</sub>-type nanocrystalline materials for, **171**, 30

## Electron density

$\text{Li}(\text{Mg}_{1/6}\text{Mn}_{11/6})\text{O}_4$  cubically stabilized spinel, synchrotron X-ray studies, **174**, 167

## Electron diffraction

$\text{AlPO}_4$ -11, in microporous state, **172**, 431

- $Ba(Ln_{2/3}^{III}B_{1/3}^{VI})O_3$  ( $Ln^{III}$ =Dy,Gd,Sm;  $B^{VI}$ =Mo,W) complex perovskites, **175**, 299
- $Bi_{\sim 3}Cd_{\sim 3.72}Zn_{\sim 1.28}O_5(PO_4)_3$  ( $M$ =Co,Cu,Zn): double ( $n=2$ ) and triple ( $n=3$ )  $[M_4Bi_{n-2}O_{2n}]^{x+}$  polycationic ribbons, **176**, 221
- $Bi_{\sim 6.2}Cu_{\sim 6.2}O_8(PO_4)_5$  disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
- $Bi_3LaTi_3O_{12}$  ferroelectric Aurivillius phase: monoclinic distortion, **172**, 389
- cation-deficient perovskite-related  $A_nB_{n-\delta}O_{3n}$  ( $n \geq 4\delta$ ) microphases in the  $Ba_3Nb_4O_{15}$ – $BaTiO_3$  system, **173**, 91
- $La_2LiRuO_6$ , **175**, 20
- $Na_3MoO_3F_3$ , **174**, 450
- $Sr_2Co_{2-x}Ga_xO_5$  ( $0.3 \leq x \leq 0.8$ ), **173**, 395
- $Ln_{0.33}Sr_{0.67}CoO_{3-\delta}$  ( $Ln=Y^{3+}, Ho^{3+}, Dy^{3+}$ ): atomic ordering, **174**, 198
- $Sr_{1-x}La_{1+x}Al_{1-x}Mg_xO_4$  ( $0 \leq x \leq 0.7$ ): detection of structural distortion, **172**, 243
- $Tl_3MoO_3F_3$  elpasolite-related oxyfluoride, **174**, 44
- Electronegativity  
cation, relationship to  $4f^n$ – $15d$  centroid shift in lanthanides, **171**, 133
- Electronic conductivity  
 $La_{1-x}Sr_xFeO_{3-\delta}$ , **172**, 219
- Electronic properties  
 $Ce_4Ni_6Al_{23}$ , **174**, 471
- GaMn, theoretical studies, **173**, 137
- poly(dicarbon monofluoride), semi-empirical INDO study, **174**, 233
- TbPdAl, EXAFS and XANES measurements, **171**, 291
- Electronic structure  
 $Al_3BC_3$  with finite linear BC<sub>2</sub> units, DFT calculations, **176**, 609
- $Ba_{14}Zn_{5-x}Al_{22+x}$  polar intermetallic compound with 2D network, **170**, 94
- $Ca_2AuN$ , correlation with crystal structure, **176**, 375
- $CdVO_3$  exhibiting ferrimagnetism: analysis of spin exchange interactions, **175**, 341
- $d^0$  transition metal oxides of perovskite family, **175**, 94
- density functional theory calculations with LAPW and WIEN2k, **176**, 319
- $Eu_5Ga_9$ , **176**, 567
- $Gd_5(Si_xGe_{1-x})_4$  system, effect of crystal structure variation near  $x=0.5$ , **171**, 57
- $KLn_2CuS_4$  ( $Ln=Y, Nd, Sm, Tb, Ho$ ) and  $K_2Ln_4Cu_4S_9$  ( $Ln=Dy, Ho$ ), **176**, 5
- $La_3(B_2N_4)$ , relevance of [B<sub>2</sub>N<sub>4</sub>] substructure, **176**, 306
- $Lu_3BC_3$  with finite linear BC<sub>2</sub> units, DFT calculations, **176**, 609
- metals and insulators: potentials in DFT and importance of sum rules, **176**, 652
- MnAl ferromagnet, **176**, 390
- $NaCoO_2$ , **172**, 22
- $PtO_2$ : stability of rutile- and CdI<sub>2</sub>-type structures, **175**, 353
- quantitative and qualitative approaches to, **176**, 375
- $Sc_2BC_2$  with finite linear BC<sub>2</sub> units, DFT calculations, **176**, 609
- $Si_{6-z}Al_zO_zN_{8-z}$  spinels: cohesive properties, **176**, 549
- strongly correlated electron systems, density functional applications, **176**, 482
- $ALnTe_4$  and  $ALn_3Te_8$  ( $A$ =alkali metal;  $Ln$ =lanthanoid), **176**, 594
- $TiO_2$ : stability of rutile- and CdI<sub>2</sub>-type structures, **175**, 353
- $TiSnSb$ : Sn/Sb atom ordering, **176**, 329
- transition metal oxides, full-potential density functional calculations, **176**, 338
- Electronic transport  
La–Ca manganites near optimal doping concentrations, **171**, 76
- Electron localization function  
 $ALnTe_4$  and  $ALn_3Te_8$  ( $A$ =alkali metal;  $Ln$ =lanthanoid): electronic band structure and physical properties, **176**, 594
- Electron microscopy  
 $K_5Yb(MoO_4)_4$  polymorphs, **176**, 76
- $La_2LiRuO_6$ , **175**, 20
- $SrFe_3(PO_4)_3O$  with chain-like structure, **170**, 411
- Electron paramagnetic resonance  
 $Ca_5(PO_4)_3F:Eu^{3+}$  phosphor, **175**, 218
- Jahn–Teller effect and nuclear waste disposal, **171**, 445
- Electron–phonon interaction  
confinement effect on luminescence dynamics in  $Er^{3+}:Y_2O_2S$  nanophosphors, **171**, 123
- $RMnO_3$  ( $R=Pr, Tb$ ), **171**, 313
- $U^{3+}$  and  $Nd^{3+}$  ions doped in  $LaCl_3$  and  $U^{3+}$  in  $LaBr_3$  single crystals, **173**, 59
- Electrorheology  
 $ZrO_2$ -containing nano-sized particle materials, **176**, 273
- Electrosynthesis  
 $Ba_qM_2Na_2X_2O_{17}$  ( $M= Ru, Nb, Ta, Sb$ ;  $X= V, Cr, Mn, P, As$ ) 12H hexagonal perovskite-related oxides, **176**, 137
- Elpasolite  
related oxyfluoride  $Tl_3MoO_3F_3$ , synthesis, electron diffraction, XRD, and DSC study, **174**, 44
- $Sr_{18}Ru_{1.9}Bi_{4.1}O_{33}$  crystallization from molten hydroxide, **173**, 203
- Enamel  
type A carbonate ion orientation in, **174**, 412
- Energy bands  
density functional theory calculations with LAPW and WIEN2k, **176**, 319
- Energy loss near edge fine structure  
interfacial chemistry in internally oxidized (Cu,Mg)-alloys, **173**, 172
- Energy transfer  
 $Gd_2O_3:Sm$  and  $Y_2O_3:Sm$  phosphors, **171**, 391
- organically modified silica xerogels doped and undoped with  $Eu^{3+}$  and  $Tb^{3+}$ , **171**, 396
- between  $Tm^{3+}$  and  $Er^{3+}$  in tellurite glasses excited at 1.064 μm, **171**, 278
- visible and near-IR luminescence via, in rare-earth-doped mesoporous  $TiO_2$  thin films with nanocrystalline walls, **172**, 81
- Epoxidation  
alkenes on titanosilicate catalysts, computational study, **176**, 496
- Epoxy resin  
 $Eu^{3+}-\beta$ -diketonate complex doped into, optical properties, **171**, 412
- Erbium  
 $Er^{3+}$   
complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38
- doped mesoporous  $TiO_2$  thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, **172**, 81 and  $Tm^{3+}$ , in tellurite glasses excited at 1.064 μm, red–blue–green upconversion emission and energy transfer between, **171**, 278
- $ErAu_3Al_7$  grown from aluminum flux, synthesis and properties, **170**, 48
- $Er_{1-x}B_{12}Si_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- $ErCrO_4$ , structural and magnetic characterization, **171**, 161
- $ErFe_4P_{12}$  filled skutterudites, systematic high-pressure synthesis, **174**, 32
- $Er(NO_3)_3$ , complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242
- $Er_3Ru_4Ga_{15}$ , preparation and lattice constants, **172**, 27
- $Er_2Ru_2O_7$  pyrochlore oxide, magnetic structure, **176**, 165
- $ErSeO_3Cl$ , hydrothermal synthesis and crystal structure, **174**, 111
- $Er^{3+}:Y_2O_2S$  nanophosphors, luminescence dynamics, confinement effect of electron–phonon interaction on, **171**, 123
- in geothermal waters from Oregon, Nevada, and California, **171**, 246
- $K_3ErSi_2O_7$ , crystal growth, structure, and optical properties, **170**, 203
- $NaErO_2$ , magnetic properties, **176**, 266

- $\text{Pr}_x\text{Er}_{1-x}$  alloys rich in Er, magnetic transitions of, effect of interstitial impurities, **171**, 324
- $\text{RbTi}_{0.927}\text{Nb}_{0.056}\text{Er}_{0.017}\text{OPO}_4$ , dopant distribution among  $MO_6$  octahedra, neutron diffraction study, **171**, 257
- Ethene  
hydrogenation, catalytic enhancement by alloying of Yb–Cu and Yb–Ag, **171**, 254
- Ethylenediamine  
 $[\text{Co}(\text{en})_3][\text{Ga}_3(\text{H}_2\text{PO}_4)_6(\text{HPO}_4)_3]$  layered compound templated by cobalt complex, synthesis and characterization, **170**, 176  
 $[\text{enH}_2][\text{Cd}(\text{H}_2\text{O})_2(\text{SeO}_4)_2]$ , synthesis and structure, **174**, 386  
 $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3)_{1.5}[\text{VO}_2(\text{HPO}_4)_2(\text{PO}_4)]$  layered vanadium phosphate templated with, synthesis and crystal structure, **172**, 424  
one-, two-, and three-dimensional iron phosphates containing, comparison, **175**, 63  
selenites of, preparation, crystal structure, vibrational spectra, and thermal behavior, **170**, 390
- Europium  
 $\text{MAl}_2\text{O}_4:\text{Eu}^{2+}$ , persistent luminescence phenomena, **171**, 114  
 $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}-\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}:\text{Eu}^{2+}$  solid solution, defect chemistry and VUV optical properties, **173**, 359  
 $\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$  phosphor, charge compensating mechanism in, **175**, 218
- $\text{Eu}(\text{III})$   
complexes with cyclohexyl and benzene polycarboxylic acids, structure, **171**, 44  
 $\text{H}_2\text{O}_2$  chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208  
interactions with triflate in water and aqueous methanol, UV-vis and luminescence studies, **171**, 225  
supramolecules of  $\beta$ -diketonates and Eu(III) and crown ethers as ligands, synthesis and luminescent properties, **171**, 189
- $\text{ZnO}$  films containing, Pechini's solution as precursor for, **171**, 287
- $\text{Eu}^{2+}, f \rightarrow d$  transitions in crystals, **171**, 299
- $\text{Eu}^{3+}$   
complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38  
cordierite doped with, sol–gel synthesis and optical properties, **171**, 375  
doped mesoporous  $\text{TiO}_2$  thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, **172**, 81  
energy levels in  $\text{BiY}_{1-x}\text{R}_x\text{GeO}_5$ , crystal-field analysis, **171**, 262  
 $\text{Gd}_2\text{O}_3:\text{Eu}$  monodispersed fine spherical particles, X-ray powder diffraction and Rietveld refinement, **171**, 420  
luminescence in  $RE_2(\text{WO}_4)_3$  matrix ( $RE = \text{La}, \text{Gd}$ ) produced by Pechini method, **171**, 401  
organically modified silica xerogels doped with, luminescence and energy transfer, **171**, 396
- $\text{EuCu}_2\text{MS}_4$  ( $M = \text{Ge}, \text{Sn}$ ), physical and optical properties, **173**, 78
- $\text{Eu}^{3+}-\beta$ -diketonate complex doped into epoxy resin, optical properties, **171**, 412
- $\text{Eu}_{1-x}\text{Dy}_x\text{TiO}_3$ , structure and magnetism, **171**, 345
- $\text{EuFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438
- Eu–Fe–O systems, thermodynamic properties, analysis with solid-state electrochemical cells, **172**, 370
- $\text{Eu}(\text{fod})_3\text{phen}$ –NO complex, synthesis, sparkle model, intensity parameters, and spectroscopic studies, **171**, 183
- $\text{Eu}_5\text{Ga}_9$ , crystal structure, bonding, and physical properties, **176**, 567
- $\text{Eu}_2\text{IrH}_5$ , and mixed crystal compounds  $\text{Eu}_{2-x}\text{A}_x\text{IrH}_5$  ( $A = \text{Ca}, \text{Sr}$ ;  $x = 1.0, 1.5$ ), order–disorder transition in, X-ray and neutron powder diffraction study, **174**, 35
- $\text{Eu}(\text{NO}_3)_3$ , complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242
- $\text{Eu}^{3+}:\text{Y}_2\text{O}_3$  nanophosphors prepared by gas-phase condensation, structure, particle size, and annealing, **171**, 12
- $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  phosphor nanoparticles, synthesis by sol–lyophilization technique, **173**, 335
- $\text{Gd}_{2-x}\text{Y}_x\text{O}_3:\text{Eu}$  nanocrystals, structure transitions and enhanced photoluminescence, **171**, 304
- in geothermal waters from Oregon, Nevada, and California, **171**, 246
- $\text{K}_{12}[\text{EuP}_5\text{W}_{30}\text{O}_{110}]$ /polyvinylpyrrolidone nanocomposite films, photochromism, **172**, 458
- $\text{LiBaF}_3:\text{Eu}$ , optical spectroscopic properties, **175**, 284
- $\text{NaEuO}_2$ , magnetic properties, **176**, 266
- photoreductive stripping from Sm/Eu/Gd mixture, **171**, 101
- $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4:\text{Eu}-R$  ( $R = \text{Nd}, \text{Dy}$ ) pigments, optical study, **171**, 273
- $\text{YBO}_3:\text{Eu}^{3+}$  hexagonal nanocrystals with improved luminescent properties, hydrothermal homogeneous urea precipitation, **175**, 245
- $\text{Y}_2\text{O}_3:\text{Eu}$ , solvothermal synthesis, **171**, 268
- Exchange coupling constants  
in transition metal compounds, calculation using localized atomic orbital basis sets, **176**, 400
- Exchange interactions  
oxovanadium phosphates: exchange interactions, **170**, 237
- Excited-state properties  
inorganic solids, from full-potential density functional calculations, **176**, 338
- Extended Hückel tight binding calculations  
spin dimer analysis based on, application to extended magnetic solids with localized spins, **176**, 417
- Extended X-ray absorption fine structure  
ceria–lanthana-based TWC promoters prepared by sol–gel routes, **175**, 289
- silica–zirconia mesoporous molecular sieves, **175**, 159
- TbPdAl structure and electronic properties, **171**, 291
- Extraction  
rare earth ions by liquid–liquid systems combined with metal conversion by chemical reaction, **171**, 101
- ytterbium with sec-nonylphenoxy acetic acid, mass-transfer kinetics, **171**, 362
- F**
- Faradaic efficiency  
 $\text{Ce}_{1-x}\text{A}_x\text{VO}_{4+\delta}$  ( $A = \text{Ca}, \text{Sr}$ ) of zircon type, **176**, 47
- $f \rightarrow d$  transitions  
rare-earth ions in crystals, **171**, 299
- $f$ -electron metals  
 $\text{H}_2\text{O}_2$  chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
- Fermi surface  
low-dimensional transition metal oxides and bronzes, **176**, 375
- Ferrites  
nanograined, grain size and morphologies, control by adaptation of mechanosynthesis and soft chemistry, **170**, 30
- $\text{Ni}_x\text{Mn}_{1-y-x}\text{Fe}_{2+y}\text{O}_4$ , cation distribution in, thermodynamic determination, **176**, 279
- Ferroelastic properties  
 $[(\text{CH}_3)_2\text{NH}_2]_3[\text{Bi}_2\text{Cl}_9]$ , **173**, 425
- Ferroelectrics  
 $\text{Bi}_3\text{LaTi}_5\text{O}_{12}$  Aurivillius phase, monoclinic distortion in, **172**, 389
- ferromagnetic multifunctional materials, computational design, **176**, 615
- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  fluorite-like nanophasse in  $\text{SrO}-\text{Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, **173**, 209
- Ferromagnetic transition  
granular Ag-added  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ , **174**, 257
- Ferromagnetism  
 $\text{RCrO}_4$  ( $R = \text{Nd}, \text{Er}, \text{Tm}$ ), **171**, 161
- $(\text{NH}_4)[\text{V}(\text{PO}_4)\text{F}]$ , **173**, 101
- transition metal alloys, analysis with machine-learning methods, **176**, 587

## Ferromagnets

$\text{CdVO}_3$ , spin exchange interactions, first principles analysis and qualitative electronic structure calculations, **175**, 341  
 half-metallic,  $\text{Co}_2\text{Cr}_{0.6}\text{Fe}_{0.4}\text{Al}$ , large negative magnetoresistance effects in, **176**, 646

$\text{MnAl}$ , electronic structure, chemical bonding, and spin polarization, **176**, 390  
 $\text{Sr}_8\text{ARe}_3\text{Cu}_4\text{O}_{24}$  ( $A=\text{Sr,Ca}$ ) with ordered perovskite structure, **175**, 366

*f-f* transition spectra

$\text{Nd(III)}$  complexed with glutathione in aqueous and aquated organic solvents in presence and absence of  $\text{Zn(II)}$ , **171**, 175

Films, *see also* Thin films

$\text{K}_{12}[\text{EuP}_5\text{W}_{30}\text{O}_{110}]$ /polyvinylpyrrolidone nanocomposites, photochromism, **172**, 458

$\text{ZnO}$  containing  $\text{Eu(III)}$ , Pechini's solution as precursor for, **171**, 287  
 Filtration

analysis of rare earth element partitioning between solution and particulate matter in natural waters, **171**, 51

## Flat band

origin of, **176**, 412

## Fluorapatite

$\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$ , charge compensating mechanism in, **175**, 218

## Fluorescence

red-blue-green upconversion emission between  $\text{Tm}^{3+}$  and  $\text{Er}^{3+}$  in tellurite glasses excited at  $1.064 \mu\text{m}$ , **171**, 278

## Fluorescence spectroscopy

$\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2] \cdot 2\text{H}_2\text{O}$ , **168**, 358; *erratum*, **171**, 455

$\text{AE}[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $\text{AE}=\text{Ca,Ba}$ ), **168**, 358; *erratum*, **171**, 455

## Fluoride

doping effect on structural and textural evolution of mesoporous  $\text{TiO}_2$  powders, **174**, 372

## Fluorine

$(\text{Ag}_3\text{MoO}_3\text{F}_3)(\text{Ag}_3\text{MoO}_4)\text{Cl}$ , alignment of acentric  $\text{MoO}_3\text{F}_3^-$  anions in, **175**, 27

$\text{BaCuSF}$  doped with potassium, P-type conductivity, **175**, 34

$\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$  phosphor, charge compensating mechanism in, **175**, 218

$M_2\text{F}_2(2,2'\text{-bpy})(\text{HPO}_4)_2(\text{H}_2\text{O})$  ( $M=\text{Fe,Ga}$ ), two-dimensional compounds incorporating 2,2'-bipyridine ligands, synthesis and characterization, **172**, 6

$\text{K}_3\text{MoO}_3\text{F}_3$ , oxygen/fluorine ordering, structured diffuse scattering, and local crystal chemistry, **170**, 211

$\text{LiBaF}_3$  synthesis by solvothermal process and optical spectroscopic properties of  $\text{LiBaF}_3:M$  ( $M=\text{Eu,Ce}$ ), **175**, 284

$\text{Na}_2\text{LiAlF}_6$  synthetic simmonsite, crystal structure, **172**, 95

$\text{Na}_3\text{MoO}_3\text{F}_3$ , combined diffraction study and electrical study, **174**, 450

$[\text{NH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{NH}_3)\text{CH}_2\text{CH}_3]^{2+} \frac{1}{\infty} [\text{FeF}(\text{HPO}_4)_2]^{2-}$  one-dimensional iron phosphate, synthesis, structure, and magnetic characterization, **173**, 367

$(\text{NH}_4)[\text{V}(\text{PO}_4)\text{F}]$ , with ferromagnetic interactions, **173**, 101  
 oxygen/fluorine ordering in  $\text{K}_3\text{MoO}_3\text{F}_3$ , **170**, 211

poly(dicarbon monofluoride), structure and electronic properties, semi-empirical INDO study, **174**, 233

$\text{Sr}_{3-x}\text{A}_x\text{AlO}_4\text{F}$  ( $A=\text{Ba,Ca}$ ) layered oxyfluorides, cation and anion ordering in, **172**, 89

$\text{TaO}_2\text{F}$ , thermal expansion, **173**, 45

$\text{Ti}_3\text{MoO}_3\text{F}_3$  elpasolite-related oxyfluoride, synthesis, electron diffraction, XRD, and DSC study, **174**, 44

$[\text{Zn}(\text{NH}_3)_4](\text{BF}_4)_2$ , phase transitions, structural changes, and molecular motions, **174**, 357

## Fluorites

$\text{Gd}_2\text{O}_3-\text{ZrO}_2$  system, crystal structure, correlation with electric field gradients, **176**, 105

related nano- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  phase in  $\text{SrO}-\text{Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, **173**, 209

$\text{Zr}(\text{Nb,Ti})(R)\text{O}_{2-\delta}$  ( $R=\text{Yb,Ca}$ ), ionic conductivity, comparison with systems with  $R=\text{Y}$  and  $\text{Gd}$ , **172**, 277

Formate incorporation in structure of Ca-deficient apatite, Rietveld structure refinement, **174**, 132

*4f* system orbital degrees of freedom and ordering phenomena in, **171**, 69

## Fractal behavior

$\text{CeO}_2-\text{YO}_{1.5}$  nanocrystalline solid solution, **176**, 57

## Framework stability

upre and transition metal-doped zeolites, **176**, 496

## G

## Gadolinium

$\text{Ba}(\text{Gd}_{2/3}\text{B}_{1/3})\text{O}_3$  ( $B^{\text{VI}}=\text{Mo,W}$ ) complex perovskites, synthesis and structural characterization, **175**, 299

$\text{Gd(III)}$ ,  $\text{H}_2\text{O}_2$  chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208

$\text{GdAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, **170**, 48

$\text{GdBaCo}_{2\text{O}_{5.5}}$ , spin-state and metal-insulator transitions, **171**, 349

$\text{GdBaFe}_{2\text{O}_{5+\bar{w}}}$ , Verwey-type transitions and structure, effects of oxygen nonstoichiometry and distribution, **170**, 9

$\text{Gd}_{1-x}\text{B}_1\text{Si}_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75

$\text{Gd-Ca-Cu-O}$  systems, subsolidus phase relations and crystal structures, **173**, 164

$\text{GdCl}_3$ , spin density functional theory calculations: *d*-electron-mediated  $4/\overline{7}-4/\overline{7}$  exchange in Gd-rich compounds, **176**, 294

$\text{GdFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438

$\text{Gd-Fe-O}$  systems, thermodynamic properties, analysis with solid-state electrochemical cells, **172**, 370

$\text{Gd}_3\text{Ga}_9\text{Ge}$ , with open three-dimensional polygallide framework synthesized from liquid gallium, **173**, 280

$\text{Gd}_2\text{O}_3$  monodispersed fine spherical particles, X-ray powder diffraction and Rietveld refinement, **171**, 420

$\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  phosphor nanoparticles, synthesis by sol-lyophilization technique, **173**, 335

$\text{Gd}_2\text{O}_3:\text{Sm}$  phosphors, energy transfer and upconversion luminescence properties, **171**, 391

$\text{Gd}_2\text{O}_3-\text{ZrO}_2$  system, crystal structure of fluorite- and pyrochlore-type compounds in, correlation with electric field gradients, **176**, 105

$\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$  system, crystal structure variation near  $x=0.5$ , effects on magnetism, electronic structure, and thermodynamics, **171**, 57

$\text{Gd}_4[\text{SiS}_4]_3$ , synthesis, structure, and magnetic behavior, **172**, 417

$\text{AGdTe}_4$  ( $A=\text{K,Rb,Cs}$ ), electronic band structure and physical properties, **176**, 594

$\text{Gd}_2\text{TeO}_6$ , synthesis and crystal structure, **171**, 408

$\text{Gd}_2(\text{WO}_4)_3$  matrix produced by Pechini method,  $\text{Eu}^{3+}$  luminescence in, **171**, 401

$\text{Gd}_{2-x}\text{Y}_x\text{O}_3:\text{Eu}$  nanocrystals, structure transitions and enhanced photoluminescence, **171**, 304

in geothermal waters from Oregon, Nevada, and California, **171**, 246

$\text{K}_3\text{GdSi}_2\text{O}_7$ , crystal growth, structure, and optical properties, **170**, 203

$\text{NaGdO}_2$ , magnetic properties, **176**, 266

$\text{Sm/Eu/Gd}$  mixture, photoreductive stripping of Eu from, **171**, 101

$\text{ZrO}_2$ -containing nano-sized particle materials doped with, preparation, crystal structure, and electrorheological performance, **176**, 273

## Gallium

$\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x=0.0, 0.20, 0.50, 0.80, 1.00$ ) low-cristobalite phase, preparation, phase transition, and thermal expansion, **176**, 37

- Ba<sub>3</sub>Ga<sub>4</sub>Sb<sub>5</sub> Zintl phase, Ga–Ga bonding and tunnel framework, **175**, 310
- CePdGa<sub>6</sub> heavy-fermion antiferromagnet, synthesis, structure, and magnetism, **174**, 296
- [Co(en)<sub>3</sub>][Ga<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(HPO<sub>4</sub>)<sub>3</sub>] layered compound templated by cobalt complex, synthesis and characterization, **170**, 176
- 3R-CuGaO<sub>2+δ</sub>, synthesis, **173**, 355
- Eu<sub>5</sub>Ga<sub>9</sub>, crystal structure, bonding, and physical properties, **176**, 567
- Ga<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>)<sub>2</sub> (*X*=P,As) organic–inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 252
- Ga<sub>2</sub>F<sub>2</sub>(2,2'-bpy)(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O), two-dimensional compounds incorporating 2,2'-bipyridine ligands, synthesis and characterization, **172**, 6
- RE*<sub>3</sub>Ga<sub>9</sub>Ge (*RE*=Y,Ce,Sm,Gd,Yb) compounds with open 3-D polygallide framework synthesized from liquid Ga, **173**, 280
- GaMn, structure and theoretical studies of electronic and magnetic properties, **173**, 137
- LaCaGaO<sub>4</sub>, synthesis and structure, **172**, 59
- La<sub>12</sub>Ga<sub>3.5</sub>Mn<sub>0.5</sub>Sb<sub>23.5</sub>, synthesis and structure, **171**, 137
- La<sub>1-x</sub>Sr<sub>x</sub>Ga<sub>1-2x</sub>Mg<sub>2x</sub>O<sub>3-y</sub> (*x*=0.05,0.1) anisotropic single crystals, structure, thermal expansion, and conductivity, **172**, 396
- NaGa<sub>2</sub>(OH)(PO<sub>4</sub>)<sub>2</sub>, hydrothermal synthesis and tunnel structure, **172**, 237
- R<sub>3</sub>Ru<sub>4</sub>Ga<sub>15</sub> (*R*=Y,Tb–Er), preparation and structural analysis, **172**, 27
- Sr<sub>2</sub>Co<sub>2-x</sub>Ga<sub>x</sub>O<sub>5</sub> (0.3≤*x*≤0.8), synthesis and structural studies, **173**, 395
- Sr<sub>2</sub>MnGaO<sub>5</sub> brownmillerite, ordering of tetrahedral chains in, **174**, 319
- Garnet  
R<sup>3+</sup> rare-earth doping, local perturbations due to, **171**, 282
- Gate oxides  
in MOSFET transistors, rare earth oxide thin films as, **171**, 170
- Gels  
(ZrO<sub>2</sub>)<sub>0.85</sub>(REO<sub>1.5</sub>)<sub>0.15</sub> (*RE*=Sc,Y) solid solutions, preparation via Pechini-type gel route, **171**, 434
- Geothermal waters  
rare earth elements in, determination in Oregon, Nevada, and California, **171**, 246
- Germanium  
Ba<sub>8-δ</sub>Si<sub>46-x</sub>Ge<sub>x</sub> (0≤*x*≤23) solid solutions with Type I clathrate structure, superconductivity and crystal structure, **175**, 237
- BiY<sub>1-x</sub>R<sub>x</sub>GeO<sub>5</sub>, Eu<sup>3+</sup> energy levels in, crystal-field analysis, **171**, 262
- (C<sub>6</sub>H<sub>18</sub>N<sub>2</sub>)<sub>2</sub>V<sub>4</sub>O<sub>12</sub>(OH)<sub>2</sub>·2H<sub>2</sub>O, hydrothermal synthesis, **175**, 13
- [Co<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>3</sub>][Ge<sub>9</sub>O<sub>18</sub>(OH)<sub>4</sub>], organically templated open-framework germanate, synthesis and structure, **170**, 124
- CsGeV<sub>2</sub>O<sub>6</sub>(OH), hydrothermal synthesis, **175**, 13
- Cu<sub>2</sub>Fe<sub>2</sub>Ge<sub>4</sub>O<sub>13</sub> with four tetrahedra oligomer, crystal structure and mixed-spin system properties, **176**, 175
- CuGeO<sub>3</sub>, exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- EuCu<sub>2</sub>GeS<sub>4</sub>, physical and optical properties, **173**, 78
- RE*<sub>3</sub>Ga<sub>9</sub>Ge (*RE*=Y,Ce,Sm,Gd,Yb) compounds with open 3-D polygallide framework synthesized from liquid Ga, **173**, 280
- Gd<sub>5</sub>(Si<sub>x</sub>Ge<sub>1-x</sub>)<sub>4</sub> system, crystal structure variation near *x*=0.5, effects on magnetism, electronic structure, and thermodynamics, **171**, 57
- Ge<sub>3</sub>N<sub>14</sub> spinel, conversion to willemite-II phase, **176**, 530
- InTbGe<sub>2</sub>O<sub>7</sub>, synthesis, crystal structure, and luminescent properties, **170**, 418
- Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>6</sub>10-, synthesis and structure, **172**, 166
- SrCu<sub>2</sub>GeS<sub>4</sub>, physical and optical properties, **173**, 78
- Gibbs free energy  
*Ln*-Fe-O (*Ln*=Eu,Gd) systems, analysis with solid-state electrochemical cells, **172**, 370
- Ln*-Mn-O system: phase equilibria at 1100°C  
*Ln*=Ho,Tb, **176**, 151  
*Ln*=Yb,Dy, **174**, 249
- Glass  
SrO–Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub>–Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> system, fluorite-like nano-SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> phase in, **173**, 209
- tellurite, excited at 1.064 μm, Tm<sup>3+</sup> and Er<sup>3+</sup> in, red–blue–green upconversion emission and energy transfer between, **171**, 278
- Glutathione  
complexation with Nd(III) in aqueous and aquated organic solvents in presence and absence of Zn(II), spectral study, **171**, 175
- Gold  
*RE*Au<sub>3</sub>Al<sub>7</sub> (*RE*=rare earth) grown from aluminum flux, synthesis and properties, **170**, 48
- Ca<sub>2</sub>AuN, correlation of crystal and electronic structures, **176**, 375
- quasi-one-dimensional materials, **176**, 311
- Grain size  
nanograin ferrites, control by adaptation of mechanosynthesis and soft chemistry, **170**, 30
- Graphite  
intercalated graphite compound poly(dicarbon monofluoride), structure and electronic properties, semi-empirical INDO study, **174**, 233
- Ground-state properties  
inorganic solids, from full-potential density functional calculations, **176**, 338
- H
- Hafnium  
Hg<sub>3</sub>E<sub>2</sub>[HfX<sub>6</sub>] (*E*=S,Se; *X*=Cl,Br), expanded polycationic mercury–chalcogen networks in, **172**, 12
- K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub> UV-emitting X-ray phosphors, octahedral Zr(PO<sub>4</sub>)<sub>6</sub> luminescence centers in, **170**, 289
- Half-metallic antiferromagnets  
multifunctional materials, computational design, **176**, 615
- Half-metallic ferromagnet  
Co<sub>2</sub>Cr<sub>0.6</sub>Fe<sub>0.4</sub>Al, large negative magnetoresistance effects in, **176**, 646
- Heat capacity  
Er-rich Pr<sub>x</sub>Er<sub>1-x</sub> alloys at low temperature, **171**, 324
- Heavy fermions  
CePdGa<sub>6</sub> antiferromagnets, synthesis, structure, and magnetism, **174**, 296
- cerium nickel aluminides polar intermetallics, theoretical calculations, **176**, 538
- 6,6,7,7,8,8-Heptafluoro-2,2-dimethyl-3,5-octadionate  
Eu(fod)<sub>3</sub>phen-NO complex, synthesis, sparkle model, intensity parameters, and spectroscopic studies, **171**, 183
- n-Heptane  
oxidation, catalysis by cerium-modified MCM-41, **171**, 371
- Heterogeneous catalysis  
by pure and transition metal-doped zeolites, modeling of, **176**, 496
- Heulandite  
macroscopic to nanosized crystals, synthesis by simulation of natural formation conditions, **173**, 27
- Heusler compound  
Co<sub>2</sub>Cr<sub>0.6</sub>Fe<sub>0.4</sub>Al, large negative magnetoresistance effects in, **176**, 646
- High-performance centrifugal partition chromatography  
with S-octyl phenoxy acetic acid, separation of scandium, yttrium, and lanthanum, **171**, 358

- High-performance liquid chromatography  
trace amounts of rare earth elements in highly pure neodymium oxide, **171**, 3
- High-resolution electron microscopy  
 $Ba(Ln_{2/3}^{III}B_{1/3}^{VI})O_3$  ( $Ln^{III}$ =Dy,Gd,Sm;  $B^{VI}$ =Mo,W) complex perovskites, **175**, 299
- $Bi_{\sim 3}Cd_{\sim 3.72}Zn_{\sim 1.28}O_5(PO_4)_3$  ( $M$ =Co,Cu,Zn): double ( $n=2$ ) and triple ( $n=3$ )  $[M_4Bi_{2n-2}O_{2n}]^{x+}$  polycationic ribbons, **176**, 221
- $Bi_{\sim 6.2}Cu_{\sim 6.2}O_8(PO_4)_5$  disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
- $[Hg_{1-x}Co_xSr_{2-y}Ca_yO_3]^{RS}[CoO_2]_{b1/b2}$  ( $0.6 \leq x \leq 0.90$ ;  $0 \leq y \leq 2$ ;  $b_1/b_2 = 1.63-1.79$ ), **170**, 374
- $Pr_{1-x}Ca_{1+x}MnO_4$  2D manganites: charge-orbital ordering above room temperature, **170**, 361
- W(VI) and Mo(VI) complex perovskites prepared by polymeric precursors method, **173**, 319
- High-resolution transmission electron microscopy  
cation-deficient perovskite-related  $A_nB_{n-\delta}O_{3n}$  ( $n \geq 4\delta$ ) microphases in the  $Ba_5Nb_4O_{15}$ – $BaTiO_3$  system, **173**, 91
- $DyCu_x$  ( $x=4.5,4.3,5$ ), **174**, 125  
nanograined ferrites: grain size and morphologies, **170**, 30
- $(Nd,Ce)_{2+x}CaCu_2O_{6+y}$ , **170**, 24
- $L$ - $Ta_2O_5$ : structural effects of heat treatment, **176**, 250
- Holmium  
in geothermal waters from Oregon, Nevada, and California, **171**, 246
- $Ho^{3+}$  complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38
- $HoAu_3Al_7$  grown from aluminum flux, synthesis and properties, **170**, 48
- $Ho_{1-x}B_{12}Si_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- $HoFe_3(BO_3)_4$ , magnetic and calorimetric studies, **172**, 438
- $HoFe_4P_{12}$  filled skutterudites, systematic high-pressure synthesis, **174**, 32
- $Ho$ – $Mn$ – $O$  system, phase equilibria at 1100°C, **176**, 151
- $Ho(NO_3)_3$ , complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242
- $Ho_3Ru_4Ga_{15}$ , preparation and crystal structure, **172**, 27
- $Ho_2Sb_5$ , crystallization with  $Dy_2Sb_5$ -type structure, **173**, 259
- $Ho_{0.33}Sr_{0.67}CoO_{3-\delta}$ , atomic ordering, **174**, 198
- ( $Ho,Y$ ) $Fe_{23}H_{15}$   $R$ – $T$  hydrides, magnetic properties, **171**, 334
- $KHo_2CuS_4$  and  $K_2Ho_4Cu_4S_9$ , syntheses, structures, physical properties, and electronic structures, **176**, 5
- $K_3HoSi_2O_7$ , crystal growth, structure, and optical properties, **170**, 203
- $NaHoO_2$ , magnetic properties, **176**, 266
- Hopping conductors  
 $La_{1-x}Sr_xCo_{1-z}Mn_zO_{3-\delta}$  ( $x=0.3$ ;  $z=0,0.25$ ), **172**, 296
- Hydration  
 $CaSO_4$ , atomistic modeling, **174**, 141
- Hydrazine method  
 $Sm(Cr_{1-x}Mg_x)O_3$  ( $0 \leq x \leq 0.23$ ) perovskite preparation, **174**, 80
- Hydridding  
 $La_{1-x}Ce_xY_2Ni_9$  ( $x_{Ce}=0,0.5,1$ ), **173**, 236
- Hydrogen  
ammonia trimethylalane, molecular motion in, **176**, 120
- $[Cu_{10}^{II}H_2I_{16}]^{4-}$  with  $[Ni^{II}(phen)_3]^{2+}$  as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- $Eu_2IrH_5$ , and mixed crystal compounds  $Eu_{2-x}A_xIrH_5$  ( $A=Ca,Sr$ ;  $x=1.0,1.5$ ), order-disorder transition in, X-ray and neutron powder diffraction study, **174**, 35
- ( $Ho,Y$ ) $Fe_{23}H_{15}$   $R$ – $T$  hydrides, magnetic properties, **171**, 334
- isotope diffusion and mutual perturbation in  $Ti_{0.33}V_{0.67}H_xD_y$  ( $x+y \approx 0.9$ ),  $^1H$  and  $^2H$  NMR studies, **170**, 82
- $KMg_{0.5}H_2P_2O_7 \cdot H_2O$  acidic pyrophosphate, synthesis, X-ray crystal structure, and vibrational spectroscopy, **176**, 27
- $LaNi_{5-x}Pt_x-H_2$  system, structural and hydrogen absorption properties, **173**, 379
- metal hydrides, ground-state properties, full-potential density functional calculations, **176**, 338
- $(NH_4)_2(NH_3)[Ni(NH_3)_2Cl_4]$ , crystal structure, re-interpretation in terms of  $(NH_4)_{2-2z}[Ni(NH_3)_2]_z[Ni(NH_3)_2Cl_4]$ , **176**, 198
- Ni- $MH_x$  batteries,  $LaNi_5$ -type nanocrystalline electrode materials for, **171**, 30
- $[V_4O_7(2,2'-bpy)_2(HPO_4)_2]$  inorganic–organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- Hydrogenation  
ethene, catalytic enhancement by alloying of Yb–Cu and Yb–Ag, **171**, 254
- $LaNi_5$ , effect of substitution of nickel by platinum, **173**, 379
- Hydrogen bonds  
 $CH_3ND_3PbBr_3$  perovskite, **176**, 97
- dinuclear Cu(II) and Cd(II) complexes with flexible disulfoxide ligand, formation of extended chains via, **173**, 20
- between diprotonated *trans*-1,4-diaminocyclohexane and  $(C_6H_{16}N_2)Zn_3(HPO_3)_4H_2O$  layered zinc phosphite, **170**, 303
- divalent transition metal phosphonates, structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- $KMg_{0.5}H_2P_2O_7 \cdot H_2O$  acidic pyrophosphate, **176**, 27
- Hydrogen peroxide  
chemiluminescence system with *d*- and *f*-electron metals, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
- Hydrothermal homogeneous urea precipitation  
 $YBO_3:Eu^{3+}$  hexagonal nanocrystals with improved luminescent properties, **175**, 245
- Hydrothermal synthesis  
amine-templated metal squarates, **174**, 60
- cadmium (II) amino-diphosphonates, **176**, 62
- $Cd_3(OH)_2L_2$  ( $H_2L=HOOC(CH_2)_2COOH$ ) succinato-pillared coordination polymer, **172**, 288
- cerium-modified MCM-41, **171**, 371
- $(C_6H_{18}N_2)Ge_2V_4O_{12}(OH)_2 \cdot 2H_2O$ , **175**, 13
- $[C_4H_8(NH_2)_2][Mn_2(C_2O_4)_3]$ , **172**, 212
- $(C_4H_{12}N_2)_2[V_4O_6H(HPO_4)_2(PO_4)_2]$  layered vanadium phosphate templated with organic diamine, **172**, 424
- $(C_6H_{16}N_2)Zn_3(HPO_3)_4H_2O$ , layered zinc phosphite templated by diprotonated *trans*-1,4-diaminocyclohexane, **170**, 303
- $[C_4N_3H_{16}][La(SO_4)_3] \cdot H_2O$ , **174**, 381
- $[Co_2(NH_2(CH_2)_2NH_2)_3][Ge_9O_{18}(OH)_4]$  organically templated open-framework germanate, **170**, 124
- coordination polymers based on  $\mu_4$ -bridging benzene-1,2,4,5-tetra-carboxylate, **173**, 32
- $CsGeV_2O_6(OH)$ , **175**, 13
- $Cs$  uranyl arsenate, **175**, 372
- $[Cu_{10}^{II}H_2I_{16}]^{4-}$  with  $[Ni^{II}(phen)_3]^{2+}$  as template, **175**, 152
- $Cu_3(OH)_4SO_4$  made of triple chains of spins  $s=1/2$ , **170**, 255
- $\{[Cu(phen)_2(V^VO_2)_2O_2V^{IV}O_2(H_2O)(PO_4)_2\}$  inorganic–organic hybrid materials, **176**, 69
- $ErSeO_3Cl$ , **174**, 111
- $Ga_2(4,4'-bpy)(XO_4)_2$  ( $X=P,As$ ) organic–inorganic hybrid compounds with pillared layer structure, **172**, 252
- $(H_3NCH_2CH_2NH_3)[(VO)(SeO_3)_2]$ , **172**, 205
- $[HN(C_2H_4)_3N][{(VO)_2(HPO_3)_2(OH)(H_2O)} \cdot H_2O]$ , **172**, 464
- $In(C_2O_4)_{2.5}(C_3N_2H_{12})(H_2O)_3$  and  $In(C_2O_4)_{1.5}(H_2O)_3$  layered oxalates with 12-membered apertures, **173**, 435
- $MnC_2O_4 \cdot 2H_2O$ , **172**, 212
- $Mn_2(C_2O_4)(OH)_2$ , **172**, 212
- $Mn_5(OH)_2L_4$  ( $H_2L=HOOC(CH_2)_2COOH$ ) succinato-pillared coordination polymer, **172**, 288
- $NaGa_2(OH)(PO_4)_2$  with tunnel structure, **172**, 237

- $\text{Na}_2[\{\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}\{\text{Mn}(\text{phen})_2\}_3\{\text{MnMo}_{12}^{\text{V}}\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH}_6\}] \cdot 4\text{H}_2\text{O}$ , 170, 192
- $\text{Na}_{1.5}\text{Nb}_{0.5}\text{Ti}_{1.5}\text{O}_3\text{SiO}_4 \cdot 2\text{H}_2\text{O}$  with sitinakite topology, 175, 72
- $[\text{NH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{NH}_3)\text{CH}_2\text{CH}_3]^{2+\frac{1}{2}}[\text{FeF}(\text{HPO}_4)_2]^{2-}$  one-dimensional iron phosphate, 173, 367
- $(\text{NH}_3\text{CH}_2\text{CH}_2\text{NH}_3)_{1.5}[(\text{VO})_2(\text{HPO}_4)_2(\text{PO}_4)]$  layered vanadium phosphate templated with organic diamine, 172, 424
- $(\text{NH}_4)[\text{V}(\text{PO}_4)\text{F}]$  with ferromagnetic interactions, 173, 101
- $[\{\text{NiOH}_2\text{Mo}_{10}\text{O}_{36}(\text{PO}_4)\text{Ti}_2\}_n]^{5n-}$ , chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, 170, 232
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, 175, 63
- organically templated zincophosphites with 2D and 3D structures, 174, 11
- $\text{Pb}_2(\text{O}_3\text{PCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{PO}_3)$  inorganic-organic hybrid materials, 173, 293
- Rb uranyl arsenate, 175, 372
- rectangular grid coordination polymers based on prismatic  $[M_8(\text{isophthalate})_8(4,4'\text{-bipy})_8]$  building blocks ( $M = \text{Ni}(\text{II}), \text{Cd}(\text{II})$ ), 170, 130
- $\text{Sn}_2\text{O}(\text{C}_4\text{O}_4)(\text{H}_2\text{O})$ , comparison with  $\text{Sn}_2[\text{Sn}_2\text{O}_2\text{F}_4]$ , 173, 49
- $\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2] \cdot 2\text{H}_2\text{O}$ , 168, 358; erratum, 171, 455
- triuanyl diarsenate hydrates with framework structures, 176, 18
- $AE[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $AE = \text{Ca}, \text{Ba}$ ), 168, 358; erratum, 171, 455
- $[\text{V}_4\text{O}_7(2,2'\text{-bpy})_2(\text{HPO}_4)_2]$  inorganic-organic hybrid materials, 176, 69
- $[\text{V}_4\text{O}_7(\text{HASO}_4)_2(o\text{-phen})_2]$  layered network decorated with directly coordinated organonitrogen ligands, 175, 146
- $\{[\text{VO}(\text{OH})(\text{H}_2\text{O})](\text{SeO}_3)_4\} \cdot 2\text{H}_2\text{O}$ , 172, 205
- $\text{V}_4\text{Te}_4\text{O}_{18}$  with 3D framework, 176, 159
- zeolites, macroscopic and nanosized crystals, by simulation of natural formation conditions, 173, 27
- ZrO<sub>2</sub>-doped anatase-type TiO<sub>2</sub> formed by hydrolysis, 170, 39
- Hydroxide
- $[\text{Bi}_6\text{O}_{4.5}(\text{OH})_{3.5}]_2(\text{NO}_3)_{11}$ , synthesis and structure determination from twinned crystals, 176, 127
- $\text{Ca}_{10}(\text{PO}_4)_6[(\text{CO}_3)_x(\text{OH})_{2-2x}]$  synthesized at high pressure,  $P\bar{3}$  space group and channel carbonate ion orientation, 174, 412
- $\text{Cd}_3(\text{OH})_2\text{L}_2$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, 172, 288
- $(\text{C}_6\text{H}_{18}\text{N}_2)\text{Ge}_2\text{V}_4\text{O}_{12}(\text{OH})_2 \cdot 2\text{H}_2\text{O}$ , hydrothermal synthesis, 175, 13
- $[\text{Co}_2(\text{NH}_2(\text{CH}_2)_2\text{NH}_2)_3][\text{Ge}_9\text{O}_{18}(\text{OH})_4]$ , organically templated open-framework germanate, synthesis and structure, 170, 124
- $\text{CsGeV}_2\text{O}_6(\text{OH})$ , hydrothermal synthesis, 175, 13
- $\text{Cu}_3(\text{OH})_4\text{SO}_4$  made of triple chains of spins  $s = 1/2$ , magnetic structure and properties, 170, 255
- $[\text{HN}(\text{C}_2\text{H}_4)_3\text{N}][(\text{VO})_2(\text{HPO}_3)_2(\text{OH})(\text{H}_2\text{O})] \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and characterization, 172, 464
- $\text{Mn}_2(\text{C}_2\text{O}_4)(\text{OH})_2$ , synthesis and structure, 172, 212
- $\text{Mn}_5(\text{OH})_2\text{L}_4$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, 172, 288
- molten alkali and alkaline earth hydroxides, crystallization of  $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$  from, 173, 203
- $\text{NaGa}_2(\text{OH})(\text{PO}_4)_2$ , hydrothermal synthesis and tunnel structure, 172, 237
- $\text{Na}_2[\{\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}\{\text{Mn}(\text{phen})_2\}_3\{\text{MnMo}_{12}^{\text{V}}\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH}_6)\}] \cdot 4\text{H}_2\text{O}$ , hydrothermal synthesis and structure, 170, 192
- $[\{\text{NiOH}_2\text{Mo}_{10}\text{O}_{36}(\text{PO}_4)\text{Ti}_2\}_n]^{5n-}$ , chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, synthesis and structure, 170, 232
- sugar-anionic clay composites with pentoses intercalated in layered double hydroxide, 174, 342
- $\{[\text{VO}(\text{OH})(\text{H}_2\text{O})](\text{SeO}_3)_4\} \cdot 2\text{H}_2\text{O}$ , hydrothermal synthesis and structure, 172, 205
- Hydroxyapatite
- plasma-sprayed coatings, amorphous phase in, Ca/P atomic ratio, 172, 339
- I
- Imidazole
- $[\text{Co}(\text{imidazole})_2(\mu_4\text{-benzene-1,2,4,5-tetracarboxylate})_{1/2}]_n$ , hydrothermal synthesis, structures, and properties, 173, 32
- Imidazolium salts
- room-temperature ionic liquids acting as solvents for *f*-element separations and associated solution chemistry, 171, 109
- Impedance spectroscopy
- $\text{EuCu}_2\text{MS}_4$  ( $M = \text{Ge}, \text{Sn}$ ) and  $\text{SrCu}_2\text{MS}_4$  ( $M = \text{Ge}, \text{Sn}$ ), 173, 78
- Indium
- $(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$  ( $0 \leq x \leq 0.6$ ), oxygen/vacancy ordering in, TEM, XRD, and crystal chemical studies, 170, 247
- $\text{Cd}_3\text{In}_2(\text{C}_2\text{O}_4)_6 \cdot 9\text{H}_2\text{O}$ , crystal structure and thermal behavior, 173, 387
- $3\text{R-CuInO}_{2+\delta}$ , synthesis, 173, 355
- $\text{In}_4\text{Br}_7$ , phase evolution, temperature-dependent diffraction studies, 174, 349
- $\text{In}(\text{C}_2\text{O}_4)_{2.5}(\text{C}_3\text{N}_2\text{H}_{12})(\text{H}_2\text{O})_3$  and  $\text{In}(\text{C}_2\text{O}_4)_{1.5}(\text{H}_2\text{O})_3$  layered oxalates with 12-membered apertures, hydrothermal synthesis, 173, 435
- $\text{InTbGe}_2\text{O}_7$ , synthesis, crystal structure, and luminescent properties, 170, 418
- $\text{In}_5\text{Ti}_8\text{Nb}_{18}\text{Cl}_{53}\text{O}_{12}$  layered cluster compounds with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, 175, 46
- $\text{In}_2\text{VNb}_6\text{Cl}_{18}$  cluster compounds, synthesis, crystal structure, and magnetic properties, 170, 227
- $\text{Sr}_8\text{Cu}_3\text{In}_4\text{N}_5$  and  $\text{Sr}_{0.53}\text{Ba}_{0.47}\text{CuN}$ , synthesis and crystal structure, 170, 265
- INDO study
- semi-empirical, poly(dicarbon monofluoride) structure and electronic properties, 174, 233
- Inductive effect
- $\beta\text{-VOXO}_4$  systems ( $X = \text{P}, \text{As}, \text{S}$ ), DFT study, 176, 556
- Inductively coupled plasma mass spectrometry
- trace amounts of rare earth elements in highly pure neodymium oxide, 171, 3
- Infrared spectroscopy
- aluminosilicates prepared by sol-gel process, 174, 482
- Ca-deficient apatite with incorporated formate, 174, 132
- calcium undecanoate, 172, 471
- dilithium piperazinium(2+) selenate tetrahydrate and dilithium  $N,N'$ -dimethylpiperazinium(2+) selenate tetrahydrate, 170, 308
- divalent transition metal phosphonates with hydrogen-bonded layers of phosphonate anions, 174, 116
- $\text{K}_3\text{Cr}_3(\text{AsO}_4)_4$ , 173, 273
- $\text{KMg}_{0.5}\text{H}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$  acidic pyrophosphate, 176, 27
- $\text{Na}_4\text{Mg}_2(\text{H}_2\text{P}_2\text{O}_7)_4 \cdot 8\text{H}_2\text{O}$ , 172, 160
- $\text{NaPdPS}_4$  systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents, 175, 133
- Nd(III) complexed with glutathione in aqueous and aquated organic solvents in presence and absence of Zn(II), 171, 175
- $\text{NH}_4[\text{N}(\text{CN})_2]$ , 176, 180
- $\text{Pb}_2(\text{O}_3\text{PCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{PO}_3)$  inorganic-organic hybrid materials, 173, 293
- $\text{RbPdPS}_4$  systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents and cubic  $\text{RbPdPS}_4\{\text{Rb}_{0.33}\text{P}_{0.4}\text{S}_{2.23}\text{O}_x\}$ , 175, 133
- selenites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, 170, 390
- $\text{SrFe}_3(\text{PO}_4)_3\text{O}$  with chain-like structure, 170, 411
- $\text{U}_2(\text{PO}_4)(\text{P}_3\text{O}_{10})$  orthorhombic crystals, 172, 66

- $\text{Zn}_3(\text{bbdc})_3(4,4'\text{-bpy}) \cdot 2(\text{DMF}) \cdot 4(\text{H}_2\text{O})$  3-D inorganic–organic hybrid framework porous material, **176**, 1
- Inorganic–organic hybrid materials
- $\text{Pb}_2(\text{O}_3\text{PCH}_2\text{C}_6\text{H}_4\text{CH}_2\text{PO}_3)$ , synthesis and crystal structure determination from powder diffraction data, **173**, 293
- Insulator–metal transition
- $\text{Nd}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-x)}\text{Co}_x\text{O}_3$  perovskites, **170**, 368
- $\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$  perovskites, effects of Co doping, **174**, 466
- Insulators
- electronic structure: potentials in DFT and importance of sum rules, **176**, 652
- Interaction energy
- $\text{Li}_n$  ( $n=3,4$ ) microclusters at different temperatures, **176**, 203
- Interatomic distances
- $(\text{V}_{1-x}\text{Mo}_x)_2\text{O}_3$ , above and below metal/insulator transition, effects of doping and temperature, **174**, 431
- Interfacial chemistry
- in internally oxidized (Cu,Mg)-alloys, **173**, 172
- reactivity, quantum studies, **176**, 575
- Intergrowth phases
- cation-deficient perovskite-related  $A_nB_{n-\delta}\text{O}_{3n}$  ( $n \geq 4\delta$ ) microphases in the  $\text{Ba}_3\text{Nb}_4\text{O}_{15}$ – $\text{BaTiO}_3$  system, HRTEM study, **173**, 91
- Intergrowth structure
- $\text{L}-\text{Ta}_2\text{O}_5$ , **176**, 250
- Intermetallics
- $\text{Ba}_{14}\text{Zn}_{5-x}\text{Al}_{22+x}$ , polar compound with 2D network, synthesis and crystal and electronic structures, **170**, 94
- $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$
- crystallographic, electronic, and magnetic studies, **174**, 471
- with heavy fermion behavior, theoretical studies, **176**, 538
- $\text{DyCu}_x$  ( $x=4.5,4,3.5$ ), single-crystal X-ray and HRTEM study, **174**, 125
- $\text{RE}_3\text{Ga}_9\text{Ge}$  ( $\text{RE}=\text{Y,Ce,Sm,Gd,Yb}$ ) compounds with open 3-D polygallide framework synthesized from liquid Ga, **173**, 280
- $\text{GaMn}$ , structure and theoretical studies of electronic and magnetic properties, **173**, 137
- $\text{Ir}_3\text{Sn}_7$ , Sn–Mg substitution: structure and chemical bonding in  $\text{Mg}_x\text{Ir}_3\text{Sn}_{7-x}$  ( $x=0–1.67$ ), **173**, 418
- polar, cerium nickel aluminides with heavy fermion behavior, theoretical studies, **176**, 538
- $\text{TbPdAl}$ , structure and electronic properties, EXAFS and XANES measurements, **171**, 291
- $\text{UFe}_7\text{Al}_5$ , crystal structure and magnetic properties, **174**, 302
- $\text{Yb-Cu}$  and  $\text{Yb-Ag}$ , alloying using liquid ammonia metal solutions of Yb, **171**, 254
- Iodine
- $[\text{Bi}_3\text{I}(\text{C}_4\text{H}_8\text{O}_3\text{H}_2)_2(\text{C}_4\text{H}_8\text{O}_3\text{H})_5]_2\text{Bi}_8\text{I}_{30}$  containing  $[\text{Bi}_8\text{I}_{30}]^{6-}$ , preparation and crystal structure, **172**, 53
- $L^{\text{I}}_{0.5}\text{Bi}_{1.5}\text{O}_2\text{I}$  and  $L^{\text{II}}\text{BiO}_2\text{I}$  ( $L^{\text{I}}=\text{Li,Na}; L^{\text{II}}=\text{Ca,Sr,Ba}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- $(\text{Ca}_{0.801}\text{La}_{0.199})\text{La}_6\text{I}_{12}\text{Co}$ , preparation and characterization, **172**, 132
- $\text{CdI}_2$ , related structure in  $\text{PtO}_2$ , **175**, 353
- $[\text{Cu}^{\text{I}}_{10}\text{H}_2\text{I}_{16}]^{4-}$  with  $[\text{Ni}^{\text{II}}(\text{phen})_3]^{2+}$  as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- $(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), silver ionic transport in, **170**, 142
- $R(R_6\text{I}_{12}Z)$  rare-earth-metal cluster iodides, alteration through cation substitution, **172**, 132
- $(\text{Na}_{0.954}\text{La}_{0.046})\text{La}_6\text{I}_{12}\text{Fe}$ , preparation and characterization, **172**, 132
- $(\text{Na}_{0.90}\text{Pr}_{0.10})\text{Pr}_6\text{I}_{12}\text{Ir}$ , preparation and characterization, **172**, 132
- $\text{Pb}_{0.6}\text{Bi}_{1.4}\text{Rb}_{0.6}\text{O}_2\text{I}_2$ , crystal structure, **173**, 83
- $\text{Pr}_3\text{I}[\text{SiS}_4]_2$ , magnetism, **176**, 288
- $\text{Y}_2\text{C}_2\text{I}_2$  layered superconductors,  $T_C$  of, pressure dependence: lattice versus electronic effects, **171**, 367
- $A^{\text{I}}[(\text{Zr}_6\text{B})\text{Cl}_x\text{I}_{14-x}]$  ( $A^{\text{I}}=\text{Na,Cs}; 0 \leq x \leq 4$ ) cluster phases, syntheses and structures, **170**, 273
- Ion exchange
- Cs and Sr in Nb-substituted titanosilicate with sitinakite topology, **175**, 72
- $\text{Na}_{1-x}\text{MnO}_2$   $P2$ -type bronzes, retention of layer structure in, **174**, 365
- Ionic conductivity
- $\text{Ce}_{1-x}\text{A}_x\text{VO}_{4+\delta}$  ( $A=\text{Ca,Sr}$ ) of zircon type, **176**, 47
- $(\text{Ce}_x\text{Zr}_{1-x})_{4/4-x}\text{Nb}(\text{PO}_4)_3$  solid electrolyte for cerium ions, **171**, 387
- $\text{K}_3\text{Cr}_3(\text{AsO}_4)_4$ , **173**, 273
- $\text{K}_2(\text{UO}_2)_2(\text{MoO}_4)\text{O}_2$  and  $\text{K}_8(\text{UO}_2)_8(\text{MoO}_5)_3\text{O}_6$ , **174**, 19
- $\text{La}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$ , **172**, 219
- $\text{Zr}(\text{Nb,Ti})(R)\text{O}_{2-\delta}$  ( $R=\text{Yb,Ca}$ ), comparison with systems with  $R=\text{Y}$  and Gd, **172**, 277
- Ionic liquids
- as medium for solvothermal synthesis of 1-D borophosphate, **176**, 33
- room-temperature, as solvents for  $f$ -element separations and associated solution chemistry, **171**, 109
- Ionic radius
- $\text{Ca}_3(\text{PO}_4)_2$ , neutron powder diffraction study, **175**, 272
- Ionic transport
- silver in  $(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), **170**, 142
- Iridium
- $\text{Ba}_{14}\text{Pd}_3\text{Ir}_8\text{O}_{33}$ , synthesis and structural characterization, **174**, 96
- $\text{Eu}_2\text{IrH}_5$ , and mixed crystal compounds  $\text{Eu}_{2-x}\text{A}_x\text{IrH}_5$  ( $A=\text{Ca,Sr}; x=1.0,1.5$ ), order-disorder transition in, X-ray and neutron powder diffraction study, **174**, 35
- $\text{Ir}_3\text{Sn}_7$ , Sn–Mg substitution: structure and chemical bonding in  $\text{Mg}_x\text{Ir}_3\text{Sn}_{7-x}$  ( $x=0–1.67$ ), **173**, 418
- $(\text{Na}_{0.90}\text{Pr}_{0.10})\text{Pr}_6\text{I}_{12}\text{Ir}$ , preparation and characterization, **172**, 132
- Iron
- $\text{BaKFeO}_3$  with 1-D ferrate chains, synthesis and structure, **172**, 261
- $\text{Ba}_{2-x}\text{Sr}_x\text{Fe}_4\text{O}_8$ , cationic conduction, **170**, 435
- $\text{CaFe}_2\text{O}_3\text{Cl}$  and  $\text{Ca}_2\text{Fe}_3\text{O}_3\text{Cl}$  with higher space group symmetry, letter to editor, **174**, 165
- $\text{Ca}_3\text{FeRhO}_6$ , crystal growth and structure and magnetic properties, **173**, 122
- $\text{Co}_2\text{Cr}_{0.6}\text{Fe}_{0.4}\text{Al}$ , large negative magnetoresistance effects in, **176**, 646
- $\text{Cu}_2\text{Fe}_2\text{Ge}_4\text{O}_{13}$  with four tetrahedra oligomer, crystal structure and mixed-spin system properties, **176**, 175
- delocalization in channels network of ternary  $\text{Fe}_y\text{Mo}_6\text{Se}_8$  Chevrel phases, **170**, 281
- $[\text{Dy}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2] \cdot 8\text{H}_2\text{O}$ , synthesis and structural and magnetic characterization, **171**, 201
- $\text{Fe}_{331}$  nanoparticle, structures, properties, and crystal nucleation, **176**, 234
- $\text{LnFe}_3(\text{BO}_3)_4$  ( $\text{Ln}=\text{Y,La-Nd,Sm-Ho}$ ), magnetic and calorimetric studies, **172**, 438
- $\text{Fe}_2\text{F}_2(2,2'\text{-bipy})(\text{HPO}_4)_2(\text{H}_2\text{O})$ , two-dimensional compounds incorporating 2,2'-bipyridine ligands, synthesis and characterization, **172**, 6
- $\text{FeFe}_2\text{O}_4$  magnetite, Raman spectroscopic study, **174**, 424
- $\beta\text{-Fe}^{\text{II}}\text{-phthalocyanine}$ , oxygen interactions with, Mössbauer studies, **170**, 118
- $\text{Fe}(\text{II})[\text{N}(\text{CN})_2]_2$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- $\text{Ln-Fe-O}$  ( $\text{Ln}=\text{Eu,Gd}$ ) systems, thermodynamic properties, analysis with solid-state electrochemical cells, **172**, 370
- $\text{LnFe}_4\text{P}_{12}$  ( $\text{Ln}=\text{heavy lanthanide, including Y}$ ) filled skutterudites, systematic high-pressure synthesis, **174**, 32
- $\text{GdBaFe}_2\text{O}_{5+\bar{w}}$ , Verwey-type transitions and structure, effects of oxygen nonstoichiometry and distribution, **170**, 9
- $(\text{Ho,Y})_6\text{Fe}_{23}\text{H}_{15}$   $R-T$  hydrides, magnetic properties, **171**, 334
- $\text{K}_2\text{FeZrP}_3\text{O}_{12}$  with langbeinite structure, synthesis, characterization, and structural study, **173**, 314
- $\text{La}_4\text{BaCu}_{5-x}\text{Fe}_x\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1

**L**

$\text{La}_5\text{Re}_3\text{FeO}_{16}$  pillared perovskites, synthesis, structure, and magnetic properties, **170**, 165  
 $\text{La}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$ , electron/hole and ion transport, **172**, 219  
 $\text{La}_x\text{Sr}_{2-x}\text{FeO}_{4\pm\delta}$ , structural properties at high temperature and under reducing conditions, **175**, 207  
 $\text{Li}_2\text{FeTiO}_4$ , cation-disordered rocksalt oxide exhibiting oxidative deintercalation of Li, synthesis and characterization, **172**, 171  
 $\text{Na}_3\text{Fe}_2\text{Mo}_5\text{O}_{16}$  containing  $\text{Mo}_3\text{O}_{13}$  clusters, preparation, crystal structure, and magnetic studies, **176**, 192  
 $(\text{Na}_{0.954}\text{La}_{0.046})\text{La}_6\text{I}_{12}\text{Fe}$ , preparation and characterization, **172**, 132  
 $[\text{NH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{NH}_3)\text{CH}_2\text{CH}_3]^{2+\frac{1}{2}}[\text{FeF}(\text{HPO}_4)_2]^{2-}$  one-dimensional iron phosphate, synthesis, structure, and magnetic characterization, **173**, 367  
 $\text{Ni}_x\text{Mn}_{1-y-x}\text{Fe}_{2+y}\text{O}_4$  ferrites, cation distribution in, thermodynamic determination, **176**, 279  
one-, two-, and three-dimensional iron phosphates containing ethylenediamine, comparison, **175**, 63  
poly[diaqua-( $\mu_2$ -squarato-*O,O'*)-( $\mu_2$ -4,4'-bipyridine-*N,N'*)Fe(II)] hydrate coordination polymer, synthesis, crystal structure, and dehydration, **175**, 328  
 $\text{Pr}_{1-x}\text{Sr}_x\text{FeO}_{3-w}$ , structural aspects, **173**, 148  
 $[\text{Sm}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2]$ , synthesis and structural and magnetic characterization, **171**, 201  
Sm–Fe system, magnetic properties, Al substitution effects, **171**, 339  
 $\text{Sr}_4(\text{Fe}_{2-x}\text{Mn}_x)_{1+y}(\text{CO}_3)_{1-3y}\text{O}_{6(1+y)}$ , nanostructure, microstructure, and average structure, **170**, 424  
 $\text{SrFe}_{2/3}\text{B''}_{1/3}\text{O}_3$  ( $\text{B''}=\text{Mo}, \text{W}, \text{Te}, \text{U}$ ) tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252  
 $\text{SrFe}_3(\text{PO}_4)_3\text{O}$  with chain-like structure, synthesis and characterization, **170**, 411  
 $\text{SrSnO}_3$ – $\text{SrFeO}_3$  solid solutions, phase transitions in, X-ray diffraction and Mössbauer studies, **174**, 392  
 $\text{UFe}_7\text{Al}_5$ , crystal structure and magnetic properties, **174**, 302  
 $\text{YBa}_2\text{Fe}_3\text{O}_8$ ,  $\text{Co}^{3+}$  substitution in, **172**, 73  
 $\text{YBa}_2\text{Fe}_3\text{O}_{8+w}$ , oxidized and reduced, nuclear and magnetic structures, neutron powder diffraction study, **174**, 87

#### Isophthalate

rectangular grid coordination polymers based on prismatic  $[\text{M}_8(\text{ip})_8(4,4'\text{-bipy})_8]$  building blocks [ $\text{M}=\text{Ni}(\text{II}), \text{Cd}(\text{II})$ ], hydrothermal syntheses and crystal structures, **170**, 130

#### J

#### Jahn–Teller effect

bond length fluctuations in transition metal oxoperovskites, **175**, 116  
EPR spectroscopic studies, nuclear waste disposal and, **171**, 445  
 $\text{In}_4\text{Br}_7$ , **174**, 349  
MnAl ferromagnet: electronic structure, chemical bonding, and spin polarization, **176**, 390

#### K

#### Kinetic energy

$\text{Li}_n$  ( $n=3,4$ ) microclusters at different temperatures, **176**, 203

#### Kinetics

mass-transfer, Yb extraction with *sec*-nonylphenoxy acetic acid, **171**, 362  
phase changes in clusters, molecular dynamics studies: structures, properties, and crystal nucleation of nanoparticle  $\text{Fe}_{331}$ , **176**, 234

#### Kröhnkite-type chain

organically templated linear metal selenate with, synthesis and structure, **174**, 386

#### L

#### Langbeinite

$\text{K}_2\text{FeZrP}_3\text{O}_{12}$  with structure of, synthesis, characterization, and structural study, **173**, 314

#### Lanthanide complexes

$\text{Ln}_2\text{M}_2$  clusters bridged by cyanide and carboxylate simultaneously, **171**, 201

#### Lanthanide elements

$4f^n$ – $15d$  centroid shift in, relation with anion polarizability, covalency, and cation electronegativity, **171**, 133

#### Lanthanide nitrates

complexes with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242

#### Lanthanum

Ag-added  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ , granular, enhanced ferromagnetic transition and magnetoresistance, **174**, 257

$(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$  ( $0 \leq x \leq 0.6$ ), oxygen/vacancy ordering in, TEM, XRD, and crystal chemical studies, **170**, 247

$\text{Bi}_3\text{LaTi}_3\text{O}_{12}$  ferroelectric Aurivillius phase, monoclinic distortion in, **172**, 389

$(\text{Ca}_{0.801}\text{La}_{0.199})\text{La}_6\text{I}_{12}\text{Co}$ , preparation and characterization, **172**, 132 ceria–lanthana-based TWC promoters prepared by sol–gel routes, EXAFS study, **175**, 289

$[\text{C}_4\text{N}_3\text{H}_{10}][\text{La}(\text{SO}_4)_3] \cdot \text{H}_2\text{O}$ , synthesis and structure, **174**, 381 in geothermal waters from Oregon, Nevada, and California, **171**, 246

$\text{La}(\text{III}), \text{H}_2\text{O}_2$  chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208

$\text{La}^{3+}$ , doping effects on luminescence properties of  $\text{PbWO}_4$  single crystal, **172**, 188

$\text{La}_4\text{BaCu}_{5-x}\text{M}_x\text{O}_{13+\delta}$  ( $M=\text{Fe}, \text{Co}, \text{Ni}, \text{Zn}$ ), synthesis and characterization, **170**, 1

$\text{La}_4\text{BaCu}_5\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1

$\text{La}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329

$\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $0.02 \leq x \leq 0.35$ ), high-temperature thermopower and conductivity, **172**, 1

$\text{LaB}_2\text{C}_2$ , electronic structure, quantitative and qualitative approaches to, **176**, 375

$\text{La}_3(\text{B}_2\text{N}_4)$ , electronic structure, relevance of  $[\text{B}_2\text{N}_4]$  substructure, **176**, 306

$\text{LaBr}_3$  single crystals,  $\text{U}^{3+}$  ions doped in, electron–phonon coupling strengths, **173**, 59

$\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$  CMR manganites, correlation between structure and magnetic properties, **174**, 52

$\text{La}_{1-x}\text{Ca}_x\text{CrO}_{3-\delta}$ , phase stability in oxidizing atmosphere, **170**, 68

$\text{LaCaGaO}_4$ , synthesis and structure, **172**, 59

La–Ca manganites near optimal doping concentrations, transport properties and magnetoresistance, **171**, 76

$\text{La}_2\text{Ca}_2\text{MnO}_6(\text{O}_2)$  related to hexagonal perovskite-type structure, synthesis, crystal structure, and magnetic properties, **175**, 124

$\text{La}/\text{Ce}/\text{Nd}$  mixture, photooxidative extraction of Ce from, **171**, 101

$\text{La}_{1-x}\text{Ce}_x\text{Y}_2\text{Ni}_9$  ( $x_{\text{Ce}}=0, 0.5, 1$ ), crystallographic and hydriding properties, **173**, 236

$\text{LaCl}_3$  single crystals,  $\text{U}^{3+}$  and  $\text{Nd}^{3+}$  ions doped in, electron–phonon coupling strengths, **173**, 59

$\text{La}_3\text{CuO}_2\text{S}_3$ , synthesis, structure, and optical properties, **172**, 257

$\text{LaFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438

$\text{La}_{12}\text{Ga}_{3.5}\text{Mn}_{0.5}\text{Sb}_{23.5}$ , synthesis and structure, **171**, 137

$\text{La}_{1.33}\text{Li}_x\text{Cr}_{2-x}\text{O}_6$ , structural characterization and physical properties, **173**, 130

$\text{La}_2\text{LiRuO}_6$ , structural chemistry and magnetic properties, **175**, 20

$\text{La}(\text{Li}_{1/3}\text{Ti}_{2/3})\text{O}_3$  1:2 ordered perovskite, synthesis, **170**, 198

$\text{LaMn}_{0.9}\text{Cr}_{0.1}\text{O}_{3+\delta}$  ( $3.00 \leq x \leq 3.12$ ), crystal structure, evolution with oxygen content, **170**, 404

$\text{La}_4\text{MnCu}_6\text{S}_{10}$ , synthesis and characterization, **172**, 127

$\text{La}_{1-x}\text{Mn}_{1-y}\text{O}_3$  nanocrystalline powders, magnetic properties related to structure and complete composition analysis, **173**, 216

$\text{La}_{1-x}\text{MnO}_{3+\delta}$ , defect chemistry, **173**, 299

$\text{La}_2\text{Mo}_4\text{O}_{15}$ , structure, **173**, 407

$\text{La}_{1-x}\text{Nd}_x\text{NiO}_{3-\delta}$  ( $0 \leq x \leq 0.5$ ) ceramic system, synthesis and characterization, **171**, 195

- LaNi<sub>5</sub>-type nanocrystalline electrode materials for Ni-MH<sub>x</sub> batteries, **171**, 30
- La<sub>3</sub>Ni<sub>7</sub>As<sub>5</sub>, crystal structure and physical properties, **172**, 265
- LaNi<sub>5-x</sub>Pt<sub>x</sub>–H<sub>2</sub> system, structural and hydrogen absorption properties, **173**, 379
- La(NO<sub>3</sub>)<sub>3</sub>, complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242
- LaP<sub>5</sub>, high-pressure synthesis and structural characterization, **173**, 449
- La/paligorskite, relative acid strength of, determination by *n*-butylamine, **171**, 217
- (La<sub>1-x</sub>Pb<sub>x</sub>)<sub>1-y</sub>MnO<sub>3</sub>, magnetic and transport properties, effects of vacancy concentration, **175**, 52
- La<sub>5</sub>Re<sub>3</sub>MO<sub>16</sub> (*M*=Mg, Fe, Co, Ni) pillared perovskites, synthesis, structure, and magnetic properties, **170**, 165
- La<sub>2</sub>RuO<sub>5</sub>, XRPD *ab initio* structural determination, **170**, 294
- La<sub>1-x</sub>Sr<sub>x</sub>Co<sub>1-z</sub>Mn<sub>z</sub>O<sub>3-δ</sub> (*x*=0.3; *z*=0.025), conductivity and carrier traps in, **172**, 296
- La<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-δ</sub>, electron/hole and ion transport, **172**, 219
- La<sub>x</sub>St<sub>2-x</sub>FeO<sub>4±δ</sub>, structural properties at high temperature and under reducing conditions, **175**, 207
- La<sub>1-x</sub>Sr<sub>x</sub>Ga<sub>1-2x</sub>Mg<sub>2x</sub>O<sub>3-y</sub> (*x*=0.05,0.1) anisotropic single crystals, structure, thermal expansion, and conductivity, **172**, 396
- LaSrMnCoO<sub>6</sub> cubic double perovskite oxide, synthesis, structure, and properties, **173**, 350
- LaTeNbO<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>6</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, synthesis, characterization, and dielectric properties, **175**, 264
- La<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub> matrix produced by Pechini method, Eu<sup>3+</sup> luminescence in, **171**, 401
- (MnCl)LaNb<sub>2</sub>O<sub>7</sub> layered perovskite, structural, thermal, and magnetic characterization, **175**, 88
- (Na<sub>0.954</sub>La<sub>0.046</sub>)La<sub>6</sub>I<sub>12</sub>Fe, preparation and characterization, **172**, 132 separation from Sc and Y by high-performance centrifugal partition chromatography with *S*-octyl phenyloxy acetic acid, **171**, 358
- Sr<sub>1-x</sub>La<sub>1+x</sub>Al<sub>1-x</sub>Mg<sub>x</sub>O<sub>4</sub> (0≤*x*≤0.7), structural distortion, detection with CBED and crystallographic image processing, **172**, 243
- ZrO<sub>2</sub>-containing nano-sized particle materials doped with, preparation, crystal structure, and electrorheological performance, **176**, 273
- Lead**
- Bi<sub>1.5</sub>(Pb<sub>7.3</sub>Mn<sub>0.7</sub>)(PO<sub>4</sub>)<sub>6</sub>O<sub>1.3</sub>, formed by Mn substitution in Bi<sub>2</sub>Pb<sub>8-x</sub>(PO<sub>4</sub>)<sub>6</sub>O<sub>2-x</sub> solid solutions, crystal structure, **173**, 374
  - CH<sub>3</sub>ND<sub>3</sub>PbBr<sub>3</sub> perovskite, phase transitions, **176**, 97
  - (La<sub>1-x</sub>Pb<sub>x</sub>)<sub>1-y</sub>MnO<sub>3</sub>, magnetic and transport properties, effects of vacancy concentration, **175**, 52
  - Pb<sub>0.6</sub>Bi<sub>1.4</sub>Rb<sub>0.6</sub>O<sub>2</sub>Z<sub>2</sub> (*Z*=Cl,Br,I), crystal structure, **173**, 83
  - Pb<sub>2</sub>Mo<sub>2</sub>O<sub>9</sub>(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, synthesis and tunnel structure, **172**, 412
  - Pb<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>PO<sub>3</sub>) inorganic–organic hybrid materials, synthesis and crystal structure determination from powder diffraction data, **173**, 293
  - PbTe, mechanically alloyed, strain and crystallite size in, neutron powder diffraction study, **173**, 189
  - PbWO<sub>4</sub> single crystal, luminescence properties, effects of La<sup>3+</sup> doping, **172**, 188
  - quasi-one-dimensional materials, **176**, 311
- Lewis acidity
- aluminosilicates prepared by sol–gel process, **174**, 482
- Linearized augmented plane wave method
- DFT calculations with, **176**, 319
- Liquid ammonia
- metal solutions of Yb in, for alloying of Yb–Ag and Yb–Cu, **171**, 254
- Liquid–liquid extraction
- combined with metal conversion by chemical reaction, for separation of rare earth ions, **171**, 101
- Lithium
- Ba<sub>7</sub>Li<sub>3</sub>Ru<sub>4</sub>O<sub>20</sub> oxygen-deficient layered perovskite, crystal growth, **175**, 39
  - batteries, DFT study: application to β-VO<sub>X</sub>O<sub>4</sub> systems (*X*=P,As,S), **176**, 556
  - insertion into Ca<sub>0.5</sub>V<sub>3</sub>O<sub>8</sub>, **172**, 116
  - La<sub>1.33</sub>Li<sub>x</sub>Cr<sub>x</sub>Ti<sub>2-x</sub>O<sub>6</sub>, structural characterization and physical properties, **173**, 130
  - La<sub>2</sub>LiRuO<sub>6</sub>, structural chemistry and magnetic properties, **175**, 20
  - La(Li<sub>1/3</sub>Ti<sub>2/3</sub>)O<sub>3</sub> 1:2 ordered perovskite, synthesis, **170**, 198
  - Li<sub>n</sub> (*n*=3,4) microclusters, energy and structural changes at different temperatures, **176**, 203
  - LiBaF<sub>3</sub> synthesis by solvothermal process and optical spectroscopic properties of LiBaF<sub>3</sub>:*M* (*M*=Eu,Ce), **175**, 284
  - Li<sub>0.5</sub>Bi<sub>1.5</sub>O<sub>2</sub>*X* (*X*=Cl,Br,I) quaternary layered compounds of Sillén X1 type, **175**, 316
  - Li<sub>2</sub>CO<sub>3</sub>, high-pressure structure, **173**, 13
  - Li[K<sub>x</sub>(NH<sub>4</sub>)<sub>1-x</sub>]SO<sub>4</sub> and Li<sub>2</sub>KNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>, structural and vibrational studies, **173**, 69
  - Li(Mg<sub>1/6</sub>Mn<sub>11/6</sub>)O<sub>4</sub> cubically stabilized spinel, structural disorder along Li diffusion pathway in, synchrotron X-ray studies, **174**, 167
  - LiMn<sub>2</sub>O<sub>4</sub> cubically stabilized spinel, structural disorder along Li diffusion pathway in, molecular dynamics calculation, **174**, 175
  - LiMoS<sub>2</sub> nanocrystalline materials, structure, synergetic theoretical and experimental determination, **175**, 380
  - Li<sub>2</sub>NiTiO<sub>4</sub>, cation-disordered rocksalt oxide and ordered phase, synthesis and characterization, **172**, 171
  - LiSi prepared by high-pressure synthesis, NMR and vibrational spectroscopy and electrical properties, **173**, 251
  - Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>10</sub>–, synthesis and structure, **172**, 166
  - Li<sub>2</sub>MTiO<sub>4</sub> (*M*=Mn,Fe,Co), cation-disordered rocksalt oxides exhibiting oxidative deintercalation of Li, synthesis and characterization, **172**, 171
  - Na<sub>2</sub>LiAlF<sub>6</sub> synthetic simmonsite, crystal structure, **172**, 95
  - SrO–Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub>–Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, fluorite-like nano-SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> phase in, **173**, 209
- Lithium diffusion pathway
- in cubically stabilized lithium manganese spinel, structural disorder along molecular dynamics calculation, **174**, 175
  - synchrotron X-ray studies, **174**, 167
- Localized atomic orbital basis sets
- calculation of exchange coupling constants of transition metal compounds, **176**, 400
- Luminescence, *see also* Photoluminescence
- cordierite doped with Eu<sup>3+</sup>, **171**, 375
  - divalent transition metal phosphonates with hydrogen-bonded layers of phosphonate anions, **174**, 116
- Er<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> nanophosphors, dynamics of, confinement effect of electron–phonon interaction on, **171**, 123
- Eu<sup>3+</sup> ion in RE<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub> matrix (RE=La,Gd) produced by Pechini method, **171**, 401
- Eu(fod)<sub>3</sub>phen-NO complex, **171**, 183
- Eu(III)–triflate interactions in water and aqueous methanol, **171**, 225
- Eu<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> nanophosphors prepared by gas-phase condensation, **171**, 12
- Gd<sub>2</sub>O<sub>3</sub>:Sm phosphors, **171**, 391
- InTbGe<sub>2</sub>O<sub>7</sub>, **170**, 418
- K<sub>1-x</sub>Tl<sub>x</sub>Zn(PO<sub>3</sub>)<sub>3</sub>, **170**, 450
- organically modified silica xerogels doped and undoped with Eu<sup>3+</sup> and Tb<sup>3+</sup>, **171**, 396
- PbWO<sub>4</sub> single crystal, effects of La<sup>3+</sup> doping, **172**, 188
- persistent, in rare-earth-doped materials, **171**, 114

- red,  $\text{Pr}^{3+}$ -doped  $\text{CaTiO}_3$  nanophosphor from polymer precursor, **174**, 69
- supramolecules of  $\beta$ -diketonates of Eu(III) and crown ethers as ligands, **171**, 189
- uranyl nitrate complexes with diphenylsulfoxide and dibenzylsulfoxide, **171**, 230
- visible and near-IR, via energy transfer, in rare-earth-doped mesoporous  $\text{TiO}_2$  thin films with nanocrystalline walls, **172**, 81
- $\text{YBO}_3:\text{Eu}^{3+}$  hexagonal nanocrystals prepared by hydrothermal homogeneous urea precipitation, **175**, 245
- $\text{Y}_2\text{O}_3:\text{Eu}$  prepared by solvothermal synthesis, **171**, 268
- $\text{Y}_2\text{O}_3:\text{Sm}$  phosphors, **171**, 391
- $\text{Zr}(\text{PO}_4)_6$  centers in UV-emitting X-ray phosphors  $\text{K}_2\text{Hf}_{1-x}\text{Zr}_x(\text{PO}_4)_2$  and  $\text{KHf}_{2(1-x)}\text{Zr}_{2x}(\text{PO}_4)_3$ , **170**, 289
- Lutetium  
in geothermal waters from Oregon, Nevada, and California, **171**, 246
- $\text{K}_3\text{LuSi}_2\text{O}_7$ , crystal growth, structure, and optical properties, **170**, 203
- $\text{LuAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, **170**, 48
- $\text{Lu}_3\text{BC}_3$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609
- $\text{Lu}_{1-x}\text{B}_{12}\text{Si}_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- $\text{LuFe}_4\text{P}_{12}$  filled skutterudites, systematic high-pressure synthesis, **174**, 32
- Lyophilization  
in synthesis of  $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  phosphor nanoparticles, **173**, 335
- M**
- Machine-learning methods  
analysis of ferromagnetism in transition metal alloys, **176**, 587
- Magnesium  
 $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}-\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}:\text{Eu}^{2+}$  solid solution, defect chemistry and VUV optical properties, **173**, 359
- $\text{CoCl}_2 \cdot \text{MgCl}_2 \cdot 8\text{H}_2\text{O}$  double salt, formation of  $[\text{CoCl}_4(\text{H}_2\text{O})_2]^{2-}$  complex: structural and energetic properties of  $[\text{MCl}_4(\text{H}_2\text{O})_2]^{2-}$  and  $[\text{M}(\text{H}_2\text{O})_6]^{2+}$  ( $\text{M} = \text{Mg}, \text{Co}$ ), **174**, 182
- (Cu,Mg) internally oxidized alloys, interfacial chemistry in, **173**, 172
- $\text{CuSc}_{1-x}\text{Mg}_x\text{O}_{2+y}$  thin films, P-type conductivity, **175**, 34
- $\text{KMg}_{0.5}\text{H}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$  acidic pyrophosphate, synthesis, X-ray crystal structure, and vibrational spectroscopy, **176**, 27
- $\text{La}_5\text{Re}_3\text{MgO}_{16}$  pillared perovskites, synthesis, structure, and magnetic properties, **170**, 165
- $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-2x}\text{Mg}_{2x}\text{O}_{3-y}$  ( $x = 0.05, 0.1$ ) anisotropic single crystals, structure, thermal expansion, and conductivity, **172**, 396
- $\text{Li}(\text{Mg}_{1/6}\text{Mn}_{11/6})\text{O}_4$  cubically stabilized spinel, structural disorder along Li diffusion pathway in, synchrotron X-ray studies, **174**, 167
- $\text{MgAl}_2\text{O}_4$  spinel nanoparticles, normal micelle synthesis and characterization, **175**, 59
- $\text{Mg}_x\text{Ir}_3\text{Sn}_{7-x}$  ( $x = 0-1.67$ ), structure and chemical bonding in, **173**, 418
- $\text{MgO}$  nano-sized particles and thin film, synthesis from diethanolamine-stabilized magnesium methoxide, **175**, 278
- $\text{MgSiO}_3$  orthoenstatite, pressure-induced phase transition at room temperature, Raman spectroscopic study, **174**, 403
- $\text{MgWO}_4$ , synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- $\text{Na}_4\text{Mg}_2(\text{H}_2\text{P}_2\text{O}_7)_4 \cdot 8\text{H}_2\text{O}$ , crystal structure and vibrational spectra, **172**, 160
- $\text{NdMg}$ , orbital degrees of freedom and ordering phenomena in, **171**, 69
- $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) perovskite prepared by hydrazine method, formation, sintering, and electrical conductivity, **174**, 80
- Sn–Mg substitution in  $\text{Ir}_3\text{Sn}_7$ : structure and chemical bonding in  $\text{Mg}_x\text{Ir}_3\text{Sn}_{7-x}$  ( $x = 0-1.67$ ), **173**, 418
- $\text{Sr}_{1-x}\text{La}_{1+x}\text{Al}_{1-x}\text{Mg}_x\text{O}_4$  ( $0 \leq x \leq 0.7$ ), structural distortion, detection with CBED and crystallographic image processing, **172**, 243
- Magnesium methoxide  
diethanolamine-stabilized, synthesis of  $\text{MgO}$  nano-sized particles and thin film from, **175**, 278
- Magnetic anisotropy energy  
full-potential density functional calculations, **176**, 338
- Magnetic disorder  
 $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  and  $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ ,  $^{57}\text{Fe}$  Mössbauer study, **174**, 74
- Magnetic frustration  
Co–B–O system, **174**, 189
- Magnetic properties  
actinides, full-potential density functional calculations, **176**, 338
- $\text{Ba}_6\text{M}_2\text{Na}_2\text{X}_2\text{O}_{17}$  ( $\text{M} = \text{Ru}, \text{Nb}, \text{Ta}, \text{Sb}; \text{X} = \text{V}, \text{Cr}, \text{Mn}, \text{P}, \text{As}$ ) 12H hexagonal perovskite-related oxides, **176**, 137
- $\text{BaVS}_3$ , **175**, 384
- $\text{Ca}_3\text{Co}_{1.34}\text{Rh}_{0.66}\text{O}_6$ ,  $\text{Ca}_3\text{CuRhO}_6$ , and  $\text{Ca}_3\text{FeRhO}_6$ , **173**, 122
- $\text{Cd}_3(\text{OH})_2\text{L}_2$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ) succinato-pillared coordination polymer, **172**, 288
- $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$ , **174**, 471
- $\text{Cu}_3(\text{OH})_4\text{SO}_4$  made of triple chains of spins  $s = 1/2$ , **170**, 255
- $[\{\text{Cu}(\text{phen})_2(\text{V}^{\text{V}}\text{O}_2)^2\text{V}^{\text{IV}}\text{O}_2(\text{H}_2\text{O})(\text{PO}_4)_2\}]$  inorganic–organic hybrid materials, **176**, 69
- $\text{EuCu}_2\text{MS}_4$  ( $\text{M} = \text{Ge}, \text{Sn}$ ), **173**, 78
- $\text{LnFe}_3(\text{BO}_3)_4$  ( $\text{Ln} = \text{Y}, \text{La}, \text{Nd}, \text{Sm}, \text{Ho}$ ), **172**, 438
- $\text{LnFe}_4\text{P}_{12}$  ( $\text{Ln} = \text{heavy lanthanide, including Y}$ ) filled skutterudites synthesized at high pressure, **174**, 32
- GaMn, theoretical studies, **173**, 137
- $\text{Gd}_4[\text{SiS}_4]_3$ , **172**, 417
- $[\text{HN}(\text{C}_2\text{H}_4)_3\text{N}][(\text{VO})_2(\text{HPO}_3)_2(\text{OH})(\text{H}_2\text{O})] \cdot \text{H}_2\text{O}$ , **172**, 464
- $(\text{Ho}, \text{Y})_6\text{Fe}_{23}\text{H}_{15}$   $R-T$  hydrides, **171**, 334
- $\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$  CMR manganites, correlation with structure, **174**, 52
- $\text{La}_2\text{Ca}_2\text{MnO}_6(\text{O}_2)$  related to hexagonal perovskite-type structure, **175**, 124
- $\text{La}_{1.33}\text{Li}_x\text{Cr}_x\text{Ti}_{2-x}\text{O}_6$ , **173**, 130
- $\text{La}_2\text{LiRuO}_6$ , **175**, 20
- $\text{La}_{1-x}\text{Mn}_{1-j}\text{O}_3$  nanocrystalline powders, relationship to structure, **173**, 216
- lanthanides, full-potential density functional calculations, **176**, 338
- $(\text{La}_{1-x}\text{Pb}_x)_{1-y}\text{yMnO}_3$ , effects of vacancy concentration, **175**, 52
- $\text{La}_3\text{Re}_3\text{MO}_{16}$  ( $\text{M} = \text{Mg}, \text{Fe}, \text{Co}, \text{Ni}$ ) pillared perovskites, **170**, 165
- $\text{LaSrMnCoO}_6$  cubic double perovskite oxide, **173**, 350
- $(\text{MnCl})\text{LaNb}_2\text{O}_7$  layered perovskite, **175**, 88
- $\text{Mn}_5(\text{OH})_2\text{L}_4$  ( $\text{H}_2\text{L} = \text{HOOC}(\text{CH}_2)_2\text{COOH}$ ) succinato-pillared coordination polymer, **172**, 288
- molecular hexagonal perovskite organic–inorganic hybrid conductor, **176**, 243
- $\text{Na}_3\text{Fe}_2\text{Mo}_5\text{O}_{16}$  containing  $\text{Mo}_3\text{O}_{13}$  clusters, **176**, 192
- $\text{NaLnO}_2$  ( $\text{Ln} = \text{rare earths}$ ), **176**, 266
- $\text{Na}_2\text{SrV}_3\text{O}_9$ , **173**, 244
- $(\text{Nd}, \text{Ce})_{2+x}\text{CaCu}_2\text{O}_{6+y}$ , **170**, 24
- $[\text{NH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{NH}_3)\text{CH}_2\text{CH}_3]^{2+\frac{1}{2}}[\text{FeF}(\text{HPO}_4)_2]^{2-}$  one-dimensional iron phosphate, **173**, 367
- $\text{R}_3\text{Ni}_7\text{As}_5$  ( $\text{R} = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}$ ), **172**, 265
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, **175**, 63
- oxovanadium phosphates: exchange interactions, **170**, 237
- poly[bis(thiocyanato-*N*)-bis( $\mu_2$ -pyrazine-*N,N'*)-manganese(II)] and poly[bis( $\mu_2$ -thiocyanato-*N,S*)-( $\mu_2$ -pyrazine-*N,N'*-manganese(II))], **176**, 259
- $\text{Pr}_{1-x}\text{Ca}_{1+x}\text{MnO}_4$  2D manganites: charge–orbital ordering above room temperature, **170**, 361

- $\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$  perovskites, effects of Co doping, **174**, 466  
 Sm–Fe system, Al substitution effects, **171**, 339  
 $\text{SrCu}_2\text{MS}_4$  ( $M=\text{Ge}, \text{Sn}$ ), **173**, 78  
 $\text{Sr}_8A\text{Re}_3\text{Cu}_4\text{O}_{24}$  ( $A=\text{Sr}, \text{Ca}$ ) ferromagnets with ordered perovskite structure, **175**, 366  
 $\text{ALnTe}_4$  and  $\text{ALn}_3\text{Te}_8$  ( $A=\text{alkali metal}$ ;  $\text{Ln}=\text{lanthanoid}$ ), **176**, 594  
 $\text{A}_5\text{Ti}_8\text{Nb}_{18}\text{Cl}_{53}\text{O}_{12}$  ( $A=\text{K}, \text{In}$ ) layered cluster compounds with six-member ring opening channels, **175**, 46  
 transition metal compounds, calculation using localized atomic orbital basis sets, **176**, 400  
 $\text{U}_2\text{Co}_6\text{Al}_{19}$ , **174**, 152  
 $\text{UFe}_7\text{Al}_5$ , **174**, 302  
 $\text{A}_2\text{VNb}_6\text{Cl}_{18}$  ( $A=\text{Rb}, \text{In}, \text{Tl}$ ), **170**, 227  
 $[\text{V}_4\text{O}_7(2,2'\text{-bipy})_2(\text{HPO}_4)_2]$  inorganic–organic hybrid materials, **176**, 69  
 $\text{Yb}(\text{ReO}_4)_3(\text{H}_2\text{O})_4$  in monoclinic modification, **172**, 200  
 $\text{Y}_3\text{Re}_2\text{O}_{12}$  one-dimensional antiferromagnet with  $S=1/2$ , **172**, 451  
 Magnetic resonance imaging  
 lanthanide complexes acting as contrast agents for, physical characteristics, **171**, 38  
 Magnetic solids  
 spin exchange interactions and magnetic structures, formal, quantitative, and qualitative theoretical descriptions, **176**, 417  
 Magnetic structure  
 $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , **174**, 159  
 $\text{RCrO}_4$  ( $R=\text{Nd}, \text{Er}, \text{Tm}$ ), **171**, 161  
 $\text{Cu}_3(\text{OH})_4\text{SO}_4$  made of triple chains of spins  $s=1/2$ , **170**, 255  
 $\text{Er}_2\text{Ru}_2\text{O}_7$  pyrochlore oxide, **176**, 165  
 extended magnetic solids with localized spins, formal, quantitative, and qualitative theoretical descriptions, **176**, 417  
 $\text{NdBaCo}_2\text{O}_{5+\delta}$ , **170**, 339  
 oxidized and reduced  $\text{YBa}_2\text{Fe}_3\text{O}_{8+w}$ , neutron powder diffraction study, **174**, 87  
 $\text{Sr}_3\text{Mn}_2\text{O}_{6+x}$  reduced double-layer manganite, **175**, 188  
 $\text{Sr}_4\text{M/Mn}_2\text{O}_9$  ( $M=\text{Cu}, \text{Zn}$ ), **176**, 88  
 Magnetic susceptibility  
 $\text{Ag}_2\text{MnSn}_3\text{S}_8$ , **174**, 229  
 $\text{REAu}_3\text{Al}_7$  ( $RE=\text{rare earth}$ ) grown from aluminum flux, **170**, 48  
 $\text{RE}_{1-x}\text{B}_2\text{Si}_{3,3-\delta}$  ( $RE=\text{Y}, \text{Gd}, \text{Lu}$ ) ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), **170**, 75  
 $\text{Eu}_5\text{Ga}_9$ , **176**, 567  
 extended magnetic solids with localized spins, **176**, 417  
 $\text{NaLnO}_2$  ( $\text{Ln}=\text{rare earths}$ ), **176**, 266  
 $\text{Sr}_3\text{Mn}_2\text{O}_{6+x}$  reduced double-layer manganite, **175**, 188  
 Magnetic transitions  
 Er-rich  $\text{Pr}_x\text{Er}_{1-x}$  alloys, effect of interstitial impurities, **171**, 324  
 $\text{TbPdAl}$ , EXAFS and XANES measurements, **171**, 291  
 Magnetism  
 $\text{CePdGa}_6$  heavy-fermion antiferromagnet, **174**, 296  
 $[\text{Dy}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2] \cdot 8\text{H}_2\text{O}$ , **171**, 201  
 $\text{Eu}_{1-x}\text{Dy}_x\text{TiO}_3$ , **171**, 345  
 $\text{Eu}_5\text{Ga}_9$ , **176**, 567  
 $\text{GaMn}$ , theoretical studies, **173**, 137  
 $\text{Gd}_5(\text{Si}_x\text{Ge}_{1-x})_4$  system, effect of crystal structure variation near  $x=0.5$ , **171**, 57  
 insulating,  $\text{La}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$  and  $\text{Nd}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , microscopic analysis, **171**, 329  
 interstitial metal nitrides with filled  $\beta$ -manganese structure, **172**, 138  
 $\text{KLn}_2\text{CuS}_4$  ( $\text{Ln}=\text{Y}, \text{Nd}, \text{Sm}, \text{Tb}, \text{Ho}$ ) and  $\text{K}_2\text{Ln}_4\text{Cu}_4\text{S}_9$  ( $\text{Ln}=\text{Dy}, \text{Ho}$ ), **176**, 5  
 $\text{Nd}_3\text{ReO}_7$  with ordered defect fluorite structure, **171**, 317  
 $\text{Pr}_3\text{ReO}_7$  with ordered defect fluorite structure, **171**, 317  
 $\text{Pr}_3X[\text{SiS}_4]_2$  ( $X=\text{Cl}, \text{Br}, \text{I}$ ), **176**, 288  
 $[\text{Sm}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2]$ , **171**, 201  
 transition metal oxides, full-potential density functional calculations, **176**, 338  
 Magnetite  
 $\text{FeFe}_2\text{O}_4$ , Raman spectroscopic study, **174**, 424  
 Magnetization  
 $\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$  CMR manganites, correlation with structure, **174**, 52  
 $\text{Na}_4\text{Ba}_3\text{As}_6$  Zintl phase with isolated  $\text{As}_3^{5-}$  anions, **175**, 306  
 Magnetization transfer contrast agents  
 lanthanide complexes acting as, physical characteristics, **171**, 38  
 Magneto-optical properties  
 full-potential density functional calculations, **176**, 338  
 Magnetoresistance, *see also* Colossal magnetoresistance  
 granular Ag-added  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ , **174**, 257  
 large negative, effects in  $\text{Co}_2\text{Cr}_{0.6}\text{Fe}_{0.4}\text{Al}$ , **176**, 646  
 Magnetostriction  
 $4f$  system: orbital degrees of freedom and ordering phenomena, **171**, 69  
 Manganese  
 $3d$  transition metal oxide perovskites, charge disorder effects, **173**, 456  
 $\text{Ag}$ -added  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ , granular, enhanced ferromagnetic transition and magnetoresistance, **174**, 257  
 $\text{Ag}_2\text{MnSn}_3\text{S}_8$ , crystal structure and magnetic and electrochemical properties, **174**, 229  
 $(\text{Ba}_{0.87}\text{Ca}_{0.13})_{1.000}(\text{Ti}_{0.85}\text{Zr}_{0.14}\text{Mn}_{0.01})_{1.003}\text{O}_3$ -based ceramics sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226  
 $\text{Ba}_5\text{M}_2\text{Na}_2\text{Mn}_2\text{O}_{17}$  ( $M=\text{Ru}, \text{Nb}, \text{Ta}, \text{Sb}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
 $\text{Bi}_{1.5}(\text{Pb}_{7.3}\text{Mn}_{0.7})(\text{PO}_4)_6\text{O}_{1.3}$ , formed by Mn substitution in  $\text{Bi}_2\text{Pb}_{8-x}(\text{PO}_4)_6\text{O}_{2-x}$  solid solutions, crystal structure, **173**, 374  
 $\text{Bi}-\text{Sr}-\text{MnO}_3$ , charge and orbital order, **171**, 84  
 $\text{CaMn}_2\text{O}_4$  marokite, pressure-induced phase transformation, Raman scattering study, **170**, 382  
 $\text{Ca}_{n+1}\text{Mn}_n\text{O}_{3n+1}$  ( $n=2, 3$ ) Ruddlesden–Popper compounds, transmission electron microscopy, **174**, 418  
 $\text{CeMn}_{0.5}\text{OSe}$ , synthesis, crystal structure, and optical properties, **176**, 170  
 $[\text{C}_4\text{H}_8(\text{NH}_2)_2][\text{Mn}_2(\text{C}_2\text{O}_4)_3]$ , synthesis and structure, **172**, 212  
 $\text{Cs}_2\text{Bi}_2\text{MnS}_3$ , synthesis, structure, optical properties, and theoretical calculations, **174**, 334  
 $\text{GaMn}$ , structure and theoretical studies of electronic and magnetic properties, **173**, 137  
 $\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $0.02 \leq x \leq 0.35$ ), high-temperature thermopower and conductivity, **172**, 1  
 $\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$  CMR manganites, correlation between structure and magnetic properties, **174**, 52  
 La–Ca manganites near optimal doping concentrations, transport properties and magnetoresistance, **171**, 76  
 $\text{La}_2\text{Ca}_2\text{MnO}_6(\text{O}_2)$  related to hexagonal perovskite-type structure, synthesis, crystal structure, and magnetic properties, **175**, 124  
 $\text{La}_{12}\text{Ga}_{3.5}\text{Mn}_{0.5}\text{Sb}_{23.5}$ , synthesis and structure, **171**, 137  
 $\text{LaMn}_{0.9}\text{Cr}_{0.1}\text{O}_{3+\delta}$  ( $3.00 \leq 3+\delta \leq 3.12$ ), crystal structure, evolution with oxygen content, **170**, 404  
 $\text{La}_4\text{MnCu}_6\text{S}_{10}$ , synthesis and characterization, **172**, 127  
 $\text{La}_{1-x}\text{Mn}_{1-j}\text{O}_3$  nanocrystalline powders, magnetic properties related to structure and complete composition analysis, **173**, 216  
 $\text{La}_{1-\delta}\text{MnO}_{3+\delta}$ , defect chemistry, **173**, 299  
 $\text{La}(\text{Ni}, \text{Mn})_5$  nanocrystal synthesis, **171**, 30  
 $(\text{La}_{1-x}\text{Pb}_x)_{1-y}\text{MnO}_3$ , magnetic and transport properties, effects of vacancy concentration, **175**, 52  
 $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-z}\text{Mn}_z\text{O}_{3-\delta}$  ( $x=0.3; z=0.0, 0.25$ ), conductivity and carrier traps in, **172**, 296  
 $\text{LaSrMnCoO}_6$  cubic double perovskite oxide, synthesis, structure, and properties, **173**, 350  
 $\text{Li}(\text{Mg}_{1/6}\text{Mn}_{11/6})\text{O}_4$  cubically stabilized spinel, structural disorder along Li diffusion pathway in, synchrotron X-ray studies, **174**, 167

- LiMn<sub>2</sub>O<sub>4</sub>** cubically stabilized spinel, structural disorder along Li diffusion pathway in, molecular dynamics calculation, **174**, 175
- Li<sub>2</sub>MnTiO<sub>4</sub>**, cation-disordered rocksalt oxide exhibiting oxidative deintercalation of Li, synthesis and characterization, **172**, 171
- Mn(II)-containing coordination polymers formed by manganese thiocyanate reaction with pyrazine, crystal structure and thermal and magnetic properties, **176**, 259
- MnAl ferromagnet, electronic structure, chemical bonding, and spin polarization, **176**, 390
- (MnCl)<sub>2</sub>LaNb<sub>2</sub>O<sub>7</sub> layered perovskite, structural, thermal, and magnetic characterization, **175**, 88
- MnC<sub>2</sub>O<sub>4</sub>·2H<sub>2</sub>O, synthesis and structure, **172**, 212
- Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)(OH)<sub>2</sub>, synthesis and structure, **172**, 212
- Mn(II)[N(CN)<sub>2</sub>]<sub>2</sub>, exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- Ln*-Mn-O system, phase equilibria at 1100°C  
*Ln*=Ho,Tb, **176**, 151  
*Ln*=Yb,Dy, **174**, 249
- MnO<sub>2</sub>, stoichiometric and Mn-deficient, first-principles study, **173**, 462
- R*-M-MnO<sub>3</sub>, charge and orbital order, **171**, 84
- RMnO<sub>3</sub> (*R*=Pr,Tb), Raman phonons of, high-pressure dependence, **171**, 313
- Mn<sub>5</sub>(OH)<sub>2</sub>L<sub>4</sub> (H<sub>2</sub>L=HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, hydrothermal synthesis, crystal structure, and properties, **172**, 288
- Na<sub>x</sub>MnO<sub>2</sub> *P*2-type bronzes, ion-exchange properties: retention of layer structure, **174**, 365
- Na<sub>2</sub>[{Mn(phen)<sub>2</sub>(H<sub>2</sub>O)}{Mn(phen)<sub>2</sub>}<sub>3</sub>{MnMo<sub>12</sub>O<sub>24</sub>(HPO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>}]·4H<sub>2</sub>O, hydrothermal synthesis and structure, **170**, 192
- Nd<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub>, charge ordering and phase separation in, <sup>57</sup>Fe Mössbauer study, **174**, 74
- Nd<sub>0.8</sub>Na<sub>0.2</sub>Mn<sub>(1-x)</sub>Co<sub>x</sub>O<sub>3</sub> perovskites, insulator–metal transition, **170**, 368
- Nd<sub>0.5</sub>Sr<sub>0.5</sub>MnO<sub>3</sub>, charge ordering and phase separation in, <sup>57</sup>Fe Mössbauer study, **174**, 74
- Ni<sub>x</sub>Mn<sub>1-y-x</sub>Fe<sub>2+y</sub>O<sub>4</sub> ferrites, cation distribution in, thermodynamic determination, **176**, 279
- Pr<sub>1-x</sub>Ca<sub>1+x</sub>MnO<sub>4</sub> 2D manganites, charge–orbital ordering above room temperature, **170**, 361
- Pr<sub>0.8</sub>Na<sub>0.2</sub>Mn<sub>(1-y)</sub>Co<sub>y</sub>O<sub>3</sub> perovskites, effects of Co doping, **174**, 466
- Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub> perovskites, tolerance factor rules for, **170**, 154
- Sr<sub>4</sub>(Fe<sub>2-x</sub>Mn<sub>x</sub>)<sub>1+y</sub>(CO<sub>3</sub>)<sub>1-3y</sub>O<sub>6(1+y)</sub>, nanostructure, microstructure, and average structure, **170**, 424
- Sr<sub>2</sub>MnGaO<sub>5</sub> brownmillerite, ordering of tetrahedral chains in, **174**, 319
- Sr<sub>3</sub>Mn<sub>2</sub>O<sub>6+x</sub> reduced double-layer manganite, synthesis and characterization, **175**, 188
- Sr<sub>4</sub>MMn<sub>2</sub>O<sub>9</sub> (*M*=Cu,Zn), crystal and magnetic structure, **176**, 88
- Marokite  
CaMn<sub>2</sub>O<sub>4</sub>, pressure-induced phase transformation, Raman scattering study, **170**, 382
- Mass spectrometry  
inductively coupled plasma MS, trace amounts of rare earth elements in highly pure neodymium oxide, **171**, 3
- MCM-41  
cerium-modified, synthesis, characterization, and catalytic application, **171**, 371
- textural and structural properties and surface acidity, **175**, 159
- Mechanical alloying  
La(Ni,*M*)<sub>5</sub> (*M*=Mn,Al,Co) nanocrystal synthesis, **171**, 30
- Mechanosynthesis  
nanograin ferrites: control of grain size and morphologies, **170**, 30
- Mercury**  
Hg<sub>3</sub>E<sub>2</sub>[MX<sub>6</sub>] (*E*=S,Se; *M*=Zr,Hf; *X*=Cl,Br), expanded polycationic mercury–chalcogen networks in, **172**, 12
- [Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> (0.6≤*x*≤0.90; 0≤*y*≤2 *b*<sub>1</sub>/*b*<sub>2</sub>=1.63–1.79), structure, HREM studies, and transport properties, **170**, 374
- Hg<sub>2</sub>SeO<sub>3</sub>, crystal structure of  $\alpha$ -,  $\beta$ -and  $\gamma$ -modifications and thermal behavior of  $\alpha$ - and  $\beta$ -modifications, **172**, 35
- Mercury–chalcogen networks**  
expanded polycationic, in layered compounds Hg<sub>3</sub>E<sub>2</sub>[MX<sub>6</sub>] (*E*=S,Se; *M*=Zr,Hf; *X*=Cl,Br), **172**, 12
- Mesoporous powders**  
TiO<sub>2</sub>, structural and textural evolution, effect of fluoride doping, **174**, 372
- Metal chains**  
quasi-one-dimensional materials, **176**, 311
- Metal-insulator transition**  
GdBaCo<sub>2</sub>O<sub>5.5</sub>, **171**, 349  
(V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub>, crystal structure above and below, effects of doping and temperature, **174**, 431
- Metal–ligand bonding**  
in platinum dioxide and titanium dioxide, **175**, 353
- Metal oxides**  
symposium on, foreword to, **175**, 1
- Metals**  
electronic structure: potentials in DFT and importance of sum rules, **176**, 652
- Metal squarates**  
amine-templated, synthesis and characterization, **174**, 60
- Metamagnetism**  
full-potential density functional calculations, **176**, 338
- Methylammonium lead bromide**  
CH<sub>3</sub>ND<sub>3</sub>PbBr<sub>3</sub> perovskite, phase transitions, **176**, 97
- Micelle synthesis**  
MgAl<sub>2</sub>O<sub>4</sub> spinel nanoparticles, **175**, 59
- Microclusters**  
Li<sub>*n*</sub> (*n*=3,4), energy and structural changes at different temperatures, **176**, 203
- Microdiffraction**  
Bi<sub>3</sub>LaTi<sub>3</sub>O<sub>12</sub> ferroelectric Aurivillius phase: monoclinic distortion, **172**, 389
- Microstructure**  
PbTe formed by mechanically alloying, **173**, 189
- Sr<sub>4</sub>(Fe<sub>2-x</sub>Mn<sub>x</sub>)<sub>1+y</sub>(CO<sub>3</sub>)<sub>1-3y</sub>O<sub>6(1+y)</sub>, **170**, 424
- Microwave-based synthesis**  
ZrC–SiC composites, **173**, 196
- Microwave plasma growth**  
tetrapod ZnO nanostructures, **173**, 109
- Misfit oxides**  
[Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> (0.6≤*x*≤0.90; 0≤*y*≤2 *b*<sub>1</sub>/*b*<sub>2</sub>=1.63–1.79), structure, HREM studies, and transport properties, **170**, 374
- Mixed-spin system**  
Cu<sub>2</sub>Fe<sub>2</sub>Ge<sub>4</sub>O<sub>13</sub> with four tetrahedra oligomer, crystal structure, **176**, 175
- Molar conductivity**  
bis(pentamethylene)urea complexes with lanthanide nitrates, **171**, 242
- Molecular dynamics**  
kinetics of phase changes in clusters: structures, properties, and crystal nucleation of iron nanoparticle Fe<sub>331</sub>, **176**, 234
- structural disorder along lithium diffusion pathway in cubically stabilized lithium manganese spinel, **174**, 175
- Molecular field theory**  
magnetic properties of (Ho,Y)<sub>6</sub>Fe<sub>23</sub>H<sub>15</sub> *R*–*T* hydrides, **171**, 334
- Molecular motions**  
in solid ammonia trimethylalane, **176**, 120

- [Zn(NH<sub>3</sub>)<sub>4</sub>](BF<sub>4</sub>)<sub>2</sub>, neutron scattering, X-ray powder diffraction, and NMR studies, **174**, 357
- Molecular reactivity  
quantum chemistry, **176**, 575
- Molecular sieves  
mesoporous silica-zirconia, textural and structural properties and surface acidity, **175**, 159
- Molten hydroxide  
 $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$  crystallization from, **173**, 203
- Molten salts  
alkali metal nitrates, WC reaction in, synthesis of divalent metal tungstates by, **174**, 1
- Molybdenum  
(Ag<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub>)(Ag<sub>3</sub>MoO<sub>4</sub>)Cl, alignment of acentric MoO<sub>3</sub>F<sub>3</sub><sup>3-</sup> anions in, **175**, 27  
Ba(Ln<sup>III</sup>Mo<sub>1/3</sub>O<sub>3</sub>)<sub>3</sub> (Ln<sup>III</sup>=Dy,Gd,Sm) complex perovskites, synthesis and structural characterization, **175**, 299  
Bi<sub>14</sub>MoO<sub>24</sub>, structural chemistry: discrete MO<sub>4</sub> tetrahedra, **175**, 197  
(C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)<sub>2</sub>(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>, synthesis and crystal structure, **170**, 106  
(C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, synthesis and crystal structure, **170**, 106  
(1-x)·CuI-x·Ag<sub>2</sub>MoO<sub>4</sub> (0.15≤x≤0.6), silver ionic transport in, **170**, 142  
 $\delta^0$  transition metal oxides of perovskite family, electronic structure, **175**, 94  
K<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub>, oxygen/fluorine ordering, structured diffuse scattering, and local crystal chemistry, **170**, 211  
K<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(MoO<sub>4</sub>)O<sub>2</sub> and K<sub>8</sub>(UO<sub>2</sub>)<sub>8</sub>(MoO<sub>5</sub>)<sub>3</sub>O<sub>6</sub>, synthesis, crystal structure, and electrical characterization, **174**, 19  
K<sub>5</sub>Yb(MoO<sub>4</sub>)<sub>4</sub> polymorphs, structures, **176**, 76  
LiMoS<sub>2</sub> nanocrystalline materials, structure, synergetic theoretical and experimental determination, **175**, 380  
metallic, nanosized, thermo-synthesis from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135  
(Mo<sub>38</sub>)<sub>n</sub> polyoxometalate, nanoporous ultrathin multilayer films based on, preparation and characterization, **176**, 13  
MoB, nanosized, thermo-synthesis from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135  
Mo<sub>2</sub>C, nanosized, thermo-synthesis from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135  
Mo(VI) complex perovskites prepared by polymeric precursors method, structural analysis, **173**, 319  
R<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> (R=La,Nd,Sm) structure and polymorphs of R<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> (R=rare earth) family, **173**, 407  
M<sub>y</sub>Mo<sub>6</sub>Se<sub>8</sub> Chevrel phases, delocalization M=3d-elements (Ti,Fe, Co) in channels network of, **170**, 281  
Na<sub>3</sub>Fe<sub>2</sub>Mo<sub>5</sub>O<sub>16</sub> containing Mo<sub>3</sub>O<sub>13</sub> clusters, preparation, crystal structure, and magnetic studies, **176**, 192  
Na<sub>2</sub>[{Mn(phen)<sub>2</sub>(H<sub>2</sub>O)}{Mn(phen)<sub>2</sub>}<sub>3</sub>{MnMo<sub>12</sub>O<sub>24</sub>(HPO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>}]<sub>n</sub>·4H<sub>2</sub>O, hydrothermal synthesis and structure, **170**, 192  
Na<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub>, combined diffraction study and electrical study, **174**, 450  
Ni<sub>2-x</sub>M'<sub>x</sub>Mo<sub>3</sub>N (M'=Co,Pd; 0≤x≤1.5) with filled β-manganese structure, synthesis, **172**, 138  
[(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)<sub>2</sub>Ti<sub>2</sub>]<sub>n</sub><sup>n-</sup>, chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, synthesis and structure, **170**, 232  
Pb<sub>2</sub>Mo<sub>2</sub>O<sub>7</sub>(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, synthesis and tunnel structure, **172**, 412  
A<sub>2</sub>SeMoO<sub>6</sub> (A=Na<sup>+</sup>,K<sup>+</sup>,Rb<sup>+</sup>), syntheses, structures, and characterization, **174**, 441  
SrFe<sub>2/3</sub>Mo<sub>1/3</sub>O<sub>3</sub> tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252  
Tl<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub> elpasolite-related oxyfluoride, synthesis, electron diffraction, XRD, and DSC study, **174**, 44  
(V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub>, crystal structure above and below metal/insulator transition, effects of doping and temperature, **174**, 431
- MOSFET transistors  
rare earth oxide thin films as gate oxides in, **171**, 170
- Mössbauer spectroscopy  
charge ordering and phase separation in Nd<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> and Nd<sub>0.5</sub>Sr<sub>0.5</sub>MnO<sub>3</sub>, **174**, 74  
crystal structure correlation with electric field gradients in fluorite- and pyrochlore-type compounds in Gd<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, **176**, 105
- Eu<sub>5</sub>Ga<sub>9</sub>, **176**, 567
- LnFe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub> (Ln=Y,La-Nd,Sm-Ho), **172**, 438  
nanograin ferrites: grain size and morphologies, **170**, 30  
oxygen interaction with solid β-Fe<sup>II</sup>-phthalocyanine, **170**, 118  
SrFe<sub>2/3</sub>B''<sub>1/3</sub>O<sub>3</sub> (B''=Mo,W,Te,U) tetragonal double perovskites, **175**, 252  
SrFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>O with chain-like structure, **170**, 411  
SrSnO<sub>3</sub>-SrFeO<sub>3</sub> solid solutions: phase transitions, **174**, 392  
YBa<sub>2</sub>Fe<sub>3</sub>O<sub>8</sub> with Co<sup>3+</sup> substitution, **172**, 73
- Multifunctional materials  
computational design, **176**, 615
- N
- Nanocomposites  
CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>, for advanced automotive de-pollution catalysts, **171**, 19  
K<sub>12</sub>[EuP<sub>5</sub>W<sub>30</sub>O<sub>110</sub>]/polyvinylpyrrolidone films, photochromism, **172**, 458  
SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub>, fluorite-like phase in SrO-Bi<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>-Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, **173**, 209  
sugar-anionic clay composites with pentoses intercalated in layered double hydroxide, **174**, 342
- Nanocrystals  
beltlike, CdS, solvothermal synthesis, **172**, 480  
CdSe  
photoexcited crystals in thin film form, photoelectrical properties and relaxation dynamics, **174**, 276  
semiconducting quantum dots, chemical deposition in thin film form and optical and electrical properties, **172**, 381  
CeO<sub>2</sub>-YO<sub>1.5</sub> solid solution, fractal behavior, **176**, 57  
Gd<sub>2-x</sub>Y<sub>x</sub>O<sub>3</sub>:Eu, structure transitions and enhanced photoluminescence, **171**, 304  
La<sub>1-x</sub>Mn<sub>1-y</sub>O<sub>3</sub> powders, magnetic properties related to structure and complete composition analysis, **173**, 216  
LaNi<sub>5</sub>-type electrode materials for Ni-MH<sub>x</sub> batteries, **171**, 30  
LiMoS<sub>2</sub>, structure, synergetic theoretical and experimental determination, **175**, 380  
metal sulfide, synthesis via simple polyol route, **173**, 232  
MoB and Mo<sub>2</sub>C, nanosized, thermo-synthesis from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135  
rare-earth-doped mesoporous TiO<sub>2</sub> thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, **172**, 81  
YBO<sub>3</sub>:Eu<sup>3+</sup>, hexagonal crystals with improved luminescent properties, hydrothermal homogeneous urea precipitation, **175**, 245  
zeolite, synthesis by simulation of natural formation conditions, **173**, 27
- Nanoparticles  
CdS and CdSe, ultrasound-assisted synthesis, **172**, 102  
Fe<sub>331</sub>, structures, properties, and crystal nucleation, **176**, 234  
Gd<sub>2</sub>O<sub>3</sub>:Eu<sup>3+</sup> phosphors, synthesis by sol-lyophilization technique, **173**, 335  
MgAl<sub>2</sub>O<sub>4</sub> spinels, normal micelle synthesis and characterization, **175**, 59  
MgO, synthesis from diethanolamine-stabilized magnesium methoxide, **175**, 278  
nanograin ferrites, grain size and morphologies, control by adaptation of mechanosynthesis and soft chemistry, **170**, 30

- rutile  $\text{SnO}_2$ , thermal stability and structural deformation, **174**, 241
- $\text{V}_2\text{O}_3$  nanopowder with spherical particles, preparation and characterization, **170**, 221
- $\text{ZrO}_2$ -containing materials, preparation, crystal structure, and electrorheological performance, **176**, 273
- $\text{ZrO}_2$ -doped anatase formed by hydrolysis under hydrothermal conditions, photoactivity and phase stability, **170**, 39
- Nanophosphors  
 $\text{CaTiO}_3$ ,  $\text{Pr}^{3+}$ -doped, synthesis from polymer precursor and red luminescence, **174**, 69  
 $\text{Er}^{3+}:\text{Y}_2\text{O}_3$ , luminescence dynamics, confinement effect of electron–phonon interaction on, **171**, 123  
 $\text{Eu}^{3+}:\text{Y}_2\text{O}_3$ , prepared by gas-phase condensation, structure, particle size, and annealing, **171**, 12
- Nanopowders  
 $\text{La}_{1-x}\text{Mn}_{1-y}\text{O}_3$  crystals, magnetic properties related to structure and complete composition analysis, **173**, 216  
 $\text{Y}_2\text{O}_3$ , size and morphology control via sol–gel route, **171**, 152
- Nanorods  
 $\text{CdS}$  nanorod-based materials of different shapes, surfactant–ligand co-assisted solvothermal synthesis, **175**, 322
- $\text{NiS}$  and  $\text{Ni}_9\text{S}_8$ , phase-controlled synthesis and characterization, **173**, 227
- Nanostructure  
 $\text{Sr}_4(\text{Fe}_{2-x}\text{Mn}_x)_{1+y}(\text{CO}_3)_{1-3y}\text{O}_{6(1+y)}$ , **170**, 424  
tetrapod,  $\text{ZnO}$ , microwave plasma growth and high-spatial-resolution cathodoluminescent spectrum, **173**, 109
- Nanostructured materials  
for advanced automotive de-pollution catalysts, **171**, 19
- Naphthyloxides  
sulfur-bridged, ligands for lanthanide chemistry and catalysis, **171**, 90
- Neodymium  
 $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , specific heat and neutron diffraction study, **174**, 159  
 $\text{BaO-Nd}_2\text{O}_3-\text{CuO}_x$ , subsolidus equilibria under carbonate-free conditions at  $p\text{O}_2 = 100$  Pa and  $p\text{O}_2 = 21$  kPa, **173**, 476  
 $\text{CsNdNb}_2\text{O}_7$  layered perovskites, structural distortions, **173**, 309  
in geothermal waters from Oregon, Nevada, and California, **171**, 246  
 $\text{KNd}_2\text{CuS}_4$ , synthesis, structure, physical properties, and electronic structure, **176**, 5  
 $\text{KNd}_3\text{Te}_8$ , electronic band structure and physical properties, **176**, 594  
 $\text{La/Ce/Nd}$  mixture, photoxidative extraction of Ce from, **171**, 101  
 $\text{La}_{1-x}\text{Nd}_x\text{NiO}_{3-\delta}$  ( $0 \leq x \leq 0.5$ ) ceramic system, synthesis and characterization, **171**, 195  
 $\text{NaNdO}_2$ , magnetic properties, **176**, 266  
 $\text{Nd}^{3+}$   
complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38  
doped in  $\text{LaCl}_3$  single crystals, electron–phonon coupling strength, **173**, 59  
doped mesoporous  $\text{TiO}_2$  thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, **172**, 81  
 $\text{Nd(III)}$ , complexation with glutathione in aqueous and aquated organic solvents in presence and absence of Zn(II), **171**, 175  
 $\text{NdAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, **170**, 48  
 $\text{NdBaCo}_2\text{O}_{5+\delta}$ , structural and magnetic chemistry, **170**, 339  
 $\text{Nd}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ , insulating magnetism, microscopic analysis, **171**, 329  
 $\text{Nd-Ca-Cu-O}$  systems, subsolidus phase relations and crystal structures, **173**, 164  
 $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ , charge ordering and phase separation in,  $^{57}\text{Fe}$  Mössbauer study, **174**, 74  
 $(\text{Nd,Ce})_{2+x}\text{CaCu}_2\text{O}_{6+y}$ , high-pressure synthesis, crystal structure, and magnetic properties, **170**, 24  
 $\text{NdCrO}_4$ , structural and magnetic characterization, **171**, 161  
 $\text{NdFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438  
 $\text{NdMg}$ , orbital degrees of freedom and ordering phenomena in, **171**, 69  
 $\text{Nd}_2\text{Mo}_4\text{O}_{15}$ , structure, **173**, 407  
 $\text{Nd}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-x)}\text{Co}_x\text{O}_3$  perovskites, insulator–metal transition, **170**, 368  
 $\text{Nd}_3\text{Ni}_7\text{As}_5$ , crystal structure and physical properties, **172**, 265  
 $\text{Nd}(\text{NO}_3)_3$ , complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242  
 $\text{Nd}_2\text{O}_3$ , highly pure, trace amounts of rare earth elements in, determination by sector field ICP-SFMS and HPLC, **171**, 3  
 $\text{Nd}_3\text{ReO}_7$ , ordered defect fluorite structure and magnetism, **171**, 317  
 $\text{Nd}_5\text{Sb}_{12}$ , crystal structure, **173**, 259  
 $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ , charge ordering and phase separation in,  $^{57}\text{Fe}$  Mössbauer study, **174**, 74  
 $\text{ANdTe}_4$  ( $A = \text{K}, \text{Rb}, \text{Cs}$ ), electronic band structure and physical properties, **176**, 594  
 $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4:\text{Eu-Nd}$  pigments, optical study, **171**, 273  
Nephelauxetic effect  
 $4f^n-15d$  centroid shift in lanthanides and relation to anion polarizability, covalency, and cation electronegativity, **171**, 133
- Neutron diffraction, *see also* Powder neutron diffraction  
 $\text{BaNd}_2\text{CoS}_5$  and  $\text{BaNd}_2\text{ZnS}_5$ , **174**, 159  
 $\text{La}_2\text{LiRuO}_6$ , **175**, 20  
 $\text{Na}_3\text{MoO}_3\text{F}_3$ , **174**, 450
- Neutron scattering  
extended magnetic solids with localized spins, **176**, 417  
 $[\text{Zn}(\text{NH}_3)_4](\text{BF}_4)_2$ : phase transitions, structural changes, and molecular motions, **174**, 357
- Nickel  
amine-templated metal squarates, synthesis and characterization, **174**, 60  
 $\text{CaNiN}$ , quasi-one-dimensional materials, **176**, 311  
 $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$   
crystallographic, electronic, and magnetic studies, **174**, 471  
polar intermetallic with heavy fermion behavior, theoretical studies, **176**, 538
- Cerium nickel aluminides, polar intermetallics with heavy fermion behavior, theoretical studies, **176**, 538
- $[\text{Cu}_{10}^{\text{I}}\text{H}_2\text{I}_{16}]^{4-}$  with  $[\text{Ni}^{\text{II}}(\text{phen})_3]^{2+}$  as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- $\text{La}_4\text{BaCu}_{5-x}\text{Ni}_x\text{O}_{13+\delta}$ , synthesis and characterization, **170**, 1
- $\text{La}_{1-x}\text{Ce}_x\text{Y}_2\text{Ni}_9$  ( $x_{\text{Ce}} = 0, 0.5, 1$ ), crystallographic and hydriding properties, **173**, 236
- $\text{La}_{1-x}\text{Nd}_x\text{NiO}_{3-\delta}$  ( $0 \leq x \leq 0.5$ ) ceramic system, synthesis and characterization, **171**, 195
- $\text{LaNi}_5$ -type nanocrystalline electrode materials for  $\text{Ni-MH}_x$  batteries, **171**, 30
- $\text{LaNi}_{5-x}\text{Pt}_x\text{-H}_2$  system, structural and hydrogen absorption properties, **173**, 379
- $\text{La}_5\text{Re}_3\text{NiO}_{16}$  pillared perovskites, synthesis, structure, and magnetic properties, **170**, 165
- $\text{Li}_2\text{NiTiO}_4$ , cation-disordered rocksalt oxide and ordered phase, synthesis and characterization, **172**, 171
- $(\text{NH}_4)_2(\text{NH}_3)[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , crystal structure, re-interpretation in terms of  $(\text{NH}_4)_{2-2z}[\text{Ni}(\text{NH}_3)_2]_z[\text{Ni}(\text{NH}_3)_2\text{Cl}_4]$ , **176**, 198
- $R_3\text{Ni}_7\text{As}_5$  ( $R = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}$ ), crystal structure and physical properties, **172**, 265
- $\text{Ni}-\text{Cu}$  particles, synthesis and characterization, **172**, 111
- $[\text{Ni}(\text{dien})_2]\text{Sb}_4\text{S}_7 \cdot \text{H}_2\text{O}$  layered and  $[\text{Ni}(\text{dien})_2]_3\text{Sb}_{12}\text{S}_{21} \cdot \text{H}_2\text{O}$  3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264

- Ni- $MH_x$  batteries, LaNi<sub>5</sub>-type nanocrystalline electrode materials for, **171**, 30
- Ni<sub>x</sub>Mn<sub>1-y-x</sub>Fe<sub>2+y</sub>O<sub>4</sub> ferrites, cation distribution in, thermodynamic determination, **176**, 279
- Ni<sub>2-x</sub>M'<sub>x</sub>Mo<sub>3</sub>N ( $M' = \text{Co,Pd}$ ;  $0 \leq x \leq 1.5$ ) with filled  $\beta$ -manganese structure, synthesis, **172**, 138
- Ni(II)[N(CN)<sub>2</sub>]<sub>2</sub>, exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- NiO/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub> catalysts, surface interactions, effect of TiO<sub>2</sub>, **170**, 48
- [{(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)Ti<sub>2</sub>}<sub>n</sub>]<sup>5n-</sup>, chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, synthesis and structure, **170**, 232
- [Ni(phen)<sub>3</sub>] $\cdot$ C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub> $\cdot$ 11H<sub>2</sub>O, structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- NiS nanorods, phase-controlled synthesis and characterization, **173**, 227
- Ni<sub>7±x</sub>S<sub>6</sub> metastable phase, synthesis and powder X-ray diffraction and TEM studies, **170**, 351
- Ni<sub>9</sub>S<sub>8</sub> nanorods, phase-controlled synthesis and characterization, **173**, 227
- Ni<sub>6±x</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phase, synthesis and powder X-ray diffraction and TEM studies, **170**, 351
- NiWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- poly[diqua-( $\mu_2$ -squarato-*O,O'*)-( $\mu_2$ -4,4'-bipyridine-*N,N'*)Ni(II)] hydrate coordination polymer, synthesis, crystal structure, and dehydration, **175**, 328
- rectangular grid coordination polymers based on prismatic [Ni(II)<sub>8</sub>(isophthalate)<sub>8</sub>(4,4'-bipy)<sub>8</sub>] building blocks, hydrothermal syntheses and crystal structures, **170**, 130
- Niobium
- Ba<sub>6</sub>Nb<sub>2</sub>Na<sub>2</sub>X<sub>2</sub>O<sub>17</sub> ( $X = \text{V,Cr,Mn,P,As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137
  - Ba<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>-BaTiO<sub>3</sub> system
    - cation-deficient perovskite-related  $A_nB_{n-\delta}O_{3n}$  ( $n \geq 4\delta$ ) micro-phases in, HRTEM study, **173**, 91
    - hexagonal perovskites in, superspace description as modulated layered structures, **174**, 209  - BiTa<sub>1-x</sub>Nb<sub>x</sub>O<sub>4</sub>, structural and spectroscopic studies, **174**, 310
  - Ca<sub>3</sub>Nb<sub>2</sub>O<sub>8</sub> perovskite phase, octahedral tilt system in, **172**, 178
  - (Ce<sub>x</sub>Zr<sub>1-x</sub>)<sub>4/4-x</sub>Nb(PO<sub>4</sub>)<sub>3</sub> solid electrolyte conducting cerium ion, **171**, 387
  - Cs<sub>A</sub>Nb<sub>2</sub>O<sub>7</sub> ( $A = \text{Nd,Bi}$ ) layered perovskites, structural distortions, **173**, 309
  - $d^0$  transition metal oxides of perovskite family, electronic structure, **175**, 94
  - LaTeNbO<sub>6</sub> and La<sub>4</sub>TeNb<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, synthesis, characterization, and dielectric properties, **175**, 264
  - (MnCl)LaNb<sub>2</sub>O<sub>7</sub> layered perovskite, structural, thermal, and magnetic characterization, **175**, 88
  - Na<sub>1.5</sub>Nb<sub>0.5</sub>Ti<sub>1.5</sub>O<sub>3</sub>SiO<sub>4</sub> $\cdot$ 2H<sub>2</sub>O with sitinakite topology, selectivity for Cs and Sr, **175**, 72
  - Nb<sub>5</sub>Pd<sub>4</sub>As<sub>4</sub>, structure determination from  $5 \times 5 \times 5 \mu\text{m}^3$  crystal with synchrotron radiation, **172**, 232
  - RbTi<sub>0.927</sub>Nb<sub>0.056</sub>Er<sub>0.017</sub>OPO<sub>4</sub>, dopant distribution among MO<sub>6</sub> octahedra, neutron diffraction study, **171**, 257
  - SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> fluorite-like nanophasse in SrO-Bi<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>-Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, **173**, 209
  - SrO-Bi<sub>2</sub>O<sub>3</sub>-Nb<sub>2</sub>O<sub>5</sub>-Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, fluorite-like nano-SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> phase in, **173**, 209
  - A<sub>5</sub>Ti<sub>8</sub>Nb<sub>18</sub>Cl<sub>53</sub>O<sub>12</sub> ( $A = \text{K,In}$ ) layered cluster compounds with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, **175**, 46
  - titanoniobate isopolyanion, synthesis, structure, and molecular modeling, **176**, 111
  - A<sub>2</sub>VNb<sub>6</sub>Cl<sub>18</sub> ( $A = \text{Rb,In,Tl}$ ) cluster compounds, synthesis, crystal structure, and magnetic properties, **170**, 227
- Zr(Nb,Ti)(R)O<sub>2-δ</sub> ( $R = \text{Yb,Ca}$ ), ionic conductivity, comparison with systems with  $R = \text{Y}$  and Gd, **172**, 277
- Nitrides
- metastable structures, pathways to, **176**, 530
- Nitrogen
- alkali metal nitrates, WC reaction in, synthesis of divalent metal tungstates by, **174**, 1
  - amine-templated metal squarates, synthesis and characterization, **174**, 60
  - ammonia trimethylalane, molecular motion in, **176**, 120
- Ba<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN, high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- [Bi<sub>6</sub>O<sub>4.5</sub>(OH)<sub>3.5</sub>]<sub>2</sub>(NO<sub>3</sub>)<sub>11</sub>, synthesis and structure determination from twinned crystals, **176**, 127
- Ca<sub>2</sub>AuN, correlation of crystal and electronic structures, **176**, 375
- cadmium (II) amino-diphosphonates, hydrothermal syntheses, characterizations, and crystal structures, **176**, 62
- CaNiN, quasi-one-dimensional materials, **176**, 311
- [CH<sub>3</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>NH<sub>3</sub>] $\cdot$ [Zn<sub>2</sub>(HPO<sub>4</sub>)<sub>3</sub>] $\cdot$ H<sub>2</sub>O organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- CH<sub>3</sub>N<sub>3</sub>PbBr<sub>3</sub> perovskite, phase transitions, **176**, 97
- (C<sub>6</sub>H<sub>11</sub>N<sub>2</sub>)Ge<sub>2</sub>V<sub>4</sub>O<sub>12</sub>(OH)<sub>2</sub> $\cdot$ 2H<sub>2</sub>O, hydrothermal synthesis, **175**, 13
- [(CH<sub>3</sub>)<sub>2</sub>NH<sub>2</sub>]<sub>3</sub>[Bi<sub>2</sub>Cl<sub>9</sub>], crystal structure, phase transitions, and ferroelastic properties, **173**, 425
- [C<sub>4</sub>H<sub>8</sub>(NH<sub>2</sub>)<sub>2</sub>][Mn<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>3</sub>], synthesis and structure, **172**, 212
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)<sub>2</sub>[(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>], synthesis and crystal structure, **170**, 106
- (C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, synthesis and crystal structure, **170**, 106
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>4</sub>O<sub>6</sub>H(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>]<sub>2</sub> layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated *trans*-1,4-diaminocyclohexane, hydrothermal synthesis and structure, **170**, 303
- [C<sub>4</sub>N<sub>3</sub>H<sub>16</sub>]<sub>2</sub>[La(SO<sub>4</sub>)<sub>3</sub>] $\cdot$ H<sub>2</sub>O, synthesis and structure, **174**, 381
- [Co(imidazole)<sub>2</sub>( $\mu_4$ -benzene-1,2,4,5-tetracarboxylate)<sub>1/2</sub>]<sub>n</sub>, hydrothermal synthesis, structures, and properties, **173**, 32
- [Co<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>3</sub>][Ge<sub>9</sub>O<sub>18</sub>(OH)<sub>4</sub>], organically templated open-framework germanate, synthesis and structure, **170**, 124
- CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- [Cu<sub>10</sub>H<sub>2</sub>I<sub>16</sub>]<sup>4+</sup> with [Ni<sup>II</sup>(phen)<sub>3</sub>]<sup>2+</sup> as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- {[Cu(1,10-phenanthroline)( $\mu_4$ -benzene-1,2,4,5-tetracarboxylate)<sub>1/2</sub>] $\cdot$ H<sub>2</sub>O}<sub>n</sub>, hydrothermal synthesis, structures, and properties, **173**, 32
- CuVO<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>) ( $X = \text{P,As}$ ) mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194
- [Dy<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>[Fe(CN)<sub>5</sub>(NO)]<sub>2</sub>] $\cdot$ 8H<sub>2</sub>O, synthesis and structural and magnetic characterization, **171**, 201
- Ge<sub>3</sub>N<sub>14</sub> spinel, conversion to willemite-II phase, **176**, 530
- (H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>2</sub>[VO(SeO<sub>3</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **172**, 205
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>6</sub>NH<sub>3</sub>] $\cdot$ [Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>] organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- [HN(C<sub>2</sub>H<sub>4</sub>)<sub>3</sub>N][VO<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)] $\cdot$ H<sub>2</sub>O, hydrothermal synthesis and characterization, **172**, 464
- In(C<sub>2</sub>O<sub>4</sub>)<sub>2.5</sub>(C<sub>3</sub>N<sub>2</sub>H<sub>12</sub>)(H<sub>2</sub>O)<sub>3</sub> layered oxalate with 12-membered apertures, hydrothermal synthesis, **173**, 435
- La<sub>3</sub>(B<sub>2</sub>N<sub>4</sub>), electronic structure, relevance of [B<sub>2</sub>N<sub>4</sub>] substructure, **176**, 306
- Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>6</sub>10-, synthesis and structure, **172**, 166

- metastable nitride structures, pathways to, **176**, 530
- $M[N(CN)_2]_2$  ( $M = Cr(II), Mn(II), Fe(II), Co(II), Ni(II), Cu(II)$ ), exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- $[NH_3CH_2CH_2CH(NH_3)CH_2CH_3]^{2+\frac{1}{2}}[FeF(HPO_4)_2]^{2-}$  one-dimensional iron phosphate, synthesis, structure, and magnetic characterization, **173**, 367
- $(NH_3CH_2CH_2NH_3)_{1.5}[(VO)_2(HPO_4)_2(PO_4)]$  layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- $NH_4[N(CN)_2]$ , structural and dynamic properties, X-ray and neutron powder diffraction and vibrational and solid-state NMR spectroscopy, **176**, 180
- $(NH_4)_2(NH_3)[Ni(NH_3)_2Cl_4]$ , crystal structure, re-interpretation in terms of  $(NH_4)_{2-2z}[Ni(NH_3)_2]_z[Ni(NH_3)_2Cl_4]$ , **176**, 198
- $Ni_{2-x}M'_xMo_3N$  ( $M' = Co, Pd$ ;  $0 \leq x \leq 1.5$ ) with filled  $\beta$ -manganese structure, synthesis, **172**, 138
- $Ln(NO_3)_3$  ( $Ln = La, Nd, Sm, Eu, Ho, Er$ ), complexes with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, comparison, **175**, 63
- poly[diaqua-( $\mu_2$ -squarato- $O, O'$ )-( $\mu_2$ -4,4'-bipyridine- $N, N'$ ) $Me(II)$ ] hydrate ( $Me = Co, Ni, Fe$ ), synthesis, crystal structures, and dehydration, **175**, 328
- rare earth nitrides, ternary and higher order, synthesis and ionic-covalent oxynitride powder characterization, **171**, 143
- $Si_{6-z}Al_zO_zN_{8-z}$  spinels, cohesive properties, electronic structure calculation of, **176**, 549
- silver(I)-hexamethylenetetramine coordination polymers, crystal structures, effect of synthetic conditions, **172**, 45
- $Si_3N_4$  spinel, conversion to willemite-II phase, **176**, 530
- $[Sm_2(Ac)_2(phen)_4(H_2O)_2\{Fe(CN)_5(NO)\}_2]$ , synthesis and structural and magnetic characterization, **171**, 201
- $Sr_{0.53}Ba_{0.47}CuN$ , synthesis and crystal structure, **170**, 265
- $Sr_8Cu_3In_4N_5$ , synthesis and crystal structure, **170**, 265
- $Sr_7[SiO_4][BO_3]_3CN$ , high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- uranyl nitrate complex of *cis*-1,3-dithiane-1,3-dioxide, preparation, oxidation of *cis*-DTSO<sub>2</sub> during, **171**, 221
- $[V_4O_7(HAsO_4)_2(o\text{-phen})_2]$  layered network decorated with directly coordinated organonitrogen ligands, **175**, 146
- $[Zn(NH_3)_4](BF_4)_2$ , phase transitions, structural changes, and molecular motions, **174**, 357
- Non-linear optics
- $RbTi_{0.927}Nb_{0.056}Er_{0.017}OPO_4$ , **171**, 257
  - $A_2TeW_3O_{12}$  ( $A = K, Rb, Cs$ ), **175**, 3
  - sec*-Nonylphenoxy acetic acid extraction of ytterbium, mass-transfer kinetics, **171**, 362
- Nuclear magnetic resonance
- $Ba_7[SiO_4][BO_3]_3CN$  and, **174**, 221
  - Ca-deficient apatite with incorporated formate, **174**, 132
  - cadmium–zirconium–sodium oxalate with open framework, <sup>1</sup>H and <sup>23</sup>Na study, **170**, 330
  - hydrogen isotope diffusion and mutual perturbation in  $Ti_{0.33}V_{0.67}H_xD_y$  ( $x + y \approx 0.9$ ), <sup>1</sup>H and <sup>2</sup>H study, **170**, 82
  - $La_2LiRuO_6$ , **175**, 20
  - LiSi prepared by high-pressure synthesis, <sup>7</sup>Li and <sup>29</sup>Si study, **173**, 251
  - $NaPdPS_4$  systems with infinite straight  $\frac{1}{\infty}[PdPS_4]^-$  chains soluble in polar solvents, <sup>31</sup>P study, **175**, 133
  - $NH_4[N(CN)_2]$ , <sup>13</sup>C and <sup>15</sup>N study, **176**, 180
  - oxygen local environments in anionic conductors  $Y_2B_{2-x}B'_xO_7$  ( $B, B' = Sn, Ti, Zr$ ), <sup>17</sup>O study, **175**, 110
  - $RbPdPS_4$  systems with infinite straight  $\frac{1}{\infty}[PdPS_4]^-$  chains soluble in polar solvents and cubic  $RbPdPS_4\{Rb_{0.33}P_{0.4}S_{2.23}O_x\}$ , <sup>31</sup>P study, **175**, 133
- $Sr_7[SiO_4][BO_3]_3CN$ , **174**, 221
- $N,N,N',N'$ -tetramethylmalonamide chelating resin, <sup>13</sup>C study, **171**, 353
- tin sulfides obtained by chemical vapor transport methods, <sup>119</sup>Sn study, **175**, 359
- $[Zn(NH_3)_4](BF_4)_2$ , phase transitions, structural changes, and molecular motions, **174**, 357
- Nuclear structure
- oxidized and reduced  $YBa_2Fe_3O_{8+w}$ , neutron powder diffraction study, **174**, 87
- Nuclear waste disposal
- materials for, studies using EPR analysis of Jahn–Teller effect, **171**, 445
- O
- Octahedral tilt system
- in perovskite phase  $Ca_3Nb_2O_8$ , **172**, 178
- Octyl(phenyl)-*N,N*-diisobutylcarbamoylmethyl phosphine oxide solvent for *f*-element separations and associated solution chemistry, **171**, 109
- S-Octyl phenoxy acetic acid
- high-performance centrifugal partition chromatography with, for separation of scandium, yttrium, and lanthanum, **171**, 358
- Optical properties
- $BaMgAl_{10}O_{17}:Eu^{2+}-Ba_{0.75}Al_1O_{17.25}:Eu^{2+}$  solid solution, vacuum UV spectroscopic study, **173**, 359
  - $CdSe$  semiconducting quantum dots chemically deposited in thin film form, **172**, 381
  - $CeMn_{0.5}OSe$ , **176**, 170
  - cordierite doped with  $Eu^{3+}$ , **171**, 375
  - $Cs_2Bi_2CdS_5$ ,  $Cs_2Bi_2MnS_5$ ,  $Cs_2Bi_2ZnS_5$ , **174**, 334
  - $EuCu_2MS_4$  ( $M = Ge, Sn$ ), **173**, 78
  - $Eu^{3+}-\beta$ -diketonate complex doped into epoxy resin, **171**, 412
  - $KLn_2Cu_4S_4$  ( $Ln = Y, Nd, Sm, Tb, Ho$ ) and  $K_2Ln_4Cu_4S_9$  ( $Ln = Dy, Ho$ ), **176**, 5
  - $K_3RESi_2O_7$  ( $RE = Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu$ ), **170**, 203
  - $La_3Cu_2O_3S_3$ , **172**, 257
  - $LiBaF_3:M$  ( $M = Eu, Ce$ ), **175**, 284
  - linear, full-potential density functional calculations, **176**, 338
  - non-linear
  - $RbTi_{0.927}Nb_{0.056}Er_{0.017}OPO_4$ , **171**, 257
  - symmetrically substituted stilbenes, **172**, 364
  - third-order,  $[Cu_{10}H_2I_{16}]^{4-}$  with  $[Ni^{11}(phen)_3]^{2+}$  as template, **175**, 152
- poly[diaqua-( $\mu_2$ -squarato- $O, O'$ )-( $\mu_2$ -4,4'-bipyridine- $N, N'$ ) $Me(II)$ ] hydrate coordination polymers ( $Me = Co, Ni, Fe$ ), **175**, 328
- $SrAl_{1.7}B_{0.3}O_4:Eu-R$  ( $R = Nd, Dy$ ) pigments, **171**, 273
- $SrCu_2MS_4$  ( $M = Ge, Sn$ ), **173**, 78
- transparent oxides and sulfide fluorides, **175**, 34
- Orbital ordering
- perovskite-like oxides, full-potential density functional calculations, **176**, 338
- Orbitals
- degrees of freedom and ordering phenomena in a *4f* system, **171**, 69
  - order in rare-earth and Bi manganites, comparison, **171**, 84
- Order-disorder phenomena
- $CH_3ND_3PbBr_3$  perovskite, **176**, 97
  - in  $Eu_2IrH_5$ , and mixed crystal compounds  $Eu_{2-x}A_xIrH_5$  ( $A = Ca, Sr$ ;  $x = 1.0, 1.5$ ), X-ray and neutron powder diffraction study, **174**, 35
  - at Fe sites in  $SrFe_{2/3}B''_{1/3}O_3$  ( $B'' = Mo, W, Te, U$ ) tetragonal double perovskites, **175**, 252
  - $Rb_xWO_3$ , **172**, 148
- Ordering
- in 2D  $Pr_{1-x}Ca_{1+x}MnO_4$  above room temperature, **170**, 361
  - in *4f* system, orbital degrees of freedom and, **171**, 69

- atomic, in  $Ln_{0.33}Sr_{0.67}CoO_{3-\delta}$  ( $Ln=Y^{3+}, Ho^{3+}, Dy^{3+}$ ), **174**, 198
- cation  $L^I_{0.5}Bi_{1.5}O_2X$  and  $L^{II}BiO_2X$  ( $L^I=Li, Na; L^{II}=Ca, Sr, Ba; X=Cl, Br, I$ ) quaternary layered compounds of Sillén X1 type, **175**, 316
- in  $Pb_{0.6}Bi_{1.4}Rb_{0.6}O_2Z_2$  ( $Z=Cl, Br, I$ ), **173**, 83
- cation and anion, in  $Sr_{3-x}A_xAlO_4F$  ( $A=Ba, Ca$ ) layered oxyfluorides, **172**, 89
- charge, *see* Charge ordering
- $La_{1-x}Ce_xY_2Ni_9$  ( $x_{Ce}=0, 0.5, 1$ ), **173**, 236
- $La(Li_{1/3}Ti_{2/3})O_3$  perovskite with 1:2 ordering, **170**, 198
- oxygen/fluorine, in  $K_3MoO_3F_3$ , **170**, 211
- oxygen in  $La_{1-x}Sr_xFeO_{3-\delta}$ , **172**, 219
- oxygen/vacancy, in  $(Ba_{1-x}La_x)_2In_2O_{5+x}$  ( $0 \leq x \leq 0.6$ ), TEM, XRD, and crystal chemical studies, **170**, 247
- perovskite-like oxides, full-potential density functional calculations, **176**, 338
- pyrochlore-related, in  $Y_2B_{2-x}B'_xO_7$  ( $B, B'=Sn, Ti, Zr$ ) anionic conductors,  $^{17}O$  MAS NMR study, **175**, 110
- $Sn/Sb$  atom ordering in  $TiSnSb$ , **176**, 329
- tetrahedral chains in  $Sr_2MnGaO_5$  brownmillerite, **174**, 319
- Organically templated materials
- [ $C_4N_3H_{16}] [La(SO_4)_3] \cdot H_2O$ , synthesis and structure, **174**, 381
  - [ $enH_2][Cd(H_2O)_2(SeO_4)_2$ ], synthesis and structure, **174**, 386
- Organic-inorganic hybrids
- [ $\{Cu(phen)\}_2(V^V O_2)_2V^{IV}O_2(H_2O)(PO_4)_2$ ], hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
  - $Ga_2(4,4'-bipy)(AsO_4)_2$ , with pillared layer structure, synthesis and characterization, **172**, 252
  - molecular hexagonal perovskite conductor, synthesis, structure, and properties, **176**, 243
  - sugar-anionic clay composites: intercalation of pentoses in layered double hydroxide, **174**, 342
  - [ $V_4O_7(2,2'-bipy)_2(HPO_4)_2$ ], hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
  - $Zn_3(bbdc)_3(4,4'-bipy) \cdot 2(DMF) \cdot 4(H_2O)$  3-D framework porous material, synthesis and characterization, **176**, 1
- Orthoenstatite
- $MgSiO_3$ , pressure-induced phase transition at room temperature, Raman spectroscopic study, **174**, 403
- Oxidation
- cis*-1,3-dithiane-1,3-dioxide during preparation of uranyl nitrate complex, **171**, 221
  - n*-heptane, catalysis by cerium-modified MCM-41, **171**, 371
  - organic materials by  $CeO_2$ , reduction by doping with  $Ca^{2+}$  or  $Zn^{2+}$ , **171**, 7
- Oxygen
- atomic and molecular, states on transition metal oxide surfaces, **176**, 633
  - content in  $LaMn_{0.9}Cr_{0.1}O_{3+\delta}$  ( $3.00 \leq 3+\delta \leq 3.12$ ), correlation with crystal structure, **170**, 404
  - interaction with solid  $\beta$ -Fe<sup>II</sup>-phthalocyanine, Mössbauer studies, **170**, 118
  - ionic conductivity in zircon-type  $Ce_{1-x}A_xVO_{4+\delta}$  ( $A=Ca, Sr$ ), **176**, 47
  - local environments in anionic conductors  $Y_2B_{2-x}B'_xO_7$  ( $B, B'=Sn, Ti, Zr$ ),  $^{17}O$  MAS NMR study, **175**, 110
  - nonstoichiometry and distribution, effects on Verwey-type transitions and structure of  $GdBaFe_2O_{5+\bar{w}}$ , **170**, 9
  - oxygen/fluorine ordering in  $K_3MoO_3F_3$ , **170**, 211
  - oxygen/vacancy ordering in  $(Ba_{1-x}La_x)_2In_2O_{5+x}$  ( $0 \leq x \leq 0.6$ ), TEM, XRD, and crystal chemical studies, **170**, 247
  - Oxygen chemical potential
    - $Ln$ -Fe-O ( $Ln=Eu, Gd$ ) systems, analysis with solid-state electrochemical cells, **172**, 370  - Oxygen storage capacity
    - ceria–lanthana solid solutions, EXAFS study, **175**, 289

nanostructured materials for advanced automotive de-pollution catalysts, **171**, 19

Oxynitride powders

    - ionic-covalent, synthesis and characterization, **171**, 143

P

Paligorskite

    - $La/paligorskite$ , relative acid strength of, determination by *n*-butylamine, **171**, 217

Palladium

    - $Ba_{14}Pd_3Ir_8O_{33}$ , synthesis and structural characterization, **174**, 96
    - $CePdGa_6$  heavy-fermion antiferromagnet, synthesis, structure, and magnetism, **174**, 296
    - $NaPdPS_4$  systems with infinite straight  $\frac{1}{\infty}[PdPS_4]^-$  chains soluble in polar solvents, **175**, 133
    - $Nb_5Pd_4As_4$ , structure determination from  $5 \times 5 \times 5 \mu m^3$  crystal with synchrotron radiation, **172**, 232
    - $Ni_{2-x}Pd_xMo_3N$  ( $0 \leq x \leq 1.5$ ) with filled  $\beta$ -manganese structure, synthesis, **172**, 138
    - $RbPdPS_4$  systems with infinite straight  $\frac{1}{\infty}[PdPS_4]^-$  chains soluble in polar solvents and structure of cubic  $RbPdPS_4$  [ $Rb_{0.33}P_{0.4}S_{2.23}O_x$ ], **175**, 133
    - $TbPdAl$ , structure and electronic properties, EXAFS and XANES measurements, **171**, 291

Particle size

    - $Eu^{3+}:Y_2O_3$  nanophosphors prepared by gas-phase condensation, **171**, 12

Partitioning

    - rare earth elements between solution and particulate matter in natural waters, filtration study, **171**, 51

Pechini method

    - $RE_2(WO_4)_3$  matrix ( $RE=La, Gd$ ) produced by,  $Eu^{3+}$  luminescence in, **171**, 401

Pechini's solution

    - as precursor for Eu(III)-containing ZnO films, **171**, 287

Pechini-type gel route

    - $(ZrO_2)_{0.85}(REO_{1.5})_{0.15}$  ( $RE=Sc, Y$ ) solid solutions prepared by gel formation and calcination behavior, **171**, 434
    - sintering and electrical properties, **171**, 439

Pentoses

    - intercalation in layered double hydroxide, **174**, 342

Perovskites

    - 3d transition metal oxide, charge disorder effects, **173**, 456
    - $Ba_7Li_3Ru_4O_{20}$ , oxygen-deficient, crystal growth of, **175**, 39
    - $Ba_6M_2Na_2X_2O_{17}$  ( $M=Ru, Nb, Ta, Sb; X=V, Cr, Mn, P, As$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137
    - $Ba(Ln_{2/3}B'_{1/3})O_3$  ( $Ln^{III}=Dy, Gd, Sm; B'^{VI}=Mo, W$ ), synthesis and structural characterization, **175**, 299
    - $Ba_{14}Pd_3Ir_8O_{33}$ , synthesis and structural characterization, **174**, 96
    - $Ca_3Nb_2O_8$ , octahedral tilt system in, **172**, 178
    - $CaZrO_3$ , compressibility, comparison with Ca-oxide perovskites, **172**, 123
    - $CH_3ND_3PbBr_3$ , phase transitions, **176**, 97
    - complex, W(VI)- and Mo(VI)-containing, prepared by polymeric precursors method, structural analysis, **173**, 319
    - $CsANb_2O_7$  ( $A=Nd, Bi$ ), structural distortions, **173**, 309
    - $d^0$  transition metal oxides, electronic structure, **175**, 94
    - hexagonal, in  $Ba_5Nb_4O_{15}-BaTiO_3$ , superspace description as modulated layered structures, **174**, 209
    - $La_{1-x}Ca_xCrO_{3-\delta}$ , phase stability in oxidizing atmosphere, **170**, 68
    - $La_2Ca_2MnO_6(O_2)$  related to hexagonal structure of, synthesis, crystal structure, and magnetic properties, **175**, 124
    - $La_{1.33}Li_xCr_xTi_{2-x}O_6$ , structural characterization and physical properties, **173**, 130
    - $La(Li_{1/3}Ti_{2/3})O_3$  1:2 ordered perovskite, synthesis, **170**, 198

- $\text{LaMn}_{0.9}\text{Cr}_{0.1}\text{O}_{3+\delta}$  ( $3.00 \leq 3 + \delta \leq 3.12$ ), crystal structure, evolution with oxygen content, **170**, 404
- $\text{La}_{1-x}\text{MnO}_{3+\delta}$ , defect chemistry, **173**, 299
- $\text{La}_{1-x}\text{Nd}_x\text{NiO}_{3-\delta}$  ( $0 \leq x \leq 0.5$ ) ceramic system, synthesis and characterization, **171**, 195
- $\text{La}_{1-x}\text{Sr}_x\text{Co}_{1-z}\text{Mn}_z\text{O}_{3-\delta}$  ( $x = 0.3$ ;  $z = 0.0, 0.25$ ), conductivity and carrier traps in, **172**, 296
- $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-2x}\text{Mg}_{2x}\text{O}_{3-y}$  ( $x = 0.05, 0.1$ ) anisotropic single crystals, structure, thermal expansion, and conductivity, **172**, 396
- $\text{LaSrMnCoO}_6$ , synthesis, structure, and properties, **173**, 350
- ( $\text{MnCl}$ ) $\text{LaNb}_2\text{O}_7$ , layered, structural, thermal, and magnetic characterization, **175**, 88
- molecular hexagonal organic–inorganic hybrid conductor, synthesis, structure, and properties, **176**, 243
- $\text{Na}_2\text{LiAlF}_6$  synthetic simmonsite, crystal structure, **172**, 95
- $\text{Nd}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-x)}\text{Co}_x\text{O}_3$ , insulator–metal transition, **170**, 368
- pillared,  $\text{La}_5\text{Re}_3\text{MO}_{16}$  ( $M = \text{Mg, Fe, Co, Ni}$ ), synthesis, structure, and magnetic properties, **170**, 165
- $\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$ , effects of Co doping, **174**, 466
- related cation-deficient  $A_nB_{n-6}\text{O}_{3n}$  ( $n \geq 4\delta$ ) microphases in  $\text{Ba}_5\text{Nb}_4\text{O}_{15}$ – $\text{BaTiO}_3$  system, HRTEM study, **173**, 91
- related oxides, spin, charge, and orbital ordering of, full-potential density functional calculations, **176**, 338
- $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) prepared by hydrazine method, formation, sintering, and electrical conductivity, **174**, 80
- $\text{Sr}_{1-x-y}\text{Ca}_x\text{Ba}_y\text{MnO}_3$ , tolerance factor rules for, **170**, 154
- $\text{Ln}_{0.35}\text{Sr}_{0.67}\text{CoO}_{3-\delta}$  ( $\text{Ln} = \text{Y}^{3+}, \text{Ho}^{3+}, \text{Dy}^{3+}$ ), atomic ordering, **174**, 198
- $\text{SrFe}_{2/3}\text{B''}_{1/3}\text{O}_3$  ( $\text{B''} = \text{Mo, W, Te, U}$ ), order–disorder at Fe sites in, **175**, 252
- $\text{Sr}_8\text{ARe}_3\text{Cu}_4\text{O}_{24}$  ( $A = \text{Sr, Ca}$ ) ferromagnets with ordered perovskite structure, **175**, 366
- $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$ , crystallization from molten hydroxide, **173**, 203
- transition metal oxoperovskites, bond length fluctuations, **175**, 116
- $\text{YBa}_2\text{Fe}_3\text{O}_8$  with  $\text{Co}^{3+}$  substitution, triple-perovskite-type structure, **172**, 73
- $\text{YBa}_2\text{Fe}_3\text{O}_{8+w}$ , oxidized and reduced, nuclear and magnetic structures, neutron powder diffraction study, **174**, 87
- Phase decomposition
- $\text{Ce}_{1-x}\text{A}_x\text{VO}_{4+\delta}$  ( $A = \text{Ca, Sr}$ ) of zircon type, **176**, 47
- Phase diagram
- $\text{Ce-Ni-Al}$ ,  $\text{Ce}_4\text{Ni}_6\text{Al}_{23}$  intermetallic compound in, **174**, 471
- magnetic
- Er-rich  $\text{Pr}_x\text{Er}_{1-x}$  alloys, effect of interstitial impurities, **171**, 324
  - ruthenates, metal oxides, full-potential density functional calculations, **176**, 338
- Rb–W–O system: superconducting properties of hexagonal tungsten bronzes, **172**, 148
- $\text{U}_2\text{Co}_6\text{Al}_{19}$ , **174**, 152
- Phase equilibria
- $\text{BaZrO}_3$ – $\text{CaZrO}_3$  system, **175**, 170
- $\text{Ln-Mn-O}$  system at  $1100^\circ\text{C}$
- $\text{Ln} = \text{Ho, Tb}$ , **176**, 151
  - $\text{Ln} = \text{Yb, Dy}$ , **174**, 249
- subsolidus,  $\text{BaO-Nd}_2\text{O}_3$ – $\text{CuO}_x$  under carbonate-free conditions at  $p\text{O}_2 = 100$  Pa and  $p\text{O}_2 = 21$  kPa, **173**, 476
- Phase evolution
- $\text{In}_4\text{Br}_7$ , temperature-dependent diffraction studies, **174**, 349
- Phase relations
- subsolidus,  $R$ –Ca–Cu–O ( $R = \text{Nd, Sm, Gd, Tm}$ ) systems, **173**, 164
- $\text{Zr}(\text{Nb, Ti})(R)\text{O}_{2-\delta}$  ( $R = \text{Yb, Ca}$ ), **172**, 277
- Phase separation
- in  $\text{Nd}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$  and  $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ ,  $^{57}\text{Fe}$  Mössbauer study, **174**, 74
- Phase stability
- $\text{La}_{1-x}\text{Ca}_x\text{CrO}_{3-\delta}$  in oxidizing atmosphere, **170**, 68
- $\text{Sr}_{1-x-y}\text{Ca}_x\text{Ba}_y\text{MnO}_3$  perovskites, dependence on tolerance factor rules, **170**, 154
- $\text{ZrO}_2$ -doped anatase-type  $\text{TiO}_2$  nanoparticles formed by hydrolysis under hydrothermal conditions, **170**, 39
- Phase transition
- $\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x = 0.0, 0.20, 0.50, 0.80, 1.00$ ) low-cristobalite phase, **176**, 37
- $(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$ , **170**, 247
- $\text{CaMn}_2\text{O}_4$  marokite, pressure-induced, Raman scattering study, **170**, 382
- $\text{Ca}_{n+1}\text{Mn}_n\text{O}_{3n+1}$  ( $n = 2, 3$ ) Ruddlesden–Popper compounds, transmission electron microscopic study, **174**, 418
- $\text{CH}_3\text{ND}_3\text{PbBr}_3$  perovskite, **176**, 97
- $[(\text{CH}_3)_2\text{NH}_2]_3[\text{Bi}_2\text{Cl}_9]$ , **173**, 425
- in clusters, kinetics of, molecular dynamics studies: structures, properties, and crystal nucleation of nanoparticle  $\text{Fe}_{331}$ , **176**, 234
- $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-2x}\text{Mg}_{2x}\text{O}_{3-y}$  ( $x = 0.05, 0.1$ ) anisotropic single crystals, **172**, 396
- $\text{Li}[\text{K}_x(\text{NH}_4)_{1-x}]\text{SO}_4$ , **173**, 69
- $\text{LiSi}$  prepared by high-pressure synthesis, metastable transitions, **173**, 251
- $\text{MgSiO}_3$  orthoenstatite at room temperature, pressure-induced, Raman spectroscopic study, **174**, 403
- $\text{SrSnO}_3$ – $\text{SrFeO}_3$  solid solutions, X-ray diffraction and Mössbauer studies, **174**, 392
- $\text{TbPdAl}$ , EXAFS and XANES measurements, **171**, 291
- $[\text{Zn}(\text{NH}_3)_4](\text{BF}_4)_2$ , neutron scattering, X-ray powder diffraction, and NMR studies, **174**, 357
- 1,10-Phenanthroline
- $[\text{Cu}_{10}^{\text{I}}\text{H}_2\text{I}_{16}]^{4-}$  with  $[\text{Ni}^{\text{II}}(\text{phen})_3]^{2+}$  as template, hydrothermal synthesis, crystal structure, and non-linear third-order optical property, **175**, 152
- $[(\text{Cu}(1,10\text{-phenanthroline})(\mu_4\text{-benzene-1,2,4,5-tetracarboxylate})_{1/2}\cdot\text{H}_2\text{O})_n]$ , hydrothermal synthesis, structures, and properties, **173**, 32
- $[\{\text{Cu}(\text{phen})_2\}(\text{V}^{\text{V}}\text{O}_2)_2\text{V}^{\text{IV}}\text{O}_2(\text{H}_2\text{O})(\text{PO}_4)_2]$  inorganic–organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- $\text{Na}_2[\{\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}\{\text{Mn}(\text{phen})_2\}_3\{\text{MnMo}_1^{\text{V}}\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH})_6\}] \cdot 4\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **170**, 192
- $[\text{V}_4\text{O}_7(\text{HAsO}_4)_2(o\text{-phen})_2]$  layered network decorated with directly coordinated organonitrogen ligands, **175**, 146
- 1,10-Phenanthroline N-oxide
- $\text{Eu}(\text{fod})_3\text{phen}$ –NO complex, synthesis, sparkle model, intensity parameters, and spectroscopic studies, **171**, 183
- Phenoxides
- sulfur-bridged, ligands for lanthanide chemistry and catalysis, **171**, 90
- Phonons, *see also* Electron–phonon interaction
- full-potential density functional calculations, **176**, 338
- Raman,  $\text{RMnO}_3$  ( $R = \text{Pr, Tb}$ ), high-pressure dependence, **171**, 313
- $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4$ : $\text{Eu-R}$  ( $R = \text{Nd, Dy}$ ) pigments, **171**, 273
- Phosphors
- $\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$ , charge compensating mechanism in, **175**, 218
- $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  nanoparticles, synthesis by sol-lyophilization technique, **173**, 335
- $\text{Gd}_2\text{O}_3:\text{Sm}$  and  $\text{Y}_2\text{O}_3:\text{Sm}$ , energy transfer and upconversion luminescence properties, **171**, 391
- $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4$ : $\text{Eu-R}$  ( $R = \text{Nd, Dy}$ ) pigments for industrial uses, optical study, **171**, 273
- $\text{YBO}_3:\text{Eu}^{3+}$  hexagonal nanocrystals with improved luminescent properties, hydrothermal homogeneous urea precipitation, **175**, 245
- Phosphorus
- $\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x = 0.0, 0.20, 0.50, 0.80, 1.00$ ) low-cristobalite phase, preparation, phase transition, and thermal expansion, **176**, 37

- AlPO<sub>4</sub>·11, microporous, rigid unit modes of distortion, local crystal chemistry, and inherent displacive flexibility, **172**, 431
- Ba<sub>6</sub>M<sub>2</sub>Na<sub>2</sub>P<sub>2</sub>O<sub>17</sub> (*M*=Ru,Nb,Ta,Sb) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137
- BaP<sub>8</sub>, high-pressure synthesis and structural characterization, **173**, 449
- Bi<sub>~3</sub>Cd<sub>~3.72</sub>*M*<sub>~1.28</sub>O<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub> (*M*=Co,Cu,Zn), double (*n*=2) and triple (*n*=3) [M<sub>4</sub>Bi<sub>2*n*-2</sub>O<sub>2*n*</sub>]<sup>x+</sup> polycationic ribbons in, **176**, 221
- Bi<sub>~6.2</sub>Cu<sub>~6.2</sub>O<sub>8</sub>(PO<sub>4</sub>)<sub>5</sub> disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
- Bi<sub>1.5</sub>(Pb<sub>7.3</sub>Mn<sub>0.7</sub>)(PO<sub>4</sub>)<sub>6</sub>O<sub>1.3</sub>, formed by Mn substitution in Bi<sub>2</sub>Pb<sub>8-x</sub>(PO<sub>4</sub>)<sub>6</sub>O<sub>2-x</sub> solid solutions, crystal structure, **173**, 374
- borophosphate with 1-D structure, solvothermal synthesis using ionic liquid as medium and structural study, **176**, 33
- cadmium (II) amino-diphosphonates, hydrothermal syntheses, characterizations, and crystal structures, **176**, 62
- Ca/P atomic ratio of amorphous phase in plasma-sprayed hydroxyapatite coatings, **172**, 339
- Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, crystal structure analysis by neutron powder diffraction, **175**, 272
- Ca<sub>10</sub>(PO<sub>4</sub>)<sub>6</sub>[{CO<sub>3</sub>]<sub>x</sub>(OH)<sub>2-2x</sub>] synthesized at high pressure, *P*<sub>3̄</sub> space group and channel carbonate ion orientation, **174**, 412
- Ca<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>F:Eu<sup>3+</sup> phosphor, charge compensating mechanism in, **175**, 218
- [Cd(phen)<sub>3</sub>]·C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub>H·Cl·7H<sub>2</sub>O, structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- (Ce<sub>x</sub>Zr<sub>1-x</sub>)<sub>4/4-x</sub>Nb(PO<sub>4</sub>)<sub>3</sub> solid electrolyte conducting cerium ion, **171**, 387
- [CH<sub>3</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>NH<sub>3</sub>]·[Zn<sub>2</sub>(HPO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- (C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>4</sub>O<sub>6</sub>H(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated *trans*-1,4-diaminocyclohexane, hydrothermal synthesis and structure, **170**, 303
- [Co(en)<sub>3</sub>][Ga<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(HPO<sub>4</sub>)<sub>3</sub>] layered compound templated by cobalt complex, synthesis and characterization, **170**, 176
- [{Cu(phen)<sub>2</sub>(V<sup>V</sup>O<sub>2</sub>)<sub>2</sub>V<sup>IV</sup>O<sub>2</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>2</sub>} inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- CuVO<sub>2</sub>(4,4'-bpy)(PO<sub>4</sub>) mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194
- M<sub>2</sub>F<sub>2</sub>(2,2'-bpy)(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O) (*M*=Fe,Ga), two-dimensional compounds incorporating 2,2'-bipyridine ligands, synthesis and characterization, **172**, 6
- Ln*Fe<sub>4</sub>P<sub>12</sub> (*Ln*=heavy lanthanide, including Y) filled skutterudites, systematic high-pressure synthesis, **174**, 32
- Ga<sub>2</sub>(4,4'-bpy)(PO<sub>4</sub>)<sub>2</sub> organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 252
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>6</sub>NH<sub>3</sub>]·[Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>3</sub>] organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- [HN(C<sub>2</sub>H<sub>4</sub>)<sub>3</sub>N][(VO)<sub>2</sub>(HPO<sub>3</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)]·H<sub>2</sub>O, hydrothermal synthesis and characterization, **172**, 464
- K<sub>12</sub>[EuP<sub>5</sub>W<sub>30</sub>O<sub>110</sub>]/polyvinylpyrrolidone nanocomposite films, photochromism, **172**, 458
- K<sub>2</sub>FeZrP<sub>3</sub>O<sub>12</sub> with langbeinite structure, synthesis, characterization, and structural study, **173**, 314
- K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub> UV-emitting X-ray phosphors, octahedral Zr(PO<sub>4</sub>)<sub>6</sub> luminescence centers in, **170**, 289
- KMg<sub>0.5</sub>H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>·H<sub>2</sub>O acidic pyrophosphate, synthesis, X-ray crystal structure, and vibrational spectroscopy, **176**, 27
- K<sub>1-x</sub>Tl<sub>x</sub>Zn(PO<sub>3</sub>)<sub>3</sub>, luminescent properties, **170**, 450
- LaP<sub>5</sub>, high-pressure synthesis and structural characterization, **173**, 449
- NaGa<sub>2</sub>(OH)(PO<sub>4</sub>)<sub>2</sub>, hydrothermal synthesis and tunnel structure, **172**, 237
- Na<sub>4</sub>Mg<sub>2</sub>(H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>)<sub>4</sub>·8H<sub>2</sub>O, crystal structure and vibrational spectra, **172**, 160
- Na<sub>2</sub>{Mn(phen)<sub>2</sub>(H<sub>2</sub>O)}{Mn(phen)<sub>2</sub>}<sub>3</sub>{MnMo<sup>V</sup><sub>2</sub>O<sub>24</sub>(HPO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>}·4H<sub>2</sub>O, hydrothermal synthesis and structure, **170**, 192
- NaPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents, **175**, 133
- [NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>CH<sub>3</sub>]<sup>2+ $\frac{1}{2}$ }[FeF(HPO<sub>4</sub>)<sub>2</sub>]<sup>2-</sup> one-dimensional iron phosphate, synthesis, structure, and magnetic characterization, **173**, 367</sup>
- (NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>1.5</sub>[(VO)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424
- (NH<sub>4</sub>)<sub>2</sub>[V(PO<sub>4</sub>)F], with ferromagnetic interactions, **173**, 101
- [{(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)Ti<sub>2</sub>}<sub>n</sub>]<sup>5n-</sup>, chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, synthesis and structure, **170**, 232
- one-, two-, and three-dimensional iron phosphates containing ethylenediamine, comparison, **175**, 63
- oxovanadium phosphates, exchange interactions in, **170**, 237
- Pb<sub>2</sub>Mo<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, synthesis and tunnel structure, **172**, 412
- Pb<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>PO<sub>3</sub>) inorganic-organic hybrid materials, synthesis and crystal structure determination from powder diffraction data, **173**, 293
- [M(phen)<sub>3</sub>]·C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub>·11H<sub>2</sub>O [*M*=Co(1),Ni(2),Cu(3)], structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- Rb<sub>6</sub>Bi<sub>4</sub>(PO<sub>4</sub>)<sub>2</sub>(P<sub>2</sub>O<sub>7</sub>)<sub>3</sub> layered monodiphosphates, crystal structure and cation transport properties, **173**, 342
- RbPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents and structure of cubic RbPdPS<sub>4</sub> {Rb<sub>0.33</sub>P<sub>0.4</sub>S<sub>2.23</sub>O<sub>x</sub>}, **175**, 133
- RbTi<sub>0.927</sub>Nb<sub>0.056</sub>Er<sub>0.017</sub>OPO<sub>4</sub>, dopant distribution among MO<sub>6</sub> octahedra, neutron diffraction study, **171**, 257
- SRFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>O with chain-like structure, synthesis and characterization, **170**, 411
- $\alpha$ -SrP<sub>3</sub>, high-pressure synthesis and structural characterization, **173**, 449
- U<sub>2</sub>(PO<sub>4</sub>)(P<sub>3</sub>O<sub>10</sub>) orthorhombic crystals, synthesis, characterization, and structure, **172**, 66
- [V<sub>4</sub>O<sub>7</sub>(2,2'-bpy)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>] inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- $\beta$ -VOPO<sub>4</sub> systems, DFT study, **176**, 556
- Zr(PO<sub>4</sub>)<sub>6</sub> octahedral luminescence centers in UV-emitting X-ray phosphors K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub>, **170**, 289
- Photocatalytic activity
- ZrO<sub>2</sub>-doped anatase-type TiO<sub>2</sub> nanoparticles formed by hydrolysis under hydrothermal conditions, **170**, 39
- Photocatalytic degradation
- solid-phase, polystyrene plastic, with TiO<sub>2</sub> as photocatalyst, **174**, 104
- Photochemistry
- conversion of metals species, combined with liquid-liquid extraction: separation of rare earth ions, **171**, 101
- Photochromism
- K<sub>12</sub>[EuP<sub>5</sub>W<sub>30</sub>O<sub>110</sub>]/polyvinylpyrrolidone nanocomposite films, **172**, 458
- Photodimerization
- [2+2] reaction, structural changes in crystals of pyridine analogs of chalcone during, **174**, 459
- Photoelectrical properties
- CdSe photoexcited nanocrystals in thin film form, **174**, 276

- Photoluminescence, *see also* Luminescence  
 $\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$  phosphor, 175, 218  
 cordierite doped with  $\text{Eu}^{3+}$ , 171, 375  
 $\text{Eu}^{3+}$  in  $\text{RE}_2(\text{WO}_4)_3$  matrix ( $\text{RE}=\text{La}, \text{Gd}$ ) produced by Pechini method, 171, 401  
 $\text{Eu}^{3+}$ - $\beta$ -diketonate complex doped into epoxy resin, 171, 412  
 $\text{Gd}_{2-x}\text{Y}_x\text{O}_3:\text{Eu}$  nanocrystals, 171, 304
- Photon cascade emission  
 observation under  $4f^15d^1$  and host excitation in  $\text{Pr}^{3+}$ -doped materials, 171, 308
- Phthalocyanine  
 $\beta\text{-Fe}^{\text{II}}$ -phthalocyanine, oxygen interactions with, Mössbauer studies, 170, 118
- Picrates  
 rare-earth, complexes with L-arginine, synthesis, characterization, spectroscopy, and thermal analysis, 171, 212
- Pigments  
 $\text{SrAl}_{1.7}\text{B}_{0.3}\text{O}_4:\text{Eu}-R$  ( $R=\text{Nd}, \text{Dy}$ ), optical study, 171, 273
- Piperazine  
 $(\text{C}_4\text{H}_{12}\text{N}_2)_2[\text{V}_4\text{O}_6\text{H}(\text{HPO}_4)_2(\text{PO}_4)_2]$  layered vanadium phosphate templated with, synthesis and crystal structure, 172, 424
- Plasma-sprayed coatings  
 hydroxyapatite, amorphous phase in, Ca/P atomic ratio, 172, 339
- Platinum  
 $\text{K}_2\text{PtS}_2$ , quasi-one-dimensional materials, 176, 311  
 $\text{LaNi}_{5-x}\text{Pt}_x\text{-H}_2$  system, structural and hydrogen absorption properties, 173, 379  
 $\text{Pt}Q_2$  ( $Q=\text{O}, \text{S}, \text{Se}, \text{Te}$ ) layered compounds, structure and bonding trends, 173, 114  
 $\text{PtO}_2$ , metal-ligand bonding and rutile- and  $\text{CdI}_2$ -type structures, 175, 353  
 $\text{PtSiSb}$ , synthesis and structure, 175, 231
- Polar intermetallics  
 cerium nickel aluminides with heavy fermion behavior, theoretical studies, 176, 538
- Polarizability  
 anion, relationship to  $4f^n$ – $15d$  centroid shift in lanthanides, 171, 133
- Polar materials  
 alignment of acentric  $\text{MoO}_3\text{F}_3^{3-}$  anions in, 175, 27
- Polaron  
 small, role in high-temperature thermopower and conductivity of  $\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$  ( $0.02 \leq x \leq 0.35$ ), 172, 1
- Poly[bis(thiocyanato-*N*)-bis( $\mu_2$ -pyrazine-*N,N'*-manganese(II))] synthesis, crystal structure, and thermal and magnetic properties, 176, 259
- Poly[bis( $\mu_2$ -thiocyanato-*N,S*)-( $\mu_2$ -pyrazine-*N,N'*)manganese(II)] synthesis, crystal structure, and thermal and magnetic properties, 176, 259
- Polycationic ribbons  
 wide,  $\text{Bi}_{\sim 6.2}\text{Cu}_{\sim 6.2}\text{O}_8(\text{PO}_4)_5$  disordered compound with 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, 172, 327
- Poly[diaqua-( $\mu_2$ -squarato-*O,O'*)-( $\mu_2$ -4,4'-bipyridine-*N,N'*)*M*e(II)] hydrate  
 coordination polymers with (*M*e=Co,Ni,Fe), synthesis, crystal structures, and dehydration, 175, 328
- Poly(dicarbon monofluoride)  
 structure and electronic properties, semi-empirical INDO study, 174, 233
- Polyelectrolyte  
 nanoporous ultrathin multilayer films based on molybdenum polyoxometalate, preparation and characterization, 176, 13
- Polymeric precursors method  
 preparation of W(VI) and Mo(VI) complex perovskites, 173, 319
- Polymers  
 quasi-one-dimensional materials, 176, 311
- Polymorphs  
 $R_2\text{Mo}_4\text{O}_{15}$  ( $R$ =rare earth) family, 173, 407
- Polyol route  
 synthesis of metal sulfide nanocrystals, 173, 232
- Polyoxometalates  
 $(\text{Mo}_{38})_n$ , nanoporous ultrathin multilayer films based on, preparation and characterization, 176, 13
- Polystyrene plastic  
 solid-phase photocatalytic degradation with  $\text{TiO}_2$  as photocatalyst, 174, 104
- Pore growth  
 barium titanate-based ceramics sintered in reducing atmosphere, effect of carbothermal reaction, 175, 226
- Porphyrins  
 water-soluble, in  $\text{H}_2\text{O}_2$  chemiluminescence system with *d*- and *f*-electron metals, emission spectroscopic properties, 171, 208
- Potassium  
 $\text{BaCuSF}$  doped with, P-type conductivity, 175, 34  
 $\text{BaKFeO}_3$  with 1-D ferrate chains, synthesis and structure, 172, 261  
 $\text{K}_3\text{Cr}_3(\text{AsO}_4)_4$ , synthesis, structure, IR spectroscopy, and ionic behavior, 173, 273  
 $\text{KLn}_2\text{CuS}_4$  ( $Ln=\text{Y}, \text{Nd}, \text{Sm}, \text{Tb}, \text{Ho}$ ) and  $\text{K}_2\text{Ln}_4\text{Cu}_4\text{S}_9$  ( $Ln=\text{Dy}, \text{Ho}$ ), syntheses, structures, physical properties, and electronic structures, 176, 5  
 $\text{K}_{12}[\text{EuP}_5\text{W}_{30}\text{O}_{110}]$ /polyvinylpyrrolidone nanocomposite films, photochromism, 172, 458  
 $\text{K}_2\text{FeZrP}_3\text{O}_{12}$  with langbeinite structure, synthesis, characterization, and structural study, 173, 314  
 $\text{K}_2\text{Hf}_{1-x}\text{Zr}_x(\text{PO}_4)_2$  and  $\text{KHf}_{2(1-x)}\text{Zr}_{2x}(\text{PO}_4)_3$  UV-emitting X-ray phosphors, octahedral  $\text{Zr}(\text{PO}_4)_6$  luminescence centers in, 170, 289  
 $\text{KMg}_0.5\text{H}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$  acidic pyrophosphate, synthesis, X-ray crystal structure, and vibrational spectroscopy, 176, 27  
 $\text{K}_3\text{MoO}_3\text{F}_3$ , oxygen/fluorine ordering, structured diffuse scattering, and local crystal chemistry, 170, 211  
 $\text{K}_2\text{PtS}_2$ , quasi-one-dimensional materials, 176, 311  
 $\text{K}_2\text{SeMoO}_6$ , synthesis, structure, and characterization, 174, 441  
 $\text{K}_3\text{RESi}_2\text{O}_7$  ( $RE=\text{Gd}, \text{Tb}, \text{Dy}, \text{Ho}, \text{Er}, \text{Tm}, \text{Yb}, \text{Lu}$ ), crystal growth, structure, and optical properties, 170, 203  
 $\text{K}_4\text{M}_2\text{Si}_6\text{O}_{18}$  ( $M=\text{Sn}, \text{Ti}$ ), synthesis and structural characterization, 175, 258  
 $\text{KLnTe}_4$  ( $Ln=\text{Pr}, \text{Nd}, \text{Gd}$ ), electronic band structure and physical properties, 176, 594  
 $\text{KLn}_3\text{Te}_8$  ( $Ln=\text{Pr}, \text{Nd}$ ), electronic band structure and physical properties, 176, 594  
 $\text{K}_2\text{TeW}_3\text{O}_{12}$  synthesis, structure, and second-harmonic generating properties, 175, 3  
 $\text{K}_5\text{Ti}_8\text{Nb}_{18}\text{Cl}_{53}\text{O}_{12}$  layered cluster compounds with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, 175, 46  
 $\text{K}_{1-x}\text{Ti}_x\text{Zn}(\text{PO}_3)_3$ , luminescent properties, 170, 450  
 $\text{K}_2(\text{UO}_2)_2(\text{MoO}_4)\text{O}_2$  and  $\text{K}_8(\text{UO}_2)_8(\text{MoO}_5)_3\text{O}_6$ , synthesis, crystal structure, and electrical characterization, 174, 19  
 $\text{K}_2(\text{UO}_2)(\text{W}_2\text{O}_8)$ , synthesis and crystal structure, 172, 305  
 $\text{K}_2(\text{UO}_2)_2(\text{WO}_5)\text{O}$ , synthesis and crystal structure, 172, 305  
 $\text{K}_5\text{Yb}(\text{MoO}_4)_4$  polymorphs, structures, 176, 76  
 $\text{Li}[\text{K}_x(\text{NH}_4)_{1-x}\text{SO}_4]$  and  $\text{Li}_2\text{KNH}_4(\text{SO}_4)_2$ , structural and vibrational studies, 173, 69
- Powder neutron diffraction  
 $\text{Ca}_3(\text{PO}_4)_2$ , 175, 272  
 $\text{CH}_3\text{ND}_3\text{PbBr}_3$  perovskite: phase transitions, 176, 97  
 $\text{RCrO}_4$  ( $R=\text{Nd}, \text{Er}, \text{Tm}$ ), 171, 161  
 dopant distribution among  $MO_6$  octahedra in  $\text{RbTi}_{0.927}\text{Nb}_{0.056}\text{Er}_{0.017}\text{OPO}_4$ , 171, 257  
 $\text{Er}_2\text{Ru}_2\text{O}_7$  pyrochlore oxide: magnetic structure, 176, 165  
 $\text{Eu}_2\text{IrH}_5$ , and mixed crystal compounds  $\text{Eu}_{2-x}\text{A}_x\text{IrH}_5$  ( $A=\text{Ca}, \text{Sr}$ ;  $x=1.0, 1.5$ ), 174, 35  
 $\text{In}_4\text{Br}_7$ , temperature-dependent studies of phase evolution, 174, 349  
 $\text{La}_{1.33}\text{Li}_x\text{Cr}_x\text{Ti}_{2-x}\text{O}_6$ , 173, 130

- LaNi<sub>5-x</sub>Pt<sub>x</sub>H<sub>2</sub> system, **173**, 379  
 NH<sub>4</sub>[N(CN)<sub>2</sub>], **176**, 180  
 Sr<sub>2</sub>Co<sub>2-x</sub>Ga<sub>x</sub>O<sub>5</sub> (0.3 ≤ x ≤ 0.8), **173**, 395  
 strain and crystallite size in mechanically alloyed PbTe, **173**, 189  
 (Th<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6-δ</sub>) Y-doped thorutite phase, **174**, 329  
 (U<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6</sub>) Y-doped brannerite phase, **174**, 329  
 (V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub> crystal structure above and below metal/insulator transition: effects of doping and temperature, **174**, 431  
 YBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+δ̄</sub>, oxidized and reduced samples: nuclear and magnetic structures, **174**, 87  
 Y<sub>2</sub>C<sub>2</sub>I<sub>2</sub> layered superconductors: pressure dependence of *T<sub>C</sub>*, **171**, 367  
 Powder X-ray diffraction  
 cadmium–zirconium–sodium oxalate with open framework, **170**, 330  
 calcium undecanoate, **172**, 471  
 Ca<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>F:Eu<sup>2+</sup> phosphor, **175**, 218  
 Eu<sub>2</sub>IrH<sub>5</sub>, and mixed crystal compounds Eu<sub>2-x</sub>A<sub>x</sub>IrH<sub>5</sub> (*A* = Ca,Sr; *x* = 0,0.1,5), **174**, 35  
 Gd<sub>2</sub>O<sub>3</sub> monodispersed fine spherical particles, **171**, 420  
 In<sub>4</sub>Br<sub>7</sub>, temperature-dependent studies of phase evolution, **174**, 349  
 La<sub>2</sub>RuO<sub>5</sub>: *ab initio* structural determination, **170**, 294  
 LaTeNbO<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>6</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, **175**, 264  
 Ni<sub>7±x</sub>S<sub>6</sub> and mixed Ni<sub>6±x</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phases, **170**, 351  
 Pb<sub>2</sub>(O<sub>3</sub>PCH<sub>2</sub>C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>PO<sub>3</sub>) inorganic–organic hybrid materials, **173**, 293  
 SrSnO<sub>3</sub>–SrFeO<sub>3</sub> solid solutions: phase transitions, **174**, 392  
 L-Ta<sub>2</sub>O<sub>5</sub>: structural effects of heat treatment, **176**, 250  
 (V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub> crystal structure above and below metal/insulator transition: effects of doping and temperature, **174**, 431  
 V<sup>4+</sup>-ZrO<sub>2</sub> monoclinic solid solutions obtained from gels, **173**, 40  
 Y<sub>2</sub>C<sub>2</sub>I<sub>2</sub> layered superconductors: pressure dependence of *T<sub>C</sub>*, **171**, 367  
 [Zn(NH<sub>3</sub>)<sub>4</sub>](BF<sub>4</sub>)<sub>2</sub>: phase transitions, structural changes, and molecular motions, **174**, 357
- Praseodymium  
 in geothermal waters from Oregon, Nevada, and California, **171**, 246  
 KPr<sub>3</sub>Te<sub>8</sub>, electronic band structure and physical properties, **176**, 594  
 (Na<sub>0.90</sub>Pr<sub>0.10</sub>)Pr<sub>12</sub>Ir, preparation and characterization, **172**, 132  
 Pr<sup>3+</sup>, materials doped with, photon cascade emission under 4f<sup>1</sup>5d<sup>1</sup> and host excitation in, **171**, 308  
 Pr<sup>3+</sup> complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38  
 Pr<sup>3+</sup>-doped CaTiO<sub>3</sub> nanophosphor, synthesis from polymer precursor and red luminescence, **174**, 69  
 PrAu<sub>3</sub>Al<sub>7</sub> grown from aluminum flux, synthesis and properties, **170**, 48  
 Pr<sub>1-x</sub>Ca<sub>1+x</sub>MnO<sub>4</sub> 2D manganites, charge–orbital ordering above room temperature, **170**, 361  
 Pr<sub>x</sub>Er<sub>1-x</sub> alloys rich in Er, magnetic transitions of, effect of interstitial impurities, **171**, 324  
 PrFe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub>, magnetic and calorimetric studies, **172**, 438  
 PrMnO<sub>3</sub>, Raman phonons of, high-pressure dependence, **171**, 313  
 Pr<sub>0.8</sub>Na<sub>0.2</sub>Mn<sub>(1-y)</sub>Co<sub>y</sub>O<sub>3</sub> perovskites, effects of Co doping, **174**, 466  
 Pr<sub>3</sub>Ni<sub>7</sub>As<sub>5</sub>, crystal structure and physical properties, **172**, 265  
 Pr<sub>3</sub>ReO<sub>7</sub>, ordered defect fluorite structure and magnetism, **171**, 317  
 Pr<sub>5</sub>Sb<sub>12</sub>, crystal structure, **173**, 259  
 Pr<sub>3</sub>X[SiS<sub>4</sub>]<sub>2</sub> (*X* = Cl,Br,I), magnetism, **176**, 288  
 Pr<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-x</sub>, structural aspects, **173**, 148  
 APrTe<sub>4</sub> (*A* = K,Rb,Cs), electronic band structure and physical properties, **176**, 594
- Pressure effects  
 induction of MgSiO<sub>3</sub> orthoenstatite phase transition at room temperature, **174**, 403  
*T<sub>C</sub>* of layered superconductor Y<sub>2</sub>C<sub>2</sub>I<sub>2</sub>, **171**, 367
- 1,3-Propylenediamine  
 selenites of, preparation, crystal structure, vibrational spectra, and thermal behavior, **170**, 390
- Pseudo-Keggin fragments  
 [(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)Ti<sub>2</sub>]<sub>n</sub><sup>5n-</sup>, chainlike trimetal heteropolyanion based on, synthesis and structure, **170**, 232
- P-type conductivity  
 in transparent oxides and sulfide fluorides, **175**, 34
- Pyridine  
 analogs of chalcone, structural changes during [2 + 2]-photodimerization, **174**, 459
- Pyrochlores  
 Er<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub>, magnetic structure, **176**, 165  
 Gd<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> system, crystal structure, correlation with electric field gradients, **176**, 105  
 related ordering in Y<sub>2</sub>B<sub>2-x</sub>B'<sub>x</sub>O<sub>7</sub> (*B,B'* = Sn,Ti,Zr) anionic conductors, <sup>17</sup>O MAS NMR study, **175**, 110
- Pyrolysis  
 ammonium oxovanadium (IV) carbonato hydroxide, preparation of spherical V<sub>2</sub>O<sub>3</sub> nanopowder by, **170**, 221  
 R<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> formation by, **173**, 407
- Q
- Quantum chemistry  
 mechanism of water exchange in thorium(IV) hydrates, **171**, 235  
 reactivity of solids, **176**, 575
- Quantum dots  
 semiconducting cadmium selenide, chemical deposition in thin film form and optical and electrical properties, **172**, 381
- Quantum size effects  
 CdSe photoexcited nanocrystals in thin film form, **174**, 276
- Quasi-one-dimensional materials  
 polymers and chains, **176**, 311
- R
- Raman spectroscopy  
 As<sub>4</sub>O<sub>6</sub> cubic crystals, **173**, 54  
 BiTa<sub>1-x</sub>Nb<sub>x</sub>O<sub>4</sub>, **174**, 310  
 CaMn<sub>2</sub>O<sub>4</sub> marrokite: pressure-induced phase transformation, **170**, 382  
 dilithium piperazinium(2+) selenate tetrahydrate and dilithium *N,N'*-dimethylpiperazinium(2+) selenate tetrahydrate, **170**, 308  
 extended magnetic solids with localized spins, **176**, 417  
 FeFe<sub>2</sub>O<sub>4</sub> magnetite, **174**, 424  
 full-potential density functional calculations, **176**, 338  
 Ge<sub>3</sub>N<sub>14</sub> Willemite-II phase, **176**, 530  
 KMg<sub>0.5</sub>H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>·H<sub>2</sub>O acidic pyrophosphate, **176**, 27  
 Li[K<sub>x</sub>(NH<sub>4</sub>)<sub>1-x</sub>]SO<sub>4</sub> and Li<sub>2</sub>KNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>, **173**, 69  
 LiSi prepared by high-pressure synthesis, **173**, 251  
 MgSiO<sub>3</sub> orthoenstatite phase transition at induced by pressure at room temperature, **174**, 403  
 Na<sub>4</sub>Mg<sub>2</sub>(H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>)<sub>4</sub>·8H<sub>2</sub>O, **172**, 160  
 NaPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}$ [PdPS<sub>4</sub>]<sup>−</sup> chains soluble in polar solvents, **175**, 133  
 NH<sub>4</sub>[N(CN)<sub>2</sub>], **176**, 180  
 RbPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}$ [PdPS<sub>4</sub>]<sup>−</sup> chains soluble in polar solvents and cubic RbPdPS<sub>4</sub>{Rb<sub>0.33</sub>P<sub>0.4</sub>S<sub>2.23</sub>O<sub>x</sub>}, **175**, 133  
 selenites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, **170**, 390  
 Si<sub>3</sub>N<sub>4</sub> Willemite-II phase, **176**, 530  
 U<sub>2</sub>(PO<sub>4</sub>)(P<sub>3</sub>O<sub>10</sub>) orthorhombic crystals, **172**, 66
- Random potentials  
 effects in 3d transition metal oxide perovskites, **173**, 456
- Rare earth elements  
 in geothermal waters from Oregon, Nevada, and California, **171**, 246  
 light, X-ray absorption and resonant X-ray emission spectra by electric quadrupole excitation, theory, **171**, 295

- materials doped with, persistent luminescence phenomena, 171, 114  
partitioning between solution and particulate matter in natural waters, filtration study, 171, 51  
 $R^{3+}$ , doping with, local perturbations due to, 171, 282  
trace amounts in highly pure neodymium oxide, determination by sector field ICP-SFMS and HPLC, 171, 3  
twenty-third Rare Earth Research Conference, 171, 1
- Rare earth ions**  
 $f \rightarrow d$  transitions in crystals, 171, 299  
liquid–liquid extraction systems combined with metal conversion by chemical reaction, 171, 101
- Rare earth nitrides**  
ternary and higher order, synthesis and ionic-covalent oxynitride powder characterization, 171, 143
- Rare earth oxides**  
thin films, as gate oxides in MOSFET transistors, 171, 170
- Rare earth picrates**  
complexes with L-arginine, synthesis, characterization, spectroscopy, and thermal analysis, 171, 212
- Rare Earth Research Conference**  
foreword to twenty-third conference at University of California, Davis, July 2002, 171, 1
- Reactivity**  
solids, quantum chemistry, 176, 575
- Reflectance spectra**  
 $\text{Ca}_5(\text{PO}_4)_3\text{F}:\text{Eu}^{3+}$  phosphor, 175, 218
- Relaxation dynamics**  
CdSe photoexcited nanocrystals in thin film form, 174, 276
- Rhenium**  
 $\text{La}_5\text{Re}_3\text{MO}_{16}$  ( $M = \text{Mg, Fe, Co, Ni}$ ) pillared perovskites, synthesis, structure, and magnetic properties, 170, 165  
 $\text{Nd}_3\text{ReO}_7$ , ordered defect fluorite structure and magnetism, 171, 317  
 $\text{Pr}_3\text{ReO}_7$ , ordered defect fluorite structure and magnetism, 171, 317  
 $\text{Re}_4\text{As}_6\text{S}_3$  thio-spinel-related cluster system, synthesis and crystal structure, 172, 446  
 $\text{Sr}_8A\text{Re}_3\text{Cu}_4\text{O}_{24}$  ( $A = \text{Sr,Ca}$ ) ferromagnets with ordered perovskite structure, 175, 366  
 $\text{Yb}(\text{ReO}_4)_3(\text{H}_2\text{O})_4$ , monoclinic modification, synthesis and crystal structure, 172, 200  
 $\text{Y}_3\text{Re}_2\text{O}_{12}$  one-dimensional antiferromagnet with  $S=1/2$ , synthesis, structure, and magnetic properties, 172, 451
- Rhodium**  
 $\text{Ca}_3\text{Co}_{1.34}\text{Rh}_{0.66}\text{O}_6$ ,  $\text{Ca}_3\text{CuRhO}_6$ , and  $\text{Ca}_3\text{FeRhO}_6$ , crystal growth and structure and magnetic properties, 173, 122
- Rigid unit modes**  
role in negative thermal expansion, 173, 442
- Rigid unit modes of distortion**  
 $\text{AlPO}_4\text{-II}$ , in microporous state, 172, 431
- Rocksalt oxides**  
cation-disordered,  $\text{Li}_2MTi\text{O}_4$  ( $M = \text{Mn,Fe,Co,Ni}$ ), exhibiting oxidative deintercalation of Li, synthesis and characterization, 172, 171
- R-T hydrides**  
 $(\text{Ho,Y})_6\text{Fe}_{23}\text{H}_{15}$ , magnetic properties, 171, 334
- Rubidium**  
 $\text{Pb}_{0.6}\text{Bi}_{1.4}\text{Rb}_{0.6}\text{O}_2\text{Z}_2$  ( $Z = \text{Cl,Br,I}$ ), crystal structure, 173, 83  
 $\text{Rb}_6\text{Bi}_4(\text{PO}_4)_2(\text{P}_2\text{O}_7)_3$  layered monodiphosphates, crystal structure and cation transport properties, 173, 342  
 $\text{RbPdPS}_4$  systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^\sim$  chains soluble in polar solvents and structure of cubic  $\text{RbPdPS}_4$   $\{\text{Rb}_{0.33}\text{P}_{0.4}\text{S}_{2.23}\text{O}_{11}\}$ , 175, 133  
 $\text{Rb}_2\text{SeMoO}_6$ , synthesis, structure, and characterization, 174, 441  
 $\text{RbLnTe}_4$  ( $Ln = \text{Pr,Nd,Gd}$ ), electronic band structure and physical properties, 176, 594  
 $\text{Rb}_2\text{TeW}_3\text{O}_{12}$ , synthesis, structure, and second-harmonic generating properties, 175, 3
- $\text{RbTi}_{0.927}\text{Nb}_{0.056}\text{Er}_{0.017}\text{OPO}_4$ , dopant distribution among  $\text{MO}_6$  octahedra, neutron diffraction study, 171, 257  
 $\text{Rb}_7(\text{UO}_2)_8(\text{VO}_4)_2\text{O}_8\text{Cl}$  layered compounds, synthesis and crystal structure, 172, 351  
 $\text{Rb}_2(\text{UO}_2)_2(\text{WO}_5)\text{O}$ , synthesis and crystal structure, 172, 305  
**Rb** uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, 175, 372  
 $\text{Rb}_6\text{U}_5\text{V}_2\text{O}_{23}$  layered compounds,  $\alpha$  and  $\beta$  forms, syntheses and crystal structures, 173, 1  
 $\text{Rb}_2\text{VNb}_6\text{Cl}_{18}$  cluster compounds, synthesis, crystal structure, and magnetic properties, 170, 227  
**Rb–W–O** system: superconducting properties of hexagonal tungsten bronzes, 172, 148
- Ruddlesden Popper phases**  
 $\text{Ca}_{n+1}\text{Mn}_n\text{O}_{3n+1}$  ( $n = 2,3$ ), transmission electron microscopy, 174, 418  
 $\text{Pr}_{1-x}\text{Ca}_{1+x}\text{MnO}_4$  2D manganites, charge–orbital ordering above room temperature, 170, 361  
 $\text{Sr}_3\text{Mn}_2\text{O}_{6+x}$  reduced double-layer manganite, synthesis and characterization, 175, 188
- Ruthenium**  
 $\text{Ba}_7\text{Li}_3\text{Ru}_4\text{O}_{20}$  oxygen-deficient layered perovskite, crystal growth, 175, 39  
 $\text{Ba}_6\text{Ru}_2\text{Na}_2\text{X}_2\text{O}_{17}$  ( $X = \text{V,Cr,Mn,P,As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, 176, 137  
 $\text{Er}_2\text{Ru}_2\text{O}_7$  pyrochlore oxide, magnetic structure, 176, 165  
 $\text{La}_2\text{LiRuO}_6$ , structural chemistry and magnetic properties, 175, 20  
 $\text{La}_2\text{RuO}_5$ , XRPD *ab initio* structural determination, 170, 294  
 $\text{R}_3\text{Ru}_4\text{Ga}_{15}$  ( $R = \text{Y,Tb–Er}$ ), preparation structural analysis, 172, 27  
ruthenates, magnetic phase-diagram studies based on full-potential density functional calculations, 176, 338  
 $\text{Sr}_{18}\text{Ru}_{1.9}\text{Bi}_{4.1}\text{O}_{33}$ , crystallization from molten hydroxide, 173, 203
- Rutile**  
 $\text{SnO}_2$  nanoparticles, thermal stability and structural deformation, 174, 241  
structure type in  $\text{PtO}_2$  and  $\text{TiO}_2$ , 175, 353
- S**
- Samarium**  
 $\text{Ba}(\text{Sm}_{2/3}^{\text{III}}\text{B}_{1/3}^{\text{VI}}\text{O}_3)$  ( $B^{\text{VI}} = \text{Mo,W}$ ) complex perovskites, synthesis and structural characterization, 175, 299  
 $\text{CuSm}_3\text{Se}_4[\text{Se}_2]$ , synthesis and structure, 171, 424  
 $\text{Gd}_2\text{O}_3\text{:Sm}$  phosphors, energy transfer and upconversion luminescence properties, 171, 391  
in geothermal waters from Oregon, Nevada, and California, 171, 246  
 $\text{KSm}_2\text{CuS}_4$ , synthesis, structure, physical properties, and electronic structure, 176, 5  
 $\text{NaSmO}_2$ , magnetic properties, 176, 266  
 $\text{Sm}^{3+}$   
complexes acting as magnetization transfer contrast agents, physical characteristics, 171, 38  
doped mesoporous  $\text{TiO}_2$  thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, 172, 81  
 $f \rightarrow d$  transitions in crystals, 171, 299  
 $[\text{Sm}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2]$ , synthesis and structural and magnetic characterization, 171, 201  
 $\text{SmAu}_3\text{Al}_7$  grown from aluminum flux, synthesis and properties, 170, 48  
**Sm–Ca–Cu–O** systems, subsolidus phase relations and crystal structures, 173, 164  
 $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 < x \leq 0.23$ ) perovskite prepared by hydrazine method, formation, sintering, and electrical conductivity, 174, 80  
 $\text{Sm/Eu/Gd}$  mixture, photoreductive stripping of Eu from, 171, 101

- Sm–Fe system, magnetic properties, Al substitution effects, **171**, 339  
 $\text{SmFe}_3(\text{BO}_3)_4$ , magnetic and calorimetric studies, **172**, 438  
 $\text{Sm}_3\text{Ga}_9\text{Ge}$ , with open three-dimensional polygallide framework synthesized from liquid Ga, **173**, 280  
 $\text{SmNd}_2\text{Mo}_4\text{O}_{15}$ , structure, **173**, 407  
 $\text{Sm}_3\text{Ni}_7\text{As}_5$ , crystal structure and physical properties, **172**, 265  
 $\text{Sm}(\text{NO}_3)_3$ , complex with bis(pentamethylene)urea, synthesis, characterization, and properties, **171**, 242  
sulfur-bridged phenoxy and naphthyloxide-based ligands, chemistry and catalysis, **171**, 90  
 $\text{Y}_2\text{O}_3:\text{Sm}$  phosphors, energy transfer and upconversion luminescence properties, **171**, 391
- Scandium  
 $\text{CuSc}_{1-x}\text{Mg}_x\text{O}_{2+y}$  thin films, P-type conductivity, **175**, 34  
 $3\text{R}-\text{CuScO}_{2+\delta}$ , synthesis, **173**, 355  
 $\text{Sc}_2\text{BC}_2$  with finite linear  $\text{BC}_2$  units, first-principles study, **176**, 609  
separation from Y and La by high-performance centrifugal partition chromatography with *S*-octyl phenyloxy acetic acid, **171**, 358  
 $(\text{ZrO}_2)_{0.85}(\text{ScO}_{1.5})_{0.15}$  solid solutions prepared via Pechini-type gel routes  
gel formation and calcination behavior, **171**, 434  
sintering and electrical properties, **171**, 439
- Second-harmonic generation  
fluorite-like nano- $\text{SrBi}_2\text{Nb}_2\text{O}_9$  phase in  $\text{SrO}-\text{Bi}_2\text{O}_3-\text{Nb}_2\text{O}_5-\text{Li}_2\text{B}_4\text{O}_7$  glass system, **173**, 209  
 $\text{RbTi}_{0.927}\text{Nb}_{0.056}\text{Er}_{0.017}\text{OPO}_4$ , **171**, 257  
 $A_2\text{SeMoO}_6$  ( $A=\text{Na}^+, \text{K}^+, \text{Rb}^+$ ), **174**, 441  
 $A_2\text{TeW}_3\text{O}_{12}$  ( $A=\text{K}, \text{Rb}, \text{Cs}$ ), **175**, 3
- Seebeck coefficient  
 $\text{Ce}_{1-x}\text{A}_x\text{VO}_{4+\delta}$  ( $A=\text{Ca}, \text{Sr}$ ) of zircon type, **176**, 47  
 $\text{TiSnSb}$ : Sn/Sb atom ordering, **176**, 329
- Seebeck effect  
transparent oxides and sulfide fluorides, **175**, 34
- Selected area electron diffraction  
 $\text{Ba}(L_{n/3}^{III}B_{1/3}^{VI})\text{O}_3$  ( $L^{III}=\text{Dy}, \text{Gd}, \text{Sm}$ ;  $B^{VI}=\text{Mo}, \text{W}$ ) complex perovskites, **175**, 299  
 $\text{Bi}_3\text{LaTi}_3\text{O}_{12}$  ferroelectric Aurivillius phase: monoclinic distortion, **172**, 389
- Selectivity  
for Cs and Sr in Nb-substituted titanosilicate with sitinakite topology, **175**, 72
- Selenium  
 $\beta$ -Ag<sub>2</sub>Se treelike, plumelike, pebblelike, rodlike, tubular, polyhedral, and spherical crystals, solvothermal synthesis of, **172**, 17
- CdSe  
nanoparticles, ultrasound-assisted synthesis, **172**, 102  
photoexcited nanocrystals in thin film form, photoelectrical properties and relaxation dynamics, **174**, 276  
semiconducting quantum dots, chemical deposition in thin film form and optical and electrical properties, **172**, 381
- CeMn<sub>0.5</sub>OSe, synthesis, crystal structure, and optical properties, **176**, 170
- CsTmCl<sub>2</sub>[SeO<sub>3</sub>]<sub>x</sub>, synthesis and structure of quinary phase in system CsCl/TmOCl/SeO<sub>2</sub>, **171**, 429
- CuSm<sub>3</sub>Se<sub>4</sub>[Se<sub>2</sub>]<sub>y</sub>, synthesis and structure, **171**, 424
- [enH<sub>2</sub>][Cd(H<sub>2</sub>O)<sub>2</sub>(SeO<sub>4</sub>)<sub>2</sub>], synthesis and structure, **174**, 386
- ErSeO<sub>3</sub>Cl, hydrothermal synthesis and crystal structure, **174**, 111
- Hg<sub>3</sub>Se<sub>2</sub>[MX<sub>6</sub>] ( $M=\text{Zr}, \text{Hf}$ ;  $X=\text{Cl}, \text{Br}$ ), expanded polycationic mercury-chalcogen networks in, **172**, 12
- Hg<sub>2</sub>SeO<sub>3</sub>, crystal structure of  $\alpha$ -,  $\beta$ - and  $\gamma$ -modifications and thermal behavior of  $\alpha$ - and  $\beta$ -modifications, **172**, 35
- (H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)[(VO)(SeO<sub>3</sub>)<sub>2</sub>]<sub>x</sub>, hydrothermal synthesis and structure, **172**, 205
- $M_y\text{Mo}_6\text{Se}_8$  Chevrel phases, delocalization  $M=3d$ -elements (Ti, Fe, Co) in channels network of, **170**, 281
- Ni<sub>6±x</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phase, synthesis and powder X-ray diffraction and TEM studies, **170**, 351
- PtSe<sub>2</sub> ( $Q=\text{O}, \text{S}, \text{Se}, \text{Te}$ ) layered compounds, structure and bonding trends, **173**, 114
- selenites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, preparation, crystal structure, vibrational spectra, and thermal behavior, **170**, 390
- $A_2\text{SeMoO}_6$  ( $A=\text{Na}^+, \text{K}^+, \text{Rb}^+$ ), syntheses, structures, and characterization, **174**, 441
- $\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2]\cdot 2\text{H}_2\text{O}$ , variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455
- $AE[(\text{UO}_2)(\text{SeO}_3)_2]$  ( $AE=\text{Ca}, \text{Ba}$ ), variable dimensionality and new topologies, **168**, 358; *erratum*, **171**, 455
- {[VO(OH)(H<sub>2</sub>O)][SeO<sub>3</sub>]}<sub>4</sub>·2H<sub>2</sub>O, hydrothermal synthesis and structure, **172**, 205
- Semiconductor–metallic transition  
 $\text{La}_{0.7}(\text{Ca}_{0.3-x}\text{Cd}_x)\text{MnO}_3$  CMR manganites, **174**, 52
- Semiconductors  
cadmium selenide  
photoexcited nanocrystals in thin film form, photoelectrical properties and relaxation dynamics, **174**, 276  
quantum dots, chemical deposition in thin film form and optical and electrical properties, **172**, 381
- EuCu<sub>2</sub>MS<sub>4</sub> ( $M=\text{Ge}, \text{Sn}$ ), physical and optical properties, **173**, 78
- $\text{La}_{1.33}\text{Li}_x\text{Cr}_{2-x}\text{O}_6$ , structural characterization and physical properties, **173**, 130
- Na<sub>4</sub>Ba<sub>3</sub>As<sub>x</sub> Zintl phase with isolated As<sub>3</sub><sup>5-</sup> anions, synthesis and characterization, **175**, 306
- SrCu<sub>2</sub>MS<sub>4</sub> ( $M=\text{Ge}, \text{Sn}$ ), physical and optical properties, **173**, 78 wide band-gap, P-type conductivity in, **175**, 34
- SILAR deposition  
CeO<sub>2</sub> and (Ce,Sm)O<sub>2</sub> thin films at low temperature, **175**, 84
- Silicon  
aluminosilicates prepared by sol-gel process, surface and structural properties, effects of Al/Si ratio, **174**, 482
- $\text{Ba}_{8-\delta}\text{Si}_{46-x}\text{Ge}_x$  ( $0 \leq x \leq 23$ ) solid solutions with Type I clathrate structure, superconductivity and crystal structure, **175**, 237
- Ba<sub>2</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN, high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- $RE_{1-x}\text{B}_{12}\text{Si}_{3.3-\delta}$  ( $RE=\text{Y}, \text{Gd}, \text{Lu}$ ) ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- Gd<sub>5</sub>(Si<sub>1-x</sub>Ge<sub>1-x</sub>)<sub>4</sub> system, crystal structure variation near  $x=0.5$ , effects on magnetism, electronic structure, and thermodynamics, **171**, 57
- Gd<sub>4</sub>[SiS<sub>4</sub>]<sub>3</sub>, synthesis, structure, and magnetic behavior, **172**, 417
- K<sub>3</sub>RESi<sub>2</sub>O<sub>7</sub> ( $RE=\text{Gd}, \text{Tb}, \text{Dy}, \text{Ho}, \text{Er}, \text{Tm}, \text{Yb}, \text{Lu}$ ), crystal growth, structure, and optical properties, **170**, 203
- K<sub>4</sub>M<sub>2</sub>Si<sub>6</sub>O<sub>18</sub> ( $M=\text{Sn}, \text{Ti}$ ), synthesis and structural characterization, **175**, 258
- LiSi prepared by high-pressure synthesis, NMR and vibrational spectroscopy and electrical properties, **173**, 251
- MgSiO<sub>3</sub> orthoenstatite, pressure-induced phase transition at room temperature, Raman spectroscopic study, **174**, 403
- Na<sub>1.5</sub>Nb<sub>0.5</sub>Ti<sub>1.5</sub>O<sub>3</sub>SiO<sub>4</sub>·2H<sub>2</sub>O with sitinakite topology, selectivity for Cs and Sr, **175**, 72
- NaY<sub>3</sub>S<sub>3</sub>[SiS<sub>4</sub>]<sub>x</sub>, preparation and channel structure, **171**, 382
- organically modified silica xerogels doped and undoped with Eu<sup>3+</sup> and Tb<sup>3+</sup>, luminescence and energy transfer, **171**, 396
- Pr<sub>3</sub>X[SiS<sub>4</sub>]<sub>2</sub> ( $X=\text{Cl}, \text{Br}, \text{I}$ ), magnetism, **176**, 288
- PtSiSb, synthesis and structure, **175**, 231
- Si<sub>6-z</sub>Al<sub>2</sub>O<sub>2</sub>N<sub>8-z</sub> spinels, cohesive properties, electronic structure calculation of, **176**, 549
- silica-zirconia mesoporous molecular sieves, textural and structural properties and surface acidity, **175**, 159
- Si<sub>3</sub>N<sub>4</sub> spinel, conversion to willemite-II phase, **176**, 530
- Sr<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN, high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221
- ZrC–SiC composites, preparation by microwave route, **173**, 196

- Sillén phases  
 $L_{0.5}^I\text{Bi}_{1.5}\text{O}_2X$  and  $L^{\text{II}}\text{BiO}_2X$  ( $L^I=\text{Li}, \text{Na}; L^{\text{II}}=\text{Ca}, \text{Sr}, \text{Ba}; X=\text{Cl}, \text{Br}, \text{I}$ ) quaternary layered compounds, **175**, 316
- Silver  
Ag-added  $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ , granular, enhanced ferromagnetic transition and magnetoresistance, **174**, 257  
 $\text{Ag}_2\text{Cu}_2\text{O}_3$ , exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400  
 $\text{Ag}_2\text{MnSn}_3\text{S}_8$ , crystal structure and magnetic and electrochemical properties, **174**, 229  
 $(\text{Ag}_3\text{MoO}_3\text{F}_3)(\text{Ag}_3\text{MoO}_4)\text{Cl}$ , alignment of acentric  $\text{MoO}_3\text{F}_3^{3-}$  anions in, **175**, 27  
 $\beta\text{-Ag}_2\text{Se}$  treelike, plumelike, pebblelike, rodlike, tubular, polyhedral, and spherical crystals, solvothermal synthesis of, **172**, 17  
 $(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), silver ionic transport in, **170**, 142  
ionic transport in  $(1-x)\cdot\text{CuI}-x\cdot\text{Ag}_2\text{MoO}_4$  ( $0.15 \leq x \leq 0.6$ ), **170**, 142  
quasi-one-dimensional materials, **176**, 311  
silver(I)-hexamethylenetetramine coordination polymers, crystal structures, effect of synthetic conditions, **172**, 45  
Yb–Ag, alloying using liquid ammonia metal solutions of Yb, **171**, 254
- Silver(I)-hexamethylenetetramine  
coordination polymers, crystal structures, effect of synthetic conditions, **172**, 45
- Simonsite  
synthetic,  $\text{Na}_2\text{LiAlF}_6$ , crystal structure, **172**, 95
- Sintering  
barium titanate-based ceramics in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226  
 $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) perovskite prepared by hydrazine method, **174**, 80  
 $(\text{ZrO}_2)_{0.85}(REO_{1.5})_{0.15}$  ( $RE=\text{Sc}, \text{Y}$ ) prepared via Pechini-type gel routes, **171**, 439
- Sitinakite topology  
 $\text{Na}_{1.5}\text{Nb}_{0.5}\text{Ti}_{1.5}\text{O}_3\text{SiO}_4 \cdot 2\text{H}_2\text{O}$  with, selectivity for Cs and Sr, **175**, 72
- Size control  
 $\text{Y}_2\text{O}_3$  nanopowders, using sol–gel route, **171**, 152
- Size effect  
local perturbations due to  $R^{3+}$  rare-earth doping, **171**, 282
- Skutterudites  
filled,  $Ln\text{Fe}_4\text{P}_{12}$  ( $Ln=\text{heavy lanthanide, including Y}$ ), systematic high-pressure synthesis, **174**, 32
- Sodium  
 $\text{Ba}_6M_2\text{Na}_2X_2\text{O}_{17}$  ( $M=\text{Ru}, \text{Nb}, \text{Ta}, \text{Sb}; X=\text{V}, \text{Cr}, \text{Mn}, \text{P}, \text{As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
cadmium–zirconium–sodium oxalate with open framework, crystal structure, solid-state NMR, and thermal behavior, **170**, 330  
 $\text{Na}_4\text{Ba}_3\text{As}_6$  Zintl phase with isolated  $\text{As}_3^{5-}$  anions, synthesis and characterization, **175**, 306  
 $\text{Na}_{0.5}\text{Bi}_{1.5}\text{O}_2X$  ( $X=\text{Cl}, \text{Br}, \text{I}$ ) quaternary layered compounds of Sillén X1 type, **175**, 316  
 $\text{NaCoO}_2$ , single-crystal growth and crystal and electronic structures, **172**, 22  
 $\text{Na}_3\text{Fe}_2\text{Mo}_5\text{O}_{16}$  containing  $\text{Mo}_3\text{O}_{13}$  clusters, preparation, crystal structure, and magnetic studies, **176**, 192  
 $\text{NaGa}_2(\text{OH})(\text{PO}_4)_2$ , hydrothermal synthesis and tunnel structure, **172**, 237  
 $(\text{Na}_{0.954}\text{La}_{0.046})\text{La}_6\text{I}_{12}\text{Fe}$ , preparation and characterization, **172**, 132  
 $\text{Na}_2\text{LiAlF}_6$  synthetic simonsite, crystal structure, **172**, 95  
 $\text{Na}_4\text{Mg}_2(\text{H}_2\text{P}_2\text{O}_7)_4 \cdot 8\text{H}_2\text{O}$ , crystal structure and vibrational spectra, **172**, 160  
 $\text{Na}_x\text{MnO}_2$   $P2$ -type bronzes, ion-exchange properties: retention of layer structure, **174**, 365
- $\text{Na}_2[\{\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}\{\text{Mn}(\text{phen})_2\}_3\{\text{MnMo}_2^V\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH})_6\}] \cdot 4\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **170**, 192
- $\text{Na}_3\text{MoO}_3\text{F}_3$ , combined diffraction study and electrical study, **174**, 450
- $\text{Na}_8[\text{Nb}_8\text{Ti}_2\text{O}_{28}] \cdot 34\text{H}_2\text{O}$ , synthesis, structure, and molecular modeling, **176**, 111
- $\text{Na}_{1.5}\text{Nb}_{0.5}\text{Ti}_{1.5}\text{O}_3\text{SiO}_4 \cdot 2\text{H}_2\text{O}$  with sitinakite topology, selectivity for Cs and Sr, **175**, 72
- $\text{NaLnO}_2$  ( $Ln=\text{rare earths}$ ), magnetic properties, **176**, 266
- $\text{NaPdPS}_4$  systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents, **175**, 133
- $(\text{Na}_{0.90}\text{Pr}_{0.10})\text{Pr}_6\text{I}_{12}\text{Ir}$ , preparation and characterization, **172**, 132
- $\text{Na}_2\text{SeMoO}_6$ , synthesis, structure, and characterization, **174**, 441
- $\text{Na}_2\text{SrV}_3\text{O}_9$ , synthesis, structure, and magnetic properties, **173**, 244
- $\text{Na}_2(\text{UO}_2)(\text{W}_2\text{O}_8)$ , synthesis and crystal structure, **172**, 305
- $\text{Na}_{10}(\text{UO}_2)_8(\text{W}_5\text{O}_{20})\text{O}_8$ , synthesis and crystal structure, **172**, 305
- $\text{NaY}_3\text{S}_3[\text{SiS}_4]$ , preparation and channel structure, **171**, 382
- $\text{Na}[(\text{Zr}_x\text{B})\text{Cl}_x\text{I}_{14-x}]$  ( $0 \leq x \leq 4$ ) cluster phases, syntheses and structures, **170**, 273
- $\text{Nd}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-x)}\text{Co}_x\text{O}_3$  perovskites, insulator–metal transition, **170**, 368
- $\text{Pr}_{0.8}\text{Na}_{0.2}\text{Mn}_{(1-y)}\text{Co}_y\text{O}_3$  perovskites, effects of Co doping, **174**, 466
- Soft chemistry  
nanograin ferrites: control of grain size and morphologies, **170**, 30
- Sol–gel synthesis  
aluminosilicates prepared by, surface and structural properties, effects of Al/Si ratio, **174**, 482  
ceria–lanthana-based TWC promoters prepared by, EXAFS study, **175**, 289
- cordierite doped with  $\text{Eu}^{3+}$ , **171**, 375
- $\text{K}_2\text{FeZrP}_3\text{O}_{12}$  with langbeinite structure, **173**, 314
- $\text{Pr}^{3+}$ -doped  $\text{CaTiO}_3$  nanophosphor from polymer precursor, **174**, 69
- $\text{V}^{4+}$ - $\text{ZrO}_2$  monoclinic solid solutions obtained by, X-ray powder diffraction, **173**, 40
- $\text{Y}_2\text{O}_3$  nanopowders: control of size and morphology, **171**, 152
- Solid solutions  
 $\text{BaMgAl}_{10}\text{O}_{17}:\text{Eu}^{2+}-\text{Ba}_{0.75}\text{Al}_{11}\text{O}_{17.25}:\text{Eu}^{2+}$ , defect chemistry and VUV optical properties, **173**, 359
- $\text{Ba}_{8-\delta}\text{Si}_{46-\lambda}\text{Ge}_\lambda$  ( $0 \leq \lambda \leq 23$ ), with Type I clathrate structure, superconductivity and crystal structure, **175**, 237
- $\text{Bi}_2\text{Pb}_{8-\lambda}(\text{PO}_4)_6\text{O}_{2-\lambda}$ , Mn substitution, crystal structure of  $\text{Bi}_{1.5}(\text{Pb}_{7.3}\text{Mn}_{0.7})(\text{PO}_4)_6\text{O}_{1.3}$ , formed by, **173**, 374
- $\text{CeO}_2-\text{YO}_{1.5}$ , nanocrystalline, fractal behavior, **176**, 57
- ceria–lanthana-based TWC promoters prepared by sol–gel routes, EXAFS study, **175**, 289
- $\text{La}_4\text{BaCu}_{5-x}\text{M}_x\text{O}_{13+\delta}$  ( $M=\text{Fe}, \text{Co}, \text{Ni}, \text{Zn}$ ), **170**, 1
- $\text{Sm}(\text{Cr}_{1-x}\text{Mg}_x)\text{O}_3$  ( $0 \leq x \leq 0.23$ ) perovskite prepared by hydrazine method, formation, sintering, and electrical conductivity, **174**, 80
- $\text{SrSnO}_3-\text{SrFeO}_3$ , phase transitions in, X-ray diffraction and Mössbauer studies, **174**, 392
- $\text{V}^{4+}$ - $\text{ZrO}_2$ , monoclinic, obtained from gels, X-ray powder diffraction, **173**, 40
- $\text{YBa}_2\text{Fe}_3\text{O}_8$ ,  $\text{Co}^{3+}$  substitution in, **172**, 73
- $(\text{ZrO}_2)_{0.85}(REO_{1.5})_{0.15}$  ( $RE=\text{Sc}, \text{Y}$ ) prepared via Pechini-type gel routes  
gel formation and calcination behavior, **171**, 434  
sintering and electrical properties, **171**, 439
- Sol–lyophilization technique  
synthesis of  $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  phosphor nanoparticles, **173**, 335
- Solvothermal synthesis  
 $\beta\text{-Ag}_2\text{Se}$  crystals with treelike, plumelike, pebblelike, rodlike, tubular, polyhedral, and spherical morphologies, **172**, 17  
borophosphate with 1-D structure, using ionic liquid as medium, **176**, 33
- $\text{CdS}$  beltlike nanocrystals, **172**, 480

- [Co(en)<sub>3</sub>][Ga<sub>3</sub>(H<sub>2</sub>PO<sub>4</sub>)<sub>6</sub>(HPO<sub>4</sub>)<sub>3</sub>] layered compound templated by cobalt complex, **170**, 176
- [Co<sub>2</sub>(NH<sub>2</sub>(CH<sub>2</sub>)<sub>2</sub>NH<sub>2</sub>)<sub>3</sub>][Ge<sub>9</sub>O<sub>18</sub>(OH)<sub>4</sub>] organically templated open-framework germanite, **170**, 124
- LiBaF<sub>3</sub>, **175**, 284
- [Ni(dien)<sub>2</sub>]Sb<sub>4</sub>S<sub>7</sub>·H<sub>2</sub>O layered compound and [Ni(dien)<sub>2</sub>]<sub>3</sub> Sb<sub>12</sub>S<sub>21</sub>·H<sub>2</sub>O 3-D compound, **174**, 264
- NiS and Ni<sub>9</sub>S<sub>8</sub> nanorods by phase-controlled process, **173**, 227
- surfactant-ligand co-assisted technique, differently shaped CdS nanorod-based materials, **175**, 322
- Y<sub>2</sub>O<sub>3</sub>:Eu, **171**, 268
- Sparkle model
- Eu(fod)<sub>3</sub>phen-NO complex, **171**, 183
- Specific heat
- BaNd<sub>2</sub>CoS<sub>5</sub> and BaNd<sub>2</sub>ZnS<sub>5</sub>, **174**, 159
- LnFe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub> (Ln=Y, La–Nd, Sm–Ho), **172**, 438
- NaLnO<sub>2</sub> (Ln=rare earths), **176**, 266
- Spectrophotometry
- water-soluble porphyrins in H<sub>2</sub>O<sub>2</sub> chemiluminescence system with *d*- and *f*-electron metals, **171**, 208
- Spectroscopy
- anion polarizability, relationship to 4*f*<sup>n</sup>–15*d* centroid shift in lanthanides, **171**, 133
- bis(pentamethylene)urea complexes with lanthanide nitrates, **171**, 242
- BiY<sub>1-x</sub>R<sub>x</sub>GeO<sub>5</sub>, **171**, 262
- d-d* spectra: local many-electron states in transition metal oxides, **176**, 633
- Eu(fod)<sub>3</sub>phen-NO complex, **171**, 183
- rare-earth picrate complexes with L-arginine, **171**, 212
- Frank H. Spedding award citation, **171**, 444
- Spin density functional theory
- GdCl<sub>3</sub>: *d*-electron-mediated 4*f*<sup>7</sup>–4*f*<sup>7</sup> exchange in Gd-rich compounds, **176**, 294
- Spin dimer analysis
- based on extended Hückel tight binding calculations, application to extended magnetic solids with localized spins, **176**, 417
- Spinel
- FeFe<sub>2</sub>O<sub>4</sub> magnetite, Raman spectroscopic study, **174**, 424
- Li(Mg<sub>1/6</sub>Mn<sub>11/6</sub>)O<sub>4</sub>, cubically stabilized, structural disorder along Li diffusion pathway in, synchrotron X-ray studies, **174**, 167
- LiMn<sub>2</sub>O<sub>4</sub>, cubically stabilized, structural disorder along Li diffusion pathway in, molecular dynamics calculation, **174**, 175
- MgAl<sub>2</sub>O<sub>4</sub> nanoparticles, normal micelle synthesis and characterization, **175**, 59
- nanograin ferrites, grain size and morphologies, control by adaptation of mechanochemical synthesis and soft chemistry, **170**, 30
- Ni<sub>x</sub>Mn<sub>1-y-x</sub>Fe<sub>2+y</sub>O<sub>4</sub> ferrites, cation distribution in, thermodynamic determination, **176**, 279
- Si<sub>6-z</sub>Al<sub>z</sub>O<sub>z</sub>N<sub>8-z</sub>, cohesive properties, electronic structure calculation of, **176**, 549
- Si<sub>3</sub>N<sub>4</sub>, conversion to willemite-II phase, **176**, 530
- Spin exchange interactions
- extended magnetic solids with localized spins, formal, quantitative, and qualitative theoretical descriptions, **176**, 417
- ferromagnetic CdVO<sub>3</sub>, first principles analysis and qualitative electronic structure calculations, **175**, 341
- Spin glass
- LaSrMnCoO<sub>6</sub> cubic double perovskite oxide, **173**, 350
- Spin-lattice interactions
- transition metal oxoperovskites, **175**, 116
- Spinodal phase segregation
- transition metal oxoperovskites, **175**, 116
- Spin ordering
- perovskite-like oxides, full-potential density functional calculations, **176**, 338
- Spin polarization
- GaMn, **173**, 137
- MnAl ferromagnet, **176**, 390
- Spin-state transitions
- full-potential density functional calculations, **176**, 338
- GdBaCo<sub>2</sub>O<sub>3.5</sub>, **171**, 349
- LaSrMnCoO<sub>6</sub> cubic double perovskite oxides, **173**, 350
- Stilbenes
- symmetrically substituted, non-linear optical properties, **172**, 364
- Srontium
- Ba<sub>2-x</sub>Sr<sub>x</sub>Fe<sub>4</sub>O<sub>8</sub>, cationic conduction, **170**, 435
- Bi-Sr-MnO<sub>3</sub>, charge and orbital order, **171**, 84
- Ce<sub>1-x</sub>Sr<sub>x</sub>VO<sub>4+δ</sub>, zircon-type, stability and oxygen ionic conductivity, **176**, 47
- CoSr<sub>2</sub>(Y,Ce)<sub>s</sub>Cu<sub>2</sub>O<sub>5+2s</sub> (*s*=1–3), structural order and disorder in, **176**, 213
- Eu<sub>2-x</sub>Sr<sub>x</sub>IrH<sub>5</sub>, order-disorder transition in, X-ray and neutron powder diffraction study, **174**, 35
- [Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> (0.6≤*x*≤0.90; 0≤*y*≤2 *b*<sub>1</sub>/*b*<sub>2</sub>=1.63–1.79), structure, HREM studies, and transport properties, **170**, 374
- La<sub>1-x</sub>Sr<sub>x</sub>Co<sub>1-z</sub>Mn<sub>z</sub>O<sub>3-δ</sub> (*x*=0.3; *z*=0,0.25), conductivity and carrier traps in, **172**, 296
- La<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-δ</sub>, electron/hole and ion transport, **172**, 219
- La<sub>x</sub>Sr<sub>2-x</sub>FeO<sub>4±δ</sub>, structural properties at high temperature and under reducing conditions, **175**, 207
- La<sub>1-x</sub>Sr<sub>x</sub>Ga<sub>1-2x</sub>Mg<sub>2x</sub>O<sub>3-y</sub> (*x*=0.05,0.1) anisotropic single crystals, structure, thermal expansion, and conductivity, **172**, 396
- LaSrMnCoO<sub>6</sub> cubic double perovskite oxide, synthesis, structure, and properties, **173**, 350
- Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>6</sub>10–, synthesis and structure, **172**, 166
- Na<sub>2</sub>SrV<sub>3</sub>O<sub>9</sub>, synthesis, structure, and magnetic properties, **173**, 244
- Nd<sub>0.5</sub>Sr<sub>0.5</sub>MnO<sub>3</sub>, charge ordering and phase separation in, <sup>57</sup>Fe Mössbauer study, **174**, 74
- Pr<sub>1-x</sub>Sr<sub>x</sub>FeO<sub>3-w</sub>, structural aspects, **173**, 148
- selectivity for, in Nb-substituted titanasilicate with sitinakite topology, **175**, 72
- SrAl<sub>1.7</sub>B<sub>0.3</sub>O<sub>4</sub>:Eu-*R* (*R*=Nd,Dy) pigments, optical study, **171**, 273
- Sr<sub>3-x</sub>A<sub>x</sub>AlO<sub>4</sub>F (*A*=Ba,Ca) layered oxyfluorides, cation and anion ordering in, **172**, 89
- Sr<sub>0.53</sub>Ba<sub>0.47</sub>CuN, synthesis and crystal structure, **170**, 265
- SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> fluorite-like nanophasse in SrO–Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub>–Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub> glass system, **173**, 209
- SrBi<sub>2</sub>X<sub>2</sub> (*X*=Cl,Br,I) quaternary layered compounds of Sillén XI type, **175**, 316
- Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub> perovskites, tolerance factor rules for, **170**, 154
- Sr<sub>2</sub>Co<sub>2-x</sub>Ga<sub>x</sub>O<sub>5</sub> (0.3≤*x*≤0.8), synthesis and structural studies, **173**, 395
- Ln<sub>0.33</sub>Sr<sub>0.67</sub>CoO<sub>3-δ</sub> (*Ln*=Y<sup>3+</sup>, Ho<sup>3+</sup>, Dy<sup>3+</sup>), atomic ordering, **174**, 198
- Sr<sub>8</sub>Cu<sub>3</sub>In<sub>4</sub>N<sub>5</sub>, synthesis and crystal structure, **170**, 265
- SrCu<sub>2</sub>MS<sub>4</sub> (*M*=Ge,Sn), physical and optical properties, **173**, 78
- Sr<sub>4</sub>(Fe<sub>2-x</sub>Mn<sub>x</sub>)<sub>1+y</sub>(CO<sub>3</sub>)<sub>1-3y</sub>O<sub>6(1+y)</sub>, nanostructure, microstructure, and average structure, **170**, 424
- SrFe<sub>2/3</sub>B''<sub>1/3</sub>O<sub>3</sub> (*B''*=Mo,W,Te,U) tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252
- SrFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>O with chain-like structure, synthesis and characterization, **170**, 411
- Sr<sub>1-x</sub>La<sub>1+x</sub>Al<sub>1-x</sub>Mg<sub>x</sub>O<sub>4</sub> (0≤*x*≤0.7), structural distortion, detection with CBED and crystallographic image processing, **172**, 243
- Sr<sub>2</sub>MnGaO<sub>5</sub> brownmillerite, ordering of tetrahedral chains in, **174**, 319
- Sr<sub>3</sub>Mn<sub>2</sub>O<sub>6+x</sub> reduced double-layer manganite, synthesis and characterization, **175**, 188

- Sr<sub>4</sub>MMn<sub>2</sub>O<sub>9</sub>** (*M* = Cu,Zn), crystal and magnetic structure, **176**, 88  
**SrO–Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub>–Li<sub>2</sub>Ba<sub>4</sub>O<sub>7</sub>** glass system, fluorite-like nano-SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> phase in, **173**, 209  
**α-SrP<sub>3</sub>**, high-pressure synthesis and structural characterization, **173**, 449  
**Sr<sub>8</sub>4Re<sub>3</sub>Cu<sub>4</sub>O<sub>24</sub>** (*A* = Sr,Ca) ferromagnets with ordered perovskite structure, **175**, 366  
**Sr<sub>18</sub>Ru<sub>1.9</sub>Bi<sub>4.1</sub>O<sub>33</sub>**, crystallization from molten hydroxide, **173**, 203  
**Sr<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN**, high-temperature synthesis, single-crystal X-ray structure determination, and solid-state NMR, **174**, 221  
**SrSnO<sub>3</sub>–SrFeO<sub>3</sub>** solid solutions, phase transitions in, X-ray diffraction and Mössbauer studies, **174**, 392  
**Sr[(UO<sub>2</sub>)(SeO<sub>3</sub>)<sub>2</sub>]·2H<sub>2</sub>O**, variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455
- Structural relaxation**  
 role in crystallization of MgO, **175**, 278
- Structure**, *see also* Band structure; Crystal structure; Electronic structure; Magnetic structure; Superstructure; Tunnel structure  
 aluminosilicates prepared by sol–gel process, effects of Al/Si ratio, **174**, 482  
**Ba<sub>14</sub>Pd<sub>3</sub>Ir<sub>8</sub>O<sub>33</sub>**, **174**, 96  
**Bi<sub>14</sub>MO<sub>24</sub>** (*M* = Cr,Mo,W) phases: discrete MO<sub>4</sub> tetrahedra, **175**, 197  
 calcium undecanoate, **172**, 471  
 ceria–lanthana-based TWC promoters prepared by sol–gel routes, EXAFS study, **175**, 289  
**Cu<sub>2.33-x</sub>V<sub>4</sub>O<sub>11</sub>**, composite structure, **172**, 319  
 dinuclear Cd(II) and Cu(II) complexes with flexible disulfoxide ligand forming extended chains via hydrogen bond linkages, **173**, 20  
 disorder along lithium diffusion pathway in cubically stabilized lithium manganese spinel  
 molecular dynamics calculation, **174**, 175  
 synchrotron X-ray studies, **174**, 167  
**Eu(III)** complexes with cyclohexyl and benzene polycarboxylic acids, **171**, 44  
**Gd<sub>2</sub>O<sub>3</sub>** monodispersed fine spherical particles, **171**, 420  
**Gd<sub>2-x</sub>Y<sub>x</sub>O<sub>3</sub>:Eu** nanocrystals, transitions of, **171**, 304  
 hexagonal perovskites in Ba<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>–BaTiO<sub>3</sub>: superspace description as modulated layered structures, **174**, 209  
**La–Ca** manganites near optimal doping concentrations, **171**, 76  
**LaNi<sub>5-x</sub>Pt<sub>x</sub>H<sub>2</sub>** system, **173**, 379  
**La<sub>x</sub>Sr<sub>2-x</sub>FeO<sub>4±δ</sub>** at high temperature and under reducing conditions, **175**, 207  
 β-manganites, interstitial metal nitrides with, **172**, 138  
**(MnCl)LaNb<sub>2</sub>O<sub>7</sub>** layered perovskite, **175**, 88  
**Mo(VI)** complex perovskites prepared by polymeric precursors method, **173**, 319  
**Na<sub>x</sub>MnO<sub>2</sub>** *P*2-type bronze layer structure, retention during ion exchange, **174**, 365  
**Na<sub>1.5</sub>Nb<sub>0.5</sub>Ti<sub>1.5</sub>O<sub>3</sub>SiO<sub>4</sub>·2H<sub>2</sub>O** with sitinakite topology exchanged with Cs and Sr, **175**, 72  
 nuclear, oxidized and reduced YBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub>, neutron powder diffraction study, **174**, 87  
**PbTe** formed by mechanically alloying, microstructure, **173**, 189  
 poly(dicarbon monofluoride), semi-empirical INDO study, **174**, 233  
**PtQ<sub>2</sub>** (*Q* = O,S,Se,Te) layered compounds, **173**, 114  
**PtO<sub>2</sub>**, rutile- and CdI<sub>2</sub>-type structures, **175**, 353  
 quasi-one-dimensional materials, **176**, 311  
 silica-zirconia mesoporous molecular sieves, **175**, 159  
**Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub>** perovskites, dependence on tolerance factor rules, **170**, 154  
**Sr<sub>4</sub>(Fe<sub>2-x</sub>Mn<sub>x</sub>)<sub>1+y</sub>(CO<sub>3</sub>)<sub>1-3y</sub>O<sub>6(1+y)</sub>**, **170**, 424  
**SrFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>O**, chain-like structure, **170**, 411  
**Sr<sub>1-x</sub>La<sub>1+x</sub>Al<sub>1-x</sub>Mg<sub>x</sub>O<sub>4</sub>** (0 ≤ *x* ≤ 0.7), distortion in, detection with CBED and crystallographic image processing, **172**, 243  
 tetrapod nanostructure, ZnO, microwave plasma growth and high-spatial-resolution cathodoluminescent spectrum, **173**, 109  
**TiO<sub>2</sub>**  
 mesoporous powders, effect of fluoride doping, **174**, 372  
 rutile-type structure, **175**, 353  
 uranyl nitrate complexes  
 with diphenylsulfoxide and dibenzylsulfoxide, **171**, 230  
*cis*-1,3-dithiane-1,3-dioxide, **171**, 221  
**W(VI)** complex perovskites prepared by polymeric precursors method, **173**, 319  

**Subsolidus equilibria**  
 BaO–Nd<sub>2</sub>O<sub>3</sub>–CuO<sub>x</sub> under carbonate-free conditions at *p*O<sub>2</sub> = 100 Pa and *p*O<sub>2</sub> = 21 kPa, **173**, 476

**Sugar-anionic clay composites**  
 intercalation of pentoses in layered double hydroxide, **174**, 342

**Sulfur**  
**Ag<sub>2</sub>MnSn<sub>3</sub>S<sub>8</sub>**, crystal structure and magnetic and electrochemical properties, **174**, 229  
**Ba<sub>3</sub>CrS<sub>5</sub>** and **Ba<sub>3</sub>Cr<sub>2</sub>S<sub>6</sub>** one-dimensional chain structures, high-pressure synthesis and structures, **176**, 206  
**BaCuS<sub>2</sub>** doped with potassium, P-type conductivity, **175**, 34  
**BaNd<sub>2</sub>CoS<sub>5</sub>** and **BaNd<sub>2</sub>ZnS<sub>5</sub>**, specific heat and neutron diffraction study, **174**, 159  
**BaVS<sub>3</sub>**, structural, electrical, and magnetic properties, **175**, 384  
**CaSO<sub>4</sub>**, hydration of, atomistic modeling, **174**, 141  
**CdS**  
 beltlike nanocrystals, solvothermal synthesis, **172**, 480  
 nanoparticles, ultrasound-assisted synthesis, **172**, 102  
 nanorod-based materials of different shapes, surfactant-ligand co-assisted solvothermal synthesis, **175**, 322  
**CeCuOS**, preparation and crystal structure, **170**, 182  
**[C<sub>4</sub>N<sub>3</sub>H<sub>16</sub>]<sub>2</sub>[La(SO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O**, synthesis and structure, **174**, 381  
**Cs<sub>2</sub>Bi<sub>2</sub>CdS<sub>5</sub>**, **Cs<sub>2</sub>Bi<sub>2</sub>MnS<sub>5</sub>**, **Cs<sub>2</sub>Bi<sub>2</sub>ZnS<sub>5</sub>**, syntheses, structures, optical properties, and theoretical calculations, **174**, 334  
**Cu<sub>3</sub>(OH)<sub>4</sub>SO<sub>4</sub>** made of triple chains of spins *s* = 1/2, magnetic structure and properties, **170**, 255  
 dinuclear Cd(II) and Cu(II) complexes with flexible disulfoxide ligand, extended chains via hydrogen bond linkages, **173**, 20  
**Er<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub>** nanophosphors, luminescence dynamics, confinement effect of electron–phonon interaction on, **171**, 123  
**EuCu<sub>2</sub>MS<sub>4</sub>** (*M* = Ge,Sn), physical and optical properties, **173**, 78  
**Gd<sub>4</sub>[SiS<sub>4</sub>]<sub>3</sub>**, synthesis, structure, and magnetic behavior, **172**, 417  
**Hg<sub>3</sub>S<sub>2</sub>[MX<sub>6</sub>]** (*M* = Zr,Hf; *X* = Cl,Br), expanded polycationic mercury–chalcogen networks in, **172**, 12  
**KLn<sub>2</sub>CuS<sub>4</sub>** (*Ln* = Y,Nd,Sm,Tb,Ho) and **K<sub>2</sub>Ln<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub>** (*Ln* = Dy,Ho), syntheses, structures, physical properties, and electronic structures, **176**, 5  
**K<sub>2</sub>PtS<sub>2</sub>**, quasi-one-dimensional materials, **176**, 311  
**La<sub>3</sub>CuO<sub>2</sub>S<sub>3</sub>**, synthesis, structure, and optical properties, **172**, 257  
**La<sub>4</sub>MnCu<sub>6</sub>S<sub>10</sub>**, synthesis and characterization, **172**, 127  
**Li[K<sub>x</sub>(NH<sub>4</sub>)<sub>1-x</sub>]SO<sub>4</sub>** and **Li<sub>2</sub>KNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>**, structural and vibrational studies, **173**, 69  
**LiMoS<sub>2</sub>** nanocrystalline materials, structure, synergetic theoretical and experimental determination, **175**, 380  
 metal sulfide nanocrystals, synthesis via simple polyol route, **173**, 232  
**NaPdPS<sub>4</sub>** systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents, **175**, 133  
**NaY<sub>3</sub>S<sub>3</sub>[SiS<sub>4</sub>]**, preparation and channel structure, **171**, 382  
**[Ni(dien)<sub>2</sub>]Sb<sub>4</sub>S<sub>7</sub>·H<sub>2</sub>O** layered and **[Ni(dien)<sub>2</sub>]<sub>3</sub>Sb<sub>12</sub>S<sub>21</sub>·H<sub>2</sub>O** 3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264  
**NiS** nanorods, phase-controlled synthesis and characterization, **173**, 227  
**Ni<sub>7±x</sub>S<sub>6</sub>** metastable phase, synthesis and powder X-ray diffraction and TEM studies, **170**, 351

- Ni<sub>9</sub>S<sub>8</sub> nanorods, phase-controlled synthesis and characterization, **173**, 227
- Ni<sub>6±x</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phase, synthesis and powder X-ray diffraction and TEM studies, **170**, 351
- Pr<sub>3</sub>X[SiS<sub>4</sub>]<sub>2</sub> (*X*=Cl,Br,I), magnetism, **176**, 288
- PtS<sub>2</sub> layered compounds, structure and bonding trends, **173**, 114
- RbPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^\sim$  chains soluble in polar solvents and structure of cubic RbPdPS<sub>4</sub> {Rb<sub>0.33</sub>P<sub>0.4</sub>S<sub>2.23</sub>O<sub>x</sub>}, **175**, 133
- Re<sub>4</sub>As<sub>6</sub>S<sub>3</sub> thio-spinel-related cluster system, synthesis and crystal structure, **172**, 446
- Sn–S system, phases obtained by chemical vapor transport methods, XRD, XPS and <sup>119</sup>Sn NMR study, **175**, 359
- SrCu<sub>2</sub>MS<sub>4</sub> (*M*=Ge,Sn), physical and optical properties, **173**, 78 sulfur-bridged phenoxide and naphthyloxide-based ligands for lanthanide chemistry and catalysis, **171**, 90
- $\beta$ -VOSO<sub>4</sub> systems, DFT study, **176**, 556
- Sum rules  
importance for derivative of potentials in density functional theory, **176**, 652
- Sunscreen cosmetics  
cerium oxide for, **171**, 7
- Superconductivity  
Ba<sub>8-δ</sub>Si<sub>46-x</sub>Ge<sub>x</sub> (0≤*x*≤23) solid solutions with Type I clathrate structure, **175**, 237  
flat band origin, **176**, 412  
hexagonal tungsten bronzes: analysis of Rb–W–O system, **172**, 148
- Superconductors  
cuprate, charge disorder effects, **173**, 456
- LnFe<sub>4</sub>P<sub>12</sub> (*Ln*=heavy lanthanide, including Y) filled skutterudites, systematic high-pressure synthesis, **174**, 32
- high-*T<sub>c</sub>*, (Cu,V)-based, x-ray emission spectra of V atoms in, **170**, 188
- Y<sub>2</sub>C<sub>2</sub>I<sub>2</sub>, layered, *T<sub>c</sub>* pressure dependence: lattice versus electronic effects, **171**, 367
- Superparamagnetism  
Nd<sub>0.5</sub>Ca<sub>0.5</sub>MnO<sub>3</sub> and Nd<sub>0.5</sub>Sr<sub>0.5</sub>MnO<sub>3</sub>, <sup>57</sup>Fe Mössbauer study, **174**, 74
- Superspace modeling  
hexagonal perovskites in Ba<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>–BaTiO<sub>3</sub>: description as modulated layered structures, **174**, 209
- Superstructure  
(Ba<sub>1-x</sub>La<sub>x</sub>)<sub>2</sub>In<sub>2</sub>O<sub>5+x</sub>, **170**, 247  
Cu<sub>2,33-x</sub>V<sub>4</sub>O<sub>11</sub>, **172**, 319
- RE<sub>3</sub>Ga<sub>9</sub>Ge (*RE*=Y,Ce,Sm,Gd,Yb) compounds with open 3-D polygallide framework synthesized from liquid Ga, **173**, 280
- Ln<sub>0.33</sub>Sr<sub>0.67</sub>CoO<sub>3-δ</sub> (*Ln*=Y<sup>3+</sup>,Ho<sup>3+</sup>,Dy<sup>3+</sup>): atomic ordering, **174**, 198
- U<sub>2</sub>Co<sub>6</sub>Al<sub>19</sub>, **174**, 152
- Supramolecular arrangement  
uranyl nitrate complex of *cis*-1,3-dithiane-1,3-dioxide, **171**, 221
- Surface reactivity  
quantum chemistry, **176**, 575
- Synchrotron radiation  
in analysis of calcium undecanoate, **172**, 471  
in determination of structure of Nb<sub>5</sub>Pd<sub>4</sub>As<sub>4</sub> from 5×5×5 μm<sup>3</sup> crystal, **172**, 232
- Synchrotron X-ray powder diffraction  
structural disorder along lithium diffusion pathway in cubically stabilized lithium manganese spinel, **174**, 167
- Synthesis, *see also* Hydrothermal synthesis; Sol-gel synthesis; Sol-vothermal synthesis  
Ag-added La<sub>0.7</sub>Ca<sub>0.3</sub>MnO<sub>3</sub> in granular form, **174**, 257
- REAu<sub>3</sub>Al<sub>7</sub> (*RE*=rare earth) grown from aluminum flux, **170**, 48
- Ba<sub>3</sub>CrS<sub>5</sub> and Ba<sub>3</sub>Cr<sub>2</sub>S<sub>6</sub> one-dimensional chain structures at high pressure, **176**, 206
- BaKFeO<sub>3</sub> with 1-D ferrate chains, **172**, 261
- Ba<sub>6</sub>*M*<sub>2</sub>Na<sub>2</sub>X<sub>2</sub>O<sub>17</sub> (*M*=Ru,Nb,Ta,Sb; *X*=V,Cr,Mn,P,As) 12H hexagonal perovskite-related oxides, by electrosynthesis, **176**, 137
- Ba(*Ln*<sup>III</sup><sub>2/3</sub>*B*<sup>VI</sup><sub>1/3</sub>)O<sub>3</sub> (*Ln*<sup>III</sup>=Dy,Gd,Sm; *B*<sup>VI</sup>=Mo,W) complex perovskites, **175**, 299
- BaP<sub>8</sub> at high pressure, **173**, 449
- Ba<sub>14</sub>Pd<sub>3</sub>Ir<sub>8</sub>O<sub>33</sub>, **174**, 96
- Ba<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN at high temperature, **174**, 221
- Ba<sub>14</sub>Zn<sub>5-x</sub>Al<sub>22+x</sub> polar intermetallic compound with 2D network, **170**, 94
- Bi<sub>~6.2</sub>Cu<sub>~6.2</sub>O<sub>8</sub>(PO<sub>4</sub>)<sub>5</sub> disordered compound with wide polycationic ribbons and 2- and 3-O(Bi,Cu)<sub>4</sub> tetrahedra, **172**, 327
- [Bi<sub>3</sub>I(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H)<sub>2</sub>(C<sub>4</sub>H<sub>8</sub>O<sub>3</sub>H)<sub>5</sub>]<sub>2</sub>Bi<sub>8</sub>I<sub>30</sub> containing [Bi<sub>8</sub>I<sub>30</sub>]<sup>6-</sup>, **172**, 53
- Bi<sub>3</sub>LaTi<sub>3</sub>O<sub>12</sub> ferroelectric Aurivillius phase with monoclinic distortion, **172**, 389
- [Bi<sub>6</sub>O<sub>4.5</sub>(OH)<sub>3.5</sub>]<sub>2</sub>(NO<sub>3</sub>)<sub>11</sub>, **176**, 127
- bis(pentamethylene)urea complexes with lanthanide nitrates, **171**, 242
- RE<sub>1-x</sub>B<sub>12</sub>Si<sub>3.3-δ</sub> (*RE*=Y,Gd–Lu) (0≤*x*≤0.5,δ≈0.3), **170**, 75
- Ca<sub>0.5</sub>V<sub>3</sub>O<sub>8</sub>, **172**, 116
- CeCuOS, **170**, 182
- CeMn<sub>0.5</sub>OSe, **176**, 170
- CePdGa<sub>6</sub> heavy-fermion antiferromagnet, **174**, 296
- (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)<sub>2</sub>[(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>], **170**, 106
- (C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, **170**, 106
- CPO-5 mixed ligand coordination polymer, **175**, 182
- Cs<sub>2</sub>Bi<sub>2</sub>CdS<sub>5</sub>, Cs<sub>2</sub>Bi<sub>2</sub>MnS<sub>5</sub>, Cs<sub>2</sub>Bi<sub>2</sub>ZnS<sub>5</sub>, **174**, 334
- CsTmCl<sub>2</sub>[SeO<sub>3</sub>] quinary phase in system CsCl/TmOCl/SeO<sub>2</sub>, **171**, 429
- 3R-CuMO<sub>2+δ</sub> (*M*=Ga,Sc,In), **173**, 355
- CuSm<sub>3</sub>Se<sub>4</sub>[Se<sub>2</sub>], **171**, 424
- Cu<sub>2,33-x</sub>V<sub>4</sub>O<sub>11</sub>, **172**, 319
- CuVO<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>) (*X*=P,As) mixed metal organic-inorganic hybrid compounds with pillared layer structure, **172**, 194
- divalent metal tungstates by reaction of WC in molten alkali metal nitrates, **174**, 1
- [Dy<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>{Fe(CN)<sub>5</sub>(NO)}<sub>2</sub>]<sub>2</sub>·8H<sub>2</sub>O, **171**, 201
- $\beta$ -Dy<sub>2</sub>B<sub>4</sub>O<sub>9</sub> at high pressure, **170**, 320
- EuCu<sub>2</sub>MS<sub>4</sub> (*M*=Ge,Sn), **173**, 78
- Eu(fod)<sub>3</sub>phen-NO complex, **171**, 183
- Eu<sub>5</sub>Ga<sub>9</sub>, **176**, 567
- M<sub>2</sub>F<sub>2</sub>(2,2'-bpy)(HPO<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O) (*M*=Fe,Ga) two-dimensional compounds incorporating 2,2'-bipyridine ligands, **172**, 6
- LnFe<sub>4</sub>P<sub>12</sub> (*Ln*=heavy lanthanide, including Y) filled skutterudites at high pressure, **174**, 32
- RE<sub>3</sub>Ga<sub>9</sub>Ge (*RE*=Y,Ce,Sm,Gd,Yb) compounds with open 3-D polygallide framework, from liquid Ga, **173**, 280
- Gd<sub>2</sub>O<sub>3</sub>:Eu<sup>3+</sup> phosphor nanoparticles by sol-lyophilization technique, **173**, 335
- Gd<sub>4</sub>[SiS<sub>4</sub>]<sub>3</sub>, **172**, 417
- Gd<sub>2</sub>TeO<sub>6</sub>, **171**, 408
- Ge<sub>3</sub>N<sub>14</sub> Willemite-II phase, formation from spinel phases, **176**, 530
- R(R<sub>3</sub>I<sub>12</sub>Z) rare-earth-metal cluster iodides altered through cation substitution, **172**, 132
- InTbGe<sub>2</sub>O<sub>7</sub>, **170**, 418
- interstitial metal nitrides with filled  $\beta$ -manganese structure, **172**, 138
- ionic-covalent rare-earth oxynitride powders, **171**, 143
- K<sub>3</sub>Cr<sub>3</sub>(AsO<sub>4</sub>)<sub>4</sub>, **173**, 273
- KLN<sub>2</sub>Cu<sub>4</sub>S<sub>4</sub> (*Ln*=Y,Nd,Sm,Tb,Ho) and K<sub>2</sub>Ln<sub>4</sub>Cu<sub>4</sub>S<sub>9</sub> (*Ln*=Dy, Ho), **176**, 5
- KMg<sub>0.5</sub>H<sub>2</sub>P<sub>2</sub>O<sub>7</sub>·H<sub>2</sub>O acidic pyrophosphate, **176**, 27
- K<sub>4</sub>M<sub>2</sub>Si<sub>6</sub>O<sub>18</sub> (*M*=Sn,Ti), **175**, 258
- K<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(MoO<sub>4</sub>)O<sub>2</sub> and K<sub>8</sub>(UO<sub>2</sub>)<sub>8</sub>(MoO<sub>5</sub>)<sub>3</sub>O<sub>6</sub>, **174**, 19
- La<sub>4</sub>BaCu<sub>5-x</sub>M<sub>x</sub>O<sub>13+δ</sub> (*M*=Fe,Co,Ni,Zn), **170**, 1
- La<sub>4</sub>BaCu<sub>5</sub>O<sub>13+δ</sub>, **170**, 1
- LaCaGaO<sub>4</sub>, **172**, 59
- La<sub>2</sub>Ca<sub>2</sub>MnO<sub>6</sub>(O<sub>2</sub>) related to hexagonal perovskite-type structure, **175**, 124

- La<sub>3</sub>CuO<sub>2</sub>S<sub>3</sub>, **172**, 257  
 La<sub>12</sub>Ga<sub>3.5</sub>Mn<sub>0.5</sub>Sb<sub>23.5</sub>, **171**, 137  
 La(Li<sub>1/3</sub>Ti<sub>2/3</sub>O<sub>3</sub>) 1:2 ordered perovskite, **170**, 198  
 La<sub>4</sub>MnCu<sub>6</sub>S<sub>10</sub>, **172**, 127  
 La<sub>1-x</sub>Nd<sub>x</sub>NiO<sub>3-δ</sub> ( $0 \leq x \leq 0.5$ ) ceramic system, **171**, 195  
 LaP<sub>5</sub> at high pressure, **173**, 449  
 La<sub>5</sub>Re<sub>3</sub>MO<sub>16</sub> ( $M = \text{Mg, Fe, Co, Ni}$ ) pillared perovskites, **170**, 165  
 LaSrMnCoO<sub>6</sub> cubic double perovskite oxide, **173**, 350  
 LaTeNbO<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>6</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, **175**, 264  
 LiSi at high pressure, **173**, 251  
 Li<sub>4</sub>Sr<sub>3</sub>Ge<sub>2</sub>N<sub>6</sub> quaternary nitride containing Ge<sub>2</sub>N<sub>6</sub>10-, **172**, 166  
 Li<sub>2</sub>MTiO<sub>4</sub> ( $M = \text{Mn, Fe, Co, Ni}$ ) cation-disordered rocksalt oxides exhibiting oxidative deintercalation of Li, **172**, 171  
 metal sulfide nanocrystals via simple polyol route, **173**, 232  
 MgAl<sub>2</sub>O<sub>4</sub> spinel nanoparticles by micelle microemulsion methods, **175**, 59  
 MgO nano-sized particles and thin film, from diethanolamine-stabilized magnesium methoxide, **175**, 278  
 molecular hexagonal perovskite organic-inorganic hybrid conductor, **176**, 243  
 molybdenum boride and carbide and metallic Mo from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub> by thermo-synthesis method, **170**, 135  
 Na<sub>4</sub>Ba<sub>3</sub>As<sub>6</sub> Zintl phase with isolated As<sub>3</sub><sup>5-</sup> anions, **175**, 306  
 Na<sub>3</sub>Fe<sub>2</sub>Mo<sub>5</sub>O<sub>16</sub> containing Mo<sub>3</sub>O<sub>13</sub> clusters, **176**, 192  
 nanograin ferrites, mechanosynthesis: control of grain size and morphologies, **170**, 30  
 NaPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents, **175**, 133  
 Na<sub>2</sub>SrV<sub>3</sub>O<sub>9</sub>, **173**, 244  
 Na<sub>10</sub>(UO<sub>2</sub>)<sub>8</sub>(W<sub>5</sub>O<sub>20</sub>)O<sub>8</sub>, **172**, 305  
 NaY<sub>3</sub>S<sub>3</sub>[SiS<sub>4</sub>] with channel structure, **171**, 382  
 (Nd,Ce)<sub>2+x</sub>CaCu<sub>2</sub>O<sub>6+y</sub> at high pressure, **170**, 24  
 Ni-Cu particles, **172**, 111  
 Ni<sub>7±x</sub>S<sub>6</sub> and mixed Ni<sub>6±7x</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phases, **170**, 351  
 Pb<sub>2</sub>Mo<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub> with tunnel structure, **172**, 412  
 poly[bis(thiocyanato-*N*)-bis( $\mu_2$ -pyrazine-*N,N'*)-manganese(II)] and poly[bis( $\mu_2$ -thiocyanato-*N*,*S*)-( $\mu_2$ -pyrazine-*N,N'*-Mn(II)], **176**, 259  
 poly[diaqua-( $\mu_2$ -squarato-*O,O'*)-( $\mu_2$ -4,4'-bipyridine-*N,N'*)Me(II)] hydrate ( $Me = \text{Co, Ni, Fe}$ ) coordination polymers, **175**, 328  
 PtSiSb, **175**, 231  
 rare-earth picrate complexes with L-arginine, **171**, 212  
 RbPdPS<sub>4</sub> systems with infinite straight  $\frac{1}{\infty}[\text{PdPS}_4]^-$  chains soluble in polar solvents and cubic RbPdPS<sub>4</sub>{Rb<sub>0.33</sub>P<sub>0.4</sub>S<sub>2.23</sub>O<sub>x</sub>}, **175**, 133  
 Rb<sub>6</sub>U<sub>3</sub>V<sub>2</sub>O<sub>23</sub> layered compounds,  $\alpha$  and  $\beta$  forms, **173**, 1  
 Re<sub>4</sub>As<sub>6</sub>S<sub>3</sub> thio-spinel-related cluster system, **172**, 446  
 selenites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, **170**, 390  
 A<sub>2</sub>SeMoO<sub>6</sub> ( $A = \text{Na}^+, \text{K}^+, \text{Rb}^+$ ), **174**, 441  
 silver(I)-hexamethylenetetramine coordination polymers, conditions for, structural effects, **172**, 45  
 Si<sub>3</sub>N<sub>4</sub> Willemite-II phase, formation from spinel phases, **176**, 530  
 [Sm<sub>2</sub>(Ac)<sub>2</sub>(phen)<sub>4</sub>(H<sub>2</sub>O)<sub>2</sub>{Fe(CN)<sub>5</sub>(NO)}<sub>2</sub>], **171**, 201  
 Sr<sub>0.53</sub>Ba<sub>0.47</sub>CuN, **170**, 265  
 Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub> perovskites, **170**, 154  
 Sr<sub>2</sub>Co<sub>2-x</sub>Ga<sub>x</sub>O<sub>5</sub> ( $0.3 \leq x \leq 0.8$ ), **173**, 395  
 Sr<sub>8</sub>Cu<sub>3</sub>In<sub>4</sub>N<sub>5</sub>, **170**, 265  
 SrCu<sub>2</sub>MS<sub>4</sub> ( $M = \text{Ge, Sn}$ ), **173**, 78  
 SrFe<sub>2/3</sub>B''<sub>1/3</sub>O<sub>3</sub> ( $B'' = \text{Mo, W, Te, U}$ ) tetragonal double perovskites, **175**, 252  
 SrFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>O with chain-like structure, **170**, 411  
 Sr<sub>3</sub>Mn<sub>2</sub>O<sub>6+x</sub> reduced double-layer manganite, **175**, 188  
 $\alpha$ -SrP<sub>3</sub> at high pressure, **173**, 449  
 Sr<sub>7</sub>[SiO<sub>4</sub>][BO<sub>3</sub>]<sub>3</sub>CN at high temperature, **174**, 221
- supramolecules of  $\beta$ -diketonates of Eu(III) and crown ethers as ligands, **171**, 189  
 symmetrically substituted stilbenes, **172**, 364  
 N,N,N',N'-tetramethylmalonamide chelating resin, **171**, 353  
 A<sub>2</sub>TeW<sub>3</sub>O<sub>12</sub> ( $A = \text{K, Rb, Cs}$ ), **175**, 3  
 (Th<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6-δ</sub>) Y-doped thorutite phase, **174**, 329  
 A<sub>5</sub>Ti<sub>8</sub>Nb<sub>18</sub>Cl<sub>53</sub>O<sub>12</sub> ( $A = \text{K, In}$ ) layered cluster compounds with six-member ring opening channels, **175**, 46  
 titanoniobate isopolyanion, **176**, 111  
 Tl<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub> elpasolite-related oxyfluoride, **174**, 44  
 U<sub>2</sub>Co<sub>6</sub>Al<sub>19</sub>, **174**, 152  
 ultrasound-assisted, CdSe and CdS nanoparticles, **172**, 102  
 M<sub>7</sub>(UO<sub>2</sub>)<sub>8</sub>(VO<sub>4</sub>)<sub>2</sub>O<sub>8</sub>Cl ( $M = \text{Rb, Cs}$ ) layered compounds, **172**, 351  
 M<sub>2</sub>(UO<sub>2</sub>)(W<sub>2</sub>O<sub>8</sub>) ( $M = \text{Na, K}$ ), **172**, 305  
 M<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(WO<sub>5</sub>)O ( $M = \text{K, Rb}$ ), **172**, 305  
 U<sub>2</sub>(PO<sub>4</sub>)(P<sub>3</sub>O<sub>10</sub>) orthorhombic crystals, **172**, 66  
 (U<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6</sub>) Y-doped brannerite phase, **174**, 329  
 A<sub>2</sub>VNb<sub>6</sub>Cl<sub>18</sub> ( $A = \text{Rb, In, Tl}$ ), **170**, 227  
 V<sub>2</sub>O<sub>3</sub> nanopowder with spherical particles, **170**, 221  
 Yb(ReO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>O)<sub>4</sub> in monoclinic modification, **172**, 200  
 Y<sub>5</sub>Re<sub>2</sub>O<sub>12</sub> one-dimensional antiferromagnet with  $S = 1/2$ , **172**, 451  
 Zn<sub>3</sub>(bdcc)<sub>3</sub>(4,4'-bpy) · 2(DMF) · 4(H<sub>2</sub>O) 3-D inorganic-organic hybrid framework porous material, **176**, 1  
 A<sup>I</sup>[(Zr<sub>6</sub>B)Cl<sub>3</sub>I<sub>14-x</sub>] ( $A^I = \text{Na, Cs}; 0 \leq x \leq 4$ ) cluster phases, **170**, 273  
 ZrC-SiC composites, microwave route, **173**, 196
- T**
- Tantalum  
 Ba<sub>6</sub>Ta<sub>2</sub>Na<sub>2</sub>X<sub>2</sub>O<sub>17</sub> ( $X = \text{V, Cr, Mn, P, As}$ ) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
 BiTa<sub>1-x</sub>Nb<sub>x</sub>O<sub>4</sub>, structural and spectroscopic studies, **174**, 310  
 Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub>, doped 3T and 4M polytypes, structural relations with doped 3T CaZrTi<sub>2</sub>O<sub>7</sub>, **174**, 285  
 d<sup>0</sup> transition metal oxides of perovskite family, electronic structure, **175**, 94  
 La<sub>4</sub>Te<sub>2</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurite, synthesis, characterization, and dielectric properties, **175**, 264  
 L-Ta<sub>2</sub>O<sub>5</sub>, structural effects of heat treatment, XRPD and HRTEM study, **176**, 250  
 TaO<sub>2</sub>F, thermal expansion, **173**, 45
- Tellurite glasses  
 excited at 1.064 μm, Tm<sup>3+</sup> and Er<sup>3+</sup> in, red-blue-green upconversion emission and energy transfer between, **171**, 278
- Tellurium  
 Gd<sub>2</sub>TeO<sub>6</sub>, synthesis and crystal structure, **171**, 408  
 LaTeNb<sub>6</sub>, La<sub>4</sub>Te<sub>6</sub>Nb<sub>2</sub>O<sub>23</sub>, and La<sub>4</sub>Te<sub>2</sub>Ta<sub>2</sub>O<sub>23</sub> unidimensional quaternary tellurites, synthesis, characterization, and dielectric properties, **175**, 264  
 PbTe, mechanically alloyed, strain and crystallite size in, neutron powder diffraction study, **173**, 189  
 PtTe<sub>2</sub> layered compounds, structure and bonding trends, **173**, 114  
 SrFe<sub>2/3</sub>Te<sub>1/3</sub>O<sub>3</sub> tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252  
 ALnTe<sub>4</sub> and ALn<sub>3</sub>Te<sub>8</sub> ( $A = \text{alkali metal}; Ln = \text{lanthanoid}$ ), electronic band structures and physical properties, **176**, 594  
 A<sub>2</sub>TeW<sub>3</sub>O<sub>12</sub> ( $A = \text{K, Rb, Cs}$ ), syntheses, structures, and second-harmonic generating properties, **175**, 3  
 V<sub>4</sub>Te<sub>4</sub>O<sub>18</sub> with 3D framework, hydrothermal synthesis and crystal structure, **176**, 159
- Temperature effects  
 ytterbium extraction with sec-nonylphenoxy acetic acid, **171**, 362
- Terbium  
 in geothermal waters from Oregon, Nevada, and California, **171**, 246

- InTbGe<sub>2</sub>O<sub>7</sub>, synthesis, crystal structure, and luminescent properties, **170**, 418
- KTb<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, physical properties, and electronic structure, **176**, 5
- K<sub>3</sub>TbSi<sub>2</sub>O<sub>7</sub>, crystal growth, structure, and optical properties, **170**, 203
- Tb<sup>3+</sup>  
complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38  
organically modified silica xerogels doped with, luminescence and energy transfer, **171**, 396
- TbAu<sub>3</sub>Al<sub>7</sub> grown from aluminum flux, synthesis and properties, **170**, 48
- Tb<sub>1-x</sub>B<sub>2</sub>Si<sub>3.3-δ</sub> ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, **170**, 75
- TbFe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub>, magnetic and calorimetric studies, **172**, 438
- TbFe<sub>4</sub>P<sub>12</sub> filled skutterudites, systematic high-pressure synthesis, **174**, 32
- Tb–Mn–O system, phase equilibria at 1100°C, **176**, 151
- TbMnO<sub>3</sub>, Raman phonons of, high-pressure dependence, **171**, 313
- TbPdAl, structure and electronic properties, EXAFS and XANES measurements, **171**, 291
- Tb<sub>3</sub>Ru<sub>4</sub>Ga<sub>15</sub>, preparation and lattice constants, **172**, 27
- ZrO<sub>2</sub>-containing nano-sized particle materials doped with, preparation, crystal structure, and electrorheological performance, **176**, 273
- Tetraamminezinc(II) tetrafluoroborate  
[Zn(NH<sub>3</sub>)<sub>4</sub>] (BF<sub>4</sub>)<sub>2</sub>, phase transitions, structural changes, and molecular motions, **174**, 357
- N,N,N',N'-Tetramethylmalonamide  
chelating resin, synthesis, characterization, and adsorption properties, **171**, 353
- Thallium  
K<sub>1-x</sub>Tl<sub>x</sub>Zn(PO<sub>3</sub>)<sub>3</sub>, luminescent properties, **170**, 450  
Tl<sub>3</sub>MoO<sub>3</sub>F<sub>3</sub> elpasolite-related oxyfluoride, synthesis, electron diffraction, XRD, and DSC study, **174**, 44  
Tl<sub>2</sub>VNb<sub>6</sub>Cl<sub>18</sub> cluster compounds, synthesis, crystal structure, and magnetic properties, **170**, 227
- Thenoyltrifluoroacetone  
supramolecules of  $\beta$ -diketonates and Eu(III) and crown ethers as ligands, synthesis and luminescent properties, **171**, 189
- Theoretical methods  
impact on solid-state chemistry, editorial, **176**, 285
- Thermal analysis  
bis(pentamethylene)urea complexes with lanthanide nitrates, **171**, 242  
calcium undecanoate, **172**, 471  
Cd<sub>3</sub>In<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>6</sub> · 9H<sub>2</sub>O, **173**, 387  
CeCd<sub>4</sub>Cl<sub>11</sub> · 13H<sub>2</sub>O, **173**, 328  
divalent transition metal phosphonates with hydrogen-bonded layers of phosphonate anions, **174**, 116  
Li[K<sub>x</sub>(NH<sub>4</sub>)<sub>1-x</sub>]SO<sub>4</sub> and Li<sub>2</sub>KNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>, **173**, 69  
poly[diaqua-(μ<sub>2</sub>-squarato-O,O')-(μ<sub>2</sub>-4,4'-bipyridine-N,N')Me(II)] hydrate coordination polymers (Me = Co, Ni, Fe), **175**, 328  
rare-earth picrate complexes with L-arginine, **171**, 212
- Thermal decomposition  
cadmium–zirconium–sodium oxalate with open framework, **170**, 330  
calcium undecanoate, **172**, 471  
Cd<sub>3</sub>In<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>6</sub> · 9H<sub>2</sub>O, **173**, 387  
Cd<sub>3</sub>(OH)<sub>2</sub>L<sub>2</sub> (H<sub>2</sub>L = HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, **172**, 288  
coordination polymer preparation, **176**, 259  
Mn<sub>5</sub>(OH)<sub>2</sub>L<sub>4</sub> (H<sub>2</sub>L = HOOC(CH<sub>2</sub>)<sub>2</sub>COOH) succinato-pillared coordination polymer, **172**, 288  
in R<sub>2</sub>Mo<sub>4</sub>O<sub>15</sub> formation, **173**, 407
- Thermal expansion  
Al<sub>1-x</sub>Ga<sub>x</sub>PO<sub>4</sub> ( $x = 0.0, 0.20, 0.50, 0.80, 1.00$ ) low-cristobalite phase, **176**, 37
- Ce<sub>1-x</sub>A<sub>x</sub>VO<sub>4+δ</sub> ( $A = \text{Ca}, \text{Sr}$ ) of zircon type, **176**, 47
- La<sub>1-x</sub>Sr<sub>x</sub>Ga<sub>1-2x</sub>Mg<sub>2x</sub>O<sub>3-δ</sub> ( $x = 0.05, 0.1$ ) anisotropic single crystals, **172**, 396  
negative, role of rigid unit modes, **173**, 442  
TaO<sub>2</sub>F, **173**, 45
- Thermal expansion coefficient  
negative, (V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub> above and below metal/insulator transition, effects of doping and temperature, **174**, 431
- Thermal properties  
dilithium piperazinium(2+) selenate tetrahydrate and dilithium N,N'-dimethylpiperazinium(2+) selenate tetrahydrate, **170**, 308  
Hg<sub>2</sub>SeO<sub>3</sub>  $\alpha$ - and  $\beta$ -modifications, **172**, 35  
[HN(C<sub>2</sub>H<sub>4</sub>)<sub>3</sub>N][(VO)<sub>2</sub>(HPO<sub>3</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)] · H<sub>2</sub>O, **172**, 464  
(MnCl)LaNb<sub>2</sub>O<sub>7</sub> layered perovskite, **175**, 88  
poly[bis(thiocyanato-N)-bis(μ<sub>2</sub>-pyrazine-N,N')-manganese(II)] and poly[bis(μ<sub>2</sub>-thiocyanato-N,S)-(μ<sub>2</sub>-pyrazine-N,N'-Mn(II))], **176**, 259  
selenites of ethylene diamine, 1,3-propylene diamine, and 1,4-butylene diamine, **170**, 390
- Thermal stability  
[Ni(dien)<sub>2</sub>]Sb<sub>7</sub> · H<sub>2</sub>O layered compound and [Ni(dien)<sub>2</sub>]Sb<sub>12</sub>S<sub>21</sub> · H<sub>2</sub>O 3-D compound, **174**, 264  
rutile SnO<sub>2</sub> nanoparticles, **174**, 241
- Thermodesorption  
*n*-butylamine, in determination of relative acid strength of La/paligorskyte, **171**, 217
- Thermodynamics  
cation distribution in Ni<sub>x</sub>Mn<sub>1-y-x</sub>Fe<sub>2+y</sub>O<sub>4</sub> ferrites, **176**, 279  
Ln–Fe–O ( $Ln = \text{Eu}, \text{Gd}$ ) systems, analysis with solid-state electrochemical cells, **172**, 370  
GdBaFe<sub>2</sub>O<sub>5+δ</sub> effects of oxygen nonstoichiometry and distribution, **170**, 9  
Gd<sub>5</sub>(Si<sub>x</sub>Ge<sub>1-x</sub>)<sub>4</sub> system, effect of crystal structure variation near  $x = 0.5$ , **171**, 57  
LaNi<sub>5-x</sub>Pt<sub>x</sub>–H<sub>2</sub> system, **173**, 379
- Thermoelectricity  
PbTe formed by mechanically alloying, **173**, 189
- Thermogravimetry  
Ln–Mn–O system phase equilibria at 1100°C  
 $Ln = \text{Ho}, \text{Tb}$ , **176**, 151  
 $Ln = \text{Yb}, \text{Dy}$ , **174**, 249  
organically templated linear metal selenate, **174**, 386  
Yb(ReO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>O)<sub>4</sub> in monoclinic modification, **172**, 200  
Zn<sub>3</sub>(bdcc)<sub>3</sub>(4,4'-bpy) · 2(DMF) · 4(H<sub>2</sub>O) 3-D inorganic–organic hybrid framework porous material, **176**, 1
- Thermopower  
[Hg<sub>1-x</sub>Co<sub>x</sub>Sr<sub>2-y</sub>Ca<sub>y</sub>O<sub>3</sub>]<sup>RS</sup>[CoO<sub>2</sub>]<sub>b1/b2</sub> ( $0.6 \leq x \leq 0.90; 0 \leq y \leq 2 b_1/b_2 = 1.63–1.79$ ), **170**, 374  
La<sub>1-x</sub>Ba<sub>x</sub>MnO<sub>3</sub> ( $0.02 \leq x \leq 0.35$ ) at high temperature, **172**, 1  
La<sub>1-x</sub>Sr<sub>x</sub>Co<sub>1-z</sub>Mn<sub>z</sub>O<sub>3-δ</sub> ( $x = 0.3; z = 0, 0.25$ ), **172**, 296
- Thermo-synthesis  
molybdenum boride and carbide and metallic Mo from MoO<sub>3</sub>, KBH<sub>4</sub>, and CCl<sub>4</sub>, **170**, 135
- Thin films  
CdSe  
photoexcited nanocrystals, photoelectrical properties and relaxation dynamics, **174**, 276  
semiconducting quantum dots, formation by chemical deposition and optical and electrical properties, **172**, 381  
CeO<sub>2</sub> and (Ce,Sm)O<sub>2</sub>, low-temperature deposition and crystallization, **175**, 84  
CuSc<sub>1-x</sub>Mg<sub>x</sub>O<sub>2+y</sub>, P-type conductivity, **175**, 34  
La–Ca manganites near optimal doping concentrations, transport properties and magnetoresistance, **171**, 76  
MgO, synthesis from diethanolamine-stabilized magnesium methoxide, **175**, 278

- nanoporous ultrathin multilayer films based on molybdenum polyoxometalate, preparation and characterization, 176, 13
- rare-earth-doped mesoporous  $TiO_2$  with nanocrystalline walls, visible and near-IR luminescence via energy transfer, 172, 81
- rare earth oxides, as gate oxides in MOSFET transistors, 171, 170
- Thiospinels**
- $Ag_2MnSn_3S_8$ , crystal structure and magnetic and electrochemical properties, 174, 229
  - related cluster system  $Re_4As_6S_3$ , synthesis and crystal structure, 172, 446
- Thorium**
- thorium(IV) hydrates, water exchange mechanism in, study by quantum chemical methods, 171, 235
  - ( $Th_{1-x}Y_xTi_2O_{6-\delta}$ ) Y-doped thorutite, synthesis, crystal chemistry, and structures, 174, 329
- Thorutite**
- Y-doped ( $Th_{1-x}Y_xTi_2O_{6-\delta}$ ), synthesis, crystal chemistry, and structures, 174, 329
- Three-way catalysts**
- advanced automotive de-pollution catalysts, nanostructured materials for, 171, 19
  - ceria–lanthana-based TWC promoters prepared by sol–gel routes, EXAFS study, 175, 289
- Thulium**
- $CsTmCl_2[SeO_3]$ , synthesis and structure of quinary phase in system  $CsCl/TmOCl/SeO_2$ , 171, 429
  - in geothermal waters from Oregon, Nevada, and California, 171, 246
  - $K_3TmSi_2O_7$ , crystal growth, structure, and optical properties, 170, 203
  - $NaTmO_2$ , magnetic properties, 176, 266
  - $Tm^{3+}$ , and  $Er^{3+}$ , in tellurite glasses excited at 1.064  $\mu$ m, red–blue–green upconversion emission and energy transfer between, 171, 278
  - $Tm^{3+}$  complexes acting as magnetization transfer contrast agents, physical characteristics, 171, 38
  - $TmAu_3Al_7$  grown from aluminum flux, synthesis and properties, 170, 48
  - $Tm_{1-x}B_{12}Si_{3.3-\delta}$  ( $0 \leq x \leq 0.5, \delta \approx 0.3$ ), synthesis, crystal growth, structure, and properties, 170, 75
  - $Tm$ –Ca–Cu–O systems, subsolidus phase relations and crystal structures, 173, 164
  - $TmCrO_4$ , structural and magnetic characterization, 171, 161
  - $TmFe_4P_{12}$  filled skutterudites, systematic high-pressure synthesis, 174, 32
- Tin**
- $Ag_2MnSn_3S_8$ , crystal structure and magnetic and electrochemical properties, 174, 229
  - $EuCu_2SnS_4$ , physical and optical properties, 173, 78
  - $Ir_3Sn_7$ , Sn–Mg substitution: structure and chemical bonding in  $Mg_xIr_3Sn_{7-x}$  ( $x=0–1.67$ ), 173, 418
  - $K_4Sn_2Si_6O_{18}$ , synthesis and structural characterization, 175, 258
  - $Mg_xIr_3Sn_{7-x}$  ( $x=0–1.67$ ), structure and chemical bonding in, 173, 418
  - $SnO_2$ , rutile nanoparticles, thermal stability and structural deformation, 174, 241
  - $Sn_2O(C_4O_4)(H_2O)$ , hydrothermal synthesis and structure, comparison with  $Sn_2[Sn_2O_2F_4]$ , 173, 49
  - $Sn$ –S system, phases obtained by chemical vapor transport methods, XRD, XPS and  $^{119}Sn$  NMR study, 175, 359
  - $SrCu_2SnS_4$ , physical and optical properties, 173, 78
  - $SrSnO_3$ – $SrFeO_3$  solid solutions, phase transitions in, X-ray diffraction and Mössbauer studies, 174, 392
  - $TiSnSb$ , Sn/Sb atom ordering in, 176, 329
  - $Y_2B_{2-x}Sn_xO_7$  anionic conductors, local oxygen environment in,  $^{17}O$  MAS NMR study, 175, 110
- Titanium**
- ( $Ba_{0.87}Ca_{0.13})_{1.000}(Ti_{0.85}Zr_{0.14}Mn_{0.01})_{1.003}O_3$ -based ceramics sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, 175, 226
  - $Ba_3Nb_4O_{15}$ – $BaTiO_3$  system cation-deficient perovskite-related  $A_nB_{n-\delta}O_{3n}$  ( $n \geq 4\delta$ ) micro-phases in, HRTEM study, 173, 91
  - hexagonal perovskites in, superspace description as modulated layered structures, 174, 209
  - $Bi_3LaTi_3O_{12}$  ferroelectric Aurivillius phase, monoclinic distortion in, 172, 389
  - $CaTiO_3$ ,  $Pr^{3+}$ -doped nanophosphor, synthesis from polymer precursor and red luminescence, 174, 69
  - $CaZrTi_2O_7$ , doped 3T polytype, structural relations with doped 3T and 4M  $Ca_2Ta_2O_7$ , 174, 285
  - $d^0$  transition metal oxides of perovskite family, electronic structure, 175, 94
  - delocalization in channels network of ternary  $Ti_3Mo_6Se_8$  Chevrel phases, 170, 281
  - $Eu_{1-x}Dy_xTiO_3$ , structure and magnetism, 171, 345
  - $K_4Ti_2Si_6O_{18}$ , synthesis and structural characterization, 175, 258
  - $La_{1.33}Li_xCr_xTi_{2-x}O_6$ , structural characterization and physical properties, 173, 130
  - $La(Li_{1/3}Ti_{2/3})O_3$  1:2 ordered perovskite, synthesis, 170, 198
  - $Li_2NiTiO_4$ , cation-disordered rocksalt oxide and ordered phase, synthesis and characterization, 172, 171
  - $Li_2MTiO_4$  ( $M=Mn, Fe, Co$ ), cation-disordered rocksalt oxides exhibiting oxidative deintercalation of Li, synthesis and characterization, 172, 171
  - $Na_{1.5}Nb_{0.5}Ti_{1.5}O_3SiO_4 \cdot 2H_2O$  with sitinakite topology, selectivity for Cs and Sr, 175, 72
  - [ $\{(NiOH)_2Mo_{10}O_{36}(PO_4)Ti_2\}_n$ ] $^{5n-}$ , chainlike trimetal heteropolyanion based on pseudo-Keggin fragments, synthesis and structure, 170, 232
  - $RbTi_{0.927}Nb_{0.056}Er_{0.017}OPO_4$ , dopant distribution among  $MO_6$  octahedra, neutron diffraction study, 171, 257
  - ( $Th_{1-x}Y_xTi_2O_{6-\delta}$ ) Y-doped thorutite, synthesis, crystal chemistry, and structures, 174, 329
  - $A_5Ti_8Nb_{18}Cl_{53}O_{12}$  ( $A=K, In$ ) layered cluster compounds with six-member ring opening channels, synthesis, crystal structure, and magnetic properties, 175, 46
  - $TiO_2$
    - anatase,  $ZrO_2$ -doped nanoparticles formed by hydrolysis under hydrothermal conditions, photoactivity and phase stability, 170, 39
    - effect on surface interactions of  $MO$  ( $M=Cu, Ni$ )/ $\gamma$ - $Al_2O_3$  catalysts, 170, 48
    - mesoporous powders, structural and textural evolution, effect of fluoride doping, 174, 372
    - metal–ligand bonding and rutile-type structure, 175, 353
    - rare-earth-doped mesoporous thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, 172, 81
    - solid-phase photocatalytic degradation of polystyrene plastic, 174, 104  - $TiSnSb$ , Sn/Sb atom ordering in, 176, 329
  - titanoniobate isopolyanion, synthesis, structure, and molecular modeling, 176, 111
  - titanosilicates, catalysis of epoxidation of alkenes, computational study, 176, 496
  - $Ti_{0.33}V_{0.67}H_xD_y$  ( $x+y \approx 0.9$ ), hydrogen isotope diffusion and mutual perturbation in,  $^1H$  and  $^2H$  NMR studies, 170, 82
  - ( $U_{1-x}Y_xTi_2O_6$ ) Y-doped brannerite, synthesis, crystal chemistry and structures, 174, 329
  - $Y_2Ti_{2-x}B'_xO_7$  ( $B'=Sn, Zr$ ) anionic conductors, local oxygen environment in,  $^{17}O$  MAS NMR study, 175, 110

- Zr(Nb,Ti)(*R*)O<sub>2-δ</sub> (*R* = Yb,Ca), ionic conductivity, comparison with systems with *R* = Y and Gd, **172**, 277
- Titanoniobate isopolyanion synthesis, structure, and molecular modeling, **176**, 111
- Titanosilicates catalysis of epoxidation of alkenes, computational study, **176**, 496
- Tolerance factor rules for Sr<sub>1-x-y</sub>Ca<sub>x</sub>Ba<sub>y</sub>MnO<sub>3</sub> perovskites, **170**, 154
- Topochemistry Y<sub>2</sub>O<sub>3</sub> nanopowders: control of size and morphology, **171**, 152
- Topotactic reaction poly[diaqua-(μ<sub>2</sub>-squarato-*O,O'*)-(μ<sub>2</sub>-4,4'-bipyridine-*N,N'*)Me(II)] hydrate coordination polymers (*Me* = Co,Ni,Fe), **175**, 328
- Transference number oxygen ion, in Ce<sub>1-x</sub>*A*<sub>x</sub>VO<sub>4+δ</sub> (*A* = Ca,Sr) of zircon type, **176**, 47
- Transistors MOSFET, rare earth oxide thin films as gate oxides in, **171**, 170
- Transition metal alloys ferromagnetism, analysis with machine-learning methods, **176**, 587
- Transition metal compounds exchange coupling constants, calculation using localized atomic orbital basis sets, **176**, 400
- Transition metal oxides *d*<sup>0</sup> perovskites, electronic structure, **175**, 94  
electronic structure and magnetism, full-potential density functional calculations, **176**, 338  
local many-electron states in, and complexes with atomic and molecular oxygen, **176**, 633  
low-dimensional, band structure and Fermi surface, **176**, 375
- Transition metal oxoperovskites bond length fluctuations, **175**, 116
- Transmission electron microscopy (Ba<sub>1-x</sub>La<sub>x</sub>)<sub>2</sub>In<sub>2</sub>O<sub>5+x</sub> (0 ≤ *x* ≤ 0.6): oxygen/vacancy ordering, **170**, 247  
Ca<sub>*n*+1</sub>Mn<sub>*n*</sub>O<sub>3*n*+1</sub> (*n* = 2,3) Ruddlesden–Popper compounds, **174**, 418  
CdS and CdSe nanoparticles, **172**, 102  
interfacial chemistry in internally oxidized (Cu,Mg)-alloys, **173**, 172  
Ni<sub>7±*x*</sub>S<sub>6</sub> and mixed Ni<sub>6±7*x*</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>5</sub> metastable phases, **170**, 351  
Sr<sub>2</sub>MnGaO<sub>5</sub> brownmillerite: ordering of tetrahedral chains, **174**, 319
- Triflate interactions with Eu(III) in water and aqueous methanol, UV-vis and luminescence studies, **171**, 225
- Trimetal heteropolyanions chainlike, {[(NiOH)<sub>2</sub>Mo<sub>10</sub>O<sub>36</sub>(PO<sub>4</sub>)Ti<sub>2</sub>]<sub>*n*</sub>}<sup>5*n*-</sup>, based on pseudo-Keggin fragments, synthesis and structure, **170**, 232
- Tripotassium trichromium(III) tetraarsenate synthesis, structure, IR spectroscopy, and ionic behavior, **173**, 273
- Tungsten Ba(*Ln*<sup>III</sup><sub>2/3</sub>W<sup>VI</sup><sub>1/3</sub>)O<sub>3</sub> (*Ln*<sup>III</sup> = Dy,Gd,Sm) complex perovskites, synthesis and structural characterization, **175**, 299  
BaWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1  
Bi<sub>14</sub>WO<sub>24</sub>, structural chemistry: discrete MO<sub>4</sub> tetrahedra, **175**, 197  
CaWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1  
CuWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1  
*d*<sup>0</sup> transition metal oxides of perovskite family, electronic structure, **175**, 94  
K<sub>12</sub>[EuP<sub>5</sub>W<sub>30</sub>O<sub>110</sub>]/polyvinylpyrrolidone nanocomposite films, photochromism, **172**, 458  
MgWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1  
Na<sub>10</sub>(UO<sub>2</sub>)<sub>8</sub>(W<sub>5</sub>O<sub>20</sub>)O<sub>8</sub>, synthesis and crystal structure, **172**, 305  
NiWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1  
PbWO<sub>4</sub> single crystal, luminescence properties, effects of La<sup>3+</sup> doping, **172**, 188  
Rb–W–O system: superconducting properties of hexagonal tungsten bronzes, **172**, 148
- SrFe<sub>2/3</sub>W<sub>1/3</sub>O<sub>3</sub> tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252
- A*<sub>2</sub>TeW<sub>3</sub>O<sub>12</sub> (*A* = K,Rb,Cs), syntheses, structures, and second-harmonic generating properties, **175**, 3
- M*<sub>2</sub>(UO<sub>2</sub>)(W<sub>2</sub>O<sub>8</sub>) (*M* = Na,K), synthesis and crystal structure, **172**, 305
- M*<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(WO<sub>5</sub>)O (*M* = K,Rb), synthesis and crystal structure, **172**, 305
- W(VI) complex perovskites prepared by polymeric precursors method, structural analysis, **173**, 319
- WC, reaction in molten alkali metal nitrates: synthesis of divalent metal tungstates, **174**, 1  
*RE*<sub>2</sub>(WO<sub>4</sub>)<sub>3</sub> matrix (*RE* = La,Gd) produced by Pechini method, Eu<sup>3+</sup> luminescence in, **171**, 401
- ZnWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- Tungsten carbide reaction in molten alkali metal nitrates: synthesis of divalent metal tungstates, **174**, 1
- Tunnel structure Ba<sub>3</sub>Ga<sub>4</sub>Sb<sub>5</sub> Zintl phase, **175**, 310  
NaGa<sub>2</sub>(OH)(PO<sub>4</sub>)<sub>2</sub>, **172**, 237  
Na<sub>2</sub>{Mn(phen)<sub>2</sub>(H<sub>2</sub>O)}{Mn(phen)<sub>2</sub>}<sub>3</sub>{MnMo<sub>12</sub>O<sub>24</sub>(HPO<sub>4</sub>)<sub>6</sub>(PO<sub>4</sub>)<sub>2</sub>(OH)<sub>6</sub>} · 4H<sub>2</sub>O, **170**, 192  
Pb<sub>2</sub>Mo<sub>2</sub>O(PO<sub>4</sub>)<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, **172**, 412
- Twinned crystals [Bi<sub>6</sub>O<sub>4.5</sub>(OH)<sub>3.5</sub>]<sub>2</sub>(NO<sub>3</sub>)<sub>11</sub>, synthesis and structure determination, **176**, 127
- Two-photon absorption symmetrically substituted stilbenes, **172**, 364
- U**
- Ultrafine particles CeO<sub>2</sub>, for sunscreen cosmetics, **171**, 7
- Ultrasound-assisted synthesis CdSe and CdS nanoparticles, **172**, 102
- Ultrathin multilayer films nanoporous, based on molybdenum polyoxometalate, preparation and characterization, **176**, 13
- Ultraviolet filter cerium oxide for, **171**, 7
- Ultraviolet light X-ray phosphors K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub> emitting, octahedral Zr(PO<sub>4</sub>)<sub>6</sub> luminescence centers in, **170**, 289
- Ultraviolet photoemission spectra full-potential density functional calculations, **176**, 338
- Ultraviolet–visible diffuse reflectance spectrophotoscopy CdS and CdSe nanoparticles, **172**, 102
- Ultraviolet–visible spectroscopy BiTa<sub>1-x</sub>Nb<sub>x</sub>O<sub>4</sub>, **174**, 310  
Eu(III)–triflate interactions in water and aqueous methanol, **171**, 225  
Nd(III) complexed with glutathione in aqueous and aquated organic solvents in presence and absence of Zn(II), **171**, 175
- Upconversion emission Gd<sub>2</sub>O<sub>3</sub>:Sm and Y<sub>2</sub>O<sub>3</sub>:Sm phosphors, **171**, 391  
red–blue–green, between Tm<sup>3+</sup> and Er<sup>3+</sup> in tellurite glasses excited at 1.064 μm, **171**, 278
- Uranium (C<sub>2</sub>H<sub>10</sub>N<sub>2</sub>)[(UO<sub>2</sub>)(MoO<sub>4</sub>)<sub>2</sub>], synthesis and crystal structure, **170**, 106  
(C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, synthesis and crystal structure, **170**, 106
- Cs uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, **175**, 372
- K<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(MoO<sub>4</sub>)O<sub>2</sub> and K<sub>8</sub>(UO<sub>2</sub>)<sub>8</sub>(MoO<sub>5</sub>)<sub>3</sub>O<sub>6</sub>, synthesis, crystal structure, and electrical characterization, **174**, 19
- Na<sub>10</sub>(UO<sub>2</sub>)<sub>8</sub>(W<sub>5</sub>O<sub>20</sub>)O<sub>8</sub>, synthesis and crystal structure, **172**, 305

Rb uranyl arsenate, structure, synthesis, and relationship to phosphate analogue, **175**, 372  
**Rb**<sub>6</sub>**U**<sub>5</sub>**V**<sub>2</sub>**O**<sub>23</sub> layered compounds,  $\alpha$  and  $\beta$  forms, syntheses and crystal structures, **173**, 1  
**SrFe<sub>2/3</sub>U<sub>1/3</sub>O<sub>3</sub>** tetragonal double perovskites, order-disorder at Fe sites in, **175**, 252  
**Sr[(UO<sub>2</sub>)(SeO<sub>3</sub>)<sub>2</sub>]·2H<sub>2</sub>O**, **168**, 358; *erratum*, **171**, 455  
triuranyl diarsenate hydrates with framework structures, **176**, 18  
U<sup>3+</sup> doped in LaCl<sub>3</sub> and LaBr<sub>3</sub> single crystals, electron-phonon coupling strengths, **173**, 59  
U(VI), separation from acidic media with *N,N,N',N'*-tetramethyl-malonamide chelating resin, **171**, 353  
UBr<sub>3</sub>, low-temperature absorption spectra, crystal-field analysis, **170**, 443  
UCl<sub>3</sub>, low-temperature absorption spectra, crystal-field analysis, **170**, 443  
U<sub>2</sub>C<sub>6</sub>Al<sub>19</sub>, synthesis, crystal structure, and magnetic properties, **174**, 152  
UFe<sub>2</sub>Al<sub>5</sub>, crystal structure and magnetic properties, **174**, 302  
AE[(UO<sub>2</sub>)(SeO<sub>3</sub>)<sub>2</sub>] (AE=Ca,Ba), variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455  
M<sub>7</sub>(UO<sub>2</sub>)<sub>8</sub>(VO<sub>4</sub>)<sub>2</sub>O<sub>8</sub>Cl (M=Rb,Cs) layered compounds, synthesis and crystal structure, **172**, 351  
M<sub>2</sub>(UO<sub>2</sub>)(W<sub>2</sub>O<sub>8</sub>) (M=Na,K), synthesis and crystal structure, **172**, 305  
M<sub>2</sub>(UO<sub>2</sub>)<sub>2</sub>(WO<sub>5</sub>)O (M=K,Rb), synthesis and crystal structure, **172**, 305  
U<sub>2</sub>(PO<sub>4</sub>)(P<sub>3</sub>O<sub>10</sub>) orthorhombic crystals, synthesis, characterization, and structure, **172**, 66  
(U<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6</sub>) Y-doped brannerite, synthesis, crystal chemistry and structures, **174**, 329  
Uranyl nitrate complexes  
with diphenylsulfoxide and dibenzylsulfoxide, characterization, luminescence, and structures, **171**, 230  
with *cis*-1,3-dithiane-1,3-dioxide, preparation, oxidation of *cis*-DTSO<sub>2</sub> during, **171**, 221

**V**

Vacancy concentration  
effects on magnetic and transport properties of (La<sub>1-x</sub>Pb<sub>x</sub>)<sub>1-y</sub>MnO<sub>3</sub>, **175**, 52  
Vacuum ultraviolet spectroscopy  
BaMgAl<sub>10</sub>O<sub>17</sub>:Eu<sup>2+</sup>–Ba<sub>0.75</sub>Al<sub>11</sub>O<sub>17.25</sub>:Eu<sup>2+</sup> solid solution, **173**, 359  
Vanadium  
Ba<sub>6</sub>M<sub>2</sub>Na<sub>2</sub>V<sub>2</sub>O<sub>17</sub> (M=Ru,Nb,Ta,Sb) 12H hexagonal perovskite-related oxides, synthesis, crystal structure, and characterization, **176**, 137  
BaVS<sub>3</sub>, structural, electrical, and magnetic properties, **175**, 384  
Ca<sub>0.5</sub>V<sub>3</sub>O<sub>8</sub>, synthesis, structure and Li insertion behavior, **172**, 116  
CdVO<sub>3</sub> exhibiting ferromagnetism, spin exchange interactions, first principles analysis and qualitative electronic structure calculations, **175**, 341  
Ce<sub>1-x</sub>A<sub>x</sub>VO<sub>4+δ</sub> (A=Ca,Sr), zircon-type, stability and oxygen ionic conductivity, **176**, 47  
(C<sub>6</sub>H<sub>18</sub>N<sub>2</sub>)Ge<sub>2</sub>V<sub>4</sub>O<sub>12</sub>(OH)<sub>2</sub>·2H<sub>2</sub>O, hydrothermal synthesis, **175**, 13  
(C<sub>4</sub>H<sub>12</sub>N<sub>2</sub>)<sub>2</sub>[V<sub>4</sub>O<sub>6</sub>H(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424  
CsGeV<sub>2</sub>O<sub>6</sub>(OH), hydrothermal synthesis, **175**, 13  
[{\Cu(phen)}<sub>2</sub>(V<sup>V</sup>O<sub>2</sub>)<sub>2</sub>V<sup>IV</sup>O<sub>2</sub>(H<sub>2</sub>O)(PO<sub>4</sub>)<sub>2</sub>] inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69  
(Cu,V)-based high-T<sub>c</sub> superconductors, x-ray emission spectra of V atoms in, **170**, 188  
Cu<sub>2.33-x</sub>V<sub>4</sub>O<sub>11</sub>, composite structure, **172**, 319

CuVO<sub>2</sub>(4,4'-bpy)(XO<sub>4</sub>) (X=P,As) mixed metal organic-inorganic hybrid compounds with pillared layer structure, synthesis and characterization, **172**, 194  
(H<sub>3</sub>NCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)[(VO)(SeO<sub>3</sub>)<sub>2</sub>], hydrothermal synthesis and structure, **172**, 205  
[HN(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>N][(VO)<sub>2</sub>(HPO<sub>3</sub>)<sub>2</sub>(OH)(H<sub>2</sub>O)]·H<sub>2</sub>O, hydrothermal synthesis and characterization, **172**, 464  
Na<sub>2</sub>SrV<sub>3</sub>O<sub>9</sub>, synthesis, structure, and magnetic properties, **173**, 244  
(NH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)<sub>1.5</sub>[(VO)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>(PO<sub>4</sub>)<sub>2</sub>] layered vanadium phosphate templated with organic diamine, synthesis and crystal structure, **172**, 424  
(NH<sub>4</sub>)[V(PO<sub>4</sub>)F], with ferromagnetic interactions, **173**, 101  
oxovanadium phosphates, exchange interactions in, **170**, 237  
Rb<sub>6</sub>U<sub>5</sub>V<sub>2</sub>O<sub>23</sub> layered compounds,  $\alpha$  and  $\beta$  forms, syntheses and crystal structures, **173**, 1  
Ti<sub>0.33</sub>V<sub>0.67</sub>H<sub>x</sub>D<sub>y</sub> ( $x+y\approx 0.9$ ), hydrogen isotope diffusion and mutual perturbation in, <sup>1</sup>H and <sup>2</sup>H NMR studies, **170**, 82  
M<sub>7</sub>(UO<sub>2</sub>)<sub>8</sub>(VO<sub>4</sub>)<sub>2</sub>O<sub>8</sub>Cl (M=Rb,Cs) layered compounds, synthesis and crystal structure, **172**, 351  
(V<sub>1-x</sub>Mo<sub>x</sub>)<sub>2</sub>O<sub>3</sub>, crystal structure above and below metal/insulator transition, effects of doping and temperature, **174**, 431  
A<sub>2</sub>VNb<sub>6</sub>Cl<sub>18</sub> (A=Rb,In,Tl) cluster compounds, synthesis, crystal structure, and magnetic properties, **170**, 227  
V<sub>2</sub>O<sub>3</sub> nanopowder with spherical particles, preparation and characterization, **170**, 221  
[V<sub>4</sub>O<sub>7</sub>(2,2'-bipy)<sub>2</sub>(HPO<sub>4</sub>)<sub>2</sub>] inorganic-organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69  
[V<sub>4</sub>O<sub>7</sub>(HAsO<sub>4</sub>)<sub>2</sub>(o-phen)<sub>2</sub>] layered network decorated with directly coordinated organonitrogen ligands, **175**, 146  
 $\beta$ -VO<sub>X</sub>O<sub>4</sub> systems (X=P,As,S), DFT study, **176**, 556  
{[VO(OH)(H<sub>2</sub>O)][SeO<sub>3</sub>]<sub>4</sub>}·2H<sub>2</sub>O, hydrothermal synthesis and structure, **172**, 205  
V<sub>4</sub>Te<sub>4</sub>O<sub>18</sub> with 3D framework, hydrothermal synthesis and crystal structure, **176**, 159  
V<sup>4+</sup>-ZrO<sub>2</sub> monoclinic solid solutions obtained from gels, X-ray powder diffraction, **173**, 40  
Van Hove singularity  
in analysis of origin of flat band, **176**, 412  
Verwey-type transitions  
GdBaFe<sub>2</sub>O<sub>5+δ</sub> effects of oxygen nonstoichiometry and distribution, **170**, 9  
Vibrational modes  
rigid unit mode role in negative thermal expansion, **173**, 442  
Vibronic properties  
transition metal oxoperovskites, **175**, 116

**W**

Water  
amine-templated metal squarates, synthesis and characterization, **174**, 60  
Cd<sub>3</sub>In<sub>2</sub>(C<sub>2</sub>O<sub>4</sub>)<sub>6</sub>·9H<sub>2</sub>O, crystal structure and thermal behavior, **173**, 387  
[Cd(phen)<sub>3</sub>]·C<sub>6</sub>H<sub>5</sub>PO<sub>3</sub>H·Cl·7H<sub>2</sub>O, structure with hydrogen-bonded layers of phosphonate anions, **174**, 116  
CeCd<sub>4</sub>Cl<sub>11</sub>·13H<sub>2</sub>O, crystal structure and thermal study, **173**, 328  
[CH<sub>3</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>NH<sub>3</sub>]<sub>n</sub>·[Zn<sub>2</sub>(HPO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11  
(C<sub>6</sub>H<sub>18</sub>N<sub>2</sub>)Ge<sub>2</sub>V<sub>4</sub>O<sub>12</sub>(OH)<sub>2</sub>·2H<sub>2</sub>O, hydrothermal synthesis, **175**, 13  
(C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>)<sub>3</sub>[(UO<sub>2</sub>)<sub>5</sub>(MoO<sub>4</sub>)<sub>8</sub>](H<sub>2</sub>O)<sub>4</sub>, synthesis and crystal structure, **170**, 106  
(C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>4</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated *trans*-1,4-diaminocyclohexane, hydrothermal synthesis and structure, **170**, 303  
[C<sub>4</sub>N<sub>3</sub>H<sub>16</sub>][La(SO<sub>4</sub>)<sub>3</sub>]·H<sub>2</sub>O, synthesis and structure, **174**, 381

- $\text{CoCl}_2 \cdot \text{MgCl}_2 \cdot 8\text{H}_2\text{O}$  double salt, formation of  $[\text{CoCl}_4(\text{H}_2\text{O})_2]^{2-}$  complex: structural and energetic properties of  $[\text{MCl}_4(\text{H}_2\text{O})_2]^{2-}$  and  $[\text{M}(\text{H}_2\text{O})_6]^{2+}$  ( $\text{M} = \text{Mg}, \text{Co}$ ), **174**, 182
- CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- $\{[\text{Cu}(\text{phen})_2(\text{V}^{\text{V}}\text{O}_2)_2\text{V}^{\text{IV}}\text{O}_2(\text{H}_2\text{O})(\text{PO}_4)_2]\} \cdot \text{H}_2\text{O}_n$ , hydrothermal synthesis, structures, and properties, **173**, 32
- $\{[\text{Cu}(\text{phen})_2(\text{V}^{\text{V}}\text{O}_2)_2\text{V}^{\text{IV}}\text{O}_2(\text{H}_2\text{O})(\text{PO}_4)_2]\}$  inorganic–organic hybrid, hydrothermal synthesis, crystal structure, and magnetic properties, **176**, 69
- $[\text{Dy}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2] \cdot 8\text{H}_2\text{O}$ , synthesis and structural and magnetic characterization, **171**, 201
- $[\text{enH}_2][\text{Cd}(\text{H}_2\text{O})_2(\text{SeO}_4)_2]$ , synthesis and structure, **174**, 386
- $M_2\text{F}_2(2,2'\text{-bpy})(\text{HPO}_4)_2(\text{H}_2\text{O})$  ( $\text{M} = \text{Fe}, \text{Ga}$ ), two-dimensional compounds incorporating 2,2'-bipyridine ligands, synthesis and characterization, **172**, 6
- $[\text{HN}(\text{C}_2\text{H}_4)_3\text{N}][(\text{VO})_2(\text{HPO}_3)_2(\text{OH})(\text{H}_2\text{O})] \cdot \text{H}_2\text{O}$ , hydrothermal synthesis and characterization, **172**, 464
- $\text{In}(\text{C}_2\text{O}_4)_{2.5}(\text{C}_3\text{N}_2\text{H}_{12})(\text{H}_2\text{O})_3$  and  $\text{In}(\text{C}_2\text{O}_4)_{1.5}(\text{H}_2\text{O})_3$  layered oxalates with 12-membered apertures, hydrothermal synthesis, **173**, 435
- $\text{KMg}_{0.5}\text{H}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$  acidic pyrophosphate, synthesis, X-ray crystal structure, and vibrational spectroscopy, **176**, 27
- $\text{MnC}_2\text{O}_4 \cdot 2\text{H}_2\text{O}$ , synthesis and structure, **172**, 212
- $\text{Na}_4\text{Mg}_2(\text{H}_2\text{P}_2\text{O}_7)_4 \cdot 8\text{H}_2\text{O}$ , crystal structure and vibrational spectra, **172**, 160
- $\text{Na}_2\{[\text{Mn}(\text{phen})_2(\text{H}_2\text{O})\}[\text{Mn}(\text{phen})_2]_3[\text{MnMo}_{12}^{\text{V}}\text{O}_{24}(\text{HPO}_4)_6(\text{PO}_4)_2(\text{OH})_6]\} \cdot 4\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **170**, 192
- $\text{Na}_8[\text{Nb}_8\text{Ti}_2\text{O}_{28}] \cdot 34\text{H}_2\text{O}$ , synthesis, structure, and molecular modeling, **176**, 111
- $\text{Na}_{1.5}\text{Nb}_{0.5}\text{Ti}_{1.5}\text{O}_3\text{SiO}_4 \cdot 2\text{H}_2\text{O}$  with sitinakite topology, selectivity for Cs and Sr, **175**, 72
- natural sources, partitioning of rare earth elements between solution and particulate matter in, filtration study, **171**, 51
- $[\text{Ni}(\text{dien})_2]\text{Sb}_4\text{S}_7 \cdot \text{H}_2\text{O}$  layered and  $[\text{Ni}(\text{dien})_2]_3\text{Sb}_{12}\text{S}_{21} \cdot \text{H}_2\text{O}$  3-D compounds, solvothermal syntheses, crystal structures, and thermal stability, **174**, 264
- $[\text{M}(\text{phen})_3] \cdot \text{C}_6\text{H}_5\text{PO}_3 \cdot 11\text{H}_2\text{O}$  [ $\text{M} = \text{Co}(1), \text{Ni}(2), \text{Cu}(3)$ ], structure with hydrogen-bonded layers of phosphonate anions, **174**, 116
- $[\text{Sm}_2(\text{Ac})_2(\text{phen})_4(\text{H}_2\text{O})_2\{\text{Fe}(\text{CN})_5(\text{NO})\}_2]$ , synthesis and structural and magnetic characterization, **171**, 201
- $\text{Sn}_2\text{O}(\text{C}_4\text{O}_4)(\text{H}_2\text{O})$ , hydrothermal synthesis and structure, comparison with  $\text{Sn}_2[\text{Sn}_2\text{O}_2\text{F}_4]$ , **173**, 49
- $\text{Sr}[(\text{UO}_2)(\text{SeO}_3)_2] \cdot 2\text{H}_2\text{O}$ , variable dimensionality and topology, **168**, 358; *erratum*, **171**, 455
- thorium(IV) hydrates, water exchange mechanism in, study by quantum chemical methods, **171**, 235
- triuranyl diarsenate hydrates with framework structures, **176**, 18
- $\{[\text{VO}(\text{OH})(\text{H}_2\text{O})](\text{SeO}_3)_4\} \cdot 2\text{H}_2\text{O}$ , hydrothermal synthesis and structure, **172**, 205
- $\text{Yb}(\text{ReO}_4)_3(\text{H}_2\text{O})_4$ , monoclinic modification, synthesis and crystal structure, **172**, 200
- $\text{Zn}_3(\text{bbdc})_3(4,4'\text{-bpy}) \cdot 2(\text{DMF}) \cdot 4(\text{H}_2\text{O})$  3-D inorganic–organic hybrid framework porous material, synthesis and characterization, **176**, 1
- Water exchange  
in thorium(IV) hydrates, mechanistic study by quantum chemical methods, **171**, 235
- Weak ferromagnetic transition  
 $(\text{Nd}, \text{Ce})_{2+x}\text{CaCu}_2\text{O}_{6+y}$ , **170**, 24
- Weberite  
and zirconolite polytypes, structural relations: refinements of doped 3T and 4M  $\text{Ca}_2\text{Ta}_2\text{O}_7$  and 3T  $\text{CaZrTi}_2\text{O}_7$ , **174**, 285
- WIEN2k computer code  
DFT calculations with, **176**, 319
- Willemite-II phase  
 $\text{Ge}_3\text{N}_{14}$  and  $\text{Si}_3\text{N}_4$ , formation from spinel phases, **176**, 530
- X
- Xerogels  
organically modified silica, doped and undoped with  $\text{Eu}^{3+}$  and  $\text{Tb}^{3+}$ , luminescence and energy transfer, **171**, 396
- X-ray absorption near-edge structure  
full-potential density functional calculations, **176**, 338
- TbPdAl structure and electronic properties, **171**, 291
- X-ray absorption spectroscopy  
by electric quadrupole excitation in light rare-earth systems, theory, **171**, 295
- $\text{La}_{1-x}\text{Ce}_x\text{Y}_2\text{Ni}_9$  ( $x_{\text{Ce}} = 0, 0.5, 1$ ), **173**, 236
- $R_3\text{Ni}_7\text{As}_5$  ( $R = \text{La}, \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}$ ), **172**, 265
- X-ray diffraction, *see also* Powder X-ray diffraction  
 $\text{Al}_{1-x}\text{Ga}_x\text{PO}_4$  ( $x = 0.0, 0.20, 0.50, 0.80, 1.00$ ) low-cristobalite phase at high temperature, **176**, 37
- $(\text{Ba}_{1-x}\text{La}_x)_2\text{In}_2\text{O}_{5+x}$  ( $0 \leq x \leq 0.6$ ): oxygen/vacancy ordering, **170**, 247
- $\text{Ba}(\text{Ln}^{\text{III}}_{2/3}\text{B}^{\text{VI}}_{1/3})\text{O}_3$  ( $\text{Ln}^{\text{III}} = \text{Dy}, \text{Gd}, \text{Sm}$ ;  $\text{B}^{\text{VI}} = \text{Mo}, \text{W}$ ) complex perovskites, **175**, 299
- $\text{Ba}_7[\text{SiO}_4][\text{BO}_3]_3\text{CN}$ , **174**, 221
- $\text{Bi}_{\sim 3}\text{Cd}_{\sim 3.72}\text{Zn}_{\sim 1.28}\text{O}_5(\text{PO}_4)_3$  ( $\text{M} = \text{Co}, \text{Cu}, \text{Zn}$ ): double ( $n = 2$ ) and triple ( $n = 3$ )  $[\text{M}_4\text{Bi}_{2n-2}\text{O}_{2n}]^{x+}$  polycationic ribbons, **176**, 221
- $\text{Bi}_{\sim 6.2}\text{Cu}_{\sim 6.2}\text{O}_8(\text{PO}_4)_5$  disordered compound with wide polycationic ribbons and 2- and 3-O( $\text{Bi}, \text{Cu}$ )<sub>4</sub> tetrahedra, **172**, 327
- borophosphate with 1-D structure synthesized using ionic liquid as medium, **176**, 33
- Ca-deficient apatite with incorporated formate, **174**, 132
- $\text{Cd}_3\text{In}_2(\text{C}_2\text{O}_4)_6 \cdot 9\text{H}_2\text{O}$ , **173**, 387
- CdS and CdSe nanoparticles, **172**, 102
- CePdGa<sub>6</sub> heavy-fermion antiferromagnet, **174**, 296
- Co–B–O system, **174**, 189
- $\text{DyCu}_x$  ( $x = 4.5, 4, 3.5$ ), **174**, 125
- $\text{EuCu}_2\text{MS}_4$  ( $\text{M} = \text{Ge}, \text{Sn}$ ), **173**, 78
- $\text{Gd}_4[\text{SiS}_4]_3$ , **172**, 417
- $R(\text{R}_{12}\text{Z})$  rare-earth-metal cluster iodides altered through cation substitution, **172**, 132
- $\text{KMg}_{0.5}\text{H}_2\text{P}_2\text{O}_7 \cdot \text{H}_2\text{O}$  acidic pyrophosphate, **176**, 27
- $\text{K}_5\text{Yb}(\text{MoO}_4)_4$  polymorphs, **176**, 76
- $\text{La}_{1-x}\text{Ce}_x\text{Y}_2\text{Ni}_9$  ( $x_{\text{Ce}} = 0, 0.5, 1$ ), **173**, 236
- $\text{La}_4\text{MnCu}_8\text{S}_{10}$ , **172**, 127
- $\text{Li}[\text{K}_{x-1}\text{NH}_4]_{1-x}\text{SO}_4$  and  $\text{Li}_2\text{KNH}_4(\text{SO}_4)_2$ , **173**, 69
- $\text{LiMoS}_2$  nanocrystalline materials, **175**, 380
- $\text{NaCoO}_2$  single crystals, **172**, 22
- $\text{NaGa}_2(\text{OH})(\text{PO}_4)_2$ : tunnel structure, **172**, 237
- $\text{Na}_4\text{Mg}_2(\text{H}_2\text{P}_2\text{O}_7)_4 \cdot 8\text{H}_2\text{O}$ , **172**, 160
- $\text{Na}_3\text{MoO}_3\text{F}_3$ , **174**, 450
- $\text{NH}_4[\text{N}(\text{CN})_2]$ , **176**, 180
- plasma-sprayed hydroxyapatite coatings: Ca/P atomic ratio in amorphous phase, **172**, 339
- $\text{Sn}_2\text{O}(\text{C}_4\text{O}_4)(\text{H}_2\text{O})$ , comparison with  $\text{Sn}_2[\text{Sn}_2\text{O}_2\text{F}_4]$ , **173**, 49
- Sn sulfides obtained by chemical vapor transport methods, **175**, 359
- $\text{Sr}_{0.53}\text{Ba}_{0.47}\text{CuN}$ , **170**, 265
- $\text{Sr}_8\text{Cu}_3\text{In}_4\text{N}_5$ , **170**, 265
- $\text{SrCu}_2\text{MS}_4$  ( $\text{M} = \text{Ge}, \text{Sn}$ ), **173**, 78
- $\text{SrFe}_3(\text{PO}_4)_3\text{O}$  with chain-like structure, **170**, 411
- $\text{Sr}_7[\text{SiO}_4][\text{BO}_3]_3\text{CN}$ , **174**, 221
- $\text{Ti}_3\text{MoO}_3\text{F}_3$  elpasolite-related oxyfluoride, **174**, 44
- uranyl nitrate complex of *cis*-1,3-dithiane-1,3-dioxide, **171**, 221
- $A^1[(\text{Zr}_6\text{B})\text{Cl}_x\text{I}_{14-x}]$  ( $A^1 = \text{Na}, \text{Cs}; 0 \leq x \leq 4$ ) cluster phases, **170**, 273
- ZrC–SiC composites, **173**, 196
- X-ray emission spectroscopy  
full-potential density functional calculations, **176**, 338

resonant, by electric quadrupole excitation in light rare-earth systems, theory, **171**, 295

vanadium atoms in (Cu,V)-based high- $T_c$  superconductors, **170**, 188

X-ray excited luminescence

- PbWO<sub>4</sub> single crystal, effects of La<sup>3+</sup> doping, **172**, 188
- X-ray phosphors
- UV-emitting K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub>, octahedral Zr(PO<sub>4</sub>)<sub>6</sub> luminescence centers in, **170**, 289
- X-ray photoelectron spectroscopy
- CdS and CdSe nanoparticles, **172**, 102
- full-potential density functional calculations, **176**, 338
- LaNi<sub>5</sub>-type nanocrystalline electrode materials for Ni-MH<sub>x</sub> batteries, **171**, 30
- Sn sulfides obtained by chemical vapor transport methods, **175**, 359
- X-ray scattering
- 4f system: orbital degrees of freedom and ordering phenomena, **171**, 69
- X-ray structure analysis
- crystals of pyridine analogs of chalcone during [2+2]-photodimerization, **174**, 459

**Y**

Ytterbium

- extraction with *sec*-nonylphenoxy acetic acid, mass-transfer kinetics, **171**, 362
- in geothermal waters from Oregon, Nevada, and California, **171**, 246
- K<sub>5</sub>Yb(MoO<sub>4</sub>)<sub>4</sub> polymorphs, structures, **176**, 76
- K<sub>3</sub>YbSi<sub>2</sub>O<sub>7</sub>, crystal growth, structure, and optical properties, **170**, 203
- NaYbO<sub>2</sub>, magnetic properties, **176**, 266
- Yb(III), H<sub>2</sub>O<sub>2</sub> chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
- Yb<sup>3+</sup>

  - complexes acting as magnetization transfer contrast agents, physical characteristics, **171**, 38
  - doped mesoporous TiO<sub>2</sub> thin films with nanocrystalline walls, visible and near-IR luminescence via energy transfer, **172**, 81
  - Yb–Ag, alloying using liquid ammonia metal solutions of Yb, **171**, 254
  - YbAu<sub>3</sub>Al<sub>7</sub> grown from aluminum flux, synthesis and properties, **170**, 48
  - Yb<sub>1-x</sub>B<sub>12</sub>Si<sub>3.3-δ</sub> (0≤x≤0.5, δ≈0.3), synthesis, crystal growth, structure, and properties, **170**, 75
  - Yb–Cu, alloying using liquid ammonia metal solutions of Yb, **171**, 254
  - YbFe<sub>4</sub>P<sub>12</sub> filled skutterudites, systematic high-pressure synthesis, **174**, 32
  - Yb<sub>3</sub>Ga<sub>9</sub>Ge, with open three-dimensional polygallide framework synthesized from liquid Ga, **173**, 280
  - Yb–Mn–O system, phase equilibrium at 1100°C, **174**, 249
  - Yb(ReO<sub>4</sub>)<sub>3</sub>(H<sub>2</sub>O)<sub>4</sub>, monoclinic modification, synthesis and crystal structure, **172**, 200
  - Zr(Nb,Ti)(Yb)O<sub>2-δ</sub>, ionic conductivity, comparison with systems with R=Y and Gd, **172**, 277

**Yttrium**

  - BiY<sub>1-x</sub>R<sub>x</sub>GeO<sub>5</sub>, Eu<sup>3+</sup> energy levels in, crystal-field analysis, **171**, 262
  - CeO<sub>2</sub>–YO<sub>1.5</sub> nanocrystalline solid solution, fractal behavior, **176**, 57
  - CoSr<sub>2</sub>(Y,Ce)<sub>s</sub>Cu<sub>2</sub>O<sub>5+2s</sub> (s=1–3), structural order and disorder in, **176**, 213
  - Er<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> nanophosphors, luminescence dynamics, confinement effect of electron–phonon interaction on, **171**, 123
  - Eu<sup>3+</sup>:Y<sub>2</sub>O<sub>3</sub> nanophosphors prepared by gas-phase condensation, structure, particle size, and annealing, **171**, 12

Gd<sub>2-x</sub>Y<sub>x</sub>O<sub>3</sub>:Eu nanocrystals, structure transitions and enhanced photoluminescence, **171**, 304

(Ho,Y)<sub>6</sub>Fe<sub>23</sub>H<sub>15</sub> *R*–*T* hydrides, magnetic properties, **171**, 334

KY<sub>2</sub>CuS<sub>4</sub>, synthesis, structure, physical properties, and electronic structure, **176**, 5

La<sub>1-x</sub>Ce<sub>x</sub>Y<sub>2</sub>Ni<sub>9</sub> (x<sub>Ce</sub>=0,0.5,1), crystallographic and hydriding properties, **173**, 236

NaY<sub>3</sub>S<sub>2</sub>[SiS<sub>4</sub>], preparation and channel structure, **171**, 382

separation from Sc and La by high-performance centrifugal partition chromatography with *S*-octyl phenoxy acetic acid, **171**, 358

(Th<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6-δ</sub>) Y-doped thorutite, synthesis, crystal chemistry, and structures, **174**, 329

(U<sub>1-x</sub>Y<sub>x</sub>Ti<sub>2</sub>O<sub>6</sub>) Y-doped brannerite, synthesis, crystal chemistry and structures, **174**, 329

YBa<sub>2</sub>Fe<sub>3</sub>O<sub>8</sub>, Co<sup>3+</sup> substitution in, **172**, 73

YBa<sub>2</sub>Fe<sub>3</sub>O<sub>8+w</sub>, oxidized and reduced, nuclear and magnetic structures, neutron powder diffraction study, **174**, 87

YBO<sub>3</sub>:Eu<sup>3+</sup> hexagonal nanocrystals with improved luminescent properties, hydrothermal homogeneous urea precipitation, **175**, 245

Y<sub>1-x</sub>B<sub>12</sub>Si<sub>3.3-δ</sub> (0≤x≤0.5, δ≈0.3), synthesis, crystal growth, structure, and properties, **170**, 75

Y<sub>2</sub>C<sub>2</sub>I<sub>2</sub> layered superconductors, *T<sub>C</sub>* of, pressure dependence: lattice versus electronic effects, **171**, 367

YFe<sub>3</sub>(BO<sub>3</sub>)<sub>4</sub>, magnetic and calorimetric studies, **172**, 438

YFe<sub>4</sub>P<sub>12</sub> filled skutterudites, systematic high-pressure synthesis, **174**, 32

Y<sub>3</sub>Ga<sub>9</sub>Ge, with open three-dimensional polygallide framework synthesized from liquid Ga, **173**, 280

Y<sub>2</sub>O<sub>3</sub> nanopowders, size and morphology control via sol-gel route, **171**, 152

Y<sub>2</sub>B<sub>2-x</sub>B'<sub>x</sub>O<sub>7</sub> (B'=Sn,Ti,Zr) anionic conductors, local oxygen environment in, <sup>17</sup>O MAS NMR study, **175**, 110

Y<sub>2</sub>O<sub>3</sub>:Eu, solvothermal synthesis, **171**, 268

Y<sub>2</sub>O<sub>3</sub>:Sm phosphors, energy transfer and upconversion luminescence properties, **171**, 391

Y<sub>5</sub>Re<sub>2</sub>O<sub>12</sub> one-dimensional antiferromagnet with *S*=1/2, synthesis, structure, and magnetic properties, **172**, 451

Y<sub>3</sub>Ru<sub>4</sub>Ga<sub>15</sub>, preparation and lattice constants, **172**, 27

Y<sub>0.33</sub>Sr<sub>0.67</sub>CoO<sub>3-δ</sub>, atomic ordering, **174**, 198

ZrO<sub>2</sub>-containing nano-sized particle materials doped with, preparation, crystal structure, and electrorheological performance, **176**, 273

(ZrO<sub>2</sub>)<sub>0.85</sub>(YO<sub>1.5</sub>)<sub>0.15</sub> solid solutions prepared via Pechini-type gel routes

- gel formation and calcination behavior, **171**, 434
- sintering and electrical properties, **171**, 439

**Z**

Zeolites

- macroscopic to nanosized crystals, synthesis by simulation of natural formation conditions, **173**, 27
- pure and transition metal-doped, framework stability and catalytic activity, modeling of, **176**, 496

Zinc

- amine-templated metal squareates, synthesis and characterization, **174**, 60
- Ba<sub>14</sub>Zn<sub>5-x</sub>Al<sub>22+x</sub>, polar intermetallic compound with 2D network, synthesis and crystal and electronic structures, **170**, 94
- Bi<sub>~3</sub>Cd<sub>~3.72</sub>Zn<sub>~1.28</sub>O<sub>5</sub>(PO<sub>4</sub>)<sub>3</sub>, double (*n*=2) and triple (*n*=3) [M<sub>4</sub>Bi<sub>2n-2</sub>O<sub>2n</sub>]<sup>3+</sup> polycationic ribbons in, **176**, 221
- [CH<sub>3</sub>CH(NH<sub>3</sub>)CH<sub>2</sub>NH<sub>3</sub>]<sub>n</sub>·[Zn<sub>2</sub>(HPO<sub>4</sub>)<sub>3</sub>]<sub>n</sub>·H<sub>2</sub>O organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11

- (C<sub>6</sub>H<sub>16</sub>N<sub>2</sub>)Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub>H<sub>2</sub>O, layered zinc phosphite templated by diprotonated trans-1,4-diaminocyclohexane, hydrothermal synthesis and structure, **170**, 303
- CPO-5 mixed ligand coordination polymer, synthesis and characterization, **175**, 182
- Cs<sub>2</sub>Bi<sub>2</sub>ZnS<sub>3</sub>, synthesis, structure, optical properties, and theoretical calculations, **174**, 334
- [H<sub>3</sub>N(CH<sub>2</sub>)<sub>6</sub>NH<sub>3</sub>]<sub>n</sub>·[Zn<sub>3</sub>(HPO<sub>3</sub>)<sub>4</sub>] organically templated zincophosphites with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- K<sub>1-x</sub>Tl<sub>x</sub>Zn(PO<sub>3</sub>)<sub>3</sub>, luminescent properties, **170**, 450
- La<sub>4</sub>BaCu<sub>5-x</sub>Zn<sub>x</sub>O<sub>13+δ</sub>, synthesis and characterization, **170**, 1
- Sr<sub>4</sub>ZnMn<sub>2</sub>O<sub>9</sub>, crystal and magnetic structure, **176**, 88
- Zn(II), H<sub>2</sub>O<sub>2</sub> chemiluminescence system with, water-soluble porphyrins in, emission spectroscopic properties, **171**, 208
- Zn<sup>2+</sup>, ceria doped with, for sunscreen cosmetics, **171**, 7
- Zn<sub>3</sub>(bbdc)<sub>3</sub>(4,4'-bpy)·2(DMF)·4(H<sub>2</sub>O) 3-D inorganic-organic hybrid framework porous material, synthesis and characterization, **176**, 1
- [Zn(NH<sub>3</sub>)<sub>4</sub>](BF<sub>4</sub>)<sub>2</sub>, phase transitions, structural changes, and molecular motions, **174**, 357
- ZnO
- films containing Eu(III), Pechini's solution as precursor for, **171**, 287
  - tetrapod nanostructure, microwave plasma growth and high-spatial-resolution cathodoluminescent spectrum, **173**, 109
- ZnWO<sub>4</sub>, synthesis by reaction of WC in molten alkali nitrates, **174**, 1
- Zincophosphites
- organically templated, with 2D and 3D structures, hydrothermal synthesis, **174**, 11
- Zintl phase
- Ba<sub>3</sub>Ga<sub>4</sub>Sb<sub>5</sub>, Ga-Ga bonding and tunnel framework, **175**, 310
  - Na<sub>4</sub>Ba<sub>3</sub>As<sub>6</sub>, with isolated As<sub>3</sub><sup>5-</sup> anions, synthesis and characterization, **175**, 306
- Zircon
- Ce<sub>1-x</sub>A<sub>x</sub>VO<sub>4+δ</sub> (A=Ca,Sr), stability and oxygen ionic conductivity, **176**, 47
- Zirconium
- (Ba<sub>0.87</sub>Ca<sub>0.13</sub>)<sub>1.000</sub>(Ti<sub>0.85</sub>Zr<sub>0.14</sub>Mn<sub>0.01</sub>)<sub>1.003</sub>O<sub>3</sub>-based ceramics sintered in reducing atmosphere, pore growth in, effect of carbothermal reaction, **175**, 226
  - BaZrO<sub>3</sub>-CaZrO<sub>3</sub> system, phase equilibria, crystal structures, and dielectric anomaly, **175**, 170
  - cadmium-zirconium-sodium oxalate with open framework, crystal structure, solid-state NMR, and thermal behavior, **170**, 330
  - CaZrO<sub>3</sub> perovskite, compressibility, comparison with Ca-oxide perovskites, **172**, 123
- CaZrTi<sub>2</sub>O<sub>7</sub>, doped 3T polytype, structural relations with doped 3T and 4M Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub>, **174**, 285
- CeO<sub>2</sub>-ZrO<sub>2</sub>, promotion of three-way catalysts, **171**, 19
- CeO<sub>2</sub>-ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> nanocomposites for advanced automotive de-pollution catalysts, **171**, 19
- (Ce<sub>x</sub>Zr<sub>1-x</sub>)<sub>4/4-x</sub>Nb(PO<sub>4</sub>)<sub>3</sub> solid electrolyte conducting cerium ion, **171**, 387
- Gd<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub> system, crystal structure of fluorite- and pyrochlore-type compounds in, correlation with electric field gradients, **176**, 105
- Hg<sub>3</sub>E<sub>2</sub>[ZrX<sub>6</sub>] (E=S,Se; X=Cl,Br), expanded polycationic mercury-chalcogen networks in, **172**, 12
- K<sub>2</sub>FeZrP<sub>3</sub>O<sub>12</sub> with langbeinite structure, synthesis, characterization, and structural study, **173**, 314
- K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub> UV-emitting X-ray phosphors, octahedral Zr(PO<sub>4</sub>)<sub>6</sub> luminescence centers in, **170**, 289
- silica-zirconia mesoporous molecular sieves, textural and structural properties and surface acidity, **175**, 159
- V<sup>4+</sup>-ZrO<sub>2</sub> monoclinic solid solutions obtained from gels, X-ray powder diffraction, **173**, 40
- Y<sub>2</sub>B<sub>2-x</sub>Zr<sub>x</sub>O<sub>7</sub> anionic conductors, local oxygen environment in, <sup>17</sup>O MAS NMR study, **175**, 110
- A<sup>I</sup>[(Zr<sub>6</sub>B)Cl<sub>3</sub>I<sub>14-x</sub>] (A<sup>I</sup>=Na,Cs; 0≤x≤4) cluster phases, syntheses and structures, **170**, 273
- ZrC-SiC composites, preparation by microwave route, **173**, 196
- Zr(Nb,Ti)/R<sub>2</sub>O<sub>2-δ</sub> (R=Yb,Ca), ionic conductivity, comparison with systems with R=Y and Gd, **172**, 277
- ZrO<sub>2</sub>-containing nano-sized particle materials, preparation, crystal structure, and electrorheological performance, **176**, 273
- ZrO<sub>2</sub>-doped anatase nanoparticles formed by hydrolysis under hydrothermal conditions, photoactivity and phase stability, **170**, 39
- (ZrO<sub>2</sub>)<sub>0.85</sub>(REO<sub>1.5</sub>)<sub>0.15</sub> (RE=Sc,Y) solid solutions prepared via Pechini-type gel routes
- gel formation and calcination behavior, **171**, 434
  - sintering and electrical properties, **171**, 439
- Zr(PO<sub>4</sub>)<sub>6</sub> octahedral luminescence centers in UV-emitting X-ray phosphors K<sub>2</sub>Hf<sub>1-x</sub>Zr<sub>x</sub>(PO<sub>4</sub>)<sub>2</sub> and KHf<sub>2(1-x)</sub>Zr<sub>2x</sub>(PO<sub>4</sub>)<sub>3</sub>, **170**, 289
- Zirconolite
- and weberite polytypes, structural relations: refinements of doped 3T and 4M Ca<sub>2</sub>Ta<sub>2</sub>O<sub>7</sub> and 3T CaZrTi<sub>2</sub>O<sub>7</sub>, **174**, 285
- Z-scan technique
- two-photon absorption of symmetrically substituted stilbenes, **172**, 364