

# JOURNAL OF SOLID STATE CHEMISTRY

## Editor

M. G. Kanatzidis  
*Department of Chemistry  
Michigan State University  
320 Chemistry Building  
East Lansing, Michigan 48824  
E-mail: jssc@argus.cem.msu.edu  
Fax: (517) 353-1793*

## Associate Editor

S. M. Kauzlarich  
*University of California  
One Shields Avenue  
Davis, California 95616  
E-mail: jssc@chem.ucdavis.edu  
Fax: (530) 752-8995*

## Associate Editor

H.-C. zur Loya  
*Department of Chemistry  
University of South Carolina  
Columbia, South Carolina 29208  
E-mail: jssc@mail.chem.sc.edu  
Fax: (803) 777-8508*

## Associate Editor

M. Rosseinsky  
*Department of Chemistry  
University of Liverpool  
Liverpool L69 7ZD UK  
E-mail: m.j.rosseinsky@liverpool.ac.uk  
Fax: 44(0) 151 7943587*

## Editorial Advisory Board

M. A. Alario-Franco  
*Universidad Complutense,  
Madrid, Spain*

Th. E. Albrecht-Schmitt  
*Auburn University  
Auburn, Alabama, USA*

E. Antipov  
*Moscow State University,  
Moscow, Russia*

P. Attfield  
*University of Edinburgh,  
Edinburgh, UK*

P. D. Battle  
*University of Oxford,  
Oxford, UK*

W. Bensch  
*University of Kiel,  
Kiel, Germany*

J. H. Choy  
*Seoul National University,  
Seoul, Korea*

A. Clearfield  
*Texas A & M University,  
College Station, Texas, USA*

J. Darriet  
*Institut de Chemie de la Matière,  
Condensée de Bordeaux,  
Pessac, France*

C. Delmas  
*CNRS and Ecole  
Nationale Sup., Pessac, France*

F. J. DiSalvo  
*Cornell University,  
Ithaca, New York, USA*

R. Dronskowski  
*University of Aachen,  
Aachen, Germany*

J. S. O. Evans  
*University of Durham  
Durham, UK*

G. Ferey  
*Université de Versailles,  
Versailles, France*

J. B. Goodenough  
*University of Texas,  
Austin, Texas, USA*

J. E. Greedan  
*McMaster University,  
Hamilton, Ontario, Canada*

M. Greenblatt  
*Rutgers University,  
Piscataway, New Jersey, USA*

Y. Grin  
*Max-Planck-Institut für Chemische  
Physik Fester Stoffe,  
D-01187 Dresden, Germany*

J. M. Honig  
*Purdue University,  
West Lafayette, Indiana, USA*

J. A. Ibers  
*Northwestern University,  
Evanston, Illinois, USA*

S. Iida  
*University of Tokyo,  
Tokyo, Japan*

A. J. Jacobson  
*University of Houston,  
Houston, Texas, USA*

M. Jansen  
*Max Planck Institut Festkörperforsch,  
Stuttgart, Germany*

S. Jobic  
*Université de Nantes,  
Nantes, France*

J. D. Jorgensen  
*Argonne National Laboratory,  
Argonne, Illinois, USA*

K. H. Lii  
*National Central University,  
Chungli, Taiwan*

T. Mallouk  
*Pennsylvania State University,  
University Park, Pennsylvania, USA*

A. Mar  
*University of Alberta,  
Edmonton, Alberta, Canada*

G. Miller  
*Iowa State University,  
Ames, Iowa, USA*

T. Pinnavaia  
*Michigan State University,  
East Lansing, Michigan, USA*

K. Poepelmeier  
*Northwestern University  
Evanston, Illinois, USA*

R. Pöttgen  
*Universität Münster,  
Münster, Germany*

C. N. R. Rao  
*Jawaharlal Nehru Centre for  
Advanced Scientific Research,  
Bangalore, India*

B. Raveau  
*ISMRA—Université de Caen,  
Caen, France*

Peter Rogl  
*Universität Wien,  
Wien, Austria*

W. Schnick  
*Ludwig-Maximilians-Universität  
München, München, Germany*

Arthur W. Sleight  
*Oregon State University,  
Corvallis, Oregon, USA*

Galen D. Stucky  
*University of California,  
Santa Barbara, California, USA*

M. Takano  
*Kyoto University,  
Kyoto-fu, Japan*

C. C. Torardi  
*DuPont Company,  
Wilmington, Delaware, USA*

T. A. Vanderah  
*National Institute of Standards and  
Technology, Gaithersburg, Maryland, USA*

G. Van Tendeloo  
*University of Antwerp (RUCA),  
Antwerpen, Belgium*

Ray L. Withers  
*Australian National University,  
Canberra, Australia*

Founding Editors:    R. E. Hughes    M. J. Sienko    A. Wold

Editor 1983–1999:    J. M. Honig

*Cover figure:* The Ir<sub>13</sub>Al<sub>45</sub> structure interpreted in terms of Ir coordination polyhedra. Iridium atoms are represented by gray spheres, aluminium atoms by black spheres. (left) Inner rod formed by Polyhedra around Ir7 and Ir9. (middle) Pseudopentagonal environment of the inner rod, formation of the pseudopentagonal column. (right) Hexagonal arrangement of pseudopentagonal columns. Polyhedra belonging to columns at z ≈ 0.25 are hatched and those belonging to columns at z ≈ 0.75 are drawn in plain gray levels. Polyhedra around Ir6 are drawn in black fill the free space. For clarity, the innermost column is not drawn.