

## INDEX TO VOLUME 204

|   |        |
|---|--------|
| AITRIMOUC, H., LALLEMENT, G. and KOZANEK, J., Construction of the unobserved part of the square dynamic flexibility matrix (sv970921)                                 | (1)73  |
| AL-JUMAILY, A. M. and NAJIM, F. M., An approximation to the vibrations of oblate spheroidal shells (sv960898)   | (4)561 |
| ANG, K. K. See WANG, C. M.  | (2)203 |
| ANKARALI, A. and DIKEN, H., Vibration control of an elastic manipulator link (sv960897) (letter)  | (1)162 |
| ANNOUNCEMENTS (sv971044)  | (5)841 |
| AVITAL, E. J. and SANDHAM, N. D., A note on the structure of the acoustic field emitted by a wave packet (sv960983) (letter)  | (3)533 |
| BELOTSERKOVSKIY, P. M., Forced oscillations and resonance of infinite periodic strings (sv970918)   | (1)41  |
| BIES, D. A., PICKLES, J. M. and LECLERCQ, D. J. J., Aerodynamic noise generation by a stationary body in a turbulent air stream (sv970981)                            | (4)631 |
| BODRERO, A. See MARTIN, V.  | (2)331 |
| BOOK REVIEWS (sv971045)   | (5)855 |
| BORISYUK, A. O. and GRINCHENKO, V. T., Vibration and noise generation by elastic elements excited by a turbulent flow (sv970920)                                      | (2)213 |
| BOYACI, H. and PAKDEMIRLI, M., A comparison of different versions of the method of multiple scales for partial differential equations (sv970951)                      | (4)595 |
| BRÖDE, P. See GRIEFAHN, B.  | (1)85  |
| BROWN, M. A. and SHABANA, A. A., Application of multibody methodology to rotating shaft problems (sv960868)   | (3)439 |
| CARFAGNI, M., CITTI, P. and PIERINI, M., Simplified finite element modelling of acoustically treated structures (sv950974)  | (5)705 |
| CETINKAYA, C. and VAKAKIS, A., Authors' reply (sv960927) (letter)   | (2)371 |
| CHANAUD, R. C., Effects of geometry on the resonance frequency of Helmholtz resonators, part II (sv970969) (letter)   | (5)829 |
| CHAO, C.-P., LEE, C.-T. and SHAW, S. W., Non-unison dynamics of multiple centrifugal pendulum vibration absorbers (sv970960)  | (5)769 |
| CHEN, G. and COLEMAN, M. P., Improving low order eigenfrequency estimates derived from the wave propagation method for an Euler-Bernoulli beam (sv970970) (letter)    | (4)696 |
| CHEN, R. S., Evaluation of the fundamental vibration frequency of a bending plate by using an iterative approach (sv970958)   | (4)585 |
| CHEN, W., ZHONG, T. X. and HE, W. X., A note on the DQ analysis of anisotropic plates (sv960895) (letter)   | (1)180 |
| CHUI, S. K. See LEUNG, A. Y. T.   | (2)239 |
| CITTI, P. See CARFAGNI, M.  | (5)705 |
| COLEMAN, M. P. See CHEN, G. (letter)  | (4)696 |
| CRAIK, R. J. M. See MING, R. S.   | (1)59  |
| DE ROSA, S., FRANCO, F., RICCI, F. and MARULO, F., First assessment of the scaling procedure for the evaluation of the damped structural response (sv960910) (letter) | (3)540 |
| DELFS, J. See MEMBERS OF THE CEAS AEROACOUSTICS SPECIALISTS' COMMITTEE, DELFS, J.   | (4)609 |
| DIKEN, H. See ANKARALI, A. (letter)   | (1)162 |
| DITRI, J. J. and RAJANA, K., An experimental study of the angular dependence of Lamb wave excitation amplitudes (sv970976)  | (5)755 |
| EL-RAHEB, M., Comments on "Transient axisymmetric stress wave propagation in weakly coupled layered structures" (sv960927) (letter)                                   | (2)371 |
| ERRATUM (sv971118)  | (5)863 |

- FANG, T. See YAO, G. Z. . . . . (4)575
- FRANCO, F. See DE ROSA, S. (letter) . . . . . (3)540
- FRIEND, J. R. and STUTTS, D. S., The dynamics of an annular piezoelectric motor stator (sv960944) . . . . . (3)421
- FULFORD, R. A. and GIBBS, B. M., Structure-borne sound power and source characterisation in multi-point-connected systems, part 1: case studies for assumed force distributions (sv970965) . . . . . (4)659
- FUNG, E. H. K. and SHI, Z. X., Vibration frequencies of a constrained flexible arm carrying an end mass (sv970950) . . . . . (2)259
- FUNG, R. F. and WU, S. L., Dynamic stability of a three-dimensional string subjected to both magnetic and tensioned excitations (sv960896) (letter) . . . . . (1)171
- GALVANETTO, U., Bifurcations and chaos in a four-dimensional mechanical system with dry friction (sv970907) (letter) . . . . . (4)690
- GANESAN, N. See GAUTHAM, B. P. . . . . (1)17
- GARG, A. K. See SUBRAHMANYAM, K. B. . . . . (3)397
- GAUTHAM, B. P. and GANESAN, N., Free vibration characteristics of isotropic and laminated orthotropic spherical caps (sv970904) . . . . . (1)17
- GENIN, J. See XU, X. . . . . (3)495
- GIBBS, B. M. See FULFORD, R. A. . . . . (4)659
- GOTTLIEB, H. P. W., Exact mimicry of nonlinear oscillatory potential motion: nonuniqueness of isodynamical tracts (sv970957) . . . . . (3)519
- GRIEFAHN, B. and BRÖDE, P., Comfort contours: inter-axis equivalence (sv970936) . . . . . (1)85
- GRINCHENKO, V. T. See BORISYUK, A. O. . . . . (2)213
- GUO, S. J., KEANE, A. J. and MOSHREFI-TORBATI, M., Vibration analysis of stepped thickness plates (sv970955) . . . . . (4)645
- GUTIERREZ, R. H. See LAURA, P. A. A. (letter) . . . . . (2)373
- GUYADER, J. L. See REBILLARD, E. (letter) . . . . . (2)377
- HAMADA, H. See NELSON, P. A. (letter) . . . . . (2)386
- HANSEN, S. W. and SPIES, R. D., Structural damping in laminated beams due to interfacial slip (sv960913) . . . . . (2)183
- HAYASHIKAWA, T., Torsional vibration analysis of suspension bridges with gravitational stiffness (sv970948) . . . . . (1)117
- HE, W. X. See CHEN, W. (letter) . . . . . (1)180
- HELLER, H. See MEMBERS OF THE CEAS AEROACOUSTICS SPECIALISTS' COMMITTEE, DELFS, J.
- HUANG, Z. L. and ZHU, W. Q., Exact stationary solutions of averaged equations of stochastically and harmonically excited MDOF quasi-linear systems with internal and/or external resonances (sv970949) . . . . . (2)249
- HUMAN RESPONSE TO VIBRATION (sv971046) . . . . . (5)859
- İNCE, N. See YILDIRIM, V. . . . . (2)311
- JOSHI, A., Prediction of in-flight fundamental mode of launch vehicle structure from two point ground vibration tests (sv970932) (letter) . . . . . (4)681
- KALJEVIĆ, I. and SARAVANOS, D. A., Steady-state response of acoustic cavities bounded by piezoelectric composite shell structures (sv960911) . . . . . (3)459
- KANG, S.-W. and KIM, Y.-H., Causally constrained active sound power control in an enclosed space (sv970993) . . . . . (5)807
- KEANE, A. J. See GUO, S. J. . . . . (4)645
- KIM, Y.-H. See KANG, S.-W. . . . . (5)807
- KIRKEBY, O. See NELSON, P. A. (letter) . . . . . (2)386
- KITIPORNCHAI, S. See XIANG, Y. . . . . (1)1
- KOZANEK, J. See AITRIMOUC, H. . . . . (1)73
- LALLEMENT, G. See AITRIMOUC, H. . . . . (1)73
- LAURA, P. A. A., ROSSI, R. E. and GUTIERREZ, R. H., The fundamental frequency of non-homogeneous rectangular membranes (sv960931) (letter) . . . . . (2)373
- LECLERCQ, D. J. J. See BIES, D. A. . . . . (4)631
- LEE, C.-T. See CHAO, C.-P. . . . . (5)769
- LEE, S.-Y. and MOTE, C. D., JR, A generalized treatment of the energetics of translating continua, part I: strings and second order tensioned pipes (sv960945) . . . . . (5)717

- LEE, S.-Y. and MOTE, C. D., Jr, A generalized treatment of the energetics of translating continua, part II: beams and fluid conveying pipes (sv960946) . . . . . (5)735
- LEUNG, A. Y. T. and CHUI, S. K., On the non-linear vibration of the von Kármán square plate by the IHB method (sv970934) . . . . . (2)239
- LIBRESCU, L. See SONG, O. . . . . (3)477
- LIEW, K. M. See XIANG, Y. . . . . (1)1
- LIU, Z.-S. and MOTE, C. D., JR, A new discrete approach to eigenvalue sensitivity with respect to constraint locations (sv970954) . . . . . (4)623
- LOW, K. H., A note on the effect of hub inertia and payload on the vibration of a flexible slewing link (sv960821) (letter) . . . . . (5)823
- LOYAU, T. See REBILLARD, E. (letter) . . . . . (2)377
- MARTIN, V. and BODRERO, A., An introduction to the control of sound fields by optimising impedance locations on the wall of an acoustic cavity (sv970963) . . . . . (2)331
- MARULO, F. See DE ROSA, S. (letter) . . . . . (3)540
- MEMBERS OF THE CEAS AEROACOUSTICS SPECIALISTS' COMMITTEE, DELFS, J. and HELLER, H., EDITORS, Aeroacoustics research in Europe—1996 highlights: a summary of last year's activities in the six CEAS countries (sv970953) . . . . . (4)609
- MENG, G. See YAO, G. Z. . . . . (4)575
- MICKENS, R. E. and SEMWOGERERE, D., A phase space analysis of a non-linear oscillator equation (sv960930) (letter) . . . . . (3)556
- MIKHLIN, Y. V., On non-linear normal vibration modes that exist only in an intermediate amplitude range (sv960838) (letter) . . . . . (1)159
- MING, R. S. and CRAIK, R. J. M., Errors in the measurement of structure-borne power flow using two-accelerometer techniques (sv970919) . . . . . (1)59
- MOSHREFI-TORBATI, M. See GUO, S. J. . . . . (4)645
- MOTE, C. D. See LIU, Z.-S. . . . . (4)623
- MOTE, C. D., JR See LEE, S.-Y. . . . . (5)717
- MOTE, C. D., JR, See LEE, S.-Y. . . . . (5)735
- NAJIM, F. M. See AL-JUMAILY, A. M. . . . . (4)561
- NELSON, P. A., KIRKEBY, O., TAKEUCHI, T. and HAMADA, H., Sound fields for the production of virtual acoustic images (sv970967) (letter) . . . . . (2)386
- PAKDEMIRLI, M. See BOYACI, H. . . . . (4)595
- PICKLES, J. M. See BIES, D. A. . . . . (4)631
- PIERINI, M. See CARFAGNI, M. . . . . (5)705
- PINNINGTON, R. J., Axisymmetric wave transfer functions of flexible tubes (sv970939) . . . . . (2)291
- PINNINGTON, R. J., The axisymmetric wave transmission properties of pressurized flexible tubes (sv970938) . . . . . (2)271
- POSIADAA, B., Free vibrations of uniform Timoshenko beams with attachments (sv970952) . . . . . (2)359
- RAJANA, K. See DITRI, J. J. . . . . (5)755
- RATCLIFFE, C. P., Damage detection using a modified Laplacian operator on mode shape data (sv970961) . . . . . (3)505
- REBILLARD, E., LOYAU, T. and GUYADER, J. L., Experimental study of periodic lattice of plates (sv970893) (letter) . . . . . (2)377
- RICCI, F. See DE ROSA, S. (letter) . . . . . (3)540
- ROSSI, R. E. See LAURA, P. A. A. (letter) . . . . . (2)373
- SANDHAM, N. D. See AVITAL, E. J. (letter) . . . . . (3)533
- SARAVANOS, D. A. See KALJEVIĆ, I. . . . . (3)459
- SEMWOGERERE, D. See MICKENS, R. E. (letter) . . . . . (3)556
- SHA, J.-Z. See SHAO, J. (letter) . . . . . (2)381
- SHABANA, A. A. See BROWN, M. A. . . . . (3)439
- SHAHRUZ, S. M. and NARASIMHA, C. A., Suppression of vibration in stretched strings by the boundary control (sv970985) . . . . . (5)835
- SHAO, J., SHA, J.-Z. and ZHANG, Z.-L., The method of the minimum sum of squared acoustic pressures in an actively controlled noise barrier (sv970909) (letter) . . . . . (2)381
- SHAW, S. W. See CHAO, C.-P. . . . . (5)769
- SHI, Z. X. See FUNG, E. H. K. . . . . (2)259

|   |        |
|---|--------|
| SHU, C. and XUE, H., Explicit computation of weighting coefficients in the harmonic differential quadrature (sv960894) (letter)   | (3)549 |
| SONG, O. and LIBRESCU, L., Anisotropy and structural coupling on vibration and instability of spinning thin-walled beams (sv960947)                                       | (3)477 |
| SPIES, R. D. See HANSEN, S. W.  | (2)183 |
| STUTTS, D. S. See FRIEND, J. R.   | (3)421 |
| SUBRAHMANYAM, K. B. and GARG, A. K., Uncoupled flexural vibrations of straight beams with all possible boundary conditions treated by a transfer matrix method (sv960925) | (3)397 |
| TAKEUCHI, T. See NELSON, P. A. (letter)   | (2)386 |
| VAKAKIS, A. See CETINKAYA, C. (letter)  | (2)371 |
| WANG, C. M., WANG, C. and ANG, K. K., Vibration of initially stressed Reddy plates on a Winkler–Pasternak foundation (sv960916)   | (2)203 |
| WANG, C. See WANG, C. M.  | (2)203 |
| WETTERGREN, H. L., The influence of imperfections on the eigenfrequencies of a rotating composite shaft (sv970937)  | (1)99  |
| WILMS, E. V., The motion of a damped n-degree-of-freedom system with a single natural “frequency” (sv960929) (letter)   | (4)679 |
| WU, S. L. See FUNG, R. F. (letter)  | (1)171 |
| XIANG, Y., LIEW, K. M. and KITIPORNCHAI, S., Vibration analysis of rectangular Mindlin plates resting on elastic edge supports (sv960922)                                 | (1)1   |
| XU, W. See XU, X.   | (3)495 |
| XU, X., XU, W. and GENIN, J., A non-linear moving mass problem (sv970962)   | (3)495 |
| XUE, H. See SHU, C. (letter)  | (3)549 |
| YAMAN, Y., Vibrations of open-section channels: a coupled flexural and torsional wave analysis (sv970933)   | (1)131 |
| YAO, G. Z., MENG, G. and FANG, T., Parameter estimation and damping performance of electro-rheological dampers (sv970959)   | (4)575 |
| YILDIRIM, V. and İNCE, N., Natural frequencies of helical springs of arbitrary shape (sv970940)   | (2)311 |
| YUAN, K., Control of slew maneuver of a flexible beam mounted non-radially on a rigid hub: a geometrically exact modelling approach (sv970982)                            | (5)795 |
| ZHANG, Z.-L. See SHAO, J. (letter)  | (2)381 |
| ZHONG, T. X. See CHEN, W. (letter)  | (1)180 |
| ZHU, W. Q. See HUANG, Z. L.   | (2)249 |