

INDEX TO VOLUME 216

ABBASOV, I. B. and ZAGRAI, N. P., The investigation of the second field of the summarized frequency originated from scattering of nonlinearly interacting sound waves at a rigid sphere (letter)	(1)194
ABE, M. See CHEN, G.	(4)637
ABRAMS, R. M., GERHARDT, K. J., GRIFFITHS, S. K., HUANG, X. and ANTONELLI, P. J., Intrauterine sounds in sheep (letter)	(3)539
ABRATE, S., Comments on "A note on a finite element for vibrating thin, orthotropic rectangular plates" (letter)	(2)315
ALIABADI, M. H. See MALLARDO, V.	(3)413
ANTONELLI, P. J. See ABRAMS, R. M. (letter)	(3)539
AURÉGAN, Y. See STAROBINSKI, R.	(3)521
BAMBILL, D. V. See LAURA, P. A. A. (letter)	(2)342
BAMBILL, D. V., LAURA, P. A. A. and ROSSI, R. E., Fundamental frequency of transverse vibrations of rectangularly orthotropic, circular, annular plates with several combinations of boundary conditions (letter)	(3)543
BELTMAN, W. M., VAN DER HOOGT, P. J. M., SPIERING, R. M. E. J. and TIJDEMAN, H., Implementation and experimental validation of a new viscothermal acoustic finite element for acousto-elastic problems	(1)159
BHAT, R. B., CHAKRAVERTY, S. and STIHARU, I., Recurrence scheme for the generation of two-dimensional boundary characteristic orthogonal polynomials to study vibration of plates (letter)	(2)321
BOISSON, C. See HAMZAOUI, N.	(4)553
BOISSON, C. See HAMZAOUI, N.	(4)571
BOLTEZAR, M., MESARIC, M. and KUHELJ, A., The influence of uneven blade spacing on the SPL and noise spectra radiated from radial fans	(4)697
BRYJA, D. and ŠNIADY, P., Stochastic non-linear vibrations of highway suspension bridge under inertial sprung moving load	(3)507
CHAKRAVERTY, S. See BHAT, R. B. (letter)	(2)321
CHANG, H.-C. See FUNG, R.-F.	(5)751
CHEN, G., SONE, T., SAITO, N., ABE, M. and MAKINO, S., The stability and convergence characteristics of the Delayed-x LMS algorithm in ANC systems	(4)637
CHOO, Y.-S. See KIM, J.-H.	(4)623
CIARLETTA, M. and SUMBATYAN, M. A., On the theory of self-protected surfaces	(3)347
COLLETTE, F. S., A combined tuned absorber and pendulum impact damper under random excitation	(2)199
CONTURSI, T. See MESSINA, A.	(5)791
DOĞRUOĞLU, A. N. and GÜRGÖZE, M., On the Eigencharacteristics of a longitudinally vibrating rod restrained by a linear spring in-span (letter)	(5)916
FUJIWARA, K. See OKUBO, T.	(5)771
FUNG, R.-F. and CHANG, H.-C., Dynamic modelling of a non-linearly constrained flexible manipulator with a tip mass by Hamilton's principle	(5)751
GERHARDT, K. J. See ABRAMS, R. M. (letter)	(3)539
GRIFFITHS, S. K. See ABRAMS, R. M. (letter)	(3)539
GROSSI, R. O. See NALLIM, L. (letter)	(2)337
GÜRGÖZE, M. See DOĞRUOĞLU, A. N. (letter)	(5)916
GÜRGÖZE, M. and MERMERTAS, V., On the eigenvalues of a viscously damped cantilever carrying a tip mass (letter)	(2)309
GÜRGÖZE, M. See HIZAL, N. A. (letter)	(2)328

- GÜRGÖZE, M., On the eigenfrequencies of longitudinally vibrating rods carrying a tip mass and spring-mass in-span (2)295
- GÜRGÖZE, M., On the sensitivities of the eigenvalues of a viscously damped cantilever carrying a tip mass (2)215
- HAMZAOU, N., BOISSON, C. and LESUEUR, C., Vibro-acoustic analysis and identification of defects in rotating machinery, Part I: Theoretical model (4)553
- HAMZAOU, N., BOISSON, C. and LESUEUR, C., Vibro-acoustic analysis and identification of defects in rotating machinery, Part II: Experimental study (4)571
- HAN, Y.-S. See LEE, C. W. (4)585
- HINRICHS, N., OESTREICH, M. and POPP, K., On the modelling of friction oscillators (3)435
- HIZAL, N. A. and GÜRGÖZE, M., Lumped parameter representation of a longitudinally vibrating elastic rod viscously damped in-span (letter) (2)328
- DER HOOGT, P. J. M. See BELTMAN, W. M. (1)159
- HSUEH, W.-J., Analysis of vibration isolation systems using a graph model (3)399
- HUANG, M. See SAKIYAMA, T. (3)379
- HUANG, M. See SAKIYAMA, T. (3)379
- HUANG, W. H. See YANG, S. Y. (letter) (3)529
- HUANG, X. See ABRAMS, R. M. (letter) (3)539
- INMAN, D. J. See SCIULLI, D. (2)251
- JÉZÉQUEL, L. See VIKTOROVITCH, M. (3)361
- JOSHI, A., Prediction of free-free modes from single point support ground vibration test of launch vehicles (letter) (4)739
- KANEMITSU, Y. See MATSUDA, K. (2)269
- KETEMA, Y., A viscoelastic dynamic vibration absorber with adaptable suppression band: a feasibility study (1)133
- KIJIMOTO, S. See MATSUDA, K. (2)269
- KIM, D.-O. and LEE, I.-W., A study on mode localization phenomena: influences of the stiffness and the mass of the coupler on mode localization (1)53
- KIM, J.-H. and CHOO, Y.-S., Dynamic stability of a free-free Timoshenko beam subjected to a pulsating follower force (4)623
- KOODZIEJ, J. A. See UŚCIOWSKA, A. (1)147
- KUHELJ, A. See BOLTEZAR, M. (4)697
- KUIJPERS, A. H. W. M., RIENSTRA, S. W., VERBEEK, G. and VERHEIJ, J. W., The acoustic radiation of baffled finite ducts with vibrating walls (3)461
- KUNG, S.-W. and SINGH, R., Complex eigensolutions of rectangular plates with damping patches (1)1
- LA MALFA, S. See LAURA, P. A. A. (letter) (1)190
- LAURA, P. A. A. and BAMBILL, D. V., Numerical experiments on transverse vibrations of a rectangular plate of generalized anisotropy with a free edge (letter) (2)342
- LAURA, P. A. A. See BAMBILL, D. V. (letter) (3)543
- LAURA, P. A. A. See NALLIM, L. (letter) (2)337
- LAURA, P. A. A., ROSSIT, C. A. and LA MALFA, S., Transverse vibrations of composite, circular annular membranes: exact solution (letter) (1)190
- LEE, C. W. and HAN, Y.-S., Directional Wigner distribution and its applications (4)585
- LEE, H.-H., Non-linear vibration of a multilayer sandwich beam with viscoelastic layers (4)601
- LEE, I.-W. See KIM, D.-O. (1)53
- LESUEUR, C. See HAMZAOU, N. (4)553
- LESUEUR, C. See HAMZAOU, N. (4)571
- LIAO, C.-Y. See WANG, C.-N. (2)281
- LUMSDAINE, A. and SCOTT, R. A., Shape optimization of unconstrained viscoelastic layers using continuum finite elements (1)29
- MAHMOOD-UL-HASSAN and RAWLINS, A. D., Two problems of waveguides carrying mean fluid flow (4)713
- MAKINO, S. See CHEN, G. (4)637
- MALLARDO, V. and ALIABADI, M. H., Boundary element method for acoustic scattering in fluid-fluidlike and fluid-solid problems (3)413

MATSUDA, K., KANEMITSU, Y. and KIJIMOTO, S., A wave-based controller design for general flexible structures	(2)269
MECHEL, F. P., L-, T-, and cross-joints of lined ducts	(5)809
MECHEL, F. P., Modal analysis in lined wedge-shaped ducts	(4)673
MECHEL, F. P., Modes in lined wedge-shaped ducts	(4)649
MERMERTAS, V. See GÜRGÖZE, M. (letter)	(2)309
MESARIC, M. See BOLTEZAR, M.	(4)697
MESSINA, A., WILLIAMS, E. J. and CONTURSI, T., Structural damage detection by a sensitivity and statistical-based method	(5)791
MICKENS, R. E., Comments on "A rational harmonic balance approximation for the Duffing equation of mixed parity" (letter)	(1)187
MIKHLIN, Y. V., VAKAKIS, A. F. and SALENGER, G., Direct and inverse problems encountered in vibro-impact oscillations of a discrete system	(2)227
MORON, P. See VIKTOROVITCH, M.	(3)361
NAGESWARA RAO, B. See SARMA, M. S. (letter)	(1)189
NALLIM, L., GROSSI, R. O. and LAURA, P. A. A., Transverse vibrations of circular plates of rectangular orthotropy carrying a central concentrated mass (letter)	(2)337
OESTREICH, M. See HINRICHS, N.	(3)435
OKUBO, T. and FUJIWARA, K., Efficiency of a noise barrier on the ground with an acoustically soft cylindrical edge	(5)771
PICARD, M. A., SOLANA, P. and URCHUEGUÍA, J. F., A method of measuring the dynamic flow resistance and the acoustic measurement of the effective static flow resistance in stratified rockwool samples	(3)495
POPP, K. See HINRICHS, N.	(3)435
RAWLINS, A. D. See MAHMOOD-UL-HASSAN and RAWLINS, A. D.	(4)713
RIENSTRA, S. W. See KUIJPERS, A. H. W. M.	(3)461
RIVOLA, A. and WHITE, P. R., Bispectral analysis of the bilinear oscillator with application to the detection of fatigue cracks	(5)889
ROSSI, R. E. See BAMBILL, D. V. (letter)	(3)543
ROSSI, R. E., Author's reply (letter)	(2)318
ROSSIT, C. A. See LAURA, P. A. A. (letter)	(1)190
SAITO, N. See CHEN, G.	(4)637
SAKIYAMA, T. and HUANG, M., Free vibration analysis of rectangular plates with variable thickness	(3)379
SALENGER, G. See MIKHLIN, Y. V.	(2)227
SARMA, M. S. and NAGESWARA RAO, B., Authors' reply (letter)	(1)189
SCIULLI, D. and INMAN, D. J., Isolation design for a flexible system	(2)251
SCOTT, R. A. See LUMSDAINE, A.	(1)29
SHAH, H. See WU, S. F.	(1)107
SINGH, R. See KUNG, S.-W.	(1)1
ŚNIADY, P. See BRYJA, D.	(3)507
SOLANA, P. See PICARD, M. A.	(3)495
SONE, T. See CHEN, G.	(4)637
SPIERING, R. M. E. J. See BELTMAN, W. M.	(1)159
STAROBINSKI, R. and AURÉGAN, Y., Fluctuations of vorticity and entropy as sources of acoustical exergy	(3)521
STIHARU, I. See BHAT, R. B. (letter)	(2)321
SU, S. See WU, S. F.	(1)107
SUMBATYAN, M. A. See CIARLETTA, M.	(3)347
THOUVEREZ, F. See VIKTOROVITCH, M.	(3)361
TIJDEMAN, H. See BELTMAN, W. M.	(1)159
TURHAN, Ö., A generalized Bolotin's method for stability limit determination of parametrically excited systems	(5)851
URCHUEGUÍA, J. F. See PICARD, M. A.	(3)495
UŚCIEWSKA, A. and KOODZIEJ, J. A., Free vibration of immersed column carrying a tip mass	(1)147
VAICAITIS, R. See WANG, C.-Y.	(5)865
VAKAKIS, A. F. See MIKHLIN, Y. V.	(2)227

VERBEEK, G. See KUIJPERS, A. H. W. M.	(3)461
VERHEIJ, J. W. See KUIJPERS, A. H. W. M.	(3)461
VIKTOROVITCH, M., MORON, P., THOUVEREZ, F. and JÉZÉQUEL, L., A stochastic approach of the energy analysis for one-dimensional structures	(3)361
WANG, C. Y., Fundamental frequencies of moon- and lens-shaped membranes (letter)	(4)748
WANG, C.-N. and LIAO, C.-Y., Boundary integral equation method for evaluating the performance of straight-through resonator with mean flow	(2)281
WANG, C.-Y. and VAICAITIS, R., Active control of vibrations and noise of double wall cylindrical shells	(5)865
WANG, Y. C. See WONG, A. F. L. (letter)	(5)911
WHITE, P. R. See RIVOLA, A.	(5)889
WILLIAMS, E. J. See MESSINA, A.	(5)791
WONG, A. F. L. and WANG, Y. C., Prediction of fundamental transverse natural frequency of tall building structures using maximum static deflection (letter)	(5)911
WU, S. F., SU, S. and SHAH, H., Noise radiation from engine cooling fans	(1)107
YANG, S. Y. and HUANG, W. H., Is a collocated piezoelectric sensor/actuator pair feasible for an intelligent beam? (letter)	(3)529
ZAGRAI, N. P. See ABBASOV, I. B. (letter)	(1)194
ZHANG, L. and ZU, J. W., Non-linear vibrations of viscoelastic moving belts, Part I: free vibration analysis	(1)75
ZHANG, L. and ZU, J. W., Non-linear vibrations of viscoelastic moving belts, Part II: forced vibration analysis	(1)93
ZU, J. W. See ZHANG, L.	(1)75