

## INDEX TO VOLUME 234

ABE, A., KOBAYASHI, Y. and YAMADA, G., Non-linear vibration characteristics of clamped laminated shallow shells . . . . .	(3)405
AL-JUMAILY, A. M. and JAMEEL, K., Influence of the Poisson ratio on the natural frequencies of stepped-thickness circular plate . . . . .	(5)881
ALLI, H. and SINGH, T., On the feedback control of the wave equation . . . . .	(4)625
BALTHAZAR, J. M. See PONTES, B. R. (letter) . . . . .	(4)713
BELHAQ, M. and LAKRAD, F., The elliptic multiple scales method for a class of autonomous strongly non-linear oscillators (letter) . . . . .	(3)547
BOOK REVIEWS . . . . .	(5)911
CERRI, M. N. and VESTRONI, F., Detection of damage in beams subjected to diffused cracking . . . . .	(2)259
CHANG, Y.-F. See KANG, Y. . . . .	(2)277
CHANG, Y.-P. See KANG, Y. . . . .	(2)277
CHEN, L.-W. See SHEU, H.-C. . . . .	(2)331
CHOI, S.-B., Electric field-dependent vibration characteristics of a plate featuring an electrorheological fluid (letter) . . . . .	(4)705
CHOI, S.-B. and KIM, W.-K., Vibration control of a semi-active suspension featuring electrorheological fluid dampers (letter) . . . . .	(3)537
CHOI, M. S. See MOON, D. H. . . . .	(5)725
CHRISTOFOROU, A. P. See YIGIT, A. S. . . . .	(1)67
DICKENS, J. D., Phase velocity of rubber element in vibration isolator under static load . . . . .	(1)21
DUPONT, P. See GUEORGUIEV, D. . . . .	(5)819
ELISHAKOFF, I., Axisymmetric vibration of inhomogeneous free circular plates: an unusual exact, closed-form solution (letter) . . . . .	(1)167
ELISHAKOFF, I., Resurrection of the method of successive approximations to yield closed-form solutions for vibration inhomogeneous beams (letter) . . . . .	(2)349
ELLIOTT, S. J. See SERRAND, M. . . . .	(4)681
ELLIOTT, S. J. See TSENG, W.-K. . . . .	(3)427
FARAGHER, J. S. See KRODKIEWSKI, J. M. . . . .	(4)591
FELSEN, L. B. See GUEORGUIEV, D. . . . .	(5)819
FUNG, R.-F., SHAW, C.-C. and WANG, A.-P., Region-wise linear fuzzy sliding mode control of the motor-mechanism systems. . . . .	(3)471
GHANEM, R. and ROMEO, F., A wavelet-based approach for the identification of linear time-varying dynamical systems . . . . .	(4)555
GÜRGÖZE, M. See INCEOĞLU, S. (letter) . . . . .	(5)895
GUEORGUIEV, D., MCDANIEL, J. G., DUPONT, P. and FELSEN, L. B., Analysis of Floquet wave generation and propagation in a plate with multiple arrays of line attachments . . . . .	(5)819
HANSEN, M. H., Effect of high-frequency excitation on natural frequencies of spinning discs . . . . .	(4)577
HASSIS, H., A finite element formulation for plates with warping (letter) . . . . .	(1)171
HEIKKILÄ, K. See HEINONEN-GUZEJEV, M. . . . .	(2)191
HEINONEN-GUZEJEV, M., VUORINEN, H. S., KAPRIO, J., HEIKKILÄ, K., MUSSALO-RAUHAMAA, H. and KOSKENVUO, M., Self-report of transportation noise exposure, annoyance and noise sensitivity in relation to noise map information . . . . .	(2)191
HOROSHENKOV, K. V. See HOTHERSALL, D. C. . . . .	(2)207
HOTHERSALL, D. C., HOROSHENKOV, K. V., MORGAN, P. A. and SWIFT, M. J., Scale modelling of railway noise barriers . . . . .	(2)207
HOWE, M. S., Trailing edge noise at low Mach numbers, Part 2: Attached and separated edge flows . . . . .	(5)761
HSIA, S.-Y. See YANG, S.-K. . . . .	(5)777
HUANG, K. J. and LIU, T. S., Dynamic analysis of a spur gear by the dynamic stiffness method. . . . .	(2)311
HUANG, M. See SAKIYAMA, T. . . . .	(5)841

- HUSEH, W.-J., Vibrations of elastically mounted mass supported on symmetrically crossed beams (3)507
- INCEOĞLU, S. and GÜRGÖZE, M., Longitudinal vibrations of rods coupled by several spring-mass systems (letter). . . . . (5)895
- JACQUOT, R. G., Random vibration of damped modified beam systems. . . . . (3)441
- JAMEEL, K. See AL-JUMAILY, A. M. . . . . (5)881
- JEONG, T. and SINGH, R., Analytical methods of decoupling the automotive engine torque roll axis (1)85
- KANG, S. W. and LEE, J. M., Application of free vibration analysis of membranes using the non-dimensional dynamic influence function. . . . . (3)455
- KANG, Y., CHANG, Y.-P., TSENG, M.-H., TANG, P.-H. and CHANG, Y.-F., A modified approach based on influence coefficient method for balancing crank-shafts. . . . . (2)277
- KAPRIO, J. See HEINONEN-GUZEJEV, M. . . . . (2)191
- KIM, D.-H. and LEE, I., Transonic and low-supersonic aeroelastic analysis of a two-degree-of-freedom airfoil with a freeplay non-linearity . . . . . (5)859
- KIM, W.-K. See CHOI, S.-B. (letter) . . . . . (3)537
- KIM, Y.-H. See RIM, M. . . . . (5)737
- KOBAYASHI, Y. See ABE, A. . . . . (3)405
- KOSKENVUO, M. See HEINONEN-GUZEJEV, M. . . . . (2)191
- KRODKIEWSKI, J. M. and FARAGHER, J. S., Stabilization of motion of helicopter rotor blades using delayed feedback—modelling, computer simulation and experimental verification . . . . . (4)591
- KUMAR, V. See PAL, A. K. . . . . (1)149
- KWON, K.-S. and LEE, C.-W., Random excitation for modal testing of rotating machinery use of modulation technique . . . . . (2)297
- LAKRAD, F. See BELHAQ, M. (letter). . . . . (3)547
- LAW, S. S. and ZHU, X. Q., Study on different beam models in moving force identification . . . . . (4)661
- LEE, B. H. K. See LIU, L. . . . . (4)641
- LEE, C.-W. See KWON, K.-S. . . . . (2)297
- LEE, I. See KIM, D.-H. . . . . (5)859
- LEE, J. M. See KANG, S. W. . . . . (3)455
- LI, Q. S., Exact solutions for free longitudinal vibrations of non-uniform rods . . . . . (1)1
- LIANG, Q. Q. See RONG, J. H. . . . . (2)177
- LIN, J. and QU, L., Feature extraction based on Morlet wavelet and its application for mechanical fault diagnosis. . . . . (1)135
- LIU, L., WONG, Y. S. and LEE, B. H. K., Application of the centre manifold theory in non-linear aeroelasticity. . . . . (4)641
- LIU, T. S. See HUANG, K. J. . . . . (2)311
- MCDANIEL, J. G. See GUEORGUIEV, D. . . . . (5)819
- METRIKINE, A. V. and VROUWENVELDER, A. C. W. M., Surface ground vibration due to a moving train in a tunnel: two dimensional model. . . . . (1)43
- MOON, D. H. and CHOI, M. S., Vibration analysis for frame structures using transfer of dynamic stiffness coefficient . . . . . (5)725
- MORGAN, P. A. See HOTHERSALL, D. C. . . . . (2)207
- MUSSALO-RAUHAMAA, H. See HEINONEN-GUZEJEV, M. . . . . (2)191
- NABERGOJ, R. See TONDL, A. . . . . (4)611
- ÖZKAYA, E. and PAKDEMİRLİ, M., Vibrations of an axially accelerating beam with small flexural stiffness. . . . . (3)521
- OLIVEIRA, V. A. See PONTES, B. R. (letter) . . . . . (4)713
- PAI, P. F., ROMMEL, B. and SCHULZ, M. J., Non-linear vibration absorbers using higher order internal resonances. . . . . (5)799
- PAKDEMİRLİ, M. See ÖZKAYA, E. . . . . (3)521
- PAL, A. K., KUMAR, V. and SAXENA, N. C., Noise attenuation by green belts . . . . . (1)149
- PONTES, B. R., OLIVEIRA, V. A. and BALTHAZAR, J. M., On friction-driven vibrations in a mass block-belt-motor system with a limited power supply (letter) . . . . . (4)713
- POPPELWELL, N. See ZHANG, Q. . . . . (1)115
- QU, L. See LIN, J. . . . . (1)135
- RAFAELY, B. See TSENG, W.-K. . . . . (3)427
- RIM, M. and KIM, Y.-H., Narrowband noise attenuation characteristics of in-duct acoustic screens (5)737
- ROMEO, F. See GHANEM, R. . . . . (4)555

ROMMEL, B. See PAI, P. F. . . . .	(5)799
RONG, J. H., XIE, Y. M., YANG, X. Y. and LIANG, Q. Q., Topology optimization of structures under dynamic response constraints. . . . .	(2)177
SAKIYAMA, T. and HUANG, M., Free-vibration analysis of right triangular plates with variable thickness . . . . .	(5)841
SAXENA, N. C. See PAL, A. K. . . . .	(1)149
SCHULZ, M. J. See PAI, P. F. . . . .	(5)799
SERRAND, M. and ELLIOTT, S. J., Multichannel feedback control for the isolation of base-excited vibration . . . . .	(4)681
SHAH, A. H. See ZHANG, Q. . . . .	(1)115
SHAO, C., ZHANG, X. and SHEN, Y., Complex mode active vibration control of high-speed flexible linkage mechanisms . . . . .	(3)491
SHAW, C.-C. See FUNG, R.-F. . . . .	(3)471
SHEN, Y. See SHAO, C. . . . .	(3)491
SHEU, H.-C. and CHEN, L.-W., A lumped mass model for parametric instability analysis of cantilever shaft-disk systems. . . . .	(2)331
SINGH, R. See JEONG, T. . . . .	(1)85
SINGH, T. See ALLI, H. . . . .	(4)625
SWIFT, M. J. See HOTHERSALL, D. C. . . . .	(2)207
TANG, P.-H. See KANG, Y. . . . .	(2)277
TANG, S. K., On the time-frequency analysis of signals that decay exponentially with time . . . .	(2)241
TIWARI, R., On-line identification and estimation of non-linear stiffness parameters of bearings (letter). . . . .	(5)906
TONDL, A. and NABERGOJ, R., Dynamic absorbers for an externally excited pendulum . . . . .	(4)611
TSENG, M.-H. See KANG, Y. . . . .	(2)277
TSENG, W.-K., RAFAELY, B. and ELLIOTT, S. J., Local active sound control using 2-norm and $\infty$ -norm pressure minimization . . . . .	(3)427
VESTRONI, F. See CERRI, M. N. . . . .	(2)259
VROUWENVELDER, A. C. W. M. See METRIKINE, A. V. . . . .	(1)43
VUORINEN, H. S. See HEINONEN-GUZEJEV, M. . . . .	(2)191
WANG, A.-P. See FUNG, R.-F. . . . .	(3)471
WANG, C. Y., Fundamental frequency of a square membrane with a square core (letter). . . . .	(2)363
WANG, R.-T., Vibration of straight-curved-straight hollow shafts . . . . .	(3)369
WONG, Y. S. See LIU, L. . . . .	(4)641
XIE, Y. M. See RONG, J. H. . . . .	(2)177
XU, M. B. and ZHANG, W. H., Vibrational power flow input and transmission in a circular cylindrical shell filled with fluid . . . . .	(3)387
YAMADA, G. See ABE, A. . . . .	(3)405
YANG, S. A., An investigation into integral equation methods involving nearly singular kernels for acoustic scattering . . . . .	(2)225
YANG, S.-K. and HSIA, S.-Y., The transmission characteristics of the elastic shear wave at a semi-infinite effective chiral medium . . . . .	(5)777
YANG, X. Y. See RONG, J. H. . . . .	(2)177
YIGIT, A. S. and CHRISTOFOROU, A. P., Coupled torsional and bending vibrations of actively controlled drillstrings. . . . .	(1)67
ZHANG, Q., POPPLEWELL, N. and SHAH, A. H., Galloping of bundle conductor . . . . .	(1)115
ZHANG, W. H. See XU, M. B. . . . .	(3)387
ZHANG, X. See SHAO, C. . . . .	(3)491
ZHU, X. Q. See LAW, S. S. . . . .	(4)661