



Index to Volume 264

Amabili, M., A comparison of shell theories for large-amplitude vibrations of circular cylindrical shells: Lagrangian approach	(5)	1091
Andrianoely, M.A. see Sève, F.	(2)	287
Andrianov, I.V. and Awrejcewicz, J., Homogenization of a waffle membrane (Letter)	(3)	746
Andrianov, I.V. and Awrejcewicz, J., On the average continuous representation of an elastic discrete medium (Letter)	(5)	1187
Arya, H., A new zig-zag model for laminated composite beams: free vibration analysis (Letter)	(2)	485
Awrejcewicz, J. see Andrianov, I.V. (Letter)	(3)	746
Awrejcewicz, J. see Andrianov, I.V. (Letter)	(5)	1187
Awrejcewicz, J. and Krysko, V.A., Some problems of analysis and optimization of plates and shells	(2)	343
Awrejcewicz, J. and Pyryev, Yu., The Saint-Venant principle and an impact load acting on an elastic half-space (Letter)	(1)	245
Bajaj, A.K. see Kim, S.K.	(1)	49
Bajaj, A.K. see Singh, R.	(5)	1005
Benamar, R. see El Kadiri, M.	(1)	1
Bergman, L. see Vakakis, A.F.	(3)	559
Berlioz, A. see Sève, F.	(2)	287
Bhattacharyya, R., Mukherjee, A. and Samantaray, A.K., Harmonic oscillations of non-conservative, asymmetric, two-degree-of-freedom systems (Letter)	(4)	973
Boležar, M. see Simonovski, I.	(3)	545
Boudoy, M. and Martin, V., Prediction of acoustic fields radiated into a damped cavity by an <i>N</i> -port source through ducts	(3)	499
Brennan, M.J. see Muggleton, J.M.	(4)	929
Cao, Q. see Xu, L.	(4)	873
Chao, P.C.-P. see Huang, J.-S.	(1)	177
Charreyron, M. see Sève, F.	(2)	287
Chen, L.-W. see Wang, H.J.	(4)	893
Chen, Y.Z., Evaluation of motion of the Duffing equation from its general properties (Letter)	(2)	491
Culick, F.E.C. see Matveev, K.I.	(3)	689
Cunningham, P.R. and White, R.G., Dynamic response of doubly curved honeycomb sandwich panels to random acoustic excitation. Part 1: Experimental study	(3)	579
Cunningham, P.R., Langley, R.S. and White, R.G., Dynamic response of doubly curved honeycomb sandwich panels to random acoustic excitation. Part 2: Theoretical study	(3)	605
Curling, L.I.R. and Paidoussis, M.P., Analyses for random flow-induced vibration of cylindrical structures subjected to turbulent axial flow	(4)	795
Davies, P. see Kim, S.K.	(1)	49
Davies, P. see Singh, R.	(5)	1005
Domínguez, J. see Escalona, J.L.	(5)	1045
Domínguez, J. see Escalona, J.L.	(5)	1057
Dufour, R. see Sève, F.	(2)	287
El Kadiri, M. and Benamar, R., Improvement of the semi-analytical method, based on Hamilton's principle and spectral analysis, for determination of the geometrically non-linear response of thin straight structures. Part III: steady state periodic forced response of rectangular plates	(1)	1
El-Mously, M., Fundamental natural frequencies of thin cylindrical shells: a comparative study	(5)	1167

Escalona, J.L., Valverde, J., Mayo, J. and Domínguez, J., Reference motion in deformable bodies under rigid body motion and vibration. Part I: theory	(5) 1045
Escalona, J.L., Valverde, J., Mayo, J. and Domínguez, J., Reference motion in deformable bodies under rigid body motion and vibration. Part II: evaluation of the coefficient of restitution for impacts. . .	(5) 1057
Fan, S.C. and Zheng, D.Y., Stability of a cracked Timoshenko beam column by modified Fourier series (Letter).	(2) 475
Fleeter, S. see Sawyer, S.	(4) 751
Fung, R.-F. see Huang, J.-S.	(1) 177
Gao, J.-X. and Shen, Y.-P., Active control of geometrically nonlinear transient vibration of composite plates with piezoelectric actuators	(4) 911
Gawronski, W., Discrete-time norms of flexible structures	(5) 983
Gendelman, O. see Vakakis, A.F.	(3) 559
Gibbs, B.M. see Qi, N.	(1) 157
Gültop, T., On the propagation of acceleration waves in incompressible hyperelastic solids	(2) 377
Gürgöze, M. see Karakaş, A. (Letter)	(3) 733
Griffin, M.J. see Qiu, Y.	(1) 135
Grossi, R.O. see Nallim, L.G. (Letter)	(5) 1201
Hong, S.-Y. see Park, D.-H.	(1) 203
Huang, J.-S., Chao, P.C.-P., Fung, R.-F. and Lai, C.-L., Parametric control of an axially moving string via fuzzy sliding-mode and fuzzy neural network methods	(1) 177
Joseph, P., Morfey, C.L. and Lewis, C.R., Multi-mode sound transmission in ducts with flow	(3) 523
Kaplunov, J.D., Kovalev, V.A. and Wilde, M.V., Matching of asymptotic models in scattering of a plane acoustic wave by an elastic cylindrical shell	(3) 639
Karakaş, A. and Gürgöze, M., A novel formulation of the receptance matrix of non-proportionally damped dynamic systems (Letter)	(3) 733
Kil, H.-G. see Park, D.-H.	(1) 203
Kim, J.O. and Kwon, O.S., Vibration characteristics of piezoelectric torsional transducers	(2) 453
Kim, S.K., White, S.W., Bajaj, A.K. and Davies, P., Simplified models of the vibration of mannequins in car seats	(1) 49
Kovacic, I., Application of the field method to the non-linear theory of vibrations.	(5) 1073
Kovalev, V.A. see Kaplunov, J.D.	(3) 639
Krawczuk, M., Palacz, M. and Ostachowicz, W., The dynamic analysis of a cracked Timoshenko beam by the spectral element method	(5) 1139
Krysko, V.A. see Awrejcewicz, J.	(2) 343
Kukla, S., Frequency analysis of a rectangular plate with attached discrete systems (Letter)	(1) 225
Kwon, O.S. see Kim, J.O.	(2) 453
Lai, C.-L. see Huang, J.-S.	(1) 177
Langley, R.S. see Cunningham, P.R.	(3) 605
Laura, P.A.A. see Vera, S.A. (Letter)	(4) 981
Lee, S.-Y. see Pai, P.F.	(3) 657
Li, Q.-H. see Lu, Q.-S.	(5) 1127
Liu, G.R. see Wu, T.Y.	(4) 883
Lewis, C.R. see Joseph, P.	(3) 523
Lu, M.W. see Xu, L.	(4) 873
Lu, Q.-S., Li, Q.-H. and Twizell, E.H., The existence of periodic motions in rub-impact rotor systems . .	(5) 1127
Ma, K., Adaptive non-linear control of a clamped rectangular plate with PZT patches.	(4) 835
Mace, B., Statistical energy analysis, energy distribution models and system modes	(2) 391
Mace, B.R. see Muggleton, J.M.	(4) 929
Manevitch, L.I. see Vakakis, A.F.	(3) 559
Martin, V. see Boudoy, M.	(3) 499
Matveev, K.I. and Culick, F.E.C., A study of the transition to instability in a Rijke tube with axial temperature gradient	(3) 689
Mayo, J. see Escalona, J.L.	(5) 1045

- Mayo, J. see Escalona, J.L. (5) 1057
- Mazzoni, D., An efficient approximation for the vibro-acoustic response of a turbulent boundary layer excited panel (4) 951
- Mickens, R.E., A combined equivalent linearization and averaging perturbation method for non-linear oscillator equations (Letter) (5) 1195
- Mongeau, L. see Park, J. (4) 775
- Morfey, C.L. see Joseph, P. (3) 523
- Muggleton, J.M., Mace, B.R. and Brennan, M.J., Vibrational response prediction of a pneumatic tyre using an orthotropic two-plate wave model (4) 929
- Mukherjee, A. see Bhattacharyya, R. (Letter) (4) 973
- Nallim, L.G. and Grossi, R.O., On the use of orthogonal polynomials in the study of anisotropic plates (Letter) (5) 1201
- Olson, S.E., An analytical particle damping model (5) 1155
- Oniszcuk, Z., Damped vibration analysis of an elastically connected complex double-string system (2) 253
- Oniszcuk, Z., Forced transverse vibrations of an elastically connected complex simply supported double-beam system (2) 273
- Oniszcuk, Z., Free transverse vibrations of an elastically connected rectangular plate-membrane complex system (1) 37
- Ostachowicz, W. see Krawczuk, M. (5) 1139
- Pai, P.F. and Lee, S.-Y., Non-linear structural dynamics characterization using a scanning laser vibrometer (3) 657
- Païdoussis, M.P. see Curling, L.I.R. (4) 795
- Palacz, M. see Krawczuk, M. (5) 1139
- Park, D.-H., Hong, S.-Y. and Kil, H.-G., Power flow model of flexural waves in finite orthotropic plates (1) 203
- Park, J., Mongeau, L. and Siegmund, T., Influence of support properties on the sound radiated from the vibrations of rectangular plates (4) 775
- Petersson, B.A.T., Lateral moment and axial force excitation of deep beams; point and point-cross mobilities (1) 91
- Pines, D.J. see Richards, D. (2) 317
- Pyryev, Yu. see Awrejcewicz, J. (Letter) (1) 245
- Qi, N. and Gibbs, B.M., Circulation pumps as structure-borne sound sources: emission to semi-infinite pipe systems (1) 157
- Qiu, Y. and Griffin, M.J., Transmission of fore-aft vibration to a car seat using field tests and laboratory simulation (1) 135
- Richards, D. and Pines, D.J., Passive reduction of gear mesh vibration using a periodic drive shaft. . . . (2) 317
- Rose, L.R.F. see Wang, C.H. (4) 851
- Samantaray, A.K. see Bhattacharyya, R. (Letter) (4) 973
- Sawyer, S. and Fleeter, S., Passive control of discrete-frequency tones generated by coupled detuned cascades (4) 751
- Semercigil, S.E. see Troung, T.D. (Letter) (1) 235
- Sève, F., Andrianoely, M.A., Berlioz, A., Dufour, R. and Charreyron, M., Balancing of machinery with a flexible variable-speed rotor (2) 287
- Shen, Y.-P. see Gao, J.-X. (4) 911
- Siegmund, T. see Park, J. (4) 775
- Simonovski, I. and Boltežar, M., The norms and variances of the Gabor, Morlet and general harmonic wavelet functions. (3) 545
- Singh, R., Davies, P. and Bajaj, A.K., Estimation of the dynamical properties of polyurethane foam through use of Prony series (5) 1005
- Srikantha Phani, A., On the necessary and sufficient conditions for the existence of classical normal modes in damped linear dynamic systems (Letter) (3) 741
- Suweken, G. and Van Horssen, W.T., On the transversal vibrations of a conveyor belt with a low and time-varying velocity. Part I: the string-like case (1) 117
- Teppo, L.J. see Zhu, W.D. (3) 707

Thite, A.N. and Thompson, D.J., The quantification of structure-borne transmission paths by inverse methods. Part 1: Improved singular value rejection methods	(2)	411
Thite, A.N. and Thompson, D.J., The quantification of structure-borne transmission paths by inverse methods. Part 2: Use of regularization techniques.	(2)	433
Thompson, D.J. see Thite, A.N.	(2)	411
Thompson, D.J. see Thite, A.N.	(2)	433
Truong, T.D., Semercigil, S.E. and Turan, Ö.F., Experiments for control of structural oscillations using free and restricted sloshing waves (Letter)	(1)	235
Turan, Ö.F. see Truong, T.D. (Letter)	(1)	235
Twizell, E.H. see Lu, Q.-S.	(5)	1127
Vakakis, A.F., Manevitch, L.I., Gendelman, O. and Bergman, L., Dynamics of linear discrete systems connected to local, essentially non-linear attachments	(3)	559
Valverde, J. see Escalona, J.L.	(5)	1045
Valverde, J. see Escalona, J.L.	(5)	1057
Van Horssen, W.T. see Suweken, G.	(1)	117
Vera, S.A. and Laura, P.A.A., Comments on “The effects of distributed mass loading on plate vibration behavior” (Letter)	(4)	981
Wang, C.H. and Rose, L.R.F., Wave reflection and transmission in beams containing delamination and inhomogeneity.	(4)	851
Wang, H.-J. and Chen, L.-W., Vibration and damping analysis of annular plates with constrained damping layer treatments.	(4)	893
Wang, Y.Y. see Wu, T.Y.	(4)	883
White, R.G. see Cunningham, P.R.	(3)	579
White, R.G. see Cunningham, P.R.	(3)	605
White, S.W. see Kim, S.K.	(1)	49
Wilde, M.V. see Kaplunov, J.D.	(3)	639
Wong, W.O., Author’s reply	(4)	982
Wright, M.C.M., Measured Tones: The Interplay of Physics and Music by Ian Johnston, Institute of Physics Publishing, Bristol and Philadelphia, 2002, xiv + 406pp, price £24.99, ISBN 0-7503-0762-5 (Book review)	(5)	1209
Wu, T.Y., Liu, G.R. and Wang, Y.Y., Application of the generalized differential quadrature rule to initial-boundary-value problems	(4)	883
Wu, Z.G. and Zhong, W.X., Critical value computation for H_∞ -Riccati difference equations	(2)	303
Xu, L., Lu, M.W. and Cao, Q., Bifurcation and chaos of a harmonically excited oscillator with both stiffness and viscous damping piecewise linearities by incremental harmonic balance method	(4)	873
Zheng, D.Y. see Fan, S.C. (Letter).	(2)	475
Zhong, W.X. see Wu, Z.G.	(2)	303
Zhu, W.D. and Teppo, L.J., Design and analysis of a scaled model of a high-rise, high-speed elevator	(3)	707