



Index to Volume 265

Aimmanee, S. see Batra, R.C. (Letter) (4) 887
Alam, M.S., Unified Krylov–Bogoliubov–Mitropolskii method for solving nth order non-linear systems with slowly varying coefficients (5) 987
Al-Hiddabi, S.A., Samanta, B. and Seibi, A., Non-linear control of torsional and bending vibrations of oilwell drillstrings (2) 401
Andrianov, I.V. and Awrejcewicz, J., Dynamics of folded shells (Letter) (3) 689
Ashcroft, G.B., Takeda, K. and Zhang, X., A numerical investigation of the noise radiated by a turbulent flow over a cavity (1) 43
Atalla, N. see Dauchez, N. (2) 437
Aurégan, Y. and Leroux, M., Failures in the discrete models for flow duct with perforations: an experimental investigation (1) 109
Awrejcewicz, J. see Andrianov, I.V. (Letter) (3) 689
Bambill, D.V. see Laura, P.A.A. (Letter) (2) 466
Banerjee, J.R. and Sobey, A.J., Further investigation into eigenfrequencies of a two-part beam–mass system (Letter) (4) 899
Batra, R.C. and Aimmanee, S., Missing frequencies in previous exact solutions of free vibrations of simply supported rectangular plates (Letter) (4) 887
Bayón, A. see Nieves, F.J. (5) 917
Benamar, R. see Haterbouch, M. (1) 123
Bennani, A. see Jacquelin, E. (1) 81
Besa, A.J. see Selamet, A. (5) 967
Bickley, C.J. see Harland, A.R. (3) 627
Bucher, I. see Halevi, Y. (3) 561
Caugberghé, B., Guillaume, P., Verboven, P. and Parloo, E., Identification of modal parameters including unmeasured forces and transient effects (3) 609
Chaigne, A. see Thomas, O. (5) 1075
Choi, M.-H. see Lee, Y.-S. (4) 795
Cotoni, V. and Le Bot, A., Specular and diffuse reflections of rays in coupled thin plates at high frequencies (1) 23
Cveticanin, L., Forced non-linear vibrations of a symmetrical two-mass system (Letter) (2) 451
Dalenbring, M., Validation of estimated isotropic viscoelastic material properties and vibration response prediction (2) 269
Dauchez, N., Sahraoui, S. and Atalla, N., Investigation and modelling of damping in a plate with a bonded porous layer (2) 437
David, J.-M. and Menelle, M., Validation of a medium-frequency computational method for the coupling between a plate and a water-filled cavity (4) 841
de Diego, M. see Gonzalez, A. (3) 663
de Lima, W.J.N. and Hamilton, M.F., Finite-amplitude waves in isotropic elastic plates (4) 819
De Man, P. see Preumont, A. (1) 61
Denia, F.D. see Selamet, A. (5) 967
Dequand, S., Hulshoff, S.J. and Hirschberg, A., Self-sustained oscillations in a closed side branch system (2) 359
Desbois-Lavergne, F. see Polacsek, C. (4) 725
Engel, Z. see Rdzanek Jr., W.P. (1) 155
Ewins, D.J. see Zhu, C. (3) 469
Feeny, B.F. and Liang, Y., Interpreting proper orthogonal modes of randomly excited vibration systems (5) 953

Ferrer, M. see Gonzalez, A. . . . .	(3) 663
Fisher, M.J. see McAlpine, A. . . . .	(1) 175
François, A. see Preumont, A. . . . .	(1) 61
Garcia-Bonito, J.J. see Gonzalez, A. . . . .	(3) 663
Gascón, F. see Nieves, F.J. . . . .	(5) 917
Gonzalez, A., Ferrer, M., de Diego, M., Piñero, G. and Garcia-Bonito, J.J., Sound quality of low-frequency and car engine noises after active noise control . . . . .	(3) 663
Gu, M. see Peng, F.J. . . . .	(5) 1047
Guillaume, P. see Cauberghe, B. . . . .	(3) 609
Guillaume, P. see Vanlanduit, S. . . . .	(3) 647
Gürgöze, M., On a determinant formula used for the derivation of frequency equations of combined systems (Letter) . . . . .	(5) 1111
Guyader, J.-L. see Maxit, L. . . . .	(2) 337
Halevi, Y. and Bucher, I., Model updating via weighted reference basis with connectivity constraints . . . . .	(3) 561
Hamelin, P. see Jacquelin, E. . . . .	(1) 81
Hamilton, M.F. see de Lima, W.J.N. . . . .	(4) 819
Harland, A.R., Petzing, J.N., Tyrer, J.R., Bickley, C.J., Robinson, S.P. and Preston, R.C., Application and assessment of laser Doppler velocimetry for underwater acoustic measurements . . . . .	(3) 627
Haterbouch, M. and Benamar, R., The effects of large vibration amplitudes on the axisymmetric mode shapes and natural frequencies of clamped thin isotropic circular plates. Part I: iterative and explicit analytical solution for non-linear transverse vibrations . . . . .	(1) 123
Henrioulle, K. and Sas, P., Experimental validation of a collocated PVDF volume velocity sensor/actuator pair . . . . .	(3) 489
Hirschberg, A. see Dequand, S. . . . .	(2) 359
Hu, H.Y. see Wang, Z.H. . . . .	(3) 695
Hulshoff, S.J. see Dequand, S. . . . .	(2) 359
Ianko, S., Comments on "On the eigenfrequencies of a two-part beam-mass system" (Letter) . . . . .	(4) 909
Jacquelin, E., Bennani, A. and Hamelin, P., Force reconstruction: analysis and regularization of a deconvolution problem . . . . .	(1) 81
Jeon, W.-H., A numerical study on the effects of design parameters on the performance and noise of a centrifugal fan (Letter) . . . . .	(1) 221
Jezequel, L. see Nacivet, S. . . . .	(1) 201
Jezequel, L. see Sinou, J.-J. . . . .	(3) 527
Ji, L., Mace, B.R. and Pinnington, R.J., A power mode approach to estimating vibrational power transmitted by multiple sources. . . . .	(2) 387
Kim, J.-H. see Lee, Y.-S. . . . .	(4) 795
Kim, S.-D., Kim, W.-J. and Lee, C.-W., Vibration analysis of the tension shadow mask with wire impact damping . . . . .	(5) 1003
Kim, W.-J. see Kim, S.-D. . . . .	(5) 1003
Kim, Y. and Nelson, P.A., Spatial resolution limits for the reconstruction of acoustic source strength by inverse methods. . . . .	(3) 583
Knotts, B.D. and Selamet, A., Suppression of flow-acoustic coupling in sidebranch ducts by interface modification . . . . .	(5) 1025
Kopmaz, O. and Telli, S., Authors' reply . . . . .	(4) 911
Kovalchuk, P.S. see Kubenko, V.D. . . . .	(2) 245
Krenk, S. see Nielsen, S.R.K. . . . .	(2) 417
Kruk, L.A. see Kubenko, V.D. . . . .	(2) 245
Kubenko, V.D., Kovalchuk, P.S. and Kruk, L.A., Non-linear interaction of bending deformations of free-oscillating cylindrical shells. . . . .	(2) 245
La Malfa, S. see Laura, P.A.A. (Letter) . . . . .	(2) 466
Langlet, A. see Renard, J. . . . .	(4) 699
Laura, P.A.A., Bambill, D.V., Rossit, C.A. and La Malfa, S., Comments on "Vibration characteristics of slotted shafts" (Letter) . . . . .	(2) 466

Le Bot, A. see Cotoni, V. . . . .	(1)	23
Lee, C.W., Comments on “Non-linear vibration analysis and sub-harmonic whirl frequencies of the Jeffcott rotor model” (Letter). . . . .	(1)	231
Lee, C.-W. see Kim, S.-D. . . . .	(5)	1003
Lee, H.P. see Wu, C.G. (Letter). . . . .	(5)	1103
Lee, Y.-S., Choi, M.-H. and Kim, J.-H., Free vibrations of laminated composite cylindrical shells with an interior rectangular plate . . . . .	(4)	795
Leroux, M. see Aurégan, Y. . . . .	(1)	109
Liang, Y. see Feeny, B.F. . . . .	(5)	953
Liang, Y.C. see Wu, C.G. (Letter) . . . . .	(5)	1103
Lim, S.P. see Wu, C.G. (Letter). . . . .	(5)	1103
Lin, W.Z. see Wu, C.G. (Letter) . . . . .	(5)	1103
Luzzato, E., Approximate computation of non-linear effects in a vibrating cracked beam. . . . .	(4)	745
Mace, B.R. see Ji, L. . . . .	(2)	387
Marchesiello, S. see Sorrentino, S. . . . .	(4)	765
Maxit, L. and Guyader, J.-L., Extension of SEA model to subsystems with non-uniform modal energy distribution . . . . .	(2)	337
Mazzei, A.J. and Scott, R.A., Effects of internal viscous damping on the stability of a rotating shaft driven through a universal joint . . . . .	(4)	863
McAlpine, A. and Fisher, M.J., On the prediction of “buzz-saw” noise in acoustically lined aero-engine inlet ducts. . . . .	(1)	175
Menelle, M. see David, J.-M. . . . .	(4)	841
Mickens, R.E., A non-standard finite difference scheme for the equations modelling stellar structure (Letter) . . . . .	(5)	1116
Mujumdar, P.M. see Sinha, J.K. (Letter) . . . . .	(3)	681
Nacivet, S., Pierre, C., Thouverez, F. and Jezequel, L., A dynamic Lagrangian frequency–time method for the vibration of dry-friction-damped systems . . . . .	(1)	201
Naguleswaran, S., Comments on “On the eigenfrequencies of a two-part beam–mass system” (Letter). . .	(4)	897
Nayfeh, S.A. see Zuo, L. (Letter). . . . .	(2)	459
Nelson, P.A. see Kim, Y. . . . .	(3)	583
Nielsen, S.R.K. and Krenk, S., Whirling motion of a shallow cable with viscous dampers . . . . .	(2)	417
Niemann, H.-J. see Peng, F.J. . . . .	(5)	1047
Nieves, F.J., Gascón, F. and Bayón, A., Measurement of the dynamic elastic constants of short isotropic cylinders . . . . .	(5)	917
Owolabi, G.M., Swamidias, A.S.J. and Seshadri, R., Crack detection in beams using changes in frequencies and amplitudes of frequency response functions . . . . .	(1)	1
Parloo, E. see Cauberghe, B. . . . .	(3)	609
Peng, F.J., Gu, M. and Niemann, H.-J., Sinusoidal reference strategy for adaptive feedforward vibration control: numerical simulation and experimental study. . . . .	(5)	1047
Pennetier, O. see Renard, J. . . . .	(4)	699
Perret-Liaudet, J. and Rigaud, E., Experiments and numerical results on non-linear vibrations of an impacting Hertzian contact. Part 2: random excitation . . . . .	(2)	309
Perret-Liaudet, J. see Rigaud, E. . . . .	(2)	289
Petzing, J.N. see Harland, A.R. . . . .	(3)	627
Piefort, V. see Preumont, A. . . . .	(1)	61
Pierre, C. see Nacivet, S. . . . .	(1)	201
Piñero, G. see Gonzalez, A. . . . .	(3)	663
Pinnington, R.J. see Ji, L. . . . .	(2)	387
Piombo, B.A.D. see Sorrentino, S. . . . .	(4)	765
Polacsek, C. and Desbois-Lavergne, F., Fan interaction noise reduction using a wake generator: experiments and computational aeroacoustics. . . . .	(4)	725
Preston, R.C. see Harland, A.R. . . . .	(3)	627
Preumont, A., François, A., De Man, P. and Piefort, V., Spatial filters in structural control. . . . .	(1)	61

Pritz, T., Five-parameter fractional derivative model for polymeric damping materials . . . . .	(5)	935
Qaisi, M.I., Normal modes of a continuous system with quadratic and cubic non-linearities . . . . .	(2)	329
Rdzanek, W.J. see Rdzanek Jr., W.P. . . . .	(1)	155
Rdzanek Jr., W.P., Rdzanek, W.J. and Engel, Z., Theoretical analysis of sound radiation of an elastically supported circular plate . . . . .	(1)	155
Renard, J., Langlet, A. and Pennetier, O., Response of a large plate-liquid system to a moving pressure step. Transient and stationary aspects . . . . .	(4)	699
Rigaud, E. and Perret-Liaudet, J., Experiments and numerical results on non-linear vibrations of an impacting Hertzian contact. Part I: harmonic excitation . . . . .	(2)	289
Rigaud, E. see Perret-Liaudet, J. . . . .	(2)	309
Robb, D.A. see Zhu, C. . . . .	(3)	469
Robinson, S.P. see Harland, A.R. . . . .	(3)	627
Rossit, C.A. see Laura, P.A.A. (Letter) . . . . .	(2)	466
Sahraoui, S. see Dauchez, N. . . . .	(2)	437
Samanta, B. see Al-Hiddabi, S.A. . . . .	(2)	401
Sas, P. see Henriouille, K. . . . .	(3)	489
Schoukens, J. see Vanlanduit, S. . . . .	(3)	647
Scott, R.A. see Mazzei, A.J. . . . .	(4)	863
Seibi, A. see Al-Hiddabi, S.A. . . . .	(2)	401
Sekhar, A.S. and Srinivas, B.N., Authors' reply . . . . .	(2)	468
Selamet, A., Denia, F.D. and Besa, A.J., Acoustic behavior of circular dual-chamber mufflers . . . . .	(5)	967
Selamet, A. see Knotts, B.D. . . . .	(5)	1025
Seshadri, R. see Owolabi, G.M. . . . .	(1)	1
Sinha, J.K. and Mujumdar, P.M., Transmissibility of strain produced in PVDF actuator to elastic beam (Letter). . . . .	(3)	681
Sinou, J.-J., Thouverez, F. and Jezequel, L., Analysis of friction and instability by the centre manifold theory for a non-linear sprag-slip model . . . . .	(3)	527
Sobey, A.J. see Banerjee, J.R. (Letter) . . . . .	(4)	899
Sonti, V.R., Sound radiation from a baffled rectangular plate under a variable line constraint (Letter) . . . . .	(1)	235
Sorrentino, S., Marchesiello, S. and Piombo, B.A.D., A new analytical technique for vibration analysis of non-proportionally damped beams . . . . .	(4)	765
Srinivas, B.N. see Sekhar, A.S. . . . .	(2)	468
Swamidass, A.S.J. see Owolabi, G.M. . . . .	(1)	1
Takeda, K. see Ashcroft, G.B. . . . .	(1)	43
Telli, S. see Kopmaz, O. . . . .	(4)	911
Thomas, O., Touzé, C. and Chaigne, A., Asymmetric non-linear forced vibrations of free-edge circular plates. Part II: experiments. . . . .	(5)	1075
Thouverez, F. see Nacivet, S. . . . .	(1)	201
Thouverez, F. see Sinou, J.-J. . . . .	(3)	527
Tomasiello, S., Simulating non-linear coupled oscillators by an iterative differential quadrature method . . . . .	(3)	507
Touzé, C. see Thomas, O. . . . .	(5)	1075
Tyrer, J.R. see Harland, A.R. . . . .	(3)	627
Vanlanduit, S., Verboven, P., Guillaume, P. and Schoukens, J., An automatic frequency domain modal parameter estimation algorithm . . . . .	(3)	647
Verboven, P. see Cauberghe, B. . . . .	(3)	609
Verboven, P. see Vanlanduit, S. . . . .	(3)	647
Wang, Z.H. and Hu, H.Y., Authors' reply . . . . .	(3)	695
Wu, C.G., Liang, Y.C., Lin, W.Z., Lee, H.P. and Lim, S.P., A note on equivalence of proper orthogonal decomposition methods (Letter) . . . . .	(5)	1103
Wu, S., Remarks on "Delay-independent stability of retarded dynamic systems of multiple degrees of freedom" (Letter) . . . . .	(3)	693
Xia, F., Modelling of a two-dimensional Coulomb friction oscillator . . . . .	(5)	1063

Xue, H., A combined finite element–stiffness equation transfer method for steady state vibration response analysis of structures . . . . .	(4)	783
Zhang, X. see Ashcroft, G.B. . . . .	(1)	43
Zhu, C., Robb, D.A. and Ewins, D.J., The dynamics of a cracked rotor with an active magnetic bearing	(3)	469
Zuo, L. and Nayfeh, S.A., Low order continuous-time filters for approximation of the ISO 2631-1 human vibration sensitivity weightings (Letter) . . . . .	(2)	459