



ACADEMIC
PRESS

Journal of Sound and Vibration 266 (2003) 1139–1143

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 266

| | | |
|---|-----|------|
| Achong, A., Mode locking on the non-linear notes of the steelpan (Letter) | (1) | 193 |
| Alberdi, E., Alemany, M. and Laura, P.A.A., Obtaining the static solution from the forced vibration situation in a common structural dynamics system (Letter) | (1) | 189 |
| Aldemir, U., Optimal control of structures with semiactive-tuned mass dampers | (4) | 847 |
| Alemany, M. see Alberdi, E. (Letter) | (1) | 189 |
| Al-Hussain, K.M., Dynamic stability of two rigid rotors connected by a flexible coupling with angular misalignment. | (2) | 217 |
| Al-Khaleefi, A.M. see Kabir, H.R.H. | (4) | 927 |
| Altay, G. see Bayer, I. | (2) | 391 |
| Altay, G. see Bayer, I. | (2) | 393 |
| Anthonis, J. and Ramon, H., Comparison between the discrete and finite element methods for modelling an agricultural spray boom—Part 1: Theoretical derivation | (3) | 515 |
| Anthonis, J. and Ramon, H., Comparison between the discrete and finite element methods for modelling an agricultural spray boom—Part 2: Automatic procedure for transforming the equations of motion from force to displacement input and validation. | (3) | 535 |
| Anthonis, J. and Ramon, H., Design of an active suspension to suppress the horizontal vibrations of a spray boom. | (3) | 573 |
| Anthonis, J., Hostens, I., Mouazen, A.M., Moshou, D. and Ramon, H., A generalized modelling technique for linearized motions of mechanisms with flexible parts | (3) | 553 |
| Anthonis, J. see Deprez, K. | (3) | 613 |
| Arafat, H.N. and Nayfeh, A.H., Non-linear responses of suspended cables to primary resonance excitations | (2) | 325 |
| Arenas, J.P., On the vibration analysis of rectangular clamped plates using the virtual work principle (Letter) | (4) | 912 |
| Atassi, O.V., Computing the sound power in non-uniform flow | (1) | 75 |
| Bailly, C. see Gloerfelt, X. | (1) | 119 |
| Bayer, I., Güven, U. and Altay, G., Authors' reply | (2) | 391 |
| Bayer, I., Güven, U. and Altay, G., Author's reply | (2) | 393 |
| Becker, K.J. see Maidanik, G. | (1) | 15 |
| Becker, K.J. see Maidanik, G. | (1) | 33 |
| Behrens, S., Moheimani, S.O.R. and Fleming, A.J., Multiple mode current flowing passive piezoelectric shunt controller. | (5) | 929 |
| Berckmans, D. see Van Hirtum, A. | (3) | 667 |
| Berckmans, D. see Van Hirtum, A. | (3) | 677 |
| Berger, E.J., Krousgrill, C.M. and Sadeghi, F., Friction-induced sliding instability in a multi-degree-of-freedom system with oscillatory normal forces | (2) | 369 |
| Bullmore, A., Noise Control—The Law and its Enforcement, 3rd Edition by C.N. Penn, Shaw & Sons Limited, Crayford, UK, 2002, pp. xxix + 478, price £39.95, ISBN 0-7219-0832-2 (Book review) . . . | (5) | 1133 |
| Chaudhuri, R.A. see Kabir, H.R.H. | (4) | 927 |
| Chen, X.-C. and Lai, Y.-M., Seismic response of bridge piers on elasto-plastic Winkler foundation allowed to uplift | (5) | 957 |
| Choi, H.G., Yoo, S.W., Jeong, J.D. and Lee, J.M., Acoustic characteristics of annular cavities with locally non-uniform media | (5) | 967 |
| Choudhary, S. see Kumar, R. | (4) | 889 |
| Coucke, P., De Ketelaere, B. and De Baerdemaeker, J., Experimental analysis of the dynamic, mechanical behaviour of a chicken egg. | (3) | 711 |

| | | |
|---|-----|------|
| De Baerdemaeker, J. see Coucke, P. | (3) | 711 |
| De Baerdemaeker, J. see De Belie, N. | (3) | 625 |
| De Baerdemaeker, J. see De Ketelaere, B. | (3) | 699 |
| De Baerdemaeker, J. see Maertens, K. | (3) | 645 |
| De Baerdemaeker, J. see Maertens, K. | (3) | 655 |
| De Baerdemaeker, J. see Tijskens, E. | (3) | 493 |
| De Baerdemaeker, J. see Van Zeebroeck, M. | (3) | 465 |
| De Belie, N., Sivertsvik, M. and De Baerdemaeker, J., Differences in chewing sounds of dry-crisp snacks by multivariate data analysis. | (3) | 625 |
| de Borst, R. see Kononov, A. | (1) | 171 |
| De Clippel, J. see Maertens, K. | (3) | 655 |
| De Ketelaere, B., Vanhoutte, H. and De Baerdemaeker, J., Parameter estimation and multivariable model building for the non-destructive, on-line determination of eggshell strength. | (3) | 699 |
| De Ketelaere, B. see Coucke, P. | (3) | 711 |
| Deli, V. see Van Zeebroeck, M. | (3) | 465 |
| Deng, M.-X., Study of second-harmonic generation of shear horizontal modes using modal analysis. | (1) | 107 |
| Deprez, K., Anthonis, J. and Ramon, H., System for vertical boom corrections on hilly fields | (3) | 613 |
| Desmet, W., Pluymers, B. and Sas, P., Vibro-acoustic analysis procedures for the evaluation of the sound insulation characteristics of agricultural machinery cabins. | (3) | 407 |
| Doi, M. see Tsuchiya, T. | (5) | 993 |
| Dökmeci, M.C., Comments on "A parametric study on vibrating clamped elliptical plate with variable thickness" (Letter). | (2) | 392 |
| Dubowsky, S. see Oppenheimer, C.H. | (5) | 1025 |
| El-Raheb, M., Erratum to "Exact solution of the asymmetric Mindlin's plate equations applied to a disk" [Journal of Sound and Vibration 261 (2003) 153-168]. | (4) | 928 |
| Fang, T., Leng, X.L. and Song, C.Q., Chebyshev polynomial approximation for dynamical response problem of random system (Letter). | (1) | 198 |
| Fang, T. see Rong, H. (Letter) | (4) | 919 |
| Fang, T. see Rong, H.W. | (4) | 875 |
| Fleming, A.J. see Behrens, S. | (5) | 929 |
| Fujimori, T. see Horiuchi, R. | (5) | 981 |
| Gloerfelt, X., Bailly, C. and Juvé, D., Direct computation of the noise radiated by a subsonic cavity flow and application of integral methods | (1) | 119 |
| Gorman, D.G. see Zhang, Y.L. | (2) | 355 |
| Guillaume, P. see Vanlanduit, S. | (4) | 805 |
| Guillaume, P. see Vanlanduit, S. | (4) | 815 |
| Güven, U. see Bayer, I. | (2) | 391 |
| Güven, U. see Bayer, I. | (2) | 393 |
| Han, C.-S. see Park, T.-J. | (2) | 235 |
| Hirschberg, A. see Schram, C. | (5) | 1079 |
| Hong, H.-K. see Liu, C.-S. | (1) | 49 |
| Hong, J. see Yang, H. | (4) | 759 |
| Horiuchi, R., Fujimori, T. and Sato, S., Instability of the voltage transfer function for an MR103 microphone in a coupler calibration technique. | (5) | 981 |
| Horn, T. see Marx, G. | (3) | 687 |
| Hostens, I. and Ramon, H., Descriptive analysis of combine cabin vibrations and their effect on the human body. | (3) | 453 |
| Hostens, I., Papaioannou, Y., Spaepen, A. and Ramon, H., A study of vibration characteristics on a luxury wheelchair and a new prototype wheelchair | (3) | 443 |
| Hostens, I. see Anthonis, J. | (3) | 553 |
| Hostens, I. see Ramon, H. | (3) | 405 |
| Hua, H.X. see Zhang, Z.Y. | (5) | 943 |
| Huang, Z. see Zhang, Z.Y. | (5) | 943 |

- Jang, J.-H. see Park, T.-J. (2) 235
- Jensen, J.S., Phononic band gaps and vibrations in one- and two-dimensional mass–spring structures . . . (5) 1053
- Jeon, W.-H. and Lee, D.-J., A numerical study on the flow and sound fields of centrifugal impeller located near a wedge. (4) 785
- Jeong, J.D. see Choi, H.G. (5) 967
- Juvé, D. see Gloerfelt, X. (1) 119
- Kabir, H.R.H., Al-Khaleefi, A.M. and Chaudhuri, R.A., Erratum to “Frequency response of a moderately thick antisymmetric cross-ply cylindrical panel using mixed type of Fourier solution functions” [Journal of Sound and Vibration 259 (2003) 809–828]. (4) 927
- Kagawa, Y. see Tsuchiya, T. (5) 993
- Knubel, B. see Marx, G. (3) 687
- Kobayashi, T., Boundary feedback stabilization of the sine-Gordon equation without velocity feedback . (4) 775
- Kononov, A. and de Borst, R., Generation of elastic waves in a laminated solid by a moving photothermal source. (1) 171
- Kromp, K. see Puchegger, S. (2) 207
- Krousgrill, C.M. see Berger, E.J. (2) 369
- Kumar, R. and Choudhary, S., Interaction due to mechanical sources in micropolar elastic medium with voids (4) 889
- Lai, Y.-M. see Chen, X.-C. (5) 957
- Lau, S.K. and Tang, S.K., Impacts of structural–acoustic coupling on the performance of energy density-based active sound transmission control (1) 147
- Laura, P.A.A. see Alberdi, E. (Letter) (1) 189
- Laura, P.A.A. see Vera, S.A. (Letter). (2) 389
- Lee, D.-J. see Jeon, W.-H. (4) 785
- Lee, J.M. see Choi, H.G. (5) 967
- Lee, K.H. see Lu, P. (4) 723
- Leng, X.L. see Fang, T. (Letter) (1) 198
- Leung, A.Y.T. and Zhang, Q.C., Normal form computation without central manifold reduction. (2) 261
- Liew, K.M., Nonclassical Thermoelastic Problems in Nonlinear Dynamics of Shells by J. Awrejcewicz and V.A. Krysko, Springer, Heidelberg, 2003, pp. x+428, price € 79.95, £56.00, SFr 133.00, US\$89.95, ISBN 3-540-43880-7 (Book review) (5) 1136
- Lin, R. and Xia, Y., A new eigensolution of structures via dynamic condensation (1) 93
- Liou, D.-Y. see Liu, C.-S. (1) 49
- Liu, C.-S., Hong, H.-K. and Liou, D.-Y., Two-dimensional friction oscillator: group-preserving scheme and handy formulae. (1) 49
- Loidl, D. see Puchegger, S. (2) 207
- Lu, P. and Lee, K.H., An alternative derivation of dynamic admittance matrix of piezoelectric cantilever bimorph (4) 723
- Macleod, M., Signal Processing Noise by V.P. Tuzlukov, CRC Press, Boca Raton, 2002, pp. 688, price US\$129.95, ISBN 0-8493-1025-3 (Book review). (5) 1131
- Maertens, K., Reyns, P. and De Baerdemaeker, J., Double adaptive notch filter for mechanical grain flow sensors (3) 645
- Maertens, K., Reyns, P., De Clippel, J. and De Baerdemaeker, J., First experiments on ultrasonic crop density measurement (3) 655
- Maidanik, G. and Becker, K.J., Dependence of the induced loss factor on the coupling forms and coupling strengths: linear analysis. (1) 15
- Maidanik, G. and Becker, K.J., Dependence of the induced loss factor on the coupling forms and coupling strengths: energy analysis (1) 33
- Manolis, G.D., Elastic wave scattering around cavities in inhomogeneous continua by the BEM. (2) 281
- Marghitu, D.B. see Stoenescu, E.D. (Letter). (2) 394
- Marx, G., Horn, T., Thielebein, J., Knubel, B. and von Borell, E., Analysis of pain-related vocalization in young pigs (3) 687
- Meng, G. see Rong, H.W. (4) 875

| | | |
|--|-----|------|
| Meng, G. see Rong, H. (Letter) | (4) | 919 |
| Moheimani, S.O.R. see Behrens, S. | (5) | 929 |
| Moshou, D. and Ramon, H., Vibration control using self-organizing look-up tables | (3) | 601 |
| Moshou, D. see Anthonis, J. | (3) | 553 |
| Mouazen, A.M. see Anthonis, J. | (3) | 553 |
| Nayfeh, A.H. see Arafat, H.N. | (2) | 325 |
| Oppenheimer, C.H. and Dubowsky, S., A methodology for predicting impact-induced acoustic noise in machine systems | (5) | 1025 |
| Öz, H.R., Natural frequencies of an immersed beam carrying a tip mass with rotatory inertia (Letter) | (5) | 1099 |
| Papaioannou, Y. see Hostens, I. | (3) | 443 |
| Park, T.-J., Han, C.-S. and Jang, J.-H., Dynamic sensitivity analysis for the pantograph of a high-speed rail vehicle | (2) | 235 |
| Parloo, E. see Vanlanduit, S. | (4) | 815 |
| Peterlik, H. see Puchegger, S. | (2) | 207 |
| Pieters, J.G. see Verschoore, R. | (3) | 585 |
| Pluymers, B. see Desmet, W. | (3) | 407 |
| Pollet, I.V. see Verschoore, R. | (3) | 585 |
| Provencher, B.D. see Reynolds, R.R. | (4) | 833 |
| Puchegger, S., Loidl, D., Kromp, K. and Peterlik, H., Hutchinson's shear coefficient for anisotropic beams | (2) | 207 |
| Qiu, J.-B., Williams, F.W. and Qiu, R.-X., A new exact substructure method using mixed modes | (4) | 737 |
| Qiu, R.-X. see Qiu, J.-B. | (4) | 737 |
| Rajalingham, C. and Rakheja, S., Influence of suspension damper asymmetry on vehicle vibration response to ground excitation (Letter). | (5) | 1117 |
| Rakheja, S. see Rajalingham, C. (Letter) | (5) | 1117 |
| Ramon, H. and Hostens, I., Foreword | (3) | 405 |
| Ramon, H. see Anthonis, J. | (3) | 515 |
| Ramon, H. see Anthonis, J. | (3) | 535 |
| Ramon, H. see Anthonis, J. | (3) | 553 |
| Ramon, H. see Anthonis, J. | (3) | 573 |
| Ramon, H. see Deprez, K. | (3) | 613 |
| Ramon, H. see Hostens, I. | (3) | 443 |
| Ramon, H. see Hostens, I. | (3) | 453 |
| Ramon, H. see Moshou, D. | (3) | 601 |
| Ramon, H. see Tijskens, E. | (3) | 493 |
| Ramon, H. see van Staeyen, K. | (3) | 481 |
| Ramon, H. see Van Zeebroeck, M. | (3) | 465 |
| Reese, J.M. see Zhang, Y.L. | (2) | 355 |
| Reynolds, R.R., Provencher, B.D. and Shesterikov, S.A., The high frequency, transient response of a panel with attached masses | (4) | 833 |
| Reyns, P. see Maertens, K. | (3) | 645 |
| Reyns, P. see Maertens, K. | (3) | 655 |
| Rong, H., Wang, X., Meng, G., Xu, W. and Fang, T., Approximation closure method of FPK equations (Letter). | (4) | 919 |
| Rong, H.W., Meng, G., Wang, X.D., Xu, W. and Fang, T., Response of a strongly non-linear oscillator to narrowband random excitations | (4) | 875 |
| Ruta, P. and Wójcicki, Z., Sensitivity analysis applied to a dynamic railroad model. | (1) | 1 |
| Sadeghi, F. see Berger, E.J. | (2) | 369 |
| Sas, P. see Desmet, W. | (3) | 407 |
| Sato, S. see Horiuchi, R. | (5) | 981 |
| Schram, C. and Hirschberg, A., Application of vortex sound theory to vortex-pairing noise: sensitivity to errors in flow data. | (5) | 1079 |
| Shahrz, S.M., Vibration of wires used in electro-discharge machining (Letter) | (5) | 1109 |

| | | |
|--|-----|------|
| Sheng, J. and Sun, J.Q., Sliding control accounting for hardware limitation of mechanical actuators with deadzone (Letter) | (4) | 905 |
| Shesterikov, S.A. see Reynolds, R.R. | (4) | 833 |
| Sivertsvik, M. see De Belie, N. | (3) | 625 |
| Song, C.Q. see Fang, T. (Letter) | (1) | 198 |
| Spaepen, A. see Hostens, I. | (3) | 443 |
| Stoenescu, E.D. and Marghitu, D.B., Dynamic analysis of a planar rigid-link mechanism with rotating slider joint and clearance (Letter) | (2) | 394 |
| Sun, J.Q. see Sheng, J. (Letter) | (4) | 905 |
| Tang, S.K. see Lau, S.K. | (1) | 147 |
| Thielebein, J. see Marx, G. | (3) | 687 |
| Tijksens, E., Ramon, H. and De Baerdemaeker, J., Discrete element modelling for process simulation in agriculture | (3) | 493 |
| Tijksens, E. see van Staeyen, K. | (3) | 481 |
| Tijksens, E. see Van Zeebroeck, M. | (3) | 465 |
| Tsuchiya, T., Kagawa, Y., Doi, M. and Tsuji, T., Finite element simulation of non-linear acoustic generation in a horn loudspeaker | (5) | 993 |
| Tsuji, T. see Tsuchiya, T. | (5) | 993 |
| Van Hirtum, A. and Berckmans, D., Considering the influence of artificial environmental noise to study cough time–frequency features | (3) | 667 |
| Van Hirtum, A. and Berckmans, D., Fuzzy approach for improved recognition of citric acid induced piglet coughing from continuous registration. | (3) | 677 |
| Vanhoutte, H. see De Ketelaere, B. | (3) | 699 |
| Vanlanduit, S., Parloo, E. and Guillaume, P., Combined damage detection techniques | (4) | 815 |
| Vanlanduit, S., Verboven, P. and Guillaume, P., On-line detection of fatigue cracks using an automatic mode tracking technique | (4) | 805 |
| Van Liedekerke, P. see Van Zeebroeck, M. | (3) | 465 |
| van Staeyen, K., Tijksens, E. and Ramon, H., A multibody dynamic approach for colliding particles . . . | (3) | 481 |
| Van Zeebroeck, M., Tijksens, E., Van Liedekerke, P., Deli, V., De Baerdemaeker, J. and Ramon, H., Determination of the dynamical behaviour of biological materials during impact using a pendulum device | (3) | 465 |
| Vera, S.A. and Laura, P.A.A., Comments on “A parametric study on vibrating clamped elliptical plates with variable thickness” (Letter) | (2) | 389 |
| Verboven, P. see Vanlanduit, S. | (4) | 805 |
| Verschoore, R., Pieters, J.G. and Pollet, I.V., Measurements and simulation on the comfort of forklifts . . | (3) | 585 |
| von Borell, E. see Marx, G. | (3) | 687 |
| Wang, X. see Rong, H. (Letter) | (4) | 919 |
| Wang, X.D. see Rong, H.W. | (4) | 875 |
| Williams, F.W. see Qiu, J.-B. | (4) | 737 |
| Wójcicki, Z. see Ruta, P. | (1) | 1 |
| Xia, P.-Q., An inverse model of MR damper using optimal neural network and system identification . . . | (5) | 1009 |
| Xia, Y. see Lin, R. | (1) | 93 |
| Xu, W. see Rong, H. (Letter) | (4) | 919 |
| Xu, W. see Rong, H.W. | (4) | 875 |
| Xu, X.Z. see Zhang, Z.Y. | (5) | 943 |
| Yang, H., Hong, J. and Yu, Z., Dynamics modelling of a flexible hub–beam system with a tip mass | (4) | 759 |
| Yoo, S.W. see Choi, H.G. | (5) | 967 |
| Yu, Z. see Yang, H. | (4) | 759 |
| Zhang, Q.C. see Leung, A.Y.T. | (2) | 261 |
| Zhang, Y.L., Reese, J.M. and Gorman, D.G., An experimental study of the effects of pulsating and steady internal fluid flow on an elastic tube subjected to external vibration. | (2) | 355 |
| Zhang, Z.Y., Hua, H.X., Xu, X.Z. and Huang, Z., Modal parameter identification through Gabor expansion of response signals | (5) | 943 |
| Zong, Z., A variable order approach to improve differential quadrature accuracy in dynamic analysis. . . | (2) | 307 |