



ACADEMIC
PRESS

Journal of Sound and Vibration 267 (2003) 1193–1197

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 267

Abu-Hilal, M., Forced vibration of Euler–Bernoulli beams by means of dynamic Green functions	(2)	191
Ahmida, K.M. and Arruda, J.R.F., Exact modelling of kinetic energy in truss-type members (Letter) . . .	(1)	167
Alizadeh, Y. see Shafiee, A. (Letter)	(2)	366
Altıntaş, G. see Kocatürk, T.	(5)	1143
Anand, D. see Berger, B. (Letter)	(1)	178
Andersson, A. see Vedmar, L.	(5)	1065
Andrianov, I.V. and Awrejcewicz, J., Asymptotical behaviour of a system with damping and high power-form non-linearity (Letter)	(5)	1169
Arruda, J.R.F. see Ahmida, K.M. (Letter)	(1)	167
Avalos, D.R. and Laura, P.A.A., Transverse vibrations of simply supported rectangular plates with two rectangular cutouts (Letter)	(4)	967
Awrejcewicz, J. see Andrianov, I.V. (Letter)	(5)	1169
Barsikow, B. see Kalivoda, M.	(3)	387
Belai, C. see Berger, B. (Letter)	(1)	178
Berger, B., Belai, C. and Anand, D., Chatter identification with mutual information (Letter)	(1)	178
Bracciali, A. and Piccioli, F., Experimental analysis of wheel noise emission as a function of the contact point location	(3)	469
Brennan, M.J. see Moshrefi-Torbati, M.	(4)	879
Busch, T.A. and Nugent, R.E., A reduced-scale railway noise barrier's insertion loss and absorption coefficients: comparison of field measurements and predictions	(3)	749
Casimir, J.B., Vinh, T. and Duforêt, C., Dynamic behaviour of structures in large frequency range by continuous element methods.	(5)	1085
Caswita and Van Der Burgh, A.H.P., Combined parametrical transverse and in-plane harmonic response of an inclined stretched string.	(4)	913
Chan, C.L. see Chung, K.W.	(4)	787
Chatterjee, S. and Singha, T.K., Controlling chaotic instability of cutting process by high-frequency excitation: a numerical investigation (Letter)	(5)	1184
Chen, L.-W. see Lin, C.-Y.	(2)	209
Cho, Y.H. see Heo, H.	(2)	335
Choi, S.-B. see Kim, J.	(1)	57
Christoforou, A.P. and Yigit, A.S., Fully coupled vibrations of actively controlled drillstrings	(5)	1029
Chung, K.W., Chan, C.L. and Xu, J., An efficient method for switching branches of period-doubling bifurcations of strongly non-linear autonomous oscillators with many degrees of freedom	(4)	787
Cox, S.J. and Wang, A., Effect of track stiffness on vibration levels in railway tunnels.	(3)	565
Danneskiold-Samsøe, U. see Kalivoda, M.	(3)	387
de Beer, F.G., Janssens, M.H.A. and Kooijman, P.P., Squeal noise of rail-bound vehicles influenced by lateral contact position.	(3)	497
de Vos, P., How the money machine may help to reduce railway noise in Europe	(3)	439
Dilena, M. and Morassi, A., Detecting cracks in a longitudinally vibrating beam with dissipative boundary conditions.	(1)	87
Dong, R. see Hou, K.	(3)	591
Duforêt, C. see Casimir, J.B.	(5)	1085
Eadie, D.T., Santoro, M. and Powell, W., Local control of noise and vibration with KELTRACK™ friction modifier and Protector® trackside application: an integrated solution	(3)	761

Elliott, S.J. see Moshrefi-Torbati, M.	(4)	879
Erol, H. see Gürgöze, M. (Letter)	(2)	355
Fan, S.C. see Zheng, D.Y.	(4)	933
Färm, J., Evaluation of wheel dampers on an intercity train	(3)	739
Frid, A., Skirts and barriers for reduction of wayside noise from railway vehicles—an experimental investigation with application to the BR185 locomotive	(3)	709
Fujisaka, Y.-i. and Tohyama, M., Eigenfrequency spacing analysis and eigenmode breakdown for semi-stadium-type 2-D fields	(4)	867
Gardien, W. and Stuit, H.G., Modelling of soil vibrations from railway tunnels	(3)	605
Gautier, P.-E. see Talotte, C.	(3)	447
Gürgöze, M. and Erol, H., On the eigencharacteristics of multi-step rods carrying a tip mass subjected to non-homogeneous external viscous damping (Letter)	(2)	355
Guyader, J.L. see Ouisse, M.	(4)	809
Hanson, C. see Talotte, C.	(3)	447
Hanson, C.E., Chairman's Preface, Seventh International Workshop on Railway Noise, 2001.	(3)	385
Hao, W.H. see Wang, X.	(1)	67
Hartung, C.F. and Vernersson, T., A full-scale test rig for railway rolling noise: simulation and measurement of dynamic wheelset-track interaction	(3)	549
Hübner, P. see Lundström, A.	(3)	397
Hedrick, J.K. see Song, C.K.	(4)	851
Hee-Taek, Y. see Moon-Young, K.	(1)	29
Heo, H., Cho, Y.H. and Kim, D.J., Stochastic control of flexible beam in random flutter.	(2)	335
Hou, K., Kalousek, J. and Dong, R., A dynamic model for an asymmetrical vehicle/track system.	(3)	591
Hu, K., Mourelatos, Z.P. and Vlahopoulos, N., Computational analysis for dynamic response of a rotating shaft on flexible support structure with clearances	(1)	1
Hwang, J.K. see Song, C.K.	(4)	851
Jäcker-Cüppers, M. see Lundström, A.	(3)	397
Jäger, K. see Schulte-Werning, B.	(3)	689
Janssens, M.H.A. see de Beer, F.G.	(3)	497
Johnson, D.A., A re-examination of geometric compatibility and shape function admissibility in Rayleigh-Ritz based substructure synthesis (Letter)	(5)	1175
Jones, C.J.C. and Thompson, D.J., Extended validation of a theoretical model for railway rolling noise using novel wheel and track designs	(3)	509
Jones, C.J.C. see Sheng, X.	(3)	621
Ju, S.H. and Lin, H.T., Resonance characteristics of high-speed trains passing simply supported bridges	(5)	1127
Kalivoda, M., Danneskiold-Samsøe, U., Krüger, F. and Barsikow, B., EURailNoise: a study of European priorities and strategies for railway noise abatement	(3)	387
Kalivoda, M., Kudrna, M. and Presle, G., Application of MetaRail railway noise measurement methodology: comparison of three track systems	(3)	701
Kalousek, J. see Hou, K.	(3)	591
Keane, A.J. see Moshrefi-Torbati, M.	(4)	879
Kim, D.J. see Heo, H.	(2)	335
Kim, J., Kim, J.-Y. and Choi, S.-B., Material characterization of ER fluids at high frequency	(1)	57
Kim, J.-Y. see Kim, J.	(1)	57
Kinkaid, N.M., O'Reilly, O.M. and Papadopoulos, P., Automotive disc brake squeal (Review).	(1)	105
Kocatürk, T. and Altıntaş, G., Determination of the steady state response of viscoelastically point-supported rectangular specially orthotropic plates by an energy-based finite difference method.	(5)	1143
Kooijman, P.P. see de Beer, F.G.	(3)	497
Koss, L.L., Structural modal excitation using travelling impulses—force frequency shifting.	(4)	773
Krüger, F. see Kalivoda, M.	(3)	387
Kudrna, M. see Kalivoda, M.	(3)	701
Laura, P.A.A. see Avalos, D.R. (Letter).	(4)	967
Le Houédec, D. see Picoux, B.	(3)	575

Lee, G.-M., Sensitivity of the eigenvalues of beams to the change of element correction factors (Letter)	(4)	955
Lee, J.M. see Song, C.K.	(4)	851
Leth, S., Train noise reduction scenarios for compliance with future noise legislation	(3)	675
Leung, A.Y.T. see Zhong, W.X.	(2)	227
Li, L. and Qu, L., Cyclic statistics in rolling bearing diagnosis	(2)	253
Lin, C.-Y. and Chen, L.-W., Dynamic stability of a rotating beam with a constrained damping layer	(2)	209
Lin, H.T. see Ju, S.H.	(5)	1127
Lockard, D.P. see Singer, B.A. (Letter)	(4)	961
Lundström, A., Jäcker-Cüppers, M. and Hübner, P., The new policy of the European Commission for the abatement of railway noise	(3)	397
Maes, J. and Sol, H., A double tuned rail damper—increased damping at the two first pinned–pinned frequencies	(3)	721
Mailybaev, A.A. see Seyranian, A.P.	(5)	1047
Moon-Young, K., Nam II, K. and Hee-Taek, Y., Exact dynamic and static stiffness matrices of shear deformable thin-walled beam-columns	(1)	29
Moorhouse, A.T., Compensation for discarded singular values in vibro-acoustic inverse methods	(2)	245
Morassi, A. see Dilena, M.	(1)	87
Moshrefi-Torbati, M., Keane, A.J., Elliott, S.J., Brennan, M.J. and Rogers, E., Passive vibration control of a satellite boom structure by geometric optimization using genetic algorithm	(4)	879
Mourelatos, Z.P. see Hu, K.	(1)	1
Nam II, K. see Moon-Young, K.	(1)	29
Nielsen, J.C.O., Numerical prediction of rail roughness growth on tangent railway tracks	(3)	537
Nugent, R.E. see Busch, T.A.	(3)	749
Oertli, J., The STAIRRS project, work package 1: a cost-effectiveness analysis of railway noise reduction on a European scale	(3)	431
O'Reilly, O.M. see Kinkaid, N.M. (Review)	(1)	105
Ouisse, M. and Guyader, J.L., Vibration sensitive behaviour of a connecting angle. Case of coupled beams and plates	(4)	809
Pany, C. and Parthan, S., Flutter analysis of periodically supported curved panels	(2)	267
Papadopoulos, P. see Kinkaid, N.M. (Review)	(1)	105
Parthan, S. see Pany, C.	(2)	267
Pavlovskaja, E. and Wiercigroch, M., Periodic solution finder for an impact oscillator with a drift	(4)	893
Peifer, M., Timmer, J. and Voss, H.U., Non-parametric identification of non-linear oscillating systems	(5)	1157
Piccioli, F. see Bracciali, A.	(3)	469
Picoux, B., Rotinat, R., Regoin, J.P. and Le Houédec, D., Prediction and measurements of vibrations from a railway track lying on a peaty ground	(3)	575
Powell, W. see Eadie, D.T.	(3)	761
Presle, G. see Kalivoda, M.	(3)	701
Price, W.G. see Xiong, Y.P.	(2)	301
Qu, L. see Li, L.	(2)	253
Redekop, D. see Shafiee, A. (Letter)	(2)	366
Regoin, J.P. see Picoux, B.	(3)	575
Rogers, E. see Moshrefi-Torbati, M.	(4)	879
Rotinat, R. see Picoux, B.	(3)	575
Santoro, M. see Eadie, D.T.	(3)	761
Sarkar, S.K. and Wang, J.-N., Street-running LRT may not affect a neighbour's sleep.	(3)	663
Schillemans, L., Impact of sound and vibration of the North–South high-speed railway connection through the city of Antwerp Belgium.	(3)	637
Schillemans, L. see Van Doninck, N.	(3)	419
Schulte-Werning, B., Jäger, K., Strube, R. and Willenbrink, L., Recent developments in noise research at Deutsche Bahn (noise assessment, noise source localization and specially monitored track)	(3)	689
Seyranian, A.P. and Mailybaev, A.A., Interaction of eigenvalues in multi-parameter problems	(5)	1047

Shafiee, A., Alizadeh, Y. and Redekop, D., Free vibration of completely free coupled orthotropic rectangular plates (Letter)	(2)	366
Sheng, X., Jones, C.J.C. and Thompson, D.J., A comparison of a theoretical model for quasi-statically and dynamically induced environmental vibration from trains with measurements	(3)	621
Singer, B.A. and Lockard, D.P., Shear effects in aeroacoustic predictions (Letter)	(4)	961
Singha, T.K. see Chatterjee, S. (Letter)	(5)	1184
Sol, H. see Maes, J.	(3)	721
Song, C.K., Hwang, J.K., Lee, J.M. and Hedrick, J.K., Active vibration control for structural–acoustic coupling system of a 3-D vehicle cabin model	(4)	851
Staiano, M.A., Noise-impact estimates per FTA and APTA criteria	(3)	407
Stevens, K.K. see Wu, J. (Letter)	(2)	371
Strube, R. see Schulte-Werning, B.	(3)	689
Stuit, H.G. see Gardien, W.	(3)	605
Suweken, G. and Van Horssen, W.T., On the transversal vibrations of a conveyor belt with a low and time-varying velocity. Part II: the beam-like case	(5)	1007
Talotte, C., Gautier, P.-E., Thompson, D.J. and Hanson, C., Identification, modelling and reduction potential of railway noise sources: a critical survey.	(3)	447
Thompson, D.J., The influence of the contact zone on the excitation of wheel/rail noise.	(3)	523
Thompson, D.J. see Jones, C.J.C.	(3)	509
Thompson, D.J. see Sheng, X.	(3)	621
Thompson, D.J. see Talotte, C.	(3)	447
Thompson, D.J. see Wu, T.X.	(3)	485
Timmer, J. see Peifer, M.	(5)	1157
Tizzi, S., Influence of non-linear forces on beam behaviour in flutter conditions	(2)	279
Tohyama, M. see Fujisaka, Y.-i.	(4)	867
Uosukainen, S., Active sound scatterers based on the JMC method	(5)	979
Van Der Burgh, A.H.P. see Caswita.	(4)	913
Van Doninck, N. and Schillemans, L., Environmental integration of measures to reduce railway noise in the Brussels Capital Region	(3)	419
Van Horssen, W.T. see Suweken, G.	(5)	1007
Vedmar, L. and Andersson, A., A method to determine dynamic loads on spur gear teeth and on bearings	(5)	1065
Vernersson, T. see Hartung, C.F.	(3)	549
Vinh, T. see Casimir, J.B.	(5)	1085
Vinokur, R., The relationship between the resonant and natural frequency for non-viscous systems (Letter)	(1)	187
Vlahopoulos, N. see Hu, K.	(1)	1
Voss, H.U. see Peifer, M.	(5)	1157
Wang, A. see Cox, S.J.	(3)	565
Wang, J.-N. see Sarkar, S.K.	(3)	663
Wang, X., Xia, X.H. and Hao, W.H., An elastodynamic solution of finite long orthotropic hollow cylinder under torsion impact	(1)	67
Wiercigroch, M. see Pavlovskaja, E.	(4)	893
Willenbrink, L. see Schulte-Werning, B.	(3)	689
Williams, F.W. see Zhong, W.X.	(2)	227
Wolf, S., Potential low frequency ground vibration (<6.3 Hz) impacts from underground LRT operations	(3)	651
Wu, J., Zhang, R.R., Wu, Q. and Stevens, K.K., Environmental vibration assessment and its applications in accelerated tests for medical devices (Letter)	(2)	371
Wu, Q. see Wu, J. (Letter)	(2)	371
Wu, T.X. and Thompson, D.J., On the impact noise generation due to a wheel passing over rail joints	(3)	485
Xia, X.H. see Wang, X.	(1)	67
Xing, J.T. see Xiong, Y.P.	(2)	301
Xiong, Y.P., Xing, J.T. and Price, W.G., A general linear mathematical model of power flow analysis and control for integrated structure–control systems	(2)	301
Xu, J. see Chung, K.W.	(4)	787

Yigit, A.S. see Christoforou, A.P.	(5) 1029
Young, P.G., An analytical model to predict the response of fluid-filled shells to impact—a model for blunt head impacts	(5) 1107
Zhang, R.R. see Wu, J. (Letter).	(2) 371
Zheng, D.Y. and Fan, S.C., Vibration and stability of cracked hollow-sectional beams	(4) 933
Zhong, W.X., Williams, F.W. and Leung, A.Y.T., Symplectic analysis for periodical electro-magnetic waveguides	(2) 227