



Index to Volume 268

Adiguna, H., Tiwari, M., Singh, R., Tseng, H.E. and Hrovat, D., Transient response of a hydraulic engine mount (2) 217
Ainslie, M.A., Conditions for the excitation of interface waves in a thin unconsolidated sediment layer (2) 249
Anh, N.D. and Hung, L.X., An improved criterion of Gaussian equivalent linearization for analysis of non-linear stochastic systems (Letter) (1) 177
Baek, S.-J. see Jeon, W.-H. (Letter) (5) 1025
Balthazar, J.M. see Fenili, A. (Letter) (4) 825
Basu, P.K. see Woo, K.S. (4) 637
Bhatta, P. and Sinha, A., A discrete-time, optimal, active vibration absorber (Letter) (1) 201
Bos, F. and Casagrande, S.B., On-line non-destructive evaluation and control of wood-based panels by vibration analysis (Letter) (2) 403
Boyaci, H. see Pakdemirli, M. (2) 331
Brambilla, G. see Farrelly, F.A. (1) 167
Brasil, R.M.L.R.F. see Fenili, A. (4) 825
Brennan, M.J. see Variyart, W. (2) 305
Buchanan, G.R., Free vibration of an infinite magneto-electro-elastic cylinder (Letter) (2) 413
Bucher, C. see Macke, M. (2) 269
Burdisso, R.A. see Du, Y. (4) 751
Campos, E., Aeroacoustics research in Europe: the CEAS-ASC report on 2002 highlights (4) 809
Cao, D.Q., Tucker, R.W. and Wang, C., A stochastic approach to cable dynamics with moving rivulets (2) 291
Casagrande, S.B. see Bos, F. (Letter) (2) 403
Cauberghe, B. see Parloo, E. (5) 971
Chatterjee, A. and Vyas, N.S., Non-linear parameter estimation with Volterra series using the method of recursive iteration through harmonic probing (4) 657
Chen, H.-K., Author's reply (3) 635
Chen, Y.-S. see Ge, Z.-M. (4) 731
Cheng, G. and Zu, J.W., Dynamic analysis of an optical fiber coupler in telecommunications (1) 15
Cheong, C. see Lim, C.W. (2) 385
Cheong, J. and Youm, Y., System mode approach for analysis of horizontal vibration of 3-D two-link flexible manipulators (1) 49
Cho, S.H. see Kim, Y.Y. (4) 799
Chyuan, S.-W., Dynamic analysis of solid propellant grains subjected to ignition pressurization loading (3) 465
Crewe, A.J. see Zapico, J.L. (5) 993
Dai, K.Y. see Liu, G.R. (1) 131
Dazel, O., Sgard, F. and Lamarque, C.-H., Application of generalized complex modes to the calculation of the forced response of three-dimensional poroelastic materials (3) 555
De Roeck, G. see Xia, H. (1) 103
Ding, Q. and Leung, A.Y.T., Non-stationary processes of rotor/bearing system in bifurcations (1) 33
Du, Y., Burdisso, R.A., Nikolaidis, E. and Tiwari, D., Effects of isolators internal resonances on force transmissibility and radiated noise (4) 751
El Wahed, A.K., Sproston, J.L., Stanway, R. and Williams, E.W., An improved model of ER fluids in squeeze-flow through model updating of the estimated yield stress (3) 581
Farrelly, F.A. and Brambilla, G., Determination of uncertainty in environmental noise measurements by bootstrap method (1) 167

Fenili, A., Balthazar, J.M. and Brasil, R.M.L.R.F., Mathematical modelling of a beam-like flexible structure in slewing motion assuming non-linear curvature (Letter)	(4)	825
Friswell, M.I. see Zapico, J.L.	(5)	993
Gau, C.Y. see Young, T.H.	(1)	149
Ge, Z.-M., Yu, T.-C. and Chen, Y.-S., Chaos synchronization of a horizontal platform system.	(4)	731
González, M.P. see Zapico, J.L.	(5)	993
Gopalakrishnan, S. see Mahapatra, D.R.	(3)	429
Griffin, M.J. see Nawayseh, N.	(3)	503
Guillaume, P. see Parloo, E.	(5)	971
Habault, D., <i>New Acoustics—Selected Topics</i> by C. Ranz-Guerra and J.A. Gallego-Juárez (Eds.), Spanish Research Council (CSIC), Madrid, 2002, pp. 193, ISBN 84-00-08111-0	(5)	1055
Han, X. see Liu, G.R.	(1)	131
Hess, D.P. see Pai, N.G. (Letter)	(3)	617
Hong, C.H. see Woo, K.S.	(4)	637
Hrovat, D. see Adiguna, H.	(2)	217
Hu, G.R. see Lou, H.W.	(4)	717
Hu, N.Q. and Wen, X.S., The application of Duffing oscillator in characteristic signal detection of early fault.	(5)	917
Hung, L.X. see Anh, N.D. (Letter)	(1)	177
Igarashib, T. see Itagaki, T.	(5)	933
Ishitobi, M. see Zhu, Q. (Letter)	(3)	627
Itagaki, T., Ohta, H. and Igarashib, T., Effect of grease type on abnormal vibration of ball bearing	(5)	933
Jeon, W.-H., Baek, S.-J. and Kim, C.-J., Analysis of the aeroacoustic characteristics of the centrifugal fan in a vacuum cleaner (Letter).	(5)	1025
Ji, L., Mace, B.R. and Pinnington, R.J., Estimation of power transmission to a flexible receiver from a stiff source using a power mode approach	(3)	525
Kim, C.-J. see Jeon, W.-H. (Letter)	(5)	1025
Kim, C.H., Perkins, N.C. and Lee, C.W., Parametric resonance of plates in a sheet metal coating process	(4)	679
Kim, J.H., Author's reply	(2)	428
Kim, Y.Y., Cho, S.H. and Lee, H.C., Application of magnetomechanical sensors for modal testing	(4)	799
Krishnan Nair, K. see Kumaran, G.	(3)	485
Kumaran, G., Menon, D. and Krishnan Nair, K., Dynamic studies of railtrack sleepers in a track structure system	(3)	485
Lamarque, C.-H. see Dazel, O.	(3)	555
Law, S.S. see Zhu, X.Q.	(5)	855
Lee, C.W. see Kim, C.H.	(4)	679
Lee, H.C. see Kim, Y.Y.	(4)	799
Lee, S. see Lim, C.W.	(2)	385
Lee, W.K., Yeo, M.H. and Samoilenko, S.B., The effect of the number of nodal diameters on non-linear interactions in two asymmetric vibration modes of a circular plate.	(5)	1013
Lesieutre, G.A. see Szefi, J.T.	(1)	85
Leung, A.Y.T. see Ding, Q.	(1)	33
Lim, C.W., Cheong, C., Shin, S.-R. and Lee, S., Time-domain numerical computation of noise reduction by diffraction and finite impedance of barriers	(2)	385
Liu, G.R., Dai, K.Y., Han, X. and Ohyoshi, T., Dispersion of waves and characteristic wave surfaces in functionally graded piezoelectric plates	(1)	131
Lou, H.W. and Hu, G.R., An approach based on simplified KLT and wavelet transform for enhancing speech degraded by non-stationary wideband noise.	(4)	717
Low, K.H., Frequencies of beams carrying multiple masses: Rayleigh estimation versus eigenanalysis solutions (Letter).	(4)	843
Luongo, A. see Romeo, F.	(3)	601
Mace, B.R. see Ji, L.	(3)	525
Macke, M. and Bucher, C., Importance sampling for randomly excited dynamical systems.	(2)	269

Maeck, J. see Xia, H.	(1)	103
Mahapatra, D.R. and Gopalakrishnan, S., A spectral finite element for analysis of wave propagation in uniform composite tubes	(3)	429
Majumder, L. and Manohar, C.S., A time-domain approach for damage detection in beam structures using vibration data with a moving oscillator as an excitation source	(4)	699
Manohar, C.S. see Majumder, L.	(4)	699
Menon, D. see Kumaran, G.	(3)	485
Mickens, R.E., Oyediji, K.O. and Rucker, S.A., Analysis of the simple harmonic oscillator with fractional damping (Letter)	(4)	839
Nagano, S. see Zhu, Q. (Letter)	(3)	627
Nakamura, S. see Takahashi, K.	(1)	1
Nakamura, S. see Wu, Q.	(1)	71
Nawayseh, N. and Griffin, M.J., Non-linear dual-axis biodynamic response to vertical whole-body vibration.	(3)	503
Nikolaïdis, E. see Du, Y.	(4)	751
Ohta, H. see Itagaki, T.	(5)	933
Ohyoshi, T. see Liu, G.R.	(1)	131
Ostojca-Starzewski, M. and Woods, A., Spectral finite elements for vibrating rods and beams with random field properties	(4)	779
Oyediji, K.O. see Mickens, R.E. (Letter)	(4)	839
Özkaya, E. see Pakdemirli, M.	(3)	543
Pai, N.G. and Hess, D.P., Influence of fastener placement on vibration-induced loosening (Letter)	(3)	617
Pakdemirli, M. and Boyacı, H., Non-linear vibrations of a simple-simple beam with a non-ideal support in between	(2)	331
Pakdemirli, M. and Özkaya, E., Three-to-one internal resonances in a general cubic non-linear continuous system	(3)	543
Park, C.H., Dynamics modelling of beams with shunted piezoelectric elements	(1)	115
Parloo, E., Guillaume, P. and Cauberghe, B., Maximum likelihood identification of non-stationary operational data	(5)	971
Pathania, V. see Sharma, J.N.	(5)	897
Perkins, N.C. see Kim, C.H.	(4)	679
Petyt, M., Proceedings of the 2002 International Conference on Modal Analysis, Noise and Vibration Engineering by P. Sas, and B. van Hal (Eds.), KU Leuven, Belgium, price €60, CD-Rom, ISBN 90-73802-79-2	(5)	1057
Pinnington, R.J., Collision dynamics of two adjacent oscillators	(2)	343
Pinnington, R.J., Energy dissipation prediction in a line of colliding oscillators	(2)	361
Pinnington, R.J. see Ji, L.	(3)	525
Pujara, K.K., Letter to the Editor (Letter)	(2)	427
Qian, C.Z. see Tang, J.S. (Letter)	(5)	1036
Romeo, F. and Luongo, A., Vibration reduction in piecewise bi-coupled periodic structures.	(3)	601
Rucker, S.A. see Mickens, R.E. (Letter)	(4)	839
Samoilenko, S.B. see Lee, W.K.	(5)	1013
Seo, C.G. see Woo, K.S.	(4)	637
Sgard, F. see Dazel, O.	(3)	555
Sharma, J.N. and Pathania, V., Generalized thermoelastic Lamb waves in a plate bordered with layers of inviscid liquid	(5)	897
Shin, S.-R. see Lim, C.W.	(2)	385
Singh, R. see Adiguna, H.	(2)	217
Sinha, A. see Bhatta, P. (Letter)	(1)	201
Smith, E.C. see Szefi, J.T.	(1)	85
Sproston, J.L. see El Wahed, A.K.	(3)	581
Stanway, R. see El Wahed, A.K.	(3)	581

Szefi, J.T., Smith, E.C. and Lesieutre, G.A., Formulation and validation of a Ritz-based analytical model of high-frequency periodically layered isolators in compression	(1)	85
Takahashi, K., Wu, Q. and Nakamura, S., In-plane antisymmetric response of cables through bifurcation under symmetric sinusoidally time-varying load	(1)	1
Takahashi, K. see Wu, Q.	(1)	71
Tang, J.S. and Qian, C.Z., The asymptotic solution of the strongly non-linear Klein–Gordon equation (Letter).	(5)	1036
Taylor, C.A. see Zapico, J.L.	(5)	993
Tiwari, D. see Du, Y.	(4)	751
Tiwari, M. see Adiguna, H.	(2)	217
Trevisani, A., Feedback control of flexible four-bar linkages: a numerical and experimental investigation.	(5)	947
Tseng, H.E. see Adiguna, H.	(2)	217
Tucker, R.W. see Cao, D.Q.	(2)	291
Van Dooren, R., Comments on “Chaos and chaos synchronization of a symmetric gyro with linear-plus-cubic damping” (Letter).	(3)	632
van Horssen, W.T., On the influence of lateral vibrations of supports for an axially moving string	(2)	323
van Horssen, W.T. see Waluya, S.B. (Letter)	(1)	209
Variyart, W. and Brennan, M.J., An actuator for the $n = 2$ circumferential mode of a pipe	(2)	305
Vyas, N.S. see Chatterjee, A.	(4)	657
Waluya, S.B. and van Horssen, W.T., On the periodic solutions of a generalized non-linear Van der Pol oscillator (Letter).	(1)	209
Wang, C. see Cao, D.Q.	(2)	291
Wen, X.S. see Hu, N.Q.	(5)	917
Williams, E.W. see El Wahed, A.K.	(3)	581
Woo, K.S., Hong, C.H., Basu, P.K. and Seo, C.G., Free vibration of skew Mindlin plates by p -version of F.E.M.	(4)	637
Woods, A. see Ostoja-Starzewski, M.	(4)	779
Wu, J.-J., The complete-similitude scale models for predicting the vibration characteristics of the elastically restrained flat plates subjected to dynamic loads (Letter).	(5)	1041
Wu, Q., Takahashi, K. and Nakamura, S., The effect of cable loosening on seismic response of a prestressed concrete cable-stayed bridge	(1)	71
Wu, Q. see Takahashi, K.	(1)	1
Xia, H., De Roeck, G., Zhang, N. and Maeck, J., Experimental analysis of a high-speed railway bridge under Thalys trains	(1)	103
Xue, H., A stiffness equation transfer method for natural frequencies of structures	(5)	881
Yeo, M.H. see Lee, W.K.	(5)	1013
Youm, Y. see Cheong, J.	(1)	49
Young, T.H. and Gau, C.Y., Dynamic stability of spinning pretwisted beams subjected to axial random forces	(1)	149
Yu, T.-C. see Ge, Z.-M.	(4)	731
Zapico, J.L., González, M.P., Friswell, M.I., Taylor, C.A. and Crewe, A.J., Finite element model updating of a small scale bridge	(5)	993
Zhang, N. see Xia, H.	(1)	103
Zhu, Q., Ishitobi, M. and Nagano, S., Condition of chaotic vibration in a centrifugal governor (Letter)	(3)	627
Zhu, X.Q. and Law, S.S., Dynamic axle and wheel loads identification: laboratory studies	(5)	855
Zu, J.W. see Cheng, G.	(1)	15