



ELSEVIER

Journal of Sound and Vibration 275 (2004) 1147–1150

JOURNAL OF  
SOUND AND  
VIBRATION

www.elsevier.com/locate/jsvi

## Index to Volume 275

Ahmadi, G. see Marzbanrad, J. . . . .	(3–5)	973
Alkhatib, R., Jazar, G.N. and Golnaraghi, M.F., Optimal design of passive linear suspension using genetic algorithm . . . . .	(3–5)	665
Allam, M.M. see Basha, S.M. (Letter) . . . . .	(3–5)	1085
Álvarez Marañón, G., Hernández Encinas, L., Montoya Vitini, F. and Muñoz Masqué, J., Cryptanalysis of a novel cryptosystem based on chaotic oscillators and feedback inversion (Letter). . . . .	(1–2)	423
Ananthkrishnan, N. see Nichkawde, C. . . . .	(3–5)	1069
Anusonti-Inthra, P. and Gandhi, F., Cyclic modulation of semi-active controllable dampers for tonal vibration isolation . . . . .	(1–2)	107
Azrar, L. see Mohri, F. (Letter). . . . .	(1–2)	434
Banerjee, J.R., Comments on “A dynamical basis for computing the modes of Euler–Bernoulli and Timoshenko beams” (Letter) . . . . .	(1–2)	459
Basha, S.M. and Allam, M.M., Response of open-plane frames on isolated footings to an excitation characterized by a white noise (Letter). . . . .	(3–5)	1085
Basseville, M., Mevel, L. and Goursat, M., Statistical model-based damage detection and localization: subspace-based residuals and damage-to-noise sensitivity ratios . . . . .	(3–5)	769
Bergman, L.A. see Pesterev, A.V. . . . .	(1–2)	127
Bergman, R.M. see Levitsky, S.P. . . . .	(1–2)	267
Bert, C.W. and Zeng, H., Analysis of axial vibration of compound bars by differential transformation method. . . . .	(3–5)	641
Boileau, P.E. see Oddo, R. . . . .	(3–5)	623
Boltežar, M. and Jakšič, N., On the optimality during parameter identification . . . . .	(1–2)	331
Bolton, J.S. see Kim, Y.-J. . . . .	(3–5)	605
Brentner, K.S. see Brès, G.A. . . . .	(3–5)	719
Brès, G.A., Brentner, K.S., Perez, G. and Jones, H.E., Maneuvering rotorcraft noise prediction . . . . .	(3–5)	719
Brown, A.W.M. see Langley, R.S. . . . .	(3–5)	823
Brown, A.W.M. see Langley, R.S. . . . .	(3–5)	847
Cai, J. and Li, Y.P., Strongly non-linear oscillators with slowly varying parameters . . . . .	(1–2)	241
Campos, L.M.B.C. and Oliveira, J.M.G.S., On the optimization of non-uniform acoustic liners on annular nozzles . . . . .	(3–5)	557
Champoux, Y. see Oddo, R. . . . .	(3–5)	623
Chang, J.R. and Liu, R.F., An asymmetric indirect Trefftz method for solving free-vibration problems. . . . .	(3–5)	991
Chavez, M. see Fried, I. (Letter) . . . . .	(1–2)	415
Cheng, G. and Zu, J.W., Dynamics of a dry friction oscillator under two-frequency excitations . . . . .	(3–5)	591
Choi, S. and Stubbs, N., Damage identification in structures using the time-domain response . . . . .	(3–5)	577
Choi, S.B. and Lee, D.H., Modal analysis and control of a bowl parts feeder activated by piezoceramic actuators (Letter). . . . .	(1–2)	452
Chu, C.-R. see Liu, J.-Y. . . . .	(3–5)	739
Claeyssen, J.R., Author’s reply . . . . .	(1–2)	461
Demir, C. see Kocatürk, T. . . . .	(1–2)	317
Ding, W.-C., Xie, J.H. and Sun, Q.G., Interaction of Hopf and period doubling bifurcations of a vibro-impact system. . . . .	(1–2)	27
El-Raheb, M., Wave propagation in a weak viscoelastic layer produced by prescribed velocity on the boundary . . . . .	(1–2)	89

- Ergin, A. and Uğurlu, B., Hydroelastic analysis of fluid storage tanks by using a boundary integral equation method . . . . . (3–5) 489
- Fried, I. and Chavez, M., Superaccurate finite element eigenvalue computation (Letter) . . . . . (1–2) 415
- Fukano, T. and Jang, C.-M., Tip clearance noise of axial flow fans operating at design and off-design condition . . . . . (3–5) 1027
- Fukushima, A. see Yoshitake, Y. . . . . (1–2) 77
- Gandhi, F. see Anusonti-Inthra, P. . . . . (1–2) 107
- Gandzha, I.S. see Lukomsky, V.P. . . . . (1–2) 351
- Garg, N.R. see Kumar, R. . . . . (3–5) 877
- Golnaraghi, M.F. see Alkhatib, R. . . . . (3–5) 665
- Goursat, M. see Basseville, M. . . . . (3–5) 769
- Haddad, J. see Levitsky, S.P. . . . . (1–2) 267
- Han, W., Jin, D.P. and Hu, H.Y., Dynamics of an oblique-impact vibrating system of two degrees of freedom . . . . . (3–5) 795
- Harish, P.M. see Nichkawde, C. . . . . (3–5) 1069
- Hernández Encinas, L. see Álvarez Marañón, G. (Letter) . . . . . (1–2) 423
- Ho, C.-C. see Ma, C.-K. . . . . (3–5) 953
- Hojjat, Y. see Marzbanrad, J. . . . . (3–5) 973
- Hu, H.Y., Using delayed state feedback to stabilize periodic motions of an oscillator. . . . . (3–5) 1009
- Hu, H.Y. see Han, W. . . . . (3–5) 795
- Huang, Z.L., Liu, Z.H. and Zhu, W.Q., Stationary response of multi-degree-of-freedom vibro-impact systems under white noise excitations . . . . . (1–2) 223
- Ilhan, N. see Kocatürk, T. . . . . (1–2) 317
- Ishibashi, T. see Yoshitake, Y. . . . . (1–2) 77
- Ishitobi, M. see Zhu, Q. (Letter) . . . . . (3–5) 1136
- Jakšić, N. see Boltežar, M. . . . . (1–2) 331
- Jang, C.-M. see Fukano, T. . . . . (3–5) 1027
- Jangid, R.S. see Shrimali, M.K. . . . . (1–2) 59
- Jazar, G.N. see Alkhatib, R. . . . . (3–5) 665
- Jin, D.P. see Han, W. . . . . (3–5) 795
- Johansson, M., A purely directional wave splitting for the homogeneous Timoshenko beam. . . . . (1–2) 299
- Jones, H.E. see Brès, G.A. . . . . (3–5) 719
- Jones, Y. see Selamat, A. . . . . (1–2) 151
- Kerstens, J.G.M., A simple formula for estimating fundamental frequencies when two structures are coupled (Letter). . . . . (3–5) 1127
- Khadem, S.E. see Mahmoodi, S.N. . . . . (1–2) 283
- Kim, H.-D., Kweon, Y.-H. and Setoguchi, T., A study of the weak shock wave propagating through an engine exhaust silencer system . . . . . (3–5) 893
- Kim, Y. and Nelson, P.A., Estimation of acoustic source strength within a cylindrical duct by inverse methods . . . . . (1–2) 391
- Kim, Y. and Nelson, P.A., Optimal regularisation for acoustic source reconstruction by inverse methods (3–5) 463
- Kim, Y.-J. and Bolton, J.S., Effects of rotation on the dynamics of a circular cylindrical shell with application to tire vibration . . . . . (3–5) 605
- Kocatürk, T., Demir, C., Sezer, S. and Ilhan, N., Determination of the steady state response of viscoelastically corner point-supported rectangular specially orthotropic plates under the effect of sinusoidally varying moment . . . . . (1–2) 317
- Kosmatopoulos, E.B. see Pei, J.-S. . . . . (3–5) 693
- Kothamasu, V. see Selamat, A. . . . . (1–2) 151
- Kumar, R., Garg, N.R. and Miglani, A., Dynamic behaviour of an anisotropic liquid-saturated porous medium in frequency domain . . . . . (3–5) 877
- Kweon, Y.-H. see Kim, H.-D. . . . . (3–5) 893
- Langley, R.S. and Brown, A.W.M., The ensemble statistics of the energy of a random system subjected to harmonic excitation . . . . . (3–5) 823
- Langley, R.S. and Brown, A.W.M., The ensemble statistics of the band-averaged energy of a random system . . . . . (3–5) 847

- Lee, D.H. see Choi, S.B. (Letter) . . . . . (1–2) 452
- Lee, J., Energy-conserving Galerkin representation of clamped plates under a moderately large deflection (3–5) 649
- Lee, M.-S. see Lee, S.-K. (Letter) . . . . . (3–5) 1101
- Lee, S.-K. and Lee, M.-S., Reverberation time measurement for an acoustic room with low value of BT by utilizing wavelet transform (Letter) . . . . . (3–5) 1101
- Levitsky, S.P., Bergman, R.M. and Haddad, J., Sound dispersion in a deformable tube with polymeric liquid and elastic central rod . . . . . (1–2) 267
- Li, D. and Xu, J., A method to determine the periodic solution of the non-linear dynamics system . . . . . (1–2) 1
- Li, Y.P. see Cai, J. . . . . (1–2) 241
- Lim, T.C. see Selamet, A. . . . . (1–2) 151
- Lin, S., Study on the equivalent circuit and coupled vibration for the longitudinally polarized piezoelectric ceramic hollow cylinders . . . . . (3–5) 859
- Liu, J.-Y., Tsai, S.-H., Wang, C.-C. and Chu, C.-R., Acoustic wave reflection from a rough seabed with a continuously varying sediment layer overlying an elastic basement. . . . . (3–5) 739
- Liu, R.F. see Chang, J.R. . . . . (3–5) 991
- Liu, Z.H. see Huang, Z.L. . . . . (1–2) 223
- Loyau, T. see Oddo, R. . . . . (3–5) 623
- Lu, Y. and Tu, Z., A two-level neural network approach for dynamic FE model updating including damping . . . . . (3–5) 931
- Lu, Z.-H. see Shangguan, W.-B. . . . . (1–2) 193
- Lukomsky, V.P. and Gandzha, I.S., Cascades of subharmonic stationary states in strongly non-linear driven planar systems. . . . . (1–2) 351
- Ma, C.-K. and Ho, C.-C., An inverse method for the estimation of input forces acting on non-linear structural systems . . . . . (3–5) 953
- Mahmoodi, S.N., Khadem, S.E. and Rezaee, M., Analysis of non-linear mode shapes and natural frequencies of continuous damped systems. . . . . (1–2) 283
- Marzbanrad, J., Ahmadi, G., Zohoor, H. and Hojjat, Y., Stochastic optimal preview control of a vehicle suspension . . . . . (3–5) 973
- Mevel, L. see Basseville, M. . . . . (3–5) 769
- Migliani, A. see Kumar, R. . . . . (3–5) 877
- Mohanty, P. and Rixen, D.J., A modified Ibrahim time domain algorithm for operational modal analysis including harmonic excitation. . . . . (1–2) 375
- Mohri, F., Azrar, L. and Potier-Ferry, M., Vibration analysis of buckled thin-walled beams with open sections (Letter). . . . . (1–2) 434
- Mongeau, L. see Park, J. . . . . (1–2) 249
- Muñoz Masqué, J. see Álvarez Marañón, G. . . . . (1–2) 423
- Montoya Vitini, F. see Álvarez Marañón, G. . . . . (1–2) 423
- Naguleswaran, S., Transverse vibration of an uniform Euler–Bernoulli beam under linearly varying axial force. . . . . (1–2) 47
- Nelson, P.A. see Kim, Y. . . . . (1–2) 391
- Nelson, P.A. see Kim, Y. . . . . (3–5) 463
- Nichkawde, C., Harish, P.M. and Ananthkrishnan, N., Stability analysis of a multibody system model for coupled slosh–vehicle dynamics. . . . . (3–5) 1069
- Nichols, C.J. see Todd, M.D. (Letter) . . . . . (3–5) 1113
- Nichols, J.M. see Todd, M.D. (Letter) . . . . . (3–5) 1113
- Nielsen, J.C.O. and Oscarsson, J., Simulation of dynamic train–track interaction with state-dependent track properties . . . . . (3–5) 515
- Oddo, R., Loyau, T., Boileau, P.E. and Champoux, Y., Design of a suspended handle to attenuate rock drill hand-arm vibration: model development and validation . . . . . (3–5) 623
- Oliveira, J.M.G.S. see Campos, L.M.B.C. . . . . (3–5) 557
- Oscarsson, J. see Nielsen, J.C.O. . . . . (3–5) 515
- Park, J., Mongeau, L. and Siegmund, T., An investigation of the flow-induced sound and vibration of viscoelastically supported rectangular plates: experiments and model verification. . . . . (1–2) 249
- Park, K.-J., Flexible robot manipulator path design to reduce the endpoint residual vibration under torque constraints . . . . . (3–5) 1051

Pei, J.-S., Smyth, A.W. and Kosmatopoulos, E.B., Analysis and modification of Volterra/Wiener neural networks for the adaptive identification of non-linear hysteretic dynamic systems . . . . .	(3-5)	693
Perez, G. see Brès, G.A. . . . .	(3-5)	719
Pesterev, A.V., Bergman, L.A. and Tan, C.A., A novel approach to the calculation of pothole-induced contact forces in MDOF vehicle models . . . . .	(1-2)	127
Potier-Ferry, M. see Mohri, F. (Letter) . . . . .	(1-2)	434
Qu, W., Sun, J. and Qui, Y., Active control of vibration using a fuzzy control method . . . . .	(3-5)	917
Qui, Y. see Qu, W. . . . .	(3-5)	917
Ren, G. see Wu, S. . . . .	(1-2)	17
Renji, K., Estimation of spectral density using statistical energy analysis (Letter) . . . . .	(1-2)	447
Rezaee, M. see Mahmoodi, S.N. . . . .	(1-2)	283
Rixen, D.J. see Mohanty, P. . . . .	(1-2)	375
Ruta, P., The vibration of a non-prismatic beam on an inertial elastic half-plane . . . . .	(3-5)	533
Selamet, A., Kothamasu, V., Jones, Y. and Lim, T.C., Effect of unequal Y-pipes on sound propagation in the exhaust system of V-engines . . . . .	(1-2)	151
Self, R.H., Jet noise prediction using the Lighthill acoustic analogy . . . . .	(3-5)	757
Setoguchi, T. see Kim, H.-D. . . . .	(3-5)	893
Sezer, S. see Kocatürk, T. . . . .	(1-2)	317
Shahruz, S.M., Comments on “Cryptanalysis of a novel cryptosystem based on chaotic oscillators and feedback inversion” (Letter) . . . . .	(1-2)	431
Shangguan, W.-B. and Lu, Z.-H., Modelling of a hydraulic engine mount with fluid-structure interaction finite element analysis . . . . .	(1-2)	193
Shrimali, M.K. and Jangid, R.S., Seismic analysis of base-isolated liquid storage tanks . . . . .	(1-2)	59
Siegmund, T. see Park, J. . . . .	(1-2)	249
Smyth, A.W. see Pei, J.-S. . . . .	(3-5)	693
Stubbs, N. see Choi, S. . . . .	(3-5)	577
Sun, J. see Qu, W. . . . .	(3-5)	917
Sun, Q.G. see Ding, W.-C. . . . .	(1-2)	27
Tan, C.A. see Pesterev, A.V. . . . .	(1-2)	127
Todd, M.D., Nichols, J.M., Nichols, C.J. and Virgin, L.N., An assessment of modal property effectiveness in detecting bolted joint degradation: theory and experiment (Letter) . . . . .	(3-5)	1113
Tsai, S.-H. see Liu, J.-Y. . . . .	(3-5)	739
Tu, Z. see Lu, Y. . . . .	(3-5)	931
Turner, J.A., Non-linear vibrations of a beam with cantilever-Hertzian contact boundary conditions. . . . .	(1-2)	177
Uğurlu, B. see Ergin, A. . . . .	(3-5)	489
Virgin, L.N. see Todd, M.D. (Letter) . . . . .	(3-5)	1113
Wang, C.-C. see Liu, J.-Y. . . . .	(3-5)	739
Wu, S. and Ren, G., A note on delay-independent stability of a predator-prey model . . . . .	(1-2)	17
Xie, J.H. see Ding, W.-C. . . . .	(1-2)	27
Xu, J. see Li, D. . . . .	(1-2)	1
Yoshitake, Y., Ishibashi, T. and Fukushima, A., Vibration control and electricity generating device using a number of hula-hoops and generators . . . . .	(1-2)	77
Zeng, H. see Bert, C.W. . . . .	(3-5)	641
Zhu, Q. and Ishitobi, M., Chaos and bifurcations in a nonlinear vehicle model (Letter) . . . . .	(3-5)	1136
Zhu, W.Q. see Huang, Z.L. . . . .	(1-2)	223
Zohoor, H. see Marzbanrad, J. . . . .	(3-5)	973
Zu, J.W. see Cheng, G. . . . .	(3-5)	591